

A check list of the longicorn beetles (Cerambycidae) of Russia, Ukraine, Moldova, Transcaucasia, Central Asia, Kazakhstan and Mongolia.

M.L. Danilevsky, 2007

All geographical divisions are accepted according to "Catalogue of Palaearctic Coleoptera" editing by I. Löble and A. Smetana.

Regions:

E:

NT - North of European Russia (including Komi, Vologda and S.-Petersburg regions).

CT - Centre of European Russia (including transural Asian territories of Ekaterinburg and Cheliabinsk regions, as well as Pskov, Novgorod, Tver, Jaroslavl, Kostroma, Kirov, Perm regions and Udmurtia)

ST - South of European Russia (including transural Asian territory of Orenburg Region, Kursk, Voronezh and Saratov regions, as well as whole Dagestan, Krasnodar and Stavropol regions.)

MD - Moldova (including Tiraspol Region)

UK - Ukraine (including Crimea)

A:

WS - West Siberia (without Ekaterinburg, Cheliabinsk and Orenburg regions; including Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo and Altai regions, as well as Khanty-Mansi and Jamalo-Nenetsk regions)

ES - East Siberia (from Tuva and Krasnoiarsk to Chita regions, including Irkutsk region and Yakutia)

FE - Far East Russia (Amur, Khabarovsk, Primorie, Magadan, Chukotka, Kamchatka and Sakhalin regions, including Kunashir Is.)

AR - Armenia

GG - Georgia (including Abkhazia and Adzharia)

AB - Azerbaidjan (including Nakhichevan and Karabakh)

TM - Turkmenia

UZ - Uzbekistan

TD - Tadzhikistan

KI - Kyrgyzstan

KZ - Kazakhstan (including European part of NW Kazakhstan)

MG - Mongolia

Familia: VESPERIDAE Mulsant, 1839

Subfamilia: PHILINAE Thomson, 1860

Tribus: PHILINI

Genus: Mantitheus Fairmaire, 1889

pekinensis Fairmaire, 1889 **A:** MG

=gracilis Pic, 1924

Familia: DISTENIIDAE Lacordaire, 1869

Tribus: DISTENIINI

Genus: Distenia Serville, 1825

= Apehes Blessig, 1872

gracilis Blessig, 1872

ssp. gracilis Blessig, 1872 **A:** FE

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PARANDRINAE Blanchard, 1845

Tribus: PARANDRINI

Genus: Parandra Latreille, 1804

Sugenus: Archandra Lameere, 1912

caspia Ménétriés, 1832 **A:** AB
 Subfamilia: PRIONINAE Latreille, 1802
 Tribus: CALLIPOGONINI
 Genus: *Callipogon* Serville, 1832
 Subgenus: *Eoxenus* Semenov, 1899
 relictus Semenov, 1898 **A:** FE
 Tribus: ERGATINI
 Genus: *Ergates* Serville, 1832
 Subgenus: *Ergates* Serville, 1832
 faber Linnaeus, 1767
 ssp. faber Linnaeus, 1767 **E:** UK CT ST **A:** GG ?AR ?AB
 Tribus: MACROTOMINI
 Genus: *Prinobius* Mulsant, 1842
 myardi Mulsant, 1842
 = *germari* Dejean, 1835
 = *scutellaris* Germar, 1817
 ssp. myardi Mulsant, 1842 **E:** UK **A:** GG
 Genus: *Rhaesus* Motschulsky, 1875
 = *Rhesus* Thomson, 1860 (nec *Rhesus* Lesson, 1840)
 serricollis Motschulsky, 1838 **E:** ST **A:** GG AR AB
 Tribus: AEGOSOMATINI
 Genus: *Aegosoma* Serville, 1832
 Subgenus: *Aegosoma* Serville, 1832
 sinica White, 1853
 ssp. sinica White, 1853 **A:** FE
 scabricornis Scopoli, 1763 **E:** ?MD UK ST **A:** GG AR AB
 Tribus: MEROSCELISINI
 Genus: *Tragosoma* Serville, 1832
 depsarium Linnaeus, 1767 **E:** UK NT CT ?ST **A:** WS ES ?FE
 Tribus: PRIONINI
 Genus: *Dorysthenes* Vigors, 1826
 Subgenus: *Cyrtognathus* Faldermann, 1835
 paradoxus Faldermann, 1833 **A:** FE ?MG
 Genus: *Prionus* Geoffroy, 1762
 insularis Motschulsky, 1857
 ssp. insularis Motschulsky, 1857 **A:** ES FE
 coriarius Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ?KZ GG AR AB
 Genus: *Mesoprionus* Jakovlev, 1887
 asiaticus Faldermann, 1837 **E:** ST **A:** GG AR AB KZ
 angustatus Jakovlev, 1887 **A:** KZ TR UZ TD
 zarudnii Semenov, 1933 **A:** TD
 Genus: *Psilotarsus* Motschulsky, 1860
 = *Psilopus* Gebler, 1859
 = *Otiartes* Thomson, 1866
 = *Brachyprionus* Jakovlev, 1887
 = *Prionoxys* Semenov, 1899
 brachypterus Gebler, 1830
 ssp. brachypterus Gebler, 1830 **A:** ?WT KZ
 = *latidens* Motschulsky, 1860
 ssp. hemipterus Motschulsky, 1845 **E:** ST **A:** KZ UZ
 ssp. aralensis Danilevsky, 2000 **A:** KZ UZ
 ssp. pubiventris Semenov, 1900 **A:** KZ KI
 = *hypogymnus* Semenov, 1900
 ssp. alpherakii Semenov, 1900 **A:** ?KZ
 hirticollis Motschulsky, 1860
 ssp. hirticollis Motschulsky, 1860 **A:** KZ UZ TD
 ssp. nudicollis Danilevsky, 2000 **A:** KZ
 ssp. auliensis Danilevsky, 2000 **A:** KZ KI
 turkestanicus Semenov, 1888 **A:** TM UZ TD
 = *curticornis* Ganglbauer, 1888
 =? *ruficornis* Fairmaire, 1892
 heydeni Ganglbauer, 1888
 =? *ruficornis* Fairmaire, 1892

ssp. heydeni Ganglbauer, 1888 **A:** UZ KI
 = minusculus Semenov, 1935
 ssp. arkitensis Danilevsky, 2000 **A:** KI
 ssp. talassicus Danilevsky, 2000 **A:** KI
 Genus: Lobarthron Semenov, 1900
 balassogloi Jakovlev, 1885 **A:** KZ UZ
 Genus: Polylobarthron Semenov, 1900
 margelanicus Théry, 1896 **A:** KZ UZ
 Genus: Pogonarthron Semenov, 1900
 = Pseudomonocladum Villiers, 1961
 semenovianus Plavilstshikov, 1936 **A:** TD
 minutus Pic, 1905 **A:** TD
 bedeli Semenov, 1900 **A:** TD
 tshitsherini Semenov, 1889 **A:** ?UZ KI
 Genus: Pseudoprionus Pic, 1898
 bienerti Heyden, 1885 **A:** TM
 = pluschtschewskii Jakovlev, 1887
 = banghaasi Pic, 1901
 Genus: Miniprionus Danilevsky 1999
 pavlovskii Semenov, 1935 **A:** TD
 Genus: Microarthron Pic, 1900
 komarowi Dohrn, 1885 **A:** KZ TM UZ TD
 Subfamilia: LEPTURINAE Latreille, 1802
 Tribus: XYLOSTEINI
 Genus: Xylosteus Frivaldsky, 1838
 caucasicola Plavilstshikov, 1936 **E:** ST **A:** GG
 Genus: Leptorhabdium Kraatz, 1879
 = Psilorhabdium Kraatz, 1879
 caucasicum Kraatz, 1879 **E:** ST **A:** GG AR AB
 Tribus: ENCYCLOPINI
 Genus: Encyclops Newman, 1838
 = Microrhabdium Kraatz, 1879
 macilentus Kraatz, 1879 **A:** FE
 = parallelus Pic, 1914
 = ussuricus Tsherepanov, 1975
 olivaceus Bates, 1884 **A:** FE
 Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Oxymirus Mulsant, 1863
 mirabilis Motschulsky, 1838 **E:** ST **A:** GG AR AB
 cursor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS
 Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Enoploderes Faldermann, 1837
 Subgenus: Enoploderes Faldermann, 1837
 sanguineum Faldermann, 1837 **E:** ST **A:** GG AR AB
 Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997
 Genus: Rhamnusium Latreille, 1829
 graecum Schaufuss, 1862 **A:** ?GG AR AB
 bicolor (Schrank, 1781) **E:** MD UK NT CT ST **A:** KZ
 = gracilicorne Théry, 1894
 ssp. bicolor (Schrank, 1781) **E:** MD UK NT CT ST **A:** KZ
 testaceipenne Pic, 1897 **E:** UK ST **A:** GG ?AR
 Tribus: RHAGIINI
 Genus: Rhagium Fabricius, 1775
 Subgenus: Hagrium Villiers, 1978
 bifasciatum Fabricius, 1775 **E:** MD UK ?CT ST **A:** GG AR AB
 Subgenus: Megarhagium Reitter, 1913
 fasciculatum Faldermann, 1837 **E:** ST **A:** GG AR AB
 mordax Degeer, 1775 **E:** MD UK NT CT ST **A:** WS ES KZ
 caucasicum Reitter, 1889 C TI
 ssp. caucasicum Reitter, 1889 **E:** ST **A:** GG AR AB
 ssp. semicorne Holzschuh, 1974 **A:** AB
 sycophanta Schrank, 1781 **E:** MD UK CT ST **A:** WS
 pygmaeum Ganglbauer, 1882 **A:** AB

Subgenus: Rhagium Fabricius, 1775
 inquisitor Linnaeus, 1758
 ssp. inquisitor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ MG
 ssp. rugipenne Reitter, 1898 **A:** ES FE MG
 ssp. schtschukini Semenov, 1897 **E:** ST **A:** GG AR AB
 = minimum Podany, 1964
 japonicum Bates, 1884 **A:** FE
 Genus: Akimerus Serville, 1835
 schaefferi Laicharting, 1784 **E:** MD UK CT ST
 Genus: Stenocorus Geoffroy, 1762
 = Toxotus Dejean 1821
 Subgenus: Eutoxotus Casey 1913
 coeruleipennis Bates, 1873 **A:** FE
 Subgenus: Anisorus Mulsant, 1863
 quercus Götze, 1783 **E:** MD UK CT ST **A:** ?WS ES GG AR AB
 ssp. quercus Götze, 1783 **E:** MD UK CT ST **A:** ?WS ES
 ssp. ?aureopubens Pic, 1908 **A:** GG AR AB
 Subgenus: Stenocorus Geoffroy, 1762
 amurensis Kraatz, 1879 **A:** FE
 = sachalinensis Matsumura, 1911
 meridianus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ
 insitivus Germar, 1824 **E:** UK ST **A:** GG AR AB
 ssp. insitivus Germar, 1824 **E:** UK ST **A:** GG AR AB
 ssp. persicus Faldermann, 1837 **A:** AB
 biformis Tournier, 1872 **A:** GG
 vittidorsum Reitter, 1890 **A:** GG AR AB
 lepturoides Reitter, 1913 **A:** ?FE
 minutus Gebler, 1841 **A:** KZ ?WS ?MG
 =tataricus Gebler, 1841
 vittatus Fischer-Waldheim, 1842 **A:** KZ
 = turkestanicus Ganglbauer, 1889
 = suvorovi Reitter, 1907
 Subgenus: Toxotochorus Reitter, 1907
 validicornis Pic, 1906
 ssp. validicornis Pic, 1906 **A:** UZ KI
 = alaiensis Pic, 1906
 ssp. univittatus Reitter, 1913 **A:** KZ UZ KI
 Genus: Pachytella Heyrovsky, 1969
 mongolica Heyrovsky, 1969 **A:** MG
 Genus: Pachyta Dejean, 1821
 lamed Linnaeus, 1758
 ssp. lamed Linnaeus, 1758 **E:** MD UK NT CT **A:** WS ES FE MG
 bicuneata Motschulsky, 1860 **A:** WS FE
 quadrifasciata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS ES KZ MG
 Genus: Evodinellus Plavilstshikov, 1915
 Subgenus: Evodinellus Plavilstshikov, 1915
 borealis Gyllenhal, 1827 **E:** UK NT CT **A:** WS ES FE MG
 = grisescens Pic, 1889
 Subgenus: Brachytodes Planet, 1924
 clathratus Fabricius, 1792 **E:** MD UK
 Genus: Brachyta Fairmaire, 1864
 bifasciata Olivier, 1792
 ssp. bifasciata Olivier, 1792 **A:** ES FE
 ssp. japonica Matsushita, 1933 **A:** FE
 caucasica Rost, 1891
 ssp. caucasica Rost, 1891 **A:** GG
 ssp. kubanica Miroshnikov, 1990 **E:** ST
 rosti Pic, 1900 **E:** ST **A:** ?GG
 = caucasicola Plavilstshikov, 1936
 breiti Tippmann, 1946 **A:** ES MG
 striolata Gebler, 1817 **A:** ES MG
 = mutabilis Motschulsky, 1875
 = striatiformis Plavilstshikov, 1936

= eurinensis Tsherepanov, 1978
 variabilis Gebler, 1817 **E:** NT CT **A:** KZ WS ES FE MG
 ssp. variabilis Gebler, 1817 **A:** KZ WS ES MG
 ssp. scapularis Mannerheim, 1849 **A:** ES FE MG
 = solskyi Kraatz, 1879
 = ?comosus Solsky, 1871
 = ?constrictus Germar, 1824
 interrogationis L. 1758 **E:** MD UK NT CT ST **A:** GG KZ WS ES FE MG
 = ?marginalis Motschulsky, 1875
 = ?obsidiana Motschulsky, 1875
 punctata Fald. 1833 **A:** ES MG
 = ?duodecimmaculata Fabricius, 1781
 = duodecimmaculatus Solsky, 1871
 = cruciatus Kraatz, 1879
 = ?altajensis Pic, 1900
 = kraatzi Ganglbauer, 1889
 ssp. punctata Fald. 1833 **A:** ES MG
 ssp. sochondensis Tshernyshev et Dubatolov, 2005 **A:** ES ?MG
 danilevskyi Tshernyshev, Dubatolov, 2005 **A:** FE
 amurensis Kraatz, 1879 **A:** FE
 sachalinensis Matsumura, 1911 **A:** FE
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **A:** FE
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens Jakovlev, 1893 **A:** ES ?MG
 magnifica Plavilstshikov, 1958 **A:** FE
 excellens Brancsik, 1874 **E:** UK
 Genus: Carilia Mulsant, 1863
 virginea Linnaeus, 1758
 ssp. virginea Linnaeus, 1758 **E:** MD UK NT CT ST
 ssp. aemula Mannerheim, 1852 **E:** ?CT ?ST **A:** KZ WS ES FE MG
 = sibirica Podany, 1962
 ssp. kozhevnikovi Plavilstshikov, 1915 **A:** FE
 Genus: Paragaurotes Plavilstshikov, 1921
 ussuriensis Blessig, 1873 **A:** ES FE
 doris Bates, 1884
 ssp. suvorovi Semenov, 1914 **A:** FE
 Genus: Lemula Bates, 1884
 decipiens Bates, 1884 **A:** FE
 Genus: Acmaeops LeConte, 1850
 marginatus Fabricius, 1781 **E:** UK NT CT ST **A:** KZ WS ES FE MG
 septentrionis Thomson, 1866 **E:** UK NT CT ST **A:** KZ WS ES FE MG
 smaragdulus Fabricius, 1792 **E:** NT CT **A:** KZ WS ES FE MG
 angusticollis Gebler, 1833 **E:** NT CT **A:** WS ES FE MG
 = viridula Matsumura, 1911
 = sachalinensis Tsherepanov, 1978
 Genus: Gnathacmaeops Linsley et Chemsak, 1972
 pratensis Laicharting, 1784 **E:** MD UK NT CT ST **A:** GG AR AB KZ UZ KI WS
 ES FE MG
 brachypterus K.Daniel et J.Daniel, 1899 **A:** KZ KI
 Genus: Dinoptera Mulsant, 1863
 Subgenus: Pseudodinoptera Pic, 1900
 daghestanica Pic, 1897 **E:** ST
 Subgenus: Dinoptera Mulsant, 1863
 minuta Gebler, 1832 **A:** ES FE
 anthracina Mannerheim, 1849 **A:** SE FE MG
 collaris Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 Genus: Cortodera Mulsant, 1863
 humeralis Schaller, 1783 **E:** UK ?CT ?ST
 femorata Fabricius, 1787 **E:** UK NT CT ST
 pumila Ganglbauer, 1882 **E:** ST **A:** GG AR AB
 syriaca Pic, 1901 **A:** AR AB
 ussuriensis Tsherepanov, 1978 **A:** FE

villosa Heyden, 1876
ssp. villosa Heyden, 1876 **E:** UK CT ST **A:** ?GG ?AB
ssp. circassica Reitter, 1890 **E:** ST
holosericea Fabricius, 1801
ssp. holosericea Fabricius, 1801 **E:** ST
kaphanica Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:**

AR

colchica Reitter, 1890
ssp. colchica Reitter, 1890 **E:** ST **A:** GG AR AB
= deyrollei Pic, 1894
ssp. danczenkoi Danilevsky, 1985 in Danilevsky et Miroshnikov,

1985 **A:** AB

ssp. kalashiani Danilevsky, 2000 **A:** AR
kiesenwetteri Pic, 1893
ssp. kiesenwetteri Pic, 1893 **E:** ST
ssp. subtruncata Pic, 1934 **E:** CT
ciliata Danilevsky, 2001
ssp. ciliata Danilevsky, 2001 **A:** KZ
ssp. sakmarensis Danilevsky, 2006 **E:** ST
ssp. milaenderi Danilevsky, 2001 **E:** CT
reitteri Pic, 1891
ssp. reitteri Pic, 1891 **E:** UK CT ST
= alexandri Danilevsky, 1996
ssp. taurica Plavilstshikov, 1936 **E:** UK
= beckeriana Plavilstshikov, 1936
ssp. mikhailovi Danilevsky, 2001 **E:** CT
nalis Gebler, 1830 **A:** WS KZ
= haemorhoidalis Pic, 1898
= ruficornis Pic, 1926
sibirica Plavilstshikov, 1915
= semenovi Plavilstshikov, 1936
ssp. sibirica Plavilstshikov, 1915 **A:** WS
ssp. shavrovi Danilevsky, 2001 **A:** ES
ruthena Plavilstshikov, 1936
ssp. ruthena Plavilstshikov, 1936 **E:** ST **A:** KZ
ssp. rossica Danilevsky, 2001 **E:** UK ST
ssp. komarovi Danilevsky, 1996 **A:** KZ
ssp. turgaica Danilevsky, 2001 **E:** ?CT **A:** KZ
moldovana Danilevsky, 1996 **E:** MD
khatchikovi Danilevsky, 2001 **E:** ST
alpina Ménétériés, 1832
ssp. umbripennis Reitter, 1890 **E:** ST **A:** GG AR AB
= armeniaca Pic, 1898
ssp. rosti Pic, 1892 **E:** ST
ssp. alpina Ménétériés, 1832 **E:** ST
ssp. starki Reitter, 1888 **E:** ST **?A:** ?GG
ssp. fischensis Stark, 1894 **E:** ST
transcaspica Plavilstshikov, 1936 **A:** AR AB TM
= lobanovi Kaziuchitz, 1988
= persica Plavilstshikov, 1936
pseudomophlus Reitter, 1889 **A:** AR AB TM
Genus: Grammoptera Serville, 1835
Subgenus: Neocyclops Matsushita et Tamanuki, 1940
cyanea Tamanuki, 1933 **A:** FE
= plavilstshikovi Heyrovsky, 1965
Subgenus: Grammoptera Serville, 1835
abdominalis Stephens, 1831 **E:** UK ST **A:** GG AR AB
= variegata Germar, 1824
ruficornis Fabricius, 1781
ssp. ruficornis Fabricius, 1781 **E:** MD UK ST
ssp. obscuricornis Kraatz, 1886 **A:** AB
ustulata Schaller, 1783 **E:** MD UK ST CT **A:** AR AB

gracilis Brancsik, 1914 **A:** FE
coerulea Jurecek, 1933 **A:** FE
 Genus: *Fallacia* Mulsant et Rey, 1863
 elegans Faldermann, 1837 **E:** CT ST **A:** GG AR AB
 Genus: *Sivana* Strand, 1942
 = *Sieversia* Ganglbauer, 1886
 bicolor Ganglbauer, 1886 **A:** FE
 Genus: *Pseudosieversia* Pic, 1902
 rufa Kraatz, 1879 **A:** FE
 Genus: *Pidonia* Mulsant, 1863
 Subgenus: *Pidonia* Mulsant, 1863
 = *Pseudopidonia* Pic, 1900
 lurida Fabricius, 1792 **E:** MD UK
 similis Kraatz, 1879 **A:** FE
 alticollis Kraatz, 1879 **A:** FE
 = *tristicula* Kraatz, 1879
 = *rubricollis* Pic, 1931
 amurensis Pic, 1900 **A:** FE
 = *quelpartensis* Hayashi 1983
 malthinoides Kraatz, 1879 **A:** FE
 = *quercus* Tsherepanov, 1975
 grallatrix Bates, 1884 **A:** ?FE
 gibbicollis Blessig, 1873 **A:** FE
 suvorovi Baeckmann, 1903 **A:** FE
 Subgenus: *Mumon* Hayashi, 1968
 debilis Kraatz, 1879 **A:** FE
 Subgenus: *Cryptopidonia* Kuboki, 1981
 kurosawai Ohbayashi et Hayashi, 1960 **A:** FE
 Subgenus: *Omphalodera* Solsky, 1873
 puziloi Solsky, 1873 **A:** FE ?MG
 Tribus: SACHALINOBIINI
 Genus: *Sachalinobia* Jacobs. 1899
 koltzei Heyden, 1887 **A:** ES FE
 Genus: *Xenoleptura* Danilevsky, Lobanov et Murzin, 1981 in Lobanov et al., 1981
 hecate Reitter, 1896 **A:** KZ KI TD UZ
 Tribus: LEPTURINI
 Genus: *Cornumutila* Letzn. 1843
 quadrivittata Gebler, 1830 **E:** UK CT NT **A:** WS ES ?FE
 semenovi Plavilstshikov, 1936 **A:** ES FE
 Genus: *Nivellia* Mulsant, 1863
 sanguinosa Gyllenhal, 1827 **E:** UK NT CT **A:** ?KZ WS ES FE MG
 = *rubripennis* Matsumura, 1911
 extensa Gebler, 1841 **E:** NT **A:** WS ES FE MG
 ssp. *extensa* Gebler, 1841 **E:** NT **A:** WS ES FE MG
 ssp. *umbratilis* Shimomura & Toyoshima, 1988 **A:** FE
 Genus: *Strangalomorpha* Solsky, 1873
 tenuis Solsky, 1873
 ssp. *tenuis* Solsky, **A:** FE
 Genus: *Kirgizobia* Danilevsky, 1992
 = *Kirgisiana* Ovchinnikov 1996
 bohnei Danilevsky, 1992 **A:** KI
 Genus: *Alosterna* Mulsant, 1863
 scapularis Heyden, 1878 **A:** AB TM
 perpera Danilevsky, 1988 **A:** FE
 chalybeella Bates, 1888 **A:** FE
 = *japonica* Pic, 1935
 tabacicolor Degeer, 1775
 ssp. *tabacicolor* Degeer, 1775 **E:** MD UK NT CT ST **A:** KZ WS
 ssp. *caucasica* Plavilstshikov, 1936 **E:** ST **A:** GG AR AB
 ssp. *erythropus* Gebler, 1841 **A:** KZ WS ES FE MG
 = *bivittis* Motschulsky, 1860
 = *plavilstshikovi* Podany, 1963

ingrica Baeckm. 1902 **E:** UK NT ST CT
 Genus: Vadonia Mulsant, 1863
 bitlisiensis Chevrolat, 1882 **A:** AR
 bicolor Redt. 1850 **A:** AB
 unipunctata Fabricius, 1787
 ssp. unipunctata Fabricius, 1787 **E:** MD UK ST CT **A:** KZ GG AR AB
 ssp. saucia Mulsant et Godart, 1855 **E:** UK
 bipunctata Fabricius, 1781
 ssp. bipunctata Fabricius, 1781 **E:** ST **A:** KZ WS
 ssp. steveni Sperk 1835 **E:** MD UK CT ST **A:** ?GG ?AR
 = mulsantiana Plavilstshikov, 1936
 Genus: Pseudalosterna Plavilstshikov, 1934
 elegantula Kraatz, 1879 **A:** FE
 = orientalis Plavilstshikov, 1934
 Genus: Pseudovadonia Lob., Murz. et Danilevsky, 1981
 livida Fabricius, 1776
 ssp. pecta J.Daniel et K.Daniel, 1891 **E:** MD UK NT CT ST **A:** KZ
 WS ES
 ssp. desbrochersi Pic, 1891 **A:** AR GG AB
 Genus: Konoa Matsushita, 1933 I
 granulata Bates, 1884 **A:** FE
 Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes Schaller, 1783
 ssp. rufipes Schaller, 1783 **E:** MD UK NT CT ST **A:** GG AR AB KZ ?WS
 ES
 sexguttata Fabricius, 1775 **E:** MD UK NT CT ST **A:** GG
 rufihumeralis Tamanuki 1938 **A:** FE
 Subgenus: Anoploderomorpha Pic, 1901
 cyanea Gebler, 1832
 ssp. cyanea Gebler, 1832 **A:** ES FE MG
 Genus: Xestoleptura Casey, 1913
 rufiventris Gebler, 1830 **A:** ?KZ WS ES MG
 baeckmanni Plavilstshikov, 1936 **A:** FE
 Genus: Stictoleptura Casey, 1924
 = Brachyleptura auct. (not Casey, 1913)
 Subgenus: Aredolpona Nakane et Hayashi, 1957
 = Corymbia Des Goz., 1886
 rubra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES
 ssp. rubra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES
 dichroa Blanchard, 1871 **A:** ES FE
 = succedanea Lew., 1879
 Subgenus: Stictoleptura Casey, 1924
 = Paracorymbia Miroshnikov, 1998
 = Batesiata Miroshnikov, 1998
 = Melanoleptura Miroshnikov, 1998
 cardinalis K.Daniel et J.Daniel, 1899 **A:** KI TD UZ
 cordigera Fuessly, 1775
 ssp. cordigera Fuessly, 1775 **E:** UK **A:** GG AR AB
 erythroptera Hagenbach, 1822 **E:** ST **A:** AR GG AB
 rufa Brullé,, 1832
 ssp. ?attaliensis Daniel, 1891 E ST **A:** GG AR AB
 heydeni Ganglbauer, 1889 **A:** AB
 = ustulata Ménétrés, 1832
 variicornis Dalman, 1817 **E:** UK NT CT **A:** KZ WS ES FE MG
 scutellata Fabricius, 1781
 ssp. scutellata Fabricius, 1781 **E:** MD UK ?CT ST **A:** GG AR AB
 maculicornis Degeer, 1775 **E:** MD UK NT CT ST **A:** ?GG
 deyrollei Pic, 1895 **A:** GG
 tesserula Charp. 1825 **E:** UK ST **A:** GG AR AB
 fulva Degeer, 1775 **E:** UK ST
 apicalis Motschulsky, 1875 **A:** ?WS

tonsa J.Daniel et K.Daniel, 1891 **E:** UK ST **A:** GG AR AB
 pallidipennis Tournier, 1872 **E:** ST **A:** GG ?AB
 nadezhdae Plavilstshikov, 1932 **E:** ST
 Genus: Anastrangalia Casey 1924
 scotodes Bates, 1873 UI CJ
 ssp. scotodes Bates, 1873 **A:** FE
 ssp. continentalis Plavilstshikov, 1936 **A:** FE
 sanguinolenta Linnaeus, 1761 **E:** ?MD UK NT CT ST **A:** GG AR AB KZ WS
 dubia Scopoli, 1763
 ssp. dubia Scopoli, 1763 **E:** ?MD UK
 ssp. distincta Tournier, 1872 **E:** ST **A:** GG AR AB
 reysi Heyden, 1885 **E:** UK NT CT ST
 = inexpectata Jans. et Sjob. 1928
 sequensi Reitter, 1898 **E:** CT **A:** KZ WS ES FE MG
 renardi Gebler, 1848 **E:** NT **A:** KZ WS ES FE MG
 Genus: Lepturobosca Reitter, 1913
 virens Linnaeus, 1758 **E:** UK NT CS ST **A:** KZ WS ES FE MG
 Genus: Eustrangalis Bates, 1884
 distenoides Bates, 1884 **A:** FE
 Genus: Podostrangalia Sokol. 1897
 Subgenus: Podostrangalia Sokol. 1897
 imberbis Ménétré, 1832 **A:** AB TM
 revestita Linnaeus, 1767 **E:** ?MD UK **A:** ?GG
 Subgenus: Sphenalia Daniel 1904
 emmipoda Mulsant, 1863 **A:** ?AR ?GG
 verticenigra Pic, 1892 **A:** ?GG
 femoralis Motschulsky, 1860 **A:** ES FE
 = xanthoma Bates, 1873
 Genus: Etorofus Matsushita 1933
 Subgenus: Etorofus Matsushita 1933
 circaocularis Pic, 1934 **A:** FE
 = variicornis Matsushita, 1933
 pubescens Fabricius, 1787 **E:** UK NT CT ST **A:** ?GG
 Subgenus: Nakanea Ohb. 1963
 vicaria Bates, 1884
 ssp. vicaria Bates, 1884 **A:** FE
 Genus: Judolidia Plavilstshikov, 1936
 znojkoii Plavilstshikov, 1936 **A:** FE
 bangi Pic, 1901 **A:** ?FE
 Genus: Judolia Mulsant, 1863
 sexmaculata Linnaeus, 1758 **E:** UK NT CT ST **A:** KZ
 parallelopipeda Motschulsky, 1860 **E:** ?NT **A:** WS ES FE MG
 = abbreviata Motschulsky, 1875
 Genus: Pachytodes Pic, 1891
 erraticus Dalman, 1817
 ssp. erraticus Dalman, 1817 **E:** MD UK CT ST **A:** GG AR AB
 ssp. bottcheri Pic, 1911 **A:** WS ES KZ
 cerambyciformis Schrank 1781 **E:** MD UK NT CT ?ST **A:** GG ?AR ?AB
 orthotrichus Plavilstshikov, 1936 **A:** ES ?MG
 longipes Gebler, 1832 **A:** WS ES FE MG
 cometes Bates, 1884 **A:** FE
 = connecta Nishio 1950
 Genus: Rapuzziana Danilevsky, 2006
 hangaiensis Danilevsky, 2006 **A:** MG
 Genus: Oedecnema Thomson, 1857
 gebleri Ganglbauer, 1889 **E:** NT CT **A:** KZ WS ES FE MG
 = dubia Fabricius, 1781
 = decemmaculata Matsumura, 1911
 = shirarakensis Matsumura, 1911
 Genus: Dokhtouroffia Ganglbauer, 1886
 baeckmanni Jankowski, 1934 **A:** UZ KI

ES

nebulosa Gebler, 1845 **A:** KZ KI ?WS ?MG
 Genus: Bellamira LeConte, 1873
 Subgenus: Noona Sama, 2007
 =Nona Sama, 2002
 regalis Bates, 1884 **A:** FE
 Genus: Leptura Linnaeus, 1758
 Subgenus: Macroleptura Nakane et Ohb. 1957
 thoracica Creutz. 1799 **E:** UK ST CT NT **A:** KZ WS ES FE MG
 Subgenus: Leptura Linnaeus, 1758
 ochraceofasciata Motschulsky, 1861
 ssp. ochraceofasciata Motschulsky, 1861 **A:** FE
 latipennis Matsushita, 1933 **A:** FE
 aurulenta Fabricius, 1792 **E:** UK ST
 quadrifasciata Linnaeus, 1758
 ssp. quadrifasciata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS
 ES FE MG
 ssp. caucasica Plavilstshikov, 1924 **E:** ST **A:** GG AR AB
 annularis Fabricius, 1801
 = arcuata Panzer, 1793
 ssp. annularis Fabricius, 1801 **E:** ?MD UK NT CT ST **A:** KZ WS ES
 FE MG
 ssp. mimica Bates, 1884 **A:** FE
 duodecimguttata Fabricius, 1801
 ssp. duodecimguttata Fabricius, 1801 **A:** KZ WS ES FE MG
 subtilis Bates, 1884
 ssp. subtilis Bates, 1884 **A:** FE
 aethiops Poda 1761 **E:** MD UK NT CT ST **A:** ?GG ?AR ?AB KZ WS ES FE
 MG
 = aterrима Motschulsky, 1860
 = doii Matsushita, 1933
 Genus: Lepturalia Reitter, 1913
 nigripes Degeer, 1775
 ssp. nigripes Degeer, 1775 **E:** UK NT CT ST **A:** KZ WS ES
 ssp. rufipennis Blessig, 1873 **A:** KZ WS ES FE MG
 Genus: Strangalia Serville, 1835
 = Strangalina Aurivillius, 1912
 attenuata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 FE MG
 takeuchii Matsushita et Tamanuki, 1935 **A:** FE
 Genus: Rutpela Nak. et Ohb. 1957
 maculata Poda 1761 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 ssp. maculata Poda 1761 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 inermis J.Daniel et K.Daniel, 1898 **A:** AB TM
 Genus: Stenurella Villiers 1974
 melanura Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 MG
 novercalis Reitter, 1901 **E:** ST **A:** GG
 jaegeri Humm. 1825 **E:** UK ST **A:** GG AR AB
 bifasciata Müller, 1776
 ssp. bifasciata Müller, 1776 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 WS ES
 = sedakovi Mannerheim, 1852
 ssp. limbiventris Reitter, 1898 **A:** GG
 septempunctata Fabricius, 1792
 ssp. septempunctata Fabricius, 1792 **E:** MD UK ST
 ssp. anatolica Heyrovsky, 1961 **A:** GG AR
 nigra Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
 Subfamilia: NECYDALINAE Latreille, 1825
 Tribus: NECYDALINI
 Genus: Necydalis Linnaeus, 1758
 Subgenus: Necydalis Linnaeus, 1758
 ulmi Chevrolat, 1838 **E:** ?MD UK ST **A:** GG AR AB

?= mesembrina Plavilstshikov, 1936
 major Linnaeus, 1758
 ssp. major Linnaeus, 1758 **E:** MD UK NT CT ST **A:** AB GG KZ WS ES
 FE MG

?= xanta Semenov, 1898
 ssp. aino Kusama, 1975 **A:** FE ?MG
 gigantea Kano, 1933 **A:** FE
 Subgenus: Necydalisca Plavilstshikov, 1936
 = Eonecydalis Ohbayshi, 1961
 pennata Lew. 1879 **A:** FE
 = morio Kraatz, 1879
 = ebenina Bates, 1884
 = pacifica Plavilstshikov, 1936
 = ussuriensis Plavilstshikov, 1936
 = semenovi Plavilstshikov, 1936
 = eoa Plavilstshikov, 1936
 sachalinensis Matsushita et Tamanuki, 1927 **A:** FE
 Subfamilia: SPONDYLIDINAE Serville, 1832
 = Aseminae Thomson, 1860
 Tribus: SAPHANINI Gistel, 1856
 Genus: Drymochares Mulsant, 1847
 starcki Ganglbauer, 1888
 ssp. starcki Ganglbauer, 1888 **E:** ST **A:** ?GG
 ssp. cavazzutii Sama et Rapuzzi, 1993 **A:** GG AR
 Genus: Saphanus Serville, 1834
 piceus Laicharting, 1784
 ssp. piceus Laicharting, 1784 **E:** UK
 Genus: Oxypleurus Mulsant, 1839
 nodieri Mulsant, 1839 **E:** UK **A:** GG
 Tribus: ANISARTHONINI Mamaev et Danilevsky, 1973
 Genus: Anisarthron Dejean, 1835
 = Falsanoeme Villiers, 1971
 cyrus Villiers, 1971 **A:** AB
 barbipes Schrank, 1781 **E:** UK
 Tribus: ATIMIINI Le Conte, 1873
 Genus: Atimia Haldeman, 1847
 = Myctus Semenov et Plavilstshikov, 1937
 maculipuncta Semenov et Plavilstshikov, 1937
 ssp. maculipuncta Semenov et Plavilstshikov, 1937 **A:** MG
 ssp. nadezhdae Tsherepanov, 1973 **A:** FE
 Tribus: ASEMINE Thomson, 1860
 Genus: Nothorhina Redt. 1845
 muricata Dalman, 1817 **E:** UK NT CT ST **A:** KZ WS
 = punctata auct., nec Fabricius, 1798
 Genus: Megasemum Kraatz, 1879
 quadricostulatum Kraatz, 1879 **A:** FE
 Genus: Asemum Eschz. 1837
 striatum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR ?AB KZ KI WS
 ES FE MG

= subsulcatum Motschulsky, 1860
 = amurense Kraatz, 1879
 tenuicorne Kraatz, 1879 **E:** UK ST **A:** GG
 punctulatum Blessig, 1872 **A:** FE
 Genus: Arhopalus Serville, 1834
 = Criocephalum Dejean, 1835
 = Cephalocrius Sharp 1905
 Subgenus: Arhopalus Serville, 1834
 rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 MG

= tristis Fabricius, 1787
 ferus Mulsant, 1839 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 Genus: Tetroplium Kirby 1837
 = Isarthron Dejean 1835

castaneum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** ?GG ?AR AB KZ WS ES
FE MG

gabrieli Weise 1905 **E:** UK
gracilicorne Reitter, 1889 **E:** CT **A:** KZ WS ES FE MG
gracilicum Hayashi 1983 **A:** FE
staudingeri Pic, 1901 **A:** KZ KI UZ
= tjanshanicum Semenov, 1906
= laticolle Semenov, 1906
danilevskiy Slama, 2005 **A:** ES
aquilonium Plavilstshikov, 1940 **E:** NT **A:** WS
fuscum Fabricius, 1787 **E:** MD UK NT CT ST **A:** GG KZ WS
Tribus: SPONDYLIDINI Serville, 1832
Genus: Spondylis Fabricius, 1775
buprestoides Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS

ES FE MG
Subfamilia: DORCASOMINAE Lacordaire, 1869
= APATOPHYSINAE Lacordaire, 1869
Tribus: APATOPHYSINI
Genus: Apatophysis Chevrolat, 1860
Subgenus: Apatophysis Chevrolat, 1860
caspica Semenov, 1901 **E:** ST **A:** AB GG TM UZ KZ
anatolica Heyrovsky, 1938 **A:** AR
komarowi Semenov, 1889 **A:** TM
baeckmanniana Semenov, 1907 **A:** KZ KI UZ
serricornis Gebler, 1843 **A:** KZ ?WS MG
= tomentosa Gebl. 1845
= obtusicollis Motschulsky, 1860
= mongolica Sem. 1901
= kadyrbekovi Kadlec, 2006
margiana Semenov et Schegoleva-Barovskaia, 1936 **A:** TM
plavilstshikovi Miroshnikov, 1992 **A:** TM
pavlovskii Plavilstshikov, 1954 **A:** TD
Subfamilia: CERAMBYCINAE Latreille, 1802
Tribus: ACHRYSONINI
Genus: Icosium Lucas 1854
tomentosum Lucas 1854
ssp. atticum Ganglbauer 1882 **A:** AB
Tribus: HESPEROPHANINI
Genus: Turcmenigena Melg. 1894
warentzowi Melg. 1894 **A:** KZ TM UZ
Genus: Hesperophanes Dejean, 1835
sericeus Fabricius, 1787 **E:** UK ST **A:** GG AR AB TM
heydeni Baeckm. 1923 **A:** KZ MG
pilosus Bodung. 1908 **A:** AB
Genus: Trichoferus Woll. 1854
holosericeus Rossi 1790 **E:** UK ST **A:** GG AR AB
= cinereus Villers 1789
fasciculatus Faldermann, 1937 **E:** UK ST **A:** GG AR AB
griseus Fabricius, 1792 **E:** UK ?ST **A:** ?GG
campestris Faldermann, 1835 **E:** CT ST UK **A:** KZ KI UZ TD TM ES FE
MG

= turkestanicus Heyden, 1886
pallidus Olivier, 1790 **E:** UK ST
Genus: Stromatium Serville, 1834
unicolor Olivier, 1795 **E:** UK ST **A:** GG AR AB TM
= fulvum Villers 1789
Tribus: Phoracanthini
Genus: Phoracantha Newman, 1840
semipunctata Fabricius, 1775 **Ai:** GG
Tribus: CERAMBYCINI
Genus: Neocerambyx Thomson, 1860
= Mallambyx Bates, 1873
= Mesocerambyx Breuning et Hitzinger, 1943

raddei Blessig et Solsky, 1872 **A:** FE
 Genus: Cerambyx Linnaeus, 1758
 Subgenus: Cerambyx Linnaeus, 1758
 welensii Küster, 1846
 = velutinus Brullé,, 1832
 ssp. welensii Küster, 1846 **A:** GG AB
 cerdo Linnaeus, 1758
 ssp. cerdo Linnaeus, 1758 **E:** MD UK CT ?ST
 ssp. acuminatus Motschulsky, 1852 **E:** UK ST **A:** GG AR AB
 dux Faldermann, 1837 **E:** UK ST **A:** GG AR AB
 klinzigi Podany, 1964 **A:** ?GG ?AR ?AB
 ?= heinzianus Demelt, 1976
 nodulosus Germar, 1817 **E:** UK ST **A:** GG AR AB
 miles Bonelli, 1812 **E:** UK ST **A:** GG AR AB
 Subgenus: Microcerambyx Miksic et Georgijevic, 1973
 = Mesocerambyx Zagaikevitch, 1991
 scopolii Fuessly 1775
 ssp. scopolii Fuessly, 1775 **E:** MD UK NT CT ST **A:** GG AR AB
 multiplicatus Motschulsky, 1859 **A:** AB
 Genus: Aeolesthes Gahan, 1890
 Subgenus Aeolesthes Gahan, 1890
 sarta Solsky, 1871 **A:** KZ TM UZ TD KI
 Genus: Xenopachys Sama, 1999 A
 matthiesseni Reitter, 1907 **A:** TM
 Genus: Dissopachys Reitter, 1886 A
 pulvinata Reitter, 1886 **A:** AB TM
 Genus: Neoplacoederus Sama, 1991
 scapularis Fischer-Waldheim, 1821 **A:** KZ TM UZ TD KI
 Tribus: ROSALIINI
 Genus: Rosalia Serville, 1833
 alpina Linnaeus, 1758
 ssp. alpina Linnaeus, 1758 **E:** UK ST **A:** GG AR AB
 coelestis Semenov, 1911 **A:** FE
 Tribus: PURPURICENINI
 Genus: Purpuricenens Dejean, 1821
 kaehlerii Linnaeus, 1758 **E:** MD UK CT ST **A:** GG AR AB
 ssp. kaehlerii Linnaeus, 1758 **E:** MD UK CT ST **A:** GG AR AB
 ssp. menetriesii Motschulsky, 1845 **A:** AB
 = astrabadensis Pic, 1915
 globulicollis Mulsant, 1839 **E:** CT ST **A:** KZ WS
 = tsherepanovae Tsherepanov, 1980
 budensis Götz, 1783
 ssp. budensis Götz, 1783 **E:** MD UK CT ST **A:** GG AR AB ?WS
 caucasicus Pic, 1902 **E:** UK ST **A:** GG AR AZ
 wachanrui Levr. 1858 **A:** AB
 deyrollei Thomson, 1867 **A:** TM
 talyshensis Reitter, 1891 **A:** AB
 litoratus Gangl. 1886 **A:** FE
 = petasifer Fairmaire, 1888
 sideriger Fairmaire, 1888 **A:** FE
 Genus: Asias Semenov, 1914
 = Anoplistes Serville,, 1833
 jacobsoni Baeckm. 1901 **A:** KZ
 halodendri Pall. 1776
 = humeralis Olivier 1795
 = elaeagni Fischer-Waldheim, 1824
 ssp. halodendri Pall. 1776 **A:** WS KZ
 ssp. ephippium Steven et Dalman, 1817 **E:** UK ST **A:** KZ
 ssp. heptapotamicus Semenov, 1923 **A:** KZ ?WS ?ES
 ssp. minutus Hamm. 1893 **A:** ES MG
 ssp. kozlovi Semenov et Znoiko, 1934 **A:** MG
 ssp. pirus Arakawa 1932 **A:** ES FE
 gobiensis Namhaidorzh 1973 **A:** MG

agababiani Danilevsky, 1999 **A:** AR
 diabolicus Reitter, 1915 **A:** KZ
 forticornis Reitter, 1901 **A:** KZ KI ?UZ
 jomudorum Plavilstshikov, 1940 **A:** TM ?KZ
 galusoi Kostin 1974 **A:** KZ
 tuvensis Tsherepanov, 1978 **A:** ES MG
 amoenus Reitter, 1898
 = procerus Semenov, 1907
 = francisci Reymond, 1933
 ssp. mongolicus Ganglbauer, 1889 **A:** MG
 Genus: *Amarysius* Fairmaire, 1888
 sanguinipennis Blessig, 1872 **E:** CT **A:** KZ WS ES FE MG
 grallator Baeckm. 1924 **A:** FE
 altajensis Laxmann, 1770
 ssp. altajensis Laxmann, 1770 **A:** KZ WS
 ssp. sellatus Germar, 1824 **A:** ES FE MG
 =affinis Motschulsky, 1875
 =coreanum Okamoto, 1924
 =ussuricus Tsherepanov, 1975
 duplicatus Tsherepanov, 1980 **A:** KZ WS ?ES FE ?MG
 Tribus: CALLICHROMATINI
 Genus: *Aphrodisium* Thomson, 1864
 = Tomentaromia Plavilstshikov, 1934
 faldermannii Saund. 1850
 ssp. faldermannii Saund. 1850 **A:**?ES ?MG
 Genus: *Aromia* Serville, 1833
 Subgenus: *Aromia* Serville, 1833
 moschata Linnaeus, 1758
 = thea Reitter, 1894
 ssp. moschata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ TM WS ES
 ?MG
 ssp. ambrosiaca Steven, 1809 **E:** ST **A:** GG AR AB
 ssp. cruenta Bogatchev, 1962 **A:** TD ?KI
 ssp. vetusta Bogatchev, 1962 **A:** KZ
 orientalis Plavilstshikov, 1932 ?ES FE MG
 bungii Faldermann, 1835 **A:** ?MN
 Genus: *Turkaromia* Danilevsky 1993
 pruinosa Reitter, 1903 **A:** KZ
 gromenkoi Danilevsky, 2000 **A:** UZ TD
 Genus: *Chelidonium* Thomson, 1864 U
 zaitzevi Plavilstshikov, 1933 **A:** FE
 Genus: *Chloridolum* Thomson, 1864
 Subgenus: *Chloridolum* Thomson, 1864 U
 sieversii Ganglbauer, 1886 **A:** FE
 = coreana Fairmaire, 1897
 Genus: *Leontium* Thomson, 1864
 viride Thomson, 1864 **A:** FE
 Genus: *Polyzonus* Castelnau, 1840
 fasciatus Fabricius, 1781 **A:** ES FE MG
 Tribus: CALLIDIOPINI
 Genus: *Stenygrinum* Bates, 1873
 quadrinotatum Bates, 1873 **A:** FE
 Tribus: GRACILIINI
 Genus: *Gracilia* Serville, 1834
 minuta Fabricius, 1781 **E:** MD UK NT CT ST **A:** GG AR AB
 Genus: *Penichroa* Stephens, 1839
 fasciata Stephens, 1831 **E:** UK ST **A:** GG AR AB
 Genus: *Axinopalpis* Dejean, 1835
 gracilis Krynicki, 1832
 ssp. gracilis Krynicki, 1832 **E:** MD UK ST CT **A:** GG
 Genus: *Hybometopia* Ganglbauer, 1889
 starki Ganglbauer, 1889
 ssp. starki Ganglbauer, 1889 **E:** ST **A:** GG
 Tribus: STENHOMALINI

Genus: *Stenhomalus* White, 1855
lighti Gressitt, 1935 **A:** FE
= *vulcanus* Tsherepanov, 1976

Tribus: OBRIINI
Genus: *Obrium* Dejean, 1821
cantharinum Linnaeus, 1767
ssp. *cantharinum* Linnaeus, **E:** MD UK NT CT ST **A:** KZ WS ES FE GG

AR AB
brunneum Fabricius, 1792 **E:** MD UK ?NT ?CT ST **A:** GG AR AB
obscuripenne Pic, 1904 **A:** FE
= *graciliforme* Lipp, 1939
= *gracile* Plavilstshikov, 1933
brevicorne Plavilstshikov, 1940 **A:** FE

Tribus: NATHRIINI
Genus: *Nathrius* Brethes, 1916
brevipennis Mulsant, 1839 **E:** MD UK CT ST **A:** KZ GG AR AB

Tribus: MOLORCHINI
Genus: *Leptepania* Heller, 1924
= *Molorchinus* Shabliovsky, 1936
okunevi Shabliovsky, 1936 **A:** FE
= *incognitus* Tsherepanov, 1975

Genus: *Nadezhdiana* Tsherepanov, 1976
villosa Tsherepanov, 1976 **A:** FE

Genus: *Molorchus* Fabricius, 1792
= *Caenoptera* Thomson, 1859

Subgenus: *Molorchus* Fabricius, 1792
minor Linnaeus, 1758
ssp. *minor* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ WS ES FE MG
? = *rufescens* Kiesenwetter, 1879
ssp. *fuscus* Hayashi, 1955 **A:** FE
monticola Plavilstshikov, 1931 **A:** GG AR AB TM
? = *rufescens* Kiesenwetter, 1879
juglandis Sama, 1982 **A:** ?GG
? = *rufescens* Kiesenwetter, 1879
pallidipennis Heyden, 1887 **A:** KZ KI ?UZ

Subgenus: *Glaphyra* Newman, 1840
= *Linomius* Mulsant, 1862
umbellatarum Schreber, 1759
ssp. *umbellatarum* Schreber, 1759 **E:** MD UK NT CT ST **A:** GG AR AB

?TM
plagiatus Reiche, 1877 **E:** ?CT ST **A:** GG AR AB ?KZ
tjanschanicus Plavilstshikov, 1959 **A:** ?KZ KI
kiesenwetteri Mulsant, 1861
ssp. *kiesenwetteri* Mulsant, 1861 **E:** UK ST
ssp. *hircus* Abeille, 1881 **E:** ?UK ?ST **A:** GG AR AB
= *anatolicus* Adlbauer, 1988
schmidti Ganglbauer, 1883 **E:** UK CT ST **A:** AB KZ TM UZ KI
= *salicicola* Stiller, 1935
= *?semenovi* Plavilstshikov, 1940
marmottani Brisout, 1863
ssp. *marmottani* Brisout, 1863 **E:** CT ST
starki Shabliovsky, 1936 **A:** FE
= *ussuriensis* Plavilstshikov, 1940
ishiharai Ohbayashi, 1936 **A:** FE
= *kunashiricus* Tsherepanov, 1981
kobotokensis Ohbayashi, 1963 **A:** FE

Subgenus: *Nathrioglaphyra* Sama, 1995
heptapotamicus Plavilstshikov, 1940 **E:** ST **A:** KZ KI UZ
= *amygdali* Holzschuh, 1979

Genus: *Brachypteroma* Heyden, 1863
ottomanum Heyden, 1863 **A:** AB

Tribus: STENOPTERINI
Genus: *Stenopterus* Illiger, 1804
rufus Linnaeus, 1767 **E:** MD UK ST **A:** GG AR AB TM

ssp. rufus Linnaeus, 1767 **E:** MD UK ST **A:** GG AR AB TM
 ater Linnaeus, 1767 **E:** UK **A:** GG
 Genus: Callimus Mulsant, 1846
 = Callimellum Strand, 1928
 Subgenus: Callimus Mulsant, 1846
 angulatus Schrank, 1789
 ssp. angulatus Schrank, 1789 **E:** UK **A:** GG AR AB
 Subgenus: Lampropterus Mulsant, 1863
 = Callimomimus Jenistea, 1952
 femoratus Germar, 1824 **E:** MD UK ST **A:** GG AR AB
 = adonis Perrin, 1881
 = narcissus Perrin, 1881
 = distinctus Jenistea, 1952
 Subgenus: Procallimus Pic, 1907
 = Protocallimus Plavilstshikov 1940
 egregius Mulsant et Rey, 1863
 ssp. egregius Mulsant et Rey, 1863 **E:** UK ?ST **A:** GG
 Genus: Callimoxys Kraatz, 1863
 gracilis Brullé, 1832 **E:** UK ST **A:** GG AR AB TM
 Tribus: CERTALLINI
 Genus: Certallum Dejean, 1821
 = Cartallum Serville, 1834
 ebulinum Linnaeus, 1767 **E:** UK ST **A:** GG AR AB
 = ruficolle Fabricius, 1781
 Tribus: DEILINI
 Genus: Deilus Serville, 1834
 fugax Olivier, 1790 **E:** MD UK CT ST **A:** KZ GG AR AB
 Tribus: HYLOTRUPINI
 Genus: Hylotrupes Serville, 1834
 bajulus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** WS GG AR AB
 Tribus: CALLIDIINI
 Genus: Ropalopus Mulsant, 1839
 = Rhopalopus Redtenbacher, 1845
 Subgenus: Prorrhopalopus Plavilstshikov, 1921
 signaticollis Solsky, 1872 **A:** FE
 speciosus Plavilstshikov, 1915 **A:** FE
 Subgenus: Pronocerodes Plavilstshikov, 1940
 ruficollis Matsumura, 1911 **A:** FE
 aurantiicollis Plavilstshikov, 1940 **A:** FE
 Subgenus: Rhopalopus Mulsant, 1839
 ungaricus Herbst, 1784 **E:** ?UK
 insubricus Germar, 1824
 ssp. fischeri Krynicki, 1829 **E:** UK ST CT
 lederi Ganglbauer, 1882 **E:** UK ST **A:** GG AR AB
 clavipes Fabricius, 1775 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 macropus Germar, 1824 **E:** MD UK CT ST **A:** GG AR AB
 ?= caucasicus Desbrochers, 1873
 varini Bedel, 1870 **E:** MD UK
 = spinicornis Abeille, 1869
 femoratus Linnaeus, 1758 **E:** UK ?CT
 nadari Pic, 1894 **A:** KI TD UZ
 mali Holzschuh, 1993 **A:** KZ KI UZ
 Genus: Pronocera Motschulsky, 1875
 sibirica Gebler, 1848 **A:** ES FE MG
 = brevicollis Gebler, 1833
 angusta Kreichbaum, 1844 **E:** UK
 Genus: Turanium Baeckmann, 1923
 Subgenus: Turanium Baeckmann, 1923
 rauschorum Holzschuh, 1998 **A:** KZ KI
 tekeorum Danilevsky, 2001 **A:** TM
 pilosum Reitter, 1891 **A:** KZ KI UZ TD
 scabrum Kraatz, 1882 **E:** ?ST **A:** WS KZ TM KI UZ TD
 hladili Kratochvil, 1985 **A:** UZ
 Subgenus: Chalcoturanium Jankowski, 1934

johannis Baeckmann, 1923 **A:** KI
 ssp. johannis Baeckmann, 1923 **A:** KI
 ssp. juglandis Jankowsky, 1934 **A:** KI
 ssp. n. **A:** KI
 badenkoi Danilevsky, 2001 **A:** KZ
 Genus: *Leioderes* Redtenbacher, 1849
 kollari Redtenbacher, 1849 **E:** ?MD UK ST **A:** GG
 Genus: *Callidiellum* Linsley, 1940
 rufipenne Motschulsky, 1860 **E:** ST **A:** GG FE
 Genus: *Semanotus* Mulsant, 1839
 undatus Linnaeus, 1758 **E:** UK NT CT ?ST **A:** WS ES FE MG
 russicus Fabricius, 1776
 ssp. russicus Fabricius, 1776 **E:** UK ST **A:** AR AB GG
 ssp. persicus Solsky, 1876 **A:** TM
 semenovi Okunev, 1933 **A:** KZ KI UZ TD
 bifasciatus Motschulsky, 1875
 ssp. bifasciatus Motschulsky, 1875 **A:** FE
 Genus: *Callidium* Fabricius, 1775
 Subgenus: *Palaeocallidium* Plavilstshikov, 1940
 coriaceum Paykull, 1800 **E:** UK NT CT ST **A:** WS ES FE MG
 chlorizans Solsky, 1870 **A:** ES FE MG
 Subgenus: *Callidium* Fabricius, 1775
 violaceum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 FE MG
 Subgenus: *Callidostola* Reitter, 1913
 aeneum Degeer, 1775
 ssp. aeneum Degeer, 1775 **E:** UK NT CT ST **A:** WS ES FE MG
 ssp. longipenne Plavilstshikov, 1940 **E:** ST **A:** GG AB
 Genus: *Oupyrrhidium* Pic, 1900
 cinnabarinum Blessig, 1872 **A:** FE
 Genus: *Pyrrhidium* Fairmaire, 1864
 sanguineum Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
 Genus: *Phymatodes* Mulsant, 1839
 Subgenus: *Phymatodes* Mulsant, 1839
 testaceus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS FE
 Subgenus: *Melasmetus* Reitter, 1913
 femoralis Ménétériés, 1832
 ssp. femoralis Ménétériés, 1832 **E:** ST **A:** GG AR AB
 Subgenus: *Phymatoderus* Reitter, 1913
 = *Reitteroderus* Sama, 1991
 lividus Rossi, 1794 **E:** UK CT ST **A:** GG ?AB
 puncticollis Mulsant, 1862 **E:** UK CT ST **A:** KZ
 pusillus Fabricius, 1787
 ssp. pusillus Fabricius, 1787 **E:** ?MD UK
 ssp. rufipenne Stark, 1889 **E:** UK ST **A:** GG AR AB
 glabratus Charpentier, 1825
 ssp. glabratus Charpentier, 1825 **E:** UK ST **A:** GG
 abietinus Plavilstshikov et Lurie, 1960 **E:** CT **A:** WS
 Subgenus: *Phymatodellus* Reitter, 1913
 rufipes Fabricius, 1776
 ssp. rufipes Fabricius, 1776 **E:** ?MD UK ST
 zemlinae Plavilstshikov et Anufriev, 1964 **A:** FE
 infasciatus Pic, 1935 **A:** FE
 = vandykei Gressitt, 1935
 = ussuricus Plavilstshikov, 1940
 Subgenus: *Paraphymatodes* Plavilstshikov, 1934
 fasciatus Villers 1789 **E:** MD UK
 hauseri Pic, 1907 **A:** KZ
 mediofasciatus Pic, 1933 **A:** FE
 Subgenus: *Poecilium* Fairmaire, 1864
 alni Linnaeus, 1767
 ssp. alni Linnaeus, 1767 **E:** MD UK ST CT NT **A:** KZ
 ssp. alnoides Reitter, 1913 **E:** ST **A:** GG AR AB
 ssp. elbursensis Holzschuh 1977 **A:** AB

ermolenkoi Tsherepanov, 1980 **A:** FE
maacki Kraatz, 1879
ssp. maacki Kraatz, 1879 **A:** FE
ssp. viarius Danilevsky, 1988 **A:** FE

Tribus: TILLOMORPHINI

Genus: Cleroclytus Kraatz, 1884
gracilis Jakovlev, 1900 **A:** TD
= baeckmanni Okunev 1933
= grandiculus Plavilstshikov, 1940
banghaasi Reitter, 1895 **A:** TD ?KI
= semenowi Jakovlev, 1900
semirufus Kraatz, 1884
= vestitus Jakovlev, 1900
ssp. semirufus Kraatz, 1884 **A:** KZ KI UZ
ssp. collaris Jakovlev, 1885 **A:** KZ KI MG
= strigicollis Jakovlev, 1900

Tribus: ANAGLYPTINI

Genus: Paraclytus Bates, 1884
excultus Bates, 1884 **A:** FE
raddei Ganglbauer, 1882 **A:** AB
reitteri Ganglbauer, 1882 **A:** AB
sexguttatus Adams, 1817 **E:** ST **A:** GG AR AB

Genus: Anaglyptus Mulsant, 1839
bicallosus Kraatz, 1882 **A:** TD UZ
mysticus Linnaeus, 1758 **E:** MD UK
simplicicornis Reitter, 1905 **E:** ST **A:** GG AR AB
mysticoides Reitter, 1894 **A:** GG AR AB
= anatolicus Demelt, 1970
arabicus Küster, 1847 **E:** ST **A:** GG AR AB
ganglbaueri Reitter, 1886 **A:** AB
= natae Lobanov, 1994
= persicus Pic, 1906
danilevskii Miroshnikov, 2000 **A:** ?GG AR AB

Genus: Aglaophis Thomson, 1857 U
colobothooides Bates, 1884 **A:** FE

Genus: Oligoenoplus Chevrolat, 1863
rosti Pic, 1911
ssp. rosti Pic, 1911 **A:** FE

Tribus: CLYTINI

Genus: Plagionotus Mulsant, 1842
detritus Linnaeus, 1758
ssp. detritus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ
ssp. caucasicola Plavilstshikov, 1940 **E:** ST **A:** GG AR AB
pulcher Blessig, 1872 **A:** FE
christophi Kraatz, 1879 **A:** FE
arcuatus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** KZ KI GG AR AB
lugubris Ménériés, 1832 **E:** ST **A:** AR AB TM
bartholomei Motschulsky, 1859 **A:** AB

Genus: Neoplacionotus Kasatkin, 2005
bobelayei Brullé, 1832
= speciosus Adams 1817
ssp. bobelayei Brullé, 1832 **E:** UK ST **A:** GG AR AB TM

Genus: Paraplacionotus Kasatkin, 2005
= Echinocerus Mulsant, 1863
floralis Pallas, 1773 **E:** MD UK NT CT ST **A:** GG AR AB KZ TM UZ TD

KI WS ES

Genus: Teratoclytus Zaitzev, 1937
plavilstshikovi Zaitzev, 1937 **A:** FE

Genus: Epiclytus Gressitt, 1935
ussuricus Pic, 1933 **A:** FE

Genus: Rhabdoclytus Ganglbauer, 1889
= Hayashiclytus Ohbayashi, 1963
acutivittis Kraatz, 1879
ssp. acutivittis Kraatz, 1879 **A:** FE

Genus: *Isotomus* Mulsant, 1863
speciosus Schneider, 1787 **E:** MD UK ST **A:** GG AR AB
comptus Mannerheim, 1825 **E:** UK ST **A:** GG AR AB

Genus: *Chlorophorus* Chevrolat, 1863
varius Müller, 1766
 ssp. *varius* Müller, 1766 **E:** MD UK CT ST **A:** GG AR AB KZ WS
hrabovskiy Kratochvil, 1985 **A:** TM
elaeagni Plavilstshikov, 1956 **E:** ST **A:** AZ KZ TM UZ KI TD
faldermanni Faldermann, 1837 **E:** ST **A:** GG AR AB KZ TM UZ TD KI ?MG
obliteratus Ganglbauer, 1889 **A:** ES MG
 = ? *mongolicus* Pic, 1943
 = ? *kaszabi* Heyrovsky, 1970
 = *ubsanurensis* Tsherepanov, 1971
diadema Motschulsky, 1853
 ssp. *diadema* Motschulsky, 1853 **A:** FE ?MG
 ssp. *inhirsutus* Matsushita, 1933 **A:** FE
simillimus Kraatz, 1879 **A:** ES FE MG
 = *sexmaculatus* Motschulsky, 1859
herbsti Brahm, 1790 **E:** MD UK NT CT ST **A:** KZ WS ?ES
figuratus Scopoli, 1763 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
japonicus Chevrolat, 1863 **A:** FE
motschulskiy Ganglbauer, 1886 **A:** ES FE MG
 = *latofasciatus* Motschulsky, 1861
 = *chasanensis* Tsherepanov, 1982
navratili Holzschuh, 1981 **A:** UZ TD
sartor Müller, 1766 **E:** MD UK CT ST **A:** GG AR AB TM KZ ?WS ?ES ?FE
tohokensis Hayashi, 1968 **A:** FE

Genus: *Rhaphuma* Pascoe, 1858
gracilipes Faldermann, 1835 **E:** NT CT **A:** KZ WS ES FE MG
 = *sachalinensis* Matsumura, 1911
diminuta Bates, 1873
 ssp. *diminuta* Bates, 1873 **A:** FE

Genus: *Xylotrechus* Chevrolat, 1860
 = *Rusticoclytus* Vives, 1977
 = *Turanoclytus* Sama, 1994

Subgenus: *Xylotrechus* Chevrolat, 1860
antilope Schönherr, 1817
 ssp. *antilope* Schönherr, 1817 **E:** MD UK CT ST **A:** GG AR AB
arvicola Olivier, 1795 **E:** MD UK NY CT ST **A:** GG AR AB KZ
rufilius Bates, 1884 **A:** FE
 = *irinae* Plavilstshikov, 1925
 = ?*magnicollis* Fairmaire, 1888
sieversi Ganglbauer, 1890 **A:** GG AR AB
ilamensis Holzschuh, 1979
 ssp. *campadellii* Sama et Rapuzzi, 2002 **A:** AB
asellus Thieme, 1881 **A:** KZ TM UZ TD KI
 = *grumi* Semenov, 1889
namanganensis Heyden, 1885 **A:** KZ TM UZ TD KI
stebbingi Gahan, 1906 **A:** TD
mixtus Plavilstshikov, 1940 **A:** FE
hircus Gebler, 1825 **A:** KZ WS ES FE MG
cuneipennis Kraatz, 1879 **A:** ES FE
zaisanicus Plavilstshikov, 1940 **A:** KZ
arnoldii Kostin, 1974 **A:** KZ
pavlovskii Plavilstshikov, 1954 **A:** FE
polyzonus Fairmaire, 1888 **A:** FE
capricornis Gebler, 1830 **E:** UK RC RS **A:** KZ WS
ibex Gebler, 1825 **E:** NT CT ST **A:** KZ WS ES FE MG
clarinus Bates, 1884 **A:** FE
salicis Takakuwa et Oda, 1978 **A:** ES FE ?MG
 = *nadezhdae* Tsherepanov, 1982
rusticus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ TM TD WS

ES FE MG
adpersus Gebler, 1830 **A:** KZ WS ES FE MG

pantherinus Savenius, 1825 **E:** NT CT ST **A:** KZ WS ES FE MG
 Subgenus: Xyloclytus Reitter, 1913
 altaicus Gebler, 1836 **E:** CT **A:** ?KZ WS ES FE MG
 villioni Villard, 1892 **A:** FE
 Genus: Cyrtoclytus Ganglbauer, 1882
 capra Germar, 1824 **E:** MD UK NT CT ST **A:** AB KZ WS ES FE MG
 caproides Bates, 1873
 ssp. caproides Bates, 1873 **A:** FE
 Genus: Brachyclytus Kraatz, 1879
 singularis Kraatz, 1879 **A:** FE
 Genus: Pseudosphegesthes Reitter, 1913
 cinereus Castelnau et Gory, 1836 **E:** UK
 brunnescens Pic, 1897 **E:** ST **A:** GG
 = circassicus Pic, 1905
 Genus: Clytus Laicharting, 1784
 Subgenus: Clytus Laicharting, 1784
 tropicus Panzer, 1795 **E:** MD UK ST
 schneideri Kiesenwetter, 1879 in Schneider und Leder, 1879
 ssp. schneideri Kiesenwetter, 1879 in Schneider und Leder, 1879
A: GG AR AB
 rhamni Germar, 1817
 ssp. temesiensis Germar, 1824 **E:** MD UK CT ST **A:** GG AR AB KZ
 lama Mulsant, 1847 **E:** UK
 arietis Linnaeus, 1758
 ssp. oblitus Roubal, 1932 **E:** ST **A:** GG AR AB
 ssp. arietis Linnaeus, 1758 **E:** MD UK NT CT ST
 ssp. lederi Ganglbauer, 1882 **A:** AB TM
 arietoides Reitter, 1899 **E:** CT ?ST **A:** KZ WS ES FE MG
 = venustulus Plavilstshikov, 1940
 mayeti Théry, 1892 **A:** ?ES ?FE
 melaenus Bates, 1884 **A:** FE
 raddensis Pic, 1904 **A:** FE
 = hypocrita Plavilstshikov, 1940
 nigritulus Kraatz, 1879 **A:** FE
 = fulvohirsutus Pic, 1904
 Subgenus: Sphegoclytus Sama, 2005
 vesparum Reitter, 1889 **A:** AB
 stepanovi Danilevsky et Miroshnikov, 1985 **E:** ST **A:** GG
 Subfamilia: LAMIINAE Latreille, 1825
 Tribus: HECYRINI
 Genus: Moechotypa Thomson, 1864
 diphysis Pascoe, 1871 **A:** FE
 Tribus: PARMENINI
 Genus: Parmena Dejean, 1821
 aurora Danilevsky, 1980 **A:** GG AB
 pontocircassica Danilevsky et Miroshnikov, 1985 **E:** UK ST **A:** GG AR
AB
 pubescens Dalman, 1817
 ssp. pubescens Dalman, 1817 **E:** UK
 Genus: Plectrura Mannerheim, 1852
 Subgenus: Phlyctidola Bates, 1884
 metallica Bates, 1884
 ssp. metallica Bates, 1884 **A:** FE
 = sachalinika Jacobson, 1899
 = mandshurica Jacobson, 1899
 Genus: Parmenopsis Ganglbauer, 1882
 caucasica Leder, 1879 **E:** ST **A:** GG
 Tribus: MESOSINI
 Genus: Mesosa Latreille, 1829
 Subgenus: Mesosa Latreille, 1829
 myops Dalman, 1817 **E:** UK NT CT ST **A:** KZ WS ES FE MG
 japonica Bates, 1873 **A:** FE
 curculionoides Linnaeus, 1761 **E:** MD UK CT ST **A:** GG AR AB KZ
 Subgenus: Aphelocnemia Stephens, 1831

nebulosa Fabricius, 1781
 ssp. nebulosa Fabricius, 1781 **E:** MD UK CT ST **A:** GG AR AB
 obscuricornis Pic, 1894 **A:** AB
 senilis Bates, 1884 **A:** FE
 Subgenus: Perimesosa Breuning, 1939
 hirsuta Bates, 1884
 ssp. continentalis Hayashi, 1964 **A:** FE
 Tribus: MORIMONELLINI
 Genus: Morimonella Podany, 1979 C
 bednariki Podany, 1979 **E:** ST **A:** GG
 Tribus: BATOCERINI
 Genus: Apriona Chevrolat, 1852
 germari Hope, 1831 **A:** ?ES FE
 = rugicollis Chevrolat, 1852
 = plicicollis Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: Anoplophora Hope, 1839
 glabripennis Motschulsky, 1853 **A:** ?FE
 Genus: Acalolepta Pascoe, 1858
 = Dihammus Thomson, 1864
 ussurica Plavilstshikov, 1951 **A:** FE
 fraudatrix Bates, 1873
 ssp. fraudatrix Bates, 1873 **A:** FE
 sejuncta Bates, 1873
 ssp. sejuncta Bates, 1873 **A:** FE
 luxuriosa Bates, 1873
 ssp. luxuriosa Bates, 1873 **A:** FE
 Genus: Astynoscelis Pic, 1905
 degener Bates, 1873 **A:** FE
 = longicornis Pic, 1905
 Genus: Monochamus Dejean, 1821
 Subgenus: Monochamus Dejean, 1821
 guttulatus Gressitt, 1951 **A:** FE
 = guttatus Blessig, 1873
 impluviatus Motschulsky, 1859 **E:** NT CT **A:** WS ES FE MG
 saltuarius Gebler, 1830 **E:** UK NT CT **A:** KZ WS ES FE MG
 galloprovincialis Olivier, 1795
 ssp. pistor Germar, 1818 **E:** UK NT CT ST KZ WS
 ssp. cinerascens Motschulsky, 1860 **A:** ES FE MG
 = sibiricus Pic, 1908
 ssp. lignator Krynicki, 1832 **E:** ST **A:** GG AR AB
 nitens Bates, 1884 **A:** FE
 grandis Waterhouse, 1881 **A:** FE
 urussovii Fischer-Waldheim, 1806 **E:** UK NT CT ST **A:** ?GG KZ WS ES
 FE MG
 = rosenmuelleri auct., nec Cederhjelm, 1798
 sartor Fabricius, 1787 **E:** UK
 sutor Linnaeus, 1758
 = rosenmuelleri Cederhjelm, 1798
 ssp. sutor Linnaeus, 1758 **E:** UK NT CT ST **A:** GG KZ
 ssp. pellio Germar, 1818 **A:** WS ES FE MG
 Tribus: LAMIINI
 Genus: Lamiomimus Kolbe, 1886
 gottschei Kolbe, 1886 **A:** FE
 Genus: Lamia Fabricius, 1775
 textor Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 MG
 Genus: Morimus Brullé 1832
 = Morinus Brullé 1832 (misprint)
 verecundus Faldermann, 1836 **E:** UK ST **A:** GG AR AB TM
 funereus Mulsant, 1863 **E:** MD UK
 Tribus: DORCADIONINI
 Genus: Dorcadion Dalman, 1817
 Subgenus: Carinatodorcadion Breuning, 1943

= *Dorcadodium Gistel*, 1856
carinatum Pallas, 1771
 ssp. *carinatum* Pallas, 1771 **E:** MD UK ST
 ssp. *igrenum* Danilevsky, 1998 **E:** UK
 ssp. *sunzhenum* Danilevsky, 1998 **E:** ST
 ssp. *uralense* Danilevsky, 1998 **A:** KZ
 ssp. *cylindraceum* Reitter, 1886 **E:** ST **A:** AB
fulvum Scopoli, 1763
 ssp. *fulvum* Scopoli, 1763 **E:** UK
 ssp. *canaliculatum* Fischer-Waldheim, 1823 **E:** MD UK
aethiops Scopoli, 1763 **E:** MD UK
 Subgenus: *Cribridorcadion* Pic, 1901
 = *Pedestredorcadion* Breuning, 1943
 = *Autodorcadion* Plavilstshikov, 1958
 = *Dzhungarodorcadion* Danilevsky, 1993
 = *Bergerianum* Pesarini et Sabbadini, 2004
mniszechi Kraatz, 1873
 ssp. *mniszechi* Kraatz, 1873 **A:** GG AR
beckeri Kraatz, 1873
 ssp. *beckeri* Kraatz, 1873 **E:** ST **A:** AB
 ssp. *koenigi* Jakovlev, 1897 **E:** ST
pedestre Poda, 1761
 ssp. *pedestre* Poda, 1761 **E:** MD UK
haemorrhoidale Hampe, 1852 **A:** ?AR
apicerufum Breuning, 1943 **E:** ?ST **A:** GG AR AB
cinerarium Fabricius, 1787
 ssp. *cinerarium* Fabricius, 1787 **E:** UK ST
 ssp. *caucasicum* Küster, 1847 **A:** AR AZ
 ssp. *gorodinskii* Danilevsky, 1996 **E:** UK
danczenkoi Danilevsky, 1996 **A:** AB
panticapaeum Plavilstshikov, 1951 **E:** UK ST
kasikoporanum Pic, 1902 **A:** AR
kalashiani Danilevsky, 1992 **A:** AB
argonauta Suvorov, 1913 **A:** AR GG
 = *kurda* Suvorov, 1913
sulcipenne Küster, 1847
 ssp. *sulcipenne* Küster, 1847 **E:** ST **A:** GG AR AB
 = *basale* Kraatz, 1873
 ssp. *goektshanum* Suvorov, 1915 **A:** AR
 = *armenum* Suvorov, 1915
 ssp. *impressicorne* Tournier, 1872 **A:** GG
caspiense Breuning, 1956 **A:** AB
demokidovi Suvorov, 1915 **A:** GG
maljushenkoi Pic, 1904 **A:** AB
czegodaevi Danilevsky, 1992 **A:** AB
tauricum Walzl, 1838 **E:** UK
sericatum Sahlberg, 1823 **E:** UK
decipiens Germar, 1824 **E:** MD UK
pusillum Küster, 1847
 = *otshakovi* Suvorov, 1913
 ssp. *pusillum* Küster, 1847 **E:** MD UK
 ssp. *tanaiticum* Kasatkin, 2002 **E:** ST
scopolii Herbst, 1784 **E:** MD UK
litigiosum Ganglbauer, 1884 **E:** ?MD UK
 ssp. *litigiosum* Ganglbauer, 1884 **E:** ?MD
 ssp. *otshakovi* Suvorov, 1913 **E:** UK ?MD
elegans Kraatz, 1873 **E:** UK ST **A:** KZ WS
mokrzechkii Jakovlev, 1902 **E:** UK
 = *crimeense* Breuning, 1946
ciscaucasicum Jakovlev, 1899 **E:** ST
frustrator Plavilstshikov, 1958 **A:** AB
 = *hypocrita* Plavilstshikov, 1937
auratum Tournier, 1872 **A:** GG ?AR
komarowi Jakovlev, 1887

ssp. komarowi Jakovlev, 1887 **A:** TM
 = interruptum Jakovlev, 1895
 = transcaspicum Jakovlev, 1901
 = janzcyki Breuning, 1963
 ssp. kryzhanovskii Plavilstshikov, 1958 **A:** TM
 sareptanum Kraatz, 1873
 ssp. sareptanum Kraatz, 1873 **E:** ST KZ
 ssp. euxinum Suvorov, 1915 **E:** ST
 = kubanicum Plavilstshikov, 1934
 ? = striatiforme Suvorov, 1913
 daratshitshagi Suvorov, 1915 **A:** AR
 holosericeum Krynicky, 1832
 = striatum Dalman, 1817
 ssp. holosericeum Krynicky, 1832 **E:** UK CT ST KZ
 ssp. tristriatum Suvorov, 1913 **E:** ST
 ? = striatiforme Suvorov, 1913 C -
 striolatum Kraatz, 1873 **A:** GG AR ?AB
 = masculinum Plavilstshikov, 1926
 equestre Laxmann, 1770
 ssp. equestre Laxmann, 1770 **E:** UK CT ST **A:** GG
 ssp. transsilvanicum Ganglbauer 1884 **E:** MD
 rufogenum Reitter, 1895 **A:** KZ
 semenovi Ganglbauer, 1884
 ssp. semenovi Ganglbauer, 1884 **A:** KZ KI
 ssp. terskeicum Danilevsky, 2002 **A:** KI
 ssp. almatensis Danilevsky, 2002 **A:** KZ
 ssp. issykkulense Pic, 1906 **A:** KI
 ssp. bisbicostatum Pic, 1908 **A:** KI
 ssp. uriuktensis Danilevsky, 2002 **A:** KI
 ssp. hauseri Reitter, 1895 **A:** KI
 = obliteraticostum Suvorov, 1913
 ssp. kuvakensis Danilevsky, 2002 **A:** KI
 ssp. thaisiae Danilevsky, 2002 **A:** KI
 kuldschanum Pic, 1908 **A:** ?KZ ?KI
 dokhtouroffi Ganglbauer, 1886 **A:** KI UZ
 jacobsoni Jakovlev, 1899 **A:** KZ
 = apicipenne Jakovlev, 1899
 = sokolowi Jakovlev, 1901
 = amymon Jakovlev, 1906
 = dsungaricum Pic, 1907
 = melancholicum Pic, 1907
 = conicolle Breuning, 1946
 = ? merzbacheri Breuning, 1946
 = ? samarkandiae Breuning, 1946
 morozovi Danilevsky, 1992 **A:** KZ
 laeve Faldermann, 1837 **A:** AR
 shirvanicum Bogatchev, 1934
 ssp. shirvanicum Bogatchev, 1934 **E:** ST **A:** AB
 ssp. azerbaijdzhanicum Plavilstshikov, 1937 **A:** AB
 talyschense Ganglbauer, 1884 **A:** AB
 dimidiatum Motschulsky, 1838
 ssp. dimidiatum Motschulsky, 1838 **A:** GG AR AB
 scabricolle Dalman, 1817
 ssp. scabricolle Dalman, 1817 **A:** GG AR AB
 ssp. sevangense Reitter, 1889 **A:** AR
 ssp. nakhiczewanum Danilevsky, 1999 **A:** AB
 ssp. paiz Danilevsky, 1999 **A:** AB
 klavdiae Danilevsky, 1992 **A:** GG
 niveisparsum Thomson, 1865 **A:** GG
 nobile Hampe, 1852 **A:** ?GG
 bisignatum Jakovlev, 1899 **A:** ?GG
 seminudum Kraatz, 1873 **A:** AR AB
 = nachycevanikum Breuning, 1943
 = impuncticolle Breuning, 1946

bistriatum Pic, 1898 **A:** AR AB
gorbunovi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:**

AR AB

semilucens Kraatz, 1873 **A:** AR AB
cineriferum Suvorov, 1909 **A:** AR AB
indutum Faldermann, 1837
 ssp. indutum Faldermann, 1837 **A:** AR AB
 ssp. nigrosuturatum Reitter, 1897 **A:** AR
 = griseipenne Breuning, 1943
sevliczi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985 **A:**

AR

glaucum Faldermann, 1837
 ssp. glaucum Faldermann, 1837 **A:** ?AB
reitteri Ganglbauer, 1884 **A:** GG
shestopalovi Danilevsky, 1993 **A:** GG
sodale Hampe, 1852 **A:** GG
rosti Pic, 1900 **A:** GG
nitidum Motschulsky, 1838 **A:** GG AR AB
wagneri Küster, 1846 **A:** AR GG

Subgenus: *Dorcadion* Dalm. 1817

 = *Compsodorcadion* Ganglbauer, 1884
glicyrrhizae Pallas, 1773
 ssp. glicyrrhizae Pallas, 1773 **E:** ST **A:** KZ
 ssp. inderiense Suvorov, 1911 **A:** KZ
 ssp. nemkovi Danilevsky, 2006 **E:** ST **A:** KZ
 ssp. korshikovi Danilevsky, 2006 **E:** ST **A:** KZ
 ssp. striatum Goeze, 1777 **E:** ST CT **A:** KZ
 = rufifrons Motschulsky, 1860
 = ?iliense Plavilstshikov, 1937
 ssp. guberlensis Danilevsky, 2006 **E:** ST
 ssp. dubianskii Jakovlev, 1906 **A:** KZ
 ssp. uvarovi Suvorov, 1911 **A:** KZ
 ssp. androsovi Suvorov, 1909 **A:** KZ
 ssp. dalilae Kadyrbekov, 2004 **A:** KZ
 ssp. obtusipenne Motschulsky, 1860 **A:** KZ
 ssp. fedorenkoi Danilevsky, 2001 **A:** KZ
 ssp. dostojewskii Semenov, 1899 **A:** KZ
 ssp. nikireevi Danilevsky, 2001 **A:** KZ
 ssp. turgaicum Suvorov, 1915 **A:** KZ
 ssp. tobolense Danilevsky, 2001 **A:** KZ
 ssp. galinae Danilevsky, 2001 **A:** KZ
crassipes Ballion, 1878
 ssp. crassipes Ballion, 1878 **A:** KZ KI
 ssp. validipes Jakovlev, 1906 **A:** ?KZ KI
 ssp. glazunovi Suvorov, 1910 **A:** KZ
ganglbaueri Jakovlev, 1897 **A:** KZ
gebleri Kraatz, 1873 **A:** KZ WS
 = occidentale Breuning, 1947
 ssp. gebleri Kraatz, 1873 **A:** KZ WS
 ssp. demimetrum Danilevsky, 1996 **A:** KZ
 ssp. takyr Danilevsky, 1996 **A:** KZ
 ssp. lukhtanovi Danilevsky, 1996 **A:** KZ
cephalotes Jakovlev, 1890 **A:** KZ
alakoliense Danilevsky, 1988 **A:** KZ
abakumovi Thomson, 1964 **A:** KZ
 ssp. abakumovi Thomson, 1964 **A:** KZ
 ssp. sarkandicum Danilevsky, 2004 **A:** KZ
 = aizhanae Kadyrbekov, 2004
 ssp. laterale Jakovlev, 1895 **A:** KZ
 ssp. lepsyense Danilevsky, 2004 **A:** KZ
tenuelineatum Jakovlev, 1895 **A:** KZ
Subgenus: *Acutodorcadion* Danil., Kasat., Rub., 2005
 songaricum Ganglbauer, 1884 **A:** KZ
 urdzharicum Plavilstshikov, 1937 **A:** KZ

acutispinum Motschulsky, 1860 **A:** KZ
nivosum Suvorov, 1913 **A:** KZ
suvorovi Jakovlev, 1906
 ssp. *suvorovi* Jakovlev, 1906 **A:** KZ
 ssp. *konyrolenus* Danilevsky, 1996 **A:** KZ
 ssp. *karachokensis* Danilevsky, 1996 **A:** KZ
 ssp. *tekeliensis* Danilevsky, 1996 **A:** KZ
 ssp. *taldykurganus* Danilevsky, 1996
nikolaevi Danilevsky, 1995 **A:** KZ
arietinum Jakovlev, 1897
 ssp. *arietinum* Jakovlev, 1897 **A:** KZ
 ssp. *zhalanash* Danilevsky, 1996 **A:** KZ
 ssp. *strandii* Plavilstshikov, 1931 **A:** KZ
 ssp. *charynensis* Danilevsky, 1996 **A:** KZ
 ssp. *ketmeniensis* Danilevsky, 1996 **A:** KZ
 ssp. *chilikensis* Danilevsky, 1996 **A:** KZ
suvorovianum Plavilstshikov, 1916
 ssp. *suvorovianum* Plavilstshikov, 1916 **A:** KZ
 ssp. *koramensis* Danilevsky, 1999 **A:** KZ
unidiscala Breuning, 1946 **A:** KZ
tschitscherini Jakovlev, 1900 **A:** KZ
kapchagaicus Danilevsky, 1996 **A:** KZ
turkestanicum Kraatz, 1881 **A:** KZ KI UZ
 = ? *samarkandiae* Breuning, 1946
irinae Danilevsky, 1997 **A:** KZ
pantherinum Jakovlev, 1900
 ssp. *pantherinum* Jakovlev, 1900 **A:** KZ
 ssp. *sabulosum* Danilevsky, 1995 **A:** KZ
 ssp. *shamaevi* Danilevsky, 1995 **A:** KZ
 ssp. *desertum* Danilevsky, 1995 **A:** KZ
absinthium Plavilstshikov, 1937 **A:** KZ
 ssp. *absinthium* Plavilstshikov, 1937 **A:** KZ
 ssp. *ishkovi* Kadyrbekov, 2004 **A:** KZ
ninae Danilevsky, 1995 **A:** KZ
mystacinum Ballion, 1878
 ssp. *mystacinum* Ballion, 1878 **A:** KZ KI UZ
 = *ataense* Pic, 1901
 ssp. *rufidens* Jakovlev, 1906 **A:** KZ
 ssp. *pumilio* Plavilstshikov, 1951 **A:** KZ
optatum Jakovlev, 1906
 ssp. *optatum* Jakovlev, 1906 **A:** KI
 ssp. *matthieseni* Suvorov, 1910 **A:** KI
 ssp. *toropyginae* Danilevsky, 1999 **A:** KI
 ssp. *kadyrbekovi* Danilevsky, 1999 **A:** KZ
 ssp. *terminum* Danilevsky, 1999 **A:** KZ ?KI
danilevskyi Dolin et Ovtshinnikov, 1999 **A:** KI
tianshanskii Suvorov, 1910
 ssp. *tianshanskii* Suvorov, 1910 **A:** KZ
 ssp. *radkevitchi* Suvorov, 1910 **A:** KZ
 ssp. *heptapotamicum* Plavilstshikov, 1951 **A:** KZ
 ssp. *vallesum* Danilevsky, 1999 **A:** KZ
darjajae Danilevsky, 2001 **A:** KI
kastekus Danilevsky, 1996 **A:** KZ KI
alexandris Pic, 1900 **A:** KI
 = *luteolum* Suvorov, 1910
grande Jakovlev, 1906 **A:** KZ
profanifuga Plavilstshikov, 1951 **A:** KZ
globithorax Jakovlev, 1895 **A:** KZ
phenax Jakovlev, 1899 **A:** WS
pelidnum Jakovlev, 1906 **A:** KI
toropovi Danilevsky, 1999 **A:** KI
tibiale Jakovlev, 1890 **A:** KI
Genus: *Neodorcadion* Ganglbauer, 1884
 bilineatum Germar, 1824 **E:** MD UK

Genus: Politodorcadion Danilevsky, 1996
 ribbei Kraatz, 1878
 ssp. ribbei Kraatz, 1878 **A:** KZ
 ssp. bobrovi Danilevsky, 2001 **A:** KZ
 politum Dalman, 1823
 ssp. politum Dalman, 1823 **A:** WS KZ
 = lydiae Plavilstshikov, 1929
 ssp. akmolense Suvorov, 1911 **E:** ST **A:** KZ
 ssp. shapovalovi Danilevsky, 2006 **E:** ST **A:** ?KZ
 balchashense Suvorov, 1911
 ssp. balchashense Suvorov, 1911 **A:** KZ
 ssp. betpakdalense Danilevsky, 1996 **A:** KZ
 archarlense Danilevsky, 1996 **A:** KZ
 eurygyne Suvorov, 1911 **A:** KZ
 lativittis Kraatz, 1878 **A:** KZ

Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum Fabricius, 1781 **E:** CT ST **A:** WS ES KZ MG
 ssp. carinatum Fabricius, 1781 **E:** CT ST **A:** WS ES KZ
 ssp. altaicum Suvorov, 1909 **A:** KZ
 ssp. blessingi Ganglbauer, 1884 **A:** KZ WS ?ES
 ssp. bramsoni Pic, 1901 **A:** WS
 = gassneri Breit, 1917
 ssp. involvens Fischer-Waldheim, 1823 **A:** ES FE MG
 chinganicum Suvorov, 1909 **A:** MG
 darigangense Heyrovsky, 1967 **A:** MG
 tuvense Plavilstshikov, 1958 **A:** ES
 ptyalopleurum Suvorov, 1909 **A:** ES
 maurum Jakovlev, 1890 **A:** ES MG
 ssp. quinquevittatum Hammarström, 1893 **A:** ES
 ssp. sajanicum Hammarström, 1893 **A:** ES
 = leucogramnum Suvorov, 1909
 ssp. katharinae Reitter, 1898 **A:** ES MG
 ssp. maurum Jakovlev, 1890 **A:** ES MG
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965
 = annulatum Heyrovsky, 1969
 = fortocostatum Heyrovsky, 1969

Subgenus Ornatodorcadion Breuning, 1947
 dorcas Jakovlev, 1901 **A:** MG
 ssp. dorcas Jakovlev, 1901 **A:** MG
 = morosum Jakovlev, 1901
 ssp. scabrosum Namhaidorzh, 1972 **A:** MG
 consentaneum Jakovlev, 1899 **A:** MG
 intermedium Jakovlev, 1890 **A:** MG
 ssp. intermedium Jakovlev, 1890 **A:** MG
 = mongolicum Jakovlev, 1895
 = kaszabi Heyrovsky, 1965
 ssp. kozlovi Suvorov, 1912 **A:** MG
 = hedinii Pic, 1935
 gorbunovi Danilevsky, 2004 **A:** MG
 argaloides Breuning, 1947 **A:** MG
 zichyi Csiki, 1901 **A:** MG
 = heros, Namkhaidorzh, 1972, not Jakovlev, 1899
 oryx Jakovlev, 1895 **A:** MG
 novitzkyi Suvorov, 1909 **A:** MG
 = inalbatum Suvorov, 1909
 argali Jakovlev, 1890 **A:** MG
 ssp. argali Jakovlev, 1890 **A:** MG
 = hircus Jakovlev, 1906
 = quadricarinatum Heyrovsky, 1970
 = miraculum Reitter, 1897
 ssp. rugipenne Heyrovsky, 1967 **A:** MG

egregium Reitter, 1897 **A:** MG
 = albitarsale Breuning, 1966
 = kabaki Kadyrbekov, 2004
 brandti Gebler, 1841 **A:** KZ ?WS
 Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005
 humerales Gebler, 1823 **A:** ES FE MG
 ssp. humerales Gebler, 1823 **A:** ES MG
 ssp. impluviatum Faldermann, 1833 **A:** ?ES MG
 ssp. trabeatum (Jakovlev, 1901) **A:** FE
 lutshniki Plavilstshikov, 1937
 ssp. lutshniki Plavilstshikov, 1937 **A:** ES
 ssp. bicoloratum Danilevsky, in press **A:** ES
 ssp. altanelsense Heyrovsky, 1973 **A:** MG
 Tribus: ANCYLONOTINI
 Genus: Palimna Pascoe, 1862
 liturata Bates, 1884
 ssp. continentalis Semenov, 1914 **A:** FE
 Tribus: DORCASHEMATINI
 Genus: Olenecamptus Chevrolat, 1835
 octopustulatus Motschulsky, 1860
 ssp. octopustulatus Motschulsky, 1860 **A:** ES FE MG
 mordkovitshi Tshernyshev et Dubatolov, 2000 **A:** ES
 clarus Pascoe, 1859
 ssp. clarus Pascoe, 1859 **A:** FE
 Tribus: PTEROPLIINI
 Genus: Pterolophia Newman, 1842
 Subgenus: Pterolophia Newman, 1842
 maacki Blessig, 1873 **A:** FE
 mandshurica Breuning, 1938 **A:** ES FE MG
 = ussuriensis Plavilstshikov, 1954
 = burakowskii Heyrovsky, 1973
 = selengensis Ljamtzeva, 1979
 Subgenus: Ale Pascoe, 1865
 jugosa Bates, 1873
 ssp. jugosa Bates, 1873 **A:** FE
 Genus: Egesina Pascoe, 1864
 = Baeckmanella Shabliovskiy, 1936
 Subgenus: Niijimaia Matsushita, 1933
 bifasciana Matsushita, 1933
 ssp. bifasciana Matsushita, 1933 **A:** FE
 = iljinskyi Shabliovskiy, 1936
 Tribus: APOMECYNINI
 Genus: Apomecyna Latreille, 1829
 histrion Fabricius, 1792 **A:** ES ?MG
 Genus: Microlera Bates, 1873
 ptinoides Bates, 1873 **A:** FE
 Genus: Asaperda Bates, 1873
 agapanthina Bates, 1873
 ssp. agapanthina Bates, 1873 **A:** FE
 rufipes Bates, 1873
 ssp. rufipes Bates, 1873 **A:** FE
 stenostola Kraatz, 1873 **A:** KZ WS FE MG
 meridiana Matsushita, 1931 **A:** FE
 Tribus: PTERICOPTINI
 Genus: Xylariopsis Bates, 1884
 mimica Bates, 1884 **A:** FE
 Tribus: APODASYINI
 Genus: Quasimesosella Miroshnikov 2006
 = Pseudomesosella Miroshnikov, 1989
 ussuriensis Tsherepanov, 1983 **A:** FE
 = florovi Tsherepanov, 1984
 Genus: Deroplia Dejean, 1835
 = Stenidea Mulsant, 1842
 genei Aragona, 1830

ssp. *genei* Aragona, 1830 **E:** UK ST **A:** GG AR ?AB
 Genus: *Sophronica* Blanchard, 1845
 obrioides Bates, 1873 **A:** ?FE
 Genus: *Anaesthetis* Dejean, 1835
 = ?*Mimosophronica* Breuning, 1943
 confossicollis Beckmann, 1903 **A:** ES FE MG
 flavipilis Beckmann, 1903 **A:** WS
 = ?*strandiella* Breuning, 1943
 lanuginosa Beckmann, 1903 **A:** TM
 testacea Fabricius, 1781
 ssp. *testacea* Fabricius, 1781 **E:** MD UK CT ST **A:** KZ
 ssp. *rufescens* Beckmann, 1903 **E:** ST **A:** GG AR AB
 Genus: *Ussurella* Danilevsky, 1997
 = *Ussuria* Danilevsky, 1995
 napolovi Danilevsky, 1995 **A:** FE
 Genus: *Anaesthetomorphus* Pic, 1929
 apicalis Pic, 1929 **A:** FE
 Genus: *Cylindilla* Bates, 1884
 = *Ascoldatimura* Breuning, 1960
 grisescens Bates, 1884 **A:** FE
 = *ascoldensis* Heyden, 1884
 Genus: *Terinaea* Bates, 1884
 atrofusca Bates, 1884 **A:** FE
 = *tiliae* Murzin, 1983
 Genus: *Mimectatina* Aurivillius, 1927
 = *Doius* Matsushita, 1933
 divaricata Bates, 1884
 ssp. *divaricata* Bates, 1884 **A:** FE
 Genus: *Rhopaloscelis* Blessig, 1873
 unifasciatus Blessig, 1873 **A:** KZ WS ES FE MG
 schurmanni Breuning, 1969 **A:** AB
 = *schuberti* Breuning, 1975
 Genus: *Arhopaloscelis* Murzin, Danilevsky et Lobanov, 1981 in Lobanov et al., 1981
 bifasciatus Kraatz, 1879 **A:** FE
 nipponensis Pic, 1932 **A:** FE
 Genus: *Clytosemia* Bates, 1884
 pulchra Bates, 1884 **A:** FE
 Genus: *Miccolamia* Bates, 1884
 Subgenus: *Miccolamia* Bates, 1884
 cleroides Bates, 1884 **A:** FE
 Subgenus: *Isomiccolamia* Ohbayashi, 1963
 glabricula Bates, 1884
 ssp. *glabricula* Bates, 1884 **A:** FE
 = *verrucosa* auct. (not Bates, 1884)
 Tribus: POGONOCHERINI
 Genus: *Pogonocherus* Dejean, 1821
 Subgenus: *Pogonocherus* Dejean, 1821
 hispidus Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB
 hispidulus Piller et Mitterpacher, 1783 **E:** MD UK NT CT ST **A:** GG
 AR AB
 dimidiatus Blessig, 1873 **A:** FE
 = *seminiveus* Bates, 1873
 = *tristiculus* Kraatz, 1879
 sieversi Ganglbauer, 1886 **E:** UK **A:** GG AR
 = *caucasicus* Ganglbauer, 1891
 = *kuksha* Plavilstshikov, 1924
 perroudi Mulsant, 1839 **E:** UK ST **A:** GG
 Subgenus: *Pityphilus* Mulsant, 1863
 fasciculatus Degeer, 1775
 = *costatus* Motschulsky, 1859
 ssp. *fasciculatus* Degeer, 1775 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS
 ES FE MG
 decoratus Fairmaire, 1855 **E:** MD UK NT CT ST **A:** WS

ovatus Goeze, 1777 **E**: ?UK ?CT
inermicollis Reitter, 1894 **E**: ST **A**: GG
ressli Holzschuh, 1977 **A**: AB

Tribus: ACANTHODERINI

Genus: Aegomorphus Haldeman, 1847
= Acanthoderes auct. (not Serville, 1835)
= Psapharochrus auct. (not Thomson, 1874)
clavipes Schrank, 1781 **E**: MD UK NT CT ST **A**: GG AR AB KZ WS ES FE

MG

wojtylai Hilszczanski, Bystrowski, 2005 **E**: CT ST **A**: KZ WS ES FE

MG

= ?obscurior Pic, 1904
Genus: Oplosia Mulsant, 1863
cinerea Mulsant 1839 **E**: UK NT CT ST **A**: ?GG
= fennica Paykull, 1800
suvorovi Pic, 1914 **A**: ES FE

Tribus: ACANTHOCININI

Genus: Acanthocinus Guerin, 1826
elegans Ganglbauer, 1884 **A**: AB
reticulatus Razoumovsky, 1789 **E**: UK
griseus Fabricius, 1792 **E**: MD UK NT CT ST **A**: AR ?GG ?AB KZ WS ES

?MG

orientalis Ohbayashi, 1939 **A**: FE
carinulatus Gebler, 1833 **E**: CT NT **A**: WS ES FE MG
= sibiricus Motschulsky, 1860
sachalinensis Matsushita, 1933 **A**: ES FE ?MG
aedilis Linnaeus, 1758 **E**: MD UK NT CT ST **A**: GG ?AR ?AB KZ WS ES

FE MG

Genus: Leiopus Serville, 1835
stillatus Bates, 1884 **A**: FE
nebulosus Linnaeus, 1758
ssp. nebulosus Linnaeus, 1758 **E**: MD UK NT CT ST **A**: KZ
ssp. caucasicus Ganglbauer, 1887 **E**: ST **A**: GG AR AB
kharazii Holzschuh, 1974 **A**: AB
punctulatus Paykull, 1800 **E**: UK NT CT
femoratus Fairmaire, 1859 **E**: UK ST **A**: GG AR AB
= pachymerus Ganglbauer, 1884
albivittis Kraatz, 1879
= ganglbaueri Csiki, 1901
ssp. albivittis Kraatz, 1879 **A**: WS ES FE MG
ssp. malaisei Aurivillius, 1928 **A**: FE

Genus: Ostedes Pascoe, 1859
kadleci Danilevsky, 1992 **A**: FE

Genus: Rondibilis Thomson, 1857
= Eryssamena Bates, 1884
saperdinus Bates, 1884 **A**: FE
shabliovskiyi Tsherepanov, 1982 **A**: FE
= shabliovskiyi, Tsherepanov, 1984

Genus: Exocentrus Dejean, 1835

Subgenus: Exocentrus Dejean, 1835
lusitanus Linnaeus, 1767 **E**: MD UK NT CT ST **A**: GG AR AB KZ ?WS
adpersus Mulsant, 1846 **E**: MD UK ST **A**: GG AR AB
= alemdaghensis Breuning, 1981
= ?hirsutululus Faldermann, 1837
stierlini Ganglbauer, 1884 **E**: UK ST **A**: ?KZ WS ES FE
pseudopunctipennis Holzschuh, 1979 **A**: GG AR AB TM
punctipennis Mulsant et Guill. 1856
ssp. punctipennis Mulsant et Guill. 1856 **E**: MD UK ST CT
ssp. signatus Mulsant et Rey, 1863 **E**: ST **A**: GG ?AB
conjugatofasciatus Tsherepanov, 1973 **A**: FE
testudineus Matsushita, 1933 **A**: FE
lineatus Bates, 1873
ssp. lineatus Bates, 1873 **A**: FE
Subgenus: Pseudocentrus Fairmaire, 1901

ussuricus Tsherepanov, 1973 **A:** FE
 marginatus Tsherepanov, 1973 **A:** FE
 Genus: *Sciades* Pascoe, 1864
 Subgenus: *Miaenia* Pascoe, 1864
 maritima Tsherepanov, 1979 **A:** FE
 Tribus: TETROPINI
 Genus: *Tetrops* Stephens, 1829
 praeustus Linnaeus, 1758
 ssp. *praeustus* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 WS ES MG
 starkii Chevrolat, 1859 **E:** UK ST **A:** GG
 gilvipes Faldermann, 1837 **A:** UK ST **A:** GG AR AB TM
 hauseri Reitter, 1897
 ssp. *hauseri* Reitter, 1897 **A:** KI UZ
 = *bicoloricornis* Plavilstshikov, 1954
 ssp. *niger* Kostin, 1973 **A:** KZ
 formosus Baeckmann, 1903
 ssp. *formosus* Baeckmann, 1903 **A:** KI
 ssp. *bivittulatus* Jankowski, 1934 **A:** KZ
 ssp.n. **A:** KI
 ssp. *songaricus* Kostin 1973 **A:** KZ
 elaeagni Plavilstshikov, 1954 **E:** ST **A:**KZ UZ TM
 = *plaviltshikovi* Kostin, 1973
 rosarum Tsherepanov, 1975 **A:** FE
 mongolicus Murzin, 1977 **A:** ES MG
 Tribus: SAPERDINI
 Genus: *Eutetrappa* Bates, 1884
 sedecimpunctata Motschulsky, 1860 **A:** ?ES FE
 = *motschulskyi* Plavilstshikov, 1916
 metallescens Motschulsky, 1860 **A:**?ES FE
 chrysochloris Bates, 1879
 ssp. *chrysochloris* Bates, 1879 **A:** FE
 Genus: *Saperda* Fabricius, 1775
 Subgenus: *Saperda* Fabricius, 1775
 subobliterata Pic, 1910 **A:** FE
 = *mandschukuoensis* Breuning, 1943
 = *harbinensis* Chou, Chao et Chiang, 1983
 octomaculata Blessig, 1873 **A:** ES FE MG
 interrupta Gebler, 1825 **A:** WS ES FE
 alberti Plavilstshikov, 1916 **A:** KZ WS ES FE MG
 perforata Pallas, 1773 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 MG
 maculosa Ménéttriés, 1832 **A:** AB
 scalaris Linnaeus, 1758
 ssp. *scalaris* Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ
 ssp. *hieroglyphica* Pallas, 1773 **E:** NT CT ST **A:** KZ WS ES FE MG
 Subgenus: *Lopezcolonia* Alonso-Zarazaga, 1998
 = *Argalia* Mulsant, 1862
 octopunctata Scopoli, 1772 **E:** MD UK CT ST **A:** GG AR AB
 punctata Linnaeus, 1767 **E:** MD UK CT NT ST **A:** GG AR AB
 Subgenus: *Compsidia* Mulsant 1839
 balsamifera Motschulsky, 1860 **A:** ES FE MG
 populnea Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE
 MG
 bilineatocollis Pic, 1924 **A:** FE
 Subgenus: *Anaerea* Mulsant, 1839
 similis Laicharting, 1784 **E:** UK NT CT ST **A:** KZ KI TD UZ WS ES FE
 MG
 carcharias Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 FE MG
 Genus: *Eumecocera* Solsky, 1871
 impustulata Motschulsky, 1860 **A:** WS ES FE MG
 callosicollis Breuning, 1943 **A:** FE
 Genus: *Stenostola* Dejean, 1835

dubia Laicharting, 1784 **E:** MD UK CT ST **A:** GG AR AB
ferrea Schrank, 1776
ssp. ferrea Schrank, 1777 **E:** MD UK CT ST **A:** GG AR AB
ssp. maculipennis Holzschuh, 1982 **E:** ST

Genus: Menesia Mulsant, 1856
albifrons Heyden, 1886 **A:** ES FE
bipunctata Zubkov, 1829 **E:** UK NT CT ST **A:** MG
sulphurata Gebler, 1825 **E:** CT **A:** KZ WS ES FE MG
flavotecta Heyden, 1886 **A:** ?ES FE ?MG

Genus: Paramenesia Breuning, 1952
theaphia Bates, 1884 **A:** FE

Genus: Cagosima Thomson, 1864
sanguinolenta Thomson, 1864
ssp. sanguinolenta Thomson, 1864 **A:** FE

Genus: Thyestilla Aurivillius, 1923
gebleri Faldermann, 1835
ssp. gebleri Faldermann, 1835 **A:** ES FE

Tribus: GLENEINI
Genus: Glenea Newman, 1842
Subgenus: Glenea Newman, 1842
relicta Pascoe, 1868
ssp. relicta Pascoe, 1868 **A:** FE

Tribus: PHYTOECIINI
Genus: Nupserha Thomson, 1860
marginella Bates, 1873 **A:** FE MG
sericans Bates, 1884 **A:** FE
alexandrovi Plavilstshikov, 1915 **A:** FE

Genus: Oberea Dejean, 1835
Subgenus: Oberea Dejean, 1835
pupillata Gyllenhal, 1817 **E:** UK NT CT ST
kostini Danilevsky, 1988 **A:** KZ WS ES
heyrovskiyi Pic, 1927 **A:** FE
depressa Gebler, 1825 **A:** WS ES FE MG
= amurica Suvorov, 1913
= transbaicalica Suvorov, 1913
oculata Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES FE

MG
linearis Linnaeus, 1761 **E:** MD UK CT ST **A:** GG AR AB
morio Kraatz, 1879 **A:** FE MG
= coreana Pic, 1912
scutellaroides Breuning, 1947 **A:** FE
= scutellaris Fairmaire, 1888
= chinensis Tsherepanov, 1985
atropunctata Pic, 1916 **A:** FE
herzi Ganglbauer, 1887 **A:** FE
inclusa Pascoe, 1858 **A:** ?ES ?FE ?MG
vittata Blessig, 1873
ssp. vittata Blessig, 1873 **A:** ES FE MG
japonica Thunberg, 1787 **A:** MG

Subgenus: Amaurostoma Müller, 1906
euphorbiae Germar, 1813 **E:** MD UK ST CT **A:** AR KZ WS
donceeli Pic, 1907 **A:** ES FE MG
moravica Kratochvil, 1989 **E:** MD UK
erythrocephala Schrank, 1776
ssp. erythrocephala Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB KZ

WS
ruficeps Fischer-Waldheim, 1842
ssp. ruficeps Fischer-Waldheim, 1842 **A:** KZ UZ KI WS
ssp. muciei Breuning, 1981 **A:** TD

Genus: Oxylia Mulsant, 1863
argentata Ménéttriés, 1832
ssp. argentata Ménéttriés, 1832 **E:** UK **A:** GG AR AB

Genus: Pteromallosia Pic, 1900
albolineata Hope, 1852 **A:** GG AR AB

Genus: Mallosia Mulsant, 1863
 Subgenus: Semnosia K.Daniel, 1904
 scovitzii Faldermann, 1837 **A:** GG AB AR
 tristis Reitter, 1888 **A:** AB
 = angelicae Reitter, 1890
 galinae Danilevsky, 1990 **A:** AB
 Subgenus: Eumallosia Danilevsky, 1990
 caucasica Pic, 1898 **A:** AR AB
 = cribratofasciata Daniel, 1904
 herminae Reitter, 1890
 ssp. herminae Reitter, 1890 **A:** AR AB
 ssp. gobustanica Danilevsky, 1990 **A:** AB
 Genus: Paramallosia Fuchs, 1955
 afghanica Fuchs, 1955 **A:** TM
 Genus: Mallosiola Semenov, 1895
 regina Heyden, 1887 **A:** TD
 Genus: Conizonia Fairmaire, 1864
 Subgenus: Iranocoptosia Villiers, 1967
 fausti Ganglbauer, 1885 **A:** TM
 = balachowskyi Villiers, 1967
 Subgenus: Conizonia Fairmaire, 1864
 kalashiani Danilevsky, 1992 **A:** AR
 kubani Holzschuh, 1991 **A:** TD
 Subgenus: Eurycoptosia Reitter, 1913
 bodoani Pic, 1912 **A:** AB
 Genus: Phytoecia Dejean, 1835
 Subgenus: Pilemia Fairmaire, 1863
 hirsutula Frölich, . 1793
 ssp. hirsutula Frölich, 1793 **E:** UK ST **A:** GG AR AB WS
 ssp. homoiesthes Ganglbauer, 1915 **A:** TM
 annulata Hampe, 1852
 ssp. annulata Hampe, 1852 **A:** AB
 tigrina Mulsant, 1851 **E:** UK ST **A:** AR
 Subgenus: Coptosia Fairmaire, 1864
 antoniae Reitter, 1889 **A:** GG AR AB TM
 compacta Ménétériés, 1832 **A:** GG AR AB
 bithyniensis Ganglbauer, 1884 **A:** AB
 Subgenus: Pseudocoptosia Pic, 1900
 cinerascens Kraatz, 1882 **A:** KZ TM UZ TD KI
 = sokolovi Semenov, 1895
 eylandti Semenov, 1891 **A:** KZ TM UZ TD KI
 = glasunovi Semenov, 1895
 Subgenus: Cardoria Mulsant, 1863
 scutellata Fabricius, 1792 **E:** ?MD UK CT ST **A:** GG AR AB
 Subgenus: Pseudomusaria Pic, 1900
 farinosa Ganglbauer, 1885 **A:** TM
 = mucida Semenov, 1893
 Subgenus: Helladia Fairmaire, 1864
 pretiosa Faldermann, 1837
 ssp. pretiosa Faldermann, 1837 **A:** AR AB
 fatima Ganglbauer, 1884 **A:** AB
 diademata Faldermann, 1837 **A:** GG AR AB
 adelpha Ganglbauer, 1885 **A:** AR
 millefolii Adams, 1817
 ssp. millefolii Adams, 1817 **E:** UK ST **A:** GG AR AB
 armeniaca Frivaldsky, 1878
 ssp. armeniaca Frivaldsky, 1878 **A:** AR AB GG
 ssp. natali Lobanov, 1994 **A:** AB
 praetextata Steven, 1817
 ssp. praetextata Steven, 1817 **E:** UK ST **A:** GG AR AB
 circumdata Kraatz, 1882
 ssp. circumdata Kraatz, 1882 **A:** KZ KI UZ TD
 ssp. pilosicollis Holzschuh, 1981 **A:** KZ UZ
 humeralis Waltl, 1838

ssp. humeralis Waltl, 1838 **A:** AB
 plasoni Ganglbauer, 1884 **A:** AR ?AB TM
 Subgenus: Musaria Thomson, 1864
 faldermanni Faldermann, 1837 **E:** UK ST **A:** GG AR AB KZ
 argus Frölich, 1793 **E:** MD UK CT ST
 affinis Harrer, 1784
 = nigripes Voet, 1778
 = bipunctata Piller, 1783
 ssp. affinis Harrer, 1784 **E:** MD UK CT ST **A:** KZ
 ssp. nigropubescens Reitter, 1888 **E:** ST **A:** GG AR
 = circassica Reitter, 1888
 = starcki Reitter, 1888
 ssp. altaica Suvorov, 1913 **A:** KZ WS ES
 ssp. volgensis Kraatz, 1884 **E:** ST
 ssp. boeberi Ganglbauer, 1884 **E:** ST **A:** GG AR AB
 astarte Ganglbauer, 1885
 ssp. lederi Pic, 1899 **A:** GG AR AB
 kurdistana Ganglbauer, 1884 **A:** GG AR AB
 puncticollis Faldermann, 1837
 ssp. puncticollis Faldermann, 1837 **E:** ST **A:** GG AR AB
 ssp. stygia Ganglbauer, 1884 **A:** TM
 Subgenus: Neomusaria Plavilstshikov, 1928
 suvorovi Pic, 1905 **A:** AR ?AB
 Subgenus: Phytoecia Dejean, 1835
 erivanica Reitter, 1899 **A:** GG AR AB
 pici Reitter, 1892 **A:** GG AR AB
 nigricornis Fabricius, 1781 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS
 ES
 = julii Mulsant, 1863
 ferrea Ganglbauer, 1887 **A:** ?WS ES FE MG
 = analis Mannerheim, 1849
 = mannerheimi Breuning, 1951
 stenostoloides Breuning, 1943 **A:** ES FE
 mongolorum Namhaidorz, 1979 **A:** MG
 cylindrica Linnaeus, 1758 **E:** MD UK NT CT ST **A:** GG AR AB KZ WS ES
 FE
 pustulata Schrank, 1776
 ssp. pustulata Schrank, 1776 **E:** MD UK CT ST **A:** GG AR AB KZ KI
 UZ TD
 ssp. murina Marseul, 1869 **A:** AR AB
 = pilipennis Reitter, 1895
 ssp. pulla Ganglbauer, 1886 **E:** ST **A:** KZ KI UZ
 = kryzhanovskii Kostin, 1973
 rufiventris Gautier, 1870 **A:** ES FE MG
 virgula Charpentier, 1825 **E:** MD UK CT ST **A:** GG AR AB KZ TM UZ KI
 TD WS
 rufipes Olivier, 1795
 = sibirica Gebler, 1833
 ssp. rufipes Olivier, 1795 **E:** UK CT ST **A:** ?GG KZ ?TM UZ TD KI
 WS ?ES
 acridula Holzschuh, 1981 **A:** KI UZ TD
 croceipes Reiche, 1858 **A:** GG AR AB
 achilleae Holzschuh, 1971
 ssp. sublineata Holzschuh, 1984 **A:** AR AB
 pubescens Pic, 1895 **E:** ST **A:** GG AR AB
 = glaphyra K. Daniel, 1906
 icterica Schaller, 1783 **E:** MD UK ST **A:** GG AR AB KZ
 = annulipes Mulsant, 1863
 caerulea Scopoli, 1772
 ssp. caerulea Scopoli, 1772 **E:** MD UK CT ST **A:** GG AR AB KZ TM UZ
 TD
 Subgenus: Cinctophytoecia Breuning, 1947
 cinctipennis Mannerheim, 1849
 ssp. cinctipennis Mannerheim, 1849 **A:** WS ES FE MG

sareptana Ganglbauer, 1888 **A:** ES FE
 Subgenus: Opsilia Mulsant, 1863
 coerulescens Scopoli, 1763
 ssp. coerulescens Scopoli, 1763 **E:** MD UK CT ST **A:** GG AR AB KZ
 UZ KI TD WS
 = ?tienschanica Fuchs, 1965
 transcaspica Fuchs, 1955 **A:** TM UZ
 bucharica Breuning, 1943 **A:** TD
 = breuningi Dahlgren, 1988
 aspericollis Holzschuh, 1981 **A:** KZ
 varentzovi Semenov, 1896 **E:** ST **A:** GG AR AB KZ TM UZ TD KI
 prasina Reitter, 1911 **A:** AB AR ?TM
 uncinata Redtenbacher, 1842 **E:** MD UK CT ST **A:** TM
 molybdaena Dalman, 1817 **E:** UK ST **A:** AR GG AB TM ?KZ WS
 badenkoi Danilevsky, 1988 **A:** KZ
 Subgenus: Blepisanis Pascoe, 1866
 prawei Plavilstshikov, 1926 **A:** GG AR AB TM
 pallidipennis Plavilstshikov, 1926 **A:** TM
 ochraceipennis Kraatz, 1882 **A:** KZ KI TD UZ
 tekensis Semenov, 1896 **A:** TM
 nivea Kraatz, 1882 **A:** KZ KI UZ TD
 repetekensis Semenov, 1935 **A:** TM
 Tribus: AGAPANTHIINI
 Genus: Theophilea Pic, 1895
 cylindricollis Pic, 1895 **A:** GG AR AB
 subcylindricollis Hladil, 1988 **E:** UK ST CT **A:** KZ
 Genus: Calamobius Guerin, 1849
 filum Rossi, 1790 **E:** ?MD UK ST **A:** GG AR AB
 Genus: Pseudocalamobius Kraatz, 1879
 japonicus Bates, 1873
 ssp. japonicus Bates, 1873 **A:** FE
 Genus: Agapanthia Serville, 1835
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004
 kirbyi Gyllenhal, 1817 **E:** MD UK ST **A:** GG AR AB TM
 Subgenus: Agapanthiella Pesarini et Sabbadini, 2004
 nigriventris Waterhouse, 1889 **A:** TM
 = latior Pic, 1898
 = subnuda Reitter, 1905
 = jacobsoni Plavilstshikov, 1915
 detrita Kraatz, 1882 **A:** KZ UZ TD KI
 = bucharica Pic, 1901
 obydovi Danilevsky, 2000 **A:** KZ
 auliensis Pic, 1907 **A:** KZ
 = amabilis Holzschuh, 1981
 asphodeli Latreille, 1804 **E:** ?MD UK ST **A:** GG AR AB KZ
 walteri Reitter, 1898 **A:** GG AR AB
 dahli Richter, 1821
 ssp. dahli Richter, 1821 **E:** MD UK CT ST **A:** ?GG TD UZ KZ WS ES
 ?MG
 alternans Fischer-Waldheim, 1842 **A:** KZ WS ES MG
 ssp. alternans Fischer-Waldheim, 1842 **A:** KZ WS ES MG
 = ganglbaueri Semenov, 1893
 ssp. songarica Kostin, 1973 **A:** KZ
 ssp. tarbagataica Kostin, 1978 **A:** KZ
 nitidipennis Holzschuh, 1984 **E:** ST **A:** GG
 persica Semenov, 1893 **A:** ?TM
 transcaspica Pic, 1900 **A:** TM
 muellneri Reitter, 1898 **A:** KI UZ
 alexandris Pic, 1901 **A:** KZ KI
 alaiensis Kratochvil, 1985 **A:** KI UZ
 angelicae Reitter, 1898 **A:** TM
 = hauseri Reitter, 1901
 = bilateralis Pic, 1927
 altaica Plavilstshikov, 1933 **A:** WS

cynarae Germar, 1817
ssp. cynarae Germar, 1817 **E:** UK ST **A:** GG AR AB
villosoviridescens Degeer, 1775 **E:** MD UK NT CT ST **A:** ?GG KZ WS ES

?MG

daurica Ganglbauer, 1884 **A:** ES FE MG
subchalybaea Reitter, 1898 **E:** ST **A:** GG AB
= ?subnigra Pic, 1890
turanica Plavilstshikov, 1929 **A:** KZ KI UZ
lederi Ganglbauer, 1884 **E:** ST **A:** GG AR AB
= helianthi Plavilstshikov, 1935
= lopatini Kaziuchitz, 1988

Subgenus: Homoblephara Pesarini et Sabbadini, 2004
maculicornis Gyllenhal, 1817 **E:** ?MD UK ST **A:** KZ WS
korostelevi Danilevsky, 1985 in Danilevsky et Miroshnikov, 1985

A: AB AR

Subgenus: Agapanthia Serville, 1835
cardui Linnaeus, 1767
ssp. cardui Linnaeus, 1767 **A:** GG AR AB
ssp. pannonica Kratochvil, 1985 **E:** UK CT ST **A:** KZ

Subgenus: Stichodera Pesarini et Sabbadini, 2004

soror Kraatz, 1882 **A:** KZ KI UZ TD

Subgenus: Amurobia Pesarini et Sabbadini, 2004

pilicornis Fabricius, 1787
ssp. pilicornis Fabricius, 1787 **A:** ES FE
amurensis Kraatz, 1879 **A:** ES FE MG

Subgenus: Smaragdula Pesarini et Sabbadini, 2004

violacea Fabricius, 1775 **E:** MD UK ST CT NT **A:** GG AR AB ?KZ ?ES
= mulsanti Plavilstshikov, 1930

talassica Kostin, 1973 **A:** KZ KI

intermedia Ganglbauer, 1884 **E:** MD UK NT CT ST **A:** GG KZ

incerta Plavilstshikov, 1930 **A:** KI TD UZ

chalybaea Faldermann, 1837 **A:** GG AR AB

persicola Reitter, 1894 **A:** GG AR AB TM

Genus: Agapanthiola Ganglbauer, 1900

leucaspis Steven, 1817 **E:** UK MD ST CT **A:** GG AR AB KZ KI UZ TD WS

ES MG

= euterpe Ganglbauer, 1900