

Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere

M. A. Monné & F.T. Hovore - Electronic Version, 2002.1

Part One: Parandrinae through Lepturinae

This checklist is as complete as possible for taxonomic work published through 31 May 2003. Tribes follow traditional treatments, but tribal classifications within the family have not been fully evaluated using modern phylogenetic methods, so ordering is to some degree arbitrary. Genera and species are listed alphabetically. Geographical distributions reflect the present knowledge of the authors and previous checklist data, and are subject to expansion as additional data is contributed. Provincial citations are used for some larger countries to more accurately indicate known ranges. Bibliographies for each species are not included, and the authors refer users to Monné, 1993, et seq., *Catalogue of the Cerambycidae of the Western Hemisphere (Parts 1 - 22)*, for complete citations. A bibliographic file is included as Part Three of this electronic version.

Considerable disagreement has existed over the status of the disteniid longhorns, which at various times have been separated as a separate family, the Disteniidae. The most recent taxonomic treatment (Lawrence & Newton, 1995) is as a subfamily, Disteniinae, and they are included as such herein.

Abbreviations used in the list:

Argentina

BA = Buenos Aires; CA = Catamarca; CD = Córdoba; CH = Chaco; CO = Corrientes; CT = Chubut; ER = Entre Ríos; FO = Formosa; JU = Jujuy; LP = La Pampa; LR = La Rioja; ME = Mendoza; MI = Misiones; NE = Neuquén; RN = Río Negro; SA = Salta; SC = Santa Cruz; SE = Santiago del Estero; SF = Santa Fe; SJ = San Juan; SL = San Luis; TU = Tucumán.

Brasil

AC = Acre; AL = Alagôas; AM = Amazonas; AP = Amapá; BA = Bahia; CE = Ceará; ES = Espírito Santo; GO = Goiás; MA = Maranhão; MG = Minas Gerais; MS = Mato Grosso do Sul; MT = Mato Grosso; PA = Pará; PB = Paraíba; PE = Pernambuco; PI = Piauí; PR = Paraná; RJ = Rio de Janeiro; RN = Rio Grande do Norte; RO = Rondônia; RS = Rio Grande do Sul; SC = Santa Catarina; SE = Sergipe; SP = São Paulo; TO = Tocantins.

Mexico

AG = Aguascalientes; CA = Campeche; CHA = Chihuahua; CHS = Chiapas; CM = Colima; CO = Coahuila; DF = Distrito Federal; DU = Durango; GR = Guerrero; GU = Guanajuato; HI = Hidalgo; JA = Jalisco; ME = México; MI = Michoacán; MO = Morelos; NA = Nayarit; NL = Nuevo León; OA = Oaxaca; PU = Puebla; QE = Querétaro; QR = Quintana Roo; SI = Sinaloa; SO = Sonora; SLP = San Luis Potosí; TA = Tamaulipas; TB = Tabasco; TL = Tlaxcala; VC = Vera Cruz; YU = Yucatán; ZA = Zacatecas.

United States

AL = Alabama; AR = Arkansas; AZ = Arizona; CA = California; CN = Connecticut; CO = Colorado; DE = Delaware; FL = Florida; GA = Georgia; IA = Iowa; ID = Idaho; IL = Illinois; IN = Indiana; KS = Kansas; KY = Kentucky; LA = Louisiana; MA = Massachusetts; MD = Maryland; ME = Maine; MI = Michigan; MN = Minnesota; MO = Missouri; MS = Mississippi; MT = Montana; NB = Nebraska; NC =

North Carolina; ND = North Dakota; NH = New Hampshire; NJ = New Jersey; NM = New Mexico; NV = Nevada; NY = New York; OH = Ohio; OK = Oklahoma; OR = Oregon; PA = Pennsylvania; RI = Rhode Island; SC = South Carolina; SD =South Dakota; TN = Tennessee; TX = Texas; UT = Utah; VA = Virginia; VT = Vermont; WA = Washington; WI = Wisconsin; WV = West Virginia; WY = Wyoming.

In addition, Hispaniola is used when both Haiti and Republica Dominicana (R Dominicana) are cited.

Subfamily Parandrinae Blanchard, 1845:134
Prionides aberrantes Bates, 1869:38

Parandrini Blanchard, 1845:134

Acutandra Santos-Silva, 2002: 49

- araucana* (Bosq, 1951:191)
- degeerii* (Thomson, 1867:111)
- murrayi* (Lameere, 1912:115)
 - scrobriculata* (Zikán, 1948:28)
- punctatissima* (Thomson, 1861:84)
- ubitiara* (Santos-Silva & Martins, 2000: 167)

Chile, wc Argentina (NE, LP)
 Mexico?, Panama-c SAmer
 s Brasil (MT, RJ, SP, SC, MG-RS)

Fr Guiana, Colombia
 Colombia

Hesperandra (Hesperandra) Arigony 1977:163

- conspicua* (Tippmann, 1960:89)
- expectata* (Lameere, 1902:69)
 - montana* Zikán, 1948:27
- tucumana* (Zikán, 1948:30)

Ecuador, Bolivia
 Brasil, Paraguay, Argentina, Uruguay

Argentina, Uruguay

Hesperandra (Tavandra) Santos-Silva, 2003: 125

- brachyderes* (Lameere, 1902:71)
- brevicollis* (Lameere, 1902:70)
 - galapagoensis* (Van Dyke, 1953:127)
- colombica* (White, 1853:3)
 - scaritoides* Thomson, 1861:82
 - gyllenhalii* Thomson, 1867:110
- gianensis* Tavakilian, 2000: 168
- lalanneassouorum* Tavakilian, 2000: 165
- longicollis* (Thomson, 1861:83)
 - gracillima* Bates, 1869:38
- polita* (Say, 1835:192)
 - cylindrica* Thomson, 1861:82
- villei* (Lameere, 1885:3)

w Mexico (MI, CM)
 Ecuador, Galapagos Is

Nicaragua- Colombia, Venezuela, Ecuador

French Guiana
 French Guiana
 USA, Mexico-Argentina

sc USA (LA, TX, VA, CO), Mexico-Bolivia

Colombia, Venezuela, Ecuador

Hesperandra (Zikandra) Santos-Silva, 2003: 120

- brasiliaca* (Zikán, 1948:31)
 - cribraria* (Zikán, 1948:34)
 - melzeri* (Zikán, 1948:32)
- glaberrima* (Zikán, 1948:35)
- glabra* (Degeer, 1774:352)
 - testaceus* Fabricius, 1794:437
 - ferruginea* Sturm, 1826:181
 - lineola* Gory in Guérin-Méneville, 1831: pl. 42, fig.7
 - mandibularis* Perty, 1832:84
 - maxillosa* Laporte, 1840:387
 - lineolata* Gory in Guérin-Méneville, 1844:207
 - grandis* Thomson, 1861:79
 - columbica* Thomson, 1861:80
 - barbata* Thomson, 1861:95
 - occipitalis* Thomson, 1867:108
 - obsolescens* Casey, 1912:217
 - var. *translucida* Zikán, 1948:37

se Brasil (MG -RJ, SC, BA)

Brasil (BA, GO)
 Mexico-Argentina, W Indies

<i>lucida</i> Zikán, 1948:36	
humboldti Santos-Silva, 2003: 123	Colombia, Ecuador se Brasil (MG, RJ, SP)
miniscula (Zikán, 1948:38)	
<i>costalimai</i> Zikán, 1948:38	
<i>itatiayaensis</i> Zikán, 1948:39	
monnei (Santos-Silva, 2001: 229)	s Brasil (SP, RJ, SC)
separanda (Zikán, 1948:33)	s Brasil (MG, SP, PA, SC, RG)
<i>laevicollis</i> Zikán, 1948:33	
<i>zellibori</i> Zikán, 1948:34	
thomasi Santos-Silva, 2002: 955	Bolivia
ubirajarai (Santos-Silva, 2001: 216)	seBrasil (SP, RJ, MG, SC)
 Neandra Lameere, 1912:114	
brunnea (Fabricius, 1798:49)	e, c USA, se Canada
<i>purpureus</i> Herbst, 1799:21	
<i>sayi</i> Thomson, 1867:114	
<i>quadricollis</i> Thomson, 1867:114	
<i>conformis</i> Thomson, 1867:115	
<i>dentata</i> Thomson, 1867:115	
<i>minuta</i> Thomson, 1867:116	
<i>ampliceps</i> Casey, 1912:216	
<i>gravidula</i> Casey, 1912:216	
<i>brunnea coloradensis</i> Linsley, 1957:2	
<i>brunnea quebecensis</i> Abdullah, 1968:75	
marginicollis (Schaeffer, 1929:40)	sw USA (CA,AZ)
<i>brunnea</i> ; Fall, 1901:142 (not Fabricius, 1798)	
<i>punctillata</i> Schaeffer, 1929:40	
 Parandra (Parandra) Latreille, 1804:262	
angulicollis Bates, 1879:2	Mexico-Panama
<i>punctata</i> ; Bates, 1872:166 (not White, 1853)	
cribrata Thomson, 1861:87	Cuba, Puerto Rico, Hispaniola
cubaecola Chevrolat, 1862:275	Cuba, Puerto Rico
laevis Latreille, 1804:253	Cuba, Hispaniola, Jamaica
lata Bates, 1884:226	e Mexico (VC)
pinchoni Villiers, 1979:182	Martinique, Dominica
tavakilianii Santos-Silva, 2002: 33	Puerto Rico
 Parandra (Birandra) Santos-Silva, 2002: 47	
lucanoides Thomson 1861:85	Colombia, Venezuela
<i>colombica</i> ; Vivas Berthier, 1942:37 (not White, 1853)	
mariahelenae Santos-Silva, 2002: 48	Jamaica
punctata White, 1853:2	Panama, Ecuador, n SAmer
<i>luciana</i> Thomson, 1861:86	
<i>fabricii</i> Thomson, 1867:117	
sylvaini Tavakilian, 2000: 150	Fr. Guiana
 Erichsoniini Thomson, 1860:274	
 Erichsonia Westwood, 1849:210	
dentifrons Westwood, 1849:211	Mexico (PU, VC), Guatemala, El Salvador
 Subfamily Anoplodermatinae Guérin-Méneville, 1840:276	
 Anoplodermatini	
Guérin-Méneville, 1840:276	
 Acanthomigdolus Bruch, 1941:165	
quadricollis (Bates, 1875:47)	c Argentina (LR, ME, BA)

Anoploderma Guérin-Méneville, 1840:276

- bicolor** Guérin-Méneville, 1840:277
spondylioide Fairmaire, 1893:610
- breueri** Lameere, 1912:118
martinezii Prosen, 1960:91
- peruvianum** Dias, 1986:121

Peru, Bolivia
 sc Brasil (MT), Bolivia, n Argentina (SA,
 FO, CD, JU, SE)
 Peru

Cherrocarius Berg, 1898:31

- bruchi** Berg, 1898:32

sc Argentina (RN, NE)

Hypocephalus Desmarest, 1832: pl.24

- Mesoclastus* Gistel, 1837:54
- armatus** Desmarest, 1832: pl.24
paradoxus Gistel, 1837:54

se Brasil (BA, MT)

Migdolus Westwood, 1863:120

- Paulistanus* Gounelle, 1899:6
- brachypterus** Lane, 1972:83
- clypeatus** Dias, 1984:529
- cuyabanus** Lane, 1937:195
- exul** (Lameere, 1915:285)
- fryanus** Westwood, 1863:120
bouvieri Gounelle, 1899:6
morretesi; Fonseca, 1958:30 (not Lane, 1937)
fonsecai Lane, 1972:81
- goyanus** Dias, 1984:528
- morretesi** Lane, 1937:192
- punctatus** Lane, 1937:189
- spitzi** Lane, 1937:185
- thulanus** (Lameere, 1902:201)

s Brasil (PN)
 sw Brasil (MT)
 sw Brasil (MT)
 w Brasil (RO)
 s Brasil (SP-SC), ne Argentina (MI),
 Paraguay

c Brasil (GO)
 s Brasil (SP)
 s Brasil (SP)
 sc Brasil (MS)
 c Brasil (GO, MT)

Paramigdolus Dias, 1986:117

- tropoides** (Fairmaire, 1893:611)
 var. *carbonaria* Bruch, 1941:169

n Argentina (LR, CA, SA, SE, CD, MI)

Sypilus Guérin-Méneville, 1840:277

- boeroi** Prosen, 1960:95
- ferrugineus** Gounelle, 1913:194
gounellei Lameere, 1915:62
- orbignyi** Guérin-Méneville, 1840:277
venturiae Dohrn, 1882:465

wc Argentina (NE)
 n Argentina (SE, ME, CD, BA)

n Argentina (SE-BA)

Mysteriini Prosen, 1960:90

Mysteria Thomson, 1860:278

- Prionidium* Burmeister, 1865:159
- cylindripennis** Thomson, 1860:279
molle Burmeister, 1865:160
schroederi Lameere, 1902:211
- darwini** (Lameere, 1902:210)
- lacordairei** (Lameere, 1902:212)
cylindripennis; Lacordaire, 1876: pl.81, fig.2 (not Thomson, 1860)
- minuta** Dias, 1988:144
- seabrai** Dias, 1988:144

s Brasil (RS), Argentina, Uruguay

s Brasil (SC)
 Paraguay, Argentina (ME, SF, ER), Uruguay
 Paraguay, ne Argentina (MI)
 n Argentina (JU, SE, CH, SF)

Pathocerus Waterhouse, 1901:522

- Anoploderma (Eumysteria)* Bruch, 1908:199
- wagneri** Waterhouse, 1901:523
flabellifera Bruch, 1908:199

Bolivia, n Argentina (JU-BA)

Pseudopathocerus Dias, 1988:157
humboldti (Lameere, 1912:120)

sc Brasil (MS), Paraguay,
 ne Argentina (MI)

Subfamily **Prioninae** Latreille, 1804:264

Macrotomini Thomson 1860:290
Mallodonitae Thomson, 1860:318
Stenodontines Lameere, 1902:63

Aplagiognathus Thomson, 1860:320
hybostoma Bates, 1879:8
spinosus (Newman, 1840:194)

Guatemala
 Mexico (ME, OA, PU, VC)

Archodontes Lameere, 1903:216
Paramallus Casey, 1912:227
melanopus melanopus (Linnaeus, 1767:623) se USA (FL-TX)
cilipes Say, 1824:328
simplicicolle Haldeman, 1847:30
simplicicolle var. *biimpressum* Haldeman, 1847:30
 subsp. *aridus* Casey, 1924:224 sw USA (CA, AZ), Baja Calif
 subsp. *serrulatus* (LeConte, 1854:82) sc USA, n Mexico

Basitoxus (Basitoxus) Audinet-Serville, 1832:174
Basitaxus; Chenu, 1870:307
Baseotoxus; Gemminger & Harold, 1872:2768
megacephalus (Germar, 1824:468) e Brasil (BA-RJ)
armatus Audinet-Serville, 1832:175

Basitoxus (Parabasitoxus) Fragoso & Monné, 1995:721
amazonicus Fragoso & Monné, 1995:723
maillei Audinet-Serville, 1832:175
mallei; Redtenbacher, 1867:202 Peru, ne Brasil (AP), Fr Guiana, Bolivia
 e Brasil (AL, ES, RJ, SC), Paraguay, Argentina

Chiasmetes Pascoe, 1867:411
Chiasmus Thomson, 1860:318
limae (Guérin-Méneville in Duperrey, 1830:128) Ecuador, Peru, Chile
melitaeques Blanchard, 1843:206
gracilicorne Buquet in Guérin-Méneville, 1844:215

Curitiba Lameere, 1903:26
brunni Lameere, 1903:26 s Brasil (PR-RS)
scheerpeltzi (Tippmann, 1953:182) sw Brasil (MT)

Ialyssus Thomson 1864:296
Jalyssus; Gemminger & Harold, 1872:2763
tuberculatus (Olivier, 1795:20) Guianas, n Brasil (AM)

Mallodon Lepeletier & Audinet-Serville in Lacordaire, 1830:171
Opheltes Thomson, 1864:306
Orthomallodon Linsley, 1957:3
dasystomus dasystomus (Say, 1824:326) s USA, n Mexico-Colombia
costulata LeConte, 1851:111
degeneratum Thomson, 1867:95
debile Casey, 1912:222
melanopus; Haldeman 1847:30 (not Linnaeus, 1767)
spinibarbe; Haldeman 1847:31 (not Linnaeus 1758)
masticator Thomson, 1867:99
angustatum Thomson, 1867:100

<i>guatemalensis</i> Casey, 1912:227	
subsp. baiulus (Erichson, 1847:138)	Colombia, Venezuela, Ecuador, Peru, Fr Guiana, Brasil
<i>occipitale</i> Thomson, 1867:93	
<i>chevrolatii</i> Thomson, 1867:94	
<i>columbianum</i> Thomson, 1867:98	
subsp. plagiatus (Thomson, 1867:95)	Fr Guiana
subsp. socorroensis Linsley & Chemsak, 1966:251	Mexico (Revilla Gigedo Is)
hermaphroditus Thomson, 1867:103	Colombia
linsleyi Fragoso & Monné, 1995:220	Peru
mandibularis Lackerbeck, 1998: 517 (homonym, M. mandibulare Gemminger = Nothopleurus lobigenis Bates)	
	Costa Rica
molarius molarius Bates, 1879:9	Mexico-Colombia, Venezuela, Peru, Ecuador
subsp. galapagoensis Mutchler, 1938:11	Galapagos Is (S. Cruz)
subsp. glabratus Linsley & Chemsak, 1966:206	Galapagos Is (S. Cristobal)
subsp. vandykei Linsley & Chemsak, 1966:204	Galapagos Is (Isabela)
popelei Lameere, 1902:83	Peru
spinibarbis (Linnaeus, 1758:390)	Mexico-Argentina
<i>frangens</i> Voet, 1778:2	
<i>miles</i> Voet, 1778:2	
<i>maxillosus</i> Olivier, 1795:16	
<i>dentatus</i> Fabricius, 1801:263	
<i>similis</i> Schoenherr, 1817:345	
<i>gagatinus</i> Germar, 1824:468	
<i>germarii</i> Thomson, 1867:100	
<i>bonariense</i> Thomson, 1867:99	
<i>orbignyi</i> Thomson, 1867:101	
Mallodonoplus Thomson, 1860:320	
<i>Mallodonoplus</i> ; Gemminger & Harold, 1872:2768	
nobilis Thomson, 1860:321	Colombia, Venezuela
Mallodonopsis Thomson, 1860:317	
corrosus Bates, 1879:7	Mexico-Panama
mexicanus Thomson, 1860:317	Mexico-Colombia, Ecuador, Venezuela
serrata Thomson, 1860:317	
Mecosarthon Buquet, 1840:172	
buphus Buquet, 1840:172	e Brasil (BA-PR)
domingoensis (Fisher, 1932:1)	R Dominicana
gounellei (Lameere, 1903:135)	e Brasil (BA)
tritomegas Lameere, 1920:137	Brasil
Neomallodon Linsley, 1957:2	
arizonicus (Casey, 1912:228)	sw USA (AZ)
remotus Linsley, 1934:161	
Nothopleurus Lacordaire, 1869:125	
baroni (Casey, 1912:223)	sw Mexico (GR)
bituberculatus (Palisot de Beauvois, 1805:216)	W Indies
<i>carptor</i> Chevrolat, 1862:273	
lobigenis Bates, 1884:235	sw USA (CA, AZ), Baja Calif, w Mexico
<i>gnatho</i> ; LeConte, 1858:81 (not White, 1853)	
<i>mandibulare</i> ; Gemminger, 1872:254 (not Fabricius, 1801)	
<i>dentiger</i> Leng, 1884:9	
<i>castaneum</i> Casey, 1924:225	
madericus (Skiles, 1978:414)	sw USA (AZ), nw Mexico (CHA)
<i>arizonicus</i> ; Hovore & Giesbert 1976:350 (not Casey, 1912)	
maxillosus (Drury, 1773:86)	W Indies
subcancellatus (Thomson, 1867:102)	Brasil (BA, MG, RJ, SC)
subsulcatus (Dalman, 1823:63)	s Mexico (YU), Honduras
<i>gnatho</i> White, 1853:45	
<i>ebeninus</i> Lacordaire, 1869:125	

Parastrongylaspis Giesbert, 1987:147

linsleyi Giesbert, 1987:148
thomasi Giesbert, 1992:155

Costa Rica
 s Mexico (CHS, VC)

Physopleurus Lacordaire, 1869:120

crassidens (Bates, 1869:45)
dohrni Lacordaire, 1869:121
longiscapus Lameere, 1912:127
rugosus Gahan, 1894:224
tritomicros Lameere, 1912:126
villardii Lameere, 1902:87
maxillosus; Bates in Whymper, 1891:37 (not Drury, 1773)

nw Brasil (AM), Fr Guiana
 Venezuela
 Peru
 Fr Guiana, nw Brasil (AM)
 Fr Guiana
 Ecuador, Peru

Protorma Waterhouse, 1880:288

costifer Thomson, 1877:275
scabrosa Waterhouse, 1880:289
recurvatum Williams, 1929:143

n SAmer

Stenodontes Audinet-Serville, 1832:173

chevrolati Gahan, 1890:23
cubensis Casey, 1912:224
parallelus Casey, 1912:225
damicornis; Chevrolat, 1862:273 (not Linnaeus, 1771)
exsertus; Horn, 1880:xvii (not Olivier, 1795)
mandibularis; Leng, 1884:9 (not Fabricius 1801)
damicornis (Linnaeus, 1771:532)
crenulatus Drury, 1773:86
melanopus Drury & Westwood, 1837:82
obesus Thomson, 1865:578
exsertus (Olivier, 1795:17)
mandibularis Fabricius, 1801:261
laevigatus Palisot de Beauvois, 1805:227

se USA (FL), Cuba, Bahamas

Jamaica, Puerto Rico

Puerto Rico, Hispaniola

Strongylaspis Thomson, 1860:313

aureus Monné & Santos-Silva, 2003: 33
batesi Lameere, 1903:34
bolivianus Monné & Santos-Silva, 2003: 36
bullatus Bates, 1872:167
championi Bates, 1884:233
christianae Monné & Santos-Silva, 2003: 42
corticarius (Erichson in Schomburgk, 1848:571)
scobinatus Thomson, 1860:313
scobinatus var. *belti* Bates, 1884:233
lobulifer Bates, 1892:145
dohrni Lameere, 1903:30
fryi Lameere, 1912:133
graniger Bates, 1884:233
hirticollis Tippmann, 1953:183
kraepelini kraepelini Lameere, 1903:28
 subsp. **parvula** Linsley & Chemsak, 1966:209
macrotomooides Tippmann, 1953:186
migueli Monné & Santos-Silva, 2003: 38
sericans Tippmann, 1953:184
sericeus Zajciw, 1970:2

Brasil (AM)

se Brasil (ES-SP), Paraguay, Argentina

Bolivia

Guatemala-Costa Rica

Mexico, Guatemala, Costa Rica

Brasil (MG, SC, AM), Peru

se USA (FL), Mexico-Panama, n SAmer, Cuba

Jamaica, Dominica

Mexico

c Brasil (MT)

Panama

Colombia

Ecuador

Galapagos Is

Colombia

Brasil (RO, MG)

Colombia

se Brasil (ES)

Callipogonini Thomson, 1860:323

Enoploceritae Thomson, 1864:290
Orthomegitae Thomson, 1864:294
Anacanthini Thomson, 1864: 285
Ergatites Fairmaire in Jacquelain Du Val, 1864:117
Ctenoscelinae Pascoe, 1869:661

Apotrophus Bates, 1875:48		
<i>Paranaecus</i> Thomson, 1877:269		
simplicicollis Bates, 1875:49	s Brasil (SP, PR)	
<i>olivieri</i> Thomson, 1877:270		
Callipogon (Callipogon) Audinet-Serville, 1832:140		
barbatum (Fabricius, 1781:208)	Guatemala-Panama	
var. <i>ornatum</i> Bates, 1879:5		
<i>hauseri</i> Nonfried, 1892:20		
<i>friedlaenderi</i> Nonfried, 1892:22		
beckeri Lameere, 1904:56	w Mexico (DU, NA)	
lemoinei Reiche, 1840:275	Honduras-Colombia, Venezuela, Peru,	
var. <i>kraatzii</i> Nonfried, 1890:19	Ecuador	
senex Dupont, 1832: pl.33	Mexico (PU, VC)-El Salvador	
<i>barbatum</i> ; Audinet-Serville, 1832:142 (not Fabricius, 1781)		
Callipogon (Callomegas) Lameere, 1904:64		
proletarium Lameere, 1904:66	Puerto Rico, Martinique	
sericeum (Olivier, 1795:16)	Cuba, Puerto Rico, Hispaniola	
Callipogon (Dendroblaptus) Chevrolat, 1864:179		
barbiflavum Chevrolat, 1864:180	Cuba, Bahamas	
Callipogon (Enoplocerus) Audinet-Serville, 1832:146		
armillatum (Linnaeus, 1867:622)	Panama, S. Amer (widely distributed)	
<i>octodentatus</i> Schoenherr, 1817:342		
<i>gigas</i> Csiki, 1909:343		
Callipogon (Navosoma) Blanchard, 1843:206		
<i>Naosoma</i> Gemminger & Harold, 1872:2763		
luctuosum (Schoenherr, 1817:346)	se Brasil (BA-RS), Paraguay, Uruguay,	
<i>huberti</i> Buquet, 1840:xxviii	Argentina	
<i>triste</i> Blanchard, 1843:206		
<i>blanchardii</i> Thomson, 1877:270		
Callipogon (Orthomegas) Audinet-Serville, 1832:149		
cinnamomeum (Linnaeus, 1758:389)	Fr Guiana-c Brasil	
<i>mucronatus</i> Fabricius, 1775:160		
<i>cinctus</i> Voet, 1778:16		
<i>corticinus</i> Olivier, 1790:294		
<i>spadiceus</i> Dalman in Schoenherr, 1817:148		
<i>corticanum</i> ; Williams, 1929:145		
fragosoi Bleuzen, 1993:19	Costa Rica, Panama	
frischeiseni Lackerbeck, 1998: 518	Peru	
haxairei Bleuzen, 1993:19	Ecuador	
irroratum Lameere, 1915:55	Colombia	
jaspideum (Buquet in Guérin-Méneville, 1844:212)	se Brasil (PE-RS), Paraguay, Argentina	
marechali Bleuzen, 1993:18	Panama, Colombia, Ecuador	
monnei Bleuzen, 1993:18	se Mexico (VC, QR)-Costa Rica	
pehlkei Lameere, 1904:60	Colombia, Peru, Fr Guiana	
similis (Gahan, 1894:223)	se Brasil (BA-SC)	
<i>joinvillei</i> Ribeiro, 1935:417		
Callipogon (Spiloprionus) Aurivillius, 1897:241		
sericeomaculatus Aurivillius, 1897:242	Bolivia	
Ctenoscelis Audinet-Serville, 1832:134		
acanthopus (Germar, 1824:467)	se Brasil (BA-RS), Paraguay, Argentina	
ater (Olivier, 1795:11)	Venezuela, Guianas, n Brasil (AP)	

coeus (Perty, 1832:86)	Fr Guiana, n Brasil (AM, PA, PI-MG), Bolivia
<i>dyrrhacus</i> Buquet, 1843:235	
<i>nausithous</i> Buquet, 1843:236	
Cubaecola Lameere, 1912:164	
hoplodroides Lameere, 1912:164	Cuba
Ergates Audinet-Serville, 1832:143	
<i>Trichocnemis</i> LeConte, 1851:110	
<i>Ergates (Callergates)</i> Lameere, 1904:47	
pauper Linsley, 1957:5	sw USA (CA)
spiculatus spiculatus (LeConte, 1851:110)	w N Amer
<i>californica</i> White, 1853:37	
<i>spiculigera</i> White, 1853:39	
subsp. neomexicanus Casey, 1890:491	wc USA, n Mexico, Baja Calif
var. <i>marmoratus</i> Cockerell, 1890:161	
Hephialtes Thomson, 1864:285	
ruber (Thunberg, 1822:305)	Guadeloupe, Fr Guiana, Brasil
<i>tricostatus</i> Thomson, 1864:286	
<i>badium</i> Thomson, 1865:577	
<i>sulcatus</i> Lacordaire, 1869:147	
Stictosomus (Stictosomus) Audinet-Serville, 1832:153	
semicostatus Audinet-Serville, 1832:154	Fr Guiana, n Brasil (PA)
Stictosomus (Anacanthus) Audinet-Serville, 1832:165	
aquilus (Thomson, 1865:577)	Colombia
espiritosantensis Seabra, 1941:369	se Brasil (ES)
reticulatus (Dalman in Schoenherr, 1817:147)	se Brasil (MG-RS), Argentina
<i>costatus</i> Audinet-Serville, 1832:166	
Macrodontiini Thomson, 1860:324	
<i>Acanthinoderitae</i> Thomson, 1864:294	
<i>Ancistrotides</i> Lacordaire, 1869:81	
Acalodegma Thomson, 1877:261	
<i>Acadolegma</i> ; Lameere, 1919:94	
servillei (Blanchard in Gay, 1851:452)	wc Argentina (ME), Chile
<i>marginipennis</i> Fairmaire, 1864:270	
<i>bihamata</i> Bates, 1869:43	
vidali Elgueta & Cerda, 2002: 12	Chile
Acanthinodera Hope, 1833:106	
<i>Amallopedes</i> Lequien, 1833: pl.74	
<i>Malloderes</i> Dupont, 1835: pl.125	
<i>Malloderus</i> ; Drapiez, 1841:56	
cumingii Hope, 1833:105	Chile
<i>scabrosus</i> Lequien, 1833: pl.74	
<i>mercurius</i> Erichson in Meyens, 1834:266	
<i>microcephalus</i> Dupont, 1835: pl.125	
Ancistrotus Audinet-Serville, 1832:135	
aduncus Buquet, 1853:xxiv	se Brasil (ES, MG, RJ)
uncinatus (Klug, 1825:454)	se Brasil (MG-SC)
<i>hamaticollis</i> Audinet-Serville, 1832:137	
Chalcoprionus Bates, 1875:273	
badeni Bates, 1875:274	Colombia

Macrodontia	Lepeletier & Audinet-Serville in Lacordaire, 1830:139	
<i>Macrodontus</i>	Gistel, 1848:129	
batesi	Lameere, 1912:166	Guatemala-Panama
	<i>dejeani</i> ; Bates, 1879:5 (not Gory, 1839)	
	<i>dejeani borgmeieri</i> Tippmann, 1953:190	
	<i>laevis</i> Pouillaude, 1915:46	
cervicornis	(Linnaeus, 1758:38)	Colombia, Guanas-s Brasil, Peru, Bolivia, Ecuador
	<i>cervicornis melzeri</i> Tippmann, 1953:188	
crenata	(Olivier, 1795:27)	Colombia, Fr Guiana, Venezuela, Peru, Bolivia, c Brasil (AC, AM, MT, GO, MS, RO, PA)
	<i>quadrispinosus</i> Schoenherr, 1817:346	
	<i>castanea</i> Blanchard, 1848:210	
	<i>ehrenreichi</i> Kolbe, 1894:42	
dejeani	Gory, 1839:127	Colombia-Bolivia
	<i>marechali</i> Bleuzen, 1990:9	
flavipennis	Chevrolat, 1833:65	e Brasil (BA-RS, GO), Paraguay, Argentina
	<i>impressicollis</i> Blanchard, 1848:210	
jolyi	Bleuzen, 1994:26	Venezuela
mathani	Pouillaude, 1915:44	Ecuador
zischkai	Tippmann, 1960:92	nw Brasil (AC), Bolivia, Peru
	<i>cambeforti</i> Bleuzen, 1990:9	

Calocomini Galileo & Martins, 1993:81

Calocomus	Audinet-Serville, 1832:194	
desmaresti	(Guérin-Méneville, 1831: pl.42, fig.8)	Bolivia, Paraguay, Argentina (JU-LP)
	<i>hamatiferus</i> Lacordaire in Audinet-Serville, 1832:195	
	<i>lunuliferus</i> Drapiez, 1837:53	
	<i>bravardi</i> Burmeister, 1865:314	
	<i>desmaresti caripariensis</i> Tippmann, 1960:97	
	ab. <i>bimaculatus</i> Tippmann, 1960:96	
	ab. <i>conjunctus</i> Tippmann, 1960:97	
	ab. <i>melancholicus</i> Tippmann, 1960:96	
kreuchelyi	Buquet, 1840:142	Colombia
	<i>lycius</i> Buquet, 1840:142	
morosus	White, 1850:11	sc Brasil (MS, GO, MG, SP), Bolivia, Paraguay, Argentina (JU-RN)
	<i>rugosipennis</i> Lucas, 1857:181	
	<i>coriaceus</i> Fairmaire, 1864:270	
roddingeri	Tippmann, 1951:304	Bolivia, Peru

Solenopterini Lacordaire, 1869:180

Poecilosomides Lacordaire, 1869:185
Dérancistrines Lameere, 1912:181

Derancistrodes	Galileo & Martins, 1993:96	
vittatus	(Olivier, 1795:39)	Hispaniola
	<i>oberthuri</i> Gahan, 1895:85	

Derancistrus	Audinet-Serville, 1832:181	
<i>Harmosternus</i>	Gahan, 1890:30	
anthracinus	(Gahan, 1890:31)	Cuba, Hispaniola
coeruleus	Lameere, 1912:170	Cuba
elegans	(Palisot de Beauvois, 1805:217)	Hispaniola
furfurosus	Galileo & Martins, 1993:205	R Dominicana

Elateropsis	Chevrolat, 1862:269	
antennatus	Galileo & Martins, 1994:126	Hispaniola
bahamicus	Galileo & Martins, 1994:122	Bahamas
caymanensis	(Fisher, 1941:109)	Cayman Is
ebeninus	Chevrolat, 1862:271	Jamaica, Bahamas
fellerae	(Chemsak, 1983:714)	Belize (Twin Cays)

femoratus (Sallé, 1855:270)	Hispaniola
foliaceus Galileo & Martins, 1994:135	Bahamas
fulvipes (Chevrolat in Guérin-Méneville, 1838:282)	Cuba
<i>fimbriatus</i> Chevrolat, 1862:270	
<i>venustus</i> Chevrolat, 1862:270	
lineatus (Linnaeus, 1758:389)	Jamaica, Cuba, Guadeloupe
<i>fuliginosus</i> Fabricius, 1775:160	
<i>subpunctatus</i> Chevrolat, 1862:271	
<i>punctatus</i> Gahan, 1890:27	
nigricornis (Fisher, 1941:108)	Cayman Is
nigripes (Fisher, 1941:108)	Cayman Is
peregrinus Galileo & Martins, 1994:118	Guadeloupe (?)
quinquenotatus Chevrolat, 1862:271	Jamaica, Cuba (?)
reticulatus Gahan, 1890:30	Cuba
rugosus Gahan, 1890:28	se USA (FL), Bahamas, Cuba (?)
scabrosus Gahan, 1890:29	se USA (FL), Cuba, Bahamas
<i>fuliginosus</i> ; Chevrolat, 1862:271 (not Fabricius, 1775)	
<i>castaneous</i> Zayas, 1975:40	
<i>punctatus</i> ; Zayas, 1957:171 (not Gahan, 1890)	
sericeiventris Chevrolat, 1862:270	Cuba
trimarginatus (Cazier & Lacey, 1952:8)	Bahamas
 Holonotus Thomson, 1860:304	
laevithorax (White, 1853:54)	Mexico (VC), Guatemala
<i>minor</i> Bates, 1884:239	
<i>latithorax</i> Thomson, 1860:305	
nigroaeneus Bates, 1869:57	Nicaragua, Costa Rica, Colombia
sternalis Gahan, 1894:117	Guatemala, Costa Rica
 Prosternodes Thomson, 1860:288	
cinnamipennis (Chevrolat, 1838:281)	Cuba, Bahamas
cubanus Zayas, 1975:29	Cuba
 Solenoptera Audinet-Serville, 1832:183	
adusta Galileo & Martins, 1993:448	Trinidad & Tobago
bilineata (Fabricius, 1775:163)	W Indies (Puerto Rico, Virgin Is)
canaliculata (Fabricius, 1787:130)	St Lucia, St Vincent, Mustique, Trinidad,
<i>subcanaliculata</i> White, 1853:53	Martinique, Guadeloupe
var. <i>asterius</i> Gahan, 1895:86	
chalumeau (Villiers, 1979:23)	St Martin
dominicensis (Gahan, 1890:26)	Hispaniola
fraudulenta Galileo & Martins, 1993:445	Cuba
intermedia Gahan, 1890:27	Colombia
luciae (Lameere, 1912:171)	St Lucia
metallescens Thomson, 1860:306	Martinique, Dominica
parandrodes Lameere, 1885:xii	Cuba
quadrilineata (Olivier, 1795:40)	Martinique, Guadeloupe
scutellata (Gahan, 1890:25)	Cuba, Hispaniola
sulcicollis Thomson, 1860:306	Martinique, Guadeloupe
<i>sulcipennis</i> , Thomson, 1878:4	
thomae (Linnaeus, 1767:623)	W Indies
<i>lateralis</i> Chevrolat, 1877:xxxii	
<i>michelii</i> Chemsak, 1979:125	Puerto Rico
 Sphenostethus Haldeman, 1846:126	
<i>Hoplopteryx</i> ; Westwood, 1845:40 (not Agassiz, 1838)	
taslei (Buquet, 1841:xxxix)	e USA
<i>serripennis</i> Haldeman, 1846:126	
<i>denticulatus</i> Westwood, 1845:40	
 Mallaspinia Thomson, 1860:302	
<i>Pyrodides</i> Lacordaire, 1869:180	

Charmallaspis Galileo & Martins, 1992:319	
pulcherrima (Perty, 1832:86)	Colombia, Venezuela, Ecuador, Brasil (AM, RO, PA, MT), Peru, Bolivia
<i>fastuosus</i> Erichson, 1847:139	
<i>heterocerus</i> Erichson, 1847:139	
<i>smithianus</i> White, 1850:12	
<i>petalocerus</i> White, 1853:50	
<i>antennatus</i> White, 1853:51	
<i>formosus</i> Bates, 1869:51	
Esmeralda Thomson, 1860:303	
coerulea (Schoenherr, 1817:346)	Guianas, n Brasil (AM, AP, PA)
<i>columbinus</i> Guérin-Méneville, 1844:214	
<i>suavis</i> Thomson, 1860:304	
<i>laeticus</i> ; Melzer, 1919:123 (not Bates, 1869:56)	
costulata Bates, 1891:158	n Brasil (AZS, PA), Guyana
laetifica Bates, 1869:56	n Brasil (AM, AZS), Guyana
polita (Fragoso & Monné, 1988:135)	w Brasil (RO)
Hileolaspis Galileo & Martins, 1992:395	
auratus (Linnaeus, 1758:395)	Venezuela, Guianas, c Brasil (AM, MT, GO), Peru, Bolivia, Paraguay
<i>bifasciatus</i> Linnaeus, 1767:624	
<i>amazon</i> Voet, 1778:3	
<i>amazonus</i> Fabricius, 1801:262	
<i>nigricornis</i> Guérin-Méneville, 1855:598	
<i>rubrozonatus</i> Lucas, 1857:180	
<i>gratiosus</i> Bates, 1869:51	
<i>nodicornis</i> Bates, 1869:53	
<i>dispar</i> Bates, 1869:54	
<i>candezei</i> Lameere, 1885:xii	
<i>insignis</i> ; Nonfried, 1894:136 (not Bates, 1884:238)	
Insuetaspis Galileo & Martins, 1992:323	
paradoxus (Bates, 1869:383)	Nicaragua-Panama
<i>insignis</i> Bates, 1884:238	
Mallaspis Audinet-Serville, 1832:188	
scutellaris (Olivier, 1795:14)	Colombia, Peru, Ecuador, Venezuela, Guianas, c Brasil (AM, PA, MT)
<i>buckleyi</i> Waterhouse, 1880:290	
Oropyrodes Galileo & Martins, 1992:317	
maculicollis (Bates, 1891:158)	w Mexico (CHA, DU, SI, ZA)
Poecilopyrodes Galileo & Martins, 1992:381	
pictus (Perty, 1832:85)	se Brasil (BA-SP)
Praemallaspis Galileo & Martins, 1992:306	
argodi (Lameere, 1909:51)	Colombia
<i>bourgoini</i> Lameere, 1909:52 (part, male)	
batesi (Lameere, 1909:50)	Ecuador
<i>inca</i> Galileo & Martins, 1992:316	Peru
<i>leucaspis</i> (Guérin-Méneville, 1844:214)	s Brasil (PR-RS), n Argentina, Uruguay
<i>rhombodera</i> (Bates, 1879:10)	Nicaragua-Colombia
<i>xanthaspis</i> (Guérin-Méneville, 1844:214)	Colombia
<i>bourgoini</i> Lameere, 1909:52 (part, female)	
Pyrodes Audinet-Serville, 1832:186	
nitidus (Fabricius, 1787:128)	se Brasil (AL-RS), Paraguay, Argentina
<i>speciosus</i> Olivier, 1795:31	

angulatus Olivier, 1795:31
pallasii Germar, 1824:469
aeneus Buquet, 1860:618
speciosus var. *cupripennis* Heyne & Taschenberg, 1907:238

Scatopyrodes Galileo & Martins, 1992:326
angustus (Taschenberg, 1870:193)
praecellens Bates, 1871:376
beltii *beltii* (Bates, 1869:49)
salvini Bates, 1869:49
 subsp. *fryi* (Lameere, 1909:46)
iris (Bates, 1884:237)
gounellei Lameere, 1912:172
lampros (Bates, 1884:236)
longiceps (White, 1853:52)
moreletii (Lucas, 1851:lxv)
samiatus Galileo & Martins, 1992:381
tenuicornis *tenuicornis* (White, 1850:11)
angusticollis Lucas, 1857:179
 subsp. *marginatus* (White, 1853:49)
cervicalis Casey, 1912:256
trichostethus (Bates, 1879:11)
vietus Galileo & Martins, 1992:335

Costa Rica-Panama, Colombia, Ecuador
 Nicaragua- Colombia
 Colombia, Ecuador
 Mexico (DU, CHS), Guatemala
 Guatemala
 Mexico, Guatemala
 Guatemala
 Honduras
 sw Mexico (OA)
 Guatemala, Honduras
 Costa Rica, Panama
 El Salvador, Honduras

Prionini Latreille, 1804:264
Titanitae Thomson, 1864:292
Psalidognathitae Thomson, 1864:280
Derobrachinae Pascoe, 1869:661

Braderochus Buquet, 1852:658
Aulacocerus White, 1853:13
jolyi Bleuzen, 1994:51
levoiturieri (Buquet, 1842:203)
mundus (White, 1853:13)
retrospinosus Lameere, 1916:233
salcedoi Bleuzen, 1994:52
shuteae Bleuzen, 1994:53

Venezuela, Guyana
 Colombia
 Venezuela
 Colombia
 Venezuela
 Honduras-Panama

Callistoprionus Tippmann, 1953:202
fasciatus Tippmann, 1953:203

Costa Rica, Panama

Derobrachus Audinet-Serville, 1832:154
Pithocles Thomson, 1864:291
Braderochus Lacordaire, 1869:74 (part)
agyleus Buquet, 1852:657
apterus Bates, 1879:4
asperatus Bates, 1878:274
brevicollis Audinet-Serville, 1832:155
cylindroidus Bates, 1884:231
dentipes Chemsak, 1979:127
diguetti Lameere, 1915:57
dohrni Lameere, 1911:268
forreri Bates, 1884:230
geminatus LeConte, 1853:233
leechi Chemsak & Linsley, 1977:512
lepesmei Tippmann, 1953:196
longicornis (Bates, 1872:166)
smithi Bates, 1892:144
megacles Bates, 1884:230
megalophthalmus Tippmann, 1953:194
procerus Thomson, 1860:324

Colombia, Ecuador, Guianas
 Mexico (VC)-Honduras
 Costa Rica, Peru
 se USA (AL, GA, FL, NC, SC)
 Guatemala
 Costa Rica, Panama
 w Mexico (NA)
 Guatemala
 sw USA (AZ), Mexico (DU, SO, NA), Baja Calif
 sw USA (CA, AZ, NE, NM, TX), n Mexico
 sw USA (CA, AZ, NE, NM, TX), nw Mexico (SO)
 w Mexico (DU)
 Mexico-Panama, Ecuador
 Mexico (DU, NA), Guatemala
 Colombia
 Mexico (OA, PU), Guatemala

sulcicornis	LeConte, 1851:110	Mexico-Nicaragua
<i>inaequalis</i>	Bates, 1872:167	
<i>granulatus</i>	Bates, 1884:230	
<i>kuwerti</i>	Nonfried, 1891:273	
Micropsalis	Burmeister, 1865: 314	
<i>Micropsalis</i>	Burmeister, 1861:314 (nomen nudum)	
<i>Apterocaulus</i>	Fairmaire, 1864:267(in part)	
<i>germainei</i>	Fairmaire, 1864:268	s Argentina
<i>heterogama</i>	Burmeister, 1861:314	
subsp. <i>durnfordii</i>	Burmeister, 1879:196	s Argentina, Chile
Orthosoma	Audinet-Serville, 1832:155	
<i>Orthosomus</i> ; Drapiez, 1842:195		
brunneum (Forster, 1771:37)		e USA, se Canada
<i>unicolor</i>	Drury, 1773:83	
<i>pennsylvanicus</i>	Degeer, 1775:99	
<i>cylindricus</i>	Fabricius, 1781:207	
<i>cylindroides</i>	Gmelin, 1790:1818	
<i>sulcatus</i>	Olivier, 1795:39	
<i>amplians</i>	Casey, 1912:231	
<i>spadix</i>	Casey, 1912:231	
Prionacalus	White, 1845:109	
<i>Prionocalus</i> ; Thomson 1864:280		
atys White, 1850:11		Ecuador, Peru
buckleyi Waterhouse, 1872:261		Ecuador
<i>gunteri</i>	Gahan, 1894:221	
<i>whitei</i>	Waterhouse, 1900:505	
<i>emmae</i>	Kolbe, 1901:480	
<i>trigonodes</i>	Bates in Whymper, 1891:37	
<i>whymperi</i>	Bates in Whymper, 1891:36	
cacus White, 1845:110		Ecuador, Peru
<i>wallisi</i>	Taschenberg, 1870:191 (female)	
<i>atys</i>	Lacordaire, 1876: pl.81, fig.1 (not White, 1850)	
demelti Quentin & Villiers, 1983:224		Colombia
giovannii Huedepohl, 1985:117		Ecuador
iphis White, 1850:11		Ecuador
<i>cacus</i>	White, 1845:110 (female)	
simonsi Waterhouse, 1900:504		Ecuador
uniformis Waterhouse, 1900:505		Peru
woytkowskii (Heyrovsky, 1960:162)		Peru
Prionus (Prionus)	Geoffroy, 1762:198	
<i>Prionus (Prionellus)</i>	Casey, 1924:209	
<i>Microarthron</i> Pic, 1900:3		
californicus Motschulsky, 1845:89		w N Amer, nw Mexico (SO), n Baja Calif
<i>crassicornis</i>	LeConte, 1851:108	
<i>curvatus</i>	LeConte, 1859:19	
<i>horni</i>	Lameere, 1912:243	
<i>alutaceus</i>	Casey, 1912:237	
<i>solidus</i>	Casey, 1912:238	
<i>spiculosus</i>	Casey, 1912:240	
<i>consors</i>	Casey, 1912:240	
<i>consors acomanus</i>	Casey, 1912:241	
<i>consors proximans</i>	Casey, 1912:241	
<i>angustulus</i>	Casey, 1912:241	
<i>californicus ineptus</i>	Casey, 1912:242	
<i>californicus punctulatus</i>	Casey, 1912:243	
<i>fissifrons</i>	Casey, 1912:243	
<i>texanus</i>	Casey, 1912:243	
<i>terminalis</i>	Casey, 1912:244	

<i>serriger</i>	Casey, 1924:215	
<i>spectus</i>	Casey, 1924:215	
<i>orbiceps</i>	Casey, 1924:216	
<i>humeralis</i>	Casey, 1924:216	
<i>californicus compar</i>	Casey, 1924:217	
<i>californicus ovipennis</i>	Casey, 1924:217	
<i>spiculosus coloradensis</i>	Casey, 1924:219	
<i>scutellaris</i>	Casey, 1924:219	
<i>ineptus ambiguus</i>	Casey, 1924:219	
<i>ineptus uinatus</i>	Casey, 1924:220	
<i>spaldingi</i>	Casey, 1924:221	
<i>stultus</i>	Casey, 1924:221	
<i>stultus parvicollis</i>	Casey, 1924:222	
<i>nanus</i>	Casey, 1924:222	
flohri	Bates, 1884:227	
heroicus	Semenov, 1907:259	Mexico sw USA (AZ, NM)
	<i>heros</i> ; Fall, 1905:274 (not Semenov, 1900)	
	<i>tumidus</i>	
	Casey, 1912:235	
	<i>vastus</i>	
	Casey, 1912:236	
	<i>tristis</i>	
	Casey, 1912:236	
	<i>tetricus</i>	
	Casey, 1912:237	
	<i>fontinalis</i>	
	Casey, 1924:221	
hintoni	Linsley, 1935:69	w Mexico (DU, ME)
howdeni	Chemsak, 1979:127	w Mexico (DU)
laticollis	(Drury, 1773:83)	e NAmer
	<i>brevicornis</i>	
	Fabricius, 1801:260	
	<i>kempi</i>	
	Casey, 1912:233	
	<i>laticollis oblongus</i>	
	Casey, 1912:234	
	<i>parvus</i>	
	Casey, 1912:234	
	<i>beauvoisi</i>	
	Lameere, 1915:60	
	<i>frosti</i>	
	Casey, 1924:210	
	<i>nigrescens</i>	
	Casey, 1924:211	
	<i>densus</i>	
	Casey, 1924:211	
lecontei	Lameere, 1912:244	w NAmer, n Baja Calif
mexicanus	Bates, 1884:227	w Mexico (DU)
pocularis	Dalman in Schoenherr, 1817:148	e NAmer
	<i>laevigatus</i>	
	Harris, 1837:83	
	<i>obliquicornis</i>	
	LeConte, 1851:108	
	<i>curticornis</i>	
	LeConte, 1851:109	
	<i>validiceps</i>	
	Casey, 1912:235	
	<i>pocularis prolixus</i>	
	Casey, 1912:239	
	<i>bicolor</i>	
	Casey, 1912:239	
poultoni	Lameere, 1912:177	sw Mexico (OA)
Prionus (Antennalia) Casey, 1912:249		
fissicornis	Haldeman, 1845:125	c USA (MT-TX)
	<i>fissicornis parviceps</i>	
	Casey, 1912:250	
	<i>fissicornis transversus</i>	
	Casey, 1912:251	
	<i>thoracicus</i>	
	Casey, 1924:223	
Prionus (Homaesthesia) LeConte, 1873:288		
<i>Prionina</i>	Casey, 1912:231	
arenarius	Hovore, 1981:453	sw USA (TX, NM)
emarginatus	Say, 1824:327	c USA (CO, WY, NM)
	<i>innocuus</i>	
	LeConte, 1862:43	
	<i>pubicollis</i>	
	Casey, 1912:254	
	<i>debiliceps</i>	
	Casey, 1912:255	
integer	LeConte, 1851:107	c USA (ID, NE, UT, CO, KS)
linsleyi	Hovore, 1981:455	sw USA (AZ)
palparis	Say, 1824:327	sc USA (AZ, NM, CO, KS, NB, OK)
rhodocerus	Linsley, 1957:10	wc USA (KS, NB, NM, AZ, CO, UT)
simplex	(Casey, 1912:253)	c USA (KS)
spinipennis	Hovore & Turnbow, 1984:1	sw USA (NM, TX)

Prionus (Neopolyarthron) Semenov, 1899:255

<i>Prionus (Riponus)</i> Casey, 1912:245	
aztecus Casey, 1912:246	n Mexico (CHA, DU)
batesi Lameere, 1920:144	w Mexico (DU)
<i>mexicanus</i> ; Lameere, 1912:245 (not Bates, 1884)	
<i>aztecus</i> ; Lameere, 1915:60 (not Casey, 1912)	
curticollis Casey, 1912:247	n Mexico (CHA)
debilis Casey, 1891:21	c USA (IA, IL-LA, TX)
imbricornis (Linnaeus, 1767:622)	e USA-TX
<i>imbricornis mimus</i> Casey, 1912:248	
<i>imbricornis brunneus</i> Casey, 1912:248	
<i>diversus</i> Casey, 1912:247	
<i>diversus cuneatus</i> Casey, 1912:247	
<i>robustus</i> Casey, 1924:222	
townsendi Casey, 1912:246	n Mexico (CHA)

Prionus (Trichoprionus) Fragoso & Monné, 1982:521

aureopilosus Fragoso & Monné, 1982:522

R Dominicana

Psalidognathus Gray in Griffith, 1831: pl.6

colombianus Demelt, 1989:243	Colombia
erythrocerus erythrocerus Reiche, 1840:358	Colombia
subsp. pubescens Quentin & Villiers, 1983:443	Peru
subsp. reichei Quentin & Villiers, 1983:442	Ecuador, Peru
friendi friendi Gray, 1831: pl.6, fig.14	Peru, Bolivia, Ecuador
<i>deyrollei</i> Thomson, 1877:xcvii	
<i>testaceus</i> Thomson, 1877:254	
<i>viridiobscurus</i> Thomson, 1877:254	
<i>violaceus</i> Thomson, 1877:254	
<i>subniger</i> Thomson, 1877:254	
<i>ater</i> Thomson, 1877:254	
subsp. sallei Thomson, 1858:ccxlvi	Venezuela
<i>mygaloides</i> Thomson, 1859:41 (female)	
modestus Fries, 1833:327	Costa Rica-Colombia, Venezuela
<i>mygaloides</i> Thomson, 1859:41 (male)	
<i>wallisi</i> Taschenberg, 1870:191 (male)	
<i>limbatus</i> Taschenberg, 1870:192	
<i>batesii</i> Thomson, 1877:257	
<i>castaneipennis</i> Thomson, 1877:260	
<i>thomsoni</i> Lameere, 1885:ix	
onorei Quentin & Villiers, 1983:444	Ecuador
rufescens Quentin & Villiers, 1983:446	Ecuador
superbus Fries, 1833:325	Costa Rica, Panama, Colombia, Venezuela, Peru,
<i>incas</i> Thomson, 1859:42	Ecuador, nw Brasil (AM)
<i>boucardi</i> Thomson, 1874:427	
<i>limenius</i> Erichson, 1847:139	
<i>gloriosus</i> Thomson, 1880:lx	

Titanus Audinet-Serville, 1832:133

Percnopterus Gistel, 1848:129

giganteus (Linnaeus, 1771:531)

Colombia, Ecuador, Peru, Guianas, nc Brasil (AM)

Meroscelisini Thomson, 1860: 299

<i>Orthosomitae</i> Thomson, 1864:284
<i>Tragosomitae</i> Thomson, 1864:186
<i>Monodesmides</i> Lacordaire, 1869:
<i>Closterinae</i> Lacordaire, 1869:

Andinotrichoderes Tippmann, 1960:98

pellitus Tippmann, 1960:98

Peru, Bolivia

Hyleoza	Galileo, 1987:259	
confusa	Tavakilian & Galileo, 1991:550 <i>lineata</i> ; Galileo, 1987:261 (not Bates, 1869)	Fr Guiana, n Brasil (AM, PA)
lineata	(Bates, 1869:48) <i>dialepta</i> Galileo & Martins, 1988:437	w Brasil (RO, AM)
Lasiogaster	Gahan, 1892:255	s Mexico, Guatemala, Belize
	costipennis Gahan, 1892:256	
Meroscelisus	Audinet-Serville, 1832:157	
<i>Meroscelicus</i> ; Chenu, 1870:308		
<i>Syennesis</i> Pascoe, 1888:511		
apicalis White, 1853:26		s Brasil (ES-SC)
opuscus Buquet, 1860:618		s Brasil (SC)
servillei Thomson, 1865:577		s Brasil (ES-RS), Paraguay, Argentina
<i>dispar</i> Pascoe, 1888:512		
thoracicus Seabra, 1942:417		se Brasil (ES)
violaceus Audinet-Serville, 1832:158		se Brasil (BA-SC), Paraguay
<i>cyanescens</i> Lacordaire, 1869:48		
zikani Melzer, 1919:154		se Brasil (MG)
Microlophorus	Blanchard in Gay, 1851:454	
<i>Microphorus</i> ; Chenu, 1870:307		
calverti Philippi in Germain, 1897:451		Chile, wc Argentina (NE)
magellanicus Blanchard in Gay, 1851:456		Chile, s Argentina (RN-SC)
<i>castaneus</i> Blanchard in Gay, 1851:457		
penai Galileo, 1987:195		Chile
Monodesmus	Audinet-Serville, 1832:160	
atratus Fisher, 1932:3		Cuba
callidioides Audinet-Serville, 1832:161		Cuba, Bahamas, Cayman Is
inermis Galileo, 1987:210		"Amérique merid." ?
nothus Chevrolat, 1862:269		Jamaica
Polyzoa	Audinet-Serville, 1832:166	
lacordairei Audinet-Serville, 1832:167		e Brasil (GO, BA-RS), Paraguay, Argentina,
<i>dejeanii</i> ; Gray in Griffith, 1831: pl.65, fig.3 (not Latreille, 1829)		Uruguay
Quercivir	Lameere, 1912:37	
dohrni Lameere, 1912:37		se Brasil (RJ-SC)
gounellei Lameere, 1912:38		se Brasil (MG-RS)
<i>zikani</i> Melzer, 1919:141		
Sarifer	Kirsch, 1870:373	
flavirameus Kirsch, 1870:374		n Samer, Ecuador
seabrai Fragoso & Monné, 1982:519		R Dominicana
Tragosoma	Audinet-Serville, 1832:159	
chiricahuae Linsley, 1959:127		sw USA (AZ, NM)
depsarium (Linnaeus, 1767:624)		Europe, N Amer, n Mexico (coniferous belt)
<i>harrisii</i> LeConte, 1851:107		
<i>spiculum</i> Casey, 1890:492		
<i>sodalis</i> Casey, 1899:98		
<i>parvicollis</i> Casey, 1899:99		
<i>repens</i> Casey, 1924:226		
nigripenne Bates, 1892:146		w Mexico (DU)
pilosicorne Casey, 1890:492		w USA (CA, OR)

Trichoderes Chevrolat, 1843:35

pini Chevrolat, 1843:36
rugosus Bates, 1884:236

c Mexico (NL-ME, DU, VC)
 Mexico, Guatemala

Anacolini Thomson, 1857:10**Allaiocerus** Galileo, 1987:618

metallicus Galileo, 1987:619

nw Brasil (AM)

Anacolus Latreille, 1825:399

Geoprionus Lameere, 1890:cxxi

sanguineus (Lepeletier & Audinet-Serville in Latreille, 1825:200) Panama-se Brasil (RJ)
lugubris Lepeletier & Audinet-Serville in Latreille, 1825:200
praeustus Perty, 1832:87
bimaculatus Ménétriés, 1838:130
lividus Ménétriés, 1838:131
nigricollis Ménétriés, 1838:131
menetriesi Buquet, 1840:254
scapularis Buquet, 1840:254
variabilis White, 1853:23
nigrinus White, 1853:24
melanocerus White, 1853:24
xanthocerus White, 1853:24
syntheticus Lameere, 1890:cxxii

Biribellus Galileo, 1987:528

martinsi Galileo, 1987:529
punctatus Galileo, 1987:531

Peru
 nw Brasil (AM)

Calloctenus White, 1850:12

pulcher White, 1850:12
 var. *nigripennis* White, 1853:58

Colombia, Venezuela

Chariea Audinet-Serville, 1832:197

cyanea Audinet-Serville, 1832:198
lepesmei Tippmann, 1956:759
longispina Galileo & Martins, 1990:41

Fr Guiana, nw Brasil (AM)
 Fr Guiana
 n Brasil (PA)

Cyclopriionus Tippmann, 1953:200

flavus Tippmann, 1953:202
ornatus Lane, 1972:353

Fr Guiana, nw Brasil (AM)

Episacus Waterhouse, 1880:291

pilosicollis Waterhouse, 1880:291

Colombia, Ecuador

Flabellomorphus Galileo & Martins, 1990:44

longus Galileo & Martins, 1990:45

nw Brasil (AM), Fr Guiana

Hovorelus Galileo & Monné, 2003:38

splendidus Galileo & Monné, 2003: 39

Peru

Myzomorphus Dejean, 1835:319

Udeteromorphus Tippmann, 1960:99

amabilis (Tippmann, 1960:101)

Bolivia, se Brasil (MG)

flavipes Galileo, 1987:595

se Brasil (ES)

gounellei Lameere, 1912:98

se Brasil (MG, RJ)

herteli Gilmour, 1960:21

Colombia

poultoni Lameere, 1912:98

Brasil

quadripunctatus (Gray in Griffith, 1831: pl.70, fig.1)	Colombia, Venezuela, Brasil (AM, BA-SC), Fr Guiana, Ecuador
<i>quadrimaculatus</i> Gory, 1832: pl.31	
<i>quadrinotatus</i> Ménétriés, 1838:131	
<i>pygmaeus</i> Buquet, 1840:254	
<i>necydaloides</i> Thomson, 1864:279	
scutellatus Sallé, 1849:429	Costa Rica, Venezuela
var. <i>apicalis</i> White, 1853:25	
var. <i>bicolor</i> White, 1853:26	
var. <i>plagiatus</i> White, 1853:25	
var. <i>scapularis</i> White, 1853:25	
var. <i>thoracicus</i> White, 1853:26	
var. <i>unicolor</i> White, 1853:25	
sparsimflambellatus Zajciw, 1963:55	se Brasil (RJ, SP)
 Nicias Thomson, 1857:136	
<i>Hamadryades</i> Thomson, 1857:22	
<i>alurnoides</i> (Thomson, 1857:23)	Guianas, nw Brasil (AM)
<i>huedepohli</i> Galileo, 1987:531	Fr Guiana
 Otheostethus Bates, 1872:169	
<i>disjunctus</i> Galileo, 1987:517	nw Brasil (AM)
<i>melanurus</i> Bates, 1872:170	Nicaragua, Costa Rica
 Piesacus Galileo, 1987:494	
<i>exiguus</i> Galileo, 1987:497	Colombia
<i>magnus</i> Galileo, 1987:501	Colombia
 Poekilosoma Audinet-Serville, 1832:184	
<i>Poecilosoma</i> Laporte, 1840:411	
<i>Ceroctenus</i> Audinet-Serville, 1832:196	
<i>carinatipenne</i> Lane, 1941:152	e Brasil (PE, ES)
<i>ornatum</i> (Dalman, 1823:62)	se Brasil (BA-RJ)
<i>ornatipenne</i> Audinet-Serville, 1832:185	
<i>maculipenne</i> Audinet-Serville, 1832:186	
<i>abdominalis</i> Audinet-Serville, 1832:197	
<i>flamiger</i> Perty, 1832:87	
<i>semirufum</i> Newman, 1838:492	
<i>rufipenne</i> Blanchard, 1843:207	
<i>flaviventris</i> Buquet in Guérin-Méneville, 1844:215	
<i>unicolor</i> Guérin-Méneville, 1844:215	
<i>equestris</i> Guérin-Méneville, 1844:215	
<i>latifascia</i> White, 1853:58	
<i>mixtus</i> White, 1853:58	
 Prionapterus Guérin-Méneville, 1831: pl.42, fig.10	
<i>Halycidocrius</i> Berg, 1881:62	
<i>breyeri</i> Bruch, 1929:205	Paraguay, ne Argentina (MI)
<i>staphilinus</i> Guérin-Méneville, 1831: pl.42, fig.10	Paraguay, Argentina
<i>staphylinus</i> Guérin-Méneville in Audinet-Serville, 1832:200	
<i>flavipennis</i> Guérin-Méneville in Audinet-Serville, 1832:201	
<i>philippii</i> Berg, 1881:64	
<i>philippii</i> var. <i>schulzi</i> Bruch, 1908:202	
<i>staphylinus</i> var. <i>wagneri</i> Gounelle, 1911:320	
<i>suspectus</i> Galileo & Martins, 1990:48	Paraguay
<i>travassosi</i> Lane, 1938:263	sw Brasil (MS)
<i>woltersi</i> Bruch, 1925:207	nw Argentina (CA)
<i>staphylinus</i> var. <i>schaeferi</i> Bosq, 1947:293	
 Rhachicolus Galileo, 1987:508	
<i>cristatus</i> Galileo, 1987:510	Venezuela

Rhodocharis Lacordaire, 1869:49

anacoloides Lacordaire, 1869:50
var. *bicolor* Tippmann, 1953:204

se Brasil (RJ)

Udeterus Thomson, 1858:412

Oideterus Thomson, 1857:15
Temnesthes Bates, 1875:51
andrarius Galileo, 1987:562
buquetii (Thomson, 1857:16)
crenatocerus Galileo, 1987:563
dichotomus Galileo, 1987:565
elegans Waterhouse, 1880:290
lobicollis (Bates, 1875:52)
magnificus Galileo, 1987:567
pallidus Galileo, 1987:569

Colombia
Colombia, Ecuador
Ecuador
Ecuador
Ecuador
Colombia, Ecuador
Costa Rica, Panama
Colombia

Xanthonicias Galileo, 1987:511

prostrata Galileo, 1987:513

n Brasil (AM, PA)

Subfamily **Spondylidinae** Audinet-Serville, 1832:123

(*Spondylinae*, auct)

Scaphinus LeConte, 1851:100

muticus (Fabricius, 1801:265)
sphaericollis LeConte, 1847:93

se USA (AR, MS, AL, GA, FL, SC, VA)

Spondylis Fabricius, 1775:159

mexicanus Bates, 1879:15
erebea Casey, 1912:220
upiformis Mannerheim, 1843:304
laticeps LeConte, 1850:233
collaris Casey, 1912:218
robustula Casey, 1912:219
subpubescens Casey, 1912:219
basalis Casey, 1912:220
parva Casey, 1924:226

Mexico (CHA, ME, OA, VC)

w N Amer, n Mexico

Subfamily **Aseminae** Thomson, 1860:259**Asemini** Thomson, 1860:259

Criocephalites Fairmaire in Jacquelain du Val, 1864:125
Criomorphaires Planet, 1924:232
Tetropiina Reitter, 1912:42 (part)

Arhopalus Audinet-Serville, 1834:77

Criocephalum Dejean, 1835:328
Criocephalus Mulsant, 1839:63
asperatus (LeConte, 1859:19)
 honduranus Casey, 1912:265
 filitarsis Casey, 1912:266
cubensis (Mutchler, 1914:346)
foveicollis (Haldeman, 1847:35)
 agreste; Kirby in Richardson, 1837:170 (not Fabricius, 1787)
 impressus Gemminger & Harold, 1872:2789
 lacustrinus Casey, 1912:267
 cervinus Casey, 1912:267
hispaniolae (Fisher, 1942:4)
productus (LeConte, 1850:36)
 elongatus Casey, 1924:230
 propinquus Casey, 1924:230

w N Amer-Honduras

Cuba
Canada, n USA

R Dominicana
w N Amer-Honduras

rusticus rusticus (Linnaeus, 1758:395)	Europe (boreal)
subsp. hesperus Chemsak & Linsley, 1965:141	sw USA (CA)
subsp. montanus (LeConte, 1873:170)	wc USA (UT, CO, AZ, NM, TX), n Mexico
<i>spissicornis</i> Casey, 1912:264	
<i>spissicornis longicornis</i> Casey, 1912:264	
<i>gracilipes</i> Casey, 1912:265	
<i>cavicollis</i> Casey, 1912:266	
<i>coloradensis</i> Casey, 1924:231	
subsp. nubilus (LeConte, 1850:36)	se USA, Bahamas, Jamaica
subsp. obsoletus (Randall, 1838:27)	e USA-Honduras
<i>rusticus</i> ; Haldeman, 1847:35 (not Linnaeus, 1758)	
<i>obscurus</i> LeConte, 1850:36	
<i>mexicanus</i> Thomson, 1860:260	
<i>paganum</i> Lacordaire, 1869:211	

Asemum Eschscholtz, 1830:66

<i>Liasemum</i> Casey, 1912:262	
australe LeConte, 1850:35	e USA
<i>champlainianus</i> Casey, 1924:231	
caseyi Linsley, 1957:13	w USA (CA, OR), Baja Calif
glabrellum Bates, 1892:146	sw Mexico (GU), Guatemala
nitidum LeConte, 1873:169	w NAm (WA, OR, CA)
<i>mokelumne</i> Casey, 1912:262	
striatum (Linnaeus, 1758:396)	Europe, Asia, NAm (coniferous belt)
<i>atrum</i> Eschscholtz, 1830:66	
<i>moestum</i> Haldeman, 1847:35	
<i>moestum</i> var. <i>obsoletum</i> Haldeman, 1847:35	
<i>moestum</i> var. <i>brunneum</i> Haldeman, 1847:35	
<i>substriatum</i> Haldeman, 1847:36	
<i>juvencum</i> Haldeman, 1847:36	
<i>fuscum</i> Haldeman, 1847:36	
<i>gracilicorne</i> Casey, 1912:258	
<i>ebenum</i> Casey, 1912:258	
<i>curtipenne</i> Casey, 1912:258	
<i>parvicorne</i> Casey, 1912:260	
<i>fulvipenne</i> Casey, 1912:260	
<i>costulatum</i> Casey, 1912:261	
<i>pugetanum</i> Casey, 1912:261	
<i>brevicorne</i> Casey, 1912:261	
<i>carolinum</i> Casey, 1924:227	
<i>stocktonense</i> Casey, 1924:227	

Megasemum Kraatz, 1879:97

<i>Nothorhina</i> LeConte, 1873:169	
<i>Notorhina</i> ; Leng, 1884:63	
asperum (LeConte, 1854:18)	w NAm, nw Mexico (SO)
<i>aspera impressa</i> Casey, 1912:264	
<i>aspera recipennis</i> Casey, 1912:264	
<i>uteanus</i> Casey, 1924:231	

Tetropium Kirby in Richardson, 1837:174

<i>Criomorphus</i> Mulsant, 1839:58	
<i>Isarthron</i> , Dejean, 1835:329	
abietis Fall, 1912:320	w USA (WA, OR, CA)
auripilis Bates, 1885:435	sw USA (AZ)-Mexico (VC)
beckeri Franz, 1955:324	Guatemala
cinnamopterum cinnamopterum Kirby in Richardson, 1837:174	se Canada, ne USA
subsp. parvulum Casey, 1891:24	nc USA (CO, MN), w Canada, Alaska
<i>alaskanum</i> Fall, 1926:201	
fuscum (Fabricius, 1787: 154)	eCanada (Introduced)
guatemalanum Bates, 1892:147	Guatemala
<i>guatemalenum</i> ; Aurivillius, 1912:19	

opacipenne Bates, 1885:435	Mexico (VC)
opacum Franz, 1955:323	Guatemala
parallelum Casey, 1891:23	wc USA (CO, AZ, NM)
pilosicorne Linsley, 1935:71	Mexico (ME)
swarzianum Casey, 1891:24	ne USA (PA, MI), Canada (Ont)
schwerdtfegeri Franz, 1955:324	Guatemala
velutinum LeConte, 1869:382	nw USA, sw Canada
<i>columbianum</i> Casey, 1912:268	
<i>hexagonum</i> Casey, 1912:228	
<i>boreale</i> Casey, 1924:228	

Atimiini LeConte, 1873:322

Atimia Haldeman, 1847:56

confusa confusa (Say, 1826:276)	e USA-TX
<i>tristis</i> Haldeman, 1847:56	
subsp. dorsalis LeConte, 1869:385	w N Amer (Pac Cst), n Baja Calif
subsp. maritima Linsley, 1939:70	w USA (CA)
gannoni Hovore & Giesbert, 1974:139	w USA (CA)
helenae Linsley, 1934:25	w USA (CA)
hoppingi Linsley, 1939:75	nw USA (WA, OR)
huachucae Champlain & Knull, 1922:148	sw USA (AZ)
mexicana Linsley, 1934:24	Mexico (ME)
vandykei Linsley, 1939:74	sw USA (NM)

Paratimia Fisher, 1915:78

conicola Fisher, 1915:78	w USA (CA, OR)
---------------------------------	----------------

Oxypeltini Lacordaire, 1869:461

Cheloderus Gray in Griffith, 1832:784

childreni Gray in Griffith, 1832:784	wc Argentina (NE), Chile
penai Kuschel, 1955:252	Chile, wc Argentina (NE)

Oxypeltus Blanchard in Gay, 1851:459

quadrispinosus Blanchard in Gay, 1851:460	w Argentina (NE, CT), Chile
--	-----------------------------

Subfamily Cerambycinae Latreille, 1802:211

Saphanini Lacordaire, 1869:211

Michthisoma LeConte, 1850:30

<i>Michthysoma</i> ; LeConte, 1873:332	
<i>Mychthisoma</i> ; Gemminger & Harold, 1873:2998	
heterodoxum LeConte, 1850:30	se USA (NC, GA)

Erlandiini Aurivillius, 1912:12

Erlandia Aurivillius, 1904:205

inopinata Aurivillius, 1904:206	Bolivia, Paraguay, Argentina
megacephala Di Iorio, 1998:1	n Argentina (TU)
mexicana Noguera & Chemsak, 2001: 369	sMexico

Smodicini Lacordaire, 1869:143

Metaphrenon Martins, 1975:330

<i>Smodicum</i> ; Zayas, 1975:46 (not Haldeman, 1847)	
impressicolle (Lacordaire, 1869:146)	Cuba, Puerto Rico, Hispaniola
<i>impressicolle</i> Thomson, 1878:9	

Nesosmodicum Martins, 1971:57	
gracile (Melzer, 1923:3)	se Brasil (MG-SP)
Smodicum Haldeman, 1847:38	
angusticolle Aurivillius, 1919:2	c Brasil (AM, GO, MT), Bolivia
brunneum Thomson, 1878:7	R Dominicana, Colombia, Ecuador, Peru, Brasil
<i>similare</i> Thomson, 1878:8	
<i>subcylindricum</i> Thomson, 1878:7	
clancularium Martins, 1975:351	se Mexico (QR), Nicaragua
confusum Martins, 1985:169	Venezuela
cucujiforme (Say, 1826:277)	e USA-TX, introduced in SAmer
<i>cylindrides</i> Newman, 1838:394	
<i>argentinum</i> Bruch, 1911:170	
<i>convergens</i> Casey, 1912:269	
depressum Thomson, 1878:6	se Brasil (MG-RS)
dinellii Bruch, 1911:172	se Brasil (BA-RS), Paraguay, Argentina
<i>missionum</i> Bruch, 1911:174	
longicornе Martins, 1975:346	Brasil (MG-SC)
pacificum Linsley, 1934:107	sw USA (AZ), w Mexico (NA), Baja Calif
<i>pacificum peninsulae</i> Linsley, 1942:27	
<i>arizonarium</i> Knull, 1966:136	
parandrodes Bates, 1884:241	Mexico (VC), Guatemala
recticolle Martins, 1975:338	nc Argentina (SE), Paraguay
semipubescentes Gounelle, 1911:127	Peru, ec Brasil (GO), Paraguay, Argentina
<i>bonariense</i> Bruch, 1911:171	
texanum Knull, 1966:137	sw USA (TX)
torticolle Martins, 1975:355	Panama, Colombia

Oemini Lacordaire, 1869: 216

Oeminae Pascoe, 1869:498
Oemini Gounelle, 1909:592

Subtribe **Oemina** Lacordaire, 1869:216

Amphelissoeme Martins, 1981:15	
viridescens Martins, 1981:15	e Brasil (BA)
Aponoeme Martins, 1985:171	
<i>Apanoeme</i> Martins & Galileo, 1998: 47	
amazonica Martins, 1985:171	nw Brasil (AM)
castanea Martins & Galileo, 1998: 47	s Brasil (MS)
Argentinoeme Bruch, 1911:164	
pseudobscura Di Iorio, 1995:279	ne Argentina (ER)
schulzi Bruch, 1911:165	c Brasil (MT), Argentina
Atenizus Bates, 1867:2	
<i>Ceratoeme</i> Melzer, 1920:426	
capixaba Martins, 1981:10	e Brasil (ES)
castaneus Martins, 1981:10	Venezuela
hylaeanus Martins, 1981:11	nw Brasil (AM)
laticeps Bates, 1867:28	El Salvador-se Brasil (PR)
plaumannii Tippmann, 1960:105	s Brasil (MS, PR)
simplex Bates, 1884:240	Honduras-Panama, Venezuela
taunayi Melzer, 1920:426	Brasil [MG, SP, PA]
<i>vittipennis</i> Tippmann, 1960:106	
Astroeme Martins, Chemsak & Linsley, 1966:217	
femorata Martins, 1997:108	n Brasil (PI)

gentilis (Gounelle, 1909:592)	e Brasil (GO, MA-RJ)
<i>fissithorax</i> Gounelle, 1909:593	
modesta (Gounelle, 1909:593)	ec Brasil (GO), Uruguay
 Gounelleoeme Monné & Martins, 1974:22	
<i>Gounellea</i> ; Martins, Chemsak Linsley, 1966:213 (not Lane, 1964)	
<i>echinoscapus</i> (Gounelle, 1913:196)	n Argentina (SE)
 Haplidoeme Chemsak & Linsley, 1965:142	
<i>punctata</i> Chemsak & Linsley, 1971:118	ec Mexico (HI)
<i>schlingeri</i> Chemsak & Linsley, 1965:143	sw USA (CA), Baja Calif.
 Macroeme Aurivillius, 1893:177	
<i>condyla</i> (Martins, 1971:60)	e Brasil (BA, MG)
<i>cylindrica</i> (Thomson, 1857:122)	e Brasil (BA-ES)
<i>decorata</i> Buquet, 1859:625	
<i>plana</i> (Perty, 1832:89)	Brasil (MG, RJ)
<i>chabrilacii</i> Thomson, 1857:121	
<i>priapica</i> (Thomson, 1857:121)	Brasil (PA, GO, MT, BA-RS), Paraguay, Bolivia, Argentina, Uruguay
<i>sobrina</i> Gounelle, 1909:595	c Brasil (GO, MT)
<i>vittipennis</i> Melzer, 1934:213	c Brasil (AM, PA, MT)
 Malacopterus Audinet-Serville, 1833:565	
<i>Malacomacrus</i> White, 1853:41	
<i>Ganimus</i> LeConte, 1873:173	
<i>pavidus</i> (Germar, 1824:506)	se Brasil (GO, BA-RS), Paraguay, Argentina, Uruguay
<i>pallescens</i> White, 1853:41	sw USA (CA, AZ) - c Brasil, Cuba, Guadeloupe
<i>tenellus</i> (Fabricius, 1801:335)	
<i>lineatus</i> Guérin-Méneville, 1844:222	
<i>mexicanus</i> Thomson, 1860:248	
<i>vittatus</i> LeConte, 1873:173	
 Martinsia Chemsak & Linsley, 1967:35	
<i>scabrosa</i> Chemsak & Linsley, 1967:35	e Brasil (BA)
 Neoeme Gounelle, 1909:595	
<i>annulicornis</i> (Buquet, 1859:627)	Fr Guiana, c-se Brasil (AM, BA-SC), Ecuador, Paraguay
<i>picticornis</i> Bates, 1870:245	
var. <i>dubia</i> Melzer, 1928:144	
<i>bouvieri</i> Gounelle, 1909:595	c Brasil (PA-PR), Peru, Bolivia
<i>hudepohli</i> (Martins & Monné, 1975:270)	Bolivia, n Argentina (SA)
<i>opaca</i> Zajciw, 1958:446	Ecuador, Fr Guiana, Brasil (AP, RO, MT)
<i>pallida</i> (Buquet, 1859:626)	se Brasil (ES, RJ)
<i>quinquelineata</i> Zajciw, 1958:448	e Brasil (ES)
 Nesoeme Linsley & Chemsak, 1966:209	
<i>kuscheli</i> Linsley & Chemsak, 1966:211	Galapagos Is
 Ocroeme Martins, Chemsak & Linsley, 1966:213	
<i>aspericollis</i> Martins, Chemsak & Linsley, 1966:214	Venezuela
<i>nana</i> (Bates, 1870:247)	n Brasil (AM, PA, MA)
<i>recki</i> (Melzer, 1931:191)	e Brasil, Paraguay, Argentina, Uruguay
<i>tricolor</i> Martins, 1980:227	c Brasil (MT)
 Oeme Newman, 1840:8	
<i>Sclerocerus</i> LeConte, 1850:20	w USA
<i>costata</i> <i>costata</i> LeConte, 1873:174	
<i>strangulata</i> Horn, 1880:133	

<i>minutivestis</i> Casey, 1924:251	
<i>californica</i> Linsley, 1934:162	
subsp. <i>abietis</i> Chemsak, 1965:352	
<i>rigida rigida</i> (Say, 1826:274)	sw USA (CA) e USA-TX
<i>linearis</i> Harris, 1837:85	
<i>indecora</i> Newman, 1840:8	
subsp. <i>deserta</i> Casey, 1924:252	w USA (TX, UT, AZ, CO)
<i>strangulata</i> ; Craighead, 1923:40 (not Horn, 1880)	
<i>incertula</i> Casey, 1924:252	
<i>subobsoleta</i> Casey, 1924:253	
<i>truncata</i> Casey, 1924:253	
<i>hirsuta</i> Van Dyke, 1927:99	
<i>rotundicollis</i> Linsley, 1932:116	
 Paranoplium Casey, 1924:250	
<i>gracile gracile</i> (LeConte, 1881:27)	w USA (CA)
<i>densicolle</i> Casey, 1924: 250	
subsp. <i>laticolle</i> (Linsley, 1934: 163)	w USA (CA)
 Phrynoeme Martins, 1980:228	
<i>Ochroeme (Phrynoeme)</i> Martins, 1980:228.	
<i>cucullata</i> (Gounelle, 1913:199)	Paraguay, Argentina
 Placoeme Chemsak & Linsley, 1964:45	
<i>vitticollis</i> Chemsak & Linsley, 1964:45	se MX (VC, QR), Guatemala
 Sepaicutea Lane, 1972:355	
<i>fisheri</i> Lane, 1972:356	se Mexico (VC), Guatemala
<i>unicolor</i> Martins, 1981:14	Venezuela
 Sphagoeme Aurivillius, 1893:178	
<i>acuta</i> Martins & Galileo, 1994:685	e Brasil (MG)
<i>aurivillii</i> Gounelle, 1909:598	Brasil (PB, MT, MG-PR), Paraguay
<i>lineata</i> Martins, 1981:16	Surinam, Fr Guiana
<i>nigrotibialis</i> Martins, 1973:203	Brasil (MT, MG)
<i>ochracea</i> Fisher, 1927:23	Costa Rica, Panama, Colombia
<i>paraensis</i> Martins, 1977:84	n Brasil (PA)
<i>sahlbergi</i> Aurivillius, 1893:179	c, se Brasil (MT, BA-SC), Bolivia
<i>bicolor</i> Zajciw, 1960:130	
<i>suturalis</i> Martins, 1977:86	c Brasil (PA, MT)
 Sphalloeme Melzer, 1928:143	
<i>costipennis</i> Melzer, 1928:143	se Brasil (ES-SC), Argentina [MI]
 Stenoeme Gounelle, 1909:597	
<i>annularis</i> Martins, 1980:224	e Brasil (BA, MG)
<i>bellarmini</i> Gounelle, 1909:598	e Brasil (BA)
<i>iheringi</i> Gounelle, 1909:597	e Brasil (GO, PE)
<i>kempfi</i> Martins, 1980:223	e Brasil (ES)
 Sydex Lacordaire, 1869:335	
<i>Syaax</i> ; Melzer, 1935:176	
<i>amazonicus</i> Martins, 1971:59	nw Brasil (AM)
<i>confragus</i> Martins, 1971:60	Venezuela
<i>gibbus</i> Joly, 1985:47	Venezuela
<i>inexpectatus</i> Martins, 1981:16	e Brasil (ES)
<i>stramineus</i> Lacordaire, 1869:336	Colombia, Brasil (PE, ES-PR, GO, MT)
<i>fuscolineatus</i> Melzer, 1935:176	

Temnopis Audinet-Serville, 1834:90	
<i>castanea</i> Martins, 1978:129	Brasil (MT, BA, MG), Bolivia, Argentina
<i>forticornis</i> (Tippmann, 1960:102)	ec Brasil (GO, ES)
<i>fuscipennis</i> Martins, 1978:133	n Brasil (PA)
<i>jolyi</i> Martins, 1978:132	Venezuela
<i>latifascia</i> Martins & Monné, 1975:271	e Brasil, Bolivia, Paraguay, Argentina
<i>martinezii</i> Martins, 1985:170	ec Argentina (SL)
<i>megacephala</i> (Germar, 1824:509)	e Brasil (RN-RS), Paraguay, Argentina
<i>taeniatus</i> Audinet-Serville, 1834:91	
var. <i>fusipes</i> Lacordaire, 1869:220	
<i>nigripes</i> Aurivillius, 1893:179	Brasil (AM, BA-RJ), Peru
<i>oculata</i> Zajciw, 1960:129	c Brasil (PA, MT), Fr Guiana, Bolivia
<i>apicalis</i> Tippmann, 1960:102	

Subtribe Methiodina Martins, 1997:119

Chromoeme Chemsak & Linsley, 1967:36	
<i>angustissima</i> (Buquet, 1857:412)	se Brasil (ES-RS), Argentina, Uruguay
Eudistenia Fall, 1907:82	
<i>costipennis</i> Fall, 1907:83	sw USA (CA)
Euryprosopus White, 1853:136	
<i>clavipes</i> White, 1853:137	se Brasil (ES-SP)
<i>alexianus</i> Buquet, 1853:257	
<i>dardanus</i> Buquet, 1853:258	
<i>apicalis</i> Buquet, 1853:259	
<i>nigripennis</i> Buquet, 1853:260	
<i>cyanipennis</i> Buquet, 1853:260	
<i>chabrellaci</i> Buquet, 1857:411	
<i>opacipennis</i> Martins, 1973:202	
Methioeme Zajciw, 1963:56	
<i>brevipennis</i> Zajciw, 1963:57	c Brasil (AM, PA, MT)
Methioides Chemsak & Linsley, 1967:31	
<i>cicatricosa</i> Chemsak & Linsley, 1967:33	e Brasil (BA)
Mimoeme Chemsak & Linsley, 1967:37	
<i>lycoides</i> Chemsak & Linsley, 1967:39	Venezuela
Necydalosaurus Tippmann, 1960:119	
<i>mysticus</i> Tippmann, 1960:120	Panama, Fr Guiana, Peru
Paratemnopis Martins, 1978:134	
<i>ambiguus</i> (Melzer, 1927:141)	se Brasil (RJ-SC)
Proeme Martins, 1978:118	
<i>bella</i> Martins, 1978:125	nw Brasil (AM)
<i>bucki</i> (Melzer, 1931:51)	se Brasil (BA-RS)
<i>cyanescens</i> (Aurivillius, 1910:145)	e Brasil (ES)
<i>latipennis</i> (Lane, 1973:372)	Colombia, Ecuador
<i>lyciformis</i> Martins, 1978:124	c Brasil (MT)
<i>plagiata</i> (Buquet, 1860:622)	se Brasil (BA-RS), Paraguay, Argentina
<i>rufithorax</i> Aurivillius, 1893:180	
<i>rufoscapus</i> (Aurivillius, 1910:145)	se Brasil (MG-SC)
<i>seabrai</i> Martins, 1978:120	c Brasil (PA, MT)

Tristachycera Bates, 1872:170

Trichachycera; Gilmour, 1968:89
viridis Bates, 1872:171

Nicaragua - Panama

Vandykea Linsley, 1932:118

tuberculata Linsley, 1932:118

w USA (CA)

Xanthoeme Martins, 1980:225

signaticornis (Melzer, 1920:421)

se Brasil (BA-SC)

Methiini Thomson, 1860:364**Coleomethia** Linsley, 1940:32

australis Hovore, 1987:14
chemsaki Hovore, 1987:9
crinicornis Hovore, 1987:11
mexicana Chemsak & Linsley, 1964:161
xanthocollis (Knull, 1935:98)
evaniformis Knull, 1937:306

sw Mexico (OA)
Baja Calif
w Mexico (JA)
ec Mexico (HI)
sw USA (TX)

Cyanomethia Philips & Ivie, 1998:60

pseudothonalmus Philips & Ivie, 1998:60

W Indies (Virgin Is)

Methia Newman, 1842:418

Thia Newman, 1840:18
Staphylinome Gounelle, 1913:197
acostata Linsley, 1940:287
aestiva Fall, 1907:86
mormona; Fall, 1901:151 (not Linell, 1896)
fragilis Linsley, 1932:121
argentina Bruch, 1918:20
arizonica Schaeffer, 1908:352
batesi Chemsak & Linsley, 1971:120
Callia (?) Bates, 1885:425
bicolor (Horn, 1885:196)
bicolorata Linsley, 1962:34
bicolor; Linsley, 1935:72 (not Horn, 1885)
brevis Fall, 1929:58
carinata Linsley, 1940:289
curvipennis Chemsak & Linsley, 1965:143
debilis (Horn, 1895:246)
dentata Chemsak & Linsley, 1964:58
dubia Linsley, 1940:286
enigma Martins, 1981:12
falli Martin, 1920:215
fischeri Melzer, 1923:5
incauta Lane, 1939:73
flavicornis Casey, 1924:257
jamaicensis Philips & Ivie, 1998:71
juniperi Linsley, 1937:64
knalli Linsley, 1940:288
lata Knull, 1958:282
lineata Linsley, 1935:72
longipennis Martins, 1997:167
lycoides Chemsak & Linsley, 1971:120
maculosa Chemsak & Linsley, 1964:56
mormona Linell, 1897:399
mormonica; Casey, 1924:257
delicata Casey, 1924: 257

sw USA (AZ)
Baja Calif
w USA (CA)
Mexico
nw Argentina (LR, CA)
sw USA (AZ)
Mexico
sw USA (TX)
Mexico
sw USA (AZ, CA), Baja Calif
sw USA (AZ)
sw USA (CA)
Baja Calif
wc Mexico (DU)
sw USA (AZ)
Paraguay
sw USA (CA)
Brasil (ES-RS, MT), Paraguay
sw USA (AZ)
Jamaica
sw USA (CA)
sw USA (AZ)
sw USA (TX)
c Mexico (ME)
e Brasil (MG)
e Mexico (n VC)
ec Mexico (HI)
w USA (AZ, NM, UT, CO), n Mexico (CHA)

necydalea (Fabricius, 1798:148)	se USA, sw USA (TX), Mexico (TA, CHS, OA, QR, CA, SLP, NL), Belize, West Indies
<i>pusilla</i> Newman, 1840:18	
<i>dejeanii</i> Haldeman, 1847:42	
<i>constricticollis</i> Schaeffer, 1908:351	
<i>impressicollis</i> Chemsak, 1966:211	
<i>insularum</i> Chemsak, 1966:210	
<i>pallida</i> Fisher, 1932:6	
<i>pulchra</i> Chemsak & Linsley, 1964:159	
<i>punctata</i> LeConte, 1873:240	
<i>rhizophorae</i> Chemsak & Feller, 1988:181	
<i>occidentalis</i> Chemsak & Linsley, 1964:59	
<i>pallidipennis</i> Linsley, 1942:32	
<i> picta</i> Linsley, 1942:29	
<i>separata</i> Linsley, 1942:30	
<i>robusta</i> Linsley, 1940:285	
<i>subarmata</i> Linsley, 1942:31	
<i>subvittata</i> Chemsak & Linsley, 1964:55	
<i>taina</i> Zayas, 1975:53	
<i>trium</i> Gilmour, 1968:100	
<i>tubuliventris</i> (Gounelle, 1913:198)	
<i>violaceipennis</i> Chemsak & Linsley, 1964:158	
<i>vittata</i> Chemsak & Linsley, 1964:57	
Methicula Chemsak & Linsley, 1971:117	nw Mexico (SO, SI)
<i>dimidiata</i> Chemsak & Linsley, 1971:118	Baja Calif
Paratessaropa Zajciw, 1957:301	Baja Calif
<i>brachyptera</i> Zajciw, 1957:302	
Pseudomethia Linsley, 1937:65	sw USA (CA)
<i>arida</i> Linsley, 1937:67	Baja Calif
Styloxus LeConte, 1873:239	ec Mexico (HI)
<i>Idoemea</i> Horn, 1880:137	Cuba
<i>Malthopia</i> Casey, 1912:308	Curaçao, Bonaire, Aruba, Venezuela
<i>Malthophoria</i> ; Casey, 1918:415	n Argentina (SE)
<i>bicolor</i> (Champlain & Knull, 1922:145)	n Mexico (CHA)
<i>ruficeps</i> Van Dyke, 1927:100	ec Mexico (PU)
<i>fulleri fulleri</i> (Horn, 1880:138)	
<i>texana</i> Schaeffer, 1908:351	
subsp. <i>californicus</i> (Fall, 1901:256)	sw USA (CA, AZ, NM)
<i>oculata</i> Casey, 1912:309	
<i>fuscus</i> Chemsak & Linsley, 1964:51	sw USA (TX)
<i>lucanus</i> LeConte, 1873:240	w USA (CA, OR), Baja Calif
<i>oblatipilis</i> Chemsak & Linsley, 1964:50	e Mexico (VC)
<i>parvulus</i> Chemsak & Linsley, 1964:50	w Mexico (SO, SI), Baja Calif
<i>ventralis</i> Haldeman, 1847:375	ne Mexico (TA), swUSA (sTX)
<i>laevis</i> LeConte, 1873:240	c Mexico (SLP)
Tessaropa Haldeman, 1847:375	
<i>Dysphaga</i> LeConte, 1852:143	
<i>Tessaroptes</i> ; Gemminger & Harold, 1873:3063	
<i>carioca</i> Martins, 1981:13	se Brasil (RJ)
<i>guanabrina</i> Martins, 1981:13	se Brasil (RJ)
<i>luctuosa</i> Zayas, 1975:54	Cuba
<i>mineira</i> Martins, 1981:14	e Brasil (MG)
<i>tenuipes</i> (Haldeman, 1846:126)	e USA-TX
<i>ventralis</i> Haldeman, 1847:375	
<i>laevis</i> LeConte, 1873:240	
<i>apicalis</i> Casey, 1914:371	
Xystrocerini Blanchard, 1845:147	

Xystrocera Audinet-Serville, 1834:69
globosa (Olivier, 1795:27)

Introduced in Puerto Rico

Dodecosini Aurivillius, 1912:132
Olexandrellaeini Zajciw, 1959:605

Diringsiella Martins & Galileo, 1991:134
femoralis Martins & Galileo, 1991:135

s Brasil (SC)

Dodecosis Bates, 1867:27
nigricornis Martins & Galileo, 1991:135
saperdina Bates, 1867:27

nw Brasil (AM)
 n Brasil (AP, PA), Fr Guiana

Monneella Martins, 1985:172
bicolor Martins, 1985:173

e Brasil (MG, ES)

Olexandrella Zajciw, 1959:606
serotina Zajciw, 1959:606

se Brasil (RJ)

Paraholopterini Martins, 1997:201

Paraholopterus Cerda & Cekalovic, 1986:189
nahuelbutensis Cerda & Cekalovic, 1986:190

Chile

Opsimini LeConte, 1873:294

Dicentrus LeConte, 1880:195

Paraopsimus Champlain & Knull, 1926:205
bidentatus (Champlain & Knull, 1926:205)
bluthneri LeConte, 1880:195

nw USA (OR)
 w N Amer (Pac Coast)

Opsimus Mannerheim, 1843:305

quadrilineatus Mannerheim, 1843:305
quadrilineatus bimaculatus Casey, 1924:229

w N Amer (Pac Coast)

Achrysonini Lacordaire, 1869: 231

Abyarachryson Martins, 2002: 51

signaticolle (Blanchard in Gay, 1851:491)

Chile

Achryson Audinet-Serville, 1833:572

Trichomallus Lacordaire, 1869:338
concolor Joly, 2000: 175
foersteri Bosq, 1953:1
immaculipenne Gounelle, 1909:305
unicolor Gounelle, 1909: 599
immaculipenne var. *humeralatum* Tippmann, 1960: 107
lineolatum Erichson, 1847:142
scutellatum Kirsch, 1889:37
philippii Germain, 1897:560
galapagoensis Linell, 1898:259
galapagoensis darwini Linsley & Chemsak, 1966:213
galapagoensis flavescens Linsley & Chemsak, 1966:213
lineolatum var. *andinum* Tippmann, 1960:108
lutarium Burmeister, 1865:175
lineolatum var. *nigricans* Tippmann, 1960:109
maculatum Burmeister, 1865:175

Venezuela
 s Brasil, Paraguay, Argentina, Uruguay
 Brasil (GO, MT, PE), Fr Guiana, Ecuador, Colombia
 Ecuador, Peru, Bolivia, Chile
 Galapagos Is
 ec Brasil (GO, MT), Bolivia, Paraguay, Argentina
 se Brasil (SP-RS), Paraguay, Argentina,

var. <i>fusculum</i> Plavilstshikov, 1927:108	
maculipenne (Lacordaire, 1869:338)	Uruguay s Brasil (SP, MG, SC, GO)
<i>setosum</i> Zajciw, 1963:60	
<i>maculipennis</i> ; Zajciw, 1958:12 (not Lacordaire, 1869)	
meridionale Martins, 1976:75	s Brasil (PR, SC)
peracchii Martins, 1976:74	se Brasil (RJ)
pictum Bates, 1870:248	Fr Guiana, nw Brasil (AM), Ecuador
quadrimaculatum (Fabricius, 1792:328)	Costa Rica, Guadeloupe, Trinidad, Aruba, Guyana, Venezuela, Brasil, Argentina
<i>ornatipenne</i> Perroud, 1855: 383	
<i>hirsutulum</i> Bates, 1870:248	
<i>kartaboensis</i> Fisher, 1944:1	
<i>griseopubescens</i> Monné, 1972:109	
surinamum (Linnaeus, 1767:632)	sw USA-Argentina, Baja Calif, W Indies (widely distributed)
<i>surinamensis</i> ; Olivier, 1795:42	
<i>surinam</i> ; Leng, 1885:117	
<i>longicollis</i> Degeer, 1775:117	
<i>simplex</i> Voet, 1778:22	
<i>circumflexus</i> Fabricius, 1787:144	
<i>pallens</i> Fabricius, 1792:297	
var. <i>chontalense</i> Bates, 1872:171	
undulatum Burmeister, 1865:175	s Brasil, Paraguay, Argentina, Uruguay
unicolor Bruch, 1908:203	Brasil, Bolivia, Paraguay, Argentina, Uruguay
uniforme Martins & Monné, 1975:274	Bolivia
 Araespor Thomson, 1878:14	
longicollis Thomson, 1878:15	Cuba ?, Fiji Is
<i>angustulus</i> Fairmaire, 1881:474	
 Cotyachryson Martins, 2002: 65	
philippii (Porter, 1925:218)	Chile
<i>cinereus</i> ; Blanchard in Gay, 1851:493 (not Villers, 1789)	
sulcicorne (Germain, 1898:649)	Chile
 Drascalia Fairmaire & Germain, 1864:387	
Acanthachryson Bruch, 1921:354	
praelonga Fairmaire & Germain, 1864:388	Chile, wc Argentina (NE)
<i>vianai</i> (Monné, 1969:279)	
spinithorax (Bruch, 1921:355)	nw Argentina (CA)
 Enosmaeus Thomson, 1878:9	
Pseudoeme Fisher, 1932:4	
cubanus Thomson, 1878:10	Cuba, Hispaniola, Puerto Rico
<i>poolei</i> Fisher, 1932:5	
 Esseiachryson Martins, 2002: 57	
minutum (Blanchard in Gay, 1851:492)	Chile
 Geropa Casey, 1912:305	
concolor (LeConte, 1873:176)	sw USA (TX)-s Mexico
<i>aequicollis</i> Casey, 1912:306	
 Huequenia Cerda, 1986:33	
<i>Angolia</i> ; Cerda, 1980:64 (not Malloch, 1934)	
araucana (Cerda, 1980:64)	Chile
livida (Germain, 1898:739)	Chile
 Pehuenia Cerda, 1980:65	
lunata (Germain, 1898:749)	Chile
testacea Cerda, 1980:65	Chile

Xenocompsa Martins, 1965:94

flavonitida (Fairmaire & Germain, 1859:507)	Chile, w Argentina (NE)
<i>bifasciatum</i> Philippi & Philippi, 1860:251	
martinsi Cerdá, 1980:65	Chile
semipolita (Fairmaire & Germain, 1859:508)	Chile
<i>pallidicornis</i> Fairmaire & Germain, 1864:387	

Pleiarthrocerini Lane, 1950:371**Pleiarthrocerus** Bruch, 1914:340

opacus Bruch, 1914:341	ne Brasil (AP, PB, PE), nc Argentina (SA, TU)
-------------------------------	---

Ectenessini Martins & Galileo, 1998: 82**Acanthonessa** Napp & Martins, 1982:355

quadrispinosa (Melzer, 1931:192)	e Brasil (PB-SP)
---	------------------

Bomarion Gounelle, 1909:674

achrostum Napp & Martins, 1982:378	Peru
affabile Napp & Martins, 1982:380	e Brasil (ES)
anormale (Thomson, 1867:145)	e Brasil (BA)
aureolatum Martins, 1968:21	Bolivia
boavidai Martins, 1968:18	se Brasil (MG-PN)
carenum Martins, 1962:150	Bolivia
fraternum Napp & Martins, 1982:379	se Brasil (SP)
heteroclitum (Thomson, 1867:137)	se Brasil (ES, SP)
lineatum Gounelle, 1909:675	e Brasil (GO, BA-ES)
signatipenne Gounelle, 1909:675	e Brasil (PE, BA)

Ectenessa Bates, 1885:257

andrei Martins & Galileo, 1996:292	se Brasil (RS)
angusticollis (Buquet, 1860:627)	se Brasil (ES-SC)
<i>fenestratum</i> Thomson, 1865:572	
<i>sexmaculata</i> Bates, 1885:257	
argodi Belon, 1902:15	e Brasil (GO, MG, SP)
decorata (Melzer, 1935:173)	se Brasil (MG-PR)
fenestrata (Gounelle, 1909:601)	e Brasil (BA, ES, SP)
<i>quadrimaculatus</i> Zajciw, 1961:104	
guttigera (Lucas, 1857:183)	Brasil (GO, MT, CE-ES)
lurida Martins, 1973:203	Trinidad
melanicornis Napp & Martins, 1982:374	se Brasil (BA-PR)
nitida Bates, 1885:258	Mexico (VC)- Nicaragua, Costa Rica
ocellata (Gounelle, 1909:600)	ec Brasil (MT, GO, SP), Paraguay
ornatipennis Tippmann, 1960:109	Peru, c Brasil (MT), Bolivia
quadriguttata (Burmeister, 1865:168)	Bolivia, ec-se Brasil, Paraguay, Argentina
scansor (Gounelle, 1909:675)	se Brasil (GO, BA-RJ)
spinipennis (Buquet, 1860:626)	Fr Guiana, c-se Brasil, Peru, Bolivia
villardi Belon, 1902:13	e Brasil (GO, MG), Bolivia

Ectenessidia Gounelle, 1909:603

nigriventris (Belon, 1902:15)	e Brasil (GO, MG)
<i>varians</i> , var. <i>cyaneipennis</i> Gounelle, 1909:604	
varians (Gounelle, 1909:604)	e Brasil (GO, BA, ES)
var. <i>simplicipennis</i> Gounelle, 1909:604	

Eurymerus Audinet-Serville, 1833:566

eburoides Audinet-Serville, 1833:566	e Brasil (GO, PE-RS), Paraguay,
<i>flavosignatus</i> White, 1853:115	Argentina, Uruguay
var. <i>nigricans</i> Tippmann, 1960:109	

Lissoeme Martins, Chemsak & Linsley, 1966:207	
maculata Martins & Galileo, 1998: 48	Brasil (BA)
testacea Martins, Chemsak & Linsley, 1966:209	Venezuela
Meryerurus Martins & Galileo, 1998: 115	
servillei Martins & Galileo, 1998: 117	Brasil (MG)
Niophis Bates, 1867:27	
<i>Trumais</i> Gounelle, 1909:605	
Apomethia Martins, Chemsak & Linsley, 1966:210	
aper (Germar, 1824:510)	e Brasil (ES)
antennata (Martins, Chemsak & Linsley, 1966:211)	Costa Rica, Panama
bucki Martins & Monné, 1973:24	sé Brasil (ES, RJ)
cotorrhina Bates, 1867:28	n Brasil (PA), Fr Guiana
<i>cotorrhina</i> ; Bates, 1870:245	
neotropica (Martins, 1961:190)	Panama, Peru
picticornis (Martins, 1964:195)	wc Brasil (AM, PA, RO)
rufula (Gounelle, 1909:605)	ec Brasil (GO), Paraguay
Tricheurymerus Zajciw, 1961:106	
obscurus (Prosen, 1947:254)	Paraguay, Argentina
quadristigma (Gounelle, 1909:602)	c Brasil (RO, GO, MT), Fr Guiana, Paraguay, Argentina
Cerambycini Latreille, 1804: 259	
subtribe Cerambycina Latreille, 1804	
Atiaia Martins & Monné, 2002: 186	
consobrina (Gahan, 1892:19)	Venezuela, Surinam, Fr Guiana, n Brasil (AP)
testaceicornis (Melzer, 1923:7)	Brasil (GO, MT, ES-SC)
Bothrocerambyx Schwarzer, 1929:353	
<i>Parabrasilianus</i> Fragoso, 1970:99	
nevermanni Schwarzer, 1929:353	Costa Rica-Ecuador
<i>macrocephalus</i> Fragoso, 1970:99	
Hamaticherus Audinet-Serville, 1834: 15	
<i>Hammaticherus</i> ; White, 1853:125	
<i>Hammatochaerus</i> ; Gemminger & Harold, 1872:2800	
<i>Brasilianus (Brasilianus)</i> Jacobson, 1924:238	
<i>Macrobrasilianus</i> Fragoso, 1971:7	
bellator (Audinet-Serville, 1834:15)	nw Brasil (PA, MG, BA, SP, MS, GO, AM), Fr Guiana,
<i>macrus</i> Bates, 1870: 251	Surinam, Ecuador
Hirtobrasilianus Fragoso & Tavakilian, 1985:231	
matogrossensis (Fragoso, 1971:8)	Fr Guiana, c Brasil (MT), Bolivia
seabrai Fragoso & Tavakilian, 1985:232	Venezuela, Fr Guiana, c Brasil (AM, MT), Ecuador
villiersi Fragoso & Tavakilian, 1985:235	Fr Guiana, Surinam, Brasil (AP)
Juiaparus Martins & Monné, 2002: 166	
batus batus (Linnaeus, 1758:390)	Honduras-Panama, Colombia, Venezuela, ncBrasil
<i>datus</i> ; Linnaeus, 1764:69	
<i>spinosus</i> Goeze, 1777:464	
var. <i>carthaginiae</i> Gahan, 1892:21	
subsp. <i>lacordairei</i> (Gahan, 1892:20)	sBrasil, Paraguay, Argentina
erythropus (Nonfried, 1895:305)	Colombia
lasiocerus (Gahan, 1892:22)	Brasil (AM-SP), Fr Guiana, Ecuador
mexicanus (Thomson, 1860:196)	Mexico-s Brasil, Bolivia
<i>castaneus</i> Bates, 1870:250	
<i>punctulatus</i> (Gahan, 1892:21)	se Brasil (MG, ES, RJ)

- Jupoata** Martins & Monné, 2002: 195
costalimai (Zajciw, 1966:105)
garbei (Melzer, 1922:4)
gigas Martins & Monné, 2002: 212
paraensis Martins & Monné, 2002: 200
peruviana (Tippmann, 1960:111)
robusta Martins & Monné, 2002: 203
rufipennis (Gory in Guérin-Méneville, 1831:pl.44, fig.1)
- Peruanus** Tippmann, 1960:110
serricornis Tippmann, 1960:111
- Plocaederus** Megerle, in Dejean, 1835: 319
barauna Martins & Monné, 2002: 2239
bipartitus (Buquet, 1860:624)
confusus Martins & Monné, 2002: 243
fasciatus (Martins & Monné, 1975:275)
fragoso Martins & Monné, 2002: 238
fraterculus (Martins, 1979:26)
glaberrimus (Martins, 1979:26)
glabericollis (Bates, 1870:251)
inconstans (Gounelle, 1913:208)
mirim Martins & Monné, 2002: 230
pactor (Lameere, 1885:lxi)
murinus (Gahan, 1892:22)
pisinnus (Martins & Monné, 1975:276)
plicatus (Olivier, 1790:299)
luridipennis Gahan, 1892: 22
rugosus (Olivier, 1795:11)
rusticus (Gounelle, 1909:608)
yucatecus (Chemsak & Noguera, 1997:6)
- Potiaxixa** Martins & Monné, 2002: 219
gounellei (Zajciw, 1966:106)
intermedia (Martins, 1979:27)
longipennis (Zajciw, 1966:107)
- subtribe Sphallotrichina** Martins & Monné, 2002: 148
- Amphelictus** Bates, 1884:242
bicolor Chemsak & Linsley, 1964:223
brevidens Chemsak & Linsley, 1964:223
castaneus Chemsak & Linsley, 1964:225
cribripennis Chemsak Linsley, 1964:221
melas Bates, 1884:242
milleri Chemsak & Linsley, 1964:222
panamensis Chemsak & Linsley, 1964:224
rugiscapus Fuchs, 1976:57
- Butherium** Bates, 1870:255
erythropus (Lucas, 1857:187)
scabricolle Nonfried, 1895:307
- Coleoxestia** Aurivillius, 1912:64
Xestia Audinet-Serville, 1834:16
armata (Gounelle, 1909:615)
atrata (Gounelle, 1909:612)
brevipennis (Bates, 1870:256)
cinnamomea (Gounelle, 1909:615)
confusa (Lacordaire, 1869:271)
- se Brasil (SP-SC)
se Brasil (MG-RS, SP, SC)
Brasil (AP)
Brasil (PA)
Peru, Fr Guiana
sBrasil (MA,PE,GO,RJ,SP,SC,PA)
Mexico-Panama, Fr Guiana, Surinam, Ecuador,
Bolivia, Brasil (AM-SC), Argentina (MI)
- Peru, Ecuador
- neBrasil (PB, PE, BA)
Fr Guiana, Surinam, Brasil (AM, PA, RO), Ecuador
Brasil (widespread), Bolivia
Bolivia, Fr Guiana, Ecuador
Brasil (AP)
Paraguay
seBrasil (MG, ES, RJ)
nw Brasil (AM), Peru, Ecuador
se Brasil (SC, RS), Argentina, Uruguay
Brasil (AM)
Brasil, Paraguay, Argentina, Uruguay
- Paraguay, n Argentina (SA)
Venezuela, Surinam, Fr. Guiana, Brasil (widespread)
- Fr Guiana, Brasil (PA)
ec Brasil (AM, MG, GO)
Mexico (QR, YU), Guatemala, Costa Rica?
- Brasil (GO,SP), Fr Guiana, Surinam
se Brasil (SP)
se Brasil (RJ), Fr Guiana
- sw Mexico (GR), Costa Rica, Panama
Panama
Venezuela, Fr Guiana
Colombia
Mexico
Colombia, ECU
Panama
Colombia
- e Brasil (PE-SC), Paraguay, Argentina
nw Brasil (AM)
- ec Brasil (GO)
ec Brasil (GO)
nw Brasil (AM)
ec Brasil (GO)
se Brasil (MG-RS)

corvina (Germar, 1824:508)	c, se Brasil, Paraguay, Argentina, Uruguay
denticollis Melzer, 1920:430	s Brasil (SC)
denticornis (Gahan, 1892:29)	se Brasil (ES, RJ)
ebenina Melzer, 1935:174	c Brasil (MT)
femorata (Gounelle, 1909:613)	ec Brasil (GO)
glabripennis (Bates, 1870:256)	n Brasil (PA)
globulicollis (Gahan, 1892:31)	se Brasil (ES, RJ)
illex (Gounelle, 1909:611)	ec Brasil (GO)
lissonota Fragoso, 1993:338	Colombia
longipennis (Gahan, 1892:31)	se Brasil (RJ, SP)
nigra Lane, 1956:12	s Brasil (PR)
nigropicea (Bates, 1870:256)	n Brasil (PA)
nitida (Bates, 1872:172)	s Mexico-Colombia
olivieri Fragoso, 1993:336	Fr Guiana, c Brasil (MT)
polita (Waterhouse, 1880:486)	Ecuador, Brasil
pubicornis (Gounelle, 1909:610)	e Brasil (GO, PE-RJ)
rubromaculata (Gounelle, 1909:612)	Nicaragua-Colombia, Brasil (GO)
<i>bimaculata</i> Fuchs, 1955:48	
rufosemivittata Tippmann, 1960:113	Bolivia
sanguinipes (Bates, 1884:242)	Guatemala-Panama
semipubescent Melzer, 1923:4	se Brasil (ES-SC), Paraguay
setigera Melzer, 1926:6	s Brasil (PR)
sobrina Melzer, 1923:4	se Brasil (RJ-SC)
spinifemorata Fragoso, 1993:333	Fr Guiana, c Brasil (MT)
spinipennis spinipennis (Audinet-Serville, 1834:17)	se Brasil (BA-RS)
subsp. interiorana Fragoso, 1993:333	c Brasil (PA, MT)
vittata (Thomson, 1860:192)	Costa Rica, Panama, se Brasil, Paraguay, Argentina
waterhousei (Gounelle, 1909:614)	Brasil (GO, MT, CE-RS), Paraguay,
	Argentina, Uruguay

Criodion Audinet-Serville, 1833:571

<i>Criodon</i> ; Chenu, 1870:313	
<i>Criocation</i> ; Gounelle, 1909:609	
angustatum Buquet, 1852:358	Brasil, Argentina, Paraguay
antennatum Gahan, 1892:24	Venezuela
cinereum (Olivier, 1795:35)	Puerto Rico ?, Venezuela, Guianas
dejeani Gahan, 1892:25	se Brasil (ES-SP)
fulvopilosum Gahan, 1892:23	se Brasil (BA-PR), Fr Guiana
hirsutum Bates, 1870:253	e Brasil (BA)
murinum Nonfried, 1895:206	Guatemala, Costa Rica
pilosum Lucas, 1857:188	Brasil
rhinocerus Bates, 1870:253	n Brasil (PA)
tomentosum Audinet-Serville, 1833:572	se Brasil (RJ-RS)
torticolle Bates, 1870:252	n Brasil (PA), Fr Guiana
tuberculatum Gahan, 1892:25	Fr Guiana, nw Brasil (AM), Peru

Ischionorox Aurivillius, 1922:405	
antiqua Aurivillius, 1922:406	nw Argentina (ME, SE)
Macrambyx Fragoso, 1982:145	
suturalis (Gory, 1832: pl. 1)	Fr Guiana, nc Brasil (AM, PA, MT)
<i>feisthamelii</i> Buquet, 1852:355	
Melathemma Bates, 1870:258	
polita Bates, 1870:258	nw Brasil (AM), Ecuador
Metacriodion Fragoso, 1970:97	
capixaba Fragoso, 1970:97	e Brasil (ES)
pictum (Waterhouse, 1880:292)	Ecuador, Peru, Bolivia
Ochrodion Fragoso, 1982:144	
gahani (Gounelle, 1909:609)	e Brasil (GO, MG, SP)

quadrимaculatum (Gahan, 1892:27)	se Brasil (MG, RJ)
sexmaculatum (Buquet in Guérin-Méneville, 1844: 228)	se Brasil (ES-PR)
sommeri (Gahan, 1892:27)	se Brasil (MIN-SP)
testaceum (Gahan, 1892:26)	se Brasil (ES-SP), Peru
Orion Guérin-Méneville, 1844:229	
brunneus Guérin-Méneville, 1844:229	Argentina
maurus (Newman, 1841:111)	se Brasil (RJ)
patagonus Guérin-Méneville, 1844:229	s Brasil (RS), Argentina, Uruguay
<i>lachesis</i> Blanchard, 1843:209	
<i>lacordairei</i> Ritsema, 1889:144	
Paracriodion Fragoso, 1982:147	
modestum (Buquet, 1852:357)	se Brasil (ES-PR)
<i>pubicolle</i> Melzer, 1931:52	
romani (Aurivillius, 1926:1)	Ecuador, nw Brasil (AM), Fr Guiana
Paraspallenum Fragoso, 1982:145	
fulgoratum (Chabrilac, 1857:196)	Brasil
<i>literatum</i> Gahan, 1892:28	
Poeciloxestia Lane, 1965:269	
bivittata (Buquet, 1852:356)	se Brasil (RJ-SC)
<i>omega</i> Zajciw, 1967:197	
carlyslei Fragoso, 1978:134	Colombia
dorsalis (Thomson, 1860:193)	se Brasil (BA-RS), Paraguay
elegans (Gory, 1833: pl. 64)	se Brasil (PE-RS)
hirsutiventris Fragoso, 1978:133	Peru, Bolivia
lanceolata Fragoso, 1978:153	Mexico (QR)-Panama
lanei Fragoso, 1978:125	c Brasil (MT), Bolivia
lateralis (Erichson, 1847:140)	Peru, Bolivia, Fr Guiana
melzeri Lane, 1965:270	se Brasil (MG-RJ), Peru, Bolivia
<i>sagittaria</i> ; Melzer, 1923:5 (not Bates, 1872)	
minuta Fragoso, 1978:131	se Brasil (PE-RS)
ochrotaenia (Bates, 1870:257)	nc Brasil (AM, PA)
paraensis Lane, 1965:274	Trinidad, Venezuela, Fr Guiana, nc Brasil (PA)
parallela Fragoso, 1978:129	n-e Brasil (PA, MG-SP)
plagiata (Waterhouse, 1880:293)	Ecuador
rugosicollis Fragoso, 1978:126	Ecuador
sagittaria (Bates, 1872:173)	Nicaragua-n SAmer
signatipennis (Melzer, 1923:5)	se Brasil (SP, SC)
staturalis (Perty, 1832:90)	c, se Brasil (MT, MG-RS), Bolivia, Argentina
travassosi Fragoso, 1978:149	c, se Brasil (MT, SP, PR)
Sphallambyx Fragoso, 1982:145	
chabrillacii (Thomson, 1857:123)	se Brasil (SP)
<i>toledopizai</i> Melzer, 1934:70	
superbum (Aurivillius, 1910:147)	Colombia
Sphallenopsis Fragoso, 1981:145	
pilosovittata (Bates, 1872:172)	Nicaragua-Panama
Sphallenum Bates, 1870:253	
tuberosum Bates, 1870:255	n, e Brasil (PA, MA, BA, ES), Fr Guiana, Ecuador
Sphallopterus Fragoso, 1982:146	
batesi Fragoso, 1982:147	n Brasil (PA)
Sphallotrichus Fragoso, 1982:145	
bidens (Fabricius, 1801:271)	Guianas, nw Brasil (AP, AM, PA)

- luguber* Voet, 1806:27
castanopterum Erichson in Schomburg, 1848:571
femorale Bates, 1870:254
- puncticollis puncticollis** (Bates, 1870:254)
 subsp. *robustus* (Bates, 1872:172)
 subsp. *hirsuticornis* Fragoso, 1995:188
- sculpticollis** (Buquet, 1852:356)
- sericeotomentosus** Fragoso, 1995:188
- setosus** (Germar, 1824:507)
- spadiceus** (Gahan, 1892:29)
- nc Brasil (AM, PA), Fr Guiana
 Nicaragua, Costa Rica, Fr Guiana
 Ecuador
 Colombia
 Venezuela, Brasil (RO, MT, PA)
 se Brasil (BA-RS), Paraguay, Argentina
 e, se Brasil (GO, ES-PR)
- Xestiodion** Fragoso, 1981:379
- annulipes** (Buquet in Guérin-Méneville, 1844:228)
- pictipes** (Newman, 1838:396)
octomaculatum Nonfried, 1894:137
- similis** (Melzer, 1920:428)
- se Brasil (BA-SC), Paraguay
 c, se Brasil (GO, MT, BA-SC)
- se Brasil (MG, SP)
- Diorini** Lane, 1950:373
- Diorus** White, 1853:135
- Salobra* Lane, 1939:74
- biapiculatus** White, 1853:135
discreta Lane, 1939:75
- Brasil (ES, SP, GO, MS), Fr Guiana, Bolivia
- Eburiini** Blanchard, 1845:145
- Beraba** Martins, 1997:67
- angusticollis** (Zajciw, 1961:121)
cauera Galileo & Martins, 1999: 194
cheilaria (Martins, 1967:51)
decora (Zajciw, 1961:123)
erosa (Martins, 1981:209)
grammica (Monné & Martins, 1992:273)
inermis Martins & Galileo, 2002: 9
iuba Martins, 1997:69
limpida Martins, 1997:70
longicollis (Bates, 1870:264)
marica Galileo & Martins, 1999: 193
moema Martins, 1997:69
piriana Martins, 1997:68
spinosa (Zajciw, 1967:527)
- se Brasil (RJ)
 Brasil (AM)
 s Brasil (MS), Bolivia
 ec Brasil (MA, GO)
 e Brasil (BA, MG)
 e Brasil (MG, ES)
 Colombia
 Ecuador
 Venezuela
 Venezuela, nw Brasil (AM)
 Colombia
 Ecuador
 Colombia
 Peru
- Cupanoscelis** Gounelle, 1909:618
- clavipes** Gounelle, 1909:619
heteroclita Gounelle, 1909:619
inermis Monné & Martins, 1992:271
latitibialis Monné & Martins, 1992:270
sanmartini Martins & Monné, 1975:279
serrana Martins & Galileo, 1999: 808
- ec Brasil (GO), Bolivia
 e Brasil, Paraguay, Argentina
 e Brasil (BA, MG)
 e Brasil (BA, MG)
 Venezuela
 Brasil (GO)
- Dioridium** Zajciw, 1961:217
- Mocajuba* Lane, 1972:358
borgmeieri (Lane, 1972:358)
hirsutum Zajciw, 1961:218
- n Brasil (PA)
 c Brasil (MT)
- Eburella** Monné & Martins, 1973:152
- longicollis** Martins & Galileo, 1999: 807
pinima Martins, 1997:67
pumicosa Monné & Martins, 1973:152
- Bolivia
 Bolivia
 sc Brasil (MT, MS)

Eburia (Eburia) Lepeletier & Audinet-Serville in Lacordaire, 1830:177

- Dissacanthus* Hope, 1835:107
Dissacantha; Thomson, 1864:240
Coeleburia Thomson, 1860:237
Drymo Thomson, 1864:242
Eleutho Thomson, 1864:242
aegrota Bates, 1880:21
minutivestis Chemsak & Linsley, 1973:347
albolineata Fisher, 1944:4
aliciae Noguera, 2002: 17
amabilis Boheman, 1859:150
bahamicae Fisher, 1932:11
baroni Bates, 1892:148
bimaculata (Voet, 1778:16)
blancaneau Bates, 1880:20
blancaneauxi; Bates, 1884:pl. 17, fig. 5
bonairensis Gilmour, 1968: 115
brevicornis Chemsak & Linsley, 1973:339
brevispinis Bates, 1880:21
affluens Chemsak & Linsley, 1973:338
brunneicomis Chemsak & Linsley, 1973:340
cacapyra Martins, 1999: 246
caymanensis Fisher, 1941:109
var. *obsoleta* Fisher, 1948:226
championi Bates, 1880:20
charmata Martins, 1981:207
chemsaki Noguera, 2002: 31
cinerea Franz, 1959:189
cinereopilosa Fisher, 1932:13
cinnamomea Fleutiaux & Sallé, 1889:463
clara Bates, 1884:245
concisispinis Fisher, 1941:111
confusa Zayas, 1975:61
consobrina Jacquelin du Val in Sagra, 1857:265
pedestris White, 1853:88 (part)
copei Noguera, 2002: 36
crinitus Noguera, 2002: 38
cruciata (Linsley, 1935:73)
cubae Fisher, 1932:16
decemmaculata (Fabricius, 1775:181)
quinquemaculatus Fabricius, 1792:296
dejeani Gahan, 1895:94
didyma (Olivier, 1795:125)
pulverea Chevrolat, 1862:266
distincta Haldeman, 1847:150
elegans Chemsak & Linsley, 1973:342
elongata Fisher, 1932:18
falli Linsley, 1940:257
semipubescent; Fall, 1909:163 (not Thomson, 1860)
fisheri Russo, 1930:144
frankei Noguera, 2002: 48
fuliginea (Bates, 1872:173)
giesberti Noguera, 2002: 52
haldemani LeConte, 1851:102
hatsueae Chemsak & Giesbert, 1986:21
hovorei Noguera, 2002: 58
inarmata Chemsak & Linsley, 1973:343
inermis (Fleutiaux & Sallé, 1889:461)
insulana Gahan, 1895:93
jamaicae Fisher, 1942:6
juanitae Chemsak & Linsley, 1970:300
megalops Chemsak & Linsley, 1973:346
lanigera Linell, 1898:259
amabilis; Howard, 1889:192 (not Boheman, 1859)
- e Mexico (VC, YU) - Nicaragua
Venezuela
Mexico (MO, JA)
Panama [erroneously listed as Galapagos Is.]
Bahamas
sw Mexico (GR, MI, OA, VC)
W Indies (Antigua)
sMexico (CH), Belize, Guatemala, El Salvador
Curaçao, Bonaire, Surinam
se Mexico (YU, QR)
e Mexico (VC, QR), Nicaragua
se Mexico (YU, QR)
Ecuador
W Indies (Cayman Is)
Mexico (CHS) – Costa Rica
e Brasil (ES)
wMexico (JA, MO)
Peru
Cuba
Guadeloupe
Mexico (TA, NL, ME, OA, CHS)
W Indies (Cayman Is)
Cuba
Cuba, Jamaica
Costa Rica
Nicaragua
sc Mexico (GU, MI, ME)
se Mexico (QR), Guatemala, Cuba
W Indies
Guadeloupe, Martinique
Cuba, R Dominican
se USA
se Mexico (QR)
Cuba
sw USA (CA, AZ), Baja Calif, nMexico (SO)
Hispaniola
Costa Rica, Panama
se Mexico (VC, CHS) -Panama
Honduras
s USA (FL-NM), n Mexico (TA, NL)
w Mexico (JA, GR, MI, OA)
Costa Rica, Panama
w Mexico (SI, JA)
Guadeloupe, Martinique
Martinique, St. Vincent
Jamaica
w Mexico (SI, JA, CO, OA)
Galapagos Is, Ecuador

laticollis Bates, 1880:22	w Mexico (SI, DU, JA)
<i>sinaloae</i> Chemsak & Linsley, 1970:302	
latispina Chemsak & Linsley, 1973:344	w Mexico (NA)
lewi Fisher, 1948:225	W Indies (Cayman Is)
linsleyi Lacey, 1949:1	sw USA (AZ), nMexico (CHA)
longicornis Fisher, 1932:9	Cuba
maccartyi Noguera, 2002: 71	Mexico (JA, CO, GU, OA)
macrotaenia Bates, 1880:20	s Mexico (CHS) - El Salvador, Nicaragua
marginalis Fisher, 1947:29	Cuba
mutata Bates, 1884:245	Panama
mutica LeConte, 1853:233	sw USA (TX), n Mexico (TA, NL, HI, MO, SLP, VC)
<i>manca</i> LeConte, 1858:24	
<i>tumida</i> LeConte, 1873:181	
nigrovittata Bates, 1884:246	w Mexico (JA, CO, NA, SI, ME), Baja Calif
<i>nigrovittata</i> ; Linsley, 1935:73	
<i>conspersa</i> Horn, 1894:399	
octomaculata Chevrolat, 1862:265	Cuba, Guadeloupe, Dominica, Barbados
opaca Chemsak & Linsley, 1973:347	se Mexico (YU, QR), Guatemala, Honduras
ovicollis LeConte, 1873:180	sw USA (TX), n Mexico (TA, SLP)
<i>quadricollis</i> Casey, 1924:259	
<i>densa</i> Casey, 1924:259	
paraegrota Chemsak & Linsley, 1973:348	w Mexico (SI, JA, CO)
patruelis Bates, 1884:244	nMexico (CHA, GU, HI, NL, SLP, SI, VC)
pedestris White, 1853:88	sMexico-Honduras
pellacia Zayas, 1975:69	Cuba
perezi Chemsak & Giesbert, 1986:22	w Mexico (JA, MO, GU)
piscola (Erichson in Meyens, 1834:267)	Ecuador, Galapagos Is, Peru, Bolivia, Chile
<i>bauri</i> Linell, 1898:260	
<i>proletaria</i> ; Blair, 1933:481 (not Erichson, 1847)	
<i>rospigliosii</i> Bréthes, 1925:15	
pinarensis Zayas, 1975:69	Cuba
poricollis Chemsak & Linsley, 1973:351	c Mexico (OA, GR, MO, MI, PU)
portoricensis Fisher, 1932:15	Puerto Rico
porulosa Bates, 1892:149	se Mexico (NL, YU, QR, CHS), Belize, Honduras
var. <i>porifera</i> Bates, 1892:149	
postica White, 1853:89	Jamaica
powelli Chemsak & Linsley, 1970:301	w Mexico (SO, SI, JA)
quadrigeminata (Say, 1826:275)	e NAm, introduced in Cuba and Argentina
quadrinaculata (Linnaeus, 1767:626)	Cuba, Puerto Rico, Virgin Is, Guadeloupe
<i>ramphygeus</i> Linnaeus, 1767:633	
<i>binodosa</i> Gahan, 1895:95	
quadrinotata (Latreille, 1811:165)	Colombia-Chile
<i>speciosa</i> Blanchard, 1843:208	
ramsdeni Fisher, 1932:14	Cuba
ribardoii Noguera, 2002: 102	sMexico (OA)
rotundipennis Bates, 1884:245	Mexico (DU, VC, PU, OA)
rufobrunnea Perroud, 1855:367	Guatemala, Ecuador
schusteri Giesbert, 1993:137	s Mexico (CHS), Guatemala, Honduras
semipubescent (Thomson, 1860:238)	Venezuela
<i>meinerti</i> Aurivillius, 1912:79	
<i>nigrovittata</i> ; Aurivillius, 1893:184 (not Bates, 1884)	
sericea Sallé, 1855:271	Cuba, Jamaica, Hispaniola
sexnotata Boheman, 1859:151	Ecuador
sordida Burmeister, 1865:165	e Brasil (CE-PR), Paraguay, Argentina, Uruguay
stigma (Olivier, 1795:126)	se USA (FL), Cuba, Mexico-Costa Rica,
<i>duvalii</i> Chevrolat, 1862:266	Hispaniola, Bahamas
stigmatica Chevrolat, 1834:fasc. 3, N° 60	sw USA (TX, AZ), Mexico (widespread)
<i>perforata</i> LeConte, 1873:180	
stroheckeri Knull, 1949:104	se USA (FL)
submutata Chemsak & Linsley, 1973:352	s Mexico (CHS)
terroni Noguera, 2002: 118	eMexico (YU, QR)
tetralacta White, 1853:89	Bahamas, Jamaica
<i>maculatus</i> Drury, 1773:84	
<i>quadrimaculatus</i> ; Panzer in Drury, 1788:141 (not Linnaeus, 1767)	

thoracica White, 1853:92	W Indies (Virgin Is), Curaçao, Surinam
<i>virginensis</i> Gilmour, 1963:77	
ulkei Bland, 1862:270	sw USA (AZ), Baja Calif, Mexico (NA, SI, SO, DU)
velmae McCarty, 1993:336	e Mexico (VC)
wappesi Noguera, 2002: 123	Guatemala
 Eburiaca Martins, 1999: 162	
sinopia Martins: 1999: 153	Brasil (MG)
 Eburodacrys (Eburodacrys) White, 1853:93	
<i>Eburogutta</i> Gemminger & Harold, 1872:2815	
<i>Oncoptera</i> Lacordaire, 1869:297	
<i>Sarquinopus</i> Martins, 1970:45	
alini Napp & Martins, 1980:77	se Brasil (MG-SP)
amazonica Melzer, 1927:561	n Brasil (PA)
asperula Bates, 1880:23	Mexico-Panama, Venezuela
assimilis Gounelle, 1909:625	c Brasil (GO, MT, SP)
bilineata Joly, 1992:139	Venezuela
callixantha Bates, 1872:174	Mexico (VC)-Panama
campestris Gounelle, 1909:633	e Brasil (MA, GO, BA-SP), P{araguay, Argentina}
catarina Galileo & Martins, 1992:1	se Brasil (SC)
coalescens Bates, 1884:247	Mexico-Panama
costai Gounelle, 1909:628	ec Brasil (GO)
crassimana Gounelle, 1909:621	ec Brasil, Paraguay, Argentina
cunusaia Martins, 1997:66	e Brasil (BA, PB, MG, MS)
curialis Gounelle, 1909:624	ec Brasil (GO)
decipiens Gounelle, 1909:626	ec Brasil (GO)
dubitata White, 1853:95	se Brasil, (BA-RS), Paraguay, Argentina
eburiooides (White, 1853:114)	se Brasil (ES-RS)
arcifera Bates, 1870:271	
var. concolor Gounelle, 1909:620	
elegantula Gounelle, 1909:631	ec Brasil (GO)
eutytibialis Monné & Martins, 1992:265	c Brasil (GO, MT)
flexuosa Gounelle, 1909:627	sc Brasil (MT)
fortunata Lameere, 1884:87	ec Brasil (GO, MT, PB, MG), n Argentina (CH)
gaucha Galileo & Martins, 1992:4	ec Brasil (GO, MT, PI-SP), Bolivia
gigas (Gounelle, 1909: 629)	se Brasil (RS)
longilineata var. gigas Gounelle, 1909	Guianas, ec Brasil (e MG, SP, GO, MT)
longilineata gigas ; Napp & Martins, 1980:84	
granipennis Gounelle, 1909:629	
havanensis Chevrolat, 1862:267	ec Brasil (GO, MT), Ecuador
hesperidis Chemsak & Linsley, 1970:304	Cuba, Mexico-Panama, SAmer
hirsutula Bates, 1870:269	Mexico (SI, JA, CHS), Nicaragua
laevicornis Bates, 1884:247	nc Brasil (AM, PA)
lancinata Napp & Martins, 1980:81	Nicaragua, Panama, Venezuela
lanei Zajciw, 1958:233	e Brasil (ES)
lenkoi Napp & Martins, 1980:81	Peru, wc Brasil (RO, MT)
lepidia Martins, 1973:206	se Brasil (MG-SP)
longilineata White, 1853:93	nw Brasil (AM), Ecuador
basicornis Dohrn, 1882:373	e Brasil (CE, ES, w MG, SP, PR), Paraguay,
luederwaldti Melzer, 1922:4	Argentina, Uruguay
lugubris Gounelle, 1909:622	se Brasil (MG-SP)
mancula White, 1853:94	ec Brasil (GO)
martinezii Martins, 1997:66	ec, se Brasil (GO, MT, MG-RS)
megaspilota White, 1853:95	n Argentina (SA)
monticola Monné & Martins, 1973:149	nw Brasil (AM)
moruna Martins, 1997:66	e Brasil (MG)
memorivaga Gounelle, 1909:623	Colombia
notula Gounelle, 1909:632	ec Brasil (GO, MG, SP), Colombia
obscura Martins, 1973:204	ec Brasil (GO, MG, SP)
perspicillaris (Erichson in Schomburg, 1848:572)	se Brasil (SP)
cacica Bates, 1870:267	Guianas, n Brasil (PA), Peru
pilicornis Fisher, 1944:5	
	Nicaragua, Panama, Venezuela, Colombia

- pinima** Martins, 1999: 365
prolixa Monné & Martins, 1992:266
puella (Newman) 1840:196
pumila Monné & Martins, 1992:268
punctipennis White, 1853:94
quadridentis (Fabricius, 1801:308)
 virgo Newman, 1840:196
 citreoguttata Thomson, 1860:240
rariplata Bates, 1870:270
 laticlavia Monné & Martins, 1973:150
rhabdota Martins, 1967:48
rubicunda Monné & Martins, 1992:267
rufispinis Bates, 1870:269
sanguinipes Gounelle, 1909:632
seabrai Zajciw, 1958:235
seminigra Gounelle, 1909:622
sexguttata Lameere, 1884:87
sexmaculata (Olivier, 1790:305)
 var. *approximata* Aurivillius, 1926:2
stahli Aurivillius, 1893:181
sticticollis Bates, 1874:220
subaffinis White, 1853:95
sulfurifera Gounelle, 1909:630
sulphureosignata (Erichson, 1847:140)
 var. *umbrosa* Kirsch, 1875:285
 longipilis Bates, 1870:268
superba Napp & Martins, 1980:79
trilineata (Aurivillius, 1893:183)
triocellata (Stål, 1857:63)
 mexicana Thomson, 1860:239
 mexicana var. *interrupta* Bates, 1884:247
truncata Fuchs, 1956:572
 asperipennis Zajciw, 1963:421
tuberosa Gounelle, 1909:625
vidua (Lacordaire, 1869:298)
 grossipes Martins, 1970:46
vespertina Monné & Martins, 1973:147
vittata (Blanchard, 1843:20)
- Eburodacrys (Eburodacrystola)** Melzer, 1928:146
pickeli Melzer, 1928:146
- Eburostola** Tippmann, 1960:115
amazonica Tippmann, 1960:116
- Erosida** Thomson, 1860:242
delia Thomson, 1860:242
 elegans Lacordaire, 1869:295
formosa (Blanchard, 1843:208)
 ab. *conjunctula* Tippmann, 1960:166
gratiosa (Blanchard, 1843:208)
lineola (Fabricius, 1781:228)
 brasilianus Gmelin, 1790:1860
yucatana Giesbert, 1985:82
- Opades** Lacordaire, 1869:288
costipennis (Buquet in Guérin-Méneville, 1844:221)
 vittipennis Bates, 1870:261
 costifera Waterhouse, 1880:486
- Pantomallus** Lacordaire, 1869:286
costulatus (Bates, 1870:265)
- Brasil (PA)
sc Brasil (RO, MT)
Guianas, n Brasil (PA)
e Brasil (BA-ES)
e Brasil (GO, BA-PR), Fr Guiana, Paraguay
Fr Guiana, Brasil (PA), Peru
- Fr Guiana, Peru, Ecuador
- e Brasil (PB, PE)
sc Brasil (GO, MT)
nw Brasil (AM), Fr Guiana, Peru, Bolivia
c Brasil (RO, GO, MT)
e Brasil (PB-BA, SP)
ec Brasil (GO, MT, MG, SP)
Brasil (GO, PB-RS), Paraguay, Argentina
SAmer (widely distributed), incl. Ecuador
- Brasil (GO, MT, MG-RS), Uruguay
Nicaragua, Costa Rica
se Brasil, Paraguay, Argentina, Uruguay
e Brasil (GO, CE, MG-SP)
Trinidad, Guianas, nw Brasil (AM), Peru,
Bolivia, Ecuador
- c Brasil (MT), Bolivia, Ecuador
se Brasil (ES-RS)
Mexico-Colombia, Venezuela
- e Brasil (GO, MT, PI-SP), Bolivia
- e Brasil (GO, MG, SP), Argentina
se Brasil (SP-SC), Argentina, Uruguay
- e Brasil (MG, ES)
Brasil, Bolivia, Paraguay, Argentina, Uruguay
- e Brasil (MA, CE, PE, GO)
- n Brasil (PA)
- Colombia, Venezuela
- Bolivia, Brasil (PA, MS)
- se Brasil, Paraguay, Argentina, Uruguay
Venezuela, Brasil
- sw, se Mexico (JA, QR)
- Ecuador, Surinam, Fr Guiana, nw Brasil (AM),
Colombia
- Peru, nw Brasil (AM)

martinezii Martins & Galileo, 2002: 6	Colombia
morosus (Audinet-Serville, 1834:10)	e Brasil (GO, PB-RS), Paraguay, Uruguay,
<i>villosoicornis</i> Lacordaire, 1869:287	Argentina
pallidus Aurivillius, 1923:440	se Brasil (MG-SC)
piruatinga Martins, 1997:76	n Brasil (PA, MA)
proletarius (Erichson, 1847:140)	Peru
reclusus (Martins, 1981:209)	sc Brasil (MT, SP), Bolivia
tristis Blanchard, 1843:208	Bolivia, c Brasil (MT)
<i>crassicornis</i> (Martins, 1981:208)	
 Pronuba Thomson, 1860:241	
<i>Microspiloma</i> Bates, 1867:24	
decora Thomson, 1860:241	se Brasil (BA-RS), Paraguay, Argentina
dorilis (Bates, 1867:25)	c Brasil (AM, PA, RO), Ecuador, Bolivia
gracilis Hovore & Giesbert, 1990:792	Costa Rica
incognita Hovore & Giesbert, 1990:789	Guatemala-Panama
lenkoi Monné & Martins, 1974:25	s Brasil (MS)
 Quiacaua Martins, 1997:70	
abacta (Martins, 1981:206)	e Brasil (ES)
taguaiba Martins, 1997:71	n Brasil (PA)
 Solangella Martins, 1997:73	
lachrymosa (Martins & Monné, 1975:280)	Bolivia
meridana (Bates, 1872:174)	Venezuela
micromacula Martins, 1997:74	Ecuador
 Styliceps Lacordaire, 1869:291	
striatus (Voet, 1778:17)	w Mexico (JA)- Panama, Fr Guiana, Surinam,
<i>sericata</i> Pascoe, 1859:16	nc Brasil (AM, PA), Ecuador
<i>amazonica</i> Thomson, 1860:210	
<i>sericans</i> Lacordaire, 1869:292	
 Susuacanga Martins, 1997:60	
maculicornis (Bates, 1870:266)	se Brasil (ES-SC)
octoguttata (Germar, 1821:168)	Brasil (RO, GO, MT, BA-RS), Paraguay,
ab. <i>basibiguttata</i> Tippmann, 1960:115	Bolivia, Peru, Argentina
ab. <i>inguttata</i> Tippmann, 1960:115	
ab. <i>melanescens</i> Tippmann, 1960:115	
ab. <i>basiquadriguttata</i> Tippmann, 1960:115	
ab. <i>quadricostata</i> Tippmann, 1960:115	
unicolor (Bates, 1870:265)	Venezuela, Colombia, Peru, nw Brasil (AM),
	Paraguay
 Tumiditarsus Zajciw, 1961:124	
cicatricornis Zajciw, 1961:125	n Argentina (FO)
 Uncieburia Martins, 1997:72	
nigricans (Gounelle, 1909:618)	Bolivia, e Brasil (PI-SP)
<i>rogersi</i> var. <i>nigricans</i> Gounelle, 1909:618	
<i>cornuta</i> Aurivillius, 1925:505	
quadrilineata (Burmeister, 1865:165)	Brasil, Paraguay, Argentina, Uruguay
rogersi (Bates, 1870:266)	se Brasil (MG, SP)
<i>subcornuta</i> Fuchs, 1955:47	
 Volxemias Lameere, 1884:85	
dianella Lameere, 1884:86	se Brasil (ES, RJ)
seabrai Zajciw, 1968:539	e Brasil (ES)

Hesperophanini Mulsant, 1839:61

- Alastos** Napp & Martins, 1982:358
batesi (Pascoe, 1888:493)
improvisus Moxey, 1965:241
pascoei Martins & Galileo, 1999: 97
- Costa Rica-Ecuador, Venezuela
Bolivia
- Anatinomma** Bates, 1892:150
alveolatum Bates, 1892:151
bispinosum Aurivillius, 1916:337
brevicornis Fisher, 1944:1
insularis Chemsak & Linsley, 1964:217
- Mexico (SLP, VC, TB, CHS), Guatemala, Honduras
Mexico (PU)-Panama
Guatemala-Costa Rica
se Mexico (Cozumel I.)
- Anoplomerus** Guérin-Méneville, 1844:224
buqueti Belon, 1890:ix
globulicollis Buquet, 1860:625
gracilis Bates, 1870:260
rotundicollis Guérin-Méneville, 1844:224
- e Brasil, Paraguay, Argentina, Uruguay
Fr Guiana, n Brasil (AP, PA)
se Brasil (ES-PR), Paraguay, Argentina
- Austranoplium** Chemsak & Linsley, 1963:209
concolor Chemsak & Linsley, 1963:210
- s Mexico (OA, YU)
- Austrophanes** Chemsak & Linsley, 1963:218
robustum Chemsak & Linsley, 1963:218
- sw Mexico (JA, OA)
- Brittonella** Fisher, 1932:7
chardoni Fisher, 1932:8
- Puerto Rico
- Brothylus** LeConte, 1859:80
conspersus LeConte, 1859:285
gemmulatus LeConte, 1859:80
castaneus Casey, 1924:253
consors Casey, 1924:254
longicollis Casey, 1924:254
- w USA (CA, OR)
w USA (OR, UT)-w Mexico (SI)
- Cacophrissus** Bates, 1885:252
Knullanoplum Linsley, 1957:16
maculipennis Chemsak & Linsley, 1963:221
pauper Bates, 1885:252
subpubescens Schaeffer, 1909:100
duncani Knull, 1927:117
insoletum Linsley, 1942:43
pubescens Chemsak & Linsley, 1963:220
- sw Mexico (GR)
sw USA (AZ), Baja Calif, w Mexico (SI)
sw Mexico (OA)
- Catoptronotum** Zajciw, 1959:610
bipenicillatum Zajciw, 1959:611
- se Brasil (RJ, PR)
- Cetimaique** Martins & Galileo, 1999: 72
trinodosa Martins & Galileo, 1999: 74
- e Brasil (ES)
- Dubiefostola** Tavakilian & Monné, 1991:161
auricollis Tavakilian & Monné, 1991:161
- Fr Guiana, c Brasil (MT)
- Eucrossus** LeConte, 1873:174
villicornis LeConte, 1873:175
phoenicis Casey, 1924:249
- sw USA (CA, AZ, NE, NM)-Mexico (SO, CHA),
Baja Calif

Eusapia Gounelle, 1909:687		
<i>amazonica</i> (White, 1855:240)	e Brasil (PA, GO, MA-ES), Fr Guiana, Surinam,	
<i>ruginosa</i> Gounelle, 1909:688	Bolivia, Paraguay	
<i>guyanensis</i> Huedepohl, 1988:526	Fr Guiana, Brasil (AM, PA)	
<i>matogrossensis</i> Huedepohl, 1988:525	c Brasil (MT)	
Grammicosum Blanchard in Orbigny, 1843:209		
<i>flavofasciatum</i> Blanchard in Orbigny, 1843:209	Chile, s Argentina (RN-SC)	
<i>larsoni</i> Cerdá, 1980:63	all but preceding moved to Elaph. Chile	
<i>maculicorne</i> Germain, 1898:665	Chile	
Haplidus LeConte, 1873:175		
<i>glabericollis</i> Chemsak & Linsley, 1964:218	s Mexico (CHS)	
<i>laticeps</i> Knull, 1941:317	sw USA (TX), Mexico	
<i>mandibularis</i> Chemsak & Linsley, 1963:229	sc Mexico (PU)	
<i>nitidus</i> Chemsak & Linsley, 1963:228	c Mexico (MO)	
<i>parvulus</i> Chemsak & Linsley, 1963:230	c Mexico (ZA)	
<i>pubescens</i> Chemsak & Linsley, 1964:219	wc Mexico (DU)	
<i>testaceus</i> LeConte, 1873:176	w USA (CA, AZ, NM)	
<i>breviceps</i> Casey, 1924:250		
Hesperanoplium Linsley, 1957:18		
<i>antennatum</i> (Linsley, 1932:115)	w USA (CA)	
<i>notabile</i> (Knull, 1947:72)	w USA (CA)	
Hespereburia Tavakilian & Monné, 1991:166		
<i>balouporum</i> Tavakilian & Monné, 1991:168	Fr Guiana	
<i>brachypa</i> Bates, 1870:260	n Brasil (PA), Fr Guiana	
Hesperophanes Dejean, 1835:328		
<i>Anoplium</i> Haldeman, 1847:34		
<i>Trichoferus</i> Wollaston, 1854:427		
<i>Stromatium</i> ; LeConte, 1873:301 (not Audinet-Serville, 1834)		
<i>inspergatus</i> Fairmaire & Germain, 1859:509 moved to Elaph.	Chile	
<i>obscurus</i> Germain, 1898:649		
<i>pubescens</i> (Haldeman, 1847:34)	e NAm	
Hesperophanoschema Zajciw, 1970:263		
<i>hirsutum</i> Zajciw, 1970:264	e Brasil (ES)	
Hesperophymatus Zajciw, 1959:613		
<i>chydaeus</i> Martins & Monné, 1975:277	n Argentina (SA)	
<i>limexylon</i> Zajciw, 1959:614	se Brasil (RJ)	
Heteranefflus Chemsak & Linsley, 1963:226		
<i>castaneus</i> Chemsak & Linsley, 1963:227	se Mexico (QR)	
Liosteburia Tavakilian & Monné, 1991:158		
<i>bleuzeni</i> Tavakilian & Monné, 1991:158	Fr Guiana, nw Brasil (AM)	
Malobidion Schaeffer, 1908:336		
<i>auricome</i> Chemsak & Linsley, 1963:211	se Mexico (YU)-Honduras	
<i>brunneum</i> Schaeffer, 1908:337	w USA (UT, AZ), Mexico (SO)	
<i>uteanum</i> Casey, 1924:258		
<i>palpalis</i> Linsley, 1932:114		
<i>grande</i> Chemsak & Linsley, 1963:211	Mexico (OA)-Honduras	
Meganoplium Linsley, 1940:258		
<i>imbelle</i> (LeConte, 1881:27)	sw USA (CA), Baja Calif	

Megosmidus	Hovore, 1988:5	
	tuberculatus	Hovore, 1988:6
		Baja Calif
Nesophanes	Chemsak, 1967:184	
	fulgidum	Chemsak, 1967:184
		Bahamas
Ochrus	Lacordaire, 1869:225	
	<i>Jabaquara</i>	Lane, 1956:1
	<i>Eurymeropsis</i>	Zajciw, 1960:397
	chapadense	Napp & Martins, 1982:367
	duplicatus	Napp & Martins, 1982:368
	<i>grammoderus</i>	Lacordaire, 1869:225
	<i>fuscofasciata</i>	Zajciw, 1960:398
	ornatus	(Fisher, 1935:189)
	tippmanni	(Lane, 1956:1)
	<i>bucki</i>	Fuchs, 1961:5
		c Brasil (MT) c Brasil (PA, MT) Fr Guiana, Surinam, nc Brasil (AM, PA), Ecuador
Oraphanes	Chemsak & Linsley, 1984:283	
	binotatum	Chemsak & Linsley, 1984:284
		w Mexico (CM)
Osmidus	LeConte, 1873:177	
	guttatus	LeConte, 1873:178
		<i>obscurellus</i> Casey, 1924:255
		<i>vestitus</i> Casey, 1924:255
		sw USA (CA, AZ, NE), w Mexico (OA, SO), Baja Calif
Paraliostola	Tavakilian & Monné, 1991:163	
	durantoni	Tavakilian & Monné, 1991:164
		Fr Guiana, c Brasil (AM, MT)
Parandraceps	Giesbert, 1998: 75	
	turnbowi	Giesbert, 1998: 75
		Dominican Republic
Penichroa	Stephens, 1839:270	
	<i>Exilia</i> ; Mulsant, 1863:131 (not Conrad, 1860)	
	<i>Liagrica</i> Costa, 1855:59	
	fasciata	(Stephens, 1831:250)
		<i>bipunctatum</i> Zoubkoff, 1833:336
		<i>fasciolatum</i> Krynický, 1834:170
		<i>timidum</i> Ménétries, 1832:288
		<i>champlaini</i> Knoll, 1941:695
		Europe, Asia, n USA (NY, PA, ID)
Perilasius	Bates, 1880:17	
	brunneus	Franz, 1954:217
	championi	Bates, 1880:18
		Guatemala, El Salvador Mexico (CHS)-Honduras
Phrynocris	Bates, 1867:26	
	notabilis	Bates, 1867:26
		c Brasil (AM, PA, MT), Fr Guiana, Costa Rica, Ecuador
Phymatioderus	Blanchard in Orbigny, 1843:209	
	bizonatus	Blanchard in Orbigny, 1843:209
		Chile, w Argentina (NE)
Potiaete	Martins & Galileo, 1999: 60	
	maculata	Martins & Galileo, 1999: 61
		e Brasil (ES)
Stromatium	Audinet-Serville, 1834:80	
	<i>Solenophorus</i>	Mulsant, 1839:65
	alienum	Pascoe, 1857:95
	chilensis	Cerda, 1968:105
		e Brasil (ES) Chile

fulvum (Villers, 1789:256)	Europe, introduced in NAmer, Cuba, SAmer
<i>unicolor</i> Olivier, 1795:58	
<i>strepens</i> Fabricius, 1798:150	
<i>pallidum</i> Zoubkoff, 1833:336	
longicorne (Newman, 1842:246)	Asia, introduced in USA
<i>asperulum</i> White, 1855:300	
 Thecladoris Gounelle, 1909:616	
tylonotoides Gounelle, 1909:617	c Brasil (GO, MT)
 Tylonotus Haldeman, 1847:37	
bimaculatus Haldeman, 1847:38	e NAmer-TX, AZ
masoni (Knull, 1928:11)	e USA
 Vilchesia Cerdá, 1980:63	
valenciae Cerdá, 1980:63	Chile
 Xeranoplium Linsley, 1957:15	
bicolor Chemsak & Linsley, 1963:224	sw Mexico (GR)
flavofemoratum Chemsak & Linsley, 1963:226	sw Mexico (GR)
peninsulare Chemsak & Linsley, 1963:223	Baja Calif
pubescens Chemsak & Giesbert, 1986:25	w Mexico (JA)
puncticolle Chemsak & Linsley, 1963:224	w Mexico (JA, CM)
ruficolle Chemsak & Linsley, 1963:225	sc Mexico (PU)
tricallosum (Knull, 1938:140)	w USA (AZ, CO)
<i>gracile</i> Linsley, 1957:16	
 Zamodes LeConte, 1873:187	
obscurus LeConte, 1873:188	e USA (PA)
 Zathecus Bates, 1867:26	
graphites Bates, 1867:26	c Brasil (AM, MT), Bolivia, Ecuador
 Elaphidiini Thomson, 1864:235	
<i>Elaphidionitae</i> Thomson, 1864:235	
<i>Sphérionides</i> Lacordaire, 1869:312	
<i>Stenosphenini</i> LeConte, 1873:316	
 Adiposphaerion Martins & Napp, 1992:471	
rubrum Martins & Napp, 1992:473	nc Brasil (AM), Ecuador
 Ambonus Gistel, 1848:11	
<i>Trichophorus</i> ; Audinet-Serville, 1834:17 (not Temminck, 1821)	
<i>Crocidastus</i> Pascoe, 1867:319	
albomaculatus (Burmeister, 1865:167)	Argentina, Uruguay
distinctus (Newman, 1840:6)	e Brasil, Paraguay, Argentina, Uruguay
electus (Gahan in Gahan & Arrow, 1903:254)	Honduras, Brasil, Bolivia, Argentina
interrogationis (Blanchard in Orbigny, 1843:208)	ec-se Brasil, Bolivia, Paraguay, Argentina
lippus (Germar, 1824:508)	e Brasil, Paraguay, Argentina
proximus (Berg, 1889:117)	w Argentina (ME)
variatus (Newman, 1841:94)	se Brasil (RJ)
yucatanus (Fuchs, 1961:4)	se Mexico (QR)
 Amethysphaerion Martins & Monné, 1975:290	
eximum Martins & Napp, 1992:466	Ecuador
falsus Martins, 1995:747	Venezuela
<i>trinidadense</i> Martins & Napp, 1992:470 (not Gilmour, 1963)	
guarani Martins & Napp, 1992:468	Paraguay
jocosum Martins & Napp, 1992:468	se Brasil (ES)

nigripes Martins & Monné, 1975:290
submetallicum Martins & Napp, 1992:468
trinidadensis (Gilmour, 1963:90)

s Brasil (PR), Bolivia
e Brasil (MG)
Trinidad

Aneflomorpha Casey, 1912:291

Anepsyra Casey, 1912:291	
aculeata (LeConte, 1873:184)	sw USA (TX)
arizonica Linsley, 1936:475	sw USA (AZ)
australis Linsley, 1942:37	Baja Calif
cazieri Chemsak, 1962:107	sw USA (AZ)
citrana Chemsak, 1960:149	sw USA (AZ)
cribellata (Bates, 1892:152)	sw Mexico (GU)
crinita Chemsak & Linsley, 1975:202	wc Mexico (MI, ME)
delongi (Champlain & Knull, 1922:147)	se USA (FL)
fisheri Linsley, 1936:475	sw USA (TX)
giesberti Chemsak & Linsley, 1975:201	Mexico (SI, JA, CHS)
gilana Casey, 1924:243	sw USA (AZ)
gracilis (Linsley, 1935:75)	c Mexico (ME)
grandicolle (Linsley, 1942:40)	Baja Calif
lineare (LeConte, 1859:80)	w USA (CA, NE, OR), Baja Calif
<i>longipennis</i> Casey, 1912: 294	
<i>tenue</i> ; Craighead, 1923:75 (not LeConte, 1854)	
linsleyae Chemsak, 1962:105	sw USA (AZ)
luteicornis Linsley, 1957:285	sw USA (AZ)
martini Chemsak & Linsley, 1968:32	w Mexico (SI)
mexicana (Linsley, 1935:74)	c Mexico (ME)
minuta Chemsak, 1962:103	sw USA (AZ)
opacicornis Linsley, 1957:285	sw USA (TX)
parkeri Knull, 1934:334	sw USA (AZ)
parowana Casey, 1924:242	w USA (CA, OR, UT, NM)
<i>testacea</i> Casey, 1924:243	
<i>elongata</i> Linsley, 1936:473	
<i>californica</i> Linsley, 1936:476	
preclarus Chemsak & Linsley, 1975:203	s Mexico (CHS)
rectilinea rectilinea Casey, 1924:243	sw USA (AZ, NM, TX)-w Mexico (SI, JA), Baja Calif
<i>spinicornis</i> Linsley, 1935:147	
<i>duncani</i> Linsley, 1936:472	
subsp. <i>yumae</i> Giesbert & Hovore, 1976:97	
rosaliae Linsley, 1942:38	sw USA (AZ)
ruficollis Chemsak & Linsley, 1975:203	Baja Calif
rufipes Chemsak & Linsley, 1968:31	w Mexico (SI, DU)
seminuda Casey, 1912:294	w Mexico (SI, OA)
<i>texana</i> Linsley, 1936:473	sw USA (TX)
semirufa Linsley, 1935:146	sw Mexico (OA, CHS), Guatemala
subpubescens (LeConte, 1862:41)	e USA
tenuis (LeConte, 1854:81)	sw USA (TX), n Mexico
unispinosa Casey, 1912:295	sw USA-nw Mexico (CHA)
volitans (LeConte, 1873:186)	Baja Calif
wernerii Chemsak, 1962:106	sw USA (TX)

Aneflus LeConte, 1873:185

Protaneflus Linsley, 1934:233	
Axestinus LeConte, 1873:177	
Proteinidium Bates, 1892:149	
<i>basicornis</i> Linsley, 1936:471	w Mexico (SI)
<i>bullocki</i> Chemsak & Giesbert, 1986:28	w Mexico (JA)
<i>calvatus</i> Horn in Leng, 1885:132	sw USA, nw Mexico (SO, SI), Baja Calif
<i>cylindricollis</i> Bates, 1892:147	e Mexico (VC)
<i>glabropunctatus</i> Chemsak & Linsley, 1963:84	se Mexico (YU)
<i>humeralis</i> Chemsak & Linsley, 1963:90	c Mexico (ME)
<i>levettei</i> (Casey, 1891:29)	sw USA (AZ), nw Mexico
<i>levetti</i> ; Linsley, 1936:475	
<i>longissimus</i> (Bates, 1885:250)	e Mexico (VC)

- maryannae** Chemsak & Linsley, 1968:27
minutivestis Chemsak & Linsley, 1963:85
nivarius Chemsak & Linsley, 1963:91
obscurus (LeConte, 1873:177)
 brevicorne Bates, 1892:150
paracalvatus Knull, 1955:221
 prosopidis Linsley, 1957:20
pilosicornis Chemsak & Linsley, 1965:26
planus Franz, 1954:219
poriferus Giesbert, 1993:139
prolixus **prolixus** LeConte, 1873:203
 subsp. *fisheri* Knull, 1934:335
 subsp. *insoletus* Chemsak & Linsley, 1963:88
protensus **protensus** (LeConte, 1858:82)
 cochisensis Casey, 1912:296
 subsp. *pallidus* Tyson, 1968:142
pubescens (Linsley, 1934:233)
rugicollis Linsley, 1935:74
sericatus Chemsak & Linsley, 1968:26
sonoranus Casey, 1924:241
 obscurus; Leng, 1885: pl.2, fig.27 (not LeConte, 1873)
variegatus Chemsak & Linsley, 1963:93
zilchi Franz, 1954:218
- w Mexico (SI)
Mexico (SLP, TB)-Panama
s Mexico (JA, OA, VC, CHS)
sw USA (AZ-TX), nw Mexico (CHA)
- sw USA (AZ), nw Mexico
- Guatemala, Costa Rica
El Salvador, Costa Rica
s Mexico (CHS)
Baja Calif
sw USA (AZ, NM), n Mexico (SO)
sw USA (TX), n Mexico (CHA-TA, SLP, HI, DU)
sw USA (CA-TX), n Mexico (SO), Baja Calif
- sw USA (AZ, CA)
Mexico (JA, VC, YU)-Panama
w Mexico (SO, SI, NA, MO, ME, GR)
se Mexico (YU)
sw USA (AZ, TX), nw Mexico (SO)
- se Mexico (YU)
El Salvador
- Anelaphus** Linsley, 1936:464
- Elaphidionoides* Linsley, 1957:283
Peranoplum Linsley, 1957:17
albofasciatus (Linell, 1897:393)
 linelli Casey, 1924:246
badius Chemsak, 1991:478
belkini Skiles, 1985:307
brevidens (Schaeffer, 1908:333)
 quadricolle Casey, 1924:246
cerussatus (Newman, 1841:111)
cinereus (Olivier, 1795:69)
 subtropicum Casey, 1924:245
 nanum; Gahan, 1895:103 (not Fabricius, 1792)
curacaoensis Gilmour, 1968:133
daedaleus (Bates, 1874:219)
davisi Skiles, 1985:308
debilis (LeConte, 1854:442)
dentatus Chemsak, 1962:110
eximum (Bates, 1885:250)
giesberti Chemsak & Linsley, 1979:269
guttiventre (Chevrolat, 1862:261)
hoferi (Knull, 1934:69)
inermis (Newman, 1840:29)
 truncatum Haldeman, 1847:33
 grisescens Bates, 1885:249
inflaticollis Chemsak, 1959:165
inornatum (Chemsak & Linsley, 1979:270)
jansoni Linsley, 1961:7
lanuginosus (Bates, 1885:250)
maculatum (Chemsak & Noguera, 1993:76)
michelbacheri Linsley, 1942:42
misellus (Bates, 1885:251)
moestus **moestus** (LeConte, 1854:442)
 laterale Casey, 1914:365
 subsp. *pinorum* (Casey, 1914:365)
nanus (Fabricius, 1792:300)
 thomae Gahan, 1895:104
nitidipennis Chemsak & Linsley, 1968:33
niveivestitus (Schaeffer, 1905:132)
 niveipenne; Schaeffer, 1908:327
- sw USA (AZ, CA)
- w Mexico (JA, SI)
sw USA (TX)
sw USA (CA-TX), n Mexico, Baja Calif
- Argentina
se USA (FL), Bahamas, Cuba, Hispaniola,
Jamaica
- Curaçao
s Mexico (YU, QR)-Costa Rica
sw USA (TX)
sw USA (TX), ne Mexico
sw USA (AZ)
sw Mexico (OA)
Guatemala, Honduras
Cuba
sw USA (AZ), n Mexico
s USA (GA-TX), Bahamas, Guadeloupe,
Greater Antilles, e Mexico (VC)-Nicaragua
- sw USA (CA)
Honduras
Nicaragua, Costa Rica
Guatemala
w Mexico (JA)
Baja Calif
Guatemala-Panama
sw USA (TX-AZ), Mexico (CO)
- e USA (NC)
W Indies (Puerto Rico, Virgin Is)
- w Mexico (CM, SI, JA, OA)
sw USA (TX)

panamensis Linsley, 1961:39	Panama
parallelus (Newman, 1840:29)	e N Amer
<pulverulentum 1795:69<="" olivier,="" p=""></pulverulentum>	
<arctum 1840:29="" newman,=""></arctum>	
<oblitum 1850:14="" leconte,=""></oblitum>	
<medialis 1912:302="" casey,=""></medialis>	
<medialis 1912:303="" canadensis="" casey,=""></medialis>	
<medialis 1912:303="" casey,="" densicollis=""></medialis>	
<defectus 1912:303="" casey,=""></defectus>	
<molliculus 1912:304="" casey,=""></molliculus>	
pieceum (Chemsak, 1962:111)	sw USA (CA, AZ)-w Mexico (JA)
pumilus (Newman, 1840:29)	e USA-TX
punctatus (LeConte, 1873:185)	Baja Calif
robi Hrabovsky, 1987:135	c Brasil (AM, PA, MT), Fr Guiana
rusticus (LeConte, 1850:14)	N Amer
simile (Schaeffer, 1908:334)	sw USA (AZ), n Mexico
souzai (Zajciw, 1964:433)	c Brasil, Fr Guiana, Fernando de Noronha
spurcus (LeConte, 1854:442)	sw USA (TX), Mexico
subdepressum (Schaeffer, 1904:222)	sw USA (AZ), nw Mexico, Baja Calif
subfasciatus (Gahan, 1895:103)	Guadeloupe
subinermis Linsley, 1957:286	sw USA (TX), Mexico
<antennatus 1959:166="" chemsak,=""></antennatus>	
submoestus Linsley, 1942:42	sw USA (AZ), Baja Calif
subseriatus (Bates, 1885:250)	Panama
tuckeri (Casey, 1924:247)	sw USA (CA-TX)
<nanulum 1924:247="" casey,=""></nanulum>	
undulatum (Bates, 1880:25)	Mexico (VC)-Costa Rica
vernus Chemsak, 1991:479	w Mexico (JA)
villosus (Fabricius, 1792:302)	e N Amer-TX, Cuba
<putator 1819:307="" peck,=""></putator>	
<pruininosum 1844:225="" guérin-méneville,=""></pruininosum>	
<abruptus 1912:301="" casey,=""></abruptus>	
<villosus 1912:302="" casey,="" scuticularis=""></villosus>	
<lacustris 1912:302="" casey,=""></lacustris>	
breviusculus Casey, 1914:364	
militaris Casey, 1914:364	
Anopliomorpha Linsley, 1936:465	
antennata Chemsak & Noguera, 1993:73	w Mexico (JA, NA)
gracilis Chemsak & Noguera, 1993:74	w Mexico (SO, SI, JA, OA, CHS)
hirsutum (Linsley, 1935:76)	Mexico (ME, MO, SI)
reticolle (Bates, 1885:254)	Mexico (DU, OA, JA, NA, CHS)-Honduras
rinconium (Casey, 1924:248)	sw USA (AZ)-w Mexico, Baja Calif
xylebora Cazier & Lacey, 1952:21	Bahamas
Anoplocurius Fisher, 1920:153	
altus Knull, 1942:224	sw USA (TX, NM, AZ)
canotiae Fisher, 1920:154	sw USA (AZ), nw Mexico (SO)
incompletus Linsley, 1942:47	sw USA (CA), Baja Calif
Apoclausirion Martins & Napp, 1992:475	
nigricorne Martins & Napp, 1992:475	c Brasil (MT)
Aposphaerion Bates, 1870:275	
longicolle Bates, 1870:275	nc Brasil (AM), Fr Guiana
punctulatum Martins & Napp, 1992:470	nc Brasil (AM)
Appula Thomson, 1864:245	
aliena Martins, 1981:210	c Brasil (MT)
argenteoapicalis Fuchs, 1961:8	Bolivia
lateralis (White, 1853:113)	c Brasil (GO, MT), Fr Guiana
melancholica Gounelle, 1909:650	ec Brasil (GO), Paraguay

nigripes Bates, 1870:279	n Brasil (PA)
sericatula Gounelle, 1909:649	e Brasil (GO, ES-SP)
undulans (White, 1853:114)	Brasil
Astromula Chemsak & Linsley, 1965:145	
nitidum Chemsak & Linsley, 1965:147	sw USA (CA)
Atharsus Bates, 1867:25	
nigricauda Bates, 1867:25	c Brasil (PA, MT)
Atylostagma White, 1853:97	
glabra Schaeffer, 1909:99	sw USA (AZ)-s Mexico
polita White, 1853:97	Mexico-Panama
Castiale Pascoe, 1866:480	
elegantula (Perroud, 1855:381)	e Brasil (GO, MT-RJ), Paraguay
viridipennis Pascoe, 1866:480	
Centrocerum Chevrolat, 1861:189	
divisum Martins & Monné, 1975:283	s Brasil (SC, RS)
exornatum (Newman, 1841:111)	Argentina
<i>argentinum</i> Burmeister, 1865:174	
hirsuticeps Bosq, 1952:95	n Argentina (JU, TU)
richteri Bruch, 1911:167	s Argentina (CT)
Clausirion Martins & Napp, 1984:63	
bicolor Galileo & Martins, 2000: 160	Brasil (MG, PA), Fr. Guiana
comptum Martins & Napp, 1984:63	Guianas, c Brasil (RO, MT)
Conosphaeron Linsley, 1935:77	
<i>Conosphaerion</i> ; Linsley, 1961:173	
concolor concolor Linsley, 1935:78	Mexico (MO, ME, JA, GR, PU, CHS)
subsp. bicolor Chemsak & Linsley, 1967:289	n Mexico (SO)
subsp. piceum Linsley, 1935:141	w Mexico (SI)
spinipenne Chemsak & Linsley, 1967:289	Panama
Curtomerus Stephens, 1839:275	
<i>Cylindera</i> Newman, 1833:509	Ecuador
<i>Lampromerus</i> Thomson, 1860:202	se USA (FL), Cuba
<i>Cyrtomerus</i> ; Gemminger & Harold, 1872:2836	se USA (FL), W Indies, Guiana, Venezuela,
<i>Cylindrodera</i> Gemminger & Harold, 1872:2922	Hawaii, Tahiti
<i>Sotenus</i> Sharp, 1878:205	
brunneus (Kirsch, 1889:37)	Cuba
fasciatus (Fisher, 1932:49)	Colombia
flavus (Fabricius, 1775:191)	Haiti
<i>pilicorne</i> Fabricius, 1792:327	Bolivia
<i>luteum</i> Stephens, 1831:249	
<i>pallida</i> Newman, 1833:510	
<i>setiger</i> Sharp, 1878:205	
<i>subflavus</i> Chemsak, 1966:213	
glabrus (Fisher, 1932:51)	
politus Martins, 1995:743	
puncticollis (Fisher, 1932:50)	
purus Martins, 1974:150	
Elaphidion Audinet-Serville, 1834:66	
<i>Elaphidium</i> ; Agassiz, 1846:135	
<i>Cyclopleurus</i> Hope, 1835:107	
<i>Centrocerum</i> ; Thomson, 1864:244 (not Chevrolat, 1861)	
albosignatum Chevrolat, 1862:259	Cuba

androsensis	Fisher, 1942:7	Bahamas
angustatum	Zayas, 1975:79	Cuba
antillarum	Fisher, 1932:42	Haiti
bahamicae	Cazier & Lacey, 1952:15	Bahamas
bidens	(Fabricius, 1787:143)	America
	<i>bispinosus</i> Gmelin, 1790:1859	
cayamae	Fisher, 1932:24	Cuba
cinnabarinum	Fisher, 1942:11	Cuba
clavis	Linsley, 1957:284	se USA (SC-FL)
compressipenne	Fisher, 1932:35	Haiti
confusum	Fisher, 1932:32	Haiti
conspersum	Newman, 1841:110	W Indies
	<i>excelsum</i> ; Zayas, 1975:86 (not Gahan, 1895)	
costipenne	Fisher, 1932:39	Haiti
crispulum	Fisher, 1947:30	Puerto Rico
crystalensis	Zayas, 1975:82	Cuba
cryptum	Linsley, 1963:79	se USA (FL)
cubae	Fisher, 1932: 27	Cuba
curacaoe	Gilmour, 1968:128	Curaçao
densevestitum	Fisher, 1942:10	Jamaica
difflatus	Zayas, 1975:84	Cuba
depressum	Zayas, 1975:83	Cuba
dozieri	Fisher, 1932:38	Haiti
elegans	Chevrolat, 1861:190	e Brasil (GO, MT-RS), Paraguay, Argentina
	var. <i>hirsutum</i> Chevrolat, 1861:191	
	var. <i>jocosum</i> Chevrolat, 1861:191	
	var. <i>puberulum</i> Chevrolat. 1861:190	
elongatum	Fisher, 1942:14	Cuba
excelsum	Gahan, 1895:101	Guadeloupe
fasciatum	Fisher, 1932:28	Cuba, Bahamas
frisevestitum	Fisher, 1942:13	Cuba
fullonium	Newman, 1841:110	Haiti
glabratum	(Fabricius, 1775:180)	W Indies
	<i>mite</i> Newman, 1840:27	
	<i>insulare</i> Newman, 1840:27	
	<i>cobbeni</i> Gilmour, 1963:81	
	<i>hummelincki</i> Gilmour, 1963:84	
glabriuscum	(Bates, 1885:251)	Panama
gracilis	Fisher, 1932:43	Cuba
hispaniolae	Fisher, 1932:30	Hispaniola
irroratum	(Linnaeus, 1767:633)	USA, Mexico-Panama, W Indies
	<i>ordinatum</i> Newman, 1840:26	
	<i>tessellatum</i> Newman, 1840:26	
	<i>insulare</i> ; Gilmour, 1963:81 (not Newman, 1840)	
jamaicensis	Fisher, 1932:40	Jamaica
jibacoense	Zayas, 1975:92	Cuba
knulli	Linsley, 1957:18	se USA (FL)
laeve	White, 1853:102	Honduras
lanatum	Chevrolat, 1862:260	Cuba
lewisi	Fisher, 1941:111	W Indies (Cayman Is)
linsleyi	Knull, 1960:7	sw USA (TX)
lucidum	(Olivier, 1795:59)	Hispaniola
	<i>elevatum</i> Schoenherr, 1817:459	
manni	Fisher, 1932:21	Bahamas
	<i>wickhami</i> Fisher, 1935:192	
mimeticum	Schaeffer, 1905:132	sw USA (TX), Mexico (JA, QR), Belize
	<i>elaphidionoides</i> Fuchs, 1961:2	
monticola	Fisher, 1935:191	Cuba
mucronatum	(Say, 1824:427)	e N Amer-TX
	<i>glabratum</i> ; Newman, 1840:27 (not Fabricius, 1775)	
	<i>nebulosum</i> Guérin-Méneville, 1844:225	
	<i>muricatum</i> Haldeman, 1847:33	
	<i>muricatum</i> var. <i>vestitum</i> Haldeman, 1847:34	
newmani	Haldeman, 1847:375	c Brasil (MT), Bolivia

<i>njumanii</i> ; Haldeman, 1847:375	
<i>bidens</i> Newman, 1840:25 (not Fabricius, 1787)	
niveonotatum Zayas, 1975:96	Cuba
pauropilosum Zayas, 1975:98	Cuba
pilosum Fisher, 1932:36	R Dominicana
pseudonomon Ivie, 1985:311	Puerto Rico, Virgin Islands
<i>glabratum</i> ; Gahan, 1895:100 (part) (not Fabricius, 1775)	
<i>insulare</i> ; Chemsak, 1966:212 (not Newman, 1840)	
quadriruberculatum Chevrolat, 1862:259	Cuba
rotundipenne Fisher, 1932:23	R Dominicana
scabricolle (Bates, 1872:175)	Nicaragua
scaramuzzai Fisher, 1951:77	Cuba
signaticolle Chevrolat, 1862:261	Cuba, Bahamas, Hispaniola
spinicorne (Drury, 1773:92)	W Indies (Greater Antilles, St. Martin)
<i>insularis</i> Gmelin, 1790:1859	
<i>armatus</i> Voet, 1806:27	
splendidum Fisher, 1932:19	Cuba, Hispaniola
tectum LeConte in Schwarz, 1878:414	se USA (FL)
thompsoni Fisher, 1941:112	W Indies (Cayman Is)
tomentosum Chevrolat, 1862:260	W Indies (Greater Antilles, Montserrat)
transversum White, 1853:101	Jamaica
truncatipenne Fisher, 1941:113	W Indies (Cayman Is)
tuberculicolle Fisher, 1932:25	Cuba
uncinatum Zayas, 1975:105	Cuba
unispinosum Fisher, 1942:9	Cuba
variolosum Fisher, 1947:32	Cuba
williamsi Chemsak, 1967:185	Bahamas

Elaphidionopsis Linsley, 1936:467
fasciatipennis Linsley, 1936:467

sw USA (TX), n Mexico (CO)

Enaphalodes Haldeman, 1847:151

<i>Romaleum</i> White, 1855:309	
<i>Hypermallus</i> Lacordaire, 1869:302	
<i>Thersalus</i> Pascoe, 1865:372	
<i>archboldi</i> Lingafelter & Chemsak, 2002: 571	seUSA (FL)
<i>atomarius</i> (Drury, 1773:93)	e N Amer- AZ, Mexico (VC)-Honduras
<i>mariolandicus</i> Fabricius, 1775:179	
<i>mariolandicum</i> ; Haldeman, 1847:32	
<i>pulverulentus</i> DeGeer, 1775:299	
<i>variegatus</i> Goeze, 1777:481	
<i>multicolor</i> Gmelin, 1790:1857	
<i>bispinosus</i> Pascoe, 1863:562	
<i>bispinus</i> ; Lacordaire, 1869:303	
<i>thoracicum</i> Casey, 1912:297	
<i>decipiens</i> (Bates, 1884:248)	
<i>atomarium</i> ; Bates, 1880:24 (not Drury, 1773)	
<i>coronatus</i> (White, 1853:100)	Mexico-Costa Rica
<i>corpiphagus</i> (Craighead, 1923:69) (larva)	ne USA- AZ , n Mexico (SO)
<i>Knull</i> , 1927:116 (adult)	
<i>cylindricus</i> (Knull, 1927:116)	
<i>hispicornis</i> (Linnaeus, 1767:634)	USA, nMexico
<i>spinicornis</i> ; Chevrolat, 1861:248	
<i>simplicicollis</i> Haldeman, 1847:151	
<i>lecontei</i> Haldeman, 1847:151	
<i>operarium</i> White, 1855:309	
<i>procerum</i> LeConte, 1859:88	
<i>niveitector</i> (Schaeffer, 1905:160)	sw USA (AZ), n Mexico
<i>rufulus</i> (Haldeman, 1847: 32)	e N Amer, AZ
<i>mancum</i> Casey, 1912:298	
<i>crinocrine</i> Casey, 1912:298	
<i>seminitidus</i> (Horn in Leng, 1885:130)	sw USA (AZ, CA)
<i>taeniatus</i> (LeConte, 1854:81)	sw USA (TX), ne Mexico
<i>senex</i> Bates, 1884:248	

Etymosphaerion	Martins & Monné, 1975:285	
unicolor	Martins & Monné, 1975:285	Bolivia
Eurysthea	Thomson, 1860:247	
<i>Euristhea</i>	Lacordaire, 1869:321	Bolivia
magnifica	Martins, 1985:174	se Brasil (MG-RJ)
obliqua	(Audinet-Serville, 1834:18)	
Eustromula	Cockerell, 1906:242	
<i>Eustroma</i>	LeConte, 1873:186	Mexico (Tres Marias Is)
keiferi	Linsley, 1934:108	sw USA (CA-TX), n Mexico, Baja Calif
validum	(LeConte, 1858:82)	
<i>huachuciae</i>	Casey, 1924:245	
<i>politum</i>	Casey, 1924:246	
Gymnopsyra	Linsley, 1937:67	
aspera	Knoll, 1962:105	sw USA (TX, NM, AZ)
bupalpa	Chemsak, 1991:477	w Mexico (JA)
chemsaki	Linsley, 1963:98	sw USA (AZ)
magnipunctata	(Knoll, 1934:12)	sw USA (TX, NM, AZ)
<i>phoracanthoides</i>	Linsley, 1937:68	
Hemilissopsis	Lane, 1959:306	
clenchi	Lane, 1959:306	c Brasil (PA, RO), Fr Guiana
Hoplogrammicosum	Gounelle, 1913:210	
cinnamomeum	Gounelle, 1913:211	n Argentina (SE)
Ironeus	Bates, 1872:178	
duplex	Bates, 1872:179	Mexico-Costa Rica
mutatus	Bates, 1885:255	e Mexico (VC)
pulcher	Bates, 1880:29	Mexico-Panama, Venezuela, Bolivia
Iuaca	Galileo & Martins, 2000: 162	
nigromaculata	Galileo & Martins, 2000: 163	Bolivia
Jampruca	Napp & Martins, 1982:362	
nigricornis	Napp & Martins, 1982:364	e Brasil (MG, ES)
tyligma	Napp & Martins, 1982:365	e Brasil (BA, MG)
Linsleyonides	Skiles, 1985:316	
albomaculatus	(Champlain & Knoll, 1922:146)	se USA (FL), Cuba
chemsaki	Skiles, 1985:317	Jamaica
portoricensis	(Fisher, 1932:33)	Puerto Rico
Mallocera	Audinet-Serville, 1833:567	
amazonica	Bates, 1870:278	c Brasil (AM, PA, MT), Peru, Fr Guiana,
<i>aureotincta</i>	Linsley, 1934:198	Ecuador, Trinidad
glauca	Audinet-Serville, 1833:567	Guianas, Brasil (AM, PE-SC), Paraguay,
<i>sericata</i>	Newman, 1840:5	Argentina
ramosa	Gounelle, 1909:647	e Brasil, Paraguay, Argentina
simplex	White, 1853:113	e Brasil (PE-ES)
<i>pickeli</i>	Melzer, 1931:52	Nicaragua-Panama
<i>spinicollis</i>	Bates, 1872:179	e Brasil (GO, MG), Paraguay
<i>umbrosa</i>	Gounelle, 1909:648	
Meganeffus	Linsley, 1961:180	
fulvipennis	(Bates, 1892:148)	e Mexico (VC, SLP), Belize

Megapsyrassa Linsley, 1961:176

<i>Pseudaneplus</i> Chemsak & Linsley, 1963:85	w Mexico (JA, CHS), Costa Rica
atkinsoni Chemsak & Giesbert, 1986:31	se Mexico (YU)
auricomis (Chemsak & Linsley, 1963:86)	s Mexico (CHS)
chiapaneca Giesbert, 1993:142	w Mexico (JA)
linsleyi Chemsak & Giesbert, 1986:29	sw Mexico (OA)
puncticollis (Chemsak & Linsley, 1963:87)	s Mexico (CHS), Guatemala
testacea Giesbert, 1993:140	Guatemala-Panama
xestiooides (Bates, 1872:177)	

Mephritis Pascoe, 1866:479

<i>Nephalius</i> ; Gounelle, 1907:243 (not Newman, 1841)	
adelphus (Martins, 1973:207)	e Brasil (MG)
amictus (Newman, 1841:93)	e Brasil (GO, ES-SP)
<i>cinerascens</i> Lucas, 1857:186	
<i>cinerascens</i> Pascoe, 1866:480	
apicatus (Linsley, 1935:140)	Costa Rica, Panama
auricolle Tavakilian & Martins, 1991:193	Fr Guiana, nw Brasil (AM)
blandus (Newman, 1841:112)	Guianas, Brasil (GO, MT, MG-RS)
<i>detritum</i> Lameere, 1890: clxxii	
callidioides (Bates, 1870:272)	c Brasil (PA, GO, MT)
castaneus Martins & Napp, 1992:464	Peru
citreus Napp & Martins, 1982:85	e Brasil (BA)
destitutus Napp & Martins, 1982:83	c Brasil (GO, MT)
diabolicus (Lameere, 1890:clxxi)	e Brasil (PB, GO, MT, MG, SP)
flavipes (Gounelle, 1909:641)	e Brasil (GO, BA-SP)
fraterculus Martins & Napp, 1992:464	Peru
genuinus Napp & Martins, 1982:81	se Brasil (RJ-PR)
guttatus Napp & Martins, 1982:82	e Brasil (MG)
quadrimaculatus Martins & Napp, 1992:462	Bolivia
serius (Newman, 1841:93)	e Brasil (GO, ES-SP)

Metironeus Chemsak, 1991:470

hesperus Chemsak, 1991:470	w Mexico (SI, SO, NA, GR, OA, PU, MO)
hovorei hovorei Chemsak, 1991:471	w Mexico (JA, OA)-Guatemala
subsp. ruficollis Chemsak, 1991:473	se Mexico (YU, QR)-Guatemala

Micraneflus Linsley, 1957:284

imbellis (Casey, 1914:363)	sw USA (AZ, CA), Baja Calif
-----------------------------------	-----------------------------

Micranoplium Linsley, 1957:18

<i>Anoplium</i> Haldeman, 1847:34 (part)	
unicolor (Haldeman, 1847:34)	e USA
<i>cinerascens</i> LeConte, 1850:15	

Micropsyrassa Linsley, 1961:170

<i>Haplosphaerion</i> Linsley, 1961:173	Mexico-Costa Rica
bimaculata (Bates, 1872:176)	w Mexico (JA)
doyeni Chemsak & Giesbert, 1986:26	sw Mexico (OA)
glabrata Martins & Chemsak, 1966:123	Bolivia, se Brasil (SP)
meridionalis Martins, 1974:143	El Salvador, Costa Rica
minima Martins & Chemsak, 1966:122	Mexico (SLP, CHS)
nitida Martins & Chemsak, 1966:122	Mexico (GR, PU)
opaca Martins & Chemsak, 1966:124	Mexico (JA, MO, PU, GR, YU), Guatemala
pilosella (Bates, 1892:153)	c Mexico (MI, GR, MO, PU)
reticulata Martins & Chemsak, 1966:124	sw Mexico (OA)
stellata Martins & Chemsak, 1966:126	

Miltesthus Bates, 1872:177		
<i>Aulacoscapus</i> Linsley, 1935:148		
<i>marginatus</i> Bates, 1872:178	Guatemala-Panama	
<i>ataxiiformis</i> Linsley, 1935:148		
Minipsyrassa Martins, 1974:141		
<i>bicolor</i> Martins, 1974:142	Bolivia	
<i>guanabarina</i> Martins & Napp, 1992:473	se Brasil (RJ)	
Miopteryx Blanchard in Orbigny, 1843:209		
<i>spiniger</i> Blanchard in Orbigny, 1843:209	Brasil (GO, MT), Bolivia, Paraguay, Argentina, Uruguay	
Morphaneflus Martins & Napp, 1992:465		
<i>prolixus</i> Martins & Napp, 1992:465	nw Argentina (SA, JU)	
Neaneflus Linsley, 1957:19		
<i>brevispinus</i> Chemsak, 1962:109	sw USA (CA-TX)-w Mexico (ZA)	
<i>fuchsii</i> (Wickham, 1905:170)	w USA (AZ, CA, UT,TX), Baja Calif.	
Neomallocera Martins & Napp, 1992:460		
<i>opulenta</i> (Newman. 1841:94)	se Brasil (ES-SC)	
Neoperiboeum Linsley, 1961:171		
<i>juanitae</i> Chemsak, 1991:476	w Mexico (JA, CM, GR)-Guatemala	
<i>villosum</i> (Bates, 1872:176)	Mexico (VC)-Panama	
Nephaliodes Linsley, 1961:172		
<i>nigriventris</i> (Bates, 1874:220)	Mexico-Costa Rica	
<i>rutilus</i> (Bates, 1872:177)	Mexico-Costa Rica	
Nesanoplium Chemsak, 1966:214		
<i>puberulum</i> (Fleutiaux & Sallé, 1889:464)	W Indies (widely distributed)	
Nesiosphaerion Martins & Napp, 1984:62		
<i>caymanensis</i> (Fisher, 1948:225)	W Indies (Cayman Is)	
<i>insulare</i> (White, 1853:109)	Jamaica	
<i>testaceum</i> (Fisher, 1932:45)	Haiti	
Nesodes Linsley, 1935:72		
<i>insularis</i> Linsley, 1935:74	Mexico (Revilla Gigedo Is)	
Nyssicostylus Melzer, 1923:5		
<i>aurivillii</i> Melzer, 1923:6	se Brasil (ES-SP)	
<i>melzeri</i> Chemsak & Martins, 1966:193	Venezuela	
<i>overalli</i> Galileo & Martins, 1990:12	n Brasil (PA)	
<i>phthisicus</i> (Bates, 1885:257)	s Brasil	
<i>subopacus</i> (Bates, 1885:257)	s Brasil (PR)	
Nyssicus Pascoe, 1859:17		
<i>Lampracantha</i> Thomson, 1860:244		
<i>Lampracanthus</i> ; Thomson, 1860:376	nc Brasil (AM), Fr Guiana, Ecuador	
<i>aureopilosus</i> Lacey, 1949:4	Fr Guiana, nc Brasil (AM), Peru, Bolivia	
<i>conspicillatus</i> (Erichson, 1847:141)		
<i>quadriguttatus</i> Buquet, 1860:627 (not Swederus, 1787)		
<i>quadrinus</i> Bates, 1870:271	Venezuela	
<i>fernandezi</i> Joly & Martinez, 1981:102	Brasil	
<i>quadriguttatus</i> (Swederus, 1787:196)	Venezuela, Fr Guiana	
<i>rosalesi</i> Joly & Martinez, 1981:107		

topographicus Linsley, 1935:109	Costa Rica, Panama
<i>setosus</i> Lacey, 1949:7	
Orwellion Skiles, 1985:311	
<i>Elaphidionoides</i> ; Linsley, 1963:86 (part)	
fasciatum Skiles, 1985:314	Mexico (OA, VC, QR), Guatemala, Belize
gibbulum gibbulum (Bates, 1880:25)	c Mexico-Costa Rica
subsp. arizonicense (Casey, 1891:28)	sw USA (AZ, NM), n Mexico (CHA, SO)
lineatum Skiles, 1985:313	se Mexico (QR)
occidentalis (Giesbert & Hovore, 1976:95)	sw USA (AZ, CA), Baja Calif
Pantonyssus Bates, 1870:276	
erichsonii (White, 1853:108)	n Brasil (PA), Fr Guiana
flavipes Fisher, 1944:6	Venezuela
glabericollis Fuchs, 1961:7	n Brasil (PA)
nigriceps Bates, 1870:276	se Brasil (RJ), Bolivia
bitincta Gounelle, 1909:646	Panama, Bolivia, sc Brasil (MT, MS, GO)
pallidus Martins, 1995:742	Colombia
puncticollis Martins, 1995:741	Ecuador
Paramallocera Aurivillius, 1912:100	
<i>Mallocera</i> (section 2); Lacordaire, 1869:321	
caesariata Martins, 1995:746	Venezuela
cribripennis (Bates, 1885:256)	Costa Rica-Colombia, Ecuador
fulvoterminata (Berg, 1889:113)	e Brasil (GO, MT, AP-RJ), Argentina
hirca (Berg, 1889:116)	nw Argentina (JU, SA, CA)
hirta (Kirby, 1818:441)	e Brasil (PB-RS), Paraguay, Argentina,
<i>vau</i> Berg, 1889:115	Uruguay
<i>oblita</i> Lameere, 1890: clxxii	
hudepolhi Martins, 1974:144	Bolivia
ilinizae (Kirsch, 1889:38)	Ecuador
<i>angusticollis</i> Bates in Whymper, 1891:37	
koepckeai Franz, 1956:137	Ecuador, Peru
lacordairei (Lacordaire, 1869:321)	se Brasil, Paraguay, Argentina
latefasciata Fonseca-Gessner, 1990:837	Ecuador
martinsi Fonseca-Gessner, 1990:834	Bolivia
nicolai (Aurivillius, 1908:2)	Bolivia, n Argentina (JU)
punctata Fonseca-Gessner, 1990:839	Ecuador
robertsi Fonseca-Gessner, 1990:833	Ecuador, Peru
rotundicollis Martins, 1995:744	Colombia
sordida (Erichson, 1847:140)	Colombia, Venezuela, Ecuador, Peru, Bolivia
<i>dysoni</i> White, 1853:106	
squamifera Martins, 1967:45	Peru, Ecuador
subandina Fonseca-Gessner, 1990:836	Bolivia
Parasphaerion Martins & Napp, 1992:461	
granulosum Martins & Napp, 1992:462	Surinam
Parastizocera Linsley, 1961:176	
procera (Erichson in Schomburg, 1848:572)	Mexico (YU)-Panama, n SAmer
<i>suturale</i> Pascoe, 1866:479	
<i>rubricollis</i> Fisher, 1944:6	
Parelaphidion Skiles, 1985:310	
<i>Elaphidionoides</i> ; Linsley, 1963:86 (part)	
aspersum (Haldeman, 1847:32)	e USA-TX
<i>vicinum</i> Haldeman, 1847:33	
<i>flumineus</i> Casey, 1912:300	
<i>incertus externus</i> Casey, 1912:300	
<i>compactus</i> Casey, 1914:364	
incertum (Newman, 1840:28)	e NAm-TX

<i>neglectum</i> LeConte, 1850:13	
<i>brevicornis</i> Casey, 1912:300	
<i>obsolescents</i> Casey, 1924:244	
mutatum (Gahan, 1890:32)	se USA (FL), Cuba, Puerto Rico
<i>tomentosum</i> Chevrolat, 1862:260 (part)	
<i>lanatum</i> ; Leng, 1890:214 (not Chevrolat, 1862)	
Periboeum Thomson, 1864:245	
<i>Nephalius</i> ; Thomson, 1860:245 (not Newman, 1841)	
<i>acuminatum</i> (Thomson, 1860:245)	e Brasil (MG-SP)
<i>aduncum</i> Napp & Martins, 1984:129	e Brasil (ES)
<i>atylodes</i> Salvador, 1978:19	se Brasil (RJ)
<i>bolivianum</i> Martins & Monné, 1975:289	Bolivia
<i>dilectum</i> Napp & Martins, 1984:128	Ecuador
<i>guttigerum</i> Napp & Martins, 1984:127	e Brasil (ES)
<i>latericum</i> Gounelle, 1909:638	ec Brasil (GO, MT, MG-SP)
<i>maculatum</i> Magno, 1987:433	n Argentina (TU)
<i>metallicum</i> Magno, 1987:431	wc Brasil (RO, MT)
<i>obscuricorne</i> Martins & Monné, 1975:288	Bolivia
<i>ocellatum</i> Gounelle, 1909:640	c Brasil (GO, MT), Bolivia, Paraguay
<i>paraense</i> Napp & Martins, 1984:128	n Brasil (PA), Fr Guiana
<i>paucispinum</i> (Lameere, 1890: clxx)	ec, se Brasil (GO, MG-PR)
<i>piliferum</i> (Erichson, 1847:141)	Peru, Bolivia
<i>pubescens</i> (Olivier, 1790:309)	Trinidad, Venezuela, nc Brasil (AM), Guianas,
<i>ebeninum</i> Bates, 1870:274	Peru, Bolivia, Ecuador
<i>terminatum</i> (Perroud, 1855:374)	se Brasil (ES-RS), Argentina
<i>umbrosum</i> Gounelle, 1909:640	ec Brasil (GO, MT, MG)
<i>vicinum</i> (Perroud, 1855:377)	Panama, Colombia
Piezophidion Galileo & Martins, 1992:59	
<i>intricatum</i> Galileo & Martins, 1992:60	Paraguay
Pilisphaerion Martins & Napp, 1992:470	
<i>exoticum</i> Martins & Napp, 1992:471	n Brasil (PA)
Poecilomallus Bates, 1892:151	
<i>palpalis</i> Bates, 1892:151	se Mexico (YU), Guatemala, Costa Rica
Protomallocera Martins & Napp, 1992:460	
<i>hilairei</i> (Gounelle, 1909:648)	ec Brasil (GO), Paraguay
Protosphaerion Gounelle, 1909:634	
<i>loreum</i> Gounelle, 1909:636	ec Brasil (GO, MT), Fr Guiana
<i>signatipenne</i> Gounelle, 1909:636	Fr Guiana, nc Brasil (AM), Peru, Bolivia
<i>variabile</i> Gounelle, 1909:635	e Brasil (GO, MT, BA-RS), Argentina,
var. <i>bimaculata</i> Gounelle, 1909:635	Uruguay
var. <i>bivitta</i> Gounelle, 1909:635	
var. <i>fuscipes</i> Gounelle, 1909:635	
var. <i>seminigra</i> Gounelle, 1909:635	
Pseudomallocera Zajciw, 1961:219	
<i>auriflua</i> (Klug, 1825:460)	e Brasil (ES)
<i>assimilis</i> Zajciw, 1961:220	
Pseudoperiboeum Linsley, 1935:77	
<i>lengi</i> (Schaeffer, 1909:101)	sw USA (AZ), nw Mexico (SO)
<i>pullum</i> Knull, 1958:185	
<i>subarmatum</i> Linsley, 1935:77	Mexico (NA-GR, PU)

Psyrassa Pascoe, 1866:481

- Pseudibidion* Casey, 1912:291
Hemistizocera Linsley, 1961:172
Stizocera; Haldeman, 1847:43 (not Audinet-Serville, 1834)
aliena (Linsley, 1934:235)
basicornis Pascoe, 1866:482
brevicornis Linsley, 1934:164
 basicornis; Schaeffer, 1905:161 (not Pascoe, 1866)
 sallei; Linsley & Martin, 1933:180 (not Bates, 1885)
castanea Bates, 1880:28
chemsaki Toledo, 2002: 57
cribricollis (Bates, 1885:253)
cylindricollis Linsley, 1935:144
ebenina Linsley, 1935:143
jaumei (Fisher, 1935:193)
katsurae Chemsak & Noguera, 1993:77
levicollis Chemsak & Noguera, 1993:78
linsleyi Toledo, 2002: 58
megalops Chemsak & Noguera, 1993:79
nigricornis Bates, 1892:153
nigripes Linsley, 1935:78
nigroaenea Bates, 1892:153
oaxacae Toledo, 2002: 60
pertenuis (Casey, 1924:248)
punctulata Bates, 1892:152
rufescens Nonfried, 1894:139
rufofemorata Linsley, 1935:79
sallaei Bates, 1885 :255
sinaloae Linsley, 1935:145
sthenias Bates, 1892:152
subglabra Linsley, 1935:142
subpicea (White, 1853:109)
testacea Linsley, 1935:144
texana Schaeffer, 1905:160
tympanophora Bates, 1885:255
unicolor (Randall, 1838:42)
wappesi Chemsak & Noguera, 1997:7
- w Mexico (JA)-Belize
Mexico-El Salvador, Honduras
sw USA (TX)
- e Mexico (VC)
s Mexico (CH) - Guatemala
e Mexico (VC, QR)
w Mexico (SI, JA)
El Salvador, Honduras
Cuba
w Mexico (JA)
w Mexico (JA)
Guatemala
w Mexico (SO, SI, JA, MO)
sw Mexico (JA, GR)
c Mexico (ME)
sw Mexico (CM, GR)
s Mexico (OA)
e USA
sw Mexico (GR)
nw Brasil (AM)
c Mexico (ME)
sw USA (TX), Mexico
w Mexico (SI)
sw Mexico (JA, GR)
Panama
Honduras, Nicaragua, Costa Rica
Guatemala-Panama
sw USA (TX)
e Mexico (VC), Guatemala
e USA-TX
Mexico (JA)

Psyrassaforma Chemsak, 1991:473

- janzeni** Chemsak, 1991:475
nitida Chemsak, 1991:474
- Costa Rica
se Mexico(VC, QR, GR)- Honduras

Rhomboidederes Zajciw, 1963:278

- Moureana* Zajciw, 1967:529
minutus Napp & Martins, 1984:132
ocellicollis Zajciw, 1963:279
ravidus (Gounelle, 1909:639)
 reticulicollis Zajciw, 1963:280
unicolor (Zajciw, 1967:529)
- Guianas, n Brasil (PA), Bolivia
e Brasil (ES)
e Brasil (GO, ES-RS), Uruguay
- n Brasil (PA)

Romulus Knull, 1948:82

- globosus** Knull, 1948:83
- se USA (FL)

Sphaerioeme Martins & Napp, 1992:473

- rubristerna** Martins & Napp, 1992:474
- Surinam, Brasil (MT, GO, MG, SP, PR)

Sphaerion Audinet-Serville, 1834:68

- Sphoerion*; Thomson, 1864:244
Nephalius Newman, 1841:93
cassum (Newman, 1841:94)
cyanipenne Audinet-Serville, 1834:68
- e Brasil (GO, MT, MA-PR), Fr Guiana
e Brasil (PB-SC), Paraguay

ducale Bates, 1870:272	n-se Brasil (PA, ES-SP)
<i>dubius</i> Lane, 1951:1	
exutum (Newman, 1841:93)	sw USA (TX), Mexico (CHS)-Argentina
inerme White, 1853:108	Brasil, Argentina, Uruguay
lentiginosum Berg, 1889:119	n Argentina (CO), Uruguay
myrrheum Gounelle, 1909:637	ec Brasil (GO, MT), Paraguay, Uruguay
rusticum Burmeister, 1865:167	Argentina, Uruguay
sladeni Gahan in Gahan & Arrow, 1903:253	ec Brasil (GO, MT)
 Sphaerionillum Bates, 1885:256	
<i>castaneum</i> Chemsak & Linsley, 1967:42	s Mexico (OA)-Guatemala
<i>pictum</i> Bates, 1885:256	e Mexico (VC, QR, CHS), Guatemala
<i>quadrisignatum</i> Bates, 1885:257	e Mexico (VC)
 Stenelaphus Linsley, 1936:477	sw USA (AZ, NM), Mexico
<i>alienus</i> (LeConte, 1875:173)	
 Stenosphenus Haldeman, 1847:39	
<i>Stenosphenopsis</i> Linsley, 1935:95	
beyeri Schaeffer, 1905:163	sw USA (AZ, NM)
bivittatus Giesbert & Chemsak, 1989:276	s Mexico (CHS, TB, QR), Guatemala
cordovanus Giesbert & Chemsak, 1989:293	w Mexico (JA, OA, SI, MI)
cribripennis cribripennis Thomson, 1860:372	Mexico (widely distributed)-Honduras
subsp. novatus Horn, 1885:178	Baja Calif
<i>lucanus</i> Casey, 1912:346	
debilis Horn, 1885:179	sw USA (CA-UT), n Mexico (DU), Baja Calif
<i>comus</i> Bates, 1892:169	
<i>pruddeni</i> Casey, 1912:346	
<i>aridus</i> Linsley, 1935:166	
<i>nigricornis</i> Fisher, 1946:90	
dolosus Horn, 1885:179	sw USA (TX), Mexico (CO, NL, SLP, TA, VC)
<i>longicollis</i> Casey, 1891:34	
<i>castaneus</i> Casey, 1924:269	
gaumeri Bates, 1892:169	se Mexico (YU, QR)
insulicola Fisher, 1942:24	Cuba
languriooides languriooides Bates, 1885:313	Mexico-Costa Rica
<i>languriooides</i> ; Aurivillius, 1912:443	
<i>nitidicollis</i> Linsley, 1935:95	
subsp. wappesi Giesbert & Chemsak, 1989:283	se Mexico (CHS, QR), Nicaragua
lineatus lineatus Bates, 1885:313	Mexico (CHS), Guatemala
subsp. costaricensis Giesbert & Chemsak, 1989:285	Costa Rica
lugens LeConte, 1862:41	sw USA (TX), Mexico (CHS,
<i>hirsutipennis</i> Bates, 1872:191	NL, OA, SLP, TA, VC)
maccartyi Giesbert & Chemsak, 1989:289	w Mexico (JA, OA, GR, CM)
notatus (Olivier, 1795:61)	e NAm-TX
<i>deflendum</i> Newman, 1840:6	
<i>discoideus</i> Sturm, 1826:199	Mexico-Costa Rica
<i>discicollis</i> Dejean, 1835:330	se Mexico (YU)
<i>pinorum</i> Casey, 1924:268	s Mexico (CHS)
ochraceus ochraceus Bates, 1872:190	w Mexico (JA, OA, GR)
subsp. sexlineatus Bates, 1892:169	Mexico-El Salvador
penicilliventris Giesbert & Chemsak, 1989: 292	wc Mexico (SI, JA, ME, NA, GR)
proruber Giesbert & Chemsak, 1989:280	Mexico (CM, GR, JA, MO, NA, OA, PU, SI)
protensus Bates, 1880:66	
rubidus Linsley, 1935:94	
rufipes Bates, 1872:191	sw USA (AZ, NM, TX)-Mexico (widely
<i>sublaevicollis</i> Bates, 1892:168	distributed), Baja Calif, Guatemala
sobrius (Newman, 1840:30)	
<i>sobrinus</i> ; Fisher, 1946:94	
<i>amabile</i> Newman, 1841:112	
<i>subtilis</i> Bates, 1880:66	
<i>lepidus</i> Horn, 1885:179	

<i>basicornis</i>	Linsley, 1934:60	
<i>arizonicus</i>	Linsley, 1935:165	
<i>blairi</i>	Linsley, 1935:94	
<i>rossi</i>	Linsley, 1942:45	
<i>piceus</i>	Knull, 1947:253	
<i>texanus</i>	Knull, 1947:254	
<i>suturalis</i>	Bates, 1872:191	sc Mexico (MI, PU, OA)
<i>trispinosus</i>	Bates, 1872:191	Mexico-Costa Rica
	<i>ebeninus</i> Bates, 1872:234	
	<i>erythroderus</i> Bates, 1885:313	
<i>vitticollis</i>	Bates, 1892:169	s Mexico (VC, CHS, TB), Guatemala
Stizocera	Audinet-Serville, 1834:107	
	<i>Styzocera</i> ; Thomson, 1860:188	
	<i>Nesostizocera</i> Linsley, 1961:170	
	<i>Nephalius</i> ; Lacordaire, 1869:188 (part) (not Newman, 1841)	
<i>armata</i>	Audinet-Serville, 1834:107	se Brasil (BA-RS, MS), Argentina
<i>armigera</i>	(White, 1853:107)	se Brasil (ES-SC)
<i>atiaia</i>	(Martins & Napp, 1983:89)	e Brasil (ES)
<i>bisignata</i>	Zajciw, 1958:237	wc Brasil (AM, PA, RO)
<i>boyi</i>	Melzer, 1927:562	wc Brasil (AM, RO), Ecuador, Bolivia, Paraguay
<i>caymanensis</i>	(Fisher, 1941:114)	W Indies (Cayman Is)
<i>consobrina</i>	Gounelle, 1909:642	e Brasil (GO, BA-RS)
<i>curacaoe</i>	Gilmour, 1968:139	Curaçao
<i>diversispinis</i>	Zajciw, 1962:197	se Brasil (ES, RJ)
<i>dozieri</i>	(Fisher, 1947:33)	Haiti
<i>floridana</i>	Linsley, 1949:154	se USA (FL)
<i>fragilis</i>	(Bates, 1870:274)	se Brasil (RJ-SC)
<i>geniculata</i>	(Pascoe, 1866:479)	Venezuela, Brasil
<i>horni</i>	Melzer, 1923:6	se Brasil (SP, PR)
<i>howdeni</i>	Gilmour, 1963:87	Trinidad
<i>insolita</i>	Gilmour, 1968:141	Curaçao
<i>insulana</i>	(Gahan, 1895: 106)	Cuba, Jamaica
<i>jassuara</i>	(Martins & Napp, 1983:89)	se Brasil (ES, RJ)
<i>juati</i>	(Martins & Napp, 1983:87)	e Brasil (MG-RJ)
<i>laceyi</i>	Linsley, 1934:234	Guatemala, Belize
<i>lissonota</i>	(Bates, 1870:274)	Panama, c Brasil, Fr Guiana, Bolivia
<i>longicollis</i>	Zajciw, 1963:277	se Brasil (RJ)
<i>meinerti</i>	(Aurivillius, 1900:409)	Venezuela, ec Brasil (GO, MT, MA-SP), Paraguay
	<i>tricolor</i> Gounelle, 1909:644	
<i>melanura</i>	(Erichson in Schomburg, 1848:572)	Guyana, Fr Guiana
<i>mojuba</i>	Martins & Napp, 1983:85	se Brasil (ES-SP)
<i>nigroapicalis</i>	Fuchs, 1961:6	n Brasil (RR), Fr Guiana
<i>nigroflava</i>	Zajciw, 1965:88	n Argentina (SA)
<i>pantonyssoides</i>	Zajciw, 1968:540	e Brasil (ES), Ecuador
<i>phtisica</i>	(Gounelle, 1909:643)	e Brasil (GO, BA-SP)
<i>plicicollis</i>	(Germar, 1824:506)	Mexico-Argentina, ec Brasil, Uruguay
<i>plumbea</i>	Gounelle, 1909:645	ec Brasil (GO)
<i>poeyi</i>	(Guérin-Méneville, 1838:284)	Cuba, Panama, Colombia, Venezuela, Brasil, Bolivia, Fr Guiana
	var. <i>conspicillata</i> Gounelle, 1909:644	Bahamas
<i>punctiventris</i>	(Cazier & Lacey, 1952:25)	Nicaragua-Colombia
<i>rugicollis</i>	(Guérin-Méneville, 1844:233)	Colombia
<i>rugulosa</i>	Galileo & Martins, 2000: 160	e Brasil (BA)
<i>seminigra</i>	Martins & Napp, 1983:84	nc Argentina (SE-SL)
<i>spinicornis</i>	(Fairmaire, 1864:274)	
	<i>spiniformis</i> ; Bruch, 1912:191	e Brasil (PB-RJ)
<i>sublaevigata</i>	Zajciw, 1962:198	w Mexico (SI-CHS), Guatemala
<i>submetallica</i>	(Chemsak & Linsley, 1968:29)	Ecuador, Peru
<i>suturalis</i>	(Martins & Napp, 1992:464)	c Brasil (RO, GO, MT, SP), Bolivia, Argentina
<i>tristis</i>	(Guérin-Méneville, 1844:233)	Puerto Rico, Virgin Is. (St. Croix)
<i>vanzwaluwenburgi</i>	(Fisher, 1932:46)	Argentina, Paraguay
<i>wagneri</i>	(Gounelle, 1913:21)	

Terpnissa Bates, 1867:25*listropterina* Bates, 1867:25

s Mexico (CHS)-Brasil, Bolivia, Ecuador

Trichophoroides Linsley, 1935:139*Eutrichophoroides* Linsley, 1961:174*Neotrichophoroides* Linsley, 1961:179*albisparsus* (Bates, 1872:175)*aurivillii* (Linsley, 1961:179)*decipiens* (Bates, 1880:26)*jansoni* (Bates, 1885:252)*niveus* Linsley, 1935:140*pilicornis* (Fuchs, 1961:1)

w Mexico (JA)-Costa Rica

Panama

w Mexico (JA)-Nicaragua

Nicaragua

c Mexico (MO)-Costa Rica

se Mexico (QR)

Tropimerus Giesbert, 1987:359*cyaneus* Giesbert, 1987:360*hovorei* Giesbert, 1987:360

s Mexico (CHS)

El Salvador, Costa Rica

Phoracanthini Lacordaire, 1869: 298**Phoracantha** Newman, 1840:19*recurva* Newman, 1840:19*semipunctata* (Fabricius, 1775:180)*inscripta* Germar, 1848:226

Australia. Introduced in sw USA (CA)

Australia. Introduced in sw USA (CA), Baja

Calif, portions of SAmer

Piezocerini Lacordaire, 1869:324*Zelliboriinae* Lane, 1951:5Subtribe **Haruspicina** Martins, 1976:199**Acruspe** Martins, 1976:225*spinipennis* (Zajciw, 1970:591)

e Brasil (BA-ES)

Haruspex Thomson, 1864:221*bivittis bivittis* (White, 1855:220)*maculicornis* Bates, 1870:281subsp. *agnatus* Melzer, 1934:71subsp. *inermis* Belon, 1903:48subsp. *pallidus* Gounelle, 1909:652*brevispes* (White, 1855:218)*celatus* Lane, 1970:59*daithmus* Martins, 1976:207*inscriptus* Gahan, 1895:107*insularis* Fisher, 1935:195*similis* Fisher, 1935:196*lineolatus* Bates, 1870:280*laevifemoratus* Waterhouse, 1880:294*mentitus* Martins, 1976:214*modestus* (White, 1855:239)*ornatus* Bates, 1870:281*pictilis* Martins, 1976:203*quadripustulatus* Gounelle, 1909:651*submaculatus* (White, 1855:220)

Fr Guiana, Brasil (AM), Bolivia, Argentina

Costa Rica-Panama

Peru, Bolivia

ec Brasil (GO, MT, SP)

e Brasil (GO, BA-SC)

Colombia

Colombia

Mexico-Colombia, Venezuela, Trinidad,

W Indies (Barbados, Grenada)

Venezuela, Ecuador, Guianas, Peru,

nc Brasil (AM), Bolivia

Bolivia

nc Brasil (AM, PA, GO), Fr Guiana

n Brasil (PA)

e Brasil (BA, RJ, SP)

ec Brasil, Paraguay, Argentina, Uruguay

Colombia

Subtribe **Piezocerina** Lacordaire, 1869:324**Alienosternus** Martins, 1976:230*cristatus* (Zajciw, 1970:592)*metallicus* Martins, 1976:232*simplex* Martins, 1976:236*solutarius* (Gounelle, 1909:655)

c Brasil (PI, GO, MT)

c Brasil (MT)

nw Argentina (SA, LR, SJ)

ec Brasil (GO, MG)

Cicatrizocera Martins, 1976:239	
bilistrata (Lane, 1959:303)	Fr Guiana, nc Brasil (AM, PA)
Colynthaea Thomson, 1878:5	
coriacea (Erichson in Schomburg, 1848:573)	Guyana, Fr Guiana, Brasil (MA-SC, MT)
grossa Thomson, 1878:6	
Gorybia Pascoe, 1866:481	
acuta Martins, 1976:332	e Brasil (ES)
adiaphora Martins, 1976:325	e Brasil (GO, PE-RS)
alboapex Martins, 1976:328	Venezuela
apatheia Martins, 1976:355	se Brasil (MG-SP)
armata Martins, 1976:314	Colombia, Venezuela
calcitrata Martins, 1976:322	n Argentina (FO)
castanea (Gounelle, 1909:653)	ec Brasil (GO, MT, MG, SP)
chontalensis (Bates, 1880:30)	Nicaragua-Panama
echinata Martins, 1976:320	e Brasil (ES)
hirsutella Martins, 1976:313	e Brasil (BA, ES)
instita Martins, 1976:305	e Brasil (GO, MA-MG)
invicta Martins, 1976:317	e Brasil (MG, ES)
lissonota Martins, 1976:319	e Brasil (ES)
maculosa Martins, 1976:353	Paraguay
martes Pascoe, 1866:481	se Brasil (BA-SC), Paraguay, Argentina
minima Martins, 1976:357	ne Brasil (PE)
orygma Martins, 1976:344	n Brasil (AP)
pallida Martins, 1976:346	Peru
palpalis Martins, 1976:349	s Brasil (PR-RS)
picturata Martins, 1976:352	se Brasil (SP)
pilosa Martins, 1976:332	sc Brasil (MS)
procera Martins, 1976:312	c Brasil (AM, MT)
proxima Martins, 1976:336	se Brasil, Paraguay
pusilla (Bates, 1870:282)	Fr Guiana, nc Brasil (AM, PA)
reclusa Martins, 1976:341	Guatemala-Panama
ruficauda (Gounelle, 1909:654)	ec Brasil (GO, MT, MG, SP)
rugosa Martins, 1976:358	e Brasil (BA)
semiopaca Martins, 1976:311	w Brasil (AC), Fr Guiana
senticosa Martins, 1976:324	e Brasil (MG)
separata Martins, 1976:339	e Brasil (BA)
simplicior (Bates, 1870:282)	ec Brasil (GO, MT, ES, RJ)
stomias Martins, 1976:348	se Brasil (RJ)
suturella Martins, 1976:342	c Brasil (MT)
thoracica Martins, 1976:330	n Argentina (SA)
tibialis Martins, 1976:328	Panama, Venezuela
umbrella Martins, 1976:356	e, s Brasil (BA, RS)
veneficella Martins, 1976:307	ec Brasil (GO, MT), Bolivia
zonula Martins, 1976:343	e Brasil (MG, SP)
Hemilissa Pascoe, 1858:238	
catapotia Martins, 1976:293	nc Brasil (AP, PA, MT), Fr Guiana
cornuta Bates, 1870:284	Fr Guiana, nc Brasil (AM), Peru, Bolivia
<i>laevigata</i> Thomson, 1878:3	
emblema Martins, 1976:284	Venezuela, Bolivia
fabulosa Martins, 1985:175	Venezuela
gummosa (Perty, 1832:90)	e Brasil (PB-RS, GO, MT), Argentina
opaca Martins, 1976:289	Venezuela, Guianas, nc Brasil (AM)
picturata Galileo & Martins, 2000: 164	Venezuela
quadrispinosa Gounelle, 1913:213	Brasil (AM, MT), Peru, Bolivia, Argentina
rufa Melzer, 1934:73	Costa Rica
sulcicollis Bates, 1870: 284	Costa Rica-Brasil (AM, RN-SP), Bolivia
undulaticollis Zajciw, 1960:399	e Brasil (ES)
? violascens (Perty, 1832:90)	e Brasil (BA)

Migmocera Martins, 1976:237	
<i>flavicauda</i> (Bates, 1885:258)	Guatemala
Migorybia Martins, 1985:175	
<i>miranda</i> Martins, 1985:175	Venezuela
Othnocerus Martins, 1976:276	
<i>aethes</i> Martins, 1976:277	e Brasil (ES)
Pharcidodes Martins, 1976:359	
<i>divisus</i> Martins, 1976:362	se Brasil (RJ, PR)
<i>nigripennis</i> Martins, 1985:177	e Brasil (BA)
<i>rubiginosus</i> (Thomson, 1878:4)	se Brasil (BA-RJ)
var. <i>apicalis</i> Gounelle, 1909:653	Brasil (GO, MT, MG), Bolivia, Paraguay,
<i>suturalis</i> (Gounelle, 1909:653)	Argentina
Piezarina Martins, 1976:250	
<i>smaragdina</i> Martins, 1976:250	Costa Rica, Panama, nc Brasil (AM, PA, MT), Fr Guiana
Piezasteria Martins, 1976:245	
<i>helenae</i> Martins, 1985:176	Costa Rica, Colombia
<i>sternalis</i> Martins, 1976:246	ec Brasil (GO, MT, ES), Bolivia
Piezocera Audinet-Serville, 1834:92	
<i>Pyrgotes</i> Bates, 1867:27	Venezuela
<i>advena</i> Martins, 1976:268	nw Brasil (AM)
<i>aenea</i> (Bates, 1867:27)	e Brasil (BA-RJ)
<i>araujosilvai</i> Melzer, 1935:174	Fr Guiana, c Brasil (PA, MT, BA)
<i>ataxia</i> Martins, 1976:267	se Brasil (BA-SC), Paraguay
<i>bivittata</i> Audinet-Serville, 1834:93	sc Brasil (MS)
<i>costula</i> Martins, 1976:264	Peru, n Brasil (PA)
<i>flavipennis</i> (Zajciw, 1970:593)	Venezuela
<i>gratiosa</i> Lameere, 1893:273	s Mexico (VC)- Costa Rica
<i>monochroa</i> Bates, 1885:258	se Brasil (ES-RS), Paraguay
<i>nodicollis</i> Melzer, 1934:72	sw USA (TX), n Mexico (CHS, OA)
<i>serraticollis</i> Linell, 1897:394	Colombia
<i>silvia</i> Galileo & Martins, 2000: 163	
Piezogenista Martins, 1976:255	
<i>callytra</i> Martins, 1976:257	e Brasil (BA)
Pseudocolynthaea Martins, 1976:244	
<i>pectoralis</i> Martins, 1976:244	e Brasil (BA-ES), ne Argentina (MI)
Thyellocerus Martins, 1976:248	
<i>fulgidipennis</i> (Gounelle, 1909:652)	c Brasil (AM, GO, MT), Peru, Bolivia, Paraguay, Argentina
Zelliboria Lane, 1951:5	
<i>daedalea</i> (Perty, 1832:98)	Guianas, c Brasil (AM, MT, PI, ES, MG, SP)
<u>Ibidionini</u> Thomson, 1860:199	
Division I Martins, 1967:19	
Calycibidion Martins, 1971:1432	
<i>multicavum</i> Martins, 1971:1433	e Brasil (BA)
<i>turbidum</i> Napp & Martins, 1985:122	e Brasil (BA)

Ctenoplon Martins, 1967:60 x-littera (Thomson, 1865:575)	e Brasil (GO, PE-RS), Bolivia, Paraguay, Ecuador, Argentina
Epacropalon Martins, 1967:54 armatipes (Martins, 1962:280) cruciatum (Aurivillius, 1899:262)	Bolivia se Brasil (BA-RS), Paraguay, Argentina
Glyptoceridion Martins, 1959:270 quincunx (Thomson, 1867:162)	nc Brasil (AM, PA), Peru, Ecuador
Glyptoscapus Aurivillius, 1899:264 bivittatus Gounelle, 1909:660 cicaticosus Aurivillius, 1899:264 flaveolus (Bates, 1870:285) pallidulus (White, 1855:234) vanettii Martins, 1959:270	e Brasil (MG) se Brasil (BA-PR) nc Brasil (AM, PA) Panama, n Brasil (PA), Fr Guiana, Peru Colombia, Peru, ec Brasil (GO), Bolivia
Gnomidolon Thomson, 1864:219 amaurum Martins, 1967:194 analogum Martins, 1967:192 basicoeruleum Martins, 1962:127 bellus Martins & Galileo, 2002: 13 biarcuatum (White, 1855:228) <i>excelsum</i> Martins, 1962:274 bipartitum Gounelle, 1909:661 bonsae Martins, 1967:268 bordoni Joly, 1991:17 brethesi Bruch, 1908:204 cingillum Martins, 1967:186 colasi Martins, 1967:221 conjugatum (White, 1855:231) <i>eganum</i> Bates, 1870:287 cruciferum (Gounelle, 1909:659) denticorne Bates, 1892:155 elegantulum Lameere, 1885:88 <i>bituberculatum</i> ; Thomson, 1864:219 (not Audinet-Serville, 1834) fraternum Martins, 1971:1426 fuchsii Martins, 1971:129 glabratum Martins, 1962:273 gounellei Martins, 1967:295 gracile (Gounelle, 1909:658) grantsaui Martins, 1967:234 guianense (White, 1855:225) <i>meinerti</i> Aurivillius, 1900:410 hamatum Linsley, 1935:479 humerale Bates, 1870:287 ignicolor Napp & Martins, 1985:126 incisum Napp & Martins, 1985:127 insigne Martins, 1967:180 insulicola Bates, 1885:260 <i>elegantulum</i> ; Aurivillius, 1900:410 (not Lameere, 1884) <i>piceicollis</i> Linsley, 1935:481 <i>seabrai</i> Martins, 1960:2 laetabile Bates, 1885:260 lansbergei (Thomson, 1867:159) longipenne Martins, 1967:225 maculicorne Gounelle, 1909:661 melanosomum Bates, 1870:288 <i>costaricense</i> Martins, 1962:272 meridanum Napp & Martins, 1985:129 musivum (Erichson, 1847:141)	Peru se Brasil (ES, RJ) s Mexico (CHS, QR)-Costa Rica Colombia Guianas, nc Brasil (AM), Peru e Brasil (GO, BA-SP) Bolivia Venezuela c Brasil (GO, MT), Paraguay, Argentina Ecuador Peru Fr Guiana, Peru, nc Brasil (AM), Bolivia Peru, e Brasil (GO, PB, BA) Panama e Brasil (GO, BA-RS), Paraguay, Argentina n Brasil (PA) Bolivia Colombia, n Brasil (PA) e Brasil (BA) c Brasil (GO, MT) Venezuela, Bolivia, Paraguay Colombia, Venezuela, Guiana, Brasil Panama Panama, Fr Guiana, Peru, n Brasil (PA) e Brasil (MG) Venezuela e Brasil (BA, ES) Panama, Colombia, Venezuela Honduras-Panama Venezuela Colombia nc Brasil (AM, GO), Fr Guiana Guatemala-Panama, n SAmer-Bolivia Venezuela Venezuela, Ecuador, Peru, nc Brasil (AM),

<i>subeburneum</i> White, 1855:234	Guianas, Bolivia
<i>clymene</i> Thomson, 1867:161	
<i>confusum</i> Fisher, 1944:6	
nanum Martins, 1962:269	Bolivia
nigritum Martins, 1967:188	Ecuador
nympha Thomson, 1865:575	se Brasil (ES-RS)
oeax Thomson, 1867:160	Guianas, Surinam
opacicolle Napp & Martins, 1985:124	wc Brasil (RO, MT)
ornaticolle Martins, 1960:6	se Brasil (RJ-RS), Paraguay, Argentina
pallidicauda Gounelle, 1909:662	Peru, Brasil (AC-RS), Paraguay
peruvianum Martins, 1960:5	Peru
picipes Bates, 1870:287	nc Brasil (AM, PA), Bolivia
picticorne Martins, 1971:134	Ecuador
pictum (Audinet-Serville, 1834:106)	e Brasil (GO-RS), Paraguay, Argentina
pilosum Martins, 1962:271	n Argentina (TU)
primarium Martins, 1967:190	e Brasil (BA)
proseni Martins, 1962:270	Costa Rica, c Brasil (MT), Bolivia
proximum Martins, 1960:4	Bolivia, n Argentina (SA, JU)
pulchrum Martins, 1960:7	c Brasil (MT), Paraguay, Argentina
rubricolor Bates, 1870:286	Panama, Venezuela, Colombia, Peru, nc Brasil (AM)
<i>pygmaeum</i> Martins, 1962:275	
simplex (White, 1855:230)	Guianas, nc Brasil (AM, PA)
<i>dubium</i> Bates, 1870:290	
subfasciatum Martins, 1967:184	Peru, nc Brasil (AM, PA)
suturale (White, 1855:222)	Panama, Colombia
<i>tricolor</i> Linsley, 1935:481	
sylvarum (Bates, 1892:155)	se Mexico (VC)-Honduras
tomentosum Martins, 1971:131	e Brasil (ES)
varians varians Gounelle, 1909:662	Brasil (GO, MT, PB-RS), Paraguay,
<i>micans</i> Fisher, 1937:146	Bolivia, Argentina, Uruguay
<i>micans</i> var. <i>brunneicaudatum</i> Fisher, 1937:147	
subsp. addictum Melzer, 1935:175	se Brasil (MG-SC)
Hexocycnidolon Martins, 1960:27	
unoculum (Bates, 1870:292)	nc Brasil (AM, PA), Fr Guiana, Peru
<i>vulcanoi</i> Martins, 1960:27	
<i>hylaeanum</i> Martins, 1962:134	
Hexoplion Thomson, 1864:219	
<i>Gnomidolon</i> ; Lacordaire, 1869:330 (part)	
affine (Thomson, 1865:575)	Brasil (MG-RJ)
<i>consanguineum</i> Aurivillius, 1899:261	
albipenne Bates, 1872:179	Guatemala-Colombia, Venezuela
<i>colombianum</i> Martins, 1959:340	
anthracinum Martins, 1967:135	Peru
armatum Aurivillius, 1899:263	e Brasil (GO, MT, MG, SP)
bucki Martins, 1967:106	e Brasil (BA-RJ)
calligrammum Bates, 1885:259	Mexico-Honduras
<i>smithi</i> Bates, 1892:154	
carissimum (White, 1855:223)	Fr Guiana, c Brasil, Peru, Bolivia
cearensis Martins & Galileo, 1999: 301	Brasil (CE)
ctenostomoides Thomson, 1867:162	se Brasil (BA-RS), ne Argentina (MI)
eximum Aurivillius, 1899:260	e Brasil (MG, ES)
illumineum Napp & Martins, 1985:124	w Brasil (RO)
integrum Tippmann, 1960:118	Bolivia
juno Thomson, 1865:575	Brasil, Peru, Bolivia, Paraguay, Argentina
leucostictum Martins, 1959:343	Colombia
longispina Aurivillius, 1899:261	se Brasil (RJ, SP)
lucidum Martins, 1962:267	Ecuador
navajasi Martins, 1959:344	Panama
<i>eganum</i> ; Linsley, 1935:480 (not Bates, 1870)	
nigricolle Gounelle, 1909:657	c Brasil (PA, GO, MT)
nigritarse Aurivillius, 1899:262	e Brasil (PE-SC)

nigropiceum Martins, 1959:343	Paraguay
praetermissum Bates, 1870:442	Colombia, Brasil (PA, GO, MT, PE-ES)
var. <i>simplex</i> Gounelle, 1909:657	
<i>lanei</i> Martins, 1959:345	
reinhardti Aurivillius, 1899:262	Peru, e Brasil (GO, BA-SP)
rosalesi Martins, 1971:1423	Venezuela
scutellare Napp & Martins, 1985:123	Brasil (BA, MG)
speciosum speciosum Fisher, 1937:145	se Brasil, Bolivia, Paraguay, Argentina
subsp. ferruginosum Martins, 1959:347	se Brasil (SP, PR)
uncinatum Gounelle, 1909:659	SAmer (widely distributed)
venus Thomson, 1864:219	Colombia, Fr Guiana
 Isostenygra Martins & Galileo, 1999: 315	
monnei Martins & Galileo, 1999: 317	Brasil (AM)
 Neognomidolon Martins, 1967:39	
pereirai (Martins, 1960:8)	se Brasil (SP)
poecilum Martins, 1967:43	e Brasil (MG)
 Notosphaeridion Martins, 1960:153	
brevithorax (Martins, 1960:3)	se Brasil (SP, PR), Argentina
scabrosum (Gounelle, 1909:663)	ec Brasil, Bolivia, Paraguay, Argentina
umbrinum Martins, 1971:1421	Venezuela
vestitum Martins, 1960:154	e Brasil (PB, BA)
 Ophtalmoplton Martins, 1965:119	
aurivillii Martins, 1965:128	se Brasil (RJ)
diversum Martins, 1965:123	se Brasil (ES, RJ)
impunctatum Martins, 1965:126	c Brasil (MT)
inerme Martins, 1965:124	Guyana, Fr Guiana, c Brasil (MT)
nigricorne Napp & Martins, 1985:118	e Brasil (BA)
spinosum Martins, 1965:121	se Brasil (RJ)
 Pronoplton Martins, 1967:317	
rubriceps (Gounelle, 1909:662)	c Brasil (MA, GO, MT), Bolivia, Paraguay
 Pseudoplton Martins, 1971:1418	
oculatum Martins, 1971:1419	e Brasil (BA, MG)
rasile Napp & Martins, 1985:116	ne Brasil (RN)
transversum Napp & Martins, 1985:114	e Brasil (BA, MG)
 Spinoplton Napp & Martins, 1985:119	
bicolor Napp & Martins, 1985:121	e Brasil (BA)
inusitatum Napp & Martins, 1985:119	e Brasil (BA, MG)
 Stenygra Audinet-Serville, 1834:95	
angustata (Olivier, 1790:252)	Guianas, nc Brasil (AM, PA)
<i>coarctatus</i> Fabrilius, 1801:349	
apicalis Gounelle, 1911:225	se Brasil (BA-SC), Argentina
brevispinea Delfino, 1985:500	Peru
conspicua (Perty, 1832:91)	nc,e Brasil (AM, PB-RS), Paraguay,
<i>tricolor</i> Audinet-Serville, 1834:97	Argentina
contracta Pascoe, 1862:355	nw Brasil (AM), Peru
cosmocera White, 1855:221	Brasil, Peru, Bolivia, Paraguay, Argentina
euryarthon Delfino, 1985:497	Peru
globicollis Kirsch, 1889:38	Ecuador
histrion Audinet-Serville, 1834:97	Mexico-Costa Rica
<i>histrion nigrina</i> Franz, 1954:220	
holmgreni Aurivillius, 1908:5	nc Brasil (PA), Peru
seabrai Delfino, 1985:498	Peru
setigera (Germar, 1824:516)	e Brasil (GO, BA-RS), Paraguay, Argentina

- Tapuruia** Lane, 1973:149
beebei (Fisher, 1944:7)
felisbertoi Lane, 1973:150
jolyi Napp & Martins, 1985:118
Venezuela, Guianas, Brasil (AM)
nc Brasil (AM, PA), Fr Guiana
Panama, Venezuela
- Tetraibidion** Martins, 1967:307
aurivillii (Gounelle, 1909:656)
aeneonigrum Fisher, 1937:147
ephimerum Martins, 1967:312
sahlbergi (Aurivillius, 1899:260)
e Brasil (PE-RS, GO), Paraguay, Argentina
se Brasil (SP, SC)
se Brasil (RJ)
- Tetroplon** Aurivillius, 1899:259
caudatum caudatum Aurivillius, 1899:259
subsp. **nigricornis** Bruch, 1926:340
Peru, Brasil, Bolivia, Paraguay, Argentina
Bolivia, Argentina (SA, CD)
- Trichoplon** Martins, 1967:66
extremum (Martins, 1959:341)
e Brasil (PA, MG-RJ)
- Trinoplton** Zayas, 1975:115
bicolor Zayas, 1975:116
Cuba
- Division II** Martins, 1968:321
- Aetheibidion** Martins, 1968:327
hirtellum (Gounelle, 1913:215)
Bolivia, Paraguay, n Argentina (SA,SE)
- Xenoibidion** Martins, 1968:323
fasciatum Martins, 1971:1434
unicolor (White, 1855:233)
uniforme Berg, 1889:112
ec Brasil (GO)
Panama-Colombia, e SAmer-Argentina
- Division III** Martins, 1968:331
- Alcyopis** Pascoe, 1866:484
chalcea Bates, 1874:221
cyanoptera Pascoe, 1866:484
nigromaculata Aurivillius, 1927:528
nigrovittata Gounelle, 1909:685
pallida Martins, 1964:141
Mexico (JA, MO, NA)-Costa Rica
se Brasil, Paraguay, Argentina, Uruguay
e Brasil (BA)
ec Brasil (GO, MG, ES)
- Diasporidion** Martins, 1968:515
argentinense (Martins, 1962:152)
duplicatum (Gounelle, 1909:677)
binocolatum Linsley, 1935:484
c Brasil (MAG), n Argentina (JU)
Mexico-Colombia, Venezuela, e Brasil
- Gnomibidion** Martins, 1968:580
araujoi (Martins, 1962:159)
armaticolle (Martins, 1965:211)
biacutum Martins, 1968:584
cylindricum (Thomson, 1865:570)
eburnipenne Linsley, 1935:480
denticolle (Dalman, 1823:67)
gnomoides Thomson, 1865:570
digrammum (Bates, 1870:299)
fulvipes (Thomson, 1865:571)
biplagiatum Redtenbacher, 1867:198
monostigma Bates, 1870:297
n Brasil (PA)
se Brasil (BA, RJ)
Guianas
Panama, Colombia, Venezuela, Peru, Ecuador,
e Brasil (PE, BA)
se Brasil (MG-RS, MT), Paraguay,
Argentina
Fr Guiana, n Brasil (AM, PA, CE), Peru
Fr Guiana-Uruguay, Peru, Bolivia

occultum Martins, 1968:603	Colombia
translucidum (Martins, 1960:93)	Panama, Fr Guiana, c Brasil (MT)
Homaloidion Martins, 1968:506	
pinacopterum (Martins, 1962:298)	se Brasil (BA-RS)
Megapedion Martins, 1968:573	
lefebvrei (Gounelle, 1909: 673)	e Brasil (GO, BA-SC)
<i>longitarsi</i> Martins, 1962:108	
sylphis (Bates, 1870:305)	nc Brasil (AM, PA)
Minibidion Martins, 1968:335	
aquilonium Martins, 1968:349	Venezuela
argenteum Martins & Napp, 1986:6	w Brasil (RO), Fr Guiana
basilare (Martins, 1962:155)	Peru
bondari (Melzer, 1923:7)	s Brasil (MT, BA-RS)
confine Martins, 1968:351	e Brasil (BA)
craspedum Martins, 1971:136	Ecuador
minimum Martins & Napp, 1986:7	c Brasil (MT)
minusculum (Martins, 1962:153)	se Brasil (BA-RS), Paraguay, Argentina
punctipenne Martins, 1968:339	ec Brasil (GO-SP)
<i>comatum</i> ; Gounelle, 1909:677 (not Audinet-Serville, 1834)	
rurigena (Gounelle, 1909:681)	ec Brasil (GO)
Neotropidion Martins, 1968:609	
nodicolle nodicolle (Dalman, 1823:67)	Peru, nc, se Brasil (AM, BA-SP),
<i>armandinae</i> Chabriac, 1857:198	Bolivia
<i>biguttatum</i> Redtenbacher, 1867:198	
subsp. binoculare (Gounelle, 1909:683)	ec Brasil (GO, MG)
pulchellum Martins, 1968:614	Fr Guiana
Opacibidion Martins, 1968:498	
opacicolle (Melzer, 1931:53)	se Brasil (RJ-PR), Paraguay, Argentina
rugicolle (Nonfried, 1895:309)	e Brasil (PB-PR), Paraguay
sulcicorne (White, 1855:232)	n Brasil (PA)
Perissomerus Gounelle, 1909:684	
alvarengai Martins, 1961:188	e Brasil (ES)
dasytes Martins, 1968:571	e Brasil (BA)
flammeus Martins, 1971:146	Venezuela
hilairei hilairei Gounelle, 1909:684	c Brasil (GO, MT), Peru, Bolivia
<i>lenkoi</i> Martins, 1962:160	
subsp. bimaculatus Gounelle, 1909:685	se Brasil (BA-PR)
ruficollis Martins, 1961:187	e Brasil (PB, BA)
Phocibidion Martins, 1968:625	
erythrocephalum (White, 1855:224)	Guatemala-Bolivia, Brasil (AM, BA-RJ)
pulcherrimum (Martins, 1962:277)	nw Brasil (AM)
Psiloibidion Martins, 1968:511	
leucogramma (Perty, 1832:92)	c Brasil (PA-SP), Bolivia,
<i>thomsoni</i> Chabriac, 1857:197	Paraguay, Argentina
Smaragdion Martins, 1968:605	
viride Martins, 1968:606	Peru, c Brasil (PA, RO, MT)
Thoracibidion Martins, 1960:105	
buquetii (Thomson, 1867:139)	Mexico-Peru, Fr Guiana
<i>griseicolle</i> Bates, 1872:180	

- fasciiferum** (Berg, 1889:110)
ruficaudatum var. *rufa* Gounelle, 1909:664
- flavopictum** (Perty, 1832:93)
franzae Martins, 1968:540
galbum Martins, 1968:554
insigne Martins, 1968:534
io (Thomson, 1867:141)
rugicolle Bates, 1870:296
lineatocolle (Thomson, 1865:574)
pleurostictum (Bates, 1885:261)
ruficaudatum (Thomson, 1865:571)
striatocolle (White, 1855:224)
proserpina Thomson, 1867:140
terminatum Martins, 1968:552
tomentosum Martins, 1960:108
- Tropidion** Thomson, 1867:134
- abdutum** Martins, 1968:484
acanthonotum (Martins, 1962:5)
atricolle (Martins, 1962:304)
aurulentum Martins, 1971:141
balfourbrownnei Martins, 1968:411
batesi Martins, 1968:496
bituberculatum (Audinet-Serville, 1834:105)
brevisculum (Thomson, 1867:147)
borrei Lameere, 1884:88
brunniceps (Thomson, 1865:571)
calciope (Thomson, 1867:144)
carinicolle (Bates, 1872:180)
castaneum Martins, 1968:383
centrale (Martins, 1962:158)
cinctulum (Bates, 1870:294)
citrinum Martins, 1968:403
contortum Martins, 1968:442
cruentum Martins & Napp, 1986:8
elegans (Gounelle, 1909:679)
var. *zonata* Gounelle, 1909:679
enochrom Martins, 1968:405
epaphum (Berg, 1889:111)
rubricatum var. *rubronigra* Gounelle, 1909:681
erythrurum (Martins, 1962:276)
extraordinarium Martins & Galileo, 1999: 302
fairmairei (Gounelle, 1909:680)
paraguayensis Martins, 1962:6
fernandezi Joly, 1991:31
festivum (Martins, 1962:101)
flavipenne (Martins, 1964:139)
flavipes (Thomson, 1867:143)
flavum (Martins, 1962:304)
fuscipenne (Gounelle, 1913:217)
immaculipenne Melzer, 1935:181
hermione (Thomson, 1867:144)
hispidum Martins, 1971:1441
igneicolle (Martins, 1962:10)
inerme (Martins, 1962:7)
intermedium (Martins, 1962:302)
investitum (Martins, 1962:10)
clavicorne Martins, 1962:12
kjellanderi (Martins, 1965:208)
lepidum Martins, 1971:138
litigiosum Martins, 1968:444
mirabile Martins, 1971:1439
nordestinum (Martins, 1962:105)
obesum Martins, 1968:446
- Brasil, Bolivia, Paraguay, Argentina
e Brasil, Bolivia, Paraguay, Argentina
Venezuela
se Brasil (SP)
Bolivia
n SAmer-se Brasil (RJ)
- se Brasil (BA-RS), Paraguay, Argentina
Mexico (CHS)-Panama
Venezuela, Fr Guiana, Peru, nc Brasil (AM)
Fr Guiana, nc Brasil (AM, PA), Peru, Ecuador
- Venezuela
Panama, Colombia
- n Argentina (CH)
e Brasil (ES)
se Brasil (BA-RJ)
Brasil (GO, SC), Paraguay
e Brasil (BA)
e Brasil (ES)
se Brasil (MG-SP)
se Brasil (BA-SC), Paraguay, Argentina
- Panama, Colombia
se Brasil (BA-SP)
Nicaragua - Panama
se Brasil (BA, MG, MS), Bolivia
Panama, Venezuela
n Brasil (PA), Fr Guiana
e Brasil (BA, ES)
Bolivia
c Brasil (MT)
ec Brasil (GO, MT), Bolivia
- e Brasil (BA)
ec Brasil (GO, MT, MG, SP), Argentina,
Bolivia, Paraguay
Panama-n SAmer, Bolivia, se Brasil
Brasil (DF)
ec Brasil (GO, MT), Bolivia, Paraguay
- Venezuela
Bolivia
s Brasil (MS)
e Brasil (GO, BA-SP)
se Brasil (BA-SP), Fr Guiana, Argentina
Bolivia, n Argentina (SA, SE, ER)
- se Brasil (SP-RS), Paraguay, Argentina
Venezuela
se Brasil (MG, SP)
se Brasil (MT, RJ-PR)
n Argentina (SA, TU)
se Brasil (BA-RS), ne Argentina (MI)
- e Brasil (BA)
c Brasil (MT)
Colombia, Venezuela
Venezuela
ne Brasil (RN)
e Brasil (BA)

periboeoides (Thomson, 1867:146)	
persimile (Martins, 1960:181)	se Brasil (BA-RJ)
personatum (Gounelle, 1909:678)	nc Brasil (PA, GO, MT)
<i>andinum</i> Martins, 1962:57	ec Brasil (GO, MT, SP), Paraguay, Bolivia,
pictipenne (Martins, 1962:58)	Argentina
praecipuum Martins, 1971:1445	se Brasil, Bolivia, Paraguay, Argentina
pubicolle Martins & Napp, 1986:10	c Brasil (MT), Bolivia
pulvinum Martins, 1968:449	Brasil (AM, PA, RO)
pusillum (Martins, 1960:178)	e Brasil (BA)
rubricatum (Gounelle, 1909:680)	Bolivia
rusticum (Gounelle, 1909:682)	Venezuela, ec Brasil (GO, MT, MG)
salamis (Thomson, 1867:143)	ec Brasil (GO, MG, MT, SP), Paraguay
semirufum Martins, 196:422	se Brasil (BA-RS), Paraguay, Argentina
signatum signatum (Audinet-Serville, 1834:104)	Brasil
<i>venezuelae</i> White, 1855:233	se Brasil (BA-RS), Paraguay, Argentina
<i>femoratum</i> Lucas, 1857:187	
<i>vicinum</i> ; Bosq, 1943:31 (not Gounelle, 1909)	
subsp. punctatum Martins, 1968:438	ec Brasil (GO, MT), Bolivia
silvestre (Martins, 1965:210)	e Brasil (ES)
sipolisi (Gounelle, 1909:681)	e Brasil (GO, BA-SC), Paraguay
<i>haliki</i> Martins, 1962:301	
suberuciatum (White, 1855:226)	
<i>spinipenne</i> Thomson, 1865:570	Guianas, Venezuela, e Brasil (AM, GO, MT,
<i>calligrammum</i> Bates, 1870:294	PB-PN)
supernotatum (Gounelle, 1909:678)	e Brasil (GO, MT, BA-SP), Bolivia
validum (Martins, 1962:104)	Paraguay
vianai Martins, 1971:1437	Paraguay
vicinum (Gounelle, 1913:216)	nc Argentina (JU-CD)
xanthocele (Martins, 1962:305)	c Brasil (MT)
zonapterum (Martins, 1962:299)	ec Brasil (MT, SP), Bolivia

Division IV Martins, 1969:631

Bomaribidion Martins, 1962:2

angusticolle (Gounelle, 1909:683)	e Brasil (GO, BA-SC), Paraguay
hirsutum Martins, 1969:670	e Brasil (MG)

Brechmoidion Martins, 1969:639

exicisifrons (Martins, 1960:88)	Colombia, Ecuador
falcatum Napp & Martins, 1985:131	Venezuela

Coleroidion Martins, 1969:830

cingulum Martins, 1969:833	Venezuela, Peru
leucotrichum (Martins, 1960:177)	s Brasil (MS), n Argentina (FO, CH)

Compsibidion Thomson, 1864:215

Lylbaeum Thomson, 1864:216	nw Brasil (AM)
Octoplon Thomson, 1864:218	Fr Guiana, se Brasil (MG-RJ)
<i>aegrotum</i> (Bates, 1870:305)	se Brasil (BA-RJ)
<i>amantei</i> (Martins, 1960:179)	e Brasil (ES)
<i>angulare</i> (Thomson, 1867:159)	Venezuela
<i>balium</i> Napp & Martins, 1985:136	nc Brasil (AM, PA), Fr Guiana
<i>baria</i> Joly, 1990: 213	Venezuela, Fr Guiana, Brasil (PA), Bolivia
<i>basale</i> (White, 1855:229)	ec Brasil (GO, MT, PB-MG, SP), Bolivia,
<i>callispilum</i> (Bates, 1870:293)	n Argentina (JU, SA)
<i>campestre</i> (Gounelle, 1909:667)	e Brasil (BA-ES)
<i>perelegans</i> Melzer, 1933:368	e Brasil (ES)
<i>capixaba</i> (Martins, 1962: 156)	Fr Guiana, nc Brasil (AM, PA)
<i>carenatum</i> Martins, 1969:767	Argentina (SA-BA)
<i>charile</i> (Bates, 1870:297)	se Brasil (BA-PR)
<i>circunflexum</i> Martins, 1971:1462	
<i>cleophile</i> (Thomson, 1865:574)	
<i>adelphum</i> Thomson, 1867:158	

<i>laesicollis</i> ; Thomson, 1864:218 (not Germar, 1824)	
clivum Martins, 1971:1453	Venezuela
conicum Napp & Martins, 1985:138	e Brasil (MG, ES)
crassipede Martins, 1971:1460	ec Brasil (MT, SP), Paraguay, Argentina
decemmaculatum (Martins, 1960:175)	Ecuador
decoratum (Gounelle, 1909:665)	ec Brasil (GO, MT)
derivativum Martins, 1971:1454	c Brasil (MT)
divisum Martins, 1969:769	se Brasil (BA-RJ)
fairmairei (Thomson, 1865:572)	e Brasil (GO, MT, BA-RS), Paraguay,
<i>arcufera</i> Gounelle, 1909:669	Bolivia, Argentina, Uruguay
femoratum Martins, 1971:1457	c Brasil (MT), n Argentina (CH)
graphicum (Thomson, 1867:135)	Brasil (PA, MA-SC, MT), Bolivia, Paraguay,
<i>antennatum</i> Thomson, 1867:156	Argentina
var. (?) rubricolle (Melzer, 1935:176)	s Brasil (RS)
guanabarinum (Martins, 1962:138)	se BrasiI (ES, RJ)
ilium (Thomson, 1864:216)	se Brasil (MT, MG-SC), Peru
inornatum (Martins, 1962:302)	se Brasil (BA, SP)
littoratum (Martins, 1960:91)	Panama, Colombia, Venezuela
maronicum (Thomson, 1867:135)	Trinidad, Venezuela, Colombia, Brasil (AM,
<i>herse</i> Thomson, 1867:136	MA, MT), Guianas, Peru, Bolivia
<i>oedicneme</i> Bates, 1870:298	
<i>rubellum</i> Bates, 1870:298	
<i>lepraeuri</i> Bates, 1870:299	
<i>dilectum</i> Bates, 1870:299	
<i>deliciolus</i> Bates, 1870:305	
megartron (Martins, 1962:279)	se Brasil (MG, SP)
melancholicum Martins, 1969:726	c Brasil (MT)
meridionale Martins, 1969:775	s Brasil (SC)
monnei Martins, 1969:703	Uruguay
multizonatum Martins, 1969:796	n Brasil (PA), Fr Guiana
muricatum Martins, 1971:150	e Brasil (ES)
mysticum Martins, 1969:786	Panama
nigroterminatum (Martins, 1965:206)	se Brasil (BA, RJ)
niveum (Martins, 1962:143)	se Brasil (RJ-SC)
omissum Martins, 1969:701	ec Brasil (GO)
orpa (White, 1855:227)	n Brasil (PA)
paradoxum Martins, 1971:157	Colombia
paulista (Martins, 1962:131)	se Brasil (SP)
polyzonum (Bates, 1870:291)	n Brasil (PA)
psydrum Martins, 1969:806	Peru
pumilum Martins & Galileo, 1999: 302	Colombia
quadresignatum (Thomson, 1865:574)	e Brasil (GO, ES-SC)
<i>amabile</i> Thomson, 1867:138	
reichardti (Martins, 1962:97)	Bolivia
rutha (White, 1855:227)	Fr Guiana, nc Brasil (AM, PA), Peru
simillimum Martins, 1969:720	e Brasil (BA-ES)
singulare (Gounelle, 1909:671)	ec Brasil (GO)
sommeri (Thomson, 1865:573)	e Brasil (GO, BA-SC), Bolivia, Argentina
sphaerinum (Bates, 1870:300)	nc Brasil (AM, PA)
tethys (Thomson, 1867:145)	Ecuador, Guianas, nw Brasil (AM), Peru
<i>polychromum</i> Bates, 1870:295	
thoracicum (White, 1855:228)	c Brasil (PA, GO, MT), Peru, Bolivia
trichocerum (Martins, 1962:128)	se Brasil (BA-RJ)
triviale Napp & Martins, 1985:137	se Brasil (MG, SP)
truncatum (Thomson, 1865:574)	e Brasil (GO, BA-RS), Bolivia, Paraguay,
<i>albocinctum</i> Thomson, 1865:574	Argentina
<i>lycoris</i> Thomson, 1867:153	
tuberosum Martins, 1971:153	e Brasil (ES)
unifasciatum (Gounelle, 1909:666)	e Brasil (GO, ES, SP)
vanum (Thomson, 1867:151)	Mexico-n S Amer, Argentina, Bolivia
<i>histrionica</i> Bates, 1870:302	
varipenne Martins, 1969:742	Venezuela, Colombia
virgatum Martins, 1969:724	Peru
zikani (Melzer, 1933:367)	se Brasil (BA-RS)

Cycnidolon Thomson, 1864:217	
approximatum (White, 1855:231)	Guianas, nc Brasil (AM), Peru
batesianum (White, 1855:230)	Fr Guiana, nc Brasil (AM, PA, MT), Peru
bimaculatum Martins, 1960:22	nc Brasil (AM)
binodosum Bates, 1870:306	Panama, nw Brasil (AM)
bruchi Napp & Martins, 1985:144	e Brasil (ES)
caracense Martins, 1964:129	se Brasil (MG, RJ)
eques Thomson, 1864:217	se Brasil (BA-RJ)
gounellei Bruch, 1908:206	Bolivia, n Argentina (SA, TU)
minutum Martins, 1960:19	se Brasil (BA-SP), Argentina
<i>trichotulum</i> Martins, 1960:71	
obliquum Martins, 1969:852	Brasil (PA, GO, MT, MA), Fr Guiana, Bolivia
<i>unoculum</i> ; Gounelle, 1909:668 (not Bates, 1870)	
phormesioides Martins, 1960:20	n Argentina (SA, TU)
podicale (Thomson, 1867:155)	Venezuela
pulchellum (Lameere, 1893:274)	Venezuela
<i>pedunculatum</i> Martins, 1969:862	
pumillum Napp & Martins, 1985:144	e Brasil (BA, MG)
sericeum Martins, 1960:21	Brasil (AM, PA, BA-RJ), Peru, Bolivia
<i>guimaraesi</i> Martins, 1964:132	
spinosum Napp & Martins, 1985:143	Panama, Colombia
trituberculatum Martins, 1969:850	Costa Rica
Glomibidion Napp & Martins, 1985:134	
tumidum Napp & Martins, 1985:134	c Brasil (MT)
Ibidion Audinet-Serville, 1834:103	
comatum Audinet-Serville, 1834:104	Brasil
Liostola Zajciw, 1962:241	
nitida Zajciw, 1962:242	Fr Guiana, Brasil (AP, RO, MT), Ecuador
Megaceron Martins, 1969:672	
antennicrassum (Martins, 1960:53)	e Brasil (ES)
australe (Martins, 1960:176)	se Brasil (SP-SC), Paraguay
Neoctoplon Martins, 1969:826	
brunnipenne (Martins, 1960:85)	se Brasil (RJ-SC)
Ophthalmibidion Martins, 1969:661	
auba Martins & Galileo, 1999: 302	Brasil (AM)
luscum Martins, 1971:1449	s Brasil (MS)
oculatum Martins, 1969:664	e Brasil (ES)
tetrops (Bates, 1870:291)	c, se Brasil (PA, MT, MG-PR), Peru, Bolivia, Argentina
Prothoracibidion Martins, 1960:109	
flavozonatum Martins, 1960:109	Ecuador, Peru
plicatithorax Martins, 1960:111	Colombia
xanthopterum Martins, 1962:281	Bolivia
Rhysium Pascoe, 1866:483	
<i>Rhyzium</i> ; Martins, 1969:650	Peru, Bolivia
bimaculatum Pascoe, 1866:483	
<i>contracticorne</i> Martins, 1960:95	Colombia
bivulneratum (Thomson, 1867:141)	
<i>inarmatum</i> Martins, 1960:94	Colombia
guttiferum (Thomson, 1867:142)	

Tetraopidion Martins, 1960:23	
<i>geminatum</i> Martins, 1969:840	Bolivia
<i>mucoriferum</i> (Thomson, 1867:154)	e Brasil (GO, PB-RS), Fr Guiana, Paraguay,
<i>modestum</i> Lacordaire, 1869:334	Argentina
<i>tetraophthalmum</i> Martins, 1960:26	n Argentina (SA)
<i>venezuelanum</i> Martins, 1960:25	Venezuela
 Division V Martins, 1970:883	
 Aphatum Bates, 1870:308	
<i>rufulum</i> (White, 1855:234)	nc Brasil (AM, PA)
 Asynapteron Martins, 1970:1151	
<i>contrarium</i> Martins, 1971:1472	Ecuador
<i>eburnigerum</i> (Aurivillius, 1899:265)	Guyana
<i>equatorianum</i> (Martins, 1960:89)	Ecuador
<i>glabriolum</i> (Bates, 1872:180)	Mexico, Nicaragua-Colombia, Ecuador
<i>inca</i> (Martins, 1962:95)	Peru
<i>ranthum</i> Martins, 1970:1155	Ecuador
 Cecaibidion Galileo & Martins, 2001: 94	
<i>bivittatum</i> Galileo & Martins, 2001: 95	Panama
 Cephaloplon Martins & Napp, 1986:236	
<i>pedunculatum</i> Martins & Napp, 1986:237	Trinidad & Tobago
 Cicatris Martins, 1970:965	
<i>calidum</i> Martins & Napp, 1986:235	e Brasil (BA, MG)
<i>constricticolle</i> (Martins, 1962:296)	se Brasil (BA, SP)
 Compsa Perty, 1832:92	
<i>albomaculata</i> Martins, 1962:282	Colombia
<i>albopicta</i> Perty, 1832:92	ec, se Brasil, Peru, Paraguay, Argentina
<i>amoena</i> Fisher, 1937:148	se Brasil (BA-SC), Paraguay, Argentina
<i>curtula</i> Martins & Napp, 1986:230	Peru, w Brasil (RO)
<i>diringshofeni</i> (Martins, 1960:173)	Brasil (MG-SP)
<i>inconstans</i> Gounelle, 1909:669	e Brasil (GO, BA, ES)
<i>leucozona</i> (Bates, 1885:261)	Panama
<i>macra</i> (Thomson, 1867:154)	Panama, Trinidad & Tobago, Colombia,
<i>delicatulum</i> Linsley, 1935:486	Venezuela
<i>monrosi</i> (Prosen, 1961:125)	s Brasil, Paraguay, Argentina, Uruguay
<i>montana</i> Martins, 1971:1465	e Brasil (PB, BA)
<i>multiguttata</i> Melzer, 1935:178	e Brasil (GO, MT, PE-RS), Paraguay,
<i>lineatoguttata</i> Melzer, 1935:179	Argentina
var. <i>confluens</i> Melzer, 1935:179	
<i>nebulosa</i> Martins, 1970:1010	Bolivia
<i>nipha</i> Martins, & Napp, 1986:231	Venezuela, Fr Guiana
<i>quadriguttata</i> (White, 1855:226)	n S Amer-Bolivia, Paraguay
? <i>flavofasciata</i> (Thomson, 1867:152)	Colombia, Venezuela
? <i>latifascia</i> Martins, 1970:1029	e Brasil (GO, BA-SC), Bolivia
 Corimbion Martins, 1970:883	
<i>balteum</i> Martins, 1970:891	e Brasil (BA)
<i>caliginosum</i> Martins, 1970:896	Venezuela
<i>martinsi</i> Giesbert, 1998: 50	Guat, Hond, Costa Rica
<i>nigroapicatum</i> Martins, 1970:893	Bolivia
<i>supremum</i> Martins, 1970:889	Venezuela
<i>terminatum</i> Martins, 1970:897	Colombia, n Brasil (RR)
<i>vulgare</i> Martins, 1970:885	se Brasil (BA-PR)

Dodecaibidion Martins, 1962:91

brasiliense Martins, 1962:92
modestum Martins, 1970:993
ornatipenne Martins, 1970:991

se Brasil (RJ)
 ec Brasil (GO), Paraguay
 se Brasil (RJ)

Engyum Thomson, 1864:216

Phormesium Thomson, 1864:217
aurantium Martins, 1970:941
carinatum Martins, 1970:931
crassum Martins, 1970:934
euchare (Martins, 1960:55)
fusiferum (Audinet-Serville, 1834:106)
eudesmoides Thomson, 1864:218
howdeni Martins & Napp, 1986:227
linsleyi Martins, 1970:942
ludibriosum Martins, 1970:939
albinum; Gounelle, 1909:668 (not Bates, 1870)
melanodacrys (White, 1855:235)
quadrinotatum Thomson, 1864:217
transversum Martins, 1970:944
trinidadense (Gilmour, 1963:93)
virgulatum (Bates, 1880:31)
zonarium Martins & Napp, 1986:228

c Brasil (MT), Fr Guiana
 e Brasil (BA)
 e Brasil (PE)
 Venezuela, Brasil
 se Brasil (BA-RJ)
 Colombia
 Peru
 e Brasil (GO, BA-SP)
 c Brasil (PA, MT)
 se Brasil (BA-RS), Paraguay, Argentina
 Fr Guiana, e Brasil (BA, PE)
 Trinidad
 Mexico-n Samer (Venezuela, Ecuador, Peru)
 s Mexico (CHS)

Hadroibidion Martins, 1967:48

nanum (Gounelle, 1911:226)
pullum (Martins, 1962:93)
vulgare Martins & Napp, 1986:230

Brasil (GO)
 s Brasil (MS)
 e Brasil (BA)

Heterachthes Newman, 1840:9

Ibidion (Heterachthon) Thomson, 1867:133
Heteracthon Aurivillius, 1912:110
Heterachtes; Aurivillius, 1912:110
Brydaeon Thomson, 1867:134
aeneolus Bates, 1885:267
apicalis (Blair, 1933:481)
arubae Gilmour, 1968:146
bilineatus (Bates, 1885:262)
candidus (Bates, 1885:261)
castaneus Martins, 1970:1301
concretus Martins, 1970:1286
congener Martins, 1965:215
designatus Martins, 1970:1321
dimidiatus (Thomson, 1865:571)
ebenus Newman, 1840:9
floridanus Casey, 1912:307
exilissimus Casey, 1912:307
erineus Martins, 1970:1312
fascinatus Martins, 1971:1477
figuratus Martins, 1970:1219
flavicornis flavicornis (Thomson, 1865:571)
 subsp. **bonariensis** (Thomson, 1865:572)
implicatum Thomson, 1867:148
 subsp. **sexsignatus** (Thomson, 1865:572)
bellus Gounelle, 1909:672
fraterculus Martins & Napp, 1986:240
gratiosus Martins, 1970:1237
howdeni Martins, 1970:1327
hystericosus Martins, 1971:173
integripennis (Bates, 1885:262)
usingeri Linsley, 1935:81

e Mexico (VC)
 Honduras, Aruba, Colombia, Galapagos Is
 Guatemala
 Panama
 e Brasil (MG)
 Costa Rica, Colombia
 Peru, Bolivia
 Mexico (VC, OA, CHS)
 se Brasil (RJ-PR), Paraguay
 s USA (FL-TX), Mexico-Uruguay, Cuba,
 Bahamas
 w Mexico (SI)
 Venezuela
 Peru
 se Brasil (BA-RJ)
 Argentina, Uruguay
 e Brasil (GO, MG-RS)
 Mexico (CHS, JA, OA)-Costa Rica
 nw Brasil (AM)
 ne Mexico (NL, TA)
 se Brasil (RJ)
 c Mexico (DU-VC)

inustus Gounelle, 1909:670	ec Brasil (GO)
laesicollis (Germar, 1824:511)	se Brasil (BA-RJ)
<i>phoracanthoides</i> White, 1855:232	
<i>quadrifoveolatum</i> Chabillac, 1857:197	
<i>vitreus</i> Martins, 1962:293	
lateralis Martins, 1962:295	Panama, Colombia, n Brasil (PA)
lemniscus Martins, 1970:1229	Ecuador
leucoacnus Martins, 1970:1334	ec Mexico (HI)
longiscapus Martins, 1970:1231	e Brasil (BA)
martinsi Hovore, 1988:10	Baja Calif
mediovittatus Martins, 1962:292	Peru
mucuni Martins & Galileo, 1999: 306	Ecuador
myrrheus Gounelle, 1910:15	Ecuador
neocompsoides Giesbert, 1998: 45	MX, Guat, Hond
nigrocinctus Bates, 1872:182	s Mexico-Panama
nobilis LeConte, 1862:41	sw USA (TX)
pallidipennis (Thomson, 1865:573)	Peru
peloniooides (Thomson, 1867:149)	Fr Guiana, nc Brasil (AM)
<i>longipilis</i> Bates, 1870:304	
picturatus Martins, 1970:1288	Guatemala
plagiatus (Burmeister, 1865:174)	nw Argentina (JU, CD, ME)
polingi (Fall, 1925:182)	sw USA (AZ), nw Mexico (SO)
quadrimaculatus Haldeman, 1847:43	e NAm
var. <i>pallidus</i> Haldeman, 1847:43	
<i>rotundipenne</i> White, 1855:233	
<i>evanescens</i> Thomson, 1867:148	
<i>fluviaialis</i> Casey 1912:308	
rubricolor Melzer, 1935:180	Costa Rica
rugosicollis Martins, 1970:1330	wc Mexico (DU)
sablensis Blatchley, 1920:68	se USA (FL)
sejunctus Gounelle, 1909:673	ec Brasil (GO, MT), Fr Guiana, Bolivia
sexguttatus (Audinet-Serville, 1834:105)	se Brasil (BA-RJ)
signaticollis (Thomson, 1865:572)	Colombia, Venezuela
similis Martins, 1965:213	Bolivia
spilotus Martins, 1971:170	n Argentina (TU)
symbolus Martins, 1970:1257	e Brasil (BA)
tenellus (Burmeister, 1865:175)	n Argentina (JU-BA)
texanus Linsley, 1957:159	sw USA (TX)
tysiphonis (Thomson, 1867:137)	Fr Guiana, nc Brasil (AM), Peru
<i>decipiens</i> Bates, 1870:303	
unituberosus Martins & Galileo, 1999: 306	Bolivia
vauriae Martins, 1971:175	Colombia
viticulosus Martins, 1970:1332	ne Mexico (CO-VC), Guatemala
wappesi Martins & Napp, 1986:239	se Mexico (YU, QR)
w-notatus Linsley, 1935:80	c Mexico (NA-PU)
xenocerus Martins, 1960:174	nc Argentina (CD)
x-notatus (Linsley, 1935:109)	Mexico, Belize, Honduras
<i>fisheri</i> Linsley, 1935:485	
xyleus Martins, 1974:149	Bolivia
 Heterocompsa Martins, 1965:95	
aqulonia Giesbert, 1998: 48	MX, Guat, Panama
eburata Martins, 1970:914	Bolivia
formosa (Martins, 1962:284)	Paraguay, n Argentina (SA, FO)
geniculata (Thomson, 1865:571)	se Brasil (BA, SP), Paraguay, Argentina
<i>heteracantha</i> Martins, 1962:286	
nigripes (Martins, 1962:283)	se Brasil (SP)
seabrai (Martins, 1962:285)	n Argentina (TU)
stellae (Martins, 1962:145)	s Brasil (PR)
truncaticornis (Martins, 1960:87)	se Brasil (ES-RJ)
 Kunaibidion Giesbert, 1998: 51	
panamensis Giesbert, 1998: 51	Panama

Microibidion	Martins, 1962:135	
<code>exculptum</code>	Martins, 1962:137	se Brasil (SP-RS), Paraguay, Argentina
<code>exiguum</code>	Martins, 1962:136	se Brasil (BA-RS), Paraguay, Argentina
<code>fluminense</code>	(Martins, 1962:146)	se Brasil (BA-RJ)
<code>micum</code>	Martins, 1971:161	Bolivia, n Argentina (JU)
<code>muticum</code>	(Martins, 1962:147)	se Brasil (ES, RJ, SC)
<code>rubicundulum</code>	(Gounelle, 1913:214)	nc Argentina (SE)
Monzonia	Giesbert, 1998: 44	
<code>sanmarcosana</code>	Giesbert, 1998:45	Guatemala
Neocompsa	Martins, 1965:96	
<code>agnosta</code>	Martins, 1970:1081	w Mexico (SI, NA, JA)
<code>alacris</code>	(Bates, 1885:264)	sw USA (TX), Mexico-Honduras
<code>albopilosa</code>	(Martins, 1962:142)	se Brasil (BA-RJ)
<code>aspasia</code>	Martins, 1974:148	Ecuador
<code>bimaculata</code>	Martins & Napp, 1986:231	Guatemala-Costa Rica
<code>chemsaki</code>	Martins, 1970:1117	w Mexico (JA, MO, NA)
<code>clerochroa</code>	(Thomson, 1867:156)	sc Mexico (CM, ME, VC, OA, CHS), Guatemala
	<code>tenuatum</code> Bates, 1885:263	
	<code>semirufum</code> Bates, 1885:265	
<code>comula</code>	Martins, 1970:1058	Costa Rica
<code>cylindricollis</code>	(Fabricius, 1798:146)	W Indies (Jamaica-Trinidad)
	<code>clavipes</code> Fabricius, 1801:316	
	<code>submaculatus</code> Lameere, 1884:100	
	<code>quadrimaculatum;</code> Thomson, 1864:215 (not Fabricius, 1792)	
<code>dysthymia</code>	Martins, 1970:1074	ne Mexico (NL)
<code>eburiooides</code>	(Thomson, 1867:152)	Colombia, Venezuela
<code>exclamationis</code>	(Thomson, 1860:201)	sw USA (TX), Mexico (CHS,
	<code>interrogationis</code> Thomson, 1864:216, (nomen nudum)	DF, JA, OA, SLP, VC)
<code>fefeyei</code>	Joly, 1991:67	Venezuela
<code>fulgens</code>	(Fisher, 1932:48)	Dominica, Guadeloupe
<code>gaumeri</code>	(Bates, 1892:156)	se Mexico (YU)
<code>giesberti</code>	Martins & Napp, 1986:233	Honduras, Costa Rica
<code>glaphyra</code>	Martins, 1970:1100	Costa Rica, Panama
<code>habra</code>	Martins, 1970:1065	Venezuela
<code>intricata</code>	Martins, 1970:1088	sw USA (TX), e Mexico (SLP, VC)
<code>leechi</code>	Martins, 1970:1072	Peru
<code>lenticula</code>	Martins, 1970:1103	Bolivia
<code>limatula</code>	Martins & Napp, 1986:235	wc Brasil (RD, MT), Fr Guiana
<code>lineolata</code>	(Bates, 1870:301)	Costa Rica-Colombia, Ecuador, Fr Guiana,
	<code>dilaticornis</code> Melzer, 1935:177	Peru, Brasil (AM, BA-PR)
<code>longipilis</code>	Martins & Galileo, 2002: 17	Colombia
<code>macroscina</code>	Martins, 1970:1086	w Mexico (SI)
<code>macrotricha</code>	Martins, 1970:1091	Mexico (MO, OA, CHS), Guatemala
<code>magnifica</code>	Martins, 1971:167	Guatemala
<code>mendezi</code>	Giesbert, 1998: 46	Guatemala
<code>mexicana</code>	(Thomson, 1865:573)	sw USA (TX) , Mexico-Costa Rica
	<code>hippopsioides</code> Bates, 1885:265	
	<code>ignobile</code> Bates, 1885:265	
	<code>townsendi</code> Linell, 1896:395	
<code>micromacula</code>	Martins & Galileo, 1999: 304	Ecuador
<code>mimosa</code>	Martins, 1971:1467	Colombia, Venezuela
<code>ptoma</code>	Martins, 1971:1115	s Mexico (OA, CHS)
<code>puncticollis puncticollis</code>	(LeConte, 1873:188)	Baja Calif
	subsp. <code>asperula</code> (Bates, 1885:266)	sw USA (AZ)-w Mexico (SO-GR)
	subsp. <code>orientalis</code> Martins & Chemsak, 1966:466	sw USA (TX)-Mexico (NL-OA)
<code>pysma</code>	Martins, 1970:1136	se Mexico (YU, QR)
<code>quadriplagiata</code>	(LeConte, 1873:189)	sw USA (TX), w Mexico (GR, MO), Baja Calif
	<code>griseolum</code> Bates, 1892:156	
	<code>pubescens</code> Casey, 1924:260	

- lecontei*** Linsley, 1957:87
- ruatana*** (Bates, 1892:155)
- santarensis*** Martins & Galileo, 1998: 51
- sericans*** (Bates, 1885:264)
- serrana*** (Martins, 1962:140)
- sinaloana*** (Linsley, 1935:484)
- spinosa*** Martins, 1970:1050
- squalida*** (Thomson, 1867:151)
- tenuissima*** (Bates, 1885:266)
- textilis*** (Thomson, 1865:573)
- mexicanum*; Bates, 1880:32 (not Thomson, 1865)
- thelgema*** Martins, 1971:166
- tuberosa*** Martins, 1970:1098
- tucumana*** (Martins, 1962:290)
- turnbowi*** Giesbert, 1998: 47
- ventricosa*** (Bates, 1885:264)
- veracruzana*** Martins, 1971:1470
- v-flava*** (Melzer, 1931:54)
- vogti*** Martins, 1970:1126
- wappesi*** Giesbert, 1998: 47
- werneri*** Martins, 1970:1083
- Honduras (Roatan I.)
Brasil (PA)
Panama
s Brasil (MS)
w Mexico (SI)
Guatemala, Costa Rica
Mexico-Colombia, Venezuela
Mexico (widely distributed)
Mexico-Costa Rica
- Honduras, Costa Rica
Guatemala-Colombia
n Argentina (JU, TU)
MX
Costa Rica, Panama
e Mexico (VC)
Costa Rica
Bolivia
Guat - Hond
w Mexico (SO, SI)
- Opsibidion*** Martins, 1960:115
- albifasciatum*** Giesbert, 1998: 49
- albinum*** (Bates, 1870:307)
- micron* Martins, 1960:118
- flavocinctum*** Martins, 1960:116
- Panama
nc Brasil (AM, PA, MT)
se Brasil (BA-RS), Paraguay, Argentina
- Pygmodeon*** Martins, 1970:1163
- andreae*** (Germar, 1824:511)
- amabile* Thomson, 1867:138 (part)
- boreale*** Martins, 1971:1474
- buscki*** (Linsley, 1935:482)
- cribripenne*** (Bates, 1880:32)
- chiriquinum* Bates, 1885:266
- ditelum*** (Bates, 1872:181)
- excelsum*** Martins & Napp, 1986:238
- involutum*** (Bates, 1870:304)
- latevittatum*** (Bates, 1885:262)
- m-littera*** (Martins, 1962:294)
- mutable*** (Melzer, 1935:179)
- obtusum*** (Bates, 1874:221)
- var. *segregatum* Bates, 1885:265
- puniceum*** Martins, 1970:1193
- staurotom*** Martins, 1970:1174
- validicorne*** (Bates, 1885:261)
- se Brasil (BA-RS)
c Mexico (ME)
Panama
Costa Rica, Panama
- Nicaragua-Panama
Costa Rica
Guianas, nc Brasil (AM), Peru, Bolivia
s Mexico (CHS), Guatemala
Peru, w Brasil (RO), Bolivia
El Salvador, Costa Rica
Mexico-Costa Rica
- Colombia, Ecuador
Venezuela
Costa Rica, Panama
- Stenoidion*** Martins, 1970:1196
- amphigylum*** Martins, 1970:1197
- apicatum*** (Martins, 1962:291)
- corallinum*** (Bates, 1870:304)
- var. *chapadense* (Gounelle, 1909:672)
- var. *tricolor* (Belon, 1896:244)
- n Brasil (PA)
Bolivia
Peru, n Brasil (PA), Fr Guiana
Brasil (GO, MT, CE-SP)
Bolivia
- Xalitia*** Lane, 1959:15
- azteca*** Lane, 1959:15
- genuina*** Martins, 1970:961
- punctatissima*** Martins, 1970:964
- w Mexico (SO, NA, JA, GR)
s Mexico (OA, CHS), Costa Rica
w Mexico (SI)

Acangassuini Galileo & Martins, 2001: 95

Acangassu Galileo & Martins, 2001: 97
diminuta Galileo & Martins, 2001: 97
s Brasil (RJ)

Elgmodermini Lacordaire, 1869:337

Acanthoibidion Lane, 1959:17
chevrolatii (White, 1855:219)
venezuelensis Lane, 1959:18
Venezuela

Elgmoderma Thomson, 1864:246
convexicolle Aurivillius, 1923:441
ibidionoides Thomson, 1864:247
politum Nonfried, 1895:310
spinicolle Aurivillius, 1923:441
trifasciatum Aurivillius, 1923:440
ziczac Nonfried, 1895:310
Venezuela
Colombia
Panama
Colombia
Venezuela
Panama

Limozota Pascoe, 1866:482
virgata Pascoe, 1866:482
Colombia

Callidiopini Lacordaire, 1869:340

Aleiphauquilon Martins, 1970:47
castaneum (Gounelle, 1911:190)
unicolor Martins, 1970:48
eburneum Mermudes & Monné, 1999: 83
myrmex Napp & Martins, 1984:51
plaumanni Martins, 1975:17
rugosum Martins & Galileo, 1994:686
taeniatum Mermudes & Monné, 1999: 83
tricolor Martins, 1975:16
una Mermudes & Monné, 1999: 84
e Brasil, n Argentina (FO)
se Brasil (RJ)
Colombia
s Brasil (PR, SC)
se Brasil (RS)
Brasil (BA)
se Brasil (RJ)
se Brasil (RJ)

Aneuthetochorus Martins, 1968:25
bivestitus (Martins, 1962:149)
conunctus Napp & Martins, 1984:53
simplex Martins, 1970:46
se Brasil (RJ, SP)
nw Brasil (AM)
n Brasil (AP), Fr Guiana

Ceresium Newman, 1842:322
Diatomocephala Blanchard, 1853:266
Raphidera Perroud, 1855:336
Raphidodera; Gemminger & Harold, 1872:2831
Pneumida Thomson, 1864:191
flavipes (Fabricius, 1792:327)
simplex Gyllenhal in Schoenherr, 1817:178
miserum (Thomson, 1878:8)
Mexico ?
Hispaniola

Coscinedes Bates, 1885:258
gracilis Bates, 1885:259
Mexico (OA, VC)-Panama

Fregolia Gounelle, 1911:192
listropterooides Gounelle, 1911:192
Brasil [GO, MG, RGS], ne Argentina (MI)

Merostenus White, 1855:244
asperatus Fisher, 1932:52
attenuatus (Chevrolat, 1862:263)
brasiliensis Napp & Martins, 1984:57
Haiti
W Indies
e Brasil (BA)

decoratus	Zayas, 1975:121	Cuba
elongatus	Fisher, 1932:54	Cuba
exiguus	Zayas, 1975:122	Cuba
howdeni	Napp & Martins, 1984:56	ne Mexico (NL)
mexicanus	Napp & Martins, 1984:55	wc Mexico (DU)
picturatus	Napp & Martins, 1984:57	Jamaica
productus	White, 1855:244	Jamaica
similis	Fisher, 1932:53	W Indies (Antigua, Barbuda)
tuberculatus	Fisher, 1942:15	Jamaica
Neocoridolon	Melzer, 1930:188	
borgmeieri	Melzer, 1930:188	se Brasil (ES-SC)
Neocorus	Thomson, 1864:220	
diversipennis	Belon, 1903:50	se Brasil (SP), Bolivia
ibidionoides	(Audinet-Serville, 1834:98)	e Brasil (GO, RJ-RS), Paraguay,
<i>ibidionides</i>	Gounelle, 1909:685	Argentina
zikani	Melzer, 1920:434	e Brasil (MIN)
Parommidion	Martins, 1974:151	
extricatum	Martins, 1974:152	ec Brasil (GO), Bolivia, Paraguay
inauditum	Napp & Martins, 1984:52	Argentina (CD, CA)
<u>Curiini</u>	LeConte, 1873:304	
Curiosa	Micheli, 1983:261	
dominicana	Micheli, 1983:262	R Dominicana
Curius	Newman, 1840:17	
dentatus	Newman, 1840:17	se USA (MD-FL)
<i>concinnatus</i>	Haldeman, 1847:43	
panamensis	Bates, 1885:268	Panama
Plectromerus	Haldeman, 1847:43	
<i>Pentomacrus</i>	White, 1855:297	
<i>Curius</i> ; Lacordaire, 1869:352 (not Newman, 1840)		
acunai	(Fisher, 1936:344)	Cuba
bidentatus	Fisher, 1942:16	R Dominicana
costatus	Cazier & Lacey, 1952:30	Bahamas
crenulatus	Cazier, 1952:1	Haiti
dentipes	(Olivier, 1790:268)	se USA (FL-LA), Cuba
<i>dentatum</i>	J.E. LeConte, 1824:172	
<i>scambus</i>	Newman, 1840:79	
distinctus	(Cameron, 1910:186)	Hispaniola
exis	Zayas, 1975:123	Cuba
fasciatus	(Gahan, 1895:109)	W Indies (Cuba-Grenada)
femoratus	(Fabricius, 1792:316)	Jamaica
<i>femoratus</i>	White, 1855:297	
ornatus	Fisher, 1947:34	Cuba
pinicola	Zayas, 1975:125	Cuba
pumilus	Cazier & Lacey, 1952:33	Bahamas
punctatus	(Fisher, 1932:55)	Cuba
serratus	(Cameron, 1910:185)	Haiti
unidentatus	Fisher, 1942:17	Jamaica
wappesi	Giesbert, 1985:81	se Mexico (QR)
<u>Graciliini</u>	Mulsant, 1839:99	
Gracilia	Audinet-Serville, 1834:81	
<i>Nothrus</i>	Haldeman, 1847:43	

Graciliini Mulsant, 1839:99

Gracilia Audinet-Serville, 1834:81
Nothrus Haldeman, 1847:43

<i>Oesyophila</i> Bedel, 1894:156	
minuta (Fabricius, 1781:235)	Europe, introduced in e USA, Argentina and Uruguay
<i>pygmaeum</i> Fabricius, 1792:323	
<i>picea</i> Fabricius, 1792:317	
<i>vini</i> Panzer, 1799:10	
<i>fuscus</i> Haldeman, 1847:43	
<i>approximata</i> Fairmaire, 1883: clix	
<i>obliquata</i> Horn, 1885:174	
<i>albanica</i> Csiki, 1931:278	

Hypexilis Horn, 1885:173	
longipennis Linsley, 1935:82	c Mexico (ME)
pallida Horn, 1885:173	sw USA (TX), Mexico (NL)

Lianema Fall, 1907:85	
tenuicornis Fall, 1907:86	Baja Calif

Perigracilia Linsley, 1942:48	
delicata Knull, 1942:225	sw USA (AZ)
tenuis Linsley, 1942:49	Baja Calif

Obriini Mulsant, 1839:95

Araeotis Bates, 1867:26	
fragilis Bates, 1867:26	n Brasil (PA)

Epipodocarpus Bosq, 1951:193	
andinus Bosq, 1951:194	Chile

Limernaea Thomson, 1878:20	
<i>Lymernaea</i> ; Thomson, 1878: 21	
picta Thomson, 1878: 21	Brasil

Luscosmodicum Martins, 1970:47	
beaveri Martins, 1970:48	c Brasil (MT, MG)

Obrium Dejean, 1821:110	
<i>Phyton</i> Newman, 1840:19	
<i>Diozodes</i> Haldeman, 1847:42	
albifasciatum Bates, 1872:182	Mexico (VC)-Panama, Ecuador
angulosum Bates, 1885:269	Panama
arciferum Bates, 1885:270	Guatemala
balteatum Hovore & Chemsak, 1980:41	wc Mexico (DU)
batesi Hovore & Chemsak, 1980:40	Mexico (GR, OA), Honduras
beckeri Knull, 1962:105	sw USA (TX)
californicum Van Dyke, 1920:37	w USA (CA, OR)
cicatricosum Gounelle, 1909:686	e Brasil (GO-PE)
clerulum Bates, 1885:270	Panama
constricticolle Schaeffer, 1908:338	sw USA (AZ), nw Mexico (CHA), Baja Calif
cordicolle Bates, 1870:308	Panama, Venezuela, c Brasil (PA, GO)
costaricum Hovore & Chemsak, 1980:47	Costa Rica
cribripenne Bates, 1885:271	Mexico (OA, TB), Guatemala
cruciferum Bates, 1885:270	Mexico (SI-VC)
dimidiatum Hovore & Chemsak, 1980:45	wc Mexico (DU)
discoideum (LeConte, 1873:190)	sw USA (AZ), w Mexico-Costa Rica, Baja Calif
dominicum Linsley, 1957:85	nw Mexico (SO), Baja Calif
giesberti Hovore & Chemsak, 1980:37	Baja Calif, wc Mexico (SI)
glabrum Knull, 1937:41	sw USA (TX)
maculatum (Olivier, 1795:32)	Canada-Honduras

<i>pallidum</i> Say, 1824:412	
<i>limum</i> Newman, 1840:18	
<i>lituratum</i> Bates, 1885:268	
<i>howdeni</i> Knoll, 1955:139	
mozinnae Linell, 1897:395	sw USA (TX), ne Mexico (TA)
multifarum Berg, 1889:109	s Brasil (RS), Paraguay, ne Argentina (MI)
peninsulare Schaeffer, 1908:338	Baja Calif
<i>brunneum</i> ; Schaeffer, 1904:223 (not Fabricius, 1792)	
piperitum Bates, 1885:269	Panama
planicolle Hovore & Chemsak, 1980:49	w Mexico (NA)
quadrifasciatum Zajciw, 1965:90	se Brasil (RJ)
rubidum LeConte, 1850:21	e N Amer
ruficolle Bates, 1885:270	Mexico (DU, JA, SI, SO)-Costa Rica
rufulum Gahan, 1908:142	e N Amer
<i>rubrum</i> ; Leng, 1885: pl.3, fig.16 (not Newman, 1838)	
trifasciatum Bosq, 1951:98	n Argentina (FO, TU), Fr Guiana
vicinum Gounelle, 1909:686	e Brasil (GO, PE)
xanthum Hovore & Chemsak, 1980:43	s Mexico (CHS), Guatemala
Urorcites Thomson, 1878:21	
cribripennis Thomson, 1878:22	Chile
<u>Hyboderini</u> Linsley, 1940: 371	
Hybodera LeConte, 1873:191	
debilis LeConte, 1874:66	w USA (CA, OR)
tuberculata LeConte, 1873:191	w N Amer (Pacific Cst)
Lampropterus Mulsant, 1863:214	
<i>Callimus</i> Mulsant, 1864:4	
<i>Pilema</i> LeConte, 1873:191	
<i>Callimellum</i> Strand, 1928:2	
cyanipennis (LeConte, 1873:192)	w USA (CA, OR)
<i>variipes</i> Casey, 1912:311	
<i>dehiscens</i> Casey, 1912:312	
ruficollis (LeConte, 1873:192)	w N Amer (Pacific Cst), Baja Calif
<i>longicollis</i> Casey, 1912:310	
<i>opacipennis</i> Casey, 1912:311	
Megobrium LeConte, 1873:192	
edwardsi LeConte, 1873:193	w USA (CA)
Pachymerola Bates, 1892:161	
ruficollis ruficollis Giesbert, 1987:44	Mexico-El Salvador
subsp. humeralis Giesbert, 1987:47	Costa Rica
vitticollis Bates, 1892:161	sw Mexico (GR)
toledoi Chemsak & Noguera, 1997:9	Mexico (CHS)
wappesi Giesbert, 1993:143	Guatemala
Pseudopilema Linsley, 1940:373	
hoppingi (Van Dyke, 1920:36)	w USA (CA)
<u>Eumichthini</u> Linsley, 1940:368	
Eumichthys LeConte, 1873:190	
oedipus LeConte, 1873:190	w N Amer (Pacific Cst)
var. <i>ater</i> Hardy & Preece, 1927:188	
var. <i>ruber</i> Hardy & Preece, 1927:188	
<i>funebris</i> Van Dyke, 1920:34	
<i>malkini</i> Fisher, 1942:51	

Poecilobrium Horn in LeConte & Horn, 1883:291

chalybeum (LeConte, 1873:189)
rugosipenne Linell, 1897:395
minutum Casey, 1924:261
gibsoni Hopping, 1931:234

w N Amer (Br Col, CA, CO-NM)

Phlyctaenodini Lacordaire, 1869:370**Ancylodonta** Blanchard in Gay, 1851:494

Semnus Lacordaire, 1869:376	se Brasil (RJ, SP)
almeidai Mendes, 1946:235	Uruguay
glabripennis Zajciw, 1970:502	Chile
nitidipennis Germain, 1898:781	
<i>tristis</i> ; Fairmaire & Germain, 1859:510 (not Blanchard, 1851)	
phlyctaenoides Lacordaire, 1869:376	ec Brasil (GO, MG, RJ)
tristis Blanchard in Gay, 1851:494	Chile
<i>granulata</i> Germain, 1898:762	

Marileus Germain, 1897:555

chiloensis Germain, 1897:557 Chile

Ommidion Newman, 1840:196

<i>Ommatidion</i> ; Gemminger & Harold, 1872:2826	
mirim Martins, 1998: 10	Brasil (RJ)
modestum Newman, 1840:196	Brasil

Parasemnus Martins, 1998: 26

regalis Germain, 1894:453 Chile

Alanizini Di Iorio, 2003: 1**Alanizus** Di Iorio, 2003: 1

tortuosus Di Iorio, 2003: 6 Argentina (LR)

Uracanthini Lacordaire, 1869: 388**Uracanthus** Hope, 1833: 64

strigosus Pascoe, 1875: 62 Australia, Ecuador (introduced?)

Stenoderini Pascoe, 1869:553
Ptérosténides Lacordaire, 1869:410**Syllitus** Pascoe, 1859:24

beltrani Cerda, 1968:105	Chile
chilensis Cerda, 1953:136	Chile
cylindricus Germain, 1899:256	Chile
elguetai Cerda, 1991:263	Chile
pseudocupes (Fairmaire & Germain, 1864:393)	Chile
schajovskoi Bosq, 1953:73	w Argentina (NE), Chile

Pseudocephalini Aurivillius, 1912:154
Ametrocephalitae Thomson, 1860:256**Pseudocephalus** Newman, 1842:353

Pseudocephala; Pascoe, 1862:361

<i>Ametrocephala</i> Blanchard in Gay, 1851:480		
<i>Orthocephala</i> Thomson, 1860:257		
<i>Orthocephalus</i> ; Pascoe, 1862:361		
<i>Attodera</i> Thomson in Pascoe, 1862:361		
auromaculatus Cerdá, 1980:66	Chile	
monstrosus (Blanchard in Gay, 1851:481)	Chile	
 Bimiini Lacordaire, 1869:464		
<i>Sibyllini</i> Cerdá, 1973:115		
Adalbus Fairmaire & Germain, 1859:490		
crassicornis Fairmaire & Germain, 1859:490	Chile, w Argentina (NE)	
<i>flavipennis</i> Fairmaire & Germain, 1859:491		
<i>dimidiatipennis</i> Fairmaire & Germain, 1859:492		
<i>proteus</i> Germain, 1900:901		
Lautarus Germain, 1900:863		
concinnus (Philippi & Philippi, 1859:670)	Chile, s Argentina (RN-SC)	
<i>laevigata</i> Philippi & Philippi, 1864:376		
<i>dancoi</i> Lameere, 1900:112		
<i>dankoi</i> ; Bruch, 1912:194		
Phantazoderus Fairmaire & Germain, 1864:391		
frenatus Fairmaire & Germain, 1864:392	Chile, s Argentina (CT)	
Sibylla Thomson, 1858:406		
<i>Sybilla</i> ; Thomson, 1864:148		
<i>coemeterii</i> (Thomson, 1856:482)	Chile, c Argentina (RN, NE)	
<i>flavosignata</i> Fairmaire & Germain, 1859:489	Chile	
<i>integra</i> Fairmaire & Germain, 1859:488	Chile, w Argentina (NE)	
<i>krahmeri</i> Cerdá, 1973:119	Chile	
<i>livida</i> Germain, 1900:890	Chile	
 Nathriini Linsley, 1963:153		
<i>Gracilaires</i> Mulsant, 1839:99 (part)		
<i>Leptideites</i> Fairmaire in Jacquelín du Val, 1864:148		
<i>Psébiides</i> Lacordaire, 1869:479		
Nathrius Bréthes, 1916:76		
<i>Leptidea</i> Mulsant, 1839:105		
<i>Leptideella</i> Strand, 1936:169		
<i>Deuteroleptidea</i> Paclt, 1946:169		
brevipennis (Mulsant, 1839:105)	Europe; introduced in w USA, Argentina,	
<i>minuta</i> Motschulsky, 1845:84	Chile, Uruguay	
<i>manca</i> LeConte, 1850:24		
<i>rufipennis</i> Dufour, 1851:351		
<i>porteri</i> Bréthes, 1916:77		
 Molorchini Mulsant, 1863:223		
Merionoedopsis Gounelle, 1911:113		
aeneiventris Gounelle, 1911:115	ec, se Brasil, Paraguay, Argentina	
brevipennis Melzer, 1934:214	s Brasil (PR, SC), Paraguay, n Argentina (JU)	
Molorchus Fabricius, 1792:356		
<i>Helioptenes</i> Newman, 1840:17		
<i>Glaphyra</i> Newman, 1840:19		
<i>Laphyra</i> Newman, 1842:418		
<i>Caenoptera</i> C.G.Thomson, 1859:150		

<i>Linomius</i> Mulsant, 1863:226	
<i>Sinolus</i> Mulsant, 1863:228	
<i>Conchopterus</i> Fairmaire in Jacquelain du Val, 1864:153	
bimaculatus bimaculatus Say, 1824:428	e NAm-TX
<i>affinis</i> J.E. LeConte, 1824:172	
<i>obscurus</i> LeConte, 1850:21	
subsp. californicus Linsley, 1963:161	w USA (CA)
subsp. ceanothus Linsley, 1963:161	w USA (CA)
subsp. celti Knoll, 1930:101	ne USA
subsp. corni Haldeman, 1847:45	se USA, Cuba
<i>ruficollis</i> LeConte, 1850:21	
<i>sanguinicollis</i> Chevrolat, 1862:257	
subsp. semiustus (Newman, 1840:19)	s USA (FL-TX)
eburneus Linsley, 1931:37	w USA (CA)
longicollis LeConte, 1873:193	w USA

Oxycoleus Lacordaire, 1869:485

<i>Stenoptrellus</i> Bates, 1870:314	
<i>Merionoeda</i> ; Bates, 1885:287 (not Pascoe, 1858)	
bicolor (Melzer, 1934:214)	Costa Rica
brasiliensis (Tippmann, 1953:223)	se Brasil (RJ-SC)
carinatipennis (Zajciw, 1964:249)	s Brasil (SC)
clavipes Lacordaire, 1869:485	sw Mexico (OA)
culicinus (Bates, 1870:315)	Costa Rica, Panama, nw Brasil (AM)
gahani (Gounelle, 1911: 168)	Brasil (MG)
gratosus (Bates, 1885:287)	e Mexico (DU, VC)
laetus Julio, 1997: 3	Brasil (MG, RO)
obscurus Julio, 1997: 4	Brasil (GO, MG)
piceus Giesbert, 1993:144	Guatemala
ruficollis (Zajciw, 1964, 250)	e Brasil (ES)
tristis (Melzer, 1933: 373)	se Brasil (SC)
<i>latipennis</i> (Zajciw, 1964, 253)	

Psebiini Lacordaire, 1869:479

Frondipedia Martins & Napp, 1984:321

charma Martins & Napp, 1984:322 s Brasil (SC)

Hovoreia Chemsak & Noguera, 1993:72

chica Chemsak & Noguera, 1993:73 w Mexico (JA)

Nathriobrium Hovore, 1980:115

methioides Hovore, 1980:116 sw USA (TX)

Paraleptidea Gounelle, 1913:218

<i>Cambaia</i> Lane, 1951:12	
<i>Necydaliella</i> Zajciw, 1960:55	
femorata Gounelle, 1913:219	nc Argentina (SE)
longitarsis (Lane, 1951:13)	se Brasil (RJ, SP)
sanmartini (Zajciw, 1960:56)	s Brasil (RS), e Argentina (ER), Uruguay
<i>femorata</i> ; Monné & Zajciw, 1970:30 (not Gounelle, 1913)	

Stenopterini Fairmaire, 1864:150

Callimoxys Kraatz, 1863:105

sanguinicollis sanguinicollis (Olivier, 1795:9)	e NAm-TX
<i>pinorum</i> Casey, 1924:261	
subsp. fuscipennis (LeConte, 1861:356)	w NAm (Pacific Cst)

Necydalopsini Blanchard, 1851:473

Eucharassus	Bates, 1885:308	
bicolor	Melzer, 1934:75	Costa Rica
confusus	Galileo & Martins, 2001:101	Venezuela
dispar	Bates, 1885:309	Costa Rica, Panama
flavotibiale	Galileo & Martins, 2001:98	Colombia
nevermanni	Melzer, 1934:74	Costa Rica
nisseri	Aurivillius, 1891:100	Colombia
Lissozodes	Bates, 1870:408	
basalis	(White, 1855:213)	c Brasil (AM, PA)
Necydalopsis	Blanchard in Gay, 1851:473	
<i>Parepimelitta</i>	Bruch, 1918:23	
barriai	Cerda, 1968:106	Chile
cyanipennis	Fairmaire & Germain, 1861:106	Chile, w Argentina (NE)
femoralis	Fairmaire & Germain, 1859:499	Chile, w Argentina (NE)
valdiviensis	Philippi & Philippi, 1859:674	
gounellei	Bruch, 1918:24	
iridipennis	Fairmaire & Germain, 1864:386	Chile
trizonatus	Blanchard in Gay, 1851:474	Chile
Ozodes	Audinet-Serville, 1834:98	
flavitarsis	Gounelle, 1911:211	ec Brasil (GO), Paraguay
ibidiinus	Bates, 1870:409	nc Brasil (PA)
infuscatus	Bates, 1870:409	nc Brasil (PA), Fr Guiana
malthinoides	Bates, 1870:410	nw Brasil (AM), Fr Guiana
multituberculatus	Bates, 1870:409	Guatemala-Panama
nigellus	White, 1855:218	Venezuela
nodicollis	Audinet-Serville, 1834:99	e Brasil (GO, MG-SP)
sexmaculatus	Zajciw, 1967:531	se Brasil (ES, RJ)
vestitus	White, 1855:217	Venezuela
xanthophasma	Bates, 1872:189	Honduras-Panama
Sthelenus	Buquet, 1859:621	
ichneumoneus	Buquet, 1859:622	Fr Guiana, nc Brasil (AM)
braconinus	Bates, 1870:315	
morosus	Pascoe, 1862:356	Venezuela
Rhinotragini Thomson, 1860:177		
Acorethra	Bates, 1873:126	
aureofasciata	Gounelle, 1911:164	ec Brasil (GO)
erato	(Newman, 1840:21)	se Brasil (ES, RJ)
chrysaspis	Bates, 1873:126	nc Brasil (AM), Fr Guiana, Ecuador, Bolivia
zischkai	Tippmann, 1960:130	
Acyphoderes	Audinet-Serville, 1833:549	
abdominalis	(Olivier, 1795:8)	Nicaragua-Panama, c Brasil (AM, GO, MT),
olivieri	Bates, 1870:328	Guianas, Ecuador, Peru, Bolivia
acutipennis	Thomson, 1860:179	Mexico (CM, OA, VC)-Honduras
amoena	Chemsak & Linsley, 1979:74	w Mexico (SI, NA, JA, OA)
auricapilla	Fisher, 1947:3	se Brasil (SP, PR), Paraguay
azureopallescens	Tippmann, 1953:210	
aurulenta	(Kirby, 1818:443)	se Brasil (GO, BA-RS), Argentina, Uruguay,
sericinus	White, 1855:195	Puerto Rico
abdominalis	Gahan, 1895:111 (not Olivier, 1795)	
ayalai	Chemsak & Linsley, 1988:124	w Mexico (JA)
bayanicus	Giesbert, 1991:381	Costa Rica, Panama
carinicollis	Bates, 1873:119	se Brasil (GO, BA-RS), Bolivia, Paraguay,

<i>var. nigricans</i> Gounelle, 1911:150	Argentina, Uruguay
cracentis Chemsak & Noguera, 1997: 7	Mexico (JA)
cribricollis Bates, 1892:160	Mexico-Costa Rica
crinita (Klug, 1825:474)	se Brasil (ES-RS), Bolivia, Paraguay,
<i>moestus</i> Bates, 1873:117	Argentina
dehiscens Chemsak, 1997:15	El Salvador
delicata Horn, 1894:400	Baja Calif
fulgida Chemsak & Linsley, 1979:76	Mexico (VC)-Costa Rica
hirtipes (Klug, 1825:473)	se Brasil (BA-RS), Argentina
<i>femoratus</i> Klug, 1825:475	
<i>brachialis</i> Pascoe, 1862:369	
<i>rufofemorata</i> Fisher, 1930:12	
longicollis Chemsak & Noguera, 1993:80	w Mexico (JA)
magna Giesbert, 1991:381	s Mexico (CHS)
odyneroides White, 1855:196	ec Brasil (PA, GO), Fr Guiana, Peru
parva Chemsak & Linsley, 1979:79	Mexico (SI, NA, JA)
prolixa Chemsak & Linsley, 1979:78	w Mexico (CM)
rubrohirsutotibialis Tippmann, 1953:210	Bolivia
sexualis Linsley, 1934:349	Mexico-Panama
suavis Bates, 1885:290	swUSA (sTX), Mexico-Costa Rica
synoeciae Chemsak & Noguera, 1997: 8	Mexico (OA)
velutina Bates, 1885:290	Guatemala
yucateca (Bates, 1892:159)	Mexico (CA, CHS, QR, YU), Honduras
 Aechmutes Bates, 1867:23	
armatus Gounelle, 1911:120	Peru
lycoides Bates, 1867:23	Panama, w Brasil (AM, RO)
 Apostropha Bates, 1873:130	
curvipennis Bates, 1873:130	se Brasil (MG-SC)
<i>bivitticollis</i> Zajciw, 1963:245	
 Bromiades Thomson, 1864:165	
brachyptera (Chevrolat in Guérin-Méneville, 1838:285)	Cuba, Mexico-Colombia
<i>meridionalis</i> Fisher, 1930:14	
 Cantharoxylumna Linsley, 1934:346	
<i>Cantharoxylumna</i> ; Neave, 1939:572	
bicolor Linsley, 1934:347	Panama
linsleyi Fisher, 1947:47	Costa Rica, Panama
 Catorhontus Waterhouse, 1880:487	
collaris Waterhouse, 1880:487	Ecuador, nw Brasil (AM)
 Corallancyla Tippmann, 1960:137	
neotropicica Tippmann, 1960:138	se Brasil (SP, SC)
 Crossomeles Chemsak & Noguera, 1993:82	
acutipennis Chemsak & Noguera, 1993:84	w Mexico-Costa Rica
aureopilis (Fisher, 1953:16)	Mexico (VC, JA-YU)
 Cylindrommata Tippmann, 1960:122	
longissima Tippmann, 1960:124	se Basil (SC, SP)
 Epimelitta Bates, 1870:330	
<i>Charis</i> Newman, 1840:21	
<i>Charisia</i> Champion in Bates, 1892:161	
acutipennis Fisher, 1947:54	Guyana, Fr Guiana
aglaia (Newman, 1840:22)	se Brasil (MG, ES)
var. <i>rufofemorata</i> Gounelle, 1911:162	

barbicrus (Kirby, 1818:443)	se Brasil (MG-PR), Paraguay, Argentina
<a>aaede Newman, 1841:91	
bicolor (Bates, 1873:124)	se Brasil (ES, RJ)
consobrina Melzer, 1931:1	Costa Rica
debilis (Gounelle, 1911:161)	e Brasil (GO, BA, MG)
eupheme (Lameere, 1884:89)	s Brasil (SC)
<i>cazieri</i> Fisher, 1952:4	
euphosyne (Newman, 1840:21)	Brasil (ES, RJ)
<i>hirsutipennis</i> Zajciw, 1973:14	
laticornis (Klug, 1825:469)	se Brasil (BA-SC), Paraguay, Argentina
<i>melete</i> Newman, 1841:91	
longipennis Zajciw, 1963:423	se Brasil (RJ)
manni (Fisher, 1930:15)	Bolivia
melanaria (Gounelle, 1911:159)	e Brasil (GO, RJ)
meliponica Bates, 1870:331	nw Brasil (AM), Ecuador, Peru
<i>miranda</i> Tippmann, 1960:128	
mimica (Bates, 1873:123)	se Brasil (RJ)
mneme (Newman, 1841:90)	se Brasil (ES-SC)
nigerrima (Bates, 1892:160)	Mexico (VC)-Costa Rica
var. <i>flavipubesces</i> Fisher, 1947:56	
ornaticollis (Zajciw, 1973:13)	se Brasil (ES, RJ)
postimelina Giesbert, 1996:334	s Mexico (CHS)
rufiventris Bates, 1870:331	nw Brasil (AM)
scoparia (Klug, 1825:469)	nc Brasil (PA)
triangularis Fuchs, 1961:6	s Brasil
viridimicans Fisher, 1952:2	se Brasil (ES-PR)
 Erythroplatys White, 1855:201	
cardinalis Monné & Fragoso, 1990:730	c Brasil (MT)
corallifer White, 1855:202	ec Brasil (PA, GO)
rugosus (Lucas, 1857:182)	se Brasil (SP)
<i>tricolor</i> Lane, 1951:15	
simulator Gounelle, 1911:118	ec Brasil (GO), Peru
 Ischasia Thomson, 1864:163	
crassitarsis Gounelle, 1911:156	e Brasil (GO, MT, BA-RS)
<i>m. atrocephala</i> Fuchs, 1956:571	
<i>m. nigrovittata</i> Fuchs, 1956:571	
cuneiformis Fisher, 1952:3	s Brasil (PR, SC)
exigua Fisher, 1947:52	Venezuela
indica Giesbert, 1991:393	Costa Rica
ligulatipennis Gounelle, 1911:158	c Brasil (RO-MG)
linsleyi Giesbert, 1996:330	Panama
nevermanni Fisher, 1947:53	Costa Rica, Panama
nigripes Zajciw, 1973:74	s Brasil (SC)
picticornis Zajciw, 1973:74	se Brasil (RJ-SC)
rufina Thomson, 1864:163	Panama, se Brasil (ES-RS)
valida Gounelle, 1911:155	ec Brasil (MT-BA)
var. <i>atra</i> Gounelle, 1911:156	
 Isthmiade Thomson, 1864:166	
braconides (Perty, 1832:94)	e Brasil (GO, BA-RS), Paraguay, Argentina
<i>hephestionoides</i> Thomson, 1864:166	
carinifrons Zajciw, 1972:138	nc Brasil (PA)
cylindrica Zajciw, 1972:137	se Brasil (ES)
ichneumoniformis Bates, 1870:326	nc Brasil (AM, PA, GO), Fr Guiana, Peru,
ab. <i>rufithorax</i> Tippmann, 1960:127	Bolivia
laevicollis Tippmann, 1953:215	Peru, Bolivia
var. <i>rubrosignata</i> Tippmann, 1953:215	
macilenta Bates, 1873:122	se Brasil, Uruguay
modesta Gounelle, 1911:153	ec Brasil (GO)
necydalea (Linnaeus, 1758:399)	Surinam, Fr Guiana
<i>glaucescens</i> Linnaeus, 1767:642	

<i>nitida</i> DeGeer, 1775:153	
parabraconides Giesbert, 1991:394	Panama
perpulchra Linsley, 1961:65	Panama
planifrons Zajciw, 1972:137	se Brasil (ES)
rubra Bates, 1873:121	se Brasil (ES-SC)
rugosifrons Zajciw, 1972:582	se Brasil (SP-SC)
vitripennis Giesbert, 1991:396	Panama
Lygrocharis Melzer, 1927:566	
neivai Melzer, 1927:567	se Brasil (RJ-PR)
nigripennis Mendes, 1938:117	s Brasil, Uruguay
Monneus Magno, 2001: 1	
longiventris Magno, 2001: 2	Bolivia
Neophygopoda Melzer, 1933:371	
exilis Melzer, 1933:372	Argentina
tibialis Melzer, 1933:371	n Argentina (TU)
Neoregostoma Monné & Giesbert, 1992:250	
<i>Oregostoma</i> Audinet-Serville, 1833:551 (part). Type-species, <i>Oregostoma discoideum</i> Audinet-Serville, 1833, Thomson designation, 1864:167 (not Thomson, 1860:178)	
coccineum (Gory in Guérin-Méneville, 1831: pl. 44, fig. 7)	se Brasil (ES-RS)
<i>rubricorne</i> Audinet-Serville, 1833:553	
discoideum (Audinet-Serville, 1833:552)	se Brasil (MG, RJ)
erythrocallum (Lane, 1940:1)	e Brasil (GO)
fasciatum (Aurivillius, 1920:363)	Paraguay
luridum (Klug, 1825:470)	e Brasil (GO, RJ-PR), Paraguay, Argentina, Uruguay
var. <i>pallipes</i> Aurivillius, 1920:362	
<i>m. flavum</i> Fuchs, 1961:9	
spinipenne (Fuchs, 1961:9)	Fr Guiana
unicolor (Aurivillius, 1920:362)	Brasil
Odontocera Audinet-Serville, 1833:546	
albicans (Klug, 1825:471)	se Brasil (ES, RJ)
albitarsis Melzer, 1922:9	se Brasil (MG-RJ)
annulicornis Magno, 2001: 3	se Brasil (MG)
apicalis (Klug, 1825:472)	se Brasil, Argentina, Uruguay
apicula Bates, 1885:289	Panama
armipes Zajciw, 1963:247	nw Brasil (AM)
aurocincta aurocincta Bates, 1873:42	Mexico (NA, JA, CHS-VC)
var. <i>nigroapicalis</i> Fisher, 1947:52	
subsp. <i>arizonensis</i> Linsley, 1961:163	sw USA (AZ), w Mexico (SO, SI)
europilosa Tippmann, 1953:212	Peru, Bolivia
baeri (Gounelle, 1913:222)	s Brasil (RS), Paraguay, Argentina, Uruguay
ab. <i>flavonotata</i> Gounelle, 1913:223	
ab. <i>biannulata</i> Gounelle, 1913:223	
bilobata Zajciw, 1965:127	se Brasil (ES, RJ)
bisulcata Bates, 1870:326	c Brasil (PA, GO, MT)
<i>flavocalceata</i> Gounelle, 1911:148	
buscki Fisher, 1930:4	Panama
chrysostetha Bates, 1870:320	n Brasil (AM, PA), Fr Guiana
clara Bates, 1873:38	Mexico (CHS, OA, ME)-Costa Rica
<i>carinicollis</i> Linsley, 1934:348	
colon (Bates, 1870:319)	n Brasil (AM, PA), Fr Guiana
compressipes White, 1855:191	c Brasil (AM, PA, MT), Peru, Bolivia, Ecuador
<i>planitibialis</i> Fisher, 1953:15	
crocata Bates, 1873:39	se Brasil (MG-RJ)
cylindrica Audinet-Serville, 1833:548	e Brasil (BA-SP)
darlingtoni Fisher, 1930:9	Colombia
dice Newman, 1841:91	e Brasil (GO, BA-RS)

- dispar** Bates, 1870:321
exilis Fisher, 1947:51
fasciata (Olivier, 1795:10)
vitreata Audinet-Serville, 1833:547
chrysozone White, 1855:192
flavicauda Bates, 1873:40
 var. *notatisternis* Gounelle, 1911:142
flavirostris Melzer, 1930:195
furcifera Bates, 1870:323
fuscicornis Bates, 1885:289
globicollis Zajciw, 1971:19
gracilis (Klug, 1825:472)
 var. *perplexa* Melzer, 1922:9
elegans Guérin-Méneville, 1831: pl. 44, fig. 9
hilaris Bates, 1873:43
punctata; Bates, 1870:323 (not Klug, 1825)
hirundipennis Zajciw, 1962:423
josemartii Zayas, 1956:113
leucothea Bates, 1873:42
lineatocollis Melzer, 1934:220
 ab. *crucifera* Tippmann, 1960:126
longipennis Zajciw, 1962:418
malleri Melzer, 1934:221
margaritacea (Fabricius, 1801:349)
mellea White, 1855:188
margaritacea Fabricius, 1801:372
sulfureicauda Gounelle, 1911:146
m.flava Fuchs, 1916:16
melzeri Fisher, 1952:8
meridiana Fisher, 1953:14
molorchoides (White, 1855:200)
monnei Zajciw, 1968:48
monostigma (Bates, 1869:384)
nevermanni Fisher, 1930:8
nigriclavis Bates, 1873:41
ochracea Monné & Magno, 1988: 447
ornaticollis Bates, 1870:323
parallela White, 1855:189
petiolata Bates, 1873:44
paniculata Monné & Magno, 1988:446
poecilopoda White, 1855:191
basalis Aurivillius, 1925:483
punctata (Klug, 1825:471)
pusilla Gounelle, 1911:140
quadrivittata Melzer, 1922:9
quinquecallosa Zajciw, 1963:248
rugicollis Bates, 1880:43
sanguinolenta Bates, 1873:39
 var. *rufifrons* Fisher, 1937:151
scabricollis Melzer, 1934:222
septemtuberculata Zajciw, 1963:250
signatipennis Zajciw, 1971:20
simplex White, 1855:189
cinctiventris Bates, 1870:321
solangae Magno, 2001: 2
soror Gounelle, 1911:143
subtilis Monné & Magno, 1988:446
tibialis Zajciw, 1971:19
tridentifera Gounelle, 1913:221
triliturata Bates, 1870:324
triplaris Fisher, 1930:3
trisignata Gounelle, 1911:145
tuberculata Zajciw, 1967:530
tumidicollis Zajciw, 1965:128
- Panama, nw Brasil (AM)
 s Mexico (CHS)-Panama
 Nicaragua-Colombia, c Brasil (AM, GO,
 MT), Guianas, Peru, Bolivia, Argentina
- e Brasil (GO, MG-RS), Paraguay, Argentina,
 Uruguay
 se Brasil (ES)
 c Brasil (PA, MT), Fr Guiana, Peru
 Mexico (JA, TA, VC, CHS)
 c Brasil (MT), Bolivia
 se Brasil (ES-RS)
- c Brasil (PA, RO)
- Peru
 Cuba
 se Brasil (ES-SC)
 se Brasil (ES-SC)
- n Brasil (PA)
 se Brasil (MG-SC)
 SAmer
 c Brasil (AM, GO, MT), Fr Guiana, Peru,
 Ecuador, Bolivia
- s Brasil (SC)
 n Argentina (SA)
 Costa Rica-nc Brasil (AM), Fr Guiana
 Uruguay
 Guatemala-Panama
 Costa Rica
 se Brasil (RJ-RS)
 c Brasil (MT)
 n Brasil (PA), Fr Guiana, Peru
 n Brasil (PA)
 ec Brasil (GO, ES, RJ, MT)
- Guyana, Fr Guiana, n Brasil (PA)
- e Brasil (PA, BA, ES), Fr Guiana
 Panama, e Brasil (GO, BA-RJ)
 se Brasil (MG)
 n Argentina (TU, CO)
 Guatemala
 se Brasil (BA-RS), Paraguay, Argentina,
 Uruguay
 Costa Rica, Panama
 n Argentina (SA, TU)
 Peru
 n Brasil (AM, PA), Fr Guiana
- e Brasil (ES)
 ec Brasil (GO)
 c Brasil (MT), Fr Guiana
 se Brasil (ES, RJ)
 se Brasil, ne Argentina (MI)
 n Brasil (PA), Fr Guiana
 Panama, Colombia
 ec Brasil (GO)
 se Brasil (MG)
 se Brasil (RJ)

- typhoeus** Fisher, 1947:5
villosa Monné & Magno, 1988:444
virgata Gounelle, 1911:141
vittipennis Bates, 1873:37
 subpunctata Zajciw, 1970:63
zeteiki Fisher, 1930:6
zikani Melzer, 1927:565
 gibbicollis Zajciw, 1964:435
- Ommata (Ommata)** White, 1855:194
elegans White, 1855:194
hirtipes Zajciw, 1965:122
maia (Newman, 1841:92)
 alboscutellata Fisher, 1947:4
paradisiaca Tippmann, 1953:213
quinquemaculata Zajciw, 1966:89
tibialis Fuchs, 1961:10
- Ommata (Agaone)** Pascoe, 1859:22
notabilis (White, 1855:199)
 ab. *connexa* Aurivillius, 1922:407
 ab. *fasciata* Aurivillius, 1922:407
peruviensis Fisher, 1952:10
viridis Gounelle, 1911:138
- Ommata (Chariergodes)** Zajciw, 1963:241
anceps Melzer, 1927:563
carinicollis Zajciw, 1963:241
flava Zajciw, 1963:243
turrialbae Giesbert, 1991:388
- Ommata (Chrysaethe)** Bates, 1873: 27
amoena Gounelle, 1911:124
 laceyi Fisher, 1952:11
asperiventris Bates, 1872:184
atrata Bates, 1872:184
atrocephala Fisher, 1947:1
aurantipennis Giesbert, 1991:387
aurata Bates, 1870:320
aureicollis Aurivillius, 1920:363
 ab. *discinotata* Aurivillius, 1920:363
beltiana Bates, 1872:184
cyanipennis Bates, 1872:184
globulicollis Melzer, 1935:181
iodes Bates, 1885:288
ochraceicollis Zajciw, 1965:121
smaragdina Bates, 1870: 320
viriditincta Giesbert, 1991:387
- Ommata (Eclipta)** Bates, 1873:29
aegrota (Bates, 1872:233)
amabilis Melzer, 1934:216
anoguttata Bates, 1873: 35
atrides Fisher, 1952:13
bicoloripes Zajciw, 1965:204
bifasciata Zajciw, 1965:123
bilineaticollis Zajciw, 1965:124
bipunctata Melzer, 1934:219
bistriaticollis Zajciw, 1965:125
bivittata Fuchs, 1961:11
bivitticollis (Fisher, 1952:7)
 curvatovittata Fuchs, 1961:12
- Brasil
 c Brasil (MT), Fr Guiana
 e Brasil (GO, ES-SC), Argentina
 se Brasil (MG, RJ)
- Costa Rica, Panama
 se Brasil (MG, RJ)
- Mexico-Panama, Venezuela, Bolivia
 s Brasil (SC)
 se Brasil (BA-RS), Argentina, Uruguay
- Peru
 w Brasil (RO), Peru
 s Brasil (SC)
- Guianas, Brasil (AM, ES, RJ), Peru
- Peru
 se Brasil (GO, SP-RS), Paraguay, Argentina
- se Brasil (MG-SC)
 se Brasil (ES-SP)
 se Brasil (RJ)
 Costa Rica
- e Brasil (GO), Paraguay
- se Brasil (MG-RJ)
 e Brasil (GO, ES-RS)
 se Brasil (RJ-SC)
 Costa Rica, Panama
 nw Brasil (AM)
 se Brasil (ES, RJ)
- Nicaragua, Costa Rica
 Nicaragua-Panama
 s Brasil (SC)
 Panama
 Peru
 nw Brasil (AM)
 sw Mexico (GR)
- Nicaragua
 s Brasil (RS), Argentina, Uruguay
 se Brasil (RJ-PR)
 s Brasil (SC)
 se Brasil (RJ, SP)
 e Brasil (ES)
 se Brasil (RJ)
 s Brasil (PR-RS)
 se Brasil (RJ)
 s Brasil (SC)
 s Brasil (SC)

brachialis Bates, 1873:31	se Brasil (RJ, SP)
brasiliensis Fisher, 1947:2	s Brasil (SC)
brevipennis Melzer, 1934:217	se Brasil (SP-RS), Paraguay, Argentina
var. <i>flavofemorata</i> Fisher, 1937:150	
var. <i>fulvipes</i> Fisher, 1947:50	
var. <i>sanguinicollis</i> Fisher, 1947:50	
castanea Bates, 1873:29	se Brasil (RJ)
championella Bates, 1880:42	Mexico, Guatemala, Costa Rica
<i>ruberiventris</i> Linsley, 1934:347	
collarti Fuchs, 1959:1	e Brasil (GO)
costipennis Giesbert, 1991:391	Panama
cribripennis Bates, 1873:33	se Brasil (MG-PR)
croceicornis Gounelle, 1911:127	e Brasil (GO)
curtipennis Zajciw, 1966:325	se Brasil (RJ)
cyanea Bates, 1885:288	Mexico (VC, OA)
discolor Gounelle, 1911:136	e Brasil (GO, ES)
eirene (Newman, 1841:92)	e Brasil (BA-RJ)
erythrodera Bates, 1873:33	se Brasil (RJ, SP)
eunomia (Newman, 1841:92)	se Brasil (BA-RS), Argentina
var. <i>nigrilatera</i> Gounelle, 1911:126	
var. <i>rufula</i> Melzer, 1934:76	
<i>plaumanni</i> Fuchs, 1961:13	
fenestrata (Lucas, 1857:182)	e Brasil (GO, BA-SP)
flavicollis Bates, 1873:30	se Brasil (RJ-PN)
flavipes Melzer, 1922:6	se Brasil (MG-RJ)
fritschei Gounelle, 1913:386	Colombia
gracilis Fisher 1952:15	Paraguay
igniventris Giesbert, 1991:389	Panama
jejuna Gounelle, 1911:128	e Brasil (GO)
lanuginosa Bates, 1873:32	se Brasil (ES, RJ)
lateralis Fisher, 1952:12	s Brasil (SC)
liturifera Bates, 1873:31	se Brasil (MG-SP)
<i>lutifera</i> ; Blackwelder, 1946:576	
longipennis Fisher, 1947:2	s Brasil (SC)
malthinoides (Bates, 1870:319)	nw Brasil (AM)
melzeri Zajciw, 1967:199	se Brasil (RJ)
minuens Giesbert, 1991:390	Panama
monteverdensis Giesbert, 1991:392	Costa Rica
nais Gounelle, 1911:130	e Brasil (GO)
nigriventris Melzer, 1934:218	s Brasil (SC)
m. <i>impunctata</i> Fuchs, 1961:15	
notaticollis Gounelle, 1911:133	e Brasil (GO)
pallidicornis Zajciw, 1966:346	se Brasil (RJ)
perplexa Gounelle, 1911:132	e Brasil (GO)
picturata Gounelle, 1911:126	e Brasil (GO, ES)
poecila Bates, 1873:35	se Brasil, Uruguay
var. <i>maculicollis</i> Fisher, 1947:51	
var. <i>nigricornis</i> Fisher, 1947:51	
prolixa Bates, 1873:32	s Brasil (PR)
quadrispinosa Gounelle, 1913:387	Colombia
ramulicola Gounelle, 1911:131	e Brasil (GO)
rectipennis Zajciw, 1965:202	s Brasil (SC), Paraguay, Argentina (BA)
romani Aurivillius, 1919:3	c Brasil (AM, MT)
ruficollis (Bates, 1870:319)	nw Brasil (AM)
sallaei Bates, 1885:289	e Mexico (VC)-Panama
seabrai Zajciw, 1960:132	se Brasil (ES, RJ)
semiflammae Gounelle, 1911:137	e Brasil (GO, SP-SC)
<i>bicolor</i> Fuchs, 1961:15	
m. <i>puncticollis</i> Fuchs, 1961:15	
m. <i>transversefasciata</i> Fuchs, 1961:16	
seminigra Gounelle, 1911:134	e Brasil (GO)
signaticollis Melzer, 1922:6	se Brasil (ES-RS)
socia Melzer, 1934:217	se Brasil (MG-SC)
subcastanea Zajciw, 1966:324	se Brasil (ES, RJ)

- tenuis** (Burmeister, 1865:173)
thoracica Bates, 1873:30
unicoloripes Zajciw, 1965:205
vicina Melzer, 1927:564
vitticollis Bates, 1873:34
 holosericea Zajciw, 1967:321
xantho Bates, 1873:35
- s Brasil, Paraguay, Argentina, Uruguay
se Brasil (MG-RS)
s Brasil (SC), ne Argentina (MI)
se Brasil (MG)
se Brasil (RJ-PR)
- s Brasil (PR, SC)
- Ommata (Ecliptophanes)** Melzer, 1934:219
- bucki** Melzer, 1934:219
laticornis Melzer, 1922:7
scopipes Zajciw, 1965:126
silvai Zajciw, 1958:241
tommyi Hovore, 1989:250
- s Brasil (RS)
se Brasil (RJ, SP)
se Brasil (RJ)
e Brasil (PB)
Guatemala, Costa Rica, Panama
- Ommata (Oxyommata)** Zajciw, 1970:153
- collaris** (Audinet-Serville, 1833:553)
- e Brasil (ES)
- Ommata (Rhopalessa)** Bates, 1873:28
- clavicornis** Bates, 1873:28
demissa Melzer, 1934:215
hirticollis Zajciw, 1958:239
nigricollis Zajciw, 1969:405
nigrotarsis Fisher, 1937:149
pilosicollis Zajciw, 1966:345
rubroscutellaris Tippmann, 1960:121
- se Brasil, Paraguay, Argentina, Uruguay
se Brasil (RJ-RS), Paraguay
e Brasil (PB)
se Brasil (SP)
s Brasil (SC, RS), Argentina
nw Argentina (SA, TU)
Bolivia
- Optomerus** Giesbert, 1996:327
- bispeculifer** (White, 1855:190)
roppai (Magno, 1995:554)
- Panama, Fr Guiana, c Brasil (PA, MT)
c Brasil (MT)
- Oregostoma** Audinet-Serville, 1833:551
- Type-species, *Oregostoma nigripes* Audinet-Serville, 1833, Thomson designation, 1860:178
- Ommata (Phoenissa)* Bates, 1873:26 (part)
- bipartitum** (Bates, 1873:26)
 var. *basinotata* Melzer, 1934:215
nigripes Audinet-Serville, 1833:552
nitidiventre (Gounelle, 1911:123)
pniceum (Newman, 1838:495)
- se Brasil (MG-RS), Paraguay, Argentina
Brasil
e Brasil (GO)
se Brasil (ES, RJ)
- Ornistomus** Thomson, 1864:166
- bicinctus** Thomson, 1864:167
- se Brasil (ES-RS), Argentina, Uruguay
- Oxylymma** Pascoe, 1859:21
- Oxycalymna* Gemminger & Harold, 1872:2888
- caeruleocincta** Bates, 1885:436
championi Bates, 1885:288
gibbicollis Bates, 1873:23
lepidia Pascoe, 1859:22
telephorina Bates, 1870:316
tuberculicolle Fisher, 1947:48
- Panama, Costa Rica
Guatemala
e Brasil (BA)
n Brasil (PA)
nw Brasil (AM), ECU
Costa Rica
- Pasiphyte** Thomson, 1864:164
- Pasiphile*; Lacordaire, 1869:508
Pasiphile; Bates, 1873:130
auricollis Bruch, 1918:26
mystica Thomson, 1864:164
- e Brasil (PB), Paraguay, n Argentina (SA)
e Brasil (GO, MG-SP)
- Phesquia** Bates, 1873:127
- cercerina** (Bates, 1870:325)
- c Brasil (AM, PA, MT), Fr Guiana

corinna (Pascoe, 1866: 290)	Guatemala-Colombia
<i>corynna</i> ; Lacordaire, 1869:508	
gibbosa Magno, 1992:789	sw Brasil (RO)
simulans Bates, 1873:127	se Brasil (BA-SC)
Phygopoda Thomson, 1864:164	
albitarsis (Klug, 1825:475)	c Brasil (PA, RO), Bolivia
fugax Thomson, 1864:164	se Brasil (MG-RJ)
fulvitarsis Gounelle, 1911:163	Fr Guiana
jacobi Fuchs, 1961:16	s Brasil (SC), Paraguay
nigritarsis Gounelle, 1911:164	e Brasil (BA)
panamensis Giesbert, 1996:332	Panama
subvestita (White, 1855:190)	nc Brasil (PA), Fr Guiana
Pseudagaone Tippmann, 1960:124	
suturafissa Tippmann, 1960:126	Bolivia
Rhinotragus Germar, 1824: 513	
analis Audinet-Serville, 1833:550	Brasil
apicalis Guérin-Méneville, 1844:236	s Brasil, Bolivia, Paraguay, Argentina
bizonatus Gounelle, 1911:117	c Brasil (GO)
ab. <i>rufithorax</i> Tippmann, 1960:121	
conformis Monné & Fragoso, 1990:732	c Brasil (MT)
dorsiger Germar, 1824:513	se Brasil (GO, MT, BA-RS), Bolivia,
<i>marginatus</i> Perty, 1832:94	Argentina, Uruguay
<i>anceps</i> Newman, 1838:495	
var. <i>collaris</i> Melzer, 1930:193	
var. <i>vittatus</i> Melzer, 1930: 194	
var. <i>amparensis</i> Melzer, 1930:194	
festivus Perty, 1832:94	se Brasil (GO, MG-SP)
<i>suturalis</i> Audinet-Serville, 1833:550	
var. <i>immaculipennis</i> Gounelle, 1911:116	
longicollis Bates, 1880:41	Nicaragua-Panama
<i>apicalis</i> ; Bates, 1872:183 (not Guérin-Méneville, 1844)	
lucasii Thomson, 1860:178	Fr Guiana, nc Brasil (AM), Bolivia
<i>zikani</i> Melzer, 1930:194	
<i>m. boliviensis</i> Fuchs, 1961:9	
<i>sanctijacobi</i> Huedepohl, 1984:409	
sulphureus Giesbert, 1991:385	Panama
trilineatus White, 1855:200	c Brasil (PA, RO)
trizonatus Blanchard in Griffith, 1832: pl. 66, fig. 1	SAmer
Sphecomorpha Newman, 1838:396	
<i>Sphecogaster</i> Lacordaire, 1869:471	
chalybea Newman, 1838:397	Surinam, Fr Guiana, Brasil (PA)
<i>biplagiatus</i> Lacordaire, 1869:472	
forficulifera (Gounelle, 1913:388)	Panama, Colombia
<i>propinquus</i> Linsley, 1934:350	
murina (Klug, 1825:473)	e Brasil (GO-RS), Paraguay, Argentina
rufa Gounelle, 1911:151	ec Brasil (GO)
vespiventris (Bates, 1880:43)	Guatemala
Stenochariergus Giesbert & Hovore, 1989:348	
dorianae Giesbert & Hovore, 1989:348	Panama
hollyae Giesbert & Hovore, 1989:349.	Costa Rica
Stenopseustes Bates, 1873:131	
aeger Bates, 1873:131	s Brasil (PR)
gibbicollis Fisher, 1947:5	se Brasil (SP-SC)
sericinus Bates, 1880:44	Mexico, Guatemala

- Tomopterus** Audinet-Serville, 1833:544
- albopilosus* Zajciw, 1964:423
 - ornatipennis* Zajciw, 1971:314
 - aurantiacosignatus* Zajciw, 1969:411
 - basimaculatus* Zajciw, 1964:425
 - tuberculicollis* Zajciw, 1964:427
 - brevicornis* Giesbert, 1996:325
 - clavicornis* Magno, 1995:556
 - consobrinus* Gounelle, 1911:166
 - exilis* Chemsak & Linsley, 1979:70
 - flavofasciatus* Fisher, 1947:56
 - grossefoveolatus* Zajciw, 1964:426
 - kunayala* Giesbert, 1996:322
 - larroides* White, 1855:177
 - vittipennis* Fisher, 1930:17
 - subvespoides* Zajciw, 1971:316
 - longicornis* Zajciw, 1969:413
 - obliquus* Bates, 1870:329
 - pictipennis* Zajciw, 1969:415
 - quadratipennis* Bates, 1873:128
 - rufotibialis* (Zajciw, 1968:541)
 - seabrai* Magno, 1995:559
 - servillei* Magno, 1995:555
 - similis* Fisher, 1930:19
 - staphylinus* Audinet-Serville, 1833:545
 - pretiosus* Newman, 1840:21
 - vespoides*; Burmeister, 1865:173 (not White, 1855)
 - quadratipennis*; Costa Lima, 1936:302 (not Bates, 1873)
 - tuberculatus* Zajciw, 1971:313
 - tetraspilotus* Magno, 1995:557
 - vespoides* White, 1855:176

se Brasil (ES-SP)
se Brasil (ES)
Bolivia, n Argentina (TU)
s Mexico (CHS), Costa Rica
n, w Brasil (PA, RO)
ec Brasil (GO), Fr Guiana, Peru, Bolivia
se Mexico (QR)
se Brasil, Paraguay, Argentina, Uruguay
Panama, nc Brasil (PA), Fr Guiana
Panama
c Brasil (PA, GO, MT), Bolivia, Paraguay,
Argentina
se Brasil (RJ)
c Brasil, Fr Guiana, Paraguay, Argentina
Peru
se Brasil (RJ)
se Brasil (ES)
se Brasil (ES, RJ)
n Brasil (PA)
nc Brasil (AM, PA), Fr Guiana, Bolivia
se Brasil (ES-RS), Argentina, Uruguay
w Brasil (RO, AM), Peru
Mexico-Panama

- Xenocrasis** Bates, 1873:131
- badeni* Bates, 1873:132
 - apicicornis* Fisher, 1952:6
 - fulvicollis* (Lacordaire, 1869:503)
 - obscuripennis* Zajciw, 1963:254
 - panamensis* Giesbert, 1991:383
 - politipennis* (Zajciw, 1971:305)
 - pubipennis* (Fisher, 1952:16)
 - vestitipennis* Zajciw, 1963:252

se Brasil (ES-RS)
nw, se Brasil (AM, ES-SC), Ecuador
Panama
Fr Guiana, nw Brasil (AM)
Peru
se Brasil (RJ)

Eroschemini Lacordaire, 1869:515

- Tethlimmena** Bates, 1872:185
- aliena* Bates, 1872:185
 - basalis* Gahan, 1895:111
 - gahani* Gounelle, 1911: 168
 - var. tristis* Melzer, 1933: 373

Guatemala-Panama
W Indies (St. Vincent)
Brasil (GO, SC), Ecuador?

Callichromatini Blanchard, 1845:148

- Beaveria** Lane, 1970: 51
- nacta* Lane, 1970:52
 - sagda* Monné & Martins, 1972:76

wc Brasil (RO, MT)
c Brasil (PA, MT)

- Callichroma** Latreille, 1816:24
- Pallene* Gistel, 1848:130
 - atroviride* Schmidt, 1924:319
 - auricomum* (Linnaeus, 1767:629)
 - suturalis* Fabricius, 1781:212

Colombia
Colombia, Fr Guiana-c Brasil (MT)

- suturatus*; Gmelin, 1790:1824
auricomum cyanescens Schmidt, 1924:320
auricomum rubescens Schmidt, 1924:320
auricomum viridescens Schmidt, 1924:320
auronicum; Williams, 1931:226
- batesi** Gahan, 1894:118
cosmicum; Bates, 1872:186 (not White, 1853)
- brachiale** Bates, 1870:334
- collarti** Fuchs, 1959:2
- cosmicum** White, 1853:158
- gounellei gounellei** Achard, 1910:279
 subsp. **rubricrus** Schmidt, 1924:317
- gisteli** Schmidt, 1923:276
- hoffmannsi** Schmidt, 1924:316
- minima** Podany, 1965:36
- nigricans** Aurivillius, 1908:2
- onorei** Giesbert, 1998: 60
- sericeum** (Fabricius, 1792:253)
- velutinum** (Fabricius, 1775:167)
spectabilis Voet, 1778:12
porphyrogenitum Bates, 1870:333
- viridipes** Bates, 1879:404
- Cnemidochroma** Schmidt, 1924:299
- buckleyi** (Bates, 1879:404)
coeruleum (Achard, 1910:280)
fulgidum (Schmidt, 1924:380)
lopesi Fragoso & Monné, 1989:209
ohausi (Schmidt, 1924:381)
phyllopoides (Schmidt, 1924:381)
phyllopus (Guérin-Méneville, 1844:220)
corvina Burmeister, 1865:169
- Diotecnon** Schmidt, 1924:300
- iris iris** (Taschenberg, 1870:194)
purpuratum Lameere, 1884:106
fulgens Lameere, 1884:106
trilineatum octolineatum Podany, 1965:37
 subsp. **trilineatum** (Bates, 1879:403)
- Linsleychroma** Giesbert, 1998: 61
- monnei** Giesbert, 1998: 61
- Mionochroma** Schmidt, 1924:299
- aureotinctum** (Bates, 1870:335)
aurosum (Schmidt, 1924:308)
chloe (Gounelle, 1911:167)
decipiens (Schmidt, 1924:311)
elegans (Olivier, 1790:298)
 var. *gahani* Aurivillius, 1912:311
equestr equestr (Gounelle, 1911:170)
 subsp. **aterrimum** (Gounelle, 1911:172)
 subsp. **subnitescens** (Gounelle, 1911:171)
subnitens; Podany, 1965:40
- flachi** (Schwarzer, 1923:257)
novella (Bates, 1885:293)
ocreatum (Bates, 1870:335)
omissum (Schmidt, 1924:313)
pseudovittatum (Schwarzer, 1923:258)
rufescens (Gahan, 1895:113)
 var. *aureotinctum* Bates, 1885:293
rufitarsis (Schwarzer, 1929:356)
- Honduras-Panama
 nw Brasil (AM)
 Colombia
 Honduras, Nicaragua, Costa Rica
 Fr Guiana
 c Brasil (AM, MT)
 se Brasil (ES)
 nw Brasil (AM)
 Nicaragua
 Peru, Bolivia
 Ecuador
 se Brasil, Paraguay, Argentina, Uruguay
 Venezuela, Guanas, c Brasil (MT),
 West Indies
 Panama, Colombia
- Ecuador, Bolivia
 Surinam, Fr Guiana
 nc Brasil (PA)
 c Brasil (GO, MT)
 se Brasil (ES-SP)
 c Brasil (GO, MT)
 se Brasil (BA-RS), Paraguay, Argentina,
 Uruguay
- Costa Rica-Colombia, Venezuela
 SAmer (widely distributed)
- Panama
- nc Brasil (PA), Fr Guiana
 nw Brasil (AM), Fr Guiana
 se Brasil (BA-RS)
 se Brasil (ES)
 Guadeloupe, Grenada, Dominica, St. Lucia
- e Brasil (GO, MG-RJ)
 se Brasil (SP, PR)
 se Brasil (SP)
- se Brasil (ES-SC)
 Nicaragua-Panama
 Fr Guiana, nw Brasil (AM), Peru, Ecuador
 se Brasil (ES-SC)
 se Brasil (ES)
 W Indies (St. Lucia, St. Thomas, Guadeloupe,
 Martinique), Mexico (VC)
 Bolivia

spinosisimum (Schmidt, 1924:313)	Peru
subaurosum (Zajciw, 1966:347)	Peru
vittatum vittatum (Fabricius, 1775:166)	Mexico-c Brasil
<i>viridiaurea</i> Degeer, 1775:145	
<i>ochropus</i> Voet, 1778:12	
<i>aureum</i> Gmelin, 1790:1877	
<i>rugicollis</i> Guérin-Méneville, 1844:220	
<i>assimilatum</i> White, 1853:158	
<i>scitulum</i> Pascoe, 1866:292	
<i>vittatum</i> f. <i>rufiventris</i> Schmidt, 1924:305	
subsp. electrinum (Gounelle, 1911:176)	s Brasil, Paraguay, Argentina, Uruguay
wilkei (Schmidt, 1924:309)	Panama, Ecuador
 Philematium Thomson, 1864:171	
femorale (Olivier, 1790:297)	Africa, introduced in Cuba
<i>albitarsis</i> Fabricius, 1801:267	
<i>leucodactyla</i> Chevrolat, 1862:257	
festivum (Fabricius, 1775:166)	Africa, introduced in Guadeloupe
<i>festus</i> Gmelin, 1790:1823	
 Plinthocoelium Schmidt, 1924:300	
<i>Plinthocoelium</i> ; Arnett, 1962:860	
<i>Callichroma</i> ; LeConte, 1850:37 (not Latreille, 1816)	
<i>chilensis</i> (Blanchard in Gay, 1851:465)	Chile
<i>cobaltnum</i> (LeConte, 1873:195)	Baja Calif, nw Mexico
<i>domingoense</i> (Fisher, 1922:52)	R Dominicana
<i>koppei</i> Schmidt, 1924:385	Mexico
<i>sapphirum</i> (Bates, 1879:402)	w Mexico (SO, SI, DU, OA, PU, JA, CHS)
<i>schwarzi</i> (Fisher, 1914: 97)	sw USA (TX)
<i>suaveolens suaveolens</i> (Linnaeus, 1768:224)	se USA (DE-FL-TX)
<i>elegans</i> ; Haldeman, 1847:31 (not Olivier, 1790)	
<i>splendidum</i> LeConte, 1850:37	
<i>virescens</i> Leng, 1886:61	
<i>plicatum</i> ; Craighead, 1923:64 (not LeConte, 1853)	
subsp. plicatum (LeConte, 1853:233)	sw USA (TX, NM, AZ), n Mexico (SO)
<i>smaragdina</i> Casey, 1912:314	
<i>suaveolens smaragdinoides</i> Schmidt, 1924:384	
<i>virens</i> (Drury, 1770:89)	Cuba, Hispaniola, Jamaica, Bahamas
<i>columbinum</i> (Guérin-Méneville, 1838:282)	
xanthogastrum (Bates, 1880: 45)	Nicaragua, Costa Rica
<i>columbinum</i> ; Bates, 1872:186 (not Guérin-Méneville, 1838)	
 Schmidtianum Podany, 1965:40	
distinguendum (Gounelle, 1911:165)	se Brasil (MG-PR)
sciunctum (Schmidt, 1924:314)	Peru
 Schwarzeron Schmidt, 1924:300	
<i>cyanomelas</i> (White, 1853:164)	Mexico-Panama
<i>euthalia</i> Bates, 1879:403	Panama
holochlorum holochlorum (Bates, 1872:185)	Mexico (JA-CHS)-Colombia, Venezuela
<i>opiparum</i> Bates, 1874:222	
<i>chiriquina</i> Bates, 1879:402	
<i>compressipes</i> Casey, 1912:314	
<i>regalis</i> Casey, 1912:314	
<i>carinatum</i> Schmidt, 1924:387	
subsp. melancholicum (Bates, 1872:186)	Mexico (PU, VC, QR)
ab. <i>rufovarium</i> Aurivillius, 1912:312	
 Xenochroma Schmidt, 1924:300	
<i>azurea</i> Demets, 1976:136	Mexico-Costa Rica
<i>hovorei</i> Giesbert, 1998: 62	Costa Rica
<i>seabrai</i> Fragozo & Monné, 1989:210	se Brasil (MG)

subpulvereum (Schmidt, 1924:379)	se Brasil (MG-SP)
<i>subcomosum</i> Schmidt, 1924:380	
<i>difficilis</i> Schwarzer, 1929:357	
tibialis Giesbert, 1987:36	Costa Rica
uniforme (Gounelle, 1911:169)	se Brasil (ES-SC)
<i>schmidti</i> Melzer, 1926:11	
 Xystochroma Schmidt, 1924:299	
bouvieri (Gounelle, 1911:174)	Panama, Colombia, ec Brasil (GO)
buprestoides (Bates, 1885:293)	Mexico (VC)
chloropus (Bates, 1879:404)	Panama, Venezuela
clypeatum (Schwarzer, 1923:256)	Costa Rica, Panama, Venezuela
cuprisuturatum (Zajciw, 1965:552)	se Brasil (SP)
equestriforme (Schmidt, 1924:302)	se Brasil (RJ)
gracilipes (Bates, 1879:404)	s Brasil (PR)
minutum (Zajciw, 1965:551)	se Brasil (RJ)
neglectum (Gounelle, 1911:172)	e Brasil (GO, ES-SP)
<i>roeri</i> Podany, 1965:35	
planipenne (Schmidt, 1924:303)	se Brasil (SP)
setigerum (Schmidt, 1924:302)	Colombia
zikani (Zajciw, 1965:553)	se Brasil (RJ)

Rosaliiini Fairmaire 1864:137

Rosalia Audinet-Serville, 1833:561	
funebris Motschulsky, 1845:87	w NAm (NM, CA-Alaska)
<i>alpina</i> ; LeConte, 1852:177 (not Linnaeus, 1758)	
<i>funebris mandibularis</i> Casey, 1912:313	
<i>funebris acomana</i> Casey, 1912:313	

Dryobiini Linsley, 1964:7

Dryobius LeConte, 1850:23	
sexnotatus Linsley, 1957:287	e NAm
<i>sexfasciatum</i> ; Say, 1824:415 (not Olivier, 1792)	

Ornithia Thomson, 1864:213	
mexicana mexicana (Sturm, 1843:354)	sw USA (TX), Mexico-Panama
<i>chevrolatii</i> Guérin-Méneville, 1844:228	
subsp. zapotensis Tippmann, 1960:135	w Mexico (JA)-Guatemala

Compsocerini Thomson, 1864:260

Achenoderus Napp, 1979:582	
octomaculatus (Fairmaire & Germain, 1861:107)	Chile, sc Argentina (NE, CT)

Aglaoschema Napp, 1994: 658	
albicorne (Fabricius, 1801:269)	nc Brasil (PA), Fr Guiana
basale (Melzer, 1933:369)	n Argentina (JU, SE)
collorata (Napp, 1993:653)	w Brasil (RO)
concolor (Gounelle, 1911:177)	ec Brasil (GO)
cyaneum (Pascoe, 1860:62)	n Brasil (AM, PA), Peru
<i>bicoloricorne</i> Fuchs, 1959:3	
dulce (Napp & Martins, 1988:483)	s Brasil (MS)
erythrocephala (Napp & Martins, 1988:484)	se Brasil (SP-RS), Argentina
erythrogaster (White, 1853:146)	se Brasil (ES, RJ)
haemorrhoidale (Germar, 1824:496)	se Brasil (BA-PR), Argentina
moureai (Napp, 1993:655)	e Brasil (BA)
nigricorne (Bates, 1870:393)	se Brasil (MG)
prasinipenne (Lucas, 1857:185)	s Brasil (PR-RS)

<i>viridipennis</i> Thomson, 1860:254	
prasiniventre (Gounelle, 1911:178)	e Brasil (BA-ES)
ruficeps (Bates, 1870:393)	se Brasil (MG-RS)
rufiventre (Germar, 1824:495)	se Brasil (ES-RS), Argentina
tarnieri (Bates, 1870:392)	nc Brasil (PA), Fr Guiana
tibiale (Aurivillius, 1920:364)	Brasil
ventrale (Germar, 1824:494)	se Brasil (BA-RS), Paraguay, Argentina
violaceipenne (Aurivillius, 1897:244)	s Brasil (SC)
Caperonotus Napp, 1993:657	
cardinalis (Bates, 1870:393)	nw Brasil (AM), Peru
superbum (Aurivillius, 1897:245)	Brasil
Chaetosopus Napp & Martins, 1988:480	
contiguus Napp & Martins, 1988:483	s Brasil (PR)
infalsatus Napp & Martins, 1988:481	se Brasil (MG, RJ)
violaceus (Martins, 1973:208)	se Brasil (SP)
Chariergus White, 1855:216	
caeruleus Napp & Reynaud, 1998:155	e Brasil (MG, BA, ES)
paranaensis Napp & Reynaud, 1998:156	se Brasil (PR, SC, RS)
quadripunctatus Lucas, 1857:188	se Brasil (MG-RS)
signaticornis Lucas, 1857:188	e Brasil (GO, MG-RS), n Argentina (MI)
tabidus (Klug, 1825:461)	e Brasil, Uruguay, ec Argentina (CO, ER)
Chenoderus Fairmaire & Germain, 1859:532	
<i>Cycnoderus</i> ; Blanchard in Gay, 1851:479 (not Audinet-Serville, 1834)	
<i>Chenoblacus</i> Thomson, 1868:201	
bicolor Fairmaire & Germain, 1861:107	Chile
testaceus (Blanchard in Gay, 1851:479)	Chile, s Argentina (RN-SC)
tricolor (Fairmaire & Germain, 1859:502)	Chile, wc Argentina (NE)
venustus Fairmaire & Germain, 1861:107	Chile
Chlorethe Bates, 1867:24	
<i>Chimoreia</i> Lane, 1956:15	
brachyptera Zajciw, 1963:416	s Brasil (MS, PR)
ingae Bates, 1867:24	nw Brasil (AM), Peru, Ecuador, Bolivia
<i>mandibularis</i> Lane, 1956:16	
scabrosa Zajciw, 1963:418	s Brasil (MS, PR)
Compsoceridius Bruch, 1908:207	
gounellei (Bruch, 1908:208)	s Brasil (PR-RS), Paraguay, Argentina, Uruguay
Compsocerus Lepeletier & Audinet-Serville in Lacordaire, 1830:175	
<i>Orthostoma</i> White, 1853:146 (part)	
<i>Compsocera</i> ; Thomson, 1860:253	
<i>Orthostoma (Orthostomidius)</i> Bruch, 1908:209	
barbicornis Audinet-Serville, 1834:62	se Brasil (ES, RJ)
<i>opacipennis</i> Gounelle, 1910:140	
bicoloricornis Schwarzer, 1923:258	se Brasil (ES)
chevrolati Gounelle, 1910:141	s Brasil (PR-RS)
deceptor Napp, 1976:20	se Brasil (MG, RJ)
<i>barbicornis</i> ; Melzer, 1918:420 (not Audinet-Serville, 1834)	
parviscopus (Burmeister, 1865:169)	nw Argentina (JU-CA)
<i>viciinus</i> Bosq, 1951:100	
proximus Napp, 1977:97	Bolivia, s Brasil (PR), nw Argentina (SA)
violaceus (White, 1853:147)	e Brasil (GO, BA-RS), Paraguay, Argentina,
<i>igneum</i> White, 1853:147	Uruguay
<i>aulica</i> Thomson, 1860:253	
<i>thyrsophora</i> Burmeister, 1865:169	
<i>equestris</i> ; Gounelle, 1911:181 (not Guérin-Méneville, 1844)	

Cosmisomopsis Zajciw, 1960:135	
<i>viridis</i> Zajciw, 1960:136	e Brasil (PB, BA), n Argentina (SA, MI)
Dilocerus Napp, 1980:193	
<i>marinonii</i> Napp, 1980:195	Bolivia, n Argentina (JU)
Ethemon Thomson, 1864:262	
<i>basale</i> (Burmeister, 1865:170)	Bolivia, n Argentina (JU-CD)
<i>basirufum</i> Napp, 1979:907	se Brasil (MG, RJ)
<i>brevicorne</i> Napp & Reynaud, 1998:157	c Argentina (CD)
<i>imbasale</i> Tippmann, 1960:133	Bolivia
<i>lepidum lepidum</i> Thomson, 1864:262	se Brasil (MG, RJ)
<i>diversipennis</i> Burmeister, 1865:170	
subsp. <i>rufofemorale</i> Napp, 1979:906	se Brasil, nw Argentina (CA)
<i>weiseri</i> Bruch, 1926:340	nw Argentina (CA)
Hylorus Thomson, 1864:261	
<i>armatus</i> (Chabriac, 1857:199)	e Brasil (GO, MG, RJ)
<i>hamaticornis</i> Chevrolat, 1859:28	
Maripanus Germain, 1898:653	
<i>quadrimaculatus</i> (Germain, 1892: clxvi)	Chile, w Argentina (NE)
<i>decoratus</i> Germain, 1898:656	
Mimochariergus Zajciw, 1960:57	
<i>carbonelli</i> Zajciw, 1960:58	se Brasil (RJ), Uruguay
<i>fluminensis</i> Napp & Mermudes, 1999: 82	se Brasil (RJ)
Orthostoma Lepeletier & Audinet-Serville in Lacordaire, 1830:174	
<i>Maxillaria</i> Gistel, 1848:	
<i>Orthoschema</i> Thomson, 1860:253	
<i>Orthoschema (Orthoprasis)</i> Aurivillius, 1910:159	
<i>abdominale</i> (Gyllenhal in Schoenherr, 1817:157)	Brasil (AM, BA, RJ), Ecuador, Paraguay
<i>tenuicorne</i> (Bates, 1870:392)	
<i>chryseis</i> (Bates, 1870:393)	nc Brasil (PA), Fr Guiana
<i>vittata</i> (Aurivillius, 1910:156)	Venezuela
Paromoeocerus Gounelle, 1910: 139	
<i>Compsocerus</i> ; Laporte, 1840:435 (not Lepeletier & Audinet-Serville, 1830)	
<i>barbicornis</i> (Fabricius, 1792:311)	se Brasil (MG-RS), Paraguay, Argentina,
<i>plumigera</i> Olivier, 1795:13	Uruguay
<i>equestris</i> Guérin-Méneville, 1844: 231	
<i>notabilis</i> Melzer, 1918:431	s Brasil (PR, SC)
<i>scabricollis</i> Melzer, 1927:568	se Brasil (SP-SC)
<i>stictonotus</i> Napp, 1976:32	se Brasil (MG, RJ)
<i>vestitus</i> Gounelle, 1910:139	e Brasil (GO, SP)
Parunxia Napp, 1977:134	
<i>scopifera</i> (Klug, 1825:461)	se Brasil (MG-RS), Uruguay
<i>simplex</i> Aurivillius, 1911:188	
Rierguscha Viana, 1970:145	
<i>bicolor</i> Viana, 1970:148	nw Argentina (SA)
<i>viridipennis</i> (Bruch, 1925:209)	nw Argentina (CA)
Unxia Thomson, 1860:233	
<i>gracilior</i> (Burmeister, 1865:171)	se Brasil, Paraguay, Argentina, Uruguay
<i>insignis</i> (Guérin-Méneville, 1844:232)	Brasil
<i>laeta</i> (Guérin-Méneville, 1844:232)	se Brasil (MG-RS)

Callidiini Mulsant, 1839:27

Callidiellum Linsley, 1940:254

cupressi (Van Dyke, 1923:48)
virescens Chemsak & Linsley, 1966:152

w USA (CA)
 sw USA (AZ)

Callidium Mulsant, 1839:42 (not Fabricius, 1775)

Meridion des Gozis, 1886:32
Callidium (Callidostola) Reitter, 1912:37
angustipennis Chemsak, 1964:187
antennatum antennatum Newman, 1838:393
 subsp. *hesperum* Casey, 1912:288
biflagellatum Sallé, 1856:688
californicum Casey, 1912:289
cicatricosum Mannerheim, 1853:246
 subopacum Swaine, 1919:12E
 vancouverense Van Dyke, 1927:104
duodecimsignatum Perroud, 1855:385
frigidum Casey, 1912:289
 lacustre Casey, 1912:289
hoppingi Linsley, 1957:33
juniperi Fisher, 1920:157
leechi Linsley & Chemsak, 1963:209
powelli Linsley & Chemsak, 1963:207
pseudotsugae Fisher, 1920:155
rufipenne Motschulsky, 1860:19
schotti Schaeffer, 1917:184
sempervirens Linsley, 1942:192
sequoiarium Fisher, 1920:156
texanum Schaeffer, 1917:185
 janthinum; Leng, 1884:113 (not LeConte, 1850)
vandykei Linsley, 1957:287
 pallidum; Van Dyke, 1928:111 (not Say, 1823)
violaceipenne Linsley & Chemsak, 1963:208
violaceum (Linnaeus, 1758:395)
 janthinum LeConte, 1850:34
viridocyanum Linsley & Chemsak, 1963:208

w USA (CA, NE)
 e Namer-WY
 w Namer-CO
 R Dominicana
 w USA (CA)
 w Namer (Alaska-OR), Rocky Mts.

Brasil
 e Namer

w Namer (Br Col-UT)
 wc USA (OK, NM, UT)
 w USA (CA)
 w USA (CA)
 w USA (CA, OR)
 Japan, introduced in w Canada (Br Col.)
 ne USA, s Canada
 w USA (CA)
 w USA (CA)
 e USA-AZ, CA, NE

 w USA (CA)

 w USA (CA)
 Europe, Asia, e Namer, introduced in Uruguay

 wc USA (SD)

Calydon Thomson, 1864:263

Callidium; Blanchard in Gay, 1851:497 (not Mulsant, 1839)
globithorax (Fairmaire & Germain, 1861:108)
 skottsbergi Aurivillius, 1911:189
 skottsbergi nigricollis Schwarzer, 1930:106
submetallicum (Blanchard in Gay, 1851:497)

Chile, sc Argentina (NE, CT)

Chile, s Argentina (RN-SC)

Elatotrypes Fisher, 1919:38

hoferi Fisher, 1919:39
 cicatricosum; Leng, 1884:112 (not Mannerheim, 1853)

wc USA (CO, NE)

Hylotrupes Audinet-Serville, 1834:77

bajulus (Linnaeus, 1758:396)
 var. *bullatus* Haldeman, 1847:36
 inaequalis Casey, 1924:233
 latus Casey, 1924:233
 nematocerus Casey, 1924:234
 puncticollis Casey, 1924:234
 incertus Casey, 1924:234
 pedicellatus Casey, 1924:235
 minutus Casey, 1924:235

Europe, introduced in e Namer, s Brasil,
 Argentina, Uruguay

caudata Degeer, 1775:86
linneiana Laicharting, 1784:69
livida Mulsant, 1839:56
puella Villa, 1833:36
similis Marsham, 1802:335

Meriellum Linsley, 1957:287

Merium; LeConte, 1873:296 (not Kirby, 1837)
proteus (Kirby in Richardson, 1837:172) ne NAmer, w NAmer (Alaska-CO)
simile Kirby in Richardson, 1837:172
bifossulatum Casey, 1912: 287

Phymatodes Mulsant, 1839:47 (not Dejean, 1835)

Poecilium Fairmaire in Jacquelain du Val, 1864:134
Phymatodes (Melasmetus) Reitter, 1912:39
Phymatodes (Phymatoderus) Reitter, 1912:39
Phymatodes (Phymatodellus) Reitter, 1912:40
Phymatodina Casey, 1912:281
Microcallidium Casey, 1912:283
Pseudopoecilium Planet, 1924:226
Paraphymatodes Plavilstshikov, 1934:215
aeneus LeConte 1854:18 w NAmer (Pac Cst)
aereus (Newman 1838:393) e NAmer
pallipes Haldeman, 1847:37
amoenus (Say, 1824:413) e NAmer
coccineicollis Haldeman, 1847:39
amoenus hudsonicus Casey, 1912:284
ater LeConte, 1884:22
blandus *blandus* (LeConte, 1859:79) e NAmer (Nova Scotia-PA)
subsp. **concolor** Linsley, 1934:181 w USA (CA, OR)
subsp. **picipes** Linsley, 1934:165 w USA (CA)
subsp. **propinquus** Linsley, 1934:181 w USA (CA)
decussatus *decussatus* (LeConte, 1857:61) w NAmer (Pac Cst)
obliquus Casey, 1891:26
harfordi Casey, 1912:279
collaris Casey, 1924:240
var. *latifasciatus* Hardy & Preece, 1927:191
subsp. **australis** Chemsak, 1963:40 w USA (CA), Baja Calif
subsp. **posticus** Van Dyke, 1920:36 w USA (CA)
dimidiatus (Kirby in Richardson, 1837:173) e USA, w NAmer (Alaska-CA)
kalmi Schoenherr, 1817: 442 sw Canada (Br Col)
palliatus Haldeman, 1847:41 w USA (CA, OR), Baja Calif
mannerheimi LeConte, 1857:60 w Namer (Br Col-SD, NM)
fulgidus Hopping, 1928:246 w USA (CA, OR)
hirtellus *hirtellus* (LeConte, 1873:172) w USA (CA, OR)
subsp. **densipennis** Casey, 1912:284 w USA (CA, OR)
infuscatus (LeConte, 1859:285) w USA (CA, OR)
juglandis Leng, 1890:214
fasciapilosus Van Dyke, 1920:33
lecontei Linsley, 1938:109 w NAmer (Pac Cst), Baja Calif
obscurum; LeConte, 1859:79 (not Fabricius, 1787)
grandis Casey, 1912:277
lengi Joutel, 1911:200 e NAmer (Atl Cst)
maculicollis LeConte, 1878:614 e USA-w NAmer (Br Col-CA)
hardyi Van Dyke, 1928:112
elongatus Hopping, 1937:8
mohavensis Linsley & Chemsak, 1963:210 w USA (CA)
nigerrimus Van Dyke, 1920:35 w USA (CA)
nitidus LeConte, 1874:66 w Namer (Pac Cst)
crucialis Casey, 1912:282
elegans Casey, 1912:282
exilis Casey, 1912:283
oregonensis Chemsak, 1963:39 nw USA (OR)

rainieri	Van Dyke, 1937:113	nw USA (WA)
shareeae	Cope, 1984:63	sw USA (NM)
testaceus	(Linnaeus, 1758:396)	Europe, e NAm
	<i>variabilis</i> Linnaeus, 1761:192	
	var. <i>ventralis</i> Haldeman, 1847:37	
tysoni	Chemsak & Linsley, 1984:73	w USA (CA)
ursae	Knull, 1940:556	wc USA (WY)
varius	(Fabricius, 1776:232)	e NAm-sw USA (TX, AZ, UT)
	<i>varians</i> ; Bland, 1862:275	
	<i>versicolor</i> Gmelin, 1790:1852	
	<i>subfasciellum</i> White, 1855:322	
	<i>albofasciatum</i> Bland, 1862: 274	
	<i>semicircularis</i> Bland, 1862:275	
	<i>varius diffidens</i> Casey, 1912:280	
	<i>latipennis</i> Casey, 1912:280	
vilitatis	Linsley, 1940:253	w USA (CA, OR)
	<i>vile</i> ; LeConte, 1873:172 (not Newman, 1842)	
vulneratus	(LeConte, 1857:60)	w NAm (Pac CSt)
	<i>concinus</i> Casey, 1912:278	
	var. <i>nigrescens</i> Hardy & Preece, 1927:190	

Physocnemum Haldeman, 1847:38

<i>Dularius</i>	Thomson, 1860:258	
andreae	(Haldeman, 1847:36)	e NAm (Atl Cst)
	<i>luscus</i> Thomson, 1860:259	
brevilineum	(Say, 1824:413)	e NAm-TX
	<i>compressipes</i> Casey, 1912:269	
	<i>densus</i> Casey, 1912:270	
	<i>pictum</i> Casey, 1924:239	
	<i>longitarse</i> Casey, 1924:239	
	<i>angulatum</i> Casey, 1924:239	
violaceipenne	Hamilton, 1896:286	ne NAm

Pnigomenus Bosq, 1951:195

kuscheli Bosq, 1951:196 Chile

Pronocera Motschulsky, 1859:494

<i>Pronocerus</i> ; Motschulsky, 1875:148	
<i>Pseudophy wholeodes</i> Pic, 1901:12	
<i>Protocallidium</i> Csiki, 1904:99	
<i>Potocallidium</i> ; Reitter, 1912:38	
<i>Gonocallus</i> LeConte, 1873:171	
collaris collaris (Kirby in Richardson, 1837:141)	e NAm-WA, Alaska
<i>lepidus</i> LeConte, 1850:34	
subsp. <i>lecontei</i> Chemsak, 1963:38	w USA (CA)

Ropalopus Mulsant, 1839:39

<i>Rhopalopus</i> ; Redtenbacher, 1845:110	
<i>Euryoptera</i> Horn, 1860:571	
sanguinicollis (Horn, 1860:571)	ne USA, s Canada

Semanotus Mulsant, 1839:54

<i>Sympiezocera</i> Lucas, 1851: cvi	
<i>Xenodorum</i> Marseul, 1856:48	
<i>Hylotrupes</i> ; LeConte, 1873:296 (part)	
<i>Anocomis</i> Casey, 1912:271	
<i>Anacomis</i> ; Leng, 1920: 275	
<i>Hemicallidium</i> Casey, 1912:274	
<i>amethystinus</i> (LeConte, 1853:234)	w NAm (Pac Cst)
australis Giesbert, 1993:146	Guatemala
japonicus Lacordaire, 1869: 47	Japan, introduced in Canada (Br Col)
juniperi (Fisher, 1915:77) .	w USA (AZ, CA, NE, ID)

<i>ligneus ligneus</i> (Fabricius, 1787:153)	e N Amer
<i>russicum</i> Stephens, 1831:248	
<i>nicolas</i> White, 1855:321	
subsp. <i>amplus</i> (Casey, 1912:273)	w N Amer (Pac Cst)
<i>ampla angusta</i> Casey, 1912:273	
<i>ampla obliviousa</i> Casey, 1924:237	
<i>ampla terracensis</i> Casey, 1924:237	
subsp. <i>basalis</i> (Casey, 1924:237)	nw USA
<i>ligneus thujae</i> Van Dyke, 1927:103	
subsp. <i>parvicollis</i> (Casey, 1912:272)	w USA (AZ, UT)
<i>ampla conformis</i> Casey, 1924:236	
<i>ampla arizonae</i> Casey, 1924:236	
subsp. <i>sequoiae</i> Van Dyke, 1923:51	w USA (CA)
<i>litigiosus</i> (Casey, 1891:25)	N Amer
<i>terminata</i> Casey, 1912:274	
<i>canadensis</i> Casey, 1924:238	
<i>Thrichocalydon</i> Bosq, 1951:58	
<i>havrylenkoi</i> (Bosq, 1951:58)	Chile, w Argentina (NE)
<i>Xylocrius</i> LeConte, 1873:172	
<i>Hylocrius</i> ; Lameere, 1883:38	
<i>agassizi</i> (LeConte, 1861:357)	w N Amer (Br Col-CA, NM), Rocky Mts
<i>cribratus</i> LeConte, 1873:172	w USA (CA, NE)
?	
<i>Callidium bifasciatum</i> Fabricius, 1787:152	"America occidentali"
<u>Clytini</u> Mulsant, 1839:70	
<i>Anthoboscus</i> Chevrolat, 1860:455	
<i>Clytanthus</i> Thomson, 1864:190	
<i>tricolor</i> (Chevrolat, 1835:75)	Mexico (CHA)-Panama
<i>oculatus</i> Giesbert, 1992:158	s Mexico (CHS)
<i>Calloides</i> LeConte, 1873:319	
<i>lorquini</i> (Buquet, 1859:629)	w USA (CA, NE, OR)
<i>nobilis nobilis</i> (Harris, 1837:84)	e N Amer
subsp. <i>mormonus</i> Schaeffer, 1911:124	sw USA (AZ, CO, UT)
<i>biformis</i> Casey, 1912:358	
<i>muliebris</i> Casey, 1912:358	
<i>coloradensis</i> Casey, 1912:358	
<i>regalis</i> (Chevrolat, 1860:488)	Mexico (OA)
<i>Chlorophorus</i> Chevrolat, 1863:290	
<i>annularis</i> (Fabricius, 1787:156)	Asia, introduced in USA and se Brasil
<i>Clytoleptus</i> Casey, 1912:350	
<i>Clytanthus</i> ; LeConte, 1873:319 (not Thomson, 1864)	
<i>albofasciatus</i> (Laporte & Gory, 1835:96)	e N Amer
<i>gracilicornis</i> Casey, 1912:371	
<i>tristis</i> Casey, 1912:371	
<i>Clytopsis</i> Casey, 1912:350	
<i>dimidiaticornis</i> (Chevrolat, 1860:487)	Mexico (widely distributed)
<i>nimbata</i> Casey, 1912:373	
<i>Clytus</i> Laicharting, 1784:88	
<i>blaisdelli</i> Van Dyke, 1920:39	w USA (CA)
<i>canadensis</i> Hopping, 1928:264	w N Amer (Br Col-OR-CO)

chemsaki Hovore & Giesbert, 1974:142	w USA (CA)
clitellarius (Van Dyke, 1920:40)	w USA (CA)
marginicollis Laporte & Gory, 1835:41	e Namer
<i>vespoides</i> Haldeman, 1847:40	
<i>carolinensis</i> Casey, 1912:372	
montesuma Laporte & Gory, 1835:42	Mexico
<i>montezuma</i> ; White, 1855:264	
pacificus (Van Dyke, 1920:38)	w Namer (Pac Cst)
planifrons (LeConte, 1874:67)	w Namer (Pac Cst)
ruricola (Olivier, 1795:65)	e Namer
<i>hamatus</i> Say, 1824:423	
<i>catulus</i> Casey, 1912:370	
 Dexithea Thomson, 1864:185	
fabricii (Chevrolat, 1860:490)	Mexico (ME, VC)
humeralis Chemsak & Noguera, 2001: 50	Mexico (MX, NL, CS)
klugii (Laporte & Gory, 1835:51)	Mexico - Costa Rica
 Euryscelis Dejean, 1835:331	
suturalis (Olivier, 1795:62)	se USA (FL), W Indies (Bahamas, Hispaniola, Puerto Rico, Cayman Is)
<i>dejeanii</i> Chevrolat, 1862:530	
<i>megalopus</i> Casey, 1924:271	
<i>subtropica</i> Casey, 1924:271	
 Glycobius LeConte, 1873:319	
<i>Arhopalus</i> ; Lacordaire, 1869:64 (not Audinet-Serville, 1834)	
<i>Plagionotus</i> ; LeConte & Horn, 1883:304 (not Mulsant, 1842)	
speciosus (Say, 1828:53) (not Adams, 1817)	
<i>hayii</i> Gray in Griffith, 1831: pl. 65, fig. 6	ne USA, s Canada
<i>haiji</i> ; Gray in Griffith, 1832:118	
 Isotomus Mulsant, 1863:143	
<i>Caloclytus</i> Fairmaire in Jacquelain du Val, 1864:145	Europe, introduced in Hispaniola
comptus (Mannerheim in Hummel, 1825:36)	
<i>perspicillus</i> Fischer, 1832:438	
<i>pubicollis</i> Laporte & Gory, 1835:73	
<i>insularis</i> Laporte & Gory, 1835:74	
 Mecometopus Thomson, 1860:222	
accentifer Gounelle, 1910:15	Ecuador
aesopus (Chevrolat, 1860:502)	Mexico (VC) – Costa Rica
amaryllis Chevrolat, 1861:387	Colombia, Ecuador
aurantisignatus Zajciw, 1964:307	nc Brasil (PA), Fr Guiana
batesii (White, 1855:257)	nc Brasil (PA)
bicinctus Aurivillius, 1920:367	se Brasil (ES)
bolivianus Belon, 1899:156	Bolivia
curtus (Laporte & Gory, 1835:34)	Fr Guiana
<i>crassicornis</i> Chevrolat, 1862:519	
femoralis Fuchs, 1963:454	Peru, Brasil
flavius Bates, 1870:399	nc Brasil (PA)
giesberti Chemsak & Noguera, 1993:86	w Mexico (JA)
globicollis (Laporte & Gory, 1835:32)	Fr Guiana, nc Brasil (PA), Ecuador
<i>troglodytes</i> Laporte & Gory, 1835:33	
gracilis Zajciw, 1958:244	se Brasil (SP, PR)
granulipennis Zajciw, 1963:178	Peru, Bolivia
insignis Chevrolat, 1862:65	se Brasil (MG-SC)
ion (Chevrolat, 1860:496)	Mexico (ME)-Nicaragua
<i>jon</i> ; Chevrolat, 1860:496	
var. <i>ionides</i> Bates, 1885:300	
jansoni Bates, 1870:399	Nicaragua-Panama, Fr Guiana
laetus (Fabricius, 1801:348)	Colombia, Guianas, nc Brasil (PA)
latecinctus Bates, 1870:398	nw Brasil (AM)

lepturi (Laporte & Gory, 1835:29)	Fr Guiana
<i>consanguineus</i> Chevrolat, 1862:523	
ludicus Melzer, 1934:224	s Brasil (SC)
macilentus Bates, 1872:187	Nicaragua-Panama
melanion Bates, 1885:300	e Mexico (VC)
mendosus Galileo & Martins, 1996:58	se Brasil (MG-SC), Paraguay
mniszechii Chevrolat, 1862:64	Brasil
mundus (Chevrolat, 1860:498)	Guatemala, Honduras
nubicollis Zajciw, 1964:308	Peru
palmatus (Olivier, 1795:29)	Panama, Paraguay, Argentina, Guianas,
<i>festivus</i> Fabricius, 1801:348	nc Brasil (PA)
placens Chevrolat, 1862:64	se Brasil (RJ)
polygenus Thomson, 1860:223	nw Brasil (AM), Fr Guiana, Ecuador
purus Bates, 1870:398	nw Brasil (AM), Bolivia
<i>ellifranzae</i> Fuchs, 1963:456	Colombia
quadrifasciatus (Chevrolat, 1861:386)	Panama
remipes Bates, 1885:300	Fr Guiana
rhinotragoides Thomson, 1860:224	Colombia, Ecuador
<i>amabilis</i> Chevrolat, 1862:521	
riveti Gounelle, 1910:16	nw Brasil (AM)
var. <i>pilosa</i> Gounelle, 1910:16	w Mexico (JA)
rubefactus Bates, 1870:398	Venezuela
sarukhani Chemsak & Noguera, 1993:87	Costa Rica, Panama, Ecuador
simoni Lameere, 1893:274	Fr Guiana, nc Brasil (PA), Ecuador
solidicornis Bates, 1885:300	Bolivia
triangularis (Laporte & Gory, 1835:31)	Guianas, nw Brasil (AM)
<i>maronensis</i> Chevrolat, 1862:522	
<i>funereus</i> Chevrolat, 1862:523	
tumulifer Aurivillius, 1908:3	
wallacei (White, 1855:259)	
 Megacheuma Mickel, 1919:198	
brevipennis brevipennis (LeConte, 1873:197)	w USA (UT, NE)
<i>melanosticum</i> Mickel, 1919:199	
subsp. tiemannii Hovore, 1979:459	sw USA (CA)
 Megacyllene (Megacyllene) Casey, 1912:348	
<i>Cyllene</i> ; Newman, 1840: 7 (not Gray, 1834)	
acuta (Germar, 1821:170)	Brasil (GO, MT, BA-RS), Paraguay, Uruguay
<i>exsanguis</i> Chevrolat, 1862:527	n Argentina (SA-BA)
<i>consimilis</i> Chevrolat, 1862:52	
amazonica (Bates, 1870:395)	nc Brasil (AM), Peru, Ecuador
anacantha (Chevrolat, 1862: 52)	se Brasil (RJ-RS)
andesiana (Casey, 1912:352)	Ecuador
angulata (Fabricius, 1775:192)	Mexico-Panama, Fr Guiana, nw Brasil (AM),
<i>boliviiana</i> (Chevrolat, 1862:525)	Bolivia, Venezuela, W Indies (Dominica), Chile
<i>cayennensis</i> Laporte & Gory, 1835:10	
<i>caracasensis</i> Chevrolat, 1861:380	
<i>chiliensis</i> (Laporte & Gory, 1835:11)	
<i>chilensis</i> ; Blanchard in Gay, 1851:486	
angulifera (Casey, 1912:354)	c N Amer (Alberta-KS)
antennata (White, 1855:252)	sw USA (CA-TX), n Mexico (SO), Baja Calif
<i>eurystethus</i> LeConte, 1858:82	
bonplandi (Gounelle, 1911:185)	se Brasil (MG, RJ), n Argentina (SA-MI)
boryi (Laporte & Gory, 1835:12)	Chile
caryae (Gahan, 1908:141)	e N Amer-TX, n Mexico
castanea (Laporte & Gory, 1835:10)	s Brasil (RS), e Argentina (MI-BA), Paraguay
chalybeata (White, 1855:250)	se Brasil (ES), Fr Guiana
cleroides (Melzer, 1931:194)	se Brasil (SP, PR)
comanchei Rice & Morris, 1992:200	sw USA (TX)
congener (Laporte & Gory, 1835:8)	se Brasil (MG, RJ)
costaricensis (Thomson, 1860:218)	Costa Rica
cryptofrasciata Di Iorio, 1998:5	n, c Argentina (TU, CA, RN)

- decora** (Olivier, 1795:63)
charus Say, 1835:193
infaustus LeConte, 1850:17
 ab. *castelnau* Aurivillius, 1912:384
 ab. *horni* Aurivillius, 1912:384
 ab. *mediana* Aurivillius, 1912:384
chara kansana Casey, 1912:355
chara solida Casey, 1912:355
chara genitiva Casey, 1912:355
- designata** (Chevrolat, 1862:50)
- ellifranziana** (Fuchs, 1961:448)
- falsa** (Chevrolat, 1862:51)
acutus; Laporte & Gory, 1835:9 (not Germar, 1821)
- hoffmanni** (Laporte & Gory, 1835:13)
- insignita** (Perroud, 1855:388)
- lanei** (Tippmann, 1953:218)
- latreillei** (Laporte & Gory, 1835:91)
unicoloricollis Fuchs, 1961:447
- lutescens** (LeConte, 1861:356)
- magna** Di Iorio, 1997: 389
- mellyi** (Chevrolat, 1862:54)
castroi Prosen, 1947:255
 ab. *modesta* Tippmann, 1960:135
- menalaspis** (Chevrolat, 1861:378)
- minuta** (Chevrolat, 1862:62)
- multiguttata** (Burmeister, 1865:176)
megaspilota Martins, 1974:153
- murina** (Burmeister, 1879:201)
- neblinosa** Di Iorio, 1995:320
- panamensis** (Bates, 1885:295)
- patruelis** (Chevrolat, 1862:53)
- powersi** Linsley & Chemsak, 1963:211
infausta; Hopping, 1937:445 (not LeConte, 1850)
- proxima** (Laporte & Gory, 1835:5)
elongata Chevrolat, 1861:379
- robiniae** (Forster, 1771:43)
pictus Drury, 1773:91
flexuosum Fabricius, 1775:191
- robusta** Linsley & Chemsak, 1963:211
- rufipes** (Laporte & Gory, 1835:8)
- rufofemorata** Di Iorio, 1997: 394
- sahlbergi** (Aurivillius, 1913:237)
- snowi snowi** (Casey, 1912:353)
 subsp. **zuniana** (Casey, 1912:353)
- spinifera** (Newman, 1840:8)
nebulosus Laporte & Gory, 1835:11
- pixii** (Laporte & Gory, 1835:92)
- trifasciata** Viana, 1994:165
- unicolor** Fuchs, 1955:49
lateripilosa Zajciw, 1963:171
- ziczac** (Voet, 1778:21)
- Megacyllene (Sierracyllene)** Tippmann, 1960:133
- abnormis** (Aurivillius, 1920:365)
 var. *montana* Tippmann, 1953:217
- horioni** Tippmann, 1960:133
 ab. *bifasciata* Tippmann, 1960:134
 ab. *suturaalba* Tippmann, 1960:134
- quinquefasciata** (Melzer, 1931:55)
- rotundicollis** Zajciw, 1963:174
- tafvallensis** Di Iorio, 1998:9
- Mygalobas** Chevrolat, 1862:66
- ferrugineus** Chevrolat, 1862:66
- e Namer-TX, Alberta
 se Brasil (RJ, SP)
 Costa Rica
 e Brasil (GO, BA-RS), ne Argentina (FO, MI), Uruguay, Paraguay
 s Brasil (PR-RS), Paraguay
 s Brasil (RS), c Argentina (SL-BA), Uruguay
 se Brasil (SP-RS)
 s Brasil (RS), Uruguay
- wc USA (CO, KS, IA)
 n Argentina (SA, CA, LR)
 se Brasil (MG-RS), Bolivia, Paraguay, Argentina (SA-BA), Uruguay
- Colombia, Ecuador
 s Brasil (RS), e Argentina (BA), Uruguay
 Bolivia, Paraguay, w Argentina (SA, CA, SE, CO, LR, ME)
 Paraguay, nc Argentina (SA, ER, SE, SF), Uruguay
 n Argentina (SA, TU), Bolivia, se Brasil (RJ)
 Costa Rica, Panama
 Brasil
 wc USA (ND)
- Venezuela, Ecuador, Brasil, Paraguay, n Argentina (SA-MI)
 e Namer
- sw USA (NM, AZ)
 se Brasil (RJ-RS), n Argentina, Uruguay
 n Argentina (SA, CA, TU, CO)
 Brasil
 w USA (CO, AZ), n Mexico
 sw USA (NM)
 Brasil (GO, MT, PR-RS), Paraguay, Bolivia, Argentina, Uruguay
 s Brasil (RS), Paraguay, Argentina, Uruguay
 n Argentina (CA)
 s Brasil (RS), ne Argentina (CO, ER), Paraguay, Uruguay
 "America"
- Bolivia
 Bolivia
- Bolivia, n Argentina (SA, JU), Chile
 n Argentina (TU)
 n Argentina (TU, CA)
- se Brasil (RJ, SP)

Neoclytus Thomson, 1860:67

<i>Rhopalopachys</i>	Chevrolat, 1860:457	
<i>Rhopalomerus</i>	Chevrolat, 1860:457	
<i>Plagithmysus</i> ; Horn, 1875:150		
<a>acteon	(Chevrolat, 1860:499)	e Mexico (VC), Guatemala
<i>actaeon</i>	Bates, 1880:58	
<a>acuminatus acuminatus	(Fabricius, 1775:194)	e N Amer-Manitoba-TX
<i>erythrocephalum</i>	Fabricius, 1787:156	
<i>americanus</i>	Gmelin, 1790:1854	
<i>aspericolle</i>	Germar, 1824:517	
subsp. <i>hesperus</i>	Linsley, 1935:163	w USA (TX-CO), n Mexico
<a>amazonicus	Fuchs, 1975:1	nw Brasil (AM)
<a>angelicus	Van Dyke, 1927:107	w USA (CA)
<a>approximatus	(LeConte, 1862:42)	c USA (OK, MO, KS)
<a>araneiformis	(Olivier, 1795:61)	Hispaniola, Puerto Rico, Guadeloupe, Saba
<i>koechlini</i>	Hagenbach, 1822:12	
<a>armaticollis	Zajciw, 1964:305	Bolivia, nw Argentina (JU)
<a>augusti	(Chevrolat, 1835:73)	sw USA (TX), Mexico-Guatemala
<i>abbreviatus</i>	Schaeffer, 1908:340	
<i>dubius</i>	Chevrolat, 1835:74	
<a>aulai	Bruch, 1911:168	nc Argentina (SF)
<a>bahamicus	Cazier & Lacey, 1952:36	Bahamas
<a>balteatus	LeConte, 1873:201	w N Amer (Pac Cst)
<i>magnus</i>	Van Dyke, 1927:109 (not Schaeffer, 1904)	
<i>interruptus</i>	Van Dyke, 1927:109 (not LeConte, 1873)	
<a>basalis	Chevrolat, 1861:384	Venezuela
<a>beltianus	Bates, 1885:301	Nicaragua, Costa Rica
<i>lebasii</i>	Bates, 1872:186 (not Chevrolat, 1861)	
<a>bruchi	Melzer, 1927:570	se Brasil (RJ-RS)
<a>burmeisteri	Chevrolat, 1862:57	se Brasil (MG)
<a>cacious	(Chevrolat, 1860:493)	Mexico-Panama, Venezuela
<a>caprea	(Say, 1824:424)	e N Amer-AZ, UT
<i>gibbicollis</i>	Laporte & Gory, 1835:24	
<i>elevatus</i>	Laporte & Gory, 1835:32	
<a>centurio	(Chevrolat, 1862:58)	se Brasil (ES-RS), ne Argentina (MI), Uruguay
<i>accensus</i>	Chevrolat, 1862:59	Cuba
<a>chevrolatii	(Laporte & Gory, 1835:26)	Venezuela
<a>clavatus	Chevrolat, 1861:386	Guatemala
<a>clavipes	(Chevrolat, 1860:495)	Panama, Colombia
<a>columbianus	Fuchs, 1963:451	w N Amer (Pac Cst)
<a>conjunctus	(LeConte, 1857:61)	
<i>conjunctus occiduus</i>	Casey, 1912:369	se USA (GA, FL), Cuba
<i>tularensis</i>	Casey, 1912:369	
<a>cordifer	(Klug, 1829: 13)	Colombia
<i>rufescens</i>	Laporte & Gory, 1835:16	Mexico
<i>devastator</i>	Laporte & Gory, 1835:17	e Brasil, Paraguay, ne Argentina (ER), Uruguay
<a>cristatus	Chevrolat, 1861:384	e Brasil (GO, PE-RS), n Argentina (MI), Uruguay
<a>curtulus	(Chevrolat, 1860:497)	se Brasil (RJ)
<a>curvatus	(Germar, 1821:171)	se Brasil (RJ)
<a>delicatus	(Gounelle, 1911:188)	e Brasil (GO, ES, RJ)
<a>discretus	Melzer, 1934:223	Panama
<a>distinctus	Zajciw, 1963:425	Fr Guiana, Venezuela, ne Argentina (MI)
<a>dorsalis	(Laporte & Gory, 1835:23)	Mexico (PU, SLP, VC), Guatemala
<a>englemani	Giesbert, 1989:270	e N Amer-TX
<a>guianensis	(Laporte & Gory, 1835:22)	
<a>hoegei	(Bates, 1880:56)	
<a>horridus	(LeConte, 1862:42)	
<i>confusus</i>	Van Dyke, 1937:115	ec Brasil (GO), Ecuador, Fr Guiana
<i>longipes</i>	LeConte, 1873:200 (not Drury, 1773)	se Brasil (ES-SC)
<i>kirbyi</i>	Hopping, 1932:558 (not Aurivillius, 1912)	
<i>fulgoratus</i>	Casey, 1912:367	
<a>ictericus	(Gounelle, 1911:187)	
<a>impar	(Germar, 1824:571)	

interruptus LeConte, 1873:201	w USA (CA)
irroratus (LeConte, 1858:26)	sw USA (CA), n Mexico-Honduras, Baja Calif
<i>morosus</i> Chevrolat, 1860:501	
zekeli (White, 1855:254)	Peru, Ecuador, Chile
<i>longipes</i> ; Laporte & Gory, 1835:16 (not Drury, 1773)	
jibacoense Zayas, 1975:137	Cuba
jouteli jouteli Davis, 1904:34	e USA (NJ-VI-TN)
subsp. simplarius Blatchley, 1917:240	se USA (GA, FL)
justini Chevrolat, 1861:382	Costa Rica, Panama, Colombia, Venezuela
lebasi Chevrolat, 1861:381	Costa Rica, Panama, Colombia, Venezuela
leucozonous leucozonous Laporte & Gory, 1835:90	NAmer (boreal)
<i>muricatus</i> Kirby in Richardson, 1837:177	
<i>muricatus</i> ; Haldeman, 1847:41	
<i>longipes</i> ; Kirby in Richardson, 1837:176 (not Drury, 1773)	
<i>kirbyi</i> Aurivillius, 1912:392	
<i>ascendens</i> LeConte, 1878:462	
subsp. infans Casey, 1912:368	w USA (CA, OR)
longipes (Drury, 1773:84)	se USA (GA, FL), Cuba, Jamaica
<i>drurii</i> Fabricius, 1775:181	
<i>angulatum</i> Fabricius, 1792:335	
<i>rhombifer</i> Olivier, 1795:46	
<i>hopei</i> Laporte & Gory, 1835:18	
magicus (Perty, 1832:93)	se Brasil (BA-SP)
magnus Schaeffer, 1904:224	sw USA (CA), n Baja Calif
modestus modestus Fall, 1907:81	w USA (CA)
<i>carus</i> Fall, 1907:81	
subsp. zebratus Van Dyke, 1927:108	w USA (CA, OR)
moritzii Thomson, 1860:225	Venezuela
mucronatus mucronatus (Fabricius, 1775:193)	e USA-TX
<i>luscum</i> Fabricius, 1798:152	
<i>maculosus</i> Gmelin, 1790:1854	
<i>humeralis</i> Newman, 1838:394	
<i>lucus strictulus</i> Casey, 1912:369	
subsp. vogti Linsley, 1957:35	sw USA (TX, AZ), ne Mexico (NL)
mulleri Fuchs, 1955:50	s Brasil (SC), n Argentina (SA-CO), Paraguay
niger Aurivillius, 1920:366	e Brasil (BA)
nubilus Linsley, 1933:93	w USA (CA)
<i>modestus</i> ; Fall, 1907:81 (part)	
olivaceus (Laporte & Gory, 1835:30)	e Brasil (GO, MT, BA-SC), Paraguay
pallidicornis Fisher, 1932:58	Haiti
patagonicus (Bruch, 1911:169)	s Argentina (CT, CH)
peninsularis Schaeffer, 1905:133	Baja Calif
personatus Chemsak & Linsley, 1974:132	Costa Rica
plaumanni Fuchs, 1966:9	nc Brasil (PR)
podagricus (White, 1855:254)	Hispaniola
provoanus Casey, 1924:272	w USA (Pac Cst-UT)
<i>basalis</i> Van Dyke, 1927:106	
<i>basillaris</i> Van Dyke, 1929:136	
pubicollis Fisher, 1932:59	Cuba
purus Bates, 1885:302	Mexico (VC), Guatemala
pusillus (Laporte & Gory, 1835:22)	Brasil, Bolivia, Paraguay, Argentina, Uruguay, Peru
regularis Chevrolat, 1861:385	Trinidad, Venezuela
resplendens Linsley, 1935:163	w USA (CA)
rufitarsis (Chevrolat, 1860:494)	Guatemala
rufus (Olivier, 1795:28)	Panama-n Argentina
var. <i>meridionalis</i> Aurivillius, 1926:3	
scenicus Pascoe, 1866:294	Colombia
scutellaris (Olivier, 1790:266)	e NAmer-KS-TX
<i>elegans</i> Haldeman, 1847:40	
senilis (Fabricius, 1798:152)	Fr Guiana
smithi Bates, 1892:164	sw Mexico (NA-OA)
sobrinus (Laporte & Gory, 1835:29)	se Brasil, Paraguay, n Argentina, Uruguay
steelei Chemsak & Linsley, 1978:138	Mexico (Revillagigedo Is., Socorro I.)

stillatus Aurivillius, 1908:4	Bolivia, n Argentina (JU, SA, TU, CA), Paraguay
<i>parumnotatus</i> Zajciw, 1963:176	
suturalis Fuchs, 1963:453	Brasil
tapajonus Bates, 1870:395	nc Brasil (AM)
tenuiscriptus Fall, 1907:82	w USA (CA, AZ, UT), n Mexico
torquatus LeConte, 1873:200	sw USA (TX)
unicolor (Laporte & Gory, 1835:34)	Peru
vanduzeei Van Dyke, 1927:107	sw USA (AZ)
vitticollis Aurivillius, 1920:365	Peru
yspsilon Chevrolat, 1862:63	s Brasil (SC, RS), Paraguay, Argentina
<i>famelicus</i> Burmeister, 1865:176	
 Ochraethes Chevrolat, 1860:454	
<i>Ochroesthes</i> ; Chevrolat, 1860:472	
<i>Ochraesthes</i> ; Thomson, 1860:219	
<i>Ochrestes</i> ; Lacordaire, 1869:65	
<i>Ochresthes</i> ; Bates, 1880:50	Mexico
brevicornis (Chevrolat, 1860:480)	sw USA (TX), Mexico-Honduras
citrinus (Chevrolat, 1860:474)	sw Mexico (GR)
<i>sigmoideus</i> Bates, 1885:298	c Mexico (MO)
clerinus Bates, 1892:162	
cristoforii (Chevrolat, 1860:477)	Guatemala
<i>christofori</i> ; Aurivillius, 1912:386	wc Mexico (DU)
litura Bates, 1885:298	sw Mexico (GR)
nigrescens Chemsak & Linsley, 1974:134	Mexico
nigritus Bates, 1892:162	Mexico (VC)
nigropunctatus (Chevrolat, 1860:486)	sw Mexico (GR)
obliquus (Chevrolat, 1860:473)	Mexico (GU, OA)
obscuricornis Bates, 1892:163	ec Mexico (JA, SLP)
octomaculata Chemsak & Noguera, 2001: 51	Guatemala
palmeri Bates, 1880:52	Mexico (CHS, VC)-Panama
picticornis Bates, 1880:52	Mexico (SI, PU, HI, GU)
pollinosus (Chevrolat, 1835:71)	
sommeri (Chevrolat, 1835:72)	
<i>tibialis</i> Laporte & Gory, 1835:71	c Mexico (PU)
<i>circuliferus</i> Chevrolat, 1860:472	ec Mexico (JA, HI)
<i>circulifer</i> ; Aurivillius, 1912:386	Guatemala
tomentosus (Chevrolat, 1860:479)	Mexico
tulensis Bates, 1892:163	sw Mexico (OA)
umbratilis Bates, 1885:297	Guatemala
virescens (Chevrolat, 1860:481)	e Mexico (VC)
viridiventris (Chevrolat, 1860:479)	
zebratus Bates, 1885:298	
z-littera (Chevrolat, 1860:476)	
<i>z-litterata</i> ; Linsley, 1935:86	
 Placoclytus Chemsak & Linsley, 1974:129	
championi (Bates, 1885:302)	s Mexico (CHS), Guatemala
distortus (Chevrolat, 1860:500)	Mexico
virgulatus Chemsak & Linsley, 1974:130	wc Mexico (MI)
 Placosternus Hopping, 1937:447	
<i>crinicornis</i> (Chevrolat, 1860:460)	Mexico-Colombia, Venezuela
var. <i>sanguinipes</i> Chevrolat, 1860:460	
<i>similiguttatus</i> Chevrolat, 1861:380	
difficilis (Chevrolat, 1862:263)	s USA (CA-FL), n Mexico, Cuba, Bahamas
<i>crinicornis</i> ; Horn, 1880: 134 (not Chevrolat, 1860)	
<i>reducta</i> Casey, 1912:351	
<i>filicornis</i> Casey, 1912:352	
erythropus (Chevrolat, 1835:4)	sw USA (TX), Mexico-Costa Rica
<i>mexicanus</i> Laporte & Gory, 1835:6	
<i>variegatus</i> Laporte & Gory, 1835:6	
guttatus (Chevrolat, 1860:459)	Mexico-Colombia, Venezuela

Plagionotus	Mulsant, 1842:1		
<i>Platynotus</i>	Mulsant, 1839:71		
<i>Plagyonotus</i>	Thomson, 1860:220		
<i>Echinocerus</i>	Mulsant, 1863:143		
<i>astecus</i>	(Chevrolat, 1860:489)	Mexico (VC, MO, GR, CM)	
Plesioclytus	Giesbert, 1993:129		
<i>relictus</i>	Giesbert, 1993:129	se USA (FL)	
Sarosesthes	Thomson, 1864:185		
<i>Arhopalus</i>	; LeConte, 1873: 319 (not Audinet-Serville, 1834)		
<i>fulminans</i>	(Fabricius, 1775:192)	e NAm	
Tanyochraethes	Chemsak & Linsley, 1965:148		
<i>anthophilus</i>	(Chevrolat, 1860:485)	sw Mexico (OA)	
<i>cinereolus</i>	(Bates, 1892:162)	Mexico (JA, GR, VC)	
<i>clathratus</i>	(Chevrolat, 1860:483)	Mexico	
<i>hololeucus</i>	(Bates, 1892:163)	n Mexico (CO)	
<i>ochrozona</i>	(Bates, 1885: 299)	Guatemala-Costa Rica	
<i>smithi</i>	Chemsak & Linsley, 1965:151	w Mexico (JA)	
<i>tildeni</i>	Chemsak & Linsley, 1965:148	sw USA (TX)	
<i>truquii</i>	(Chevrolat, 1860:484)	Mexico	
Trichoxys	Chevrolat, 1860:454		
<i>abbreviatus</i>	Bates, 1880:50	Mexico, Guatemala	
<i>apelles</i>	(Newman, 1838:394)	s Mexico (CHS)	
<i>atrides</i>	(Chevrolat, 1860:469)	Mexico	
<i>bilineatus</i>	(Chevrolat, 1860:461)	sw Mexico (OA, GR)	
<i>hirtellus</i>	(Chevrolat, 1860:467)	Mexico	
<i>labyrinthicus</i>	(Chevrolat, 1860:463)	w Mexico (DU, OA, CM)	
<i>longipes</i>	Chemsak & Linsley, 1974:135	sw Mexico (OA)	
<i>melanotelus</i>	(White, 1855:273)	Mexico	
<i>flexus</i>	Chevrolat, 1860:468		
<i>ochraetheoides</i>	Linsley, 1935:85	c Mexico (ME)	
<i>pellitus</i>	(White, 1855:272)	sw Mexico (OA)	
<i>rubripes</i>	(White, 1855:273)	sw Mexico (OA)	
<i>sulphurifer</i>	(Chevrolat, 1860:470)	c Mexico (ME)	
<i>viridicollis</i>	(Chevrolat, 1860:464)	Guatemala-Panama	
<i>vitticollis</i>	(Laporte & Gory, 1835:7)	nc Mexico (DU, GU, OA, ZA)	
<i>fortunatus</i>	Chevrolat, 1860:465		
<i>westwoodii</i>	(Chevrolat, 1860:471)	sw Mexico (ME, OA, VC)	
Triodoclytus	Casey, 1913:387		
<i>Paracytus</i>	; Casey, 1912:351 (not Bates, 1884)		
<i>Synclytus</i>	Lucas, 1920:480		
<i>lanifer</i>	(LeConte, 1873:198)	w USA (CA, OR)	
<i>brevitarsis</i>	Casey, 1912:375		
<i>crucialis</i>	Casey, 1912:375		
Tylcus	Casey, 1912:348		
<i>hartwegii</i>	(White, 1855:252)	sw USA (TX, AZ), Mexico, Guatemala	
Xylotrechus	Chevrolat, 1860:456		
<i>aceris</i>	Fisher, 1917:215	ne NAm	
<i>albonotatus</i>	Casey, 1912:361	w USA (CA), Baja Calif	
<i>cinereus</i>	Van Dyke, 1920:41		
<i>abietis</i>	Van Dyke, 1929:136		
<i>annosus annosus</i>	(Say, 1826:277)	e NAm-Rocky Mts	
<i>subsp. emotus</i>	Brown, 1952:335	w NAm (Br Col-CA, CO)	

bowditchi bowditchi Hopping, 1928:247	w USA (AZ, UT, CO)
subsp. hoppingi Linsley, 1957:35	w USA (NM, CO)
<i>mormonus</i> ; Hopping, 1932:540 (not LeConte, 1861)	
<i>obliteratus</i> Hopping, 1932:542 (part)	
colonus (Fabricius, 1775:191)	e NAm-TX
<i>coloreum</i> ; Fabricius, 1801:345	
<i>campestre</i> Olivier, 1795:65	
<i>villicum</i> Olivier, 1795:64	
<i>terminans</i> Fabricius, 1798:151	
<i>upsilon</i> Stephens, 1831:244	
<i>agrestis</i> LeConte, 1850:28	
convergens LeConte, 1873:198	e NAm
durangoensis Chemsak & Linsley, 1974:137	wc Mexico (DU)
gemellus Casey, 1893:590	c USA (IN)
insignis LeConte, 1873:199	w USA (WA, OR, CA), Baja Calif
<i>obliteratus</i> ; Leng, 1887:199 (not LeConte, 1873)	
<i>planifrons</i> ; Fall, 1901:147 (not LeConte, 1874)	
<i>diruptus</i> Casey, 1912:367	
var. incongruens Casey, 1912:366	w USA (CA)
integer (Haldeman, 1847:41)	ne NAm
<i>fuscus</i> ; LeConte, 1850:27 (not Kirby, 1837)	
<i>frosti</i> Van Dyke, 1937:114	
lengi Schaeffer, 1908:340	w NAm (Pac Cst)
longitarsis Casey, 1912:362	w NAm (Br Col-CA, CO)
<i>inflatocollis</i> Casey, 1912:360	
<i>montanicus</i> Casey, 1912:361	
<i>columbianus</i> Casey, 1912:361	
<i>undulatus</i> ; Hardy, 1926:23 (not Say, 1824)	
mormonus (LeConte, 1861:357)	w NAm (Yukon-CA, UT)
<i>obliteratus</i> Hopping, 1932:534 (part)	
nauticus (Mannerheim, 1843:305)	w USA (Pac Cst), Baja Calif
<i>gramineus</i> Haldeman, 1847:40	
nitidus (Horn, 1860:570)	ne USA-TX
nunenmacheri Van Dyke, 1920:43	nw USA (OR)
<i>uniformis</i> Casey, 1924:270	
obliteratus LeConte, 1873:199	w USA (Rocky Mts)
quadrivaeulatus (Haldeman, 1847:41)	ne NAm
quercus Schaeffer, 1905:163	sw USA (AZ, NM), nw Mexico (CHA, SI)
robustus Hopping, 1941:29	w USA (AZ, CO)
sagittatus sagittatus (Gérmar, 1821:171)	e NAm-NM
<i>sagittarius</i> ; Thomson, 1860:226	
<i>pubescens</i> Haldeman, 1847:40	
<i>cylindrus</i> Casey, 1912:364	
<i>salebrosus</i> Casey, 1912:364	
subsp. chiricahuae Chemsak, 1959:114	sw USA (AZ), w Mexico (DU)
sartorii (Chevrolat, 1860: 492)	Mexico (NL, VC), Guatemala
schaefferi Schott, 1925:224	ne NAm
undulatus (Say, 1824:291)	ne NAm-Alaska
<i>sayi</i> Laporte & Gory, 1835:55	
<i>interruptus</i> Laporte & Gory, 1835:57	
<i>lunulatus</i> Kirby in Richardson, 1837:175	
<i>undatus</i> Kirby in Richardson, 1837:176	
<i>fuscus</i> Kirby in Richardson, 1837:176	
?	
Clytus carinatus Laporte & Gory, 1835:19	"North America"

Anaglyptini Lacordaire, 1869: 84

Aphysotes Bates, 1885:307

Aphysotes; Linsley, 1935:87

tubericollis Bates, 1885:308

Costa Rica, Panama

Clytoderus Linsley, 1935:89		
<i>pygmaeus</i> Linsley, 1935:90	c Mexico (ME)	
Cyrtophorus LeConte, 1850:29		
<i>verrucosus</i> (Olivier, 1795:67)	e NAm-TX	
Diphryama Bates, 1872:187		
<i>singularis</i> Bates, 1872:188	Guatemala-Panama	
Microclytus LeConte, 1873:320		
<i>compressicollis</i> (Laporte & Gory, 1835:106)	ne NAm	
<i>compressicornis</i> ; Leng, 1918:207		
<i>gibbulus</i> LeConte, 1850:234		
<i>niger</i> LeConte, 1850:29		
<i>gazellula</i> ; Horn, 1884:148 (not Haldeman, 1847)		
<i>insinuans</i> Casey, 1893:591		
<i>frosti</i> Casey, 1912:375		
<i>gazellula</i> (Haldeman, 1847:42)	ne NAm	
Pempteurus Bates, 1885:304		
<i>sericans</i> Bates, 1885:304	Guatemala, Costa Rica	
Tilloctylus Bates, 1885:303		
<i>Tillomorpha</i> ; Chevrolat, 1860:503 (not Blanchard in Gay, 1851)		
<i>balteatus</i> (Chevrolat, 1860:503)	e Mexico (VC)-Honduras	
<i>bruneri</i> Fisher, 1932:60	Cuba	
<i>clavipes</i> Bates, 1885:304	Guatemala	
<i>cleroides</i> (White, 1855:290)	Colombia, Venezuela	
<i>conradti</i> Bates, 1892:164	Guatemala	
<i>cubae</i> Fisher, 1932:63	Cuba	
<i>elongatus</i> Zayas, 1975:143	Cuba	
<i>geminatus</i> (Haldeman, 1847:42)	ne NAm	
<i>duplicatus</i> LeConte, 1850:29		
<i>haematocephalus</i> (Chevrolat, 1862:534)	e Mexico (OA, VC)	
<i>minutus</i> Fisher, 1932:62	W Indies (Puerto Rico, St. John)	
<i>puertoricensis</i> Fisher, 1935:51		
<i>nivicinctus</i> (Chevrolat, 1862:264)	Cuba	
<i>pilosus</i> Zayas, 1975:144	Cuba	
<i>rufipes</i> Fisher, 1942:20	Cuba	
<u>Tillomorphini</u>	Lacordaire, 1869: 88	
Arawakia Villiers, 1981:105		
<i>inopinata</i> Villiers, 1981:106	Guadeloupe	
Bonfilsia Villiers, 1979:98		
<i>tricolor</i> Villiers, 1979:98	Guadeloupe	
Calliclytus Fisher, 1932:65		
<i>schwarzi</i> Fisher, 1932:66	Cuba	
Epropetes Bates, 1870:400		
<i>amazonica</i> Galileo & Martins, 2000: 166	Brasil (AM)	
<i>atlantica</i> Martins, 1975:9	se Brasil (MG-SC)	
<i>deterrima</i> Martins & Napp, 1984:436	s Brasil (PR)	
<i>elongata</i> Martins, 1975:11	nc Brasil (PA), Fr Guiana	
<i>hirsuta</i> Martins & Napp, 1984:437	se Brasil (RJ, SP)	
<i>howdenorum</i> Galileo & Martins, 2000: 165	Colombia	
<i>latifascia</i> (White, 1855:218)	c Brasil (PA, MT), Fr Guiana	

- metallica** Martins, 1975:12
ozodiformis Martins & Napp, 1984:438
serrana Martins & Napp, 1984:434
velutina Martins, 1975:10
zonula Martins & Napp, 1984:435
- Euderces** LeConte, 1850:30
- Eplophorus* Chevrolat, 1861:248
Apelocera Chevrolat, 1862:61
Apilocera; Chevrolat, 1862:535
Cleozona Bates, 1874:223
- acutipennis** Bates, 1885:305
 andersoni Giesbert & Chemsak, 1997:225
 aspericollis (Chemsak, 1969:311)
 auricaudus Giesbert & Chemsak, 1997:227
 azureus Giesbert & Chemsak, 1997:228
 basimaculatus Giesbert & Chemsak, 1997:230
 batesi Giesbert & Chemsak, 1997:231
 bellus Giesbert & Chemsak, 1997:233
 bicinctus bicinctus (Linsley, 1935:88)
 balli Knull, 1935:192
 subsp. **peninsularis** (Linsley, 1942:56)
 biplagiatus Giesbert & Chemsak, 1997:235
 boucardi (Chevrolat, 1862:535)
 brailovskyi Giesbert & Chemsak, 1997:237
 cleriformis (Bates, 1885:306)
 breviformis Bates, 1892:165
 auricomis Chemsak, 1969:309
 cribellatus (Bates, 1885:306)
 cribripennis Bates, 1892:165
 fenyesi Linsley, 1957:37
 dilutus Martins, 1975:18
 dimidiatipennis (Melzer, 1932:216)
 disparicrus Giesbert & Chemsak, 1997:244
 elvirae Giesbert & Chemsak, 1997:245
 grossistriatus Giesbert & Chemsak, 1997:246
 guatemalenus Giesbert & Chemsak, 1997:247
 guerinii (Chevrolat, 1862:535)
 hoegei (Bates, 1885:305)
 howdeni Chemsak, 1969:314
 laevicauda Bates, 1885:304
 cirbratus Bates, 1885:304
 linsleyi Giesbert & Chemsak, 1997:252
 longicollis (Linsley, 1935:88)
 magnus (Bates, 1885:305)
 nelsoni Chemsak, 1969:315
 noguerai Giesbert & Chemsak, 1997:256
 obliquefasciatus Giesbert & Chemsak, 1997:257
 parallelus LeConte, 1873:202
 paraposticus Giesbert & Chemsak, 1997:259
 perplexus Giesbert & Chemsak, 1997:260
 picipes (Fabricius, 1787:157)
 picipes occidentalis Linsley, 1957:38
 pini (Olivier, 1795:71)
 piniaideus Fabricius, 1801:353
 var. *testaceipes* Haldeman, 1847:41
 posticus (Pascoe, 1866:295)
 postipallidus Giesbert & Chemsak, 1997:264
 propinquus Giesbert & Chemsak, 1997:265
 proximus Giesbert & Chemsak, 1997:266
 pulchra (Bates, 1874:223)
 var. *rufipes* Bates, 1885:307
 pusillus Giesbert & Chemsak, 1997:269
 reichei LeConte, 1873:202
- c Brasil (MT)
 s Brasil (MS)
 se Brasil (MG, RJ)
 se Brasil (MG, SP)
 se Brasil (MG, SP)
- Guatemala
 sw Mexico (GR)
 w Mexico (SI, DU, JA, GR, MI, OA)
 w Mexico (OA, GR)
 Guatemala
 w Mexico (CO, NA, DU, MI, OA, GR)
 c Mexico (PU, OA)
 Guatemala, Honduras
 sw USA (AZ), nw Mexico
- Baja Calif
 c Mexico (PU, OA)
 s Mexico (CHS)-Costa Rica
 ec Mexico (HI, SLP)
 s Mexico-Panama
- Costa Rica, Panama
 w Mexico (NA-GR, MO)
- Bolivia
 Nicaragua, Costa Rica
 s Mexico (OA, CHS)-Honduras
 sw Mexico (OA)
 e Mexico (VC)
 Guatemala, Honduras
 Colombia
 Mexico (VC, CHS)
 wc Mexico (DU)
 s Mexico (OA, CHS), Guatemala
- Costa Rica, Panama
 sw Mexico (SI-GR)
 Guatemala
 sw Mexico (SI-CHS)
 se Mexico (QR, YU), Belize
 sw Mexico (GR)
 Baja Calif
 Colombia
 sc Mexico (GR, OA, MO)
 e NAmmer-OK, TX
- e USA-TX
- Panama, Colombia
 sw Mexico (OA)
 sw Mexico (OA)
 Guatemala
 nw Mexico (SO)-Nicaragua
- s Mexico (CHS)-Costa Rica
 nc USA-TX, n Mexico

<i>exilis</i> Casey, 1893:591	
<i>reticulatus</i> (Bates, 1885:306)	s Mexico (VC, CHS), Guatemala, Belize
<i>rubellus</i> (Bates, 1885:307)	Guatemala, Nicaragua
<i>sculpticollis</i> (Bates, 1885:306)	Guatemala
<i>spinicornis</i> (Chevrolat, 1835:4)	e Mexico, Guatemala, Honduras
<i>elegans</i> Laporte & Gory, 1835:124	
<i>succinus</i> Giesbert & Chemsak, 1997:275	Guatemala
<i>tibialis</i> Giesbert & Chemsak, 1997:275	se Mexico (VC, CHS), Guatemala
<i>turnbowi</i> Giesbert & Chemsak, 1997:277	s Mexico (CHS), Guatemala
<i>velutinus</i> (Fisher, 1931:100)	Honduras
<i>venezuelensis</i> Giesbert & Chemsak, 1997:279	Venezuela
<i>waltli</i> (Chevrolat, 1862:62)	Brasil
<i>wappesi</i> Giesbert & Chemsak, 1997:280	s Mexico (CHS), Guatemala
<i>westcotti</i> Hovore, 1988:13	Baja Calif
<i>yucatecus</i> (Bates, 1892:165)	se Mexico (YU)
 Gourbeyrella Lane, 1959:13	
<i>romanowskii</i> (Fleutiaux & Salle, 1889:464)	Guadeloupe
 Hormathus Gahan, 1890:32	
<i>cinctellus</i> Gahan, 1890:33	R Dominicana
 Lamproclytus Fisher, 1932:67	
<i>elegans</i> Fisher, 1932:68	Puerto Rico, R Dominicana
<i>oakleyi</i> Fisher, 1935:52	
 Myrmeocorus Martins, 1975:14	
<i>allodapus</i> Martins, 1975:15	s Brasil (SC)
 Pentanodes Schaeffer, 1904:222	
<i>albofasciatus</i> Fisher, 1932:64	Cuba
<i>dietzii</i> Schaeffer, 1904:222	sw USA (TX)
 Tetranodus Linell, 1897:396	
<i>Tetranodes</i> ; Schaeffer, 1904:223	
<i>angulicollis</i> Chemsak, 1969:307	Honduras, Costa Rica
<i>copei</i> Chemsak & Linsley, 1988:126	w Mexico (JA, OA)
<i>niveicollis</i> Linell, 1897:396	sw USA (Tex), Mexico (OA, VC)
<i>mexicanus</i> Linsley, 1935:90	
<i>reticeps</i> (Bates, 1880:59)	s Mexico (CHS), Guatemala, Costa Rica
<i>rugipennis</i> Chemsak, 1969:306	w Mexico (SI)-Guatemala
<i>tropipennis</i> Chemsak, 1977:124	Panama
<i>xanthocollis</i> Chemsak, 1977:125	Panama, Colombia
 Tilliglomus Martins, 1975:18	
<i>spectabilis</i> Martins, 1975:19	s Brasil (SC)
 Tillomorpha Blanchard in Gay, 1851:482	
<i>corticina</i> Chevrolat, 1862:60	Brasil
<i>lineoligera</i> Blanchard in Gay, 1851:483	Chile
<i>myrmicaria</i> Fairmaire & Germain, 1859:503	Chile
<i>roitmani</i> Cerda, 1993:14	Chile
 Cleomenini Lacordaire, 1869:97	
 Aguassay Napp & Mermudes, 2001: 6	
<i>collaris</i> (Klug, 1825:459)	c Brasil (PA, RO)

Dihammaphora Chevrolat, 1859:50*Diammaphora*; Chevrolat, 1859:50*Dihammophora*; Bates, 1870:403*Diammatophora*; Gemminger & Harold, 1872:2947*Dihammatophora*; Bruch, 1912:201*aepytnus* Chevrolat, 1859:64*arnauai* Bosq, 1951:102*auratopilosa* Bruch, 1908:214*auricollis* Martins, 1981:211*aurovittata* Bates, 1880:61var. *debilis* Melzer, 1935:184*binodula* Chevrolat, 1859:54*bivittata* Gounelle, 1911:197*bivitticollis* Zajciw, 1964:436*brevis* Chevrolat, 1859:54*bruchi* Aurivillius, 1922:423*chaquensis* Bosq, 1951:101*chontalensis* Bates, 1872:188*cylindricollis* Chemsak & Noguera, 1993:85*dispar* Chevrolat, 1859:52*glabripennis* Gounelle, 1911:196*gracicollis* Chevrolat, 1859:53var. *gracilicornis*; Lacordaire, 1869:109var. *gracilicollis*; Aurivillius, 1912:430*gutticollis* Gounelle, 1913:389*hispida* Bates, 1885:308*ibirijarai* Mermudes, 1998: 98*laterilineata* Zajciw, 1965:9*lineigera* Chevrolat, 1859:53*marginicollis* Chevrolat, 1859:51*meissneri* Melzer, 1934:222*minuta* Chevrolat, 1859:53*nigrita* Chevrolat, 1859:52*nigrovittata* Fisher, 1937:151*nitidicollis* Bates, 1870:403*parana* (Gemminger, 1873:146)var. *perforata*; Burmeister, 1865:173 (not Klug, 1825)*perforata* (Klug, 1825:459)*peruviana* Martins, 1981:212*pilosifrons* Gounelle, 1911:195*pusilla* Bates, 1870:403*ruficollis* Chevrolat, 1859:52*scutata* Gounelle, 1911:199*signaticollis* Chevrolat, 1859:51var. *basinotata* Gounelle, 1911:195var. *bipunctata* Gounelle, 1911:195var. *furcata* Gounelle, 1911:195var. *intermedia* Gounelle, 1911:195var. *interrupta* Gounelle, 1911:195var. *punctata* Gounelle, 1911:195var. *sejuncta* Gounelle, 1911:195*vittatithorax* Gounelle, 1911:198

ne Argentina (BA)

n Argentina (TU)

nw Argentina (CA)

n Argentina (SA, TU)

Guatemala-Costa Rica

Argentina, Uruguay

e Brasil (GO, PE, BA), Uruguay

Uruguay

SAmer

Paraguay, nw Argentina (CA)

n Argentina (TU, CH)

Nicaragua-Panama

w Mexico (JA)

sw USA (TX), Mexico, Guatemala

ec Brasil (GO)

Bolivia

Colombia

sw Mexico (OA, GR)

Colombia

e Brasil (PB)

Panama, Colombia

se Brasil (RJ)

s Brasil (SC, RS)

Colombia

s Brasil (PR-RS), Paraguay

s Brasil (SC)

Panama, nw Brasil (AM)

Argentina

nc Brasil (PA)

Peru

e Brasil (GO, SP)

nw Brasil (AM)

Brasil

ec Brasil (GO)

e Brasil (GO, MG, RS), Argentina, Uruguay

e Brasil (GO, BA)

se Brasil (RJ)

se Brasil (BA, ES, RJ)

Costa Rica, Panama, Venezuela

nw Brasil (AM), Bolivia, Peru, Ecuador

Dihammaphoroides Zajciw, 1967:202*sanguinicollis* Zajciw, 1967:202**Haenkea** Tippmann, 1953:220*atra* (Chevrolat, 1855:180)*thoracica* (Chevrolat, 1855:179)var. *scheerpeltzi* Fuchs, 1958:52*zischkai* Tippmann, 1953:222

- Listroptera** Audinet-Serville, 1834:71
- carbonaria** Chevrolat, 1855:178
 - germari** White, 1855:209
 - tenebricosa** (Olivier, 1790:309)
 - tenebrosum** Fabricius, 1792:322
 - aterrima** Germar, 1824:497
 - angulata** White, 1855:208

Venezuela, Ecuador
Mexico (VC) – Ecuador, Uruguay, n Argentina

- Pandrosos** Bates, 1867:23
- Leptorrhopala** Kolbe, 1893:253
 - phthisicus** (Klug, 1825:460)
 - exilis** White, 1855:201

Panama, c Brasil (AM, GO, MT, BA)

- Timabiara** Napp & Mermudes, 2001: 61
- bahiensis** Napp & Mermudes, 2001: 63

so Brasil (BA, MG)

Rhopalophorini Blanchard, 1845:152

- Argyrodines** Bates, 1867:24
- aurivillii** (Gounelle, 1905:295)
 - pulchella** Bates, 1867:24

ec Brasil (GO)
nw Brasil (AM), Fr Guiana

- Closteropus** Guérin-Méneville, 1844:222
- argentatus** Bates, 1879:418
 - blandus** Guérin-Méneville, 1844:223
 - herteli** Tippmann, 1960:131
 - herteli flavitarsis** Tippmann, 1960:132
 - speciosus** (Klug, 1825:457)

Venezuela
Brasil
Peru, Bolivia, Ecuador
se Brasil (ES)

- Coremia** Audinet-Serville, 1834:22
- plumipes** (Pallas, 1772:5)
 - hirtipes** Olivier, 1795:14
 - signaticollis** Buquet in Guérin-Méneville, 1844: 232

Nicaragua-c Brasil, Fr. Guiana, Ecuador, Bolivia
e Brasil (GO, MG-SP)

- Cosmisoma** Audinet-Serville, 1834:19

- Cosmias** Perty, 1832:89
- Cosmosoma**; Gemminger & Harold, 1872:2948
- acuminatum** Zajciw, 1958:246
- aeneicollis** Erichson in Schomburg, 1848:572
- subvirescens** White, 1855:214
- semicupreum** Chevrolat, 1859:28
- albohirsutobialis** Fuchs, 1966:11
- ammiralis** (Linnaeus, 1767:625)
- plumifer** Voet, 1806:26
- formosa** Blanchard, 1843:209
- diana** Bates, 1870:404
- angustipenne** Zajciw, 1958:247
- argyreum** Bates, 1870:405
- batesi** Zajciw, 1962:304
- brullei** (Mulsant, 1863:215)
- nodicollis** Burmeister, 1865:171
- cambaia** Monné & Magno, 1988:6
- capixaba** Monné & Magno, 1988:4
- chalybeipenne** Zajciw, 1962:293
- compsocerooides** Gounelle, 1911: 205
- cyaneum cyaneum** Gounelle, 1911:207
- subsp. **psilocerum** Monné & Magno, 1988:13
- subsp. **rubriventre** Monné & Magno, 1988:14
- debile** Monné & Magno, 1988:11
- fasciculatum** (Olivier, 1795:14)

c Brasil (PA, RO), Peru
Guianas, n Brasil (AP, PA)

Peru
Guianas, c Brasil (AM, MT, GO), Peru,
Bolivia

wc Brasil (AM, AC), Fr Guiana, Peru
nc Brasil (AM), Peru
Brasil (RO, GO, MG-SC)
Brasil (RO, MT, GO, PB-RS), Paraguay,
Argentina, Uruguay
se Brasil (MG, ES)
se Brasil (ES)
se Brasil (SP, MT Sul)
e Brasil (GO, MG, SP)
ec Brasil (GO)
e Brasil (PB)
sw Brasil (RO, MT), Paraguay, Argentina
w Brasil (RO)
Fr Guiana, nc Brasil (AM, PA)

- leprieurii* Buquet in Guérin-Méneville, 1844:231
flavipes Zajciw, 1962:297
gratum Monné & Magno, 1988:9
hirtipes Zajciw, 1962:299
humeralis Bates, 1870:407
leucomelas Monné & Magno, 1988:7
lineatum (Kirsch, 1875:285)
lineellum Bates, 1870:405
lividum Monné & Magno, 1988:10
martyr Thomson, 1860:180
martyra; Bates, 1872:189
nudicorne Bates, 1892:166
militaris Giesbert & Chemsak, 1993:54
nitidipenne Zajciw, 1962:295
ochraceum (Perty, 1832:89)
persimile Gounelle, 1911:209
pulcherrimum Bates, 1870:406
plumicorne (Drury, 1782:74)
reticulatum Bates, 1885:311
alboscutellata Linsley, 1935:92
raptos Giesbert & Chemsak, 1993:56
scopipes (Klug, 1825:457)
scopulicorne (Kirby, 1818:442)
seabrai Monné & Magno, 1988:2
speculiferum (Gory in Guérin-Méneville, 1831: pl. 4, fig. 2)
taunayi Melzer, 1923: 4
tenellum Aurivillius, 1920:368
tibiale Aurivillius, 1920:367
titania Bates, 1870:407
violaceum Zajciw, 1962:290
- Cycnoderus (Cycnoderus)** Audinet-Serville, 1834:101
brevicolle Giesbert & Chemsak, 1993:49
chlorizans Chevrolat, 1859:56
var. concolor Gounelle, 1911:202
var. semirufus Gounelle, 1911:202
copei Giesbert & Chemsak, 1993:50
expeditus Chevrolat, 1859:55
intincta Pascoe, 1866:291
guatemalicus Giesbert & Chemsak, 1993:50
lividus Giesbert & Chemsak, 1993:51
moestulus (Pascoe, 1866:292)
rufithorax Gounelle, 1911:202
tenuatus Audinet-Serville, 1834:102
taeniatus; Lacordaire, 1869:112
virginiae Giesbert & Chemsak, 1993:51
- Cycnoderus (Ulododerus)** Gounelle, 1911:203
barbatus Gounelle, 1911:203
dispar Gounelle, 1911:205
- Dirocoremia** Marques, 1994:311
bruchi (Gounelle, 1905:227)
ingae (Marques, 1994:312)
simplicipes (Gounelle, 1911:183)
- Disaulax** Audinet-Serville, 1833:562
hirsuticornis (Kirby, 1818:442)
- Elaphopsis** Audinet-Serville, 1834:101
earinus Martins & Napp, 1989:57
rubidus Audinet-Serville, 1834:101
- s Brasil (SC)
c Brasil (MT)
se Brasil (MG-SP)
se Brasil (MG-SC)
c Brasil (MT)
wc Brasil (RO, MT), Peru
nc Brasil (AM, GO)
e Brasil (BA, MG)
Guatemala-Panama
- Costa Rica, Panama
s Brasil (SC, RS), Uruguay
e Brasil, Paraguay, ne Argentina (MI)
e Brasil (GO, SP)
nw Brasil (AM)
Honduras-Colombia
Mexico-Panama
- Panama, Colombia
se Brasil (SP)
se Brasil (MG-RJ)
e Brasil (BA, MG)
- Fr Guiana, nc Brasil (AM)
Fr Guiana, nc Brasil (AM)
e Brasil (PB-RS)
se Brasil (ES, RJ)
Nicaragua-Panama
nc Brasil (PA)
- w Mexico (JA)
e Brasil (GO, RJ-RS)
- w Mexico (GR, JA)
Colombia
- Guatemala
w Mexico (GR, CM)
Colombia
e Brasil (PB-ES)
se Brasil (GO, BA-RS), Paraguay, Uruguay,
Argentina
s Mexico (CHS, OA)
- Costa Rica-Panama, ec Brasil (GO)
e Brasil (BA, ES)
- s Brasil (SC, RS), Argentina, Uruguay
se Brasil (SP-RS), Argentina (CO)
e Brasil (PA, MG, BA-SP), Bolivia, n Argentina
- e Brasil (GO, MG-RJ), Paraguay
- se Brasil (ES)
se Brasil (ES, RJ)

- Gurubira** Napp & Marques, 1999: 35
atramentarius (White, 1855:208)
vidua Chevrolat, 1859:59
axillaris (Klug, 1825:458)
erythomos Napp & Marques, 1999: 43
spectabilis (Martins & Napp, 1989:59)
tristis (Chevrolat, 1859:58)
violaceomaculatus (Gounelle, 1911:200)
- n Brasil (PA, AM)
- Brasil (BA, GO, MG-PR), Fr Guiana,
 Brasil (PA)
 Peru
 s Brasil (PR-RS), Argentina, Uruguay
 s Brasil, Argentina, Uruguay
- Ischionodonta** Chevrolat, 1859:58
Brachyrhopala Burmeister, 1865:171
Brachyrrhopala; Gemminger & Harold, 1872:2915
amazona Chevrolat, 1859:63
brasiliensis Chevrolat, 1859:62
colombiana Napp & Marques, 1999: 116
dimidiata Chevrolat, 1859:63
earina Napp & Marques, 1998:128
iridipennis (Chevrolat, 1859:26)
aurivitta Burmeister, 1865:172
lansbergei Lameere, 1884:107
mexicana Giesbert & Chemsak, 1993:59
paraibensis Napp & Marques, 1998:131
platensis Chevrolat, 1859:63
aenesceus Burmeister, 1865:172
aenescens; Lacordaire, 1869:42
plaumanni Fisher, 1937:152
semirubra (Burmeister, 1865:172)
versicolor; Berg, 1886:239 (not Chevrolat, 1859)
pustulosa White, 1855:206
rufomarginata Fisher, 1937:153
serratula Napp & Marques, 1999: 117
serripes Bates, 1872:188
smaragdina Martins & Napp, 1989:63
spinicornis Zajciw, 1970:839
torquata Chevrolat, 1859:63
versicolor Chevrolat, 1859:63
viridinigra Napp & Marques, 1998:128
- wc Brasil (AM, RO), Fr Guiana
 Brasil (AM)
 Colombia
 Colombia
 n Brasil (PA)
 Venezuela, Brasil (GO, ES-RS), Argentina, Uruguay
- Venezuela
 sw Mexico (JA, CHS)
 ne Brasil (PB)
 se Brasil (MG-RS), Argentina, Uruguay
- Venezuela
 se Brasil (ES-SC)
 Brasil (PA, RO)
 Nicaragua-Panama, Colombia
 s Brasil (ES, MS)
 se Brasil (ES)
 Peru, Chile
 Nicaragua-Colombia, Brasil
 se Brasil (ES)
- Lathusia** Zajciw, 1959:278
ferruginea (Bruch, 1908:213)
parvipilipes (Zajciw, 1959:279)
- se Brasil (CE, SP), Paraguay, n Argentina (SA)
 ne Brasil (PB)
- e Brasil (BA, ES)
- Merocoremia** Marques, 1994:345
monnei Marques, 1994:350
- Muxbalia** Giesbert & Chemsak, 1993:60
monzoni Giesbert & Chemsak, 1993:60
- Guatemala
- Neozodes** Zajciw, 1958:249
signatus Zajciw, 1958:250
- nw Brasil (AM), Ecuador, Fr Guiana
- Parozodes** Aurivillius, 1897:245
erythrocephalus Aurivillius, 1897:246
pilosus Fuchs, 1956:573
- e Brasil (BA)
 s Brasil (MS)
- Rhopalina** Monné, 1989:740
bicolorata Monné, 1989:740
discicollis (Chevrolat, 1859:60)
- e Brasil (BA, MG, SP)
 se Brasil (ES)

Rhopalophora Audinet-Serville, 1834:100

- Rhopalophorus*; LeConte, 1873:307
Tinopus LeConte, 1850:19
angustata Schaeffer, 1905:162
apicalis Fuchs, 1966:10
baracoana Zayas, 1975:162
bicolorella Knull, 1934:336
casignata Martins & Napp, 1989:62
collaris (Germar, 1824:498)
 sanguinicollis Audinet-Serville, 1834:101
 bicolor Guérin-Méneville, 1839:330
cupricollis Guérin-Méneville, 1844:235
 laevicollis (LeConte, 1873:193)
dyseidia Martins & Napp, 1989:60
eximia Bates, 1892:166
lineicollis Chevrolat, 1859:60
longipes (Say, 1824:426)
 porosa White, 1855:296
meeskei Casey, 1891:30
miniatocollis Chevrolat, 1859:61
neivai Mendes, 1940:380
nigriventris Bates, 1885:310
occipitalis Chevrolat, 1859:59
paraensis Martins & Napp, 1989:58
prolixa Monné, 1989:737
prorubra Knull, 1944:91
pulverulenta Guérin-Méneville, 1844:235
punctatipennis Linsley, 1935:92
rubecula Bates, 1880:62
 venezuelensis; Bates, 1874:224 (not Chevrolat, 1859)
rugicollis rugicollis (LeConte, 1858: 83)
 rugulosus; Knull, 1934:336
 subsp. **hovorei** Giesbert & Chemsak, 1993:43
serripennis Giesbert & Chemsak, 1993:43
tenuis (Chevrolat, 1855:181)
 incrustata Chevrolat, 1859:62
venezuelensis Chevrolat, 1859:60
yucatana Giesbert & Chemsak, 1993:46
- sw USA (TX), ne Mexico (NL, TA)
Colombia, Ecuador
Cuba
sw USA (AZ), n Mexico, Baja Calif
Ecuador
se Brasil (BA-RS), Paraguay, Argentina,
Uruguay
sw USA (TX), Mexico-Costa Rica
Ecuador
c Mexico (HI, GR)
Mexico, El Salvador
e N Amer-TX
sw USA (NM, AZ, SD)-Guatemala
Mexico (widely distributed)
se Brasil (SP-RS)
Guatemala
e Brasil (PB-BA)
nc Brasil (PA)
e Brasil (BA, MG)
sw USA (AZ), n Mexico (SO)
Colombia
Mexico (widely distributed), Guatemala
s Mexico (CHS)-Costa Rica
sw USA (TX, AZ), Mexico, Guatemala
Baja Calif
sw Mexico (NA, ME, PU, MO, OA, GR)
Mexico (widely distributed)-Costa Rica
Venezuela
se Mexico (YU, QR)

Rhopalophorella Linsley, 1942:57

- fasciata** (LeConte, 1873:171)
bicincta Horn, 1895:245

Baja Calif

Thalusia Thomson, 1864:168

- atrata** (Melzer, 1918:432)
erythromera (Audinet-Serville, 1834:23)

e Brasil (ES, MG)
se Brasil (MG-RS), Paraguay**Heteropsini** Lacordaire, 1869: 121**Allodemus** Zajciw, 1962:200

- centromaculatus** Zajciw, 1968:553
tricolor (Perty, 1832:91)
flavofasciatus Zajciw, 1962: 200

se Brasil (ES)
Brasil (PB-SP, MS), Paraguay, Uruguay,
Argentina**Alloesia** Chevrolat, 1862:761

- bicolor** Waterhouse, 1880:488
bivittata Chevrolat, 1862:763
chlorophana Chevrolat, 1862:762
 var. *aeneipenne* Chevrolat, 1862:762
 var. *hilare* Chevrolat, 1862:762

Ecuador
Venezuela
Panama, Colombia

vittata (Fabricius, 1801:309)	var. <i>nitidipenne</i> Chevrolat, 1862:762	Brasil
Callideriphus Blanchard in Gay, 1851:487		
<i>Callideryphus</i> ; Bruch, 1912:202		
grossipes Blanchard in Gay, 1851:487		Argentina (BA, CH, ER), s Brasil (MG, ES, RS, SP)
<i>var. brasiliensis</i> Melzer, 1923:10		
<i>rubricollis</i> Melzer, 1934:79		
subsp. flavipennis Melzer, 1934:78		s Brasil (SC, RS)
<i>signaticollis</i> Melzer, 1934:80		
<i>m.frontalis</i> Fuchs, 1961:8		
tucumanus Napp & Martins, 2002: 128		Argentina (TU)
Championa Bates, 1880:69		
aliciae Noguera & Chemsak, 1997:2		Mexico (JA)
aurata Bates, 1880:69		Guatemala
badeni Bates, 1892:170		Mexico
bifasciata Noguera & Chemsak, 1997:3		Mexico (CHS)
chemsaki Martins & Napp, 1992:461		s Mexico (CHS)
ctenostomooides Bates, 1885:315		Mexico (VC, GR)
elegans Chemsak, 1967:45		w Mexico (SI)
suturalis Chemsak, 1967:47		Mexico (DU)
westcotti Noguera & Chemsak, 1997:3		Mexico (PU, OA)
Chrysoprasis Audinet-Serville, 1834:5		
<i>Chrysoprasus</i> ; Perty, 1832:89		Fr Guiana, n Brasil (PA)
aeneicollis (Buquet in Guérin-Méneville, 1844:226)		se Brasil, Argentina, Paraguay, Uruguay
<i>ignicollis</i> Bates, 1870:417		Brasil (RO, AM, PA)
aeneiventris Bates, 1870:416		Bolivia, n Argentina (SA, TU)
abyara Napp & Martins, 1998: 477		Venezuela
airi Napp & Martins, 1997:36		s Brasil (RS), n Argentina (SA), Uruguay
atrata Bates, 1872:190		Guianas, n Brasil (AM, PA)
aurata Aurivillius, 1910:164		
aureicollis White, 1853:149		e Brasil (MA-BA), Paraguay, Argentina, Uruguay
<i>brevicornis</i> Bates, 1870:415		
aurigena (Germar, 1824:496)		se Brasil (ES-RS), Paraguay, Argentina
<i>latemarginata</i> Zajciw, 1960:349		
auriventris auriventris Redtenbacher, 1868:195		e Brasil (BA, GO)
<i>chrysogastra</i> Bates, 1870:416		
subsp. longipes Aurivillius, 1910:163		e Brasil, Paraguay, Argentina
<i>chlorota</i> Gounelle, 1911:214		n Brasil (PA)
basalis Chevrolat, 1859:27		e Brasil (BA, ES)
beraba Napp & Martins, 1997:20		nc Brasil (AM, PA), Fr Guiana
bicolor (Olivier, 1790:258)		Brasil (SC)
<i>flavicollis</i> Martins, 1964:53		e Brasil (PA, RJ, SP, MG)
bipartita Zajciw, 1963:281		Colombia
catarina Napp & Martins, 1998: 489		s Brasil (ES, MS)
chalybea Redtenbacher, 1868:195		se Brasil (GO, MG-RS), Paraguay, Argentina, Uruguay
chevrolati Lameere, 1884:108		Venezuela
collaris Chevrolat, 1859:27		Venezuela
concolor Redtenbacher, 1868:194		Panama, Fr Guiana, Brasil, Bolivia
<i>punctiventris</i> Bates, 1870:417		
cuiciuna Napp & Martins, 1998: 468		e Brasil (PB)
dutreuxi Lameere, 1884:108		sw Mexico (GR)
festiva Audinet-Serville, 1834:7		Nicaragua-Panama, Venezuela, Ecuador
var. <i>caerulescens</i> Gounelle, 1911:215		
globulicollis Zajciw, 1958:252		nw Brasil (AM)
guerrerensis Bates, 1892:167		Mexico-Uruguay
hirtula White, 1853:150		
<i>jacintha</i> Bates, 1880:65		
<i>hirtula</i> ; Bates, 1872:190 (not White, 1853)		
hispidula Bates, 1870:416		
hypocrita Erichson, 1847:142		

<i>auronitens</i>	Bates, 1870:411	
<i>bouchardi</i>	Pascoe, 1866:292	
<i>sthenias</i>	Bates, 1870:411	
var. <i>chalybeomera</i>	Aurivillius, 1910:170	<i>nomen nudum</i>
var. <i>leptosthenias</i>	Bates, 1892:167	
ibaca	Napp & Martins, 1997:23	w Brasil (RO)
icuara	Napp & Martins, 1998: 470	Brasil [PA]
itaiuba	Napp & Martins, 1997:22	nc Brasil (AM, PA)
linearis	Bates, 1870:417	se Brasil (BA-RS), Paraguay, Argentina
marta	Napp & Martins, 1999: 151	Colombia
melanostetha	Bates, 1870:414	nc Brasil (AM, PA)
moerens	White, 1853:150	nc Brasil (AM, PA, MA), Venezuela, Fr Guiana
	<i>floralis</i> Bates, 1870:415	
nana	Bates, 1870:414	nc Brasil (PA)
nigrina	Bates, 1870:417	se Brasil (ES, RJ)
nigristernis	Zajciw, 1960:291	se Brasil (RJ)
nitidisternis	Zajciw, 1960:350 (emended name)	e Brasil (PB)
	<i>nitidisternis</i> Zajciw, 1960:350 (error)	
nymphula	Bates, 1870:417	se Brasil (GO-RS), Argentina, Uruguay
obiuna	Napp & Martins, 1997:28	n Brasil (MT)
pacifica	Napp & Martins, 1995:907	Ecuador
para	Napp & Martins, 1998: 483	Brasil (PA)
piriana piriana	Napp & Martins, 1999: 155	Colombia
	subsp. margarita Napp & Martins, 1999: 159	Venezuela
pitanga	Napp & Martins, 1999: 159	Venezuela
poticuara	Napp & Martins, 1997:19	n Brasil (PA)
potiuna	Napp & Martins, 1997:19	n Brasil (PA)
punctulata	Bates, 1870:413	nc Brasil (AM, PA), Fr Guiana
quadrimaculata	Gounelle, 1913:419	Colombia
reticulicollis	Zajciw, 1958:254	e Brasil (PB)
ritchieri	Gounelle, 1913:226	e Brasil (PB), Paraguay, n Argentina (SE, TU)
	<i>aspericollis</i> Melzer, 1931:56	
	<i>parumbilobata</i> Zajciw, 1960:351	
rotundicollis	Bates, 1870:411	Panama, nc Brasil (AM), Fr Guiana, Peru
rugulicollis	Bates, 1870:417	se Brasil (RJ, SP)
sapphirina	Gounelle, 1911:214	ec Brasil (GO, MG, MS)
seticornis	Bates, 1880:65	Nicaragua, Costa Rica
	<i>sobrina</i> ; Bates, 1872:190 (not Bates, 1870)	
sobrina	Bates, 1870:415	nw Brasil (AM)
suturalis	Lameere, 1884:107	Venezuela
suturella	White, 1853:149	Colombia, Venezuela
tendira	Napp & Martins, 1998: 470	Brasil (MG)
timapeba	Napp & Martins, 1997:25	se Brasil (ES, RJ)
tobiuna	Napp & Martins, 1998: 482	Bolivia
tybyra	Napp & Martins, 1998: 479	Brasil (MG)
valida	Bates, 1870:416	se Brasil (MS, ES, RJ, MG, SP, SC)
variabilis	Zajciw, 1958:256	e Brasil (RN, PB, CE, PE)
viridis	Fisher, 1944:8	Venezuela
vittata	Aurivillius, 1910:164	Venezuela

Eburiola Thomson, 1864:203

geminata	(Fabricius, 1787:144)	Jamaica, R Dominicana
	<i>maculosus</i> Olivier, 1790:305	
	<i>erythrocephala</i> Thomson, 1864:203	

Eriphosoma Melzer, 1922:10

barbiellinii	Melzer, 1922:11	se Brasil (RJ, SP)
bipartitum	(Buquet in Guérin-Méneville, 1844:226)	se Brasil (MG-RJ)
var. <i>axillaris</i>	Melzer, 1922:11	
sellatum	(Buquet in Guérin-Méneville, 1844: 226)	se Brasil (MG-RS), Paraguay, Argentina
	<i>plagiatus</i> White, 1855:293	
	<i>jacobi</i> Fuchs, 1961:17	

Eryphus Perty, 1832: 91

- bipunctatus** (Perty, 1832:91)
 - atricollis* Melzer, 1931:56
 - bivittatus** (Melzer, 1934:77)
 - carinatus** (Zajciw, 1970:265)
 - carioca** Napp & Martins, 2002: 87
 - flavicollis** (Fisher, 1938:135)
 - laetus** (Blanchard in Gay, 1851:488)
 - picticollis** (Gounelle, 1911:216)
 - m. quadripunctatus* Fuchs, 1961:8
 - m. reductus* Fuchs, 1961:8
 - marginatus** (Zajciw, 1970:266)
 - transversalis** (Fairmaire & Germain, 1864:389)
 - tucuarembo** Napp & Martins, 2002: 85
- se Brasil (MG-RS), Paraguay, Argentina (MI)
 Argentina (TU), Uruguay
 se Brasil (RJ)
 seBrasil (RJ)
 s Brasil (SC, RS), Uruguay
 Chile, s Argentina (RN-CT)
 e Brasil (GO, RJ, PA, RS), ne Argentina (MI)
- se Brasil (SP)
 Chile
 Uruguay

Erythrociton Zajciw, 1957:305

- jucundum** (Gounelle, 1913: 225)
 - ab. *dalessandroi* Prosen, 1947:256
 - nigrosignatum** Zajciw, 1957:307
 - rubronigrum** Napp & Santos, 1996:238
- Argentina, Uruguay
 se Brasil (ES, RJ)
 e Brasil (MG, ES)

Erythropterus Melzer, 1934:76

- amabilis** Melzer, 1934:76
- se Brasil (ES-RS), Paraguay, Argentina

Eupempelus Bates, 1870:401

- illuminus** Mermudes & Napp, 2001: 250
 - olivaceus** Bates, 1870:401
 - spinithorax** Mermudes & Napp, 2001: 251
- Bolivia
 nw Brasil (AM)
 Ecuador

Heterops Blanchard, 1842:51

- bicolor** Fisher, 1936:346
 - bipartitus** Lacordaire, 1869:128
 - cubaecola** Fisher, 1947:36
 - dimidiatus** (Chevrolat, 1838:283)
 - subangulata* Chevrolat, 1838:283
 - duvali** Fisher, 1947:35
 - lanieri*; Jacquelin du Val, 1857:263 (not Chevrolat, 1838)
 - hispaniolae** Fisher, 1932:72
 - lanieri** (Chevrolat, 1838:283)
 - lasnieri*; Chevrolat, 1862:264
 - loreyi** (Duponchel, 1837:309)
 - robusta** Cazier & Lacey, 1952:43
- Cuba
 Cuba
 Cuba
 se USA (FL), Bahamas, Cuba
 Cuba
 Hispaniola
 Cuba
 Cuba
 Bahamas

Homogenes Thomson in Chevrolat, 1862:751

- albolineatus** (Buquet in Guérin-Méneville, 1844:226)
 - leprieurii** (Buquet in Guérin-Méneville, 1844:226)
 - thoracicum* White, 1853:111
 - rubricolle* Bates, 1870:410
 - mimus** Napp & dos Santos, 1996:433
 - rubrogaster** Napp & dos Santos, 1996:434
- e Brasil (BA, RJ)
 Fr Guiana, c Brasil (AM, MT, GO), Peru
 w Brasil (RO)
 w Brasil (RO, MT)

Mallosoma Audinet-Serville, 1834:68

- piptadeniae** Giacomet, 1976:2
 - scutellare** White, 1853:110
 - zonatum** (Sahlberg, 1823:52)
 - vinculatus* Germar, 1824:501
 - elegans* Audinet-Serville, 1834:69
 - fuligineum* Newman, 1840:7
- se Brasil (SP-SC)
 Fr Guiana, nc Brasil (AM), Peru
 Brasil (GO, MT, PE-RS), Paraguay,
 Argentina, Uruguay

Monnecles Napp & Santos, 1999: 281 <i>apollinarii</i> (Gounelle, 1913:420)	Costa Rica, Colombia
Neopoeciloderma Monné & Martins, 1981:186 <i>Poeciloderma</i> ; Jacquelín du Val in Sagra, 1857:267 (not White, 1853) <i>lepturoides</i> (Jacquelín du Val in Sagra, 1857:267)	Cuba, Hispaniola
Plectrocerum Dejean, 1835:330 <i>cibratum</i> Sallé, 1856:689 <i>spinicorne</i> (Olivier, 1795:68)	R Dominicana Haiti
Poeciloderma White, 1853:122 <i>Olbias</i> Thomson, 1864:204 <i>sexfasciatum</i> (Olivier, 1790:265) <i>quadrifasciatus</i> Schoenherr, 1817:460	Jamaica, R Dominicana
Purpuricenopsis Zajciw, 1968:551 <i>humeralis</i> Zajciw, 1968:552	se Brasil (ES)
Stratone Thomson, 1864:335 <i>Paracalydon</i> Zajciw, 1961:219 <i>aurantia</i> Galileo & Martins, 1992:60 <i>rufotestacea</i> Thomson, 1864:336 <i>transversalis</i> (Chevrolat, 1862:752) <i>succinctum</i> Zajciw, 1961:220	Paraguay Fr Guiana, nw Brasil (AM) Fr Guiana, nc Brasil (PA)
Tacyba Napp & Martins, 2002: 90 <i>maculata</i> (Cerda, 1988:69) <i>tenuis</i> (Blanchard in Gay, 1851:489) <i>clathratus</i> Fairmaire & Germain, 1860:5 <i>niger</i> Philippi & Philippi, 1864:383 <i>testaceicornis</i> Fairmaire & Germain, 1859: 505	Chile Chile, s Argentina (CT, RN)
Tobipuranga Napp & Martins, 1996:201 <i>auricollis</i> (Dalman in Schoenherr, 1817:156) <i>nigriventris</i> Bates, 1870:413 <i>auripes</i> (Bates, 1870:413) <i>belti</i> (Bates, 1872:190) <i>chlorogaster</i> (Aurivillius, 1910:165) <i>ignea</i> (Bates, 1870:413) <i>longicornis</i> (Bates, 1870:412) <i>frontalis</i> Kirsch, 1875:286 <i>ruficoxis</i> (Bates, 1870:412) <i>ybyra</i> Napp & Martins, 1996:205	Guianas, nc Brasil (PA) c Brasil (AM, PA) Nicaragua-Panama Fr Guiana Fr Guiana Peru, nw Brasil (AM), Ecuador Peru, Bolivia, Ecuador, c Brasil (AM - MT) Brasil (PA, RO, MT, GO, SP)
Trichrous Chevrolat, 1858:210 <i>basalis</i> (White, 1853:122) <i>bicolor</i> (Sallé, 1856:687) <i>brevicornis</i> Zayas, 1975:148 <i>dimidiatipennis</i> (Chevrolat, 1838:282) <i>divisus</i> Chevrolat, 1858:210 <i>fisheri</i> Monné & Giesbert, 1992:251 <i>bicolor</i> ; Fisher, 1932:70 (not Sallé, 1856) <i>irroratus</i> (Olivier, 1795:70) <i>jaegeri</i> Chevrolat, 1858:211 <i>jamaicensis</i> Chevrolat, 1858:211 <i>lineolatus</i> (White, 1853:122) <i>leucogrammus</i> White, 1855:294 <i>major</i> Gahan, 1895:117	Jamaica R Dominicana Cuba Cuba Cuba Hispaniola Cuba, Hispaniola R Dominicana Jamaica Jamaica Jamaica Jamaica

nigripes Fisher, 1942:21	R Dominicana
pilipennis Chevrolat, 1862:262	Cuba, Bahamas
prasinus Cazier & Lacey, 1952:41	Bahamas
terminalis (White, 1853:123)	Jamaica
violaceipennis Fisher, 1942:22	R Dominicana
vittatus Fisher, 1932: 69	Cuba

Unabiara Napp & Martins, 2002: 71
collaris (Philippi & Philippi, 1864:382)

Chile

Thyrsiini Marinoni & Napp, 1984:44

Thyrsia Dalman, 1819:117
lateralis Dalman, 1819:118

se Brasil (RJ)

Agallissini LeConte, 1873:321

Agallissus Dalman, 1823:66

<i>Agalissus</i> ; Thomson, 1864 205	
<i>Aplectrus</i> Chevrolat in Orbigny, 1844:12	
<i>Cryptopleura</i> LeConte, 1850:6	
lepturoides (Chevrolat in Orbigny, 1844:12)	sw USA (TX), Mexico-Honduras
<i>grata</i> Haldeman., 1853:363	
<i>clytoides</i> Lacordaire, 1869:134	
melanioides Dalman, 1823:66	Mexico-Honduras
var. <i>quadrimaculatus</i> White, 1853:61	
var. <i>concolor</i> Bates, 1880:67	
var. <i>trifasciatus</i> Bates, 1880:67	

Osmopleura Linsley, 1964:194

chamaeropis (Horn, 1893:138)

se USA (GA, FL)

Zagymnus LeConte, 1873:204

clerinus (LeConte, 1873:321)	se USA (GA, FL), Cuba
<i>floridanus</i> Casey, 1912:376	
rugicollis Chemsak & Linsley, 1968:38	Belize

variatus Chemsak & Linsley, 1968:39

w Mexico (SI)

Platyarthrini Bates, 1870:419

Coelarthrides Lacordaire, 1869:138

Platyarthron Guérin-Méneville, 1844:230

<i>Coelomarthon</i> Thomson, 1860:199	
<i>Coelarthron</i> Lacordaire, 1869:142	
<i>Platyarthrum</i> Agassiz, 1846:295	
bilineatum Guérin-Méneville, 1844:230	Mexico (VC)-Honduras
chilense (Thomson, 1860:200)	Nicaragua, Costa Rica
<i>quadrinotatum</i> Bates, 1869:385	
laterale Bates, 1885:316	Nicaragua, Costa Rica
rectilineum Bates, 1880:70	s Mexico(CHS), Guatemala
semivittatum Bates, 1885:316	Costa Rica, Panama
villiersi Delfino, 1985:500	Ecuador

Pteroplatini Thomson, 1860:254

Aphyllax Lacordaire, 1869:165

lyciformis (Germar, 1824:502)	e Brasil (GO, BA-RS), Paraguay, Argentina,
<i>mentiens</i> Lacordaire, 1869:165	Uruguay
<i>lyciformis bahiae</i> Aurivillius, 1926:3	

Corynellus Bates, 1885:318	
<aureus< a=""> Linsley, 1961:6</aureus<>	Colombia
>cinnabarinus Chemsak & Linsley, 1979:269	Guatemala-Costa Rica
>mimulus Bates, 1885:319	Mexico
>ochraceus Bates, 1885:319	Costa Rica, Panama
Cosmoplatidius Gounelle, 1911:233	
<a>annulipes (Blanchard, 1843:207)	Fr Guiana, c Brasil (AM, GO, MT), Bolivia
<i>lycooides</i> Guérin-Méneville, 1844:233	
mandibularis (Gounelle, 1911:234)	ec Brasil (GO), Bolivia
<ochraceus 1961:5<="" linsley,="" td=""><td>Colombia</td></ochraceus>	Colombia
> <i>sellatus</i> (White, 1853:82)	Mexico (CHS, PU, VC)-Panama
Cosmoplatus Aurivillius, 1891:101	
brasilianus Zajciw, 1963:62	nw Brasil (AM)
peruvianus Aurivillius, 1891:102	Peru
Deltosoma Thomson, 1864:258	
flavidum Aurivillius, 1925:489	Costa Rica, Panama
guatemalense Bates, 1880:72	s Mexico (CHS)-Honduras
lacordairei Thomson, 1864:258	Fr Guiana, nw Brasil (AM), n Argentina, Paraguay
xerophila Di Iorio, 1995:208	n Argentina
Pteroplatus Buquet, 1840:287	
adustus Burmeister, 1865:165	se Brasil, Paraguay, Argentina, Uruguay
anchorae Belon, 1903:52	Bolivia
arrogans Buquet, 1840:287	Colombia
atrovirens Kirsch, 1889:39	Colombia
bilineatus Buquet, 1841:154	Colombia
dimidiatipennis Buquet, 1841:153	Colombia
elegans Buquet, 1841:152	Colombia
fasciatus Buquet, 1841:151	Colombia
gracilis Buquet, 1840:287	Colombia
nigriventris Breme, 1844:309	Colombia
pulcher Buquet, 1840:287	Colombia
quadriscopulatus Bates, 1880:73	s Mexico (VC, CHS), Guatemala
<i>terminalis</i> Bates, 1885:317	
radiatus Haase, 1892: pl. 13, fig. 104	Brasil
rostainei Buquet, 1840:287	Colombia
simulans Bates, 1870:428	nw Brasil (AM), Ecuador
suturalis Buquet, 1840:287	Colombia
transversalis Breme, 1844:309	Colombia
variabilis Sallé, 1849:430	Venezuela
Thelgetra Thomson, 1864:258	
latipennis Thomson, 1864:258	se Brasil (BA-RS), Paraguay, Argentina, Uruguay
Holopleurini Chemsak & Linsley, 1974:183	
Holopleura LeConte, 1873:193	
marginata LeConte, 1873:194	w N Amer (Br Col-CA)
<i>helena</i> LeConte, 1873:194	
Lissonotini Thomson, 1860:212	

Lissonotus Dalman in Schoenherr, 1817:364

andalgalensis Bruch, 1908:218	Paraguay, w Argentina (CA, SE, ME)
biguttatus Dalman in Schoenherr, 1817:159	Brasil
bisignatus Dupont, 1836:13	Brasil, Fr Guiana
confinis Aurivillius, 1915:325	nc Brasil (PA)
corallinus Dupont, 1836:11	Panama, Colombia, Venezuela
m. <i>nigriventris</i> Fuchs, 1966:13	
cruciatus Dupont, 1836:8	Fr Guiana
ephippiatus Bates, 1870:437	nw Brasil (AM), Peru
equestris (Fabricius, 1787:153)	Venezuela, Guianas, n Brasil (AM, PA), Ecuador
<i>unidentatus</i> Olivier, 1795:20	
<i>cinctus</i> Panzer in Voet, 1798:2	
<i>cingulatus</i> Panzer in Voet, 1798:2	
<i>biserratus</i> Voet, 1806:29	
<i>shepherdii</i> Pascoe, 1859:16	
fallax Bates, 1870:436	nw Brasil (AM)
flabellicornis (Germar, 1824:504)	ec, se Brasil, Paraguay, Argentina
flavocinctus flavocinctus Dupont, 1836:9	Bolivia, Colombia, Venezuela
subsp. multifasciatus Dupont, 1836:10	Mexico (widely distributed)-Panama
subsp. puncticollis Bates, 1885:333	sw USA (CA-TX), n Mexico, Baja Calif
<i>lucanus</i> Casey, 1912:317	
<i>multifasciatus</i> ; Leng, 1886:62 (not Dupont, 1836)	
nigrofasciatus Aurivillius, 1925:508	Venezuela
princeps Bates, 1870:438	Bolivia
rubidus White, 1853:63	nc Brasil (PA)
rubripes Tippmann, 1960:150	e Brasil (AL, BA)
rugosus Fuchs, 1958:53	Argentina
simplex Bates, 1870:438	nw Brasil (AM)
spadiceus Dalman, 1823:65	se Brasil (BA-RS), Paraguay, Argentina
<i>purpuratus</i> Germar, 1824:503	
unifasciatus Gory in Guérin-Méneville, 1831: pl 43, fig. 1	se Brasil (ES, RJ), Bolivia
<i>abdominalis</i> Dupont, 1836:12	
zellibori Tippmann, 1953:331	nc Brasil (PA)

Torneutini Thomson, 1860:272*Thaumasides* Thomson, 1864:314Subtribe **Torneutina** Thomson, 1860:272**Chrotoma** Casey, 1891:27*dunniana* Casey, 1891:27

sw USA (TX-CA), Baja Calif

Diploschema Thomson, 1858:404

<i>Phaenicocerus</i> Audinet-Serville, 1834:28 (part)	
brunnea Martins & Monné, 1980:343	Guianas, Brasil
howdeni Martins & Monné, 1980:343	Colombia
klagesi Lane, 1966:86	Panama, Colombia, nw Brasil, Fr Guiana
maculata Martins & Monné, 1980:342	nw Brasil (AM)
mandibulare Fuchs, 1964:6	Fr Guiana, nc Brasil (AM), Peru, Paraguay
<i>weyrauchi</i> Lane, 1966:80	
rotundicolle (Audinet-Serville, 1834:29)	se Brasil (GO, MT, PE-RS), Paraguay,
<i>costicollis</i> Audinet-Serville, 1834:29	Argentina, Uruguay
<i>flavipennis</i> Thomson, 1858:406	
<i>fulvipennis</i> ; Lacordaire, 1869:240	

Dragomiris Gounelle, 1913:206*Monrosia* Bosq, 1953:31**major** Martins & Monné, 1980:347

n Argentina (SE)

quadricornutus Gounelle, 1913:207

n Argentina (SE)

subandinus (Bosq, 1953:32)

wc Argentina (CA, LR, ME, RN)

Dragoneutes Martins & Monné, 1980:347
baculus (Gounelle, 1913:202)
obscurus (Guérin-Méneville, 1843:301)

Bolivia, Paraguay, n Argentina (SE)
sw Argentina (NE, CT)

Gigantotrichoderes Tippmann, 1953:197
Mielkeia Zajciw, 1965:85
conicocollis Tippmann, 1953:199
flabellicornis (Zajciw, 1965:87)

s Mexico-Colombia, Ecuador, Peru
Costa Rica-Colombia, Guianas, n Brasil (PA-MA)

Gnathopraxithea Seabra & Tavakilian, 1986:227
sarryi Seabra & Tavakilian, 1986:229

Fr Guiana, n Brasil (AP, PA), Ecuador

Macellidiopygus Gounelle, 1913:204
debilis Gounelle, 1913:205

n Argentina (SE)

Praxithea Thomson, 1864:254

Praxythea; Gounelle, 1909:606
Phaenicocerus Audinet-Serville, 1834:28 (part)
angusta Lane, 1966:91
beckeri Martins & Monné, 1980:340
borgmeieri Lane, 1938:95
chavantina Lane, 1949:34
derourei (Chabriac, 1857:196)
collare Burmeister, 1865:166
fabricii (Audinet-Serville, 1834:29)
japuhyba Lane, 1956:5
guianensis Tavakilian & Monné, 2002: 13
javetii (Chabriac, 1857:195)
moureai Lane, 1938:92
lanei Joly, 1999: 184
melzeri Lane, 1956:8
javetii; Lane, 1938:90 (not Chabriac, 1857)
morvanae Tavakilian & Monné, 2002: 15
peruviana Lane, 1966:88
seabrai Tavakilian & Monné, 2002: 18
thomsonii (Chabriac, 1857:195)
thouvenoti Tavakilian & Monné, 2002: 22
travassosi Lane, 1939:73

e Brasil (BA-RJ)
Ecuador, nw Brasil (AM), Venezuela
ec Brasil (GO, MT-MG), Ecuador, Fr Guiana
ec Brasil (GO, MT-MG), Fr Guiana
e Brasil (GO, PE-RS), Paraguay, Argentina,
Uruguay
se Brasil (RJ)

Fr Guiana
se Brasil (RJ-SC)

Venezuela
e Brasil (GO, MG)

Fr Guiana, Peru
Venezuela, Peru, c Brasil (PA, MT)
Fr Guiana
se Brasil (MG-SC)
Fr Guiana, nBrasil (PA)
Guianas, c Brasil (AM, MT), Ecuador, Venezuela,
Bolivia, Costa Rica

Psygmatocerus Perty, 1828:737

Phaenicocerus Latreille, 1829:113
Phoenicocerus; Latreille in Cuvier, 1832:475
Badariotta Giglio-Tos, 1893:1
guianensis Tavakilian & Monné, 2002: 24
pubescens Bruch, 1926:338
wagleri Perty, 1828:740
suturalis Perty, 1832:88
dejeanii Gray in Griffith, 1831: pl. 65, fig. 3
gianelli Giglio-Tos, 1893:4
elegans Lane, 1939:74

Fr Guiana
nw Argentina (CA)
se Brasil (AL-RS, MG), Paraguay, Argentina

Rankeles Gounelle, 1906:140

gounellei Bosq, 1947:296
mus Gounelle, 1906:141
steparius Di Iorio, 1996: 142

nc Argentina (CA-CD)
nw Argentina (CA-ME)
Argentina (NE)

Scapanopygus Gounelle, 1913:203

cinereus Gounelle, 1913:204

n Argentina (SE)

Spathopygus Lacordaire, 1869:239
eburioides (Blanchard, 1843:209)

s Argentina (NE, CT)

Thaumasus Reiche, 1853:420
gigas (Olivier, 1792:267)

Guatemala-Colombia, nw Brasil (AM), Ecuador

Torneucerus Martins & Monné, 1980:344
armatus Martins & Monné, 1980:345

Guianas, Brasil (RO, PA, MT)

Torneutes Reich, 1837:9
pallidipennis Reich, 1837:12
bouchanti Buquet, 1843:299

Brasil (MA-AL, PR), Paraguay, Uruguay,
Argentina

Torneutopsis Martins & Monné, 1980:341
translucidus Martins & Monné, 1980:341

Fr Guiana, nw Brasil (AM)

Xenambyx Bates, 1879:14
lansbergei lansbergei (Thomson, 1865:576)
laticauda meridionalis Franz, 1954:216
subsp. *laticauda* Bates, 1879:14

Colombia, Venezuela, Guianas, c Brasil (PA,
MT, GO), Bolivia
Guatemala-Panama

Subtribe **Bothriospilina** Lane, 1950:370

Bothriospila Aurivillius, 1923:437
elegans Aurivillius, 1923:438

e Brasil (BA-SP), Paraguay

Chlorida Audinet-Serville, 1834:31

Tetracanthus Hope, 1835:107
cincta Guérin-Méneville, 1844:259
costata Audinet-Serville, 1834:32
curta Thomson, 1857:288
parvula Thomson, 1860:243
denticulata Buquet, 1860:623
fasciata Bates, 1870:263
festiva (Linnaeus, 1758:389)
spinosus Degeer, 1775:100
sulcatus Sulzer, 1776:45
africanus Voet, 1778:17
obliqua Buquet, 1852:655
spinosa Aurivillius, 1887:191
transversalis Buquet in Guérin-Méneville, 1844:221

Mexico-Colombia, Ecuador
se Brasil, Paraguay, Argentina, Uruguay
Fr Guiana, nc Brasil (AM), Ecuador

Guianas
nw Brasil (AM)
se USA (FL), CAmer, SAmer, W Indies
(widely distributed)

Colombia
Colombia
Colombia

Coccoderus Buquet, 1840:293

amazonicus Bates, 1870:249
sexguttatus Waterhouse, 1880:292
biguttatus Martins, 1985:173
bisignatus Buquet, 1840:294
guianensis Tavakilian & Monné, 2002: 27
longespincicornis Fuchs, 1964:7
spinosis Lane & Martins, 1965:17
novempunctatus (Germar, 1824:505)
tuberculatus Buquet, 1840:295
sexmaculatus Buquet, 1840:295
sicki Lane, 1949:36
speciosus Gounelle, 1909:606
teixeirai Lane, 1939:74

Costa Rica, Ecuador, nc Brasil (AM, PA),
Fr Guiana
Bolivia
Guianas, nc Brasil (PA)
Fr Guiana
Venezuela, Peru, c Brasil (AM, MT, MG),
Fr Guiana
e Brasil (GO, MT, RN-RS), Paraguay,
Argentina, Uruguay
e Brasil (BA-RJ)
c Brasil (PA, GO, MT)
ec Brasil (GO, MT, BA)

Delemodacrys Martins & Napp, 1979:91
moureai Martins & Napp, 1979:93

Fr Guiana, nc Brasil (PA)

Gnaphalodes Thomson, 1860:235

trachyderoides Thomson, 1860:236
var. *inermis* Bates, 1884:243

sw USA (TX), Mexico-Panama

Knulliana Linsley, 1962:109

Cerasphorus; Dejean, 1835:326 (not Audinet-Serville, 1834)

Chion; Newman, 1840:23 (not Scopoli, 1777)

cincta cincta (Drury, 1773:85)

balteatus Degeer, 1775:111
garganicus Fabricius, 1775:178
rusticus Fabricius, 1781:228
ruricola Gmelin, 1790:1860
quadrispinosus Haldeman, 1847:32
filicornis Casey, 1924:256

subsp. **sonorensis** (Schaeffer, 1908:332)

subsp. **spinifera** (Fabricius, 1792:275)

ochracea Bates, 1885:243

e N Amer-TX, n Mexico (NL, SO)

sw USA (TX, AZ), n Mexico

se USA, ne Mexico, W Indies (Bahamas)

Taygayba Martins & Galileo, 1998: 49

venezuelensis Martins & Galileo, 1998: 50

Venezuela

Trachyderini Dupont, 1836:1

Purpuricenitae Thomson, 1860:203
Megaderitae Thomson, 1860:213
Metopocoilitae Thomson, 1864:255
Sternacanthitae Thomson, 1864:259
Tropidosomitae Thomson, 1864:256
Poecilopéplides Lacordaire, 1869:147
Dorcacérides Lacordaire, 1869:192
Sténaspides Lacordaire, 1869:166
Tyloses LeConte, 1873:315

Subtribe Ancylocerina Thomson, 1864:210

Ancylocérides, Lacordaire, 1869: 135
Ancylocerini, LeConte, 1873: 308

Ancylocera Audinet-Serville, 1834:107

amplicornis Chemsak, 1963:107

s Mexico (CHS)-Honduras

bicolor (Olivier, 1795:32)

se USA-TX

rugicollis Fabricius, 1801:317

lividipennis Haldeman, 1847:44

brevicornis Casey, 1893:586

bicolor spissicornis Casey, 1924:262

bruchi Viana, 1971:162

n Argentina (SE, TU)

cardinalis (Dalman, 1823:67)

e Brasil (GO, PB-RS), Paraguay, Uruguay

Argentina

purpurea Perty, 1832:93

w Mexico (SI, JA, MO, OA)

michelbacheri Chemsak, 1963:108

Colombia, Panama

nigella Gounelle, 1913:421

se Mexico (YU)

sallei Buquet, 1857:332

Brasil (MG, RO, PA)

sergioi Monné & Napp, 2001: 993

Colombia

spinula Monné & Napp, 2001: 994

Assycuera Napp & Monné, 2001: 978

macrotela Bates, 1880:68

Mexico (MO, PU, CHS)-Costa Rica

rugicollis; Bates, 1872:191 (not Fabricius, 1801)

rubella Bates, 1892:170

sw Mexico (JA, GR)

scabricollis Chemsak, 1963:106

c Mexico (ME)

waterhousei White, 1855:211

nc Brasil (AM)

Callancyla Aurivillius, 1912:446*Callopisma*; Thomson, 1864:212 (not Dumeril, 1853)*Lallancyca* Viana, 1971:189

- atrococerulea** Zajciw, 1970:27
- bimaculata** (Gounelle, 1911:221)
- capixaba** Monné, 1997:100
- cribellum** (Bates, 1885:315)
- croceicollis** (White, 1855:292)
 - ruficollis* Bates, 1870:419
- curvifollis** (Buquet, 1857:138)
- malleri** Fuchs, 1966:11
- tucumana** Viana, 1971:184

- se Brasil (RJ)
- ec Brasil (GO), Paraguay, ne Argentina (MI)
- e Brasil (ES)
- Panama
- Brasil (PA, MT), Fr Guiana
- se Brasil (ES-RS), Argentina
- s Brasil (BA-SC)
- n Argentina (TU)

Ceralocyna Viana, 1971:165

- amabilis** Monné & Napp, 1999: 34
- coccinea** Monné & Napp, 1999: 30
- cribricollis** (Bates, 1885:314)
- foveicollis** (Buquet, 1854:345)
 - fulvicornis* (Burmeister, 1865:172)
- fulvipes** Viana, 1971:173
- margaretae** Martins & Galileo, 1994:78
- militaris** (Gounelle, 1911:218)
- nigricollis** (Gounelle, 1911:218)
- nigricornis** (Gounelle, 1911:217)
- nigropilosa** Monné & Napp, 1999: 33
- parkeri** (Chemsak, 1964:108)
- seticornis** (Bates, 1870:418)
- terminata** (Buquet, 1854:344)
- variegata** Monné & Napp, 1999: 35

- Brasil (PA)
- Brasil (BA)
- Mexico (MO, JA, GR, VC), Nicaragua
- Colombia, Paraguay, Argentina, Uruguay
- n Argentina (SA, TU, ME)
- n Brasil (TO, MG)
- e Brasil (GO, MI)
- ec Brasil (GO, MG)
- e Brasil (GO, BA, MI, MG, DF), Uruguay
- se Brasil (SP,RJ)
- sw Mexico (OA)
- nc Brasil (PA)
- Brasil
- Brasil (RO)

Cercoptera Spinola, 1839: pl. 12

- banonii** Spinola, 1839: pl. 12
- sanguinicollis** Gounelle, 1911:219

- Costa Rica, Venezuela, Fr Guiana
- ec Brasil (GO)

Exallancyla Monné & Napp, 2000: 356

- tuberculicollis** Aurivillius, 1920:369
- tubericollis;** Viana, 1971:190

- Bolivia, Peru

Mimonneticus Monné & Napp, 2000: 355

- guianae** Monné & Napp, 2000: 356

- Fr. Guiana, Brasil (PA)

Subtribe Trachyderina Dupont, 1836:1**Aegoidus** Buquet, 1838:253

- Oegoidus*; Guérin-Méneville, 1844:218
- Aegoidius**; Lacordaire, 1869:197
- calligrammus** Bates, 1885:331
- debauvei** (Guérin-Méneville, 1838:287)
 - earlii* Guérin-Méneville, 1840:334
 - pacificus** Tippmann, 1960:142
 - ab. *corallithorax* Tippmann, 1960:144
 - peruvianus** Buquet, 1838:254
 - peruanus** Erichson, 1847:139
 - weyrauchi** Tippmann, 1953:316

- Panama
- Panama, Colombia, Guianas, n Brasil (RR)
- venustus* Newman, 1840:3
- Colombia
- Peru
- Peru
- Peru

Aethocerinus Fall & Cockerell, 1907:154

- Aethocerus*; Chevrolat, 1862:532 (not Wesmael, 1844)
- hornii** (Lacordaire, 1869:184)
- latecinctus** (Horn, 1880:134)
- wilsonii** (Horn, 1860:570)

- se USA (FL)
- sw USA (CA, AZ), n Mexico, Baja Calif
- sw USA (TX)

Allopeplus Zajciw, 1961:222		
cordifer Zajciw, 1961:222		nw Brasil (AM)
Amannus LeConte, 1858:24		
atriplicis Linsley, 1957:160	sw USA (TX)	
pectoralis LeConte, 1858:25	sw USA (AZ, CA, NE), Baja Calif	
vittiger LeConte, 1858:24	w USA (TX, NM, AZ, UT)	
brevis Casey, 1924:267		
Amphionthe Bates, 1879:395		
brevicollis Bates, 1885:291	Mexico	
caudalis Schwarzer, 1929:359	Costa Rica	
chiriquina Achard, 1913:38	Panama	
dejeani Gounelle, 1912:115	Fr Guiana	
doris Bates, 1879:396	Colombia	
oberthuri Achard, 1913:35	Colombia	
Ancylosternus Dupont in Audinet-Serville, 1834:49		
morio morio (Fabricius, 1787:133)	Colombia, Venezuela, Fr Guiana	
scutellaris Olivier, 1795:16		
subsp. albicornis Erichson, 1847:139	Peru, c Brasil (RO, GO, MT), Bolivia	
Andrachydes Huedepohl, 1985:36		
transandinus (Tippmann, 1953:324)	Ecuador, Peru	
Andraegoidus Aurivillius, 1920:369		
cruentatus (Dupont, 1838:26)	Paraguay, Argentina, Uruguay	
cardinalis Dupont, 1838:28		
humeralis Aurivillius, 1920:370		
distinguendus Huedepohl, 1985:46	e Brasil (MG)	
homoplatus homoplatus (Dupont, 1838:26)	e Brasil (GO, MT, PB-MG)	
humeralis Aurivillius, 1908:7		
subsp. hassenteufeli Fuchs, 1958:52	Paraguay, Argentina, Uruguay	
lacordairei lacordairei (Dupont, 1838:10)	Fr Guiana, nc Brasil (AM, PA)	
latreillei Dupont, 1838:11		
nigripes Dupont, 1838:12		
simplicipennis Dupont, 1838:29		
testaceus Dupont, 1838:13		
globicollis Bates, 1870:432		
impunctipennis Bates, 1870:432		
subsp. punctipennis Huedepohl, 1985:50	Venezuela	
laticollis Tippmann, 1953:314	Colombia	
rufipes rufipes (Fabricius, 1787:133)	se Brasil (GO, MS, BA-RS), Paraguay,	
var. axillaris Dupont, 1838:8	Argentina	
var. brunnipennis Dupont, 1838:9		
boisduvalii Dupont, 1838:5		
ebeninus Dupont, 1838:7		
subsp. fabricii (Dupont, 1838:1)	e Brasil (BA-ES)	
subsp. fulvipennis (Dupont, 1838:9)	e Brasil (AL-BA)	
subsp. richteri (Bruch, 1908:215)	Bolivia, Argentina	
subsp. zonatus (Dalman, 1823:63)	e Brasil (BA-ES)	
cinctus Dupont, 1838:6		
equestris Dupont, 1838:5		
variegatus (Perty, 1832:88)	e Brasil (GO, MT, CE-RS), Paraguay,	
nigrofasciatus Gory in Guérin-Méneville, 1832: pl.43, fig. 3	Bolivia, Argentina, Uruguay	
audouinii Dupont, 1838:2		
gloriosus Dupont, 1838:4		
var. malleri Tippmann, 1953:320		
var. binigromaculatus Tippmann, 1953:321		
var. cordiger Tippmann, 1953:321		

- var. *dimidiatus* Tippmann, 1953:321
 var. *bisbiflavomaculatus* Tippmann, 1953:322
 var. *flavocinctus* Tippmann, 1953:322
 var. *variegatus biflavomaculatus* Tippmann, 1953:323

Athetes Bates, 1870:428

- angulicollis** (Zajciw, 1961:402)
prolixa Bates, 1870:428
- nc Brasil (PA)
 nw Brasil (AM)

Axestoleus Bates, 1892:180

- meridionalis** (Bates, 1880:87)
quinquepunctatus Bates, 1892:181
- Mexico (JA, VC, OA) – Costa Rica
 w Mexico (JA, GR)

Batus Thunberg, 1822:307

- Lophonocerus* Latreille in Cuvier, 1829:112
Lophocerus; Chenu, 1870:311
- barbicornis** (Linnaeus, 1764:68)
guianus Goeze, 1777:464
speciosus Voet, 1778:12
barbicornis itatubensis Tippmann, 1953:227
ab. picticornis Tippmann, 1953:228
- hirticornis** (Gyllenhal in Schoenherr, 1817:176)
hirticornis Kirby, 1818:441
tuberculicollis Chabrilac, 1857:198
ab. melancholicus Tippmann, 1953:228
- latreillei** (White, 1853:83)
barbicornis; Olivier, 1795: pl. 7, fig. 48 (not Linnaeus, 1764)
- Colombia, Venezuela, Ecuador, Guianas,
 nw Brasil (AM), Peru
- se Brasil (BA-RS), Paraguay, Argentina
- e Brasil (BA-RJ)

Batyle Thomson, 1864:201

- Batyleoma* Casey, 1912:326
- ignicollis ignicollis** (Say, 1824: 412)
sanguinicolle Germar, 1824:515
seclusa Casey, 1912:327
punctipennis Casey, 1912:328
acomana Casey, 1912:328
- subsp. **australis** Linsley, 1957:33
 subsp. **oblonga** Casey, 1912:328
- knowltoni** Knull, 1968:233
laevicollis Bates, 1892:181
rufiventris Knull, 1928:126
suturalis suturalis (Say, 1824:411)
miniatum Germar, 1824:515
rubrum Newman, 1838:383
fontinalis Casey, 1912:330
- subsp. **cylindrella** Casey, 1893: 587
ruber LeConte, 1858:82
 subsp. **infuscatus** Linsley, 1957:33
 subsp. **melanicollis** Linsley, 1957:34
 subsp. **pearsalli** (Bland, 1862:272)
 subsp. **remota** (Casey, 1924:264)
 subsp. **rutilans** (LeConte, 1850:18)
- w USA (TX, MT, CO)-OH
- se USA (AL, MS, FL)
 w USA (AZ, UT)
 w USA (UT)
 Mexico (PU, VC-JA, CM)
 sw USA (AZ)
 e NAmer-NM
- sw USA (TX)
- w USA (CO)
 sw USA (TX), n Mexico (CHA)
 nc NAmer (CO-Alberta, Saskatchewan)
 w USA (NE, UT)
 sw USA (AZ, NM)

Callona Waterhouse, 1840:228

- basilea** (Bates, 1880:75)
thoracicus; Bates, 1880:75 (not White, 1853)
championi (Bates, 1885:320)
iridescent; Bates, 1880:74 (not White, 1853)
iridescens (White, 1853:80)
lampros (Bates, 1885:321)
tricolor; Bates, 1880:75 (not G. R. Waterhouse, 1840)
praestans (Casey, 1912:320)
- sw Mexico (OA, YU)
- Guatemala
- Guatemala
 Panama
- sw Mexico (GR)

Ceragenia	Audinet-Serville, 1834:32	
	<i>semiplicatus</i> Casey, 1912:320	
rimosa	(Buquet, 1840:142)	sw USA (TX), n Mexico
	<i>splendens</i> LeConte, 1854:441	
rutilans	(Bates, 1869:384)	Mexico-Nicaragua
thoracica	(White, 1853:78)	Honduras
tricolor	G. R. Waterhouse, 1840:228	Venezuela
Cervilissa	Monné & Monné, 2000: 1	
	versicolor Monné & Monné, 2000: 2	Brasil (MG)
Charinotes	Dupont in Audinet-Serville, 1834:39	
	fasciatus Dupont in Audinet-Serville, 1834:40	e Brasil (MG-RJ)
Chemsakia	Linsley, 1967:168	
	semitostata (Bates, 1872:195)	w Mexico (OA)-Nicaragua
	subarmata Linsley, 1967:170	s Mexico (CHS)
Chevrolatella	Zajciw, 1969:119	
	tripunctata (Chevrolat, 1862:759)	e Brasil (PB-RS, GO), Bolivia, Paraguay, Argentina
	<i>ornaticollis</i> Chevrolat, 1862:759	
Chlorotherion	Zajciw, 1962:202	
	consimilis Zajciw, 1962:203	se Brasil (SP) Brasil (MG)
	punctatus Monné, 1998: 303	
Chydarteres	Huedepohl, 1985:72	
	bicolor (Voet, 1778:10)	Fr Guiana, ec Brasil (PE, MT, GO, BA)
	costatus (Aurivillius, 1908:7)	n Argentina (CH, SE)
	dimidiatus dimidiatus (Fabricius, 1787:133)	Colombia, Guianas-Argentina, Uruguay
	<i>scapularis</i> Dupont, 1836:47	
	<i>conformis</i> Dupont, 1836:9	Peru
	<i>ocellatus</i> Dohrn, 1879:459 (part)	e Brasil (ES-SP)
	subsp. altissimus Huedepohl, 1985:79	se Brasil, Paraguay, Argentina, Uruguay
	subsp. notatus (Dupont, 1836:50)	se Brasil (ES-PR)
	subsp. taeniatus (Germar, 1824:512)	
	octolineatus (Thunberg, 1822: 305)	
	<i>germarii</i> Dupont, 1836:41	e Brasil (BA)
	<i>herteli</i> Tippmann, 1953:330	Brasil (GO, MT, BA-RS), Fr Guiana, Paraguay, Argentina, Uruguay
	striatellus Huedepohl, 1985:82	
	striatus striatus (Fabricius, 1787:133)	Bolivia, Argentina
	<i>strigosus</i> Gmelin, 1790:1822	se Brasil (RJ, SP)
	<i>lineolatus</i> Dupont, 1836:45	
	<i>proximus</i> Dupont, 1836:43	
	subsp. schaeferi (Bosq, 1947:298)	
	strigatus (Dupont, 1836:42)	se Brasil (MG-RS), ne Argentina (MI)
Cosmocerus	Guérin-Méneville, 1844:219	
	strigosus Guérin-Méneville, 1844:219	

Crioprosopus Audinet-Serville, 1834:53

- amoenus** Jordan, 1895:220
cacicus Bates, 1885:319
divisus Bates, 1885:320
gaumeri Bates, 1892:172
lateralis LeConte, 1884:22
magnificus (LeConte, 1875:173)
nieti Chevrolat, 1857:103
nietoi; Bates, 1880:74
nigricollis Bates, 1892:173
saundersii White, 1853:79
servillei Audinet-Serville, 1834:54
viridipennis (Latreille, 1811:163)
- Costa Rica
Panama, Colombia
e Mexico (VC)
se Mexico (YU)
sw USA (TX)
sw USA (AZ), n Mexico (SO)
Mexico (VC, OA), Costa Rica
- e Mexico (VC)
Mexico, Honduras
Mexico
Colombia

Crossidius LeConte, 1851:102

- Oxoplus** LeConte, 1862:41
ater LeConte, 1861:356
coralinus *coralinus* LeConte, 1862:42
subsp. *ascendens* Linsley, 1957:43
subsp. *caeruleipennis* Linsley, 1957:43
subsp. *coccineus* (Casey, 1893:588)
subsp. *ferruginosus* Chemsak & Linsley, 1959:178
subsp. *fulgidus* Chemsak & Linsley, 1959:179
subsp. *jocosus* (Horn, 1885:175)
subsp. *monoensis* Linsley & Chemsak, 1961:39
subsp. *obfuscipennis* Chemsak & Linsley, 1959:179
subsp. *parviceps* (Casey, 1924:264)
subsp. *ruficollis* Linsley, 1943:147
subsp. *tejonicus* Chemsak & Linsley, 1959:178
subsp. *temprans* Linsley & Chemsak, 1961:39
discoideus *discoideus* (Say, 1824:411)
pulchrior Bland, 1862:272
subsp. *blandi* Casey, 1893:589
subsp. *sayi* Casey, 1912:340
sayi bilenticulatus Casey, 1912:340
submetallicus Casey, 1912:341
hirtipes *hirtipes* LeConte, 1854:18
subsp. *allgewahri* LeConte, 1878:461
subsp. *bechteli* Linsley & Chemsak, 1961:59
subsp. *brunneipennis* Linsley, 1943:148
subsp. *cerarius* Chemsak & Linsley, 1959:177
subsp. *flavescens* Chemsak & Linsley, 1959:180
subsp. *francesae* Chemsak & Linsley, 1959:181
subsp. *immaculatus* Chemsak & Linsley, 1959:182
subsp. *immaculipennis* Chemsak & Linsley, 1959:180
subsp. *macswaini* Linsley & Chemsak, 1961:58
subsp. *nigripennis* Chemsak & Linsley, 1959:180
subsp. *nubilus* Linsley, 1957:42
subsp. *rhodopus* Linsley, 1955:54
subsp. *rubrescens* Linsley & Chemsak, 1961:58
subsp. *setosus* Chemsak & Linsley, 1959:181
subsp. *wickhami* Casey, 1912:337
truncatellus Casey, 1912:338
curticollis Casey, 1924:265
parallelus Casey, 1924:265
humeralis *humeralis* LeConte, 1858:24
subsp. *quadrivittatus* Penrose, 1974:251
hurdi Chemsak & Linsley, 1959:176
mexicanus Chemsak & Noguera, 1997:10
militaris Bates, 1892:177
inflatocollis Linsley, 1957:159
mojavensis *mojavensis* Linsley, 1955:63
subsp. *linsleyi* Chemsak, 1959:112
- w USA
w USA (NM, CO)
sw USA (CA)
sw USA (CA)
w USA (UT)
sw USA (CA)
w USA (UT)
w USA (CO)
w USA (CA)
w USA (ID)
w USA (UT)
w USA (CA)
sw USA (CA)
w USA (CA, NE)
w N Amer (CO-Canada)
- w N Amer (Alberta, UT)-c Mexico
w N Amer (Rocky Mts)
- nw USA (OR, WA)
w USA (ID, UT, WY)
w USA (NE)
w USA (NE)
w USA (NE)
w USA (CA)
w USA (CA)
w USA (CA, NE, OR)
w USA (NE)
w USA (NE)
nw USA (WA, ID, WY)
w USA (CA)
w USA (CA)
w USA (NE)
w USA (CA)
sw USA (AZ, NE, UT)
- sw USA (TX, NM)-n Mexico
sw USA (TX)
sw USA (AZ, NM)
Mexico (CO, ZA, NL)
sw USA (TX, NM)-c Mexico (DU)
- sw USA (CA)
Baja Calif

pulchellus LeConte, 1861:356	w, c N Amer, n Mexico (CHA, NL, ZA)
<palmeri< p=""> Bates, 1880:81</palmeri<>	
<pitidicollis< p=""> Casey, 1891:33</pitidicollis<>	
<pulchellus p="" sinuosus<=""> Casey, 1912:339</pulchellus>	
<pulchellus p="" retractus<=""> Casey 1912:339</pulchellus>	
<pulchellus p="" vegasensis<=""> Casey, 1912:339</pulchellus>	
<debilis< p=""> Casey, 1912:339</debilis<>	
<lanaticollis< p=""> Casey, 1912:339</lanaticollis<>	
punctatus LeConte, 1873:197	w N Amer
<plassipes< p=""> Casey, 1891:32</plassipes<>	
<plagiatus< p=""> Casey, 1912:336</plagiatus<>	
<hirsuticollis< p=""> Casey, 1924:266</hirsuticollis<>	
<vinosus< p=""> Casey, 1924:266</vinosus<>	
suturalis suturalis LeConte, 1858:83	sw USA (TX, NM, AZ), n Mexico (SO)
<longipennis< p=""> Casey, 1891:31</longipennis<>	
<aegrotus< p=""> Bates, 1892:178</aegrotus<>	
subsp. intermedius LeConte, 1873:196	sw USA (AZ, NE), nw Mexico (SO)
subsp. melanipennis Penrose, 1984:62	sw USA (TX)
subsp. minutivestis Linsley, 1957:44	sw USA (CA)
subsp. pubescens Linsley, 1957:44	sw USA (CA)
testaceus testaceus LeConte, 1851:102	sw USA (CA), Baja Calif
subsp. australis Linsley, 1942:61	Baja Calif
subsp. maculicollis Casey, 1912:337	sw USA (CA)

Cryptobias Dupont in Audinet-Serville, 1834:35

<i>Cryptobius</i> ; Chenu, 1870:311	
<i>Nosophloeus</i> Dupont, 1836:15	
<i>Nosophlaeus</i> ; Dupont, 1838: ix	
coccineus Dupont in Audinet-Serville, 1834:36	se Brasil (RJ)
<i>concinus</i> Dupont, 1836:16	
<i>ocellatus</i> Dohrn, 1879:459 (part)	

Ctenodes Olivier, 1807:779

decemmaculata Olivier, 1807:781	Fr Guiana, Brasil (AM, PA, MA)
<i>miniata</i> Klug, 1825:455	
<i>minuta</i> ; Latreille in Cuvier, 1836:108	
geniculata Klug, 1825:456	e Brasil (GO, MG)
<i>thoracicus</i> Redtenbacher, 1867:201	
zonata Klug, 1825:454	Brasil (PA, AM)
<i>isabellina</i> Bates, 1870:424	

Cyphosterna Chevrolat, 1862:756

<i>Dioxiotes</i> Chevrolat, 1862:757	
quadrilineata Chevrolat, 1862:757	Mexico (YU)

Deltaspis Audinet-Serville, 1834:7

<i>Eodoxilus</i> Lacordaire, 1869:172	
alutacea Bates, 1885:323	wc Mexico (SI-PU)
<i>nigrescens</i> Chemsak, 1959:113	
auromarginata Audinet-Serville, 1834:8	
cruentus (LeConte, 1862:42)	Mexico
<i>cruentatus</i> ; Horn, 1894:338	sw USA (CA), Baja Calif
<i>marginatus</i> LeConte, 1862:42	
cyanipes Bates, 1885:322	Mexico
disparilis Bates, 1891:160	Mexico (DU, SI, GR)
ivae Beierl & Barchet-Beierl, 1999: 5	swUSA (CA), Baja Calif norte
marginella Bates, 1891:160	Mexico (DU)
moesta Bates, 1885:323	Mexico
nigripennis Bates, 1880:77	e Mexico (ME, VC, CHS, GR)
rubens Bates, 1885:323	Mexico (DU, GU)
fulva Bates, 1892:174	

<i>tuberculicollis</i> Bates, 1892:175	
ruberiventris Bates, 1880:77	Mexico (DU, SI, GR)
rufostigma Bates, 1892:173	sw Mexico (GR)
subopaca Chemsak & Linsley, 1982:74	Mexico (PU, GR)
thoracica White, 1853:148	e Mexico (VC, GR, MO)
tumacacorii (Knoll, 1944:91)	sw USA (AZ)
variabilis Bates, 1891:161	sw Mexico (OA, GR)
Deretrachys Huedepohl, 1985:27	
chilensis (Bosq, 1949:79)	Chile
<i>penai</i> Cerdá, 1953:135	
juvencus (Dupont, 1840:7)	Colombia
montanus (Tippmann, 1953:327)	Peru
<i>itzingeri</i> Tippmann, 1953:328	
pellitus pellitus (Kirsch, 1889:39)	Ecuador, Peru
<i>vermiculatus</i> Bates in Whymper, 1891:38	
<i>bonplandi</i> Gounelle, 1910:17	
subsp. meridionalis Huedepohl, 1985:33	Ecuador
villiersi Huedepohl, 1985:29	Ecuador, Peru
Desmoderus Dupont in Audinet-Serville, 1834:37	
<i>Didymaeus</i> Thomson, 1860:211	
variabilis Dupont in Audinet-Serville, 1834:38	e Brasil (GO, BA-RJ)
Dicranoderes Dupont, 1836:25	
annulatus Dupont 1836:26	e Brasil (GO, BA-SP)
Dorcadocerus Germar, 1824:501	
barbatus (Olivier, 1790:300)	Mexico?-Brasil, Argentina
<i>auricomus</i> Germar, 1821:168	
Drychateres Huedepohl, 1985:65	
bilineatus (Olivier, 1795:17)	Brasil (widely distributed), Paraguay,
<i>scabricollis</i> Dalman, 1823:64	Argentina, Uruguay
<i>dejeani</i> Dupont, 1838:15	
<i>solieri</i> Dupont, 1838:16	
<i>duponti</i> Dupont, 1838:17	
<i>olivieri</i> Dupont, 1838:18	
<i>puncticollis</i> Dupont, 1838:20	
<i>vauthieri</i> Dupont, 1838:22	
<i>dorbignyi</i> Dupont, 1838:23	
<i>nigripennis</i> Dupont, 1838:24	
<i>signaticollis</i> Dupont, 1838:25	
Elaterosoma Tippmann, 1953:205	
longissimum Tippmann, 1953:206	Venezuela
Elytroleptus Dugès, 1879:182	
apicalis (LeConte, 1884:24)	sw USA (AZ-TX), n Mexico
dichromaticus Linsley, 1961:13	ec Mexico (QE, HI)
divisus (LeConte, 1884:23)	sw USA (TX), ne Mexico (NL, TA)
floridanus (LeConte, 1862:42)	e NAmer-TX
grandis Linsley, 1935:97	e Mexico (ME, MO, VC)-Costa Rica
humeralis Linsley, 1961:14	n Mexico (CHA)
ignitus (LeConte, 1884:24)	sw USA (AZ), n Mexico (CHA, DU, SO)
immaculipennis Knoll, 1935:99	sw USA (TX), wc Mexico (DU)
var. <i>obliquus</i> Knoll, 1950:91	
limpianus Skiles & Chemsak, 1982:67	sw USA (Tex)
luteicollis Skiles & Chemsak, 1982:66	n Mexico (CHA)
luteus luteus Dugès, 1879:185	nw Mexico (SO-ME)-Honduras
subsp. davisi Knoll 1940:558	sw USA (AZ-TX), wc Mexico (DU)

<i>lineatus</i> Knull, 1950:91	
metallicus (Nonfried, 1894:140)	Honduras
nigripennis Bates, 1885:318	sw Mexico (OA)
pallidus pallidus (Thomson, 1860:255)	Mexico (widely distributed)
<i>alfredi</i> Dugès, 1879:185	
subsp. <i>villosum</i> Linsley, 1961:15	w Mexico (ME, MI)
peninsularis Hovore, 1988:16	Baja Calif
rufipennis (LeConte, 1884:23)	sw USA (AZ)-Mexico (widely distributed)
<i>longipennis</i> Bates, 1885:318	
<i>eros</i> Bates, 1885:318	
scabricollis Bates, 1892:172	Mexico (widely distributed)-Guatemala
similis Chemsak & Linsley, 1965:197	c Mexico (PU, OA)
 Entomosterna Chevrolat, 1862:752	
<i>Dithymia</i> Chevrolat, 1862:753	e Mexico (VC, CHS), Guatemala
cruentata Chevrolat, 1862:753	
 Eriocharis Aurivillius, 1912:483	
<i>Eriosoma</i> ; Blanchard, 1843:207 (not Leach, 1818)	
devestivus Monné & Martins, 1973:75	Peru
lanaris (Blanchard, 1843:207)	Bolivia, Argentina
<i>flavocomus</i> Fairmaire, 1864:272	
<i>aurulentus</i> Burmeister, 1865:162	
richardii (Dupont, 1838:32)	Brasil, Argentina
<i>costatus</i> Dupont, 1838:33	
<i>haematicus</i> Fairmaire, 1864:271	
 Eriphus Audinet-Serville, 1834:88	
bahiensis Chevrolat, 1862:749	e Brasil (BA, ES)
bisignatus (Germar, 1824:516)	se Brasil (GO, BA, MG-SP)
<i>luctuosus</i> Chevrolat, 1862:750	
<i>niger</i> Fuchs, 1974:243	
cardinalis Monné & Fragoso, 1996:115	sw Brasil (RO, MT)
clarkei Tippmann, 1960:141	Bolivia
dimidiatus White, 1855:293	Brasil (PA)
haematoderus Chevrolat, 1862:750	Bolivia
immaculicollis Audinet-Serville, 1834:89	e Brasil (GO-SC)
lineatocollis Chevrolat, 1862: 750	Fr Guiana, nc Brasil (PA)
<i>xanthoderus</i> Bates, 1870:429	
longicollis Zajciw, 1961:403	Bolivia, n Argentina (SA, TU)
metallicus Zajciw, 1960:141	se Brasil (ES, RJ)
mexicanus Audinet-Serville, 1834:89	se Brasil (ES, RJ)
<i>unipunctatus</i> Buquet in Guérin-Méneville, 1844:226	
prolixus Bates, 1872:193	Nicaragua
purpuratus Chevrolat, 1862:748	se Brasil (BA-RS), Paraguay, Argentina
smaragdinus Monné & Fragoso, 1996:116	w Brasil (PA, RO)
variegatus Monné & Fragoso, 1996:117	e Brasil (BA, MG)
viridis Monné & Fragoso, 1996:116	e Brasil (MG, ES)
 Galissus Dupont, 1840:1	
azureus Monné & Martins, 1981:186	c Brasil (MT)
cyanopterus Dupont, 1840:1	Fr Guiana, n Brasil (AP, PA)
 Gambria Chevrolat, 1862:760	
bicolor (Chevrolat, 1862:758)	Mexico (VC)
leucozona Bates, 1880:86	w Mexico (SO, CM, YU)
nigripennis (Chevrolat, 1862:760)	se Brasil, Paraguay, Argentina
 Georgiana Aurivillius, 1912:450	
<i>Georgia</i> ; Thomson, 1857:21 (not Baird & Girard, 1853)	Fr Guiana, n Brasil (AM, GO)
xanthomelaena (White, 1856:408)	
<i>citrina</i> Thomson, 1857:21	

Giesbertia	Chemsak & Linsley, 1984:284	
<i>rugosa</i>	Chemsak & Linsley, 1984:286	Mexico (MO, MI, GR)
Gonyacantha	Thomson, 1858:407	
<i>rubronigra</i>	Thomson, 1858:498	se Brasil (ES-SC)
	<i>nigrorubra</i> ; Lacordaire, 1869:212	
	<i>richteri</i> Fischer, 1888:490	
Gortonia	Hovore, 1987:151	
<i>linsleyi</i>	Hovore, 1987:152	Costa Rica, Panama
Hoegea	Bates, 1885:326	
<i>distigma</i>	Bates, 1885:327	Mexico (VC, CHS)
Ischnocnemis	Thomson, 1864:199	
<i>caerulescens</i>	Bates, 1885:328	sw Mexico (JA, GR)
<i>costipennis</i>	Thomson, 1864:199	Mexico
	<i>tripunctata</i> Thomson, 1864:199	
<i>cribellatus</i>	(Bates, 1892:179)	e Mexico (VC)
<i>cyaneus</i>	Bates, 1892:178	c Mexico (MO)
<i>eyai</i>	Chemsak & Noguera, 1997:11	Mexico (JA)
<i>glabra</i>	Chemsak & Linsley, 1988:132	w Mexico (JA)
<i>luteicollis</i>	(Bates, 1885:329)	Mexico (SI, JA, GU)
<i>minor</i>	Bates, 1880:83	Mexico (PU, CHS)
<i>sexualis</i>	Bates, 1885:328	w Mexico (JA, GU)
<i>similis</i>	Chemsak & Noguera, 1997:12	Mexico (JA)
Linsleyella	Chemsak, 1984:114	
<i>michelbacheri</i>	Chemsak, 1984:117	Mexico (CO, ZA)
<i>ricei</i>	Chemsak, 1984:115	sw USA (TX, NM)
<i>virens</i>	(Bates, 1885:323)	Mexico (MO, PU, OA)
<i>virgulata</i>	Chemsak, 1987:145	Mexico (PU)
Lissonoschema	Martins & Monné, 1978:65	
<i>fasciatum</i>	(Fisher, 1944:9)	Venezuela, Fr Guiana
<i>macrocolum</i>	Martins & Monné, 1978:65	e Brasil (ES)
<i>solangeae</i>	Monné & Monné, 2000: 161	Brasil (MG)
Lissonotypus	Thomson, 1864:211	
<i>Lissonototypus</i> ; Gemminger & Harold, 1872:2982		
<i>brasiliensis</i>	(Buquet, 1860:622)	e Brasil (ES, RJ)
<i>tetraspilotus</i>	(White, 1853:64)	e Brasil (ES, RJ), ne Argentina (MI)
	<i>quadrisignatus</i> Buquet, 1860:621	
Lophalia	Casey, 1912:333	
<i>Entomosterna</i> ; LeConte, 1873:314 (not Chevrolat, 1862)		
<i>auricomis</i>	Chemsak & Linsley, 1979:267	Honduras
<i>cribricollis</i>	(Bates, 1892:179)	sw Mexico (GR)
<i>cyanicollis</i>	(Dupont, 1838:59)	sw USA (TX, AZ)-s Mexico (VC, ME, CHS)
<i>prolata</i>	Chemsak & Linsley, 1988:127	w Mexico (SI-GR)
<i>quadrivittata</i>	(Bates, 1892:179)	sw Mexico (JA, GR)
Mannophorus	LeConte, 1854:442	
<i>forreri</i>	Bates, 1885:327	sw USA (AZ), nw Mexico (CHA, DU)
<i>laetus</i>	LeConte, 1854:442	sw USA (TX), nc Mexico (SLP)
	<i>ferreus</i> Bates, 1880:82	

- Martinsellus** Huedepohl, 1985:131
signatus (Gyllenhal in Schoenherr, 1817:177) Brasil, Paraguay, Argentina, Uruguay
- Megaderus** Dejean, 1821:106
bifasciatus Dupont, 1836:5 sw USA (TX)-Guatemala
corallifer Newman, 1840:195
stigma (Linnaeus, 1758:395) Nicaragua-Argentina, Uruguay
ab. bimaculatus Tippmann, 1960:151
ab. interruptefasciatus Tippmann, 1960:151
latifasciatus Bates, 1870:438
- Metaleptus** Bates, 1872:192
angulatus (Chevrolat, 1834:67) n Mexico-Costa Rica
marginellus Bates, 1872:193
binocularis Bates, 1872:193
binoculatus; Linsley, 1935:98
coccinatus Bates, 1872:193
batesi Horn, 1885:174 sw USA (AZ, CA), n Mexico
brasiliensis (Schaufuss, 1871:210) s Brasil (RS)
discoideus Linsley, 1935:98 c Mexico (ME)
hondurae Nonfried, 1894:138 Honduras
lecontei (Casey, 1912:325) Honduras
pyrrhulus Bates, 1880:79 s Mexico (CHS), Guatemala
- Metopocoilus** Audinet-Serville, 1832:170
Metopocoellus; Laporte, 1840:410
Metopocoelus; Lacordaire, 1869:244
Coptocephalus Gray in Griffith, 1832:113
corumbaensis Lane, 1956:8 Brasil (PB, CE, MS)
rojasi; Lane, 1943:102 (not Sallé, 1853)
giganteus Nonfried, 1894:137 nw Brasil (AM)
maculicollis Audinet-Serville, 1832:171 se Brasil (SP-RS)
brasiliensis Gray in Griffith, 1832:113
picticornis Melzer, 1923:3 se Brasil (MG-SP)
quadrispinosus (Buquet, 1860:619) se Brasil (SP-RS), Argentina
var. *basimaculatus* Tippmann, 1953:208
rojasi Sallé, 1853:650 Venezuela
- Micropelta** Zajciw, 1961:399
rugosicollis Zajciw, 1961:400. Peru, w Brasil (RO)
- Molitones** Gounelle, 1913:422 Colombia
flavipennis Gounelle, 1913:423
- Monneellus** Huedepohl, 1985:136
rhodopus (Bates, 1870:431) c Brasil (AM, MT), Peru, Bolivia
vagus Melzer, 1927:571
- Muscidora** Thomson, 1864:202 Mexico – Costa Rica
tricolor Thomson, 1864:202
- Neochrysoprasis** Franz, 1969:1 se Brasil (SP), Bolivia
zajciwi Franz, 1969:1
- Neocrossidius** Chemsak, 1959:131
trivittatus (Bates, 1880:82) wc Mexico (DU, DF, CO, MI)

Neogalissus	Monné & Martins, 1981:187	
pelidnos	Monné & Martins, 1981:188	Surinam, Fr Guiana
Neotaphos	Fisher, 1936:324	
	rachelis Fisher, 1936:325	Chile
Neotaranomis	Chemsak & Linsley, 1982:71	
	atropurpurea Chemsak & Noguera, 2001: 51	Honduras
	australis Chemsak & Linsley, 1982:74	w Mexico (SI, OA, CHS)
	sinaloae Chemsak & Linsley, 1982:72	w Mexico (SI, NA, JA, CHS)
Noguerana	Chemsak & Linsley, 1988:129	
	aliciae Chemsak & Linsley, 1988:130	w Mexico (JA)
Oxymerus	Dupont in Audinet-Serville, 1834:50	
	aculeatus aculeatus Dupont, 1838:38	e Brasil (GO, MT, MG-SP)
	<i>confusus</i> Dupont, 1838:39	
	<i>nigricornis</i> Dupont, 1838:40	
	<i>klugii</i> Dupont, 1838:44	
	subsp. <i>lebasi</i> Dupont, 1838:47	Nicaragua-n SAmer, s W Indies
	subsp. <i>meridionalis</i> Huedepohl, 1979:23	c SAmer (Bolivia-Uruguay)
	basalis (Dalman, 1823:65)	Venezuela, Guanas-c Brasil, Bolivia
	<i>deletus</i> Dupont, 1838:48	
	bruchi bruchi Gounelle, 1913:229	Brasil (MT, RS), Paraguay, Argentina
	subsp. <i>seabrai</i> Huedepohl, 1985:142	ec Brasil (GO)
	chevrolatii Dupont, 1838:36	s Brasil (PR-RS), Paraguay, Argentina,
	<i>obliquatus</i> Burmeister, 1865:163	Uruguay
	<i>saundersii</i> Waterhouse, 1886:500	
	lineatus Dupont, 1838:41	Colombia, e Brasil (BA), Fr Guiana
	<i>approximatus</i> Dupont, 1838:44	
	<i>elongatus</i> Dupont, 1838:45	
	<i>distinguendus</i> Dupont, 1838:48	
	<i>aculeatus lineatus</i> Hudepohl, 1979:20	
	luteus luteus (Voet, 1778:17)	se Brasil (RJ-RS), Paraguay, Argentina
	<i>quadrioculatus</i> Schaller, 1783:289	
	<i>porcatus</i> Weber, 1801:88	
	<i>rivulosus</i> Germar, 1824:512	
	<i>flavescens</i> Thunberg, 1822:304	
	subsp. abdominalis Dupont, 1838:37	e Brasil (BA-SP)
	<i>lateriscriptus</i> Burmeister, 1865:164	
	subsp. australis Huedepohl, 1979:34	Argentina, Uruguay
	subsp. nigriventris Dupont, 1838:43	Fr Guiana, Brasil
	subsp. occidentalis Huedepohl, 1979:34	Peru, Bolivia
	pallidus Dupont, 1838:49	se Brasil (RJ), Argentina, Uruguay
	punctatus Gounelle, 1911:240	e Brasil (GO, MG)
	vianai Huedepohl, 1979:51	nc Argentina (CD)
	virgatus Gounelle, 1913:228	s Brasil (RS), Paraguay, Argentina, Uruguay
Ozodera	Dupont, 1840:10	
	callidioides Dupont, 1840:42	Colombia
	<i>xanthospilos</i> Dupont, 1840:10	
	<i>bipartita</i> Buquet, 1840:111	
Palaeotrachyderes	Tippmann, 1960:147	
	laticornis Tippmann, 1960:148	Panama
Panchylissus	Waterhouse, 1880:294	
	cyaneipennis Waterhouse, 1880:295	Costa Rica, Panama, Ecuador , Peru
	nigriventris Lane, 1965:289	Ecuador

Parabatyle Casey, 1912:326 sanguiniventris (Chevrolat, 1862:754)	e Mexico (VC)
Paraethcerus Bruch, 1926:342 sexmaculatus Bruch, 1926: 343	nw Argentina (CA)
Paragortonia Chemsak & Noguera, 2001: 52 leptoforma Chemsak & Noguera, 2001: 52	s Mexico (OA)
Parathetesis Linsley, 1961:7 convergens (Bates, 1892:171)	sw Mexico (GR, CM)
Parevander Aurivillius, 1912:453 <i>Evander</i> ; Lacordaire, 1869:160 (not Thomson, 1860) hovorei Giesbert, 1984:59 nietii (Guérin-Méneville, 1844:257) <i>nietoi</i> ; Gemminger & Harold, 1872:2964 nobilis (Bates, 1872:192) unicolor (Bates, 1880:71) xanthomelas (Guérin-Méneville, 1844:258)	sw USA (TX), ne Mexico (TA, CO, NL, SLP) Mexico (VC), Guatemala Mexico, Nicaragua, Costa Rica Costa Rica Mexico (PU, OA, GR), Guatemala, Costa Rica
Paroxoplus Chemsak, 1959:111 <i>Oxoplus</i> ; Bates, 1880:80 (not LeConte, 1862) ornaticollis (Lacordaire, 1869:180) poecilus (Bates, 1880:80)	sw Mexico (OA, GR, MO) sw Mexico (OA)
Parozodera Bruch, 1940:116 chemsaki Huedepohl, 1985:25 farinosa (Burmeister, 1865:161) <i>Uragus hamaticollis</i> ; Tippmann, 1953:209 (not Guérin-Méneville, 1844)	n Argentina (SA) c Argentina (SL, ME, RN)
Perarthrus LeConte, 1851:101 linsleyi (Knoll, 1942:226) pallida (Schaeffer, 1905:132) vittatus LeConte, 1851:102	sw USA (CA, AZ), n Baja Calif Baja Calif sw USA (CA), n Baja Calif
Phaedinus Dupont in Audinet-Serville, 1834:38 abnormalis Tippmann, 1953:317 carbonelli Monné, 1999: 26 corallinus Gounelle, 1911:237 flavipes (Thunberg, 1822:306) <i>microthorax</i> Perty, 1832:88 hirtipes Tippmann, 1960:144 lanio Guérin-Méneville, 1838:287 martii (Perty, 1832:86) <i>biplagiatus</i> Buquet, 1840:142 <i>moestus</i> Newman, 1840:195 pictus White, 1853:65 schaufussi Nonfried, 1890:20 tricolor Dupont in Audinet-Serville, 1834:39 var. <i>superbus</i> Tippmann, 1953:317 <i>m. bicoloricornis</i> Fuchs, 1961:96	s Brasil (SC) s Brasil (PE) ec Brasil (GO) e Brasil (GO, MG-SP) Bolivia Fr Guiana, Brasil (MA) e Brasil (GO, MG-SC), Argentina Venezuela Colombia Fr Guiana, n Brasil (AM)
Phimosia Bates, 1870:420 ebenina Bates, 1870:421	c Brasil (PA, RO, MT), Ecuador

Phoenicus Lacordaire, 1869:174		
<i>sanguinipennis</i> Lacordaire, 1869:174	CAmer ?	
Phoenidnus Pascoe, 1866:293		
<i>lissonotoides</i> Pascoe, 1866:293	Panama, Colombia, c Brasil (MT)	
Pleuromenus Bates, 1872:194		
<i>baccifer</i> Bates, 1872:194	Mexico-Costa Rica	
Plionoma Casey, 1912:333		
<i>Sphaenothecus</i> ; LeConte, 1873:316 (not Dupont, 1838)		
<i>basalis</i> (Horn, 1894:401)	Baja Calif	
<i>rubens</i> (Casey, 1891:34)	sw USA (TX-CA), n Mexico, Baja Calif	
<i>suturalis</i> (LeConte, 1858:25)	sw USA (TX-CA), Baja Calif, n Mexico	
<i>degener</i> Casey, 1912:334		
Poecilopeplus Dejean, 1835:319		
<i>batesi</i> White, 1853:56	nc Brasil (PA)	
<i>corallifer</i> (Sturm, 1826:79)	se Brasil (MG-RS)	
<i>versicolor</i> Laporte, 1840:412		
<i>flavescens</i> Rosenberg, 1898:92	Ecuador	
<i>fontanieri</i> (Lucas, 1857:178)	Colombia	
<i>haemopterus</i> (Lucas, 1857:178)	se Brasil (MG-RS, GO), Argentina	
<i>intricatus</i> (Blanchard, 1843:207)	Bolivia	
<i>martialis</i> Rosenberg, 1898:92	Costa Rica, Panama	
<i>tardifi</i> Michard, 1887:139	Colombia	
Polyschisis Audinet-Serville, 1833:564		
<i>Polyschisis</i> ; Blackwelder, 1946:578		
<i>hirtipes</i> (Olivier, 1792:460)	Panama, Fr Guiana, nc Brasil (PA)	
<i>melanaria</i> White, 1853:145	se Brasil (RJ, SP)	
<i>rufitarsalis</i> Waterhouse, 1880:294	Ecuador, nw Brasil (AM,GO))	
<i>rufitarsis</i> ; Lameere, 1883:33		
Prodontia Audinet-Serville, 1834:64		
<i>dimidiata</i> Audinet-Serville, 1834:65	se Brasil (RJ)	
Pseudodeltaspis Linsley, 1935:99		
<i>cyanea</i> Linsley, 1935:99	w Mexico (SI, ME)-Guatemala	
Pseudoeriphus Zajciw, 1961:405		
<i>Pseudoeriphus</i> ; Villiers, 1971:344		
<i>collaris</i> (Erichson in Schomburgk, 1848:572)	Guyana, Fr Guiana, Ecuador	
<i>balachowskyi</i> Villiers, 1971:344		
<i>ochraceicollis</i> Zajciw, 1961:407	c Brasil (PA, MT)	
<i>sanguinicollis</i> Zajciw, 1961:406	nw Brasil (AM)	
Pseudophimosia Delfino, 1990:695		
<i>eburoides</i> (White, 1853:61)	Colombia, Venezuela	
<i>sexlineata</i> (Buquet, 1859:624)	Colombia	
Pseudostenaspis Melzer, 1932:420		
<i>hermanni</i> Melzer, 1932:421	se Brasil (SP)	
Pteracantha Newman, 1838:392		
<i>Amallocerus</i> Guérin-Méneville, 1844:218		
<i>fasciata</i> Newman, 1838:393	se Brasil (MG-RJ)	
<i>spinosus</i> Guérin-Méneville, 1844:218		

- Pteroplatidius** Linsley, 1961:8
octocostatus (Bates, 1880:73) e Mexico (VC)
- Pujolia** Lane, 1973:380
Lissonomimus Viana & Martinez, 1992:28
auratopilosus (Di Iorio, 1998: 28)
megaderina Lane, 1973:382 Argentina
narcisoi Viana & Martinez, 1992:30 ec Brasil (GO), Paraguay
- Purpuricenus** Dejean, 1821:105
Cyclodera White, 1846:510
Philagathes Thomson, 1864:196
axillaris Haldeman, 1847:31 e N Amer
dimidiatus LeConte, 1884:23 sw USA (CA)
humeralis (Fabricius, 1798:143) e N Amer
linsleyi Chemsak, 1961:183 sw USA (TX)
opacus (Knoll, 1937:306) sw USA (TX)
paraxillaris MacRae, 2000: 150 e N Amer
- Rachidion** Audinet-Serville, 1834:54
Rhachidion; Germar in Guérin-Méneville, 1839:330
Rachidium; Chenu, 1870:310
Calodus Lucas, 1857:184
gagatinum (Germar, 1824:504)
nigritum Audinet-Serville, 1834:55 Brasil
obesum Newman, 1840:195 e Brasil (MG)
granulicollis Chabriac, 1857:198 ec Brasil (GO, MT, MG), Paraguay
varians Lucas, 1857:185
ramulicorne Lacordaire, 1869:213 Brasil
- Retrachydes** Huedepohl, 1985:68
thoracicus thoracicus (Olivier, 1790:300) e Brasil (GO, MT, MA-RS), Paraguay,
morio; Dalman in Schoenherr, 1817:365 (part) Bolivia, Argentina, Uruguay
virens Thunberg, 1822:306
m. testaceus Fuchs, 1961:96
subsp. densepilosus Huedepohl, 1985:72 Bolivia
subsp. sulcatus (Burmeister, 1865:162) s Brasil (MS), Bolivia, Paraguay,
Argentina, Uruguay
- Rhodoleptus** Linsley, 1962:123
comis (Bates, 1892:175) w Mexico (SO-OA)-Guatemala
femoratus (Schaeffer, 1909:384) sw USA (AZ)-w Mexico (SO, SI)
gracilior Fall, 1909:164
nigripennis Giesbert, 1993:147
umbrosus Chemsak & Linsley, 1982:391 s Mexico (CHS), Guatemala
sw Mexico (OA)
- Schizax** LeConte, 1873:195
senex LeConte, 1873:196 sw USA (CA, AZ, NM, TX)
- Scythroleus** Bates, 1885:324
picticornis Bates, 1885:325 w Mexico (SI, OA)
- Seabraellus** Huedepohl, 1985:60
gracilis Huedepohl, 1985:60 e Brasil (PB-MG), Fr Guiana
splendidior Huedepohl, 1985:63 e Brasil (BA, ES)
- Seabraia** Zajciw, 1958:257
sanguinicollis Zajciw, 1958:259 nw Brasil (AM)
zajciwi Lane, 1965:282 nc Brasil (PA)

Seabriella Zajciw, 1960:138
fasciata Zajciw, 1960:139

se Brasil (RJ)

Sphaenothecus Dupont, 1838: xii

<i>Sphenothecus</i> ; White, 1853:85	
<i>Sphenothenecus</i> ; Thomson, 1864:205	
<i>Taranomis</i> Casey, 1912:333	
<i>Iscnognemis</i> ; LeConte, 1873:316 (not Thomson, 1864)	
argenteus Bates, 1880:84	w Mexico (SI-CHS) – Costa Rica
bivittata Dupont, 1838:58	sw USA (CA-TX), Mexico-Nicaragua , n Baja Calif
<i>bilineata</i> (Gory in Guérin-Méneville, 1831: pl. 45, fig. 9)	
<i>cylindricollis</i> Casey, 1924:267	
<i>nematocera</i> Casey, 1924:268	
facetus Chemsak & Noguera, 1998:21	Guatemala, Costa Rica
maccartyi Chemsak & Noguera, 1998:20	w Mexico (JA, SI)
picticornis Bates, 1880:84	c Mexico (MI-VC, OA)
toledoi Chemsak & Noguera, 1998:19	s Mexico (CHS, OA), Honduras, Costa Rica
trilineatus Dupont, 1838:57	sw USA (TX)-Mexico(VC, SI, OA)
<i>tomentosus</i> Dupont, 1838:56	
<i>lateralis</i> Bates, 1885:329	

Steinheilia Lane, 1973:377

mandibularis Lane, 1973:379

Panama, Colombia

Stenaspis Audinet-Serville, 1834:51

<i>Smileceras</i> LeConte, 1850:8	
castaneipennis Dupont, 1838:52	sw Mexico (OA)
pilosella Bates, 1892:173	sw Mexico (GR)
plagiata Waterhouse, 1877:12	Guatemala
solitaria (Say, 1824:410)	sw USA (AZ), n Mexico (DU, SO), Baja Calif
<i>unicolor</i> Dupont, 1840:11	
<i>lugubris</i> Casey, 1912:318	
superba Aurivillius, 1908:5	Bolivia
validicornis Casey, 1912:319	sw Mexico (GR)
verticalis verticalis Audinet-Serville, 1834:52	Mexico (MO, PU, SO, VC), Honduras
<i>superbus</i> Newman, 1838:493	
subsp. arizonicus Casey, 1912:318	sw USA (AZ)
subsp. insignis Casey, 1924:262	sw USA (TX)

Stenobatyle Casey, 1912:326

<i>Leptobatyle</i> Linsley, 1935:101	
eburata (Chevrolat, 1862:755)	n Mexico (widely distributed)-Costa Rica
<i>trucidata</i> Chevrolat, 1862:755	
<i>unicostata</i> Casey, 1912:332	
gracilis Chemsak, 1980:116	w Mexico (JA, GR)
inflaticollis (Linsley, 1935:101)	Mexico (ME, GR)
miniatocollis (Chevrolat, 1862:756)	Mexico (SO-OA, VC)
<i>cribrata</i> Casey, 1912:331	
prolixa (Bates, 1892:180)	sw Mexico (JA-CHS)

Sternacanthus Audinet-Serville, 1832:172

allstoni Bates, 1870:426	nc Brasil (AM, PA)
batesi Pascoe, 1862:355	nc Brasil (PA)
picicornis Thomson, 1860:209	Peru
picticornis Pascoe, 1857:95	Ecuador, Peru, nc Brasil (AM, PA)
sexmaculatus Bates, 1870:426	nc Brasil (PA)
undatus (Olivier, 1795:32)	Guianas, nc Brasil (PA)
unifasciatus Aurivillius, 1922:162	nc Brasil (PA)

Stiphilus Buquet, 1840:172		
quadripunctatus Buquet, 1840:172	e Brasil (RJ)	
<i>quadrisignatus</i> ; Thomson, 1864:297		
Streptolabis Bates, 1867:23		
hispides Bates, 1867:23	wc Brasil (AM, RO, MT), Ecuador	
Tamenes Gounelle, 1912:133		
sarda Gounelle, 1912:134	Panama	
Trachelissa Aurivillius, 1912:449		
<i>Trachelia</i> ; Audinet-Serville, 1834:25 (not Scopoli, 1769)		
maculicollis (Audinet-Serville, 1834:26)	se Brasil (GO, MT, RJ-RS), Paraguay,	
var. <i>rufiventris</i> Gounelle, 1911:227	Argentina, Uruguay	
pustulata (Audinet-Serville, 1834:25)	e Brasil (BA-SP)	
<i>octolineata</i> Audinet-Serville, 1834:26		
rugosipennis (Gounelle, 1911:228)	e Brasil (GO, BA)	
Trachyderomorpha Tippmann, 1960:149		
notabilis Tippmann, 1960:150	Bolivia	
Trachyderes (Trachyderes) Dalman in Schoenherr, 1817:364		
armatus Monné & Martins, 1973:71	Brasil (AM, PA, RJ, SP), Paraguay	
badius Dupont, 1840:9	Colombia	
<i>spadiceus</i> Dupont, 1840: pl. 36		
cauaburi Huedepohl, 1985:101	nw Brasil (AM)	
cingulatus Klug, 1825:456	Brasil (AM, MT), Peru, Bolivia	
<i>reichii</i> Dupont, 1836:31		
<i>reichei peruvianus</i> Tippmann, 1953:323		
ab. <i>reducta</i> Tippmann, 1960:146		
distinctus Bosq, 1951:105	Bolivia, Paraguay, n Argentina (TU)	
<i>cochabambae</i> Tippmann, 1960:146		
elegans elegans Dupont, 1836:30	Mexico (ME, OA, PU, VC)-Panama , Ecuador	
<i>subpilosus</i> Bates, 1880:89		
var. <i>eximius</i> Bates, 1885:332		
subsp. <i>blandus</i> Dupont, 1840:8	Costa Rica-Colombia, Venezuela	
subsp. <i>nigerrimus</i> Huedepohl, 1985:124	Peru	
hermani Huedepohl, 1985:104	Panama, Colombia	
hilaris Bates, 1880:90	Costa Rica, Colombia, Ecuador	
<i>colombiana</i> Lane, 1973:374		
leptomerus leptomerus Aurivillius, 1908:6	Peru	
subsp. <i>batesi</i> Martins, 1975:87	Ecuador	
subsp. <i>boliviensis</i> Aurivillius, 1908:6	Peru, Bolivia	
melas Bates, 1870:432	nc Brasil (PA), Fr Guiana	
pacificus Huedepohl, 1985:117	Ecuador	
politus Bates, 1870:432	Mexico-Colombia, Venezuela, Fr Guiana	
succinctus succinctus (Linnaeus, 1758:391)	Nicaragua-Argentina, W Indies	
<i>zonarius</i> Houttuyn, 1766:566	(widely distributed)	
<i>cayennensis</i> Dupont, 1836:34		
<i>transversalis</i> Dupont, 1836:35		
<i>intermedius</i> Dupont, 1836:35		
<i>rubripes</i> Dupont, 1836:37		
<i>interruptus</i> Dupont, 1836:38		
<i>subfasciatus</i> Dupont, 1836:38		
<i>nigricornis</i> Aurivillius, 1908:6		
subsp. <i>duponti</i> Aurivillius, 1912:481	Brasil, Paraguay, Argentina	
<i>mm-ornata</i> Tippmann, 1960:146		
subsp. <i>flaviventris</i> Aurivillius, 1908:6	Peru	
<i>nigricornis</i> ; Martins, 1975:83 (not Aurivillius, 1908)		
subsp. <i>latecinctus</i> Martins, 1975:88	nw Brasil (AM)	
subsp. <i>melzeri</i> Schwarzer, 1929:363	s Brasil (MS), Paraguay, Argentina	

Trachyderes (Dendrobias) Dupont in Audinet-Serville, 1834: 41*Dendrobius*; LeConte, 1858:40

- mandibularis mandibularis** Dupont in Audinet-Serville, 1834:42 sw USA (TX-CA), nw Mexico, Baja Calif
testaceus Dupont, 1836:24
basalis Dupont, 1840:6
quadrimaculatus Dupont, 1836:22
spinicollis Bates, 1885:332
debilicollis Casey, 1912:316
peninsularis Casey, 1912:316
 subsp. **reductus** Casey, 1912:316
 subsp. **virens** Casey, 1912: 316
maxillosus Dupont in Audinet-Serville, 1834:44
steinhausenii (Huedepohl, 1987:199)

sw USA (CA,AZ), Baja Calif
sw USA (TX)
Martinique, Nicaragua (?)
Honduras, Costa Rica

Tragidion Audinet-Serville, 1834:89*Trichoscelis* Bates,1885:324

- annulatum** LeConte, 1858: 83
armatum armatum LeConte, 1858:25
 texanum Schaeffer, 1932:152
 subsp. **brevipenne** Linsley, 1957:33
auripenne Casey, 1893:586
 fulvipenne; Casey, 1893:586 (not Say, 1824)
hirsuticolle Casey, 1912:321
densiventre Casey, 1912:322
parowanum Casey, 1924:263
bicolor Bates,1885:324
carinatum Thomson, 1860:204
coquus (Linnaeus, 1758:393)
 lynceum Fabricius, 1775:191
fulvipenne Say, 1824:414
melsheimeri Germar, 1824:502
coquus filicornis Casey, 1912:323
fulvipenne nubifer Casey, 1912:323
fulvipenne levipes Casey, 1912:323
apicatum Casey, 1912:323
cyanovestis Chemsak & Linsley, 1979:268
dichromaticum Linsley, 1957:38
gracilipes Linsley, 1940:136
peninsulare peninsulare Schaeffer, 1908:339
 annulatum; Casey, 1893:856 (not LeConte, 1858)
 subsp. **californicum** Linsley, 1940:137
- sw USA (TX, AZ), n Mexico (SO), Baja Calif
sw USA (TX-CA), Baja Calif
sw USA (CA)
sw USA (AZ, NM, UT)
c Mexico (GU)
sw Mexico (OA)
e NAm-NM
Honduras
sc Mexico (MO, JA, GR)
sw USA (CA)
sw USA (CA), Baja Calif
sw USA (CA)

Triacetelus Bates, 1892:176

- Paramphionthe* Zajciw, 1964:437
emarginatus (Chevrolat, 1862:758)
sericatus Bates, 1892:176
moestula Zajciw, 1964:438
viridipennis Chemsak & Linsley, 1976:217

se Mexico (YU)
w Mexico (SI, OA, NA, ME, JA, GR)-Honduras
w Mexico (MI)

Tropidosoma Perty, 1832:85

- Allocerus* Audinet-Serville, 1832:180
bicarinatum Monné & Monné, 1998: 531
dilaticorne (Gory, 1832:384)
penniferum Bates, 1870:423
spencei (Kirby, 1818:438)

Argentina
Fr Guiana, nw Brasil (AM)
e Brasil (RJ-RS, GO), Paraguay,
Argentina, Uruguay

Tuberorachidion Tippmann, 1953:332

- lanei** Tippmann, 1953:335
pumilio (Gounelle, 1911:242)
zellibori Tippmann, 1953:334

e Brasil (MG-SP)
e Brasil (GO, BA-PR)

- Tylosis** LeConte, 1850:9
- dimidiata** Bates, 1892:177
 - hilaris** Linsley, 1957:34
 - jimenezii** Dugès, 1879:186
 - maculatus** LeConte, 1850:9
 - sellatus* LeConte, 1858:25
 - robusta* Casey, 1912:342
 - argus* Casey, 1912:342
 - sexualis* Casey, 1912:343
 - texana* Casey, 1912:343
 - subtruncata* Casey, 1912:343
 - brevicollis* Casey, 1912:344
 - medialis* Casey, 1912:344
 - medialis bifasciata* Casey, 1912:344
 - conjuncta* Casey, 1912:344
 - conjuncta parva* Casey, 1912:345
 - oculatus** LeConte, 1850:9
 - puncticollis** Bates, 1885:325
 - angusticollis* Bates, 1885:325
 - maculata;* Bates, 1880:81 (not LeConte, 1850)
 - sellata;* Bates, 1880:81 (not LeConte, 1858)
 - puncticollis arizonicus* Linsley, 1957:34
 - suturalis** White, 1853:141
 - triangularis** Monné & Martins, 1981:188
- se Mexico (YU)
Mexico
sw USA (TX)-c Mexico (CO, DU, GU)
sw USA (AZ-TX), n Mexico (SO)
- Uragus** Guérin-Méneville, 1844:230
- hamaticollis** Guérin-Méneville, 1844:231
- c Mexico (GU)
wc Mexico (DU)
- s Argentina
- Weyrauchia** Tippmann, 1953:226
- nobilis** Tippmann, 1960:142
 - viridimicans** Tippmann, 1953:227
 - ab. *rubra* Tippmann, 1960:141
- Peru
Peru
- Xylocaris** Dupont in Audinet-Serville, 1834:47
- oculata** Dupont in Audinet-Serville, 1834:48
 - elegantulus* Dupont, 1838:30
 - argentinus* Bruch, 1908:216
- se Brasil (MG-RS), Paraguay, Argentina,
Uruguay
- Zalophia** Casey, 1912:335
- funebris** (Bates, 1880:85)
 - spissicornis** Casey, 1912:336
- s Mexico (CHS), Guatemala, Ecuador
- Zenochloris** Bates, 1885:311
- barbicauda** Bates, 1892:168
 - densepunctata** Fuchs, 1976:58
 - freyi** Fuchs, 1966:36
 - paradoxa** Bates, 1885:312
 - vandykei** Linsley, 1935:92
- Mexico (GR)
Mexico (PU)
Mexico (PU)
Panama
Mexico (SI)
- Zonotylus** Gahan in Grimshaw, 1898:9
- interruptus** (Olivier, 1790:307)
- nc Brasil (PA)
- Basipterus** Fragoso, Monné & Seabra, 1987:201
- Basiptera** Thomson, 1864:204
- Baseoptera*; Gemminger & Harold, 1872:2976
 - Anosternus* Burmeister, 1879:198
 - castaneipennis** Thomson, 1864:205
 - sanguinolentus* Burmeister, 1865:162
- Paraguay, Argentina

Diastrophosternus Gounelle, 1911:233
bruchi Gounelle, 1911:234

Paraguay, n Argentina (MI, SE)

Cerambycine taxa presently without definite tribal assignment

Dolichopterus Tippmann, 1953: 335
bucki Lane, 1973:112
olivascens Lane, 1973:113
rhamnusiodes Tippmann, 1953:337

Brasil (MT), Costa Rica, Panama, Ecuador
e Brasil (MG, ES)
se Brasil (MG-SC)

Ideratus Thomson, 1864:183
cyanipennis Thomson, 1864:183

Colombia

Cerambycine taxa of uncertain identity

Callidium brevicorne Olivier, 1790:261
Callidium fulvicolle Fabricius, 1792:324
Cerambyx castaneus Voet, 1778:18
Cerambyx clavipes Forster, 1771:42
Cerambyx ferruginosus Goeze, 1777:477
Cerambyx lucidus Olivier, 1790:309
Cerambyx praepes Voet, 1778:22
Cerambyx rufus Voet, 1806:25
Cerambyx umbraticus Olivier, 1795:129
Elaphidion pusillum Haldeman, 1847:34

North America
Surinam
America
North America
America
America
America
America
Fr Guiana
NAmer

Subfamily Lepturinae Latreille, 1804:305

Rhagiidae Kirby in Richardson, 1837:178
Dérécéphalides Mulsant, 1839:212
Stenocoritae Thomson, 1864:142

Desmocerini Blanchard, 1845:163
Dorcasomides Lacordaire, 1869:456

Desmocerus Dejean, 1821:111
aureipennis aureipennis Chevrolat, 1855:187
auripennis; LeConte, 1857:23
subsp. **cribripennis** Horn, 1881:vii
subsp. **lacustris** Linsley & Chemsak, 1972:11
subsp. **piperi** Webb, 1905:104
californicus californicus Horn, 1881:vii
subsp. **dimorphus** Fisher, 1921:207
palliatus (Forster, 1771:40)
blandus Fabricius, 1775:182
cyaneus Fabricius, 1775:823
elongatus Bland, 1862:269

w USA (CA, OR)
w NAmer (Br Col, WA, OR, n CA)
nw USA (OR)
w NAmer (n Rocky Mts)
w USA (CA)
w USA (CA)
e NAmer

Necydalini Latreille, 1825:401
(Necydalinae, auct)

Atelopteryx Lacordaire, 1869:473
compsocerooides Lacordaire, 1869:474
Callisphyris Newman, 1840:1
Calliphiris; Thomson, 1864:151
apicornis Fairmaire & Germain, 1859:497

se Brasil (RJ-RS), Paraguay,
Argentina

Chile, wc Argentina (NE)

vespa Fairmaire & Germain, 1861:106	
crassus Barriga & Peña, 1994:93	Chile
ficheti Barriga & Peña, 1994:93	Chile
fritzi Cerdá, 1968:101	Chile
leptopus Philippi, 1859:673	Chile, sw Argentina (NE-SC)
<i>semicaligatus</i> Fairmaire & Germain, 1859:496	
<i>schytei</i> Philippi, 1862:412	
<i>schytthei</i> ; Philippi & Philippi, 1864:380	
macropus Newman, 1840:1	Chile, wc Argentina (NE)
<i>auriventris</i> Cerdá, 1993:13	
molorchooides (Guérin-Méneville, 1838:66)	Chile, wc Argentina (NE)
<i>annulatus</i> Philippi & Philippi, 1864:380	
odyneroides Fairmaire & Germain, 1864:385	Chile, wc Argentina (NE)
<i>uretai</i> Cerdá, 1963:3	
pepsioides Barriga & Peña, 1994:92	Chile
rufiventer Philippi, 1859:673	Chile
<i>concolor</i> Fairmaire & Germain, 1861:105	
<i>testaceipes</i> Fairmaire & Germain, 1864:286	
<i>asphaltinus</i> Fairmaire & Germain, 1859:497	
Cauarana Lane, 1974:528	se Brasil
<i>iheringi</i> (Gounelle, 1910:46)	
Hephaestion Newman, 1840:10	Chile, wc Argentina (NE)
<i>annulatum</i> Philippi, 1859:672	Chile
<i>auratum</i> Cerdá, 1968:103	Chile
<i>bullocki</i> Cerdá, 1968:102	Chile
<i>chalybeum</i> Philippi, 1865:653	Chile
<i>corralensis</i> Philippi & Philippi, 1864:379	Chile
<i>cyanopterum</i> Philippi & Philippi, 1864:377	Chile
<i>flavicornis</i> Philippi & Philippi, 1864:378	Chile
<i>fuscescens</i> Philippi & Philippi, 1864:379	Chile
<i>holomelas</i> Philippi & Philippi, 1864:379	Chile
<i>lariosi</i> Bosq, 1951:194	Chile
<i>nigricornis</i> Fairmaire & Germain, 1861:105	Chile
<i>ocreatum</i> Newman, 1840:10	Chile, wc Argentina (NE)
<i>pallidicornis</i> Fairmaire & Germain, 1859:493	Chile
<i>tolhuaca</i> Cerdá, 1995:75	Chile
<i>versicolor</i> Philippi, 1859:671	Chile
<i>violaceipennis</i> Fairmaire & Germain, 1861:105	Chile, wc Argentina (NE)
<i>iopterus</i> Philippi & Philippi, 1864:368	
Hephaestoides Zajciw, 1961:217	se Brasil (RJ)
<i>cyanipennis</i> Zajciw, 1961:218	
Mendesina Lane, 1974:526	c Brasil (GO)
<i>carinithorax</i> (Mendes, 1938:118)	
Necydalis Linnaeus, 1758:421	w USA (CA, OR)
<i>acutipennis</i> Van Dyke, 1923:51	w USA (CA)
<i>barbarae</i> Rivers, 1890:112	w Namer, nw Mexico, Baja Calif
<i>cavipennis</i> LeConte, 1873:204	w Namer
<i>diversicollis diversicollis</i> Schaeffer, 1932:152	
<i>laevicollis</i> ; Van Dyke, 1923:52 (not LeConte, 1869)	
subsp. <i>californica</i> Linsley, 1940:279	w USA (CA)
<i>laevicollis</i> LeConte, 1869:383	w Namer
<i>laevicollis seminiger</i> Linsley, 1940:277	e Namer
<i>mellita</i> (Say, 1835:194)	
<i>melitta</i> ; Hamilton, 1895:338	
<i>americanus</i> Haldeman, 1847:44	
<i>rudei</i> Linsley & Chemsak, 1972:19	w USA (CA)

Parahephaestion Melzer, 1930:192

brasiliensis (Melzer, 1923:8)
malleri (Melzer, 1930:191)
zikani (Melzer, 1923:7)

se Brasil (MG)
 s Brasil (SC)
 se Brasil (MG)

Planopus Bosq, 1953:78

laniniensis Bosq, 1953:78
lugubris Prosen, 1962:147
octaviusbarrosi Cerdá, 1968:102

Chile, wc Argentina (NE)
 Chile

Platynocera Blanchard in Gay, 1851:471

Stenorhopalus Blanchard in Gay, 1851:477
Stenorhopalus; Gemminger & Harold, 1872:2880
andina Cerdá, 1968:104
annulata Philippi & Philippi, 1864:381
bicolor Philippi, 1865:652
flavicans (Fairmaire & Germain, 1859:495)
gracilipes (Blanchard in Gay, 1851:469)
gracilis (Blanchard in Gay, 1851:478)
lepturoides Blanchard in Gay, 1851:473
macer (Newman, 1840:10)
monsalvei Cerdá, 1954:94
nigriceps Philippi, 1859:673
opaca (Fairmaire & Germain, 1859:494)
rubriceps Blanchard in Gay, 1851:472
rufofemorata (Fairmaire & Germain, 1859:494)
rugosa (Fairmaire & Germain, 1861:106)
valdiviensis Cerdá, 1995:76
virescens (Fairmaire & Germain, 1859:495)

Chile
 Chile
 Chile
 Chile
 Chile
 Chile, wc Argentina (NE)
 Chile, wc Argentina (NE)
 Chile
 Chile
 Chile, Argentina
 Chile
 Chile

Rhathymoscelis Thomson, 1860:160

batesi Lane, 1965:277
haldemani; Bates, 1885:287 (not Thomson, 1860)
dormei Gounelle, 1910:48
haldemanii Thomson, 1860:161
melzeri Costa Lima, 1922:22
peruicensis Lane, 1951:8
rothschildi Lane, 1965:281
taunayi Lane, 1936:772
wheeleri Lane, 1974:524
zikani Melzer, 1931:54

Guatemala
 se Brasil (MG)
 sw Mexico (GR)
 se Brasil (RJ)
 s Brasil (SP)
 sw Mexico (OA)
 s Brasil (SP)
 Guyana
 nw Brasil (AM)

Ulochaetes LeConte, 1854:82

leoninus LeConte, 1854:82

w NAmer (Br Col, WA, ID, OR, CA), Baja Calif

Holopterini Lacordaire, 1869:393

Holopterus Blanchard in Gay, 1851:475

annulicornis Philippi & Philippi, 1859:674
araneipes Fairmaire & Germain, 1859:500
chilensis Blanchard in Gay, 1851:476
laevigatus Philippi & Philippi, 1859:675
compressicornis Fairmaire & Germain, 1859:501

Chile, s Argentina (NE, SC)
 Chile
 Chile

Neholopterus Martins & Monné, 1998: 59

antarcticus Aurivillius, 1910:148
ochraceus Bruch, 1918:14
reedi Bruch, 1918:16
richteri Bruch, 1918:18

Argentina
 s Argentina (CT)
 w Argentina (ME)
 s Argentina (CT)

Stenophantes Burmeister, 1861: 314		
herrerai Cerdá, 1987:187		Chile
longipes Burmeister, 1861:314		Bolivia, Argentina
<i>cujanus</i> Burmeister, 1865:174		
<i>sublineatus</i> Fairmaire, 1864: 273		
martinezii Cerdá, 1980:91	w Argentina (NE)	
patagonicus Bruch, 1918:12	s Argentina (CT)	

Lepturini Latreille, 1802: 218	
<i>Encyclopini</i> LeConte, 1873:326	
<i>Rhagii</i> Boppe, 1921:14	
<i>Toxotini</i> Boppe, 1921:14	

Acmaeops LeConte, 1850:235		
<i>Gnathacmaeops</i> Linsley & Chemsak, 1972:135		
discoideus (Haldeman, 1847:60)	e Namer	
pratensis (Laicharting, 1784:172)	Namer (boreal regions)	
<i>strigilata</i> Fabricius, 1792:341		
<i>longiceps</i> Kirby in Richardson, 1837:187		
<i>semimarginata</i> Randall, 1838:30		
<i>fulvipennis</i> Mannerheim, 1853:251		
proteus proteus (Kirby in Richardson, 1837:186)	Namer (montane regions)	
<i>sublineata</i> Haldeman, 1847:60		
<i>gibbula</i> LeConte, 1861:356		
<i>pinicola</i> Schaeffer, 1908:341		
<i>parkeri</i> Casey, 1913:242		
<i>lacustrina</i> Casey, 1913:242		
<i>obsoleta</i> Casey, 1913:243		
<i>puncticeps</i> Casey, 1913:243		
<i>aurora</i> Casey, 1913:244		
<i>coloradensis</i> Casey, 1913:244		
<i>cavicornis</i> Casey, 1913:244		
<i>scutellata</i> Casey, 1924:276		
subsp. durangoensis Linsley & Chemsak, 1972:98	nw Mexico (DU)	

Acmaeopsoides Linsley & Chemsak, 1976:166		
rufula (Haldeman, 1847:60)	ne Namer	

Alosternida Podany, 1961:27		
chalybaea (Haldeman, 1847:60)	e USA	

Analeptura Linsley & Chemsak, 1976:26		
lineola (Say, 1824:421)	e Namer	
<i>indirecta</i> Newman, 1841:71		
<i>cincta</i> Haldeman, 1847:63		
<i>cincta</i> var. <i>obsoleta</i> Haldeman, 1847:63		
<i>cincta</i> var. <i>lateralis</i> Haldeman, 1847:63		

Anastrangalia Casey, 1924:280		
haldemani (Casey, 1891:42)	sw USA (AZ, NM), nw Mexico (DU)	
<i>lucifera</i> Hopping, 1922:163		
laetifica (LeConte, 1859:89)	w Namer, n Baja Calif	
<i>lugens</i> LeConte, 1859:89		
sanguinea (LeConte, 1859:89)	s Canada, w USA	
<i>boulderensis</i> Casey, 1913:252		
<i>apicata</i> Casey, 24:280		

Anoplodera (Anoploderomorpha) Pic, 1901:69
pubera (Say, 1826:279)

e N Amer

Anthophylax LeConte, 1850:326

- Anthophilax*; LeConte in Agassiz, 1850:236
- attenuatus* (Haldeman, 1847:59)
- cyaneus* (Haldeman, 1847:151)
 - malachiticus* Haldeman, 1847:64
- hoffmani* Beutenmüller, 1903:518
- viridis* LeConte, 1850:326
 - viridis viridipennis* Casey, 1918:416

se Canada, ne USA
e N Amer

Bellamira LeConte, 1873:328

- scalaris* (Say, 1826:278)
- coarctatus* Haldeman, 1847:59

e N Amer, Puerto Rico (?)

Brachyleptura Casey, 1913:247

- champlaini* Casey, 1913:254
 - vagans* Swaine & Hopping, 1928:63 (part)
- circumdata* (Olivier, 1795:32)
 - subquadrata* Casey, 1913:251
- dehiscens* (LeConte, 1859:89)
- rubrica* (Say, 1824:418)
 - erythroptera* Germar, 1824:522
- vagans* (Olivier, 1795:31)
 - brevis* Kirby in Richardson, 1837:182
 - cuneatula* Casey, 1913:253
 - fusella* Casey, 1913:254
 - puella* Casey, 1913:254
 - puella tetrica* Casey, 1913:255

e USA

e USA

w N Amer
e N Amer

e N Amer

Brachysomida Casey, 1913:219

- atra* (LeConte, 1850:323)
 - morata* Casey, 1913:222
 - aterrima* Casey, 1924:276
- bivittata* (Say, 1824:416)
 - nigripennis* LeConte, 1850:323
 - varians* LeConte, 1850:324
 - fusciceps* LeConte, 1850:324
 - incertus* Bland, 1863:321
 - oblongus* Casey, 1913:218
- californica* (LeConte, 1851:101)
 - subaeneus* LeConte, 1851:101
 - tumida* LeConte, 1857:63
 - fusca* LeConte, 1857:62
 - subcyanea* LeConte, 1857:63
 - lugens* LeConte, 1857:62
 - viola* LeConte, 1860:321
 - mollipilosa* LeConte, 1860:321
 - pinguis* LeConte, 1873:210
 - celestina* Casey, 1913:222
 - corpulenta* Casey, 1913:222
 - lanatula* Casey, 1913:224
 - francisca* Casey, 1913:225
 - californica proxima* Casey, 1913:225
 - brevicornis* Casey, 1913:226
 - trinitatis* Casey, 1913:226
 - tumidiceps* Casey, 1913:227
 - caerulea* Casey, 1913:227
 - caerulea chalybea* Casey, 1913:228
 - robustula* Casey, 1913:228
 - protensicollis* Casey, 1913:228

sw Canada, nw USA (WA-CO)

s Canada, e USA

w USA (CA, OR, WA)

<i>hirsuta</i>	Casey, 1913:228	
<i>lepidula</i>	Casey, 1913:229	
<i>versicolor</i>	Casey, 1913:229	
rugicollis	Linsley & Chemsak, 1972:135	nc USA (Rocky Mts)
vittigera	Linsley & Chemsak, 1972:127	w USA (CA)
	<i>corpulenta</i> ; Hopping, 1943:119 (not Casey, 1913)	
Centrodera	LeConte, 1850:325	
	<i>Rhamnusium</i> ; Haldeman, 1847:58	
	<i>Centrodera (Apatocephala)</i> ; Gressitt, 1947:191	
	<i>Parapachyta</i> Casey, 1913:216	
	<i>autumnata</i> Leech, 1963:173	w USA (CA)
	<i>dayi</i> Leech, 1963:178	w USA (WA, OR, n CA)
	<i>decorata</i> (Harris, 1841:93)	e NAm
	<i>rubidus</i> Haldeman, 1847:58	
	<i>decorata lacustris</i> Casey, 1918:416	
	<i>minima</i> Linsley & Chemsak, 1972:40	wc USA (CO)
	nevadica nevadica LeConte, 1873:205	w USA
	subsp. <i>arizonica</i> Linsley & Chemsak, 1972:42	sw USA (AZ)
	oculata oculata Casey, 1913:202	w USA (c CA)
	<i>nevadica</i> ; Fall, 1901:148 (not LeConte, 1873)	
	<i>arida</i> Van Dyke, 1946:89	
	subsp. <i>blaisdelli</i> Van Dyke, 1927:102	w USA (s CA)
	<i>osburni</i> Knoll, 1947:73	w USA (CA)
	quadrimaculata (Champlain & Knoll, 1922:147)	e USA (OH)
	spurca (LeConte, 1857:63)	w NAm (Br Col, WA, OR, CA, UT), Baja Calif
	<i>cervinus</i> Walker, 1866:332	
	sublineata LeConte, 1862:40	e USA
	tenera Casey, 1913:203	w USA (CA)
	<i>pilosa</i> Van Dyke, 1927:101	
Charisalia	Casey, 1913:247	
	<i>americana</i> (Haldeman, 1847:63)	e USA
Chontalia	Bates, 1872:233	
	cyanicollis Bates, 1872:233	Guatemala-Costa Rica
	<i>cyanipennis</i> ; Linsley & Chemsak, 1971:23	
	<i>cyanicolor</i> ; Linsley & Chemsak, 1971:23	
Choriolaus	Bates, 1885:283	
	<i>Euryptera</i> LeConte & Horn 1883:313 (part)	
	<i>aegrotus</i> Bates, 1885:283	sw Mexico (OA)
	<i>auratus</i> Giesbert & Wappes, 1999: 9	Guatemala
	<i>celestae</i> (Chemsak & Linsley, 1974:37)	s Mexico (CHS)
	<i>derhami</i> Chemsak & Linsley, 1976:40	sw Mexico (OA)
	<i>filiornis</i> (Linsley & Chemsak, 1971:4	s Mexico (CHS)-Honduras
	<i>flavirostris</i> (Bates, 1880:40)	Guatemala
	<i>fulveolus</i> (Bates, 1885:283)	Guatemala
	<i>gracilis</i> (Chemsak & Linsley, 1974:39)	Costa Rica
	<i>hirsutus</i> (Bates, 1885:283)	Mexico (CHS, OA, VC)
	<i>howdeni</i> Giesbert & Wappes, 1999: 8	Mexico (CH)
	<i>latescens</i> Bates, 1885:284	sw Mexico (OA)
	<i>nigripennis</i> Giesbert & Wappes, 1999: 10	Guatemala
	<i>ruficollis</i> (Pascoe, 1866:289)	Colombia
	<i>sabinoensis</i> (Knoll, 1954:129)	sw USA (AZ)
	<i>sulcipennis</i> Linsley, 1970:139	se Mexico (VC)
	<i>suturalis</i> Giesbert & Wappes, 1999: 11	Guatemala, Honduras
	<i>yucatanus</i> Giesbert & Wappes, 1999: 12	Mexico (YU, QR)
Comacmaeops	Linsley & Chemsak, 1972:88	
	<i>brunnea</i> (Knoll, 1962:107)	sw USA (TX)
	<i>parva</i> Linsley & Chemsak, 1972:89	Mexico (HI, GR)

Cortodera Mulsant, 1863: 572

<i>Acmaeops</i> LeConte, 1850:321 (part)	
<i>Leptacmaeops</i> Casey, 1913:219	
<i>Leptacmaeops</i> (<i>Acmaeopsilla</i>) Casey, 1913:240	
barri Linsley & Chemsak, 1972:120	wc USA (OR, NE, ID)
bivittata Linsley & Chemsak, 1972:121	sw USA (AZ)
coniferae Hopping & Hopping, 1947:233	sw Canada, w USA (OR, CO)
cubitalis (LeConte, 1861:355)	w USA (CA)
<i>basalis</i> LeConte, 1873:211	
<i>basalis dichroma</i> Casey, 1913:231	
<i>cuneata</i> Casey, 1913:232	
<i>auricollis</i> Casey, 1913:232	
<i>elegantula</i> Casey, 1913:232	
<i>quadrinotata</i> Casey, 1913:233	
<i>tenuis</i> Casey, 1913:233	
<i>temporalis</i> Casey, 1913:233	
<i>minima</i> Casey, 1913:234	
falsa (LeConte, 1860:80)	sw USA (CA), n Baja Calif
ferrea Linsley & Chemsak, 1972:115	sw USA (CA)
fraudis Linsley & Chemsak, 1972:121	w USA (CA, NE)
funerea Linsley & Chemsak, 1972:118	w USA (CA)
impunctata Hopping & Hopping, 1947:222	nw USA (WA, OR)
longicornis (Kirby in Richardson, 1837:185)	w N Amer
<i>dorsalis</i> LeConte, 1859:21	
<i>vincita</i> LeConte, 1861:356	
<i>ligata</i> LeConte, 1873:211	
<i>marginalis</i> LeConte, 1857:23	
<i>punctiventris</i> Casey, 1913:238	
<i>alticola</i> Casey, 1913:239	
<i>suturalis</i> Casey 1924:277	
<i>oregonensis</i> Hopping & Hopping, 1947:227	
<i>harneyensis</i> Hopping & Hopping, 1947:228	
<i>bakeri</i> Hopping & Hopping, 1947:229	
militaris militaris (LeConte, 1850:322)	w N Amer (Br Col, WA, OR, n CA)
subsp. <i>constans</i> Linsley & Chemsak, 1972:110	w USA (n CA)
subsp. <i>variipes</i> (Casey, 1891:38)	w USA (CA)
<i>berkeleyensis</i> Hopping & Hopping, 1947:226	
nitidipennis (Casey, 1913:236)	nw USA (WA, OR)
placerensis Hopping & Hopping, 1947:223	w USA (CA)
<i>sierrae</i> Hopping & Hopping, 1947:224	
robusta Hopping & Hopping, 1947:234	nw USA (WA)
spuria (LeConte, 1873:228)	nw USA (ID-CO)
stolida (Casey, 1924:277)	w USA (CA, NE)
subpilosa (LeConte, 1850:322)	w N Amer (Br Col, WA, OR, CA, UT)
<i>lupina</i> LeConte, 1860:321	
<i>intermedia</i> Casey, 1913:236	
<i>pugetana</i> Casey, 1913:237	
<i>quadriceps</i> Casey, 1913:237	
thorpi Linsley & Chemsak, 1972:123	w USA (NE)
tuberculicollis Linsley & Chemsak, 1972:118	sw USA (NM)
vanduzeei Linsley & Chemsak, 1972:122	w USA (CA)

Cyphonotida Casey, 1913:247

rostrata rostrata (Bates, 1872:183)	Colombia, w Mexico-Panama
<i>laevicollis</i> (Bates, 1880:39)	
subsp. <i>borealis</i> Linsley & Chemsak, 1976:135	sw USA (AZ), n Mexico
<i>ventralis</i> ; Casey, 1913:260 (not Horn, 1894)	
subsp. <i>ventralis</i> (Horn, 1894:401)	Baja Calif
subsp. <i>texana</i> Giesbert & Hovore, 1998: 19	TX

Dorcasina Casey, 1913:269

grossa (LeConte, 1873:225)	w USA (CA)
-----------------------------------	------------

matthewsii (LeConte, 1869:384)	w Namer (Pac Cst)
<i>macrocera</i> Casey, 1913:270	
Encyclops Newman, 1838:392	
<i>Microrhabdium</i> Kraatz, 1879:118	
<i>Microrhabdium</i> ; Plavilstshikov, 1936:108	
<i>caerulea</i> (Say, 1826:280)	e Namer
<i>pallipes</i> Newman, 1838:392	
<i>californica</i> Van Dyke, 1920:45	w USA (CA, OR)
Eurylemma Chemsak & Linsley, 1974:40	
<i>auricollis</i> Chemsak & Linsley, 1974:40	s Mexico (CHS)
Euryptera Lepeletier & Audinet-Serville in Latreille, 1828:687	
<i>albosterna</i> Chemsak & Linsley, 1974:42	Costa Rica
<i>atripennis</i> Bates, 1870:313	nw Brasil (AM)
<i>bicolor</i> Gounelle, 1911:109	c Brasil (GO)
<i>brasiliensis</i> Fuchs, 1956:568	se Brasil (RJ)
<i>latipennis</i> Lepeletier & Aud.-Serville in Latreille, 1828:688	se Brasil (ES-RS), Argentina
var. <i>virgata</i> Gounelle, 1911:107	
<i>leonina</i> Gounelle, 1911:108	c Brasil (GO)
<i>nigrosuturalis</i> Melzer, 1935:183	s Brasil (SC)
<i>unilineatocollis</i> Fuchs, 1956:567	s Brasil (SP, SC)
<i>venusta</i> Breme, 1844:311	Colombia
Evodinus LeConte, 1850:325	
<i>Brachyta</i> Fairmaire in Jacquelain du Val, 1864:185	
<i>lanhami</i> Lewis, 1976:227	nc USA (WY)
<i>monticola</i> <i>monticola</i> (Randall, 1838:27)	e Namer
<i>carolinensis</i> Casey, 1924:275	
subsp. <i>vancouveri</i> Casey, 1913:216	w Canada, Alaska, nw USA
Fortuneleptura Villiers, 1979:25	
<i>cameneni</i> Villiers, 1979:26	Martinique
Gauromes LeConte, 1850:324	
<i>cyanipennis</i> (Say, 1824:423)	e Namer
<i>laportei</i> Guérin-Méneville, 1831: pl.46, fig.6	
<i>servillei</i> Audinet-Serville, 1835:214	
<i>ione</i> Newman, 1840:30	
<i>leonardii</i> Haldeman, 1847:60	
ab. <i>canadensis</i> Podany, 1962:246	
ab. <i>aurata</i> Podany, 1962:246	
<i>thoracica</i> (Haldeman, 1847:60)	e Namer
Grammoptera Audinet-Serville, 1835:215	
<i>Parallelina</i> Casey, 1913:247	
<i>exigua</i> (Newman, 1841:73)	ne USA
<i>saucia</i> LeConte, 1862:40	
<i>haematinus</i> (Newman, 1841:73)	e Namer-Manitoba
<i>nana</i> Newman, 1841:73	
<i>ruficeps</i> LeConte, 1862:40	
<i>militaris</i> (Chevrolat, 1855:187)	w USA (CA), n Baja Calif
<i>molybdica</i> LeConte, 1873:218 (part)	
<i>molybdica</i> (LeConte, 1850:101)	w Namer
<i>rhodopus</i> (LeConte, 1874:68)	w USA (OR, CA, NE)
<i>campanifera</i> Casey, 1913:256	
<i>subargentata</i> (Kirby in Richardson, 1837:184)	Namer (boreal)
<i>similis</i> Kirby in Richardson, 1837:185	
<i>rufibasis</i> LeConte, 1862:40	
<i>quebecensis</i> Couper, 1864:88	
<i>filicornis</i> Casey, 1913:255	

Idiopidonia	Swaine & Hopping, 1928:15	
<p>pedalis</p>	(LeConte, 1861:355)	e N Amer
Judolia	Mulsant, 1863:496	
<p>cordifera</p>	(Olivier, 1795:25)	e USA
var. <i>lunaris</i>	Haldeman, 1847:59	
<i>deceptiva</i>	Casey, 1924:283	
<i>longior</i>	Casey, 1924:284	
<p>gaurotooides</p>	gaurotooides (Casey, 1893:592)	wc USA (Rocky Mts)
<i>vivarium</i>	Casey, 1924:282	
<i>knnulli</i>	Swaine & Hopping, 1928:46	
subsp. auripilis	Linsley & Chemsak, 1976:50	w USA (OR, CA, NE)
<p>impura</p>	(LeConte, 1857:64)	w USA (OR, CA)
<p>instabilis</p>	(Haldeman, 1847:59)	W N Amer, nw Mexico (DU)
<i>convexa</i>	LeConte, 1850:332	
<i>quadrata</i>	Horn, 1886:xiii (not LeConte, 1873)	
<i>flaviventris</i>	Schaeffer, 1908:342	
<i>pacifica</i>	Casey, 1913:249	
<i>trajecta</i>	Casey, 1913:250	
<p>montivagans</p>	montivagans (Couper, 1864:87)	N Amer (boreal regions)
<i>sexmaculata</i>	Kirby in Richardson, 1837:182 (not Linnaeus, 1758)	
<i>seminigra</i>	Casey, 1924:283	
subsp. barberi	(Fall, 1907:250)	w USA (OR, CA)
<p>quadrata</p>	(LeConte, 1873:225)	w Canada-nc USA (CO)
<p>scapularis</p>	(Van Dyke, 1920:43)	w USA, n Baja Calif
<i>isabellae</i>	Hopping, 1922:162	
<p>sexspilota</p>	(LeConte, 1859:80)	sw USA (CA), n Baja Calif
<i>minuta</i>	Casey, 1924:284	
<p>swainei</p>	swainei (Hopping, 1922:163)	w USA (CA), n Baja Calif
subsp. jacintana	(Linsley, 1940:256)	sw USA (CA)
Leptalia	LeConte, 1873:204	
<p>macilenta</p>	(Mannerheim, 1853:253)	w Alaska, w N Amer (Pac Cst)
<i>frankenhaeuseri</i>	Mannerheim, 1853:252	
<i>fuscollicis</i>	LeConte, 1857:65	
Leptochoriolaus	Chemsak & Linsley, 1976:47	
<p>opacus</p>	Chemsak & Linsley, 1976:47	Costa Rica
Leptorhabdium	Kraatz, 1879:118	
<p><i>Leptorrhadium</i>; Ganglbauer, 1881:686</p>		
<p><i>Leptorrhabdium</i>; Ganglbauer, 1881:716</p>		
<p><i>Psilorhabdium</i> Kraatz, 1879:118</p>		
<p>pictum</p>	(Haldeman, 1847:58)	e USA
Leptura (Leptura)	Linnaeus, 1758:397	
<p><i>Stenura</i></p>	Haldeman, 1847:62 (part)	
<p><i>Strangalia</i></p>	LeConte, 1850:327 (part)	
<p><i>Nakanea</i></p>	Ohbayashi, 1963:9	
<p>abdominalis</p>	(Haldeman, 1847:63)	e USA
<i>atrovittata</i>	Bland, 1864:255	
<p>anthracina</p>	LeConte, 1875:174	w USA (OR, CA)
<i>subcostata</i>	Fall, 1907:249	
<p>hovorei</p>	Linsley & Chemsak, 1976:103	w USA (CA)
<p>kerniana</p>	Fall, 1907:249	w USA (OR, CA)
<p>obliterata</p>	obliterata (Haldeman, 1847:62)	sw Canada (Br Col), w USA
<i>vitiosa</i>	LeConte, 1854:18	
<i>perducta</i>	Walker in Lord, 1866:333	
<i>idahoensis</i>	Casey, 1913:259	
subsp. deleta	(LeConte, 1850:328)	ne USA

subsp. <i>soror</i> LeConte, 1873:223	w USA (CA)
<i>pacifica</i> (Linsley, 1940:255)	sw USA (CA)
<i>plagifera</i> LeConte, 1873:224	w Namer
<i>plebeja</i> Randall, 1838:28	se Canada, ne USA
<i>propinquua</i> Bland, 1865:384	w Namer, Alaska
<i>regularis</i> Casey, 1913:259	
<i>miniscula</i> Casey, 1913:260	
<i>sequoiae</i> (Hopping, 1934:115)	w Namer (CA)
<i>subhamata</i> Randall, 1838:44	se Canada, ne USA
<i>interrupta</i> Newman, 1841:72	
<i>elegans</i> Haldeman, 1847:63	
<i>armata</i> Haldeman, 1847:63	
 Lepturobosca (Cosmosalia) Casey, 1913:267)	
<i>chrysocoma</i> (Kirby in Richardson, 1837:179)	Canada, w USA, n USA, n Mexico
<i>auripilis</i> LeConte, 1850:339	
<i>aureola</i> Casey, 1913:268	
<i>auripilis densepilosa</i> Casey, 1924:281	
<i>nigrolineata nigrolineata</i> (Bland, 1865:383)	wc USA (NM, CO)
subsp. <i>truxali</i> (Papp, 1955:217)	sw USA (NM)
 Lepturoopsis Linsley & Chemsak, 1976:158	
<i>biforis</i> (Newman, 1841:70)	e Namer
<i>laurentica</i> Casey, 1913:271	
<i>dolorosa</i> (LeConte, 1861:355)	w Namer (Pac Cst)
 Lycidocerus Chemsak & Linsley, 1976:44	
<i>sanguineus</i> Chemsak & Linsley, 1976:45	Costa Rica
 Lycochoriolaus Linsley & Chemsak, 1976:34	
<i>angustatus</i> (Melzer, 1935:183)	s Brasil (SC)
<i>angustisternis</i> (Gounelle, 1911:111)	c Brasil (GO)
var. <i>nigrum</i> Gounelle, 1911:112	
<i>aurifer</i> (Linsley, 1970:139)	ne Mexico (TA)
<i>costulatus</i> (Bates, 1885:284)	sw Mexico (OA, VC)
<i>lateralis</i> (Olivier, 1795:22)	se USA-TX, Mexico (TA, OA, VC)
<i>distans</i> Germar, 1824:524	
<i>flavatra</i> Blatchley, 1914:92	
<i>subintegra</i> Casey, 1924:285	
<i>lyciformis</i> (Pascoe, 1866:289)	Colombia
<i>mimulus</i> (Bates, 1885:285)	e Mexico (TA-CHS)
<i>rotundipennis</i> (Fuchs, 1956:570)	se Brasil
<i>sericeus</i> (Bates, 1885:285)	Panama
<i>similis</i> (Linsley, 1970:140)	sw Mexico (OA)
<i>xantho</i> (Bates, 1885:282)	sw Mexico (OA)
 Lycomorphoides Linsley, 1970:133	
<i>simulans</i> Linsley, 1970:133	Costa Rica, Panama
 Lygistopteroides Linsley & Chemsak, 1971:21	
<i>longipennis</i> (Bates, 1885:286)	wc Mexico (DU)
 Macrochoriolaus Linsley, 1970:134	
<i>elegans</i> Linsley, 1970:135	sw Mexico (GR)
 Megachoriolaus Linsley, 1970:128	
<i>chemsaki</i> Linsley, 1970:129	w Mexico (SI, JA, OA)
<i>cruentus</i> (Martin, 1930:70)	sw USA (AZ)
<i>cruentata</i> ; Hopping, 1937:27	
<i>cruneta</i> ; Knull, 1954:129	

flammatus (Linsley, 1961:137)	sc Mexico (MO)
ignitus (Schaeffer, 1908:341)	sw USA (AZ)
<i>breviceps</i> (Linsley, 1961:139)	
imitatrix Linsley, 1970:131	c Mexico (SLP)
lineaticollis Chemsak & Linsley, 1974:36	Panama
nigricollis Chemsak & Linsley, 1974:36	sw Mexico (OA)
patricia (Bates, 1885:286)	Mexico (VC)-Panama
<i>princeps</i> Bates, 1885:286	
spiniferus (Linsley, 1961:136)	Guatemala-Panama
texanus (Knoll, 1941:388)	sw USA (TX)
unicolor (Bates, 1892:159)	sw Mexico (GR)
 Meloemorpha Chemsak & Linsley, 1976:177	
aliena (Bates, 1880:38)	Mexico (DF, HI, ME, MI, MO, NL, VC),
var. <i>erythrogaster</i> Bates, 1885:278	Guatemala
anomala (Bates, 1885:279)	Guatemala
 Metacmaeops Linsley & Chemsak, 1972:137	
vittata (Swederus, 1787:198)	e USA
<i>quadrivittata</i> Schoenherr, 1817:497	
<i>quadrivittata</i> var. <i>pallida</i> Haldeman, 1847:65	
<i>directa</i> Newman, 1841:71	
 Mimiptera Linsley, 1961:139	
fulvella (Bates, 1885:286)	Costa Rica, Panama
<i>planicoxis</i> Bates, 1892:159	
<i>costaricensis</i> Melzer, 1935:182	
 Mordellistenomimus Chemsak & Linsley, 1976:43	
nanus (Bates, 1885:284)	Mexico, Guatemala
 Neanthophylax Linsley & Chemsak, 1972:78	
<i>Anthophilax</i> Horn in Leng, 1890:98 (part)	
mirificus (Bland, 1865:382)	w Namer (Rocky Mts), Costa Rica
<i>venustus</i> Bland, 1865:383	
<i>costaricensis</i> Bates, 1885:277	
pubicollis Linsley & Chemsak, 1972:81	wc USA (ID)
subvittatus (Casey, 1891:37)	wc USA (CO)
tenebrosus tenebrosus (LeConte, 1873:208)	w USA (OR, CA)
subsp. nigrolineatus (Van Dyke, 1917:36)	sw Canada, nw USA (WA, OR)
subsp. orientalis Linsley & Chemsak, 1972:81	nw USA (OR, UT)
 Nemognathomimus Chemsak & Linsley, 1976:42	
<i>breviceps</i> Giesbert, 1997:39	Panama
michelbacheri Chemsak & Giesbert, 1986:33	w Mexico (JA)
opacipennis Chemsak & Noguera, 1993:88	w Mexico (JA)
pallidulus (Linsley, 1935:82)	Mexico-El Salvador
<i>pubicollis</i> Linsley, 1935:83	
 Nealosterna Podany, 1961:27	
capitata (Newman, 1841:71)	e Namer
rubida (LeConte, 1873:224)	w Namer
<i>keeni</i> Casey, 1913:257	
 Neobellamira Swaine & Hopping, 1928:15	
delicata delicata (LeConte, 1874:68)	w USA (OR, CA)
subsp. australis Linsley & Chemsak, 1976:5	sw USA (CA)
 Neoleptura Thomson, 1860:153	
alpina Chemsak & Linsley, 1976:186	w Mexico (DU, SI)

auripennis Chemsak & Linsley, 1976:183	w Mexico (MI)
lecontei Thomson, 1860:153	sw Mexico (OA)
minutipunctis Chemsak & Linsley, 1976:185	sw Mexico (OA)
Noctileptura Chemsak & Linsley, 1984:281	
seriata Chemsak & Linsley, 1984:283	Guatemala
squamosa Chemsak & Linsley, 1984:282	s Mexico (CHS)
Orthochoriolaus Linsley & Chemsak, 1976:36	
chihuahuae (Bates, 1885:285)	sw USA (AZ)-w Mexico (CHA, DU)
huachuciae Schaeffer, 1905:164	
batesi Linsley, 1961:134	
Ortholeptura Casey, 1913:204	
insignis (Fall, 1907:251)	w USA (CA), n Baja Calif
obscura (Swaine & Hopping, 1928:56)	nw USA (WA, OR, ID)
valida (LeConte, 1857:64)	w NAmer (Pac Cst), n Baja Calif
oculea Casey, 1913:204	
Pachyta Dejean, 1821:112	
Argaleus LeConte, 1850:319	
Acmaeops ; Thomson, 1866:55 (not LeConte, 1850)	
Anthophylax ; Blessig, 1873:232 (not LeConte, 1850)	
Neopachyta Bedel, 1906:93	
Pachyta (Linsleyana) Podany, 1964:43	
armata LeConte, 1873:207	w USA (Pac Cst)
lamed (Linnaeus, 1758:391)	Europe, Siberia
pedella Degeer, 1775:129	
spadicea Paykull, 1800:101	
lamed ab. bohemica Sláma, 1963:55	
subsp. liturata Kirby in Richardson, 1837:178	Canada, Alaska, w USA
nitens LeConte, 1850:319	
conflagrata Motschulsky, 1860:147	
lamed americana Podany, 1964:50	
Pidonia (Pidonia) Mulsant, 1863:570	
Grammoptera ; Thomson, 1864:141 (not Audinet-Serville, 1835)	
Pseudopidonia Pic, 1900:81	
Hapalosalia Casey, 1913:200	
Pidnota ; Bayer & Shenefelt, 1969:5	
aurata (Horn, 1860:570)	e USA
densicollis (Casey, 1914:366)	e USA
ruficollis (Say, 1824:421)	e NAmer
sphaericollis Say, 1826:280	
vibex Newman, 1841:72	
allecta Newman, 1841:73	
paupercula Newman, 1841:72	
nitidicollis Horn, 1860:570	
straussi Webb, 1908:41	
vibex fragilis Casey, 1913:202	
lineicornis Casey, 1913:201	
laeviceps Casey, 1913:202	
scripta (LeConte, 1869:384)	w NAmer
Pidonia (Thesalia) Casey, 1891:36	
gnathoides (LeConte, 1873:228)	sw Canada (Br Col), w USA
lisa Leng, 1890:108	
rubriceps Casey, 1913:198	
Pidonia (Ceratopidonia) Linsley & Chemsak, 1976:119	
quadrata (Hopping, 1931:233)	sw Canada (Br Col), nw USA

Piodes	LeConte, 1850:318	
	coriacea LeConte, 1850:318	nw USA (WA, OR, ID)
Platerosida	Linsley, 1970:135	
	howdeni Linsley, 1970:137	w Mexico (DU)
Pseudogaurotina	Plaviltstshikov, 1958:720	
	<i>Gaurotes</i> Lacordaire, 1869:442 (part)	
	abdominalis (Bland, 1862:270)	se Canada, ne USA
	ab. <i>micans</i> Podany, 1962:226	
	cressoni cressoni (Bland, 1864:69)	sw Canada, wc USA (Rocky Mts)
	ab. <i>howdeni</i> Podany, 1962:237	
	ab. <i>amethystina</i> Podany, 1962:238	
	ab. <i>nigrita</i> Podany, 1962:238	
	subsp. lecontei (Casey, 1913:219)	w USA (Pac Cst)
Pseudohistomis	Linsley & Chemsak, 1971:35	
	pallida (Bates, 1872:183)	Nicaragua
Pseudostrangalia	Swaine & Hopping, 1928:24	
	cruentata (Haldeman, 1847:64)	e NAmer-TX
	maneii Casey, 1914:367	
Pseudotypocerus	Linsley & Chemsak, 1971:34	
	ater Chemsak & Linsley, 1981:486	Costa Rica
	inflaticollis Chemsak & Linsley, 1976:174	Panama
	nitidicollis Chemsak & Linsley, 1976:172	El Salvador
	proxater Giesbert, 1997:17	Panama
	pubipennis Bates, 1885:279	Guatemala
	rufiventris (Bates, 1872:183)	Mexico (VC)-Panama
	virescens Chemsak & Linsley, 1976:173	Costa Rica, Panama
	auricornis Chemsak & Linsley, 1981:488	
	vittatus Chemsak & Linsley, 1981:487	Panama
Pseudoxystosteus	Sama, 1993:12	
	ornatus (LeConte, 1873:205)	w USA (OR, CA)
Pygoleptura	Linsley & Chemsak, 1976:59	
	brevicornis (LeConte, 1873:226)	w USA (OR, CA)
	carbonata (LeConte, 1861:355)	sw Canada (Br Col), w USA
	nigrella nigrella (Say, 1826:279)	Canada, Alaska, n USA
	lacustris Casey, 1891:43	
	praestans Casey, 1913:267	
	serricornis Casey, 1924:279	
	subsp. oregonensis Linsley & Chemsak, 1976:62	nw USA (OR)
Pyrotrichus	LeConte, 1862:41	
	vitticollis LeConte, 1862:41	w NAmer (Pac Cst)
	cribripennis Casey, 1913:198	
Rhagium	Fabricius, 1775:182	
	<i>Stenocorus</i> Geoffroy, 1762:221	
	<i>Stenocorus</i> ; Lamarck, 1817:312	
	<i>Hargium</i> Samouelle, 1819:210	
	<i>Harpium</i> ; Reitter, 1912:6	
	<i>Allorhagium</i> Kolbe, 1884:270	
	inquisitor inquisitor (Linnaeus, 1758:393)	Holarctic: NAmer (boreal regions)
	lineatus Olivier, 1795:13	
	investigator Mannerheim, 1852:283	

californicum Casey, 1913:195
crassipes Casey, 1913:195
parvicorne Casey, 1913:195
boreale Casey, 1913:195
cariniventre Casey, 1913:196
thoracicum Casey, 1913:196
montanum Casey, 1913:197
mexicanum Casey, 1913:197
canadense Podany, 1964:30
americanum Podany, 1964:32
quadricostatum Podany, 1964:34
nigra Podany, 1978:4

Sachalinobia Jacobson, 1899:39

Pseudopachyta Swaine & Hopping, 1928:16
rugipennis (Newman, 1844:476)

e Canada, ne USA

Stenelytrana Gistl, 1848: 132

Leptura (Stenura) Dejean, 1837:381 nec Cuvier, 1829, Aves
Leptura (Megaleptura) Casey, 1913:267
emarginata (Fabricius, 1787:158)
gigas (LeConte, 1873:223)
splendens (Knoll, 1935:191)
? *bonaerensis* (Burmeister, 1865:177)

e USA
sw USA (TX), n Mexico (CHA)
sw USA (AZ)
Argentina (?)

Stenocorus Geoffroy, 1762:221

Stenochorus; Reitter, 1912:6
Toxotus Dejean, 1821:112
Anisorus Mulsant, 1863:467
Minaderus Mulsant, 1863:467
Toxotochorus Reitter, 1907:208
Stenocorus (Toxotopsis) Casey, 1913:206
Stenocorus (Eutoxotus) Casey, 1913:206
alteni Giesbert & Hovore, 1998: 16
cinnamopterus (Randall, 1838:45)
aesculi Haldeman, 1847:59
copei Linsley & Chemsak, 1972:54
cylindricollis (Say, 1824:417)
dives Newman, 1841:68
atratus Haldeman, 1847:58
dentipennis Haldeman, 1847:58
flavolineatus (LeConte, 1854:18)
flavolimbatus; LeConte, 1857:23
nubifer (LeConte, 1859:80)
lateralis Casey, 1891:37
pacificus Casey, 1913:209
tenellus Casey, 1913:210
hesperus Casey, 1913:210
parviceps Casey, 1913:210
truncatulus Casey, 1913:211
apiciventris Casey, 1913:211
rufipennis Casey, 1913:212
plagiatus Casey, 1924:273
uteanus Casey, 1924:273
marginellus Casey, 1924:274
morio Casey, 1924:274
spinosus Hopping, 1940:32
obtusus (LeConte, 1873:206)
brevicollis Casey, 1913:214
schaumii (LeConte, 1850:320)
schaumii var. *croceus* Leng, 1890:68

CA
ne USA-TX
sw USA (NM)
e NAm

sw Canada (Br Col), nw USA

w NAm

sw Canada, nw USA

se Canada, ne USA

testaceus Linsley & Chemsak, 1972:51	wc USA (UT)
trivittatus (Say, 1824:422)	sc Canada, nc USA
vestitus (Haldeman, 1847:59)	w Namer
<i>vestitus</i> var. <i>ater</i> Leng, 1890:68	
<i>virgatus</i> LeConte, 1874:67	
<i>aureatus</i> Casey, 1913:213	
<i>aureatus gilvicornis</i> Casey, 1913:213	
<i>sericatus</i> Casey, 1913:213	
<i>subpinguis</i> Casey, 1913:213	
<i>oregonensis</i> Casey, 1913:214	
<i>flaccidus</i> Casey, 1913:212	
vittiger (Randall, 1838:29)	se Canada, ne USA
<i>trivittatus</i> ; Haldeman, 1847:58 (not Say, 1824)	
<i>trivittatus</i> var. <i>nigripes</i> Haldeman, 1847:58	
<i>virgatus</i> ; Leng, 1890:69 (not LeConte, 1874)	
Stenostrophia Casey, 1913:248	
amabilis (LeConte, 1857:64)	sw Canada (Br Col), w USA
coquilletti (Linell, 1897:398)	sw USA (CA)
tribalteata tribalteata (LeConte, 1873:224)	w USA (CA, NE)
subsp. serpentina (Casey, 1891:41)	w Namer (Rocky Mts)
subsp. sierrae Linsley & Chemsak, 1976:113	w USA (CA, OR)
Stictoleptura Casey, 1924:280	
<i>Corymbia</i> Des Gozis, 1886:33; nec Walker, 1865	
<i>Aredolpona</i> Nakane & N. Ohbayashi, 1957:50	
<i>Melanoleptura</i> Miroshnikov, 1998: 594	
<i>Paracorymbia</i> subgen. <i>Batesiata</i> Miroshnikov, 1998: 594	
canadensis canadensis (Olivier, 1795:8)	se Canada, ne USA
<i>erythroptera</i> Kirby in Richardson, 1837:180	
<i>cinnamoptera</i> Haldeman, 1847:64	
<i>tenuicornis</i> Haldeman, 1847:64	
subsp. cribripennis (LeConte, 1859:21)	w Canada - CA
<i>coccinea</i> LeConte, 1873:226	
<i>canadensis</i> form <i>ebena</i> Leng, 1890:197	
<i>cribripennis</i> <i>divisa</i> Casey, 1924:281	
subsp. arizonensis Linsley & Chemsak, 1976:144	sw USA (AZ, NM)
Strangalepta Casey, 1913:247	
abbreviata (Germar, 1824:523)	e Namer
<i>vittata</i> ; Olivier, 1792:523 (not Swederus, 1787)	
<i>semivittata</i> Kirby in Richardson, 1837:183	
<i>gulosa</i> Kirby in Richardson, 1837:184	
<i>nitidipennis</i> Provancher, 1877:616	
<i>vittata</i> var. <i>saratogensis</i> Rau, 1935:63	
Strangalia Audinet-Serville, 1835:220	
<i>Ophistomis</i> Thomson, 1857:319	
<i>Ophiostomis</i> ; Gemminger & Harold, 1872:2875	
<i>Strangalina</i> Aurivillius, 1912:245	
acuminata (Olivier, 1795, 20)	e Namer
<i>emaciata</i> ; Newman, 1841:68 (not Bates, 1880)	
<i>unicolor</i> Haldeman, 1847:62	
albicollis (Pascoe, 1860:63)	
<i>anneae</i> Chemsak & Linsley, 1981:490	n Brasil (PA), Ecuador
<i>antennata</i> Schaeffer, 1908:342	Costa Rica, Panama
<i>auriflua</i> (Redtenbacher, 1867:190)	sw USA (AZ)
<i>auripilis</i> Chemsak, 1969:6	se Brasil (ES, RJ)
<i>beieri</i> Giesbert, 1997:21	w Mexico (DU, SI)
<i>beltii</i> (Bates, 1872:182)	Mexico (CHS)
<i>maculifrons</i> Giesbert, 1985:276	Nicaragua-Panama
benitoespinali Chalumeau, 1985:148	W Indies (Montserrat I.)

- biannulata** (Linsley, 1935:83)
bicolor (Swederus, 1787:197)
bicolorata; Terton, 1806:352
bicolor Say, 1824:418
simulans Casey, 1913:278
- bicolorella** Chemsak, 1969:2
pulchra Chemsak, 1969:5
- bivittata** (Bates, 1870:311)
- bonfilsii** Villiers, 1979:24
- brachialis** (Bates, 1885:280)
nigrita Linsley, 1935:110
- cambreii** Linsley & Chemsak, 1976:20
- cantharidis** (Chemsak & Linsley, 1976:174)
- caviventra** Chemsak, 1969:8
- caevei** Chemsak & Linsley, 1981:489
- dimidiata** (Redtenbacher, 1867:189)
var. *atra* Gounelle, 1911:107
dimidiata (Chemsak & Linsley, 1981:487)[hom.]
- discophora** (Redtenbacher, 1867:191)
- dolicops** Chemsak, 1969:3
- doyeni** Chemsak & Linsley, 1976:223
- eickworti** Chemsak & Noguera, 1997:12
- elegans** Giesbert, 1997:22
- emaciata** (Bates, 1880:39)
- famelica famelica** Newman, 1841:68
obsoleta Haldeman, 1847:61
obsoleta var. *flaviceps* Haldeman, 1847:61
var. *confluenta* Haldeman, 1847:61
ochreipennis Casey, 1913:278
subsp. **solitaria** Haldeman, 1847:61
- flavocincta** (Thomson, 1860:155)
- flavovittata** (Melzer, 1926:10)
rustica Melzer, 1926:10
- fulvicornis** (Bates, 1872:183)
- guindoni** Giesbert, 1989:463
- hamatipes** Giesbert, 1986:140
- hondurae** Chemsak & Linsley, 1979:271
- hovorei** Giesbert, 1997:24
- instabilis** Giesbert, 1985:285
- insularis** (Fisher, 1932:56)
- irene** (Gounelle, 1911:103)
- lachrymans** (Bates, 1885:280)
- lapidicina** Giesbert, 1997:25
- latifasciata** (Melzer, 1926:9)
- luteicornis** (Fabricius, 1775:197)
aversa Casey, 1913:277
caroliniae Casey, 1913:277
- lyrata** (Redtenbacher, 1867:190)
- melampus** (Bates, 1885:280)
histrio Bates, 1885:281
- melanophthisis** (Berg, 1889:107)
- melanostoma** (Bates, 1870:312)
- melanura** (Redtenbacher, 1867:189)
var. *furcata* Melzer, 1930:191
var. *nigripennis* Melzer, 1930:191
- montivaga** Chemsak & Linsley, 1976:226
- monzoni** Giesbert, 1997:27
- occidentalis** Linsley & Chemsak, 1976:15
- ochroptera** (Bates, 1870:312)
- opleri** Chemsak & Linsley, 1976:227
- palaspina** Chemsak, 1969:3
- pallifrons** Giesbert, 1997:28
- panamensis** Giesbert, 1985:278
- paraensis** (Bates, 1870:311)
- sc Mexico (ME, GR, MO, OA)
e USA-Colorado
- w Mexico (SI, JA, CM)
- nw Brasil (AM), Ecuador
Guadeloupe
Mexico (CHS, OA, QR, VC)-Belize
- se USA (MS)
Costa Rica, Panama
w Mexico (JA, OA, CHS)
El Salvador
se Brasil (GO, RJ-RS), Argentina,
Uruguay
Panama
- se Brasil (ES, RJ)
sw Mexico (OA, CHS), Guatemala
w Mexico (JA, OA, CHS), Guatemala
Mexico (CHS)
Mexico (VC), Costa Rica
Costa Rica
e USA
- se USA
se Brasil (ES)
se Brasil (MG-PR)
- se Brasil, Uruguay, Argentina
Costa Rica, Panama
w Mexico (JA-CHS)
Honduras
Costa Rica
Costa Rica, Panama
W Indies (Dominica)
c Brasil (GO)
Guatemala
Guatemala
se Brasil (RJ, SP)
e NAmer-TX
- se Brasil (RJ)
Guatemala
- Argentina, Uruguay
nw Brasil (AM)
se Brasil
- wc Mexico (DU, SI)-El Salvador
Guatemala
sw USA (AZ), nw Mexico (CHA)
nw Brasil (AM)
Guatemala, Costa Rica
w Mexico (SI, NA, JA)-Guatemala
Guatemala
Panama
n Brasil (PA)

pectoralis (Bates, 1885:282)	Mexico (CHS, OA, VC)-Belize
picticornis (Bates, 1869:384)	Nicaragua-Panama
<i>felix</i> Bates, 1885:282	
pseudocantharidis Giesbert, 1985:284	Costa Rica, Panama
ruginosa (Gounelle, 1911:105)	c Brasil (GO)
rubricollis (Bates, 1870:312)	nw Brasil (AM), Peru
sallaei (Bates, 1885:280)	Mexico
saltator (Bates, 1885:281)	Costa Rica, Panama
semifulva (Bates, 1870:313)	nw Brasil (AM)
sexnotata Haldeman, 1847:61	s USA (FL-AZ)
<i>montana</i> Casey, 1891:40	
<i>texana</i> Casey, 1913:276	
<i>evanescens</i> Casey, 1913:276	
sinaloae Chemsak & Linsley, 1981:490	w Mexico (SI)
<i>gracilis</i> ; Chemsak, 1969:7 (not Gressitt, 1934)	
splendida (Aurivillius, 1920:361)	nw Brasil (AM)
strigosa Newman, 1841:68	se USA (FL)
suavis (Melzer, 1926:7)	nw Brasil (AM)
succincta (Redtenbacher, 1867:190)	se Brasil (RJ)
thoracica (Fleutiaux & Sallé, 1889:465)	Guadeloupe
tristis (Melzer, 1922:5)	se Brasil (MG-SC)
variabilis (Melzer, 1926:8)	se Brasil (RJ-SC)
virilis LeConte, 1873:212	sc USA (TX, OK)
westcotti Chemsak & Linsley, 1976:231	w Mexico (NA)
xanthotela (Bates, 1892:158)	sw Mexico (GR)
zacapensis Giesbert, 1997:30	Guatemala
zikani (Melzer, 1922:5)	se Brasil (MG-SC)
Strangalidium Giesbert, 1997:34	Panama
<i>chemsaki</i> Giesbert, 1997:35	Guatemala (?), Costa Rica, Panama
<i>kunaium</i> Giesbert, 1997:36	Panama
<i>linsleyanum</i> (Giesbert, 1986:142)	Nicaragua-Panama
<i>linsleyi</i> ; Giesbert, 1985:280 (not Gressitt, 1951)	
<i>nigellum</i> (Bates, 1872:233)	
Strophiona Casey, 1913:248	w USA (WA-CA-NM)
<i>laeta</i> (LeConte, 1857:64)	e NAm-CO
<i>ostenta</i> Casey, 1913:265	
<i>nitens</i> (Forster, 1771:45)	
<i>zebra</i> ; Provancher, 1877:614 (not Olivier, 1795)	
<i>zebrata</i> ; Haldeman, 1847:62 (not Fabricius, 1801)	
<i>quagga</i> Germar, 1824:521	
<i>bellina</i> Casey, 1913:265	
<i>tigrina</i> Casey, 1913:266	w USA (WA, OR, CA), n Baja Calif
<i>reducta</i> Casey, 1913:266	
Tomentgaurotes Podany, 1962:242	Mexico (DF, HI, ME, PU, OA, VC)
<i>batesi</i> (Aurivillius, 1912:194)	Mexico (HI, CHS)
<i>donacioides</i> Bates, 1880:37	Mexico (GR, PU)
<i>batesi</i> m. <i>mexicana</i> Podany, 1962:243	
<i>maculosus</i> (Bates, 1885:277)	Mexico
<i>multiguttatus</i> (Bates, 1892:158)	Mexico (OA, VC)
ab. <i>nigrita</i> Podany, 1962:244	
<i>ochropus</i> (Bates, 1880:37)	
<i>plumbeus</i> Chemsak & Linsley, 1963:85	
Toxoleptura Miroshnikov, 1998:411	w USA (s CA)
<i>pernigra</i> (Linell, 1897:397)	w NAm, s Alaska
<i>vexatrix</i> (Mannerheim, 1853:250)	
<i>quadrillum</i> LeConte, 1859:88	
<i>convolvens</i> Casey, 1913:250	

Trachysida Casey, 1913:271

- aspera aspera** (LeConte, 1873:228)
 var. *parkeri* Hippisly, 1922:66
 subsp. **brevifrons** (Howden, 1959:158)
 subsp. **rufescens** Linsley & Chemsak, 1976:117
mutabilis (Newman, 1841:71)
luridipennis Haldeman, 1847:63
quadricollis LeConte, 1850:339
laetitia Provancher, 1877:620
mutabilis ab. *provancheri* Aurivillius, 1912:223
- Alaska-w USA (OR, CO, NM)
- se Canada, ne USA (MI, NY)
 w USA (CA)
 e NAm-sc Canada (Alberta)

Trigonarthris Haldeman, 1847:65

- Leptura (Cercolia)* Casey, 1913:268
atrata (LeConte, 1850:339)
liebecki Hopping, 1922:164
minnesotana (Casey, 1913:269)
proxima (Say, 1824:420)
subpubescens Kirby in Richardson, 1837:180
kempiana Casey, 1924:281

se USA-TX, KS
 e NAm
 e NAm

Typocerus LeConte, 1850:333

- acuticauda acuticauda** Casey, 1913:274
thoracicus Casey, 1913:274
 subsp. **standishi** Knull, 1938:141
oklahomensis Hopping, 1940:33 (part)
badius (Newman, 1841:69)
balteatus Horn, 1878:55
 subsp. **diana** Lewis, 2001: 11
confluens Casey, 1913:272
caligans Casey, 1913:273
deceptus Knull, 1929:144
fulvocinctus Knull, 1956:338
flavocinctus; Linsley & Chemsak, 1976:84
gloriosus Hopping, 1922:166
lugubris (Say, 1824:419)
lunulatus lunulatus (Swederus, 1787:197)
arcuata Olivier, 1795:32
lunata Fabricius, 1801:360
lunatus fractus Hoffman, 1958:220
 subsp. **texanus** Linsley & Chemsak, 1976:84
octonotatus (Haldeman, 1847:62)
sinuatus; LeConte, 1850:335 (not Newman, 1841)
arapahoe Casey, 1924:278
serraticornis Linsley & Chemsak, 1976:69
sinuatus (Newman, 1841:70)
brunnicornis LeConte, 1873:214
brunnicornis inflatus Knull, 1959:47
sparsus LeConte, 1878:614
velutinus velutinus (Olivier, 1795:18)
fugax Fabricius, 1798:153
tenuior Kirby in Richardson, 1837:181
manitobensis Swaine & Hopping, 1928:35
 subsp. **nobilis** (Newman, 1841:69)
trimaculatus Champlain & Knull, 1922:304
oklahomensis Hopping, 1940:33 (part)
zebra (Olivier, 1795:19)
zebrata Fabricius, 1801:364
carolina Weber, 1801:91
aurigera Newman, 1841:70
- e NAm
 sc USA (KS-TX-MS)
 se USA (GA, FL)
 wc NAm
 sw USA (TX)
 c USA
 ec USA
 se USA (FL)
 wc USA (CO, UT, NM, AZ)
 e NAm
 e USA
 sc USA (LA, TX, AR)
 e, c USA
 wc USA (UT, ID, NE)
 se USA-NM, CO
 sc Canada, nc USA (Great Lakes)
 e NAm
 se USA-GA, OK
 e USA-TX

Vesperoctenus Bates, 1891:159

- flohri** Bates 1891:160
- w Mexico (DU), Baja Calif

Xestoleptura Casey, 1913:248

- behrensi** (LeConte, 1873:227)
- cockerelli** (Fall, 1907:251)
- crassicornis** (LeConte, 1873:227)
 - corusca* Casey, 1913:261
- crassipes** (LeConte, 1857:65)
 - xanthogaster* LeConte, 1859:88
 - fasciventris* LeConte, 1861:355
 - crassipes shastana* Casey, 1913:263
 - muliebris* Casey, 1913:263
 - vancouveri* Casey, 1913:263
- octonotata** (Say, 1824:419)
 - stictica* Newman, 1841:72
 - quadripunctata* Haldeman, 1847:64
- tibialis** (LeConte, 1850:236)
 - hirtella* LeConte, 1873:226
 - columbica* Casey, 1913:261
 - miquelonensis* Pic, 1922:11
 - pictipennis* Casey, 1924:285

sw Canada (Br Col), w USA

wc USA (AZ, UT, CO, NM)

w USA-ID

w NAmer

e NAmer

s Canada, nw USA, Rocky Mts