

Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere

M. A. Monné & F.T. Hovore - Electronic Version, 2002.1

Part Two: Lamiinae through Disteniinae

Subfamily Lamiinae

Latreille, 1825:401

Clinocephalides Mulsant, 1839:115

Parmenini

Mulsant, 1839:118

- Cleptonotus** Breuning, 1950:142
albomaculatus (Blanchard in Gay, 1851:509) Chile
subarmatus (Fairmaire & Germain, 1859:516) Chile
- Cleptosoma** Breuning, 1950:141
clavipes (Blanchard in Gay, 1851:510) Chile
- Cupeyalia** Zayas, 1975:167
subterranea Zayas, 1975:168 Cuba
- Echthistatus** Pascoe, 1862:352
spinosus Pascoe, 1862:353 sc Mexico (OA)
- Gracililamia** Breuning, 1961:141
ecuadorensis Breuning, 1961:142 Ecuador
- Hoplocleptes** Breuning, 1947:5
humidens Breuning, 1947:6 Chile
- Hoplonotus** Blanchard in Gay, 1851:507
spiniferus Blanchard in Gay, 1851:508 Chile
- Ipochus** LeConte, 1852:166
fasciatus LeConte, 1852:167 w USA (CA), Baja Calif
pubescens Casey, 1891:45
subnitidus Casey, 1891:45
hispidus Casey, 1913:279
parvulus Casey, 1913:280
pinicola Casey, 1913:280
globoicollis Casey, 1913:280
catalinae Casey, 1913:281
insularis Blaisdell, 1925:340 Baja Calif (San Benito I.)
- Maisi** Zayas, 1975:168
fisheri Zayas, 1975:169 Cuba
- Mecynome** Bates, 1885:335
Caudelytra Franz, 1954:221
aenescens Bates, 1885:335 s Mexico, Guatemala, El Salvador
quadrispinosa Franz, 1954:222
- Microcleptes** Newman, 1840:11
aranea Newman, 1840:11 Chile
hemisphaerica Blanchard in Gay, 1851:510
blanchardii Thomson, 1867:21
variolosus Fairmaire & Germain, 1859:520 Chile
globulosus Thomson, 1867:22
sphaeroides Thomson, 1867:22

- Nanilla** Fleutiaux & Sallé, 1889:467
delauneyi Fleutiaux & Sallé, 1889:467 Guadeloupe
globosa Zayas, 1975:171 Cuba
terrestris Zayas, 1975:172 Cuba
tuberculata Fisher, 1935:196 Cuba
- Neoplectrura** Chemsak & Linsley, 1983:228
breedlovei Chemsak & Linsley, 1983:228 sc Mexico (GR)
- Parananilla** Breuning, 1956:665
mexicana Breuning, 1956:665 sw Mexico (GR)
- Parechthistatus** Giesbert, 2001: 9
hawksi Giesbert, 2001: 9 Honduras
- Parmenosoma** Schaeffer, 1908:343
griseum Schaeffer, 1908:344 sw USA (TX)
villosa (Bates, 1885:335) Mexico
- Plectrura** Mannerheim, 1852:365
spinicauda Mannerheim, 1852:366 w Namer (Alaska-n CA)
producta LeConte, 1854:19
- Plaumanniella** Fisher, 1938:136
novateutoniae Fisher, 1938:137 s Brasil (SC)
- Schreiteria** Melzer, 1933:459
bruchi Melzer, 1933:460 n Argentina (TU)
- Tuberolamia** Breuning, 1940:408
andicola Breuning, 1940:409 Peru
- Moneilemini**
 Thomson 1864:43
- Moneilema** Say, 1824:403
Monilema; LeConte, 1852:167
Collapteryx Newman, 1838:397
Collapterix; Thomson, 1857:326
Omoscydon Thomson, 1867:74
Monoplesa Motschulsky, 1875:144
- albopictum** White, 1856:407 sc Mexico (PU, ME, OA)
laevadorsale White, 1856:407
albotessellata Thomson, 1857:189
carinatum Thomson, 1857:189
lecontei Thomson, 1860:25
infamiae Thomson, 1867:79
mortuale Thomson, 1867:80
perforatum Thomson, 1867:80
sinistrum Thomson, 1867:81
- annulatum** Say 1824:404 w Canada, w USA
nubecula Casey, 1913:282
nubecula demissa Casey, 1913:282
annulatum var. *montanum* Psota, 1930:121
puncticolle Psota, 1930:121
angulatum Psota, 1930:122
hybridum Psota, 1930:123
- appressum** LeConte, 1852:168 sw USA (AZ-CO, TX), n Mexico (SO)
microsticta Casey, 1913:283
cylindricollis Casey, 1913:283
corrugans Casey, 1913:284
corrugans ovipennis Casey, 1913:284
corpulentum Knaus, 1925:183

| | |
|---------------------------------------------------------|-------------------------------------------|
| <i>nigriventris</i> Fisher, 1926:215 | |
| <i>vittatum</i> Fisher, 1928:3 | |
| <i>parahybrida</i> Psota, 1930:124 | |
| <i>appressum</i> var. <i>scabrum</i> Psota, 1930:125 | |
| <i>rinconi</i> Psota, 1930:126 | |
| <i>alpinum</i> Psota, 1930:126 | |
| <i>texanum</i> Psota, 1930:127 | |
| <i>corrugans</i> var. <i>arizonicum</i> Psota, 1930:128 | |
| <i>duncani</i> Psota, 1930:128 | |
| armatum LeConte, 1853:234 | sc USA, nc Mexico (CO) |
| <i>crassum</i> LeConte, 1853:234 | |
| <i>laevigatum</i> Bland, 1862:267 | |
| <i>simplicicornis</i> Casey, 1913:286 | |
| <i>simplicicornis grylliceps</i> Casey, 1913:287 | |
| <i>rector</i> Casey, 1913:287 | |
| <i>solida</i> Casey, 1913:288 | |
| <i>femoralis</i> Casey, 1913:288 | |
| <i>obesa</i> Casey, 1924:287 | |
| <i>convexa</i> Casey, 1924:289 | |
| <i>rugosipennis</i> Fisher, 1928:2 | |
| <i>isolatum</i> Psota, 1930:132 | |
| <i>punctatum</i> Psota, 1930:133 | |
| <i>walsenburgii</i> Psota, 1930:140 | |
| aterrimum Fisher, 1931:198 | c Mexico (SLP) |
| blapsides blapsides (Newman, 1838:397) | c Mexico (DU, ME) |
| subsp. ulkei Horn, 1885:188 | sc USA, ne Mexico (TA) |
| <i>pleuralis</i> Casey, 1913:287 | |
| <i>mundelli</i> Fisher, 1931:200 | |
| crassipes Fisher, 1931:197 | ne Mexico (TA) |
| ebeninum Bates, 1885:336 | Mexico |
| gigas LeConte, 1873:230 | sw USA (AZ, UT)-w Mexico (SI), Baja Calif |
| <i>spinicollis</i> Casey, 1891:45 | |
| <i>constricta</i> Casey, 1913:285 | |
| <i>pimalis</i> Casey, 1913:285 | |
| <i>uteana</i> Casey, 1913:285 | |
| <i>pollens</i> Casey, 1913:286 | |
| <i>giganteum</i> Craighead, 1923:103 | |
| <i>plectralis</i> Casey, 1924:286 | |
| <i>colossus</i> Casey, 1924:289 | |
| longipes White, 1856:407 | Baja Calif |
| manni Psota, 1930:139 | c Mexico (HI) |
| mexicanum Fisher, 1926:215 | c Mexico (HI) |
| micelbacheri Linsley, 1942:67 | Baja Calif |
| opuntiae Fisher, 1928:1 | c Mexico (SLP) |
| punctipennis Fisher, 1926:216 | sc Mexico (PU) |
| rugosissimum Casey, 1924:288 | Baja Calif |
| semipunctatum LeConte, 1852:167 | w USA, n Baja Calif |
| <i>forte</i> LeConte, 1873:230 | |
| <i>obtusum</i> LeConte, 1873:230 | |
| <i>armigera</i> Motschulsky, 1875:146 | |
| <i>scabra</i> Motschulsky, 1875:146 | |
| <i>spoliatum</i> Horn, 1885:186 | |
| <i>shantzi</i> Casey, 1924:286 | |
| subrugosum Bland, 1862:268 | Baja Calif |
| <i>opaca</i> Casey, 1913:289 | |
| <i>lateralis</i> Casey, 1924:287 | |
| variolare Thomson, 1867:77 | c Mexico (SLP, ME) |
| wickhami Psota, 1930:138 | nc Mexico (DU) |

Lamiini

Latreille, 1825:401

Taeniotitae Thomson, 1864:76

Monochamitae Thomson, 1860:96

Agniitae Thomson, 1864:83

Potemnemini Aurivillius, 1922:117

- Anoplophora** Hope, 1839:439
Melanauster Thomson, 1868:181
Cyriocrates Thomson, 1868:181
Micromelanauster Pic, 1931:49
glabripennis (Motschulsky 1853:48) Asia, introduced in e USA
laevigator Thomson, 1857:297
angustatus Pic, 1925:21
nankineus Pic, 1926:5
laglaisei Pic, 1953:3
- Chyptodes** Dillon & Dillon, 1941:50
Parataeniotes Breuning, 1943:253
albosuturalis Fuchs, 1961:96 Guatemala
dejeani (Thomson, 1865:556) wc Mexico (JA, CM, MO, GO)
- Deliathis** Thomson, 1860:101
batesi Gahan, 1888:398 sw Mexico (JA, GR)
bifurcatus Dillon & Dillon, 1941:113 Honduras
buqueti (Tasté, 1841:14) e Mexico (VC), Belize, Honduras
buquetii var. *mira* Gahan, 1888:398
diluta Gahan, 1892:257 sw Mexico (GR)-Nicaragua
flavis Dillon & Dillon, 1941:111 s Mexico (CHS)
impluviatus (Lacordaire, 1869:324) e Mexico (VC), Guatemala
poecilodryas Bates, 1880:99
incana (Forster, 1771:38) s Mexico (CA, YU)
vittator Fabricius, 1775:173
magnifica Voet, 1778:14
nigrovittata Breuning, 1980:69 c Mexico (ME)
nivea Bates, 1869:388 Guatemala-Panama
nivea var. *detersa* Bates, 1885:338
nivea var. *inermis* Aurivillius, 1922:104
parincana Breuning, 1971:288 Mexico
pulchra Thomson, 1865:554 e Mexico (VC), Guatemala
quadritaeniator (White, 1846:48) Costa Rica-Colombia, Venezuela,
pazii Rojas, 1856:565 Ecuador
superbus Franz, 1954:223 Guatemala, El Salvador
- Goes** LeConte, 1852:150
debilis LeConte, 1852:150 e NAmer
fisheri Dillon & Dillon, 1941:122 sw USA (TX)
novus Fall, 1928:236 sw USA (TX)
pulcher (Haldeman, 1847:52) e NAmer
pulcher fuscatus Knull, 1944:92
pulverulentus (Haldeman, 1847:51) e NAmer
laurenticus Casey, 1913:297
tesselatus (Haldeman, 1847:51) e USA
amplipennis Casey, 1913:295
robinsoni Casey, 1914:368
tigrinus (Degeer, 1775:114) e USA
rotator Fabricius, 1775:175
tigris Schoenherr, 1817:383
tomentosus Ziegler, 1844:47
tigrinus marmoratus Casey, 1913:296
tumifrons Linsley & Chemsak, 1984:91 se USA (GA, FL, TX)
variegatus Linsley & Chemsak, 1984:86 se USA (SC-FL, TX)
- Hebestola** Haldeman, 1847:54
Cacoplia LeConte, 1852:149
nebulosa Haldeman, 1847:54 e USA
pullata Haldeman, 1847:55
pruinosa LeConte, 1852:149
nebulosa albata Knull, 1960:116
- Lochmodocerus** Burne, 1984:145
antennatus Burne, 1984:146 s Mexico (CHS), Guatemala

- Mengelotes** Dillon & Dillon, 1941:43
ambiguus Dillon & Dillon, 1941:43 Mexico
- Microgoes** Casey, 1913:298
oculatus (LeConte, 1862:40) e NAmer
tenuicornis Casey, 1913:298
- Mimolochus** Thomson, 1868:99
hoefneri (Thomson, 1865:554) Mexico (ME, MO, PU, OA, GR, CH)
hoepneri; Lacordaire, 1869:325
- Monochamus** Dejean, 1821:106 [not Megerle in Dejean auct]
Monachammus; Gray in Griffith, 1832:106
Monohammus; Dejean, 1837:366
Monohamus; Guérin-Méneville, 1844:242
carolinensis (Olivier, 1792:463) e USA
caroliniensis; Olivier, 1795:85
dentator Fabricius, 1792:278
minor LeConte, 1873:231
clamator clamator (LeConte, 1852:149) sw USA (CO, UT, NM, AZ, w TX)
maculosus; Horn, 1885:191 (not Haldeman, 1847)
strenuus Casey, 1913:293
subsp. **latus** Casey, 1924:290 w NAmer
oregonensis; Casey, 1913:292 (not LeConte, 1873)
subsp. **linsleyi** Dillon & Dillon, 1941:72 w USA (CA)
subsp. **nevadensis** Dillon & Dillon, 1941:72 w USA (NE, ID)
subsp. **rubiginus** (Bates, 1880:103) sw USA (AZ), Mexico (DU, ME)-Honduras
marmorator Kirby in Richardson, 1837:169 ec NAmer-NC
fautor LeConte, 1852:149
acutus Lacordaire, 1869:316
mutator LeConte in Agassiz, 1850:235 s Canada, n USA (MI, MN)
maculosus; Haldeman, 1847:51 (not Voet, 1778)
notatus (Drury, 1773:65) e USA- nw USA, s Canada
confusor Kirby in Richardson, 1837:168
notatus morgani Hopping, 1945:17 sw Canada (Br Col)
obtusus obtusus Casey, 1891:47 w USA (ID, WA, OR, CA)
subsp. **fulvomaculatus** Linsley, 1933:118 w USA (CA)
scutellatus scutellatus (Say, 1824:289) NAmer
resutor Kirby in Richardson, 1837:167
subsp. **oregonensis** LeConte, 1873:231 w NAmer (Br Col-CA, NE)
monticola Casey, 1913:293
titillator (Fabricius, 1775:172) e USA
angusticollis Casey, 1913:292
titillator obesus Casey, 1924:290
- Neoptychodes** Dillon & Dillon, 1941:44
candidus (Bates, 1885:337) Costa Rica-Colombia
cosmeticus Martins & Galileo, 1996:293 Colombia, Ecuador
cretatus (Bates, 1872:197) Nicaragua-Panama
hondurae hondurae (White, 1858:412) sw Mexico (OA)-Panama
subsp. **trivittatus** (Taschenberg, 1870:194) Ecuador
trilineatus (Linnaeus, 1771:532) sw USA-SAmer, Baja Calif, W Indies, Tahiti
vittata Fabricius, 1776:251
insularis Fairmaire, 1850:61
fairmairei Thomson, 1865:556
abbreviatus Casey, 1893:593
- Plagiohammus** Dillon & Dillon, 1941:85
Hammoderus; Thomson, 1860:98 (not Thomson, 1856)
Hammatoderus; Gemminger & Harold, 1873:3022
albatus (Bates, 1880:100) Costa Rica
blairi (Breuning, 1936:297) Colombia
brasiliensis (Breuning, 1943:259) s Brasil (SC)

| | |
|---------------------------------------------|-----------------------------|
| brunneus Dillon & Dillon, 1941:92 | s Mexico (CHS) |
| camillus Dillon & Dillon, 1949:3 | Peru |
| confusor Dillon & Dillon, 1941:95 | s Brasil (RS) |
| decorus Chemsak & Linsley, 1986:20 | s Mexico (CHS) |
| elatus (Bates, 1872:199) | Honduras-Colombia, Ecuador |
| emanon Dillon & Dillon, 1941:101 | Costa Rica, Panama |
| granulosus (Bates, 1885:339) | sw Mexico (OA), Belize |
| imperator (Thomson, 1868:100) | wc Mexico (ME, JA, PU) |
| <i>albidus</i> Linsley, 1935:111 | |
| inermis (Thomson, 1857:173) | e Mexico (VC)-Nicaragua |
| <i>albiplagiatus</i> White, 1858:275 | |
| laceratus (Bates, 1885:339) | sc Mexico (JA, MO, OA) |
| lacordairei (Thomson, 1860:98) | e Mexico (VC)-Panama |
| lunaris (Bates, 1880:102) | Mexico |
| maculosus (Bates, 1880:101) | Mexico-Nicaragua |
| mexicanus Breuning, 1950:514 | ec Mexico (HI) |
| nitidus (Bates, 1874:224) | Nicaragua |
| niveus (Breuning, 1943:258) | Mexico |
| olivescens Dillon & Dillon, 1941:89 | ec Mexico (HI)-Costa Rica |
| <i>strandii</i> Breuning, 1943:262 | |
| ornator (Bates, 1885:340) | e Mexico (VC) |
| pollinosus (Bates, 1880:102) | Costa Rica |
| quadriplagiatus (Breuning, 1943:262) | Venezuela |
| rotundipennis Breuning, 1950:2 | Mexico |
| rubefactus (Bates, 1872:199) | Nicaragua-Panama |
| sallei (Thomson, 1860:99) | sw Mexico (OA) |
| <i>sallaei</i> ; Bates, 1880:102 | |
| sargi (Bates, 1885:340) | s Mexico (CHS), Guatemala |
| spinipennis (Thomson, 1860:100) | ec Mexico (TL, VC) -n SAMer |
| <i>jacobyi</i> Nonfried, 1894:141 | |
| sticticus (Bates, 1874:225) | Ecuador |
| thiodes (Bates, 1880:101) | Costa Rica, Panama |
| thoracicus (White, 1858:275) | SAMer |

Plectrodera Dejean 1837:367

Plectrodera; Thomson, 1857:176

| | |
|---------------------------------------|-----|
| scalator (Fabricius, 1792:278) | USA |
| <i>bellii</i> LeConte, 1845:201 | |

Pseudotaeniotes Dillon & Dillon, 1949:2

Parataeniotes; Dillon & Dillon, 1943:15 (not Breuning, 1943)

| | |
|-----------------------------------------|---------------|
| mimus (Dillon & Dillon, 1943:16) | Peru, Bolivia |
|-----------------------------------------|---------------|

Ptychodes Audinet-Serville, 1835:74

| | |
|--------------------------------------------------------------------|--------------------------------|
| alboguttatus Bates, 1880:97 | sw Mexico (OA) |
| bifasciatus Dillon & Dillon, 1941:56 | w Mexico (CM) |
| dilloni Breuning, 1949:6 | Panama |
| <i>taeniotoides</i> ; Dillon & Dillon, 1941:60 (not Thomson, 1865) | |
| guttulatus Dillon & Dillon, 1941:57 | sw Mexico (GR) |
| mixtus Bates, 1880:97 | Panama |
| politus politus Audinet-Serville, 1835:75 | se Mexico (VC, YU)-El Salvador |
| <i>lineatus</i> Newman, 1838:497 | |
| subsp. lecontei Thomson, 1856:477 | Costa Rica-Colombia |
| <i>lecontei</i> m. <i>batesi</i> Breuning, 1943:252 | |
| punctatus Dillon & Dillon, 1941:53 | e Mexico (VC) |
| taeniotoides taeniotoides Thomson, 1865:556 | Colombia |
| <i>niveisparsis adspersus</i> Dillon & Dillon, 1941:58 | |
| subsp. niveisparsis Bates, 1872:197 | Mexico-Panama |
| <i>niveisparsus</i> ; Bates, 1880:96 | |

Taeniotes Audinet-Serville, 1835:90

Hammoderus Thomson, 1856:324

| | |
|-----------------------------------------------------------------------|------------------------------------------|
| affinis Breuning, 1935:62 | Ecuador, Peru |
| amazonum Thomson, 1857:172 | Panama, nw Brasil (AM), Bolivia, Ecuador |
| <i>scalaris</i> ; Heyne & Taschenberg, 1907:241 (not Fabricius, 1781) | |
| batesi (Thomson, 1879:lxxxiii) | Colombia |

| | |
|-------------------------------------------------------------|------------------------------|
| <i>strandii</i> Breuning, 1935:63 | |
| boliviensis Dillon & Dillon, 1941:33 | Ecuador, Bolivia, Argentina |
| buckleyi Bates, 1872:198 | Ecuador, Peru |
| cayennensis Thomson, 1859:98 | Fr Guiana, n Brasil (AM-PA) |
| chapini Dillon & Dillon, 1941:28 | Peru, Bolivia, Ecuador |
| dentatus Dillon & Dillon, 1941:29 | Colombia, Ecuador |
| farinosus (Linnaeus, 1758:390) | Costa Rica-Ecuador, Peru |
| <i>pulverulentus</i> Olivier, 1790:302 | |
| <i>surinamensis maculosus</i> Panzer, 1794:15 | |
| <i>scalaris</i> ; Bondar, 1913:9 (not Fabricius, 1781) | |
| <i>guttularis</i> Schwarzer, 1929:364 | |
| <i>cayennensis</i> ; Breuning, 1943:246 (not Thomson, 1859) | |
| inquinatus Thomson, 1857:172 | Colombia, Venezuela, Ecuador |
| insularis insularis Thomson, 1857:171 | Guadeloupe |
| <i>thomsoni</i> Breuning, 1943:246 | |
| subsp. insularis gahani Breuning, 1943:246 | Dominica |
| iridescens Dillon & Dillon, 1941:26 | Costa Rica, Panama, Colombia |
| leucogrammus Thomson, 1865:554 | Martinique, St. Lucia |
| luciani Thomson, 1859:96 | ec Mexico (PU, VC)-Colombia |
| <i>buquetii</i> Thomson, 1856:324 | |
| marmoratus Thomson, 1865:554 | Ecuador |
| <i>singularis</i> Gahan, 1888:397 | |
| naevius Bates, 1872:198 | Colombia, Ecuador, Peru |
| orbignyi Guérin-Meneville, 1844:244 | Panama-SAmer |
| <i>d'orbignyi</i> ab. <i>suturalis</i> Aurivillius, 1919:4 | |
| parafarinosus Breuning, 1971:287 | Bolivia |
| peruanus Breuning, 1971:287 | Peru |
| praeclarus Bates, 1872:197 | Nicaragua-Colombia, Ecuador |
| <i>praeclaris</i> ; Dillon & Dillon, 1941:30 | |
| scalaris (Fabricius, 1781:213) | ec Mexico (PU, VC)- n SAmer |
| <i>scalatus</i> Gmelin, 1790:1825 | |
| <i>suturalis</i> Thomson, 1857:172 | |
| <i>univittatus</i> Taschenberg, 1870:195 | |
| <i>scalaris</i> var. <i>azoricus</i> Kolbe, 1888:179 | |
| similis Dillon & Dillon, 1941:29 | Colombia, Ecuador, Peru |
| <i>inquinatus</i> ; Bates, 1872:198 (not Thomson, 1857) | |
| simplex Gahan, 1888:396 | Galapagos Is, Cocos Is |
| <i>hayi</i> Mutchler, 1938:13 | |
| <i>cocoensis</i> Mutchler, 1938:13 | |
| subocellatus (Olivier, 1792:459) | SAmer (widely distributed) |
| <i>ocellatus</i> Fabricius, 1801:272 | |
| <i>decoratus</i> Laporte, 1840:479 | |
| xanthostictus Bates, 1880:98 | Mexico-Colombia, Ecuador |
| <i>xanthostictus</i> var. <i>zunilensis</i> Bates, 1885:338 | |
| <i>luciani</i> ; Bates, 1872:198 (not Thomson, 1859) | |

Batocerini

Lacordaire, 1869:353

Batocera Dejean, 1835:341

rufomaculata (DeGeer, 1775: 107)

rubra, rubus of authors

Puerto Rico, Barbados, Virgin Is. (Introduced)

Mesosini

Thomson, 1860:35

Liosynphaeta Fisher, 1926:1

balloui Fisher, 1926:2

Jamaica

Synaphaeta Thomson, 1864:370

Synaphe; Thomson, 1864:60 (not Huebner, 1789)

Mesosa; LeConte, 1852:166 (not Latreille, 1829)

guexi (LeConte, 1852:166)

humeralis Casey, 1913:299

annulata Casey, 1913:300

brevicollis Casey, 1913:300

w NAmer (Br Col-s CA)

Phrynetini

Thomson 1864:71

Phryneta Dejean, 1835:341

verrucosa (Drury, 1773:90)
sternutator Fabricius, 1775:172
squamata Goeze, 1777:218
verrucata Schoenherr, 1817:396
melanoptera Thomson, 1878:65

Barbados, Grenada, Trinidad
(Introduced)

Dorcaschematini

Thomson 1860:104

Dorcaschema Haldeman, 1847:54

Dorcaschema; Leng & Hamilton, 1896:108

Hetoemis Haldeman, 1847:54

alternatum (Say, 1824:405) e USA-TX
octovittata Knull, 1937:307
cinereum (Olivier, 1795:28) e USA
trilineata Say, 1826:273
juglandis Haldeman, 1847:54
cinerea bimaculata Dillon & Dillon, 1948:293
nigrum (Say, 1826:272) e NAmer
wildii Uhler, 1855:417 e USA

Tapeinini

Thomson 1857:41

Tapeina Lepeletier & Audinet-Serville in Latreille, 1828:545

Eurycephalus Gray in Griffith, 1831:pl. 65, fig. 5

Tapina; Gemminger & Harold, 1873:3068

bicolor Lepeletier & Audinet-Serville in Latreille, 1828:546 se Brasil (RJ)
coronata **coronata** Lep. & Aud.-Serv. in Latreille, 1828:546 se Brasil (RJ)
picea Lep. & Aud.-Serv. in Latreille, 1828:546
niger Gray in Griffith, 1831:pl. 65, fig. 5
diadema Gemminger, 1873:146
subsp. **integra** Marinoni, 1972:20 se Brasil, Paraguay, Argentina
dispar Lep. & Aud.-Serv., 1828:546 SAmer
erectifrons **erectifrons** Thomson, 1857:43 Colombia, Venezuela
coronata; Gerstaecker, 1858:329 (not Lep. & Aud.-Serv., 1828)
subsp. **amazona** Marinoni, 1972:55 Peru, Brasil (AM, PA, AC)
subsp. **avuncula** Marinoni, 1972:53 Venezuela, Fr Guiana
hylaean Marinoni, 1972:34 nw Brasil (AM)
dispar; Bates, 1866:196 (not Lep. & Aud.-Serv., 1828)
melzeri Zajciw, 1966:373 s Brasil, Paraguay, Argentina
paulista Marinoni, 1972:37 se Brasil (SP)
rubronigra Marinoni, 1972:39 w Brasil (AC, RO, MT)
rudifrons Marinoni, 1972:30 sc Brasil, Paraguay, Argentina
transversifrons **transversifrons** Thomson, 1857:44 e Mexico (VC)-Honduras
subsp. **brevivfrons** Chemsak & Linsley in Marinoni, 1972:64 w Mexico (SI, JA)
subsp. **centralis** Marinoni, 1972:62 Nicaragua-Panama, Venezuela
costaricensis Breuning, 1974:162

Apomecynini

Thomson, 1860:68

Agennopsides Lacordaire, 1872:595

Adétides Candeze in Lacordaire, 1872:595

Ptéricoptides Lacordaire, 1872:601

Ischiolonchides Lacordaire, 1872:709

Acestrilla Bates, 1885:350

minima Bates, 1885:350
annulicornis Breuning, 1943:38
strandiella Breuning, 1942:140

Guatemala-Panama, s Brasil (SC)

Acrepidopterum Fisher, 1926:6

acutum Zayas, 1975:187

jamaicensis Fisher, 1942:18

minutum Fisher, 1926:6

var. *apicalis* Fisher, 1935:197

pilosum Fisher, 1932:75

Cuba

Jamaica

Cuba, Jamaica

R. Dominicana

Adetus LeConte, 1852:161

Polyopsia; Haldeman, 1847:55 (not Mulsant)

Agennopsis Thomson, 1857:302

Talaepora Fairmaire & Germain, 1859:521

Stygnesis Pascoe, 1866:286

Tautoclines Thomson, 1868:155

Pterichthya Thomson, 1868:156

Pterichthya; Bates, 1880:109

Pterichthya; Aurivillius, 1922:290

Atimuropsis Thomson, 1868:162

Sicyobius Horn, 1880:137

abruptus Belon, 1902:467

alboapicalis Breuning, 1943:37

albosignatus Breuning, 1943:37

albovittatus Breuning, 1966:11

analis (Haldeman, 1847:55)

mutica Thomson, 1857:302

pygaea Bates, 1866:295

mexicana Thomson, 1868:153

angustus Melzer, 1934:84

clarus Breuning, 1940:151

antennatus (Thomson, 1868:155)

subsp. **denticauda** Bates, 1880:108

subsp. **nitens** Bates, 1885:344

atomarius atomarius Belon, 1902:464

subsp. **invittatus** Breuning, 1971:300

auratoides Breuning, 1943:37

bacillarius Bates, 1885:344

binotatus (Thomson, 1868:155)

brasiliensis (Melzer, 1923:4)

brousi (Horn, 1880:137)

columbianus Breuning, 1948:14

consors Bates, 1885:342

costicollis Bates, 1872:199

scissicauda Bates, 1874:225

curtulus Bates, 1885:343

cylindricus (Bates, 1866:296)

densepunctatus (Breuning, 1939:233)

fasciatus Franz, 1959:185

flavescens Melzer, 1934:84

furculicauda (Bates, 1880:110)

furfulicauda; Breuning, 1960:181

fuscoapicalis Breuning, 1942:139

fuscoapunctatus Aurivillius, 1900:413

gracilis Breuning, 1940:38

griseicauda (Bates, 1872:199)

inaequalis (Thomson, 1868:163)

insularis Breuning, 1940:37

irregularis (Breuning, 1939:233)

lateralibus Breuning, 1942:138

latericius Belon, 1902:468

leucostigma Bates, 1880:108

lewisi Linsley & Chemsak, 1984:116

lherminieri Fleutiaux & Sallé, 1889:468

lherminieri dominicensis Breuning, 1940:38

lherminieri leewardensis Breuning, 1940:38

grossepunctatus Breuning, 1940:38

longicauda (Bates, 1880:110)

marmoratus Breuning, 1942:138

Bolivia

Panama, Venezuela

Venezuela

Peru

e Mexico (VC)-Samer

Paraguay, Argentina

e Mexico (VC)-Panama

Guatemala, Costa Rica

Guatemala

Bolivia

Venezuela

Mexico-Panama, Venezuela

Guatemala-Panama, Venezuela

Mexico, Belize, Nicaragua

se Brasil (MG-SP)

sc USA (TX, KS)-ne Mexico

Colombia

Guatemala-Panama, Venezuela

Mexico-Panama

Panama

n Brasil (PA), Ecuador

se Brasil (RJ)

Mexico-Costa Rica

se Brasil (SP)

Guatemala

s Brasil (SC)

Venezuela

ne Brasil (CE, PE), Fr Guiana

Nicaragua-Panama

Fr Guiana

Panama (Taboga I.)

e Brasil (PE)

nc Argentina (SE)

Bolivia

Mexico-Panama

sw USA-w Mexico (SI, JA)

W Indies (Lesser Antilles)

e Mexico (VC)

c Brasil (GO)

| | |
|------------------------------------------------------------|--------------------------------------|
| mediofasciculatus Breuning, 1943:37 | |
| minimus Breuning, 1942:139 | |
| modestus Melzer, 1934:83 | |
| mucoreus Bates, 1885:343 | |
| nanus (Fairmaire & Germain, 1859:522) | |
| nesiotes Linsley & Chemsak, 1966:243 | |
| obliquatus Breuning, 1948:14 | |
| obliquus (Bates, 1885:345) | |
| pictoides Breuning, 1973:37 | |
| pictus Bates, 1880:109 | |
| <i>excultus</i> Bates, 1880:109 | |
| pisciformis (Thomson, 1868:157) | |
| <i>pisciformis</i> m. <i>brevicauda</i> Breuning, 1971:316 | |
| postilenatus Bates, 1885:343 | |
| praeustus (Thomson, 1868:153) | |
| proximus Breuning, 1940:426 | |
| pulchellus (Thomson, 1868:156) | |
| <i>strigulatus</i> Bates, 1880:107 | |
| <i>nigricornis</i> Aurivillius, 1900:412 | |
| <i>incomptus</i> Belon, 1902:469 | |
| <i>socius</i> Melzer, 1934:81 | |
| <i>brevicornis</i> Breuning, 1940:151 | |
| punctatus (Thomson, 1868:154) | |
| <i>guttulatus</i> Belon, 1902:466 | |
| punctiger (Pascoe, 1866:286) | |
| pusillus (Fairmaire & Germain, 1859:521) | |
| salvadorensis Franz, 1954:224 | |
| similis Bruch, 1939:200 | |
| sordidus (Bates, 1866:295) | |
| spinipennis Breuning, 1971:286 | |
| squamosus Chemsak & Noguera, 1993:90 | |
| stramentosus Breuning, 1940:37 | |
| strandi Breuning, 1940:38 | |
| striatopunctatus Breuning, 1940:151 | |
| subcostatus Aurivillius, 1900:412 | |
| subellipticus Bates, 1880:107 | |
| tibialis Breuning, 1943:37 | |
| trinidadensis Breuning, 1955:659 | |
| truncatipennis Melzer, 1934:81 | |
| vanduzeei Linsley, 1934:62 | |
| venezuelensis Breuning, 1942:139 | |
| | s Brasil (SC) |
| | e Brasil (BA) |
| | se Brasil (SP) |
| | Costa Rica, Panama |
| | Argentina, Chile |
| | Cocos I |
| | ne Argentina (ER) |
| | Mexico |
| | Costa Rica |
| | Guatemala-Panama |
| | c Mexico (PU), Guatemala, Costa Rica |
| | Guatemala-Panama |
| | se Brasil (SP) |
| | Paraguay |
| | Guatemala-Argentina |
| | |
| | Fr Guiana |
| | Colombia |
| | Chile |
| | El Salvador |
| | Paraguay, Argentina, Uruguay |
| | n Brasil (PA), Ecuador |
| | Bolivia |
| | w Mexico (JA) |
| | se Brasil (ES-SC) |
| | se Brasil (RJ, SP) |
| | Uruguay |
| | Venezuela |
| | Guatemala |
| | Brasil |
| | Trinidad |
| | se Brasil (RJ-RS) |
| | Mexico (Baja Calif, Ceralbo I) |
| | Venezuela |

Aletretiopsis Breuning, 1940:154

Aletretopsis; Breuning, 1960:174

estoloides Breuning, 1940:154

e Brasil (PE)

Amphicnaeia Bates, 1866:32

Aesylacris Thomson, 1868:143

affinis Breuning, 1940:41

albovittata Breuning, 1971:224

antennata Galileo & Martins, 2001:41

apicalis Melzer, 1933:376

armata Galileo & Martins, 2001:38

bivittata Melzer, 1933:373

brevivittis Bates, 1872:202

cordigera Aurivillius, 1920:386

crustulata Bates, 1872:235

flavescens Martins & Galileo, 1999:69

flavofemorata Breuning, 1940:153

flavolineata Breuning, 1943:38

flavovittata Breuning, 1940:41

lepida Melzer, 1933:375

costaricensis Breuning, 1942:140

lineata Bates, 1866:33

plurivittis Belon, 1903:65

lyctoides Bates, 1866:33

Brasil (SP, RJ, SC)

se Brasil (RJ)

Brasil (MG)

Costa Rica

s Brasil (SP, PA)

Costa Rica

Nicaragua-Panama

s Brasil (RJ)

Guatemala-Panama

Colombia

se Brasil (RJ)

Peru

se Brasil (RJ)

Costa Rica

Brasil (AM, RJ-RS), Bolivia

se Brasil (RJ)

nigra Galileo & Martins, 2001:39
piriana Martins & Galileo, 2001: 1230
pretiosa Galileo & Martins, 2001:37
pusilla Bates, 1866:33
quinquevittata Bates, 1885:349
sexnotata Melzer, 1933:374
strandii Breuning, 1942:139
tate Galileo & Martins, 2001:38
trivitticollis Breuning, 1961:153
villosula (Thomson, 1868:143)
vitticollis Breuning, 1940:427
zonata Martins & Galileo, 2001: 1231

S Brasil (RG)
Venezuela
s Brasil (ES)
n Brasil (PA)
Guatemala-Panama
Costa Rica
Costa Rica
Ecuador, Colombia
Ecuador
Colombia
Brasil
Venezuela

Apomecyna Latreille, 1829:126 (?)

Mecynapus Thomson, 1858:187
varia Blanchard in Gay, 1851:516

Chile

Asyngenes (Asyngenes) Bates, 1880:114

affinis Breuning, 1942:140
chalceolus Bates, 1880:115
strandiiellus Breuning, 1943:39
vittipennis Breuning, 1942:140

c Brasil (GO)
Guatemala, Honduras, Venezuela
Venezuela
Brasil

Asyngenes (Neosyngenes) Breuning, 1943:39

venezuelensis Breuning, 1943:39

Mexico-Venezuela

Bebelis Thomson, 1864:110

acuta acuta Pascoe, 1875:73
subsp. **geometrica** (Bates, 1880:130)
angusta (Fisher, 1947:180)
aurulenta (Belon, 1903:56)
coenosa (Bates, 1866:36)
cuprina (Belon, 1903:58)
divaricata (Fisher, 1947:175)
elongata (Lameere, 1893:275)
fasciata (Fisher, 1947:176)
furcula (Bates, 1880:130)
inaequalis (Fisher, 1947:174)
laetabilis (Belon, 1903:54)
lignea (Bates, 1866:35)
lignosa Thomson, 1864:110
longipennis (Bates, 1885:371)
maculata Martins & Galileo, 1999: 72
mexicana (Bates, 1885:372)
modesta (Belon, 1903:59)
zeteki Fisher, 1947:179
obliquata Breuning, 1940:84
occulta (Bates, 1866:36)
parva (Fisher, 1938:138)
picta Pascoe, 1875:73
obtusa Bates, 1885:372
prolongata (Fisher, 1947:173)
pseudolignosa Breuning, 1942:174
harringtoni Fisher, 1947:181
puncticollis (Fisher, 1947:178)
schwarzi (Fisher, 1947:37)

se Brasil, Argentina
e Mexico(VC)-Panama
s Brasil (RS)
Bolivia
n Brasil (PA)
Bolivia
Costa Rica
Venezuela
Panama
Guatemala, Costa Rica
Paraguay
Bolivia
Belize-Panama, n Brasil (PA)
Mexico-SAmer
Guatemala-Panama
Colombia
e Mexico (VC), Guatemala
Panama, Ecuador, Bolivia
se Brasil (MG)
n Brasil (PA)
e Brasil (PE, MG-RS, GO), Fr Guiana
Mexico-SAmer
se Brasil (MG)
n Argentina (SA)
Nicaragua
Cuba

Bisaltes (Bisaltes) Thomson, 1868:110

adustus (Burmeister, 1865:179)
argentiniensis Breuning, 1971:285
bilineellus Breuning, 1939:235
bimaculatus Aurivillius, 1904:207
brevicornis Breuning, 1939:235
buquetii Thomson, 1868:111
batesi Aurivillius, 1923:609

n Argentina (TU)
n Argentina (SA)
Brasil
Brasil (BA, MG), Bolivia, Argentina
Ecuador, Brasil, Bolivia
Panama, Fr Guiana, Bolivia

| | |
|-------------------------------------------------------|------------------------------------|
| <i>forsteri</i> Tippmann, 1960:152 | |
| chilensis Breuning, 1939:235 | Chile |
| columbianus Breuning, 1971:285 | Colombia |
| elongatus Breuning, 1939:236 | e Brasil (CE-BA) |
| flaviceps Breuning, 1940:155 | Bolivia |
| fuchsi Breuning, 1971:284 | se Brasil (ES) |
| fuscoapicalis Breuning, 1950:267 | se Brasil (RJ) |
| fuscodiscalis Breuning, 1943:39 | Peru |
| fuscomarmoratus Breuning, 1966:11 | Peru |
| montevideensis (Thomson, 1868:146) | Uruguay |
| monticola Tippmann, 1960:153 | Bolivia |
| <i>bistriata</i> Tippmann, 1960:154 | |
| obliquatus Breuning, 1940:155 | se Brasil (RJ) |
| pictus Breuning, 1940:43 | Colombia |
| pulvereus (Bates, 1866:289) | Fr Guiana, nc Brasil (AM) |
| <i>posticalis</i> Thomson, 1868:111 | |
| roseiceps Breuning, 1939:234 | e Brasil (PE-RJ), Paraguay |
| spgazzinii Bruch, 1911:175 | Bolivia, Argentina |
| stramentosus Breuning, 1939:236 | Bolivia |
| strandii Breuning, 1940:43 | n Argentina (FO) |
| subreticulatus Aurivillius, 1920:381 | SAMer |
| triangularis Breuning, 1940:43 | e Brasil (PE-RJ) |
| uniformis Breuning, 1939:236 | e Brasil (PE) |
| venezuelensis Breuning, 1943:39 | Venezuela |
| Bisaltes (Craspedocerus) Aurivillius, 1900:413 | |
| poecilus (Aurivillius, 1900:414) | Venezuela |
| ptericoptoides Breuning, 1942:141 | Colombia |
| Catuaba Martins & Galileo, 2003: 135 | |
| sanguinoloenta Martins & Galileo, 2003: 135 | e Brasil (MS) |
| Cauca Lane, 1970:371 | |
| contestata Lane, 1970:371 | Colombia |
| Clavisybra Breuning, 1943:43 | |
| strandiiella Breuning, 1943:43 | se Brasil (RJ) |
| Craspedoderus Thomson, 1864:33 | |
| dilaticollis Thomson, 1864:33 | Fr Guiana |
| Dolichosybra Breuning, 1942:152 | |
| annulicornis Breuning, 1942:153 | s Brasil (SC) |
| apicalis (Gilmour, 1963:100) | Trinidad |
| elongata Breuning, 1942:152 | Brasil |
| strandii Breuning, 1943:44 | Venezuela |
| strandiiella Breuning, 1942:153 | s Brasil (SC) |
| tubericollis Breuning, 1942:152 | Panama, Brasil |
| Dorcasta Pascoe, 1858:264 | |
| <i>Aegilopsis</i> Horn, 1860:571 | |
| borealis Breuning, 1940:207 | Nicaragua |
| cinerea (Horn, 1860:571) | sc USA-ne Mexico |
| crassicornis Pascoe, 1858:264 | El Salvador, Colombia |
| dasycera (Erichson in Schomburg, 1848:574) | sw Mexico (OA)-Venezuela, Aruba |
| <i>oryx</i> Pascoe, 1858:264 | |
| gracilis Fisher, 1932:82 | Haiti |
| implicata Melzer, 1934:228 | Brasil (CE-MG), Bolivia, Argentina |
| quadrispinosa Breuning, 1940:207 | e Brasil (BA) |
| singularis Martins & Galileo, 2001: 1231 | Brasil (GO) |
| Euteleuta Bates, 1885:348 | |
| fimbriata Bates, 1885:349 | se Brasil (RJ, SP) |

| | |
|----------------------------------------------------|-----------------------------------|
| laticauda Bates, 1885:349 | Costa Rica, Panama |
| venezuelensis Breuning, 1971:267 | Venezuela |
| Falsischnolea Breuning, 1940:167 | |
| apicalis Martins & Galileo, 2001: 1228 | Brasil (ES) |
| flavoapicalis Breuning, 1940:167 | se Brasil (MG-PR), Paraguay |
| nigrobasalis Breuning, 1940:168 | se Brasil (RJ) |
| pallidipennis (Chevrolat, 1861:251) | s Brasil (SP-SC) |
| <i>apicopunctata</i> Gilmour, 1950:544 | |
| Ischioloncha Thomson, 1860:122 | |
| <i>Merocentrum</i> Lane, 1939:473 | |
| columbiana Breuning, 1956:694 | Colombia |
| lanei (Prosen, 1957:35) | Bolivia |
| lineata Bates, 1885:369 | Guatemala, Costa Rica |
| rondonia Martins & Galileo, 2003: 133 | Brasil (RO) |
| strandiella Breuning, 1942:174 | Bolivia |
| wollastoni Thomson, 1860:123 | Fr Guiana, e Brasil (PE, BA) |
| <i>melzeri</i> Bondar, 1938:447 | |
| Leptophaula Breuning, 1940:154 | |
| femoralis Breuning, 1940:154 | Colombia, Venezuela |
| Orteguaza Lane, 1958:10 | |
| funeraria Lane, 1958:13 | Bolivia |
| lichenigera Lane, 1958:10 | Honduras-Colombia, nw Brasil (AM) |
| Paraesylacris Breuning, 1940:159 | |
| bituberosa Breuning, 1940:159 | se Brasil (ES) |
| candida Martins & Galileo, 2001: 1232 | Brasil (AC) |
| columbiana Breuning, 1940:159 | Colombia |
| Parmenonta Thomson, 1868:157 | |
| albisetosa Bates, 1880:105 | Guatemala-Panama, Venezuela |
| chapidensis Martins & Galileo, 1999: 814 | Brasil (MG) |
| fulvosticta Bates, 1885:341 | e Mexico (VC) |
| insularis Fisher, 1930:9 | Cuba |
| laevipunctata Breuning, 1940:37 | Mexico |
| maculata Martins & Galileo, 1999: 814 | Argentina |
| minor Bates, 1880:105 | e Mexico (TL, VC), Honduras |
| ovatula Bates, 1880:105 | Mexico, Guatemala |
| paralela Lameere, 1893:275 | Venezuela |
| punctigera (Germar, 1824:494) | se Brasil (RJ-PR) |
| strandiella Breuning, 1940:37 | Paraguay, Argentina |
| thomasi Linsley & Chemsak, 1984:114 | se USA (FL) |
| valida Thomson, 1868:158 | ec Mexico (ME, VC)-Nicaragua |
| wickhami Schaeffer, 1908:350 | sc USA (TX) |
| Phrynidius Lacordaire, 1869:262 | |
| armatus Linsley, 1933:131 | Guatemala |
| asper Bates, 1885:334 | Guatemala |
| echinoides Breuning, 1940:407 | Mexico |
| echinus Bates, 1880:93 | Guatemala-Panama |
| inaequalis (Say, 1835:193) | e Mexico (VC) |
| salvadorensis salvadorensis Franz, 1954:220 | El Salvador |
| subsp. montecristensis Franz, 1954:221 | El Salvador, Honduras |
| singularis Bates, 1880:92 | Mexico-Honduras |
| Prosenella Lane, 1959:83 | |
| muehni (Bruch, 1933:335) | n Argentina (JU, CO) |
| unicolor Martins & Galileo, 2003: 134 | Brasil (MS) |

- Pseudepectasis** Breuning, 1940:213
bispinosa Breuning, 1940:213 se Brasil (RJ)
- Ptericoptus** Lepeletier & Audinet-Serville in Lacordaire, 1830:185
Ptericoptus; Gemminger & Harold, 1873:3101
acuminatus (Fabricius, 1801:323) se Brasil (MG-PR), Paraguay, Argentina
dentipennis Latreille, 1811:56
dorsalis Audinet-Serville, 1835:61
vitta Newman, 1838:395
acuminatus m. *reductus* Breuning, 1971:271
borealis Breuning, 1939:234 w Mexico (DU)
caudalis Bates, 1880:111 e Mexico (VC), Guatemala
griseotarsalis Breuning, 1971:274
clavicornis (Fabricius, 1801:323) Fr Guiana, Guyana
crassicornis Fabricius, 1803:84
cruentatus Thomson, 1868:109
columbianus Breuning, 1950:9 Colombia
fuscus Bates, 1885:345 sw Mexico (GR, MO)
griseolus Bates, 1880:111 Guatemala
hybridus hybridus Breuning, 1939:233 Brasil (AM, PE, BA)
subsp. **meridionalis** Breuning, 1939:233 Paraguay, n Argentina (CH)
intermedius Breuning, 1939:234 Mexico
panamensis Bates, 1880:111 Panama
similis Breuning, 1939:234 Colombia, Venezuela
sinuatus Breuning, 1939:233 Colombia, Peru
- Rosalba** Thomson, 1864:108
Aletretia Bates, 1866:34
alboapicalis (Breuning, 1940:42) se Brasil (RJ-SC)
alcidionoides Thomson, 1864:109 Colombia
approximata (Melzer, 1934:85) se Brasil (RJ-RS), Paraguay
arawakiana Villiers, 1980:86 Guadeloupe
bucki (Melzer, 1934:87) s Brasil (RS)
consobrina (Melzer, 1934:88) se Brasil (ES-SC), Paraguay
costaricensis (Melzer, 1934:91) Costa Rica
crassepunctata Breuning, 1948:13 nw Brasil (AM)
digna (Melzer, 1934:86) se Brasil (SP-RS), Paraguay
albofasciata Breuning, 1942:140
dissimilis (Belon, 1903:153) Bolivia, Argentina
fimbriata (Belon, 1903:152) Bolivia
inscripta (Bates, 1866:34) n SAmer-Bolivia
acanthocinoides Thomson, 1868:142
indistincta (Breuning, 1940:41) Colombia
malleri (Melzer, 1934:90) se Brasil (RJ-RS)
mediofasciata (Breuning, 1943:38) Brasil
obliqua (Thomson, 1868:141) Costa Rica-Venezuela
pulchra Bates, 1885:350
peraffinis (Breuning, 1940:153) se Brasil (RJ)
pulchella (Belon, 1903:151) Bolivia
recta (Thomson, 1868:142) Venezuela
rufescens (Breuning, 1940:153) se Brasil (RJ)
rufobasalis (Breuning, 1940:42) Colombia
smaragdina (Breuning, 1940:153) se Brasil (RJ, SP)
stigmatifera (Thomson, 1868:142) Panama, SAmer
strandii (Breuning, 1943:38) se Brasil (MG)
strandiella (Breuning, 1940:42) c Brasil (GO)
- Sarillus** Bates, 1885:359
pygmaeus Bates, 1885:359 Guatemala-Panama
- Sybra** Pascoe, 1865: 141
alternans (Wiedemann,)
nr. *ponapensis* Blair, in Peck & Thomas, 1998: 122 Micronesia, introduced in s Florida

- Symperga** Lacordaire, 1872:711
balyi (Thomson, 1860:121) Fr Guiana
puncticollis Breuning, 1940:212 n Brasil (AM, PA)
- Sympergoides** Lane, 1970:374
nasutus Lane, 1970:374 se Brasil (MG)
- Tethystola** Thomson, 1868:131
brasiliensis Breuning, 1940:42 e Brasil (PE)
flavoapicalis Breuning, 1942:141
dispar Lameere, 1893:276 Venezuela
inermis Galileo & Martins, 2001: 288 Venezuela
minima Galileo & Martins, 2001: 289 Venezuela
mutica Gahan, 1895:126 Grenada, St Vincent, Trinidad
obliqua Thomson, 1868:132 Venezuela
unifasciata Galileo & Martins, 2001: 288 Peru
- Tetrarpages** Thomson, 1868:129
lansbergei Thomson, 1868:130 Venezuela
- Trichoparmenonta** Breuning, 1943:36
hoegei Breuning 1943:36 Mexico
- Tucumaniella** Breuning, 1943:40
brevipes Breuning, 1943:40 n Argentina (TU)
- Typophaula** Thomson, 1868:152
melancholica Thomson, 1868:152 se Brasil, Fr Guiana
dejeani Thomson, 1868:153
- Xylomimus** Bates, 1865:308
baculus Bates, 1865:308 n Brasil (PA)

Agapanthiini

- Mulsant, 1839:165
Hippopsitae Thomson, 1860:123
Nemotragitae Thomson, 1864:93
Anauxesitae Thomson, 1864:94
Aprosopitae Thomson, 1864:95
Aegoprepini Pascoe, 1871:277
Pachypézides Lacordaire, 1872:414
Spalacopsides Lacordaire, 1872:414
Didymonychini Aurivillius, 1922:435
Amillarinen Aurivillius, 1925:524
Hippopsiconini Dillon & Dillon, 1945:11

- Amillarus** Thomson, 1857:312
Aphies Chevrolat, 1861:189
Didymonycha Aurivillius, 1922:31
Trichogrammopsis Breuning, 1948:42
apicalis Thomson, 1860:44 Nicaragua-Panama, n SAmer
erythrodera Chevrolat, 1861:189
mutabilis Bates, 1866:432
apicalis m. *nigroampliatius* Breuning, 1974:39
ruficollis (Breuning, 1948:42) Ecuador
secundus (Tippmann 1951:301) Venezuela
ab. *infuscata* Tippmann, 1951:301
singularis (Aurivillius, 1922:435) Peru
- Amphion** Reiche, 1839:564
triangulifer (Aurivillius, 1908:7) Peru, Bolivia
boliviana; Breuning, 1980:68 (not Breuning, 1962)
vittatus Reiche, 1839:566 Colombia

- Aprosopus** Guérin-Ménéville, 1844:248
buqueti Guérin-Ménéville, 1844:248
gilmouri Breuning, 1962:26
 se Brasil (ES)
 Suriname, Fr Guiana
- Grammopsis** Aurivillius, 1900:416
clavigera (Bates, 1866:40)
surinamensis Breuning, 1973:37
fallax (Lameere, 1893:279)
parvula (Newman, 1840:12)
simoni (Lameere, 1893:279)
minima Aurivillius, 1900:416
 n Brasil (PA), Fr Guiana
 Venezuela, Fr Guiana, Guyana
 e Brasil (BA)
 Venezuela
- Grammopsoides** Breuning, 1940:433
picta Galileo & Martins, 1995:42
tenuicornis (Casey, 1913:363)
flavimembris Aurivillius, 1925:22
spinipennis Breuning, 1940:434
rufipes Breuning, 1940:434
obscuripes Breuning, 1948:43
 Peru
 Panama, Ecuador
- Helvina** Thomson, 1864:103
Pachypezomorpha Breuning, 1942:165
Paracacostola Breuning, 1974:239
howdenorum Hovore & Giesbert, 1998: 77
lanuginosa (Bates 1865:314)
strandii (Breuning, 1942:166)
lypera Dillon & Dillon, 1945:16
uncinata Thomson, 1864:103
granulata Breuning, 1974:239
 Costa Rica
 nw Brasil (AM), Colombia, Ecuador
 Peru, Bolivia, Ecuador
 Fr Guiana, n Brasil (AM, PA)
- Hippopsis** Lepeletier & Audinet-Serville in Latreille, 1825:336
albicans Breuning, 1940:82
apicalis (Bates, 1866:37)
preapicevittata Breuning, 1980:68
arriagadai Martins & Galileo, 2003: 28
assimilis Breuning, 1940:81
bivittata Martins & Galileo, 2003: 25
brevicollis Martins & Galileo, 2003: 26
campaneri Martins & Galileo, 1998: 52
densepunctata Breuning, 1940:434
femoralis Breuning, 1940:200
fractilinea Bates, 1866:41
biapicata Breuning, 1940:81
fratercula Galileo & Martins, 1988:193
freyi Breuning, 1955:661
gilmouri Breuning, 1962:17
griseola Bates, 1866:40
lemniscata (Fabricius, 1801:330)
lemniscata boliviana Breuning, 1962:10
lineolatus Lepeletier & Audinet-Serville in Latreille, 1825:336
lineatus Guérin-Ménéville, 1844:246
macrophthalmalma Breuning, 1940:434
meinerti Aurivillius, 1900:416
lemniscata insularis Breuning, 1962:10
lemniscata tobagoensis Breuning, 1962:10
tremata Galileo & Martins, 1988:184
minima Galileo & Martins, 1988:188
monachica Berg, 1889:106
fimbriata Breuning, 1940:81
mourai Martins & Galileo, 1994:78
nigroapicalis Martins & Galileo, 2003: 26
ocularis Galileo & Martins, 1995:40
pallida Carvalho, 1981:53
pertusa Galileo & Martins, 1988:182
 s Brasil (SC)
 Fr Guiana, n Brasil (AM, PA), Ecuador, Bolivia
 Paraguay
 Venezuela
 Peru
 e Brasil (MG)
 Brasil (GO)
 e Brasil (BA, MG)
 se Brasil (MG, SP)
 Peru, nc Brasil (AM), Ecuador, Bolivia
 e Brasil (PE, BA)
 Trinidad & Tobago, Venezuela, Colombia
 n Argentina (SA)
 n Brasil (PA)
 e USA-TX, s Mexico (OA, VC)
 Brasil
 Ecuador, Guianas, n Brasil (AM, PA), Colombia
 Mexico-Costa Rica, n S Amer
 n Brasil (MA)
 s Brasil (RS), Argentina, Uruguay
 n Brasil (TO)
 Ecuador
 Bolivia
 nc Argentina (CD)
 e Brasil (RN-SC)

pradieri Guérin-Méneville, 1844:246
prona Bates, 1866:41
pubiventris Galileo & Martins, 1988:188
quadrivittata Breuning, 1940:82
quinquelineata Aurivillius, 1920:384
rabida Galileo & Martins, 1988:201
renodis Galileo & Martins, 1988:203
septemlineata Breuning, 1940:81
septemvittata Breuning, 1940:81
solangeae Carvalho, 1981:327
tibialis Martins & Galileo, 2003: 28
truncatella Bates, 1866:39
tuberculata Galileo & Martins, 1988:181

se Brasil (BA-SP)
 nw Brasil (AM)
 Peru, Brasil (AC, RJ-SC)
 Colombia, Ecuador, Fr Guiana
 se Brasil (MG-SC)
 se Brasil (SP)
 se Brasil (RJ)
 Panama, Colombia, Ecuador
 Brasil
 SAmer (Ecuador)
 se Brasil (SP)
 Brasil (AM, GO, MT, MG-SP)
 se Brasil (MG-SP)

Megacera Audinet-Serville, 1835:42

praelata Bates, 1866:37
rigidula Bates, 1866:38
vittata Audinet-Serville, 1835:43

nw Brasil (AM), Fr Guiana
 n Brasil (PA)
 Brasil

Pachypeza Audinet-Serville, 1835:42

Pachypeza; Blackwelder, 1946:605
borealis Hovore & Giesbert, 1998: 79
joda Dillon & Dillon, 1945:23
marginata Pascoe, 1888:507
panamensis Giesbert, 1987:317
pennicornis (Germar, 1824:490)
phegea Dillon & Dillon, 1945:22
teres Pascoe, 1888:508

MX (Ch), Guatemala
 Ecuador, Peru, n Brasil, Bolivia
 se Brasil (GO, SP-RS), Paraguay
 Panama
 se Brasil, Paraguay, Argentina, Uruguay
 wc Brasil (RO, MT)
 Fr Guiana, Brasil, Paraguay

Parhippopsis Breuning, 1973:653

columbiana Breuning, 1973:653

Colombia

Pseudogrammopsis Zajciw, 1960:59

lineata Zajciw, 1960:60

Uruguay

Spalacopsis Newman, 1842:303

Spalacopsis; LeConte, 1852:145
Eutheia Dejean, 1835:353 (not Stephens, 1830)
Euthuorus Jacquelin du Val in Sagra, 1857:276
Systene Pascoe, 1858:264

chemsaki Tyson, 1973:130
filum filum (Klug, 1829:13)
stellio Newman, 1842:304, 304
macilenta Lacordaire, 1872: pl.105, fig.5
 subsp. **brevialatum** Tyson, 1973:125
 subsp. **costulatum** Casey, 1913:355
linum Hamilton in Leng & Hamilton, 1896:145
scapalis Casey, 1913:355
confusa Casey, 1924:293

se USA (FL)
 Cuba, Bahamas, Jamaica, Puerto Rico

R Dominicana
 s USA (FL)

fusca Gahan, 1892:260
grandis (Chevrolat, 1862:255)
howdeni Tyson, 1970:484
lobata Breuning, 1942:173
macra Tyson, 1973:128
ornatipennis Fisher, 1935:200
phantasma Bates, 1885:371
protensa (Pascoe, 1871:278)
similis Gahan, 1892:260
spinipennis Fisher, 1936:347
stolata Newman, 1842:304
pertenuis Casey, 1913:357
suffusa Newman, 1842:304
suturalis Hamilton in Leng & Hamilton, 1896:145
exilis Casey, 1924:294
texana Casey, 1891:51

sw Mexico (GR)
 Cuba
 ec Mexico (SLP)
 Mexico
 Jamaica
 Jamaica
 Guatemala
 e Mexico (VC), Guatemala
 sw Mexico (GR)
 Cuba
 se USA (FL)
 se USA (FL)
 s USA (TX)

unicolor Tyson, 1973:135
variegata Bates, 1880:129
var. *tenuissima* Bates, 1885:371

Puerto Rico
e Mexico (VC), Guatemala

Trichohippopsis Breuning, 1958:25
magna Martins & Carvalho, 1983:163
rufula Breuning, 1958:26
suturalis Martins & Carvalho, 1983:162

Brasil (GO, MS, MG)
ec Brasil (GO)
ec Brasil (GO, MG, SP), Fr Guiana

Zipoetopsis Breuning, 1950:175
dissimilis Galileo & Martins, 1995:39
unicolor Breuning, 1950:175

Ecuador
Paraguay

Onocephalini

Thomson, 1860:120

Onocephala Sturm, 1843:262

Perma Lacordaire, 1872:690

aulica Lucas in Laporte, 1859:191
diophthalma (Perty, 1830:98)
rugicollis Thomson, 1857:305
lacordairei Dillon & Dillon, 1946:32
lineola Dillon & Dillon, 1946:37
obliquata Lacordaire, 1872:690
suturalis (Bates, 1887:63)
tepahi Dillon & Dillon, 1946:36
thomsoni Dillon & Dillon, 1946:33
vittipennis (Breuning, 1940:185)

se Brasil (RJ, SP)
se Brasil (MG-RJ)
se Brasil (RJ)
se Brasil (ES-RJ)
se Brasil (MG-SC)
se Brasil (MG-SP)
se Brasil (RJ)
se Brasil (MG-SP)
se Brasil (ES)

Pseudoperma Dillon & Dillon, 1946:46

chalcogramma (Bates, 1887:63)
patruelis (Breuning, 1940:186)

se Brasil (MG-RJ)
se Brasil (RJ)

Stethoperma Lameere, 1884:93

batesi Lameere, 1884:94
candzei Lameere, 1884:94
duodilloni Gilmour, 1950:548
flavovittata Breuning, 1940:186
multivittis Bates, 1887:63
obliquepicta Breuning, 1940:185
zikani Melzer, 1923:8

se Brasil (ES-RJ)
Brasil
e Brasil (BA, ES)
e Brasil (BA)
se Brasil (MG-RJ)
se Brasil (BA-SC)
se Brasil (MG, SP)

Onciderini

Thomson, 1860:38

Hypsiomitae Thomson, 1860:109

Hypselominae Pascoe, 1864:7

Agaritha Dillon & Dillon, 1945:78

iolaia Dillon & Dillon, 1945:79

se Brasil (RJ-RS), n Argentina (MI)

Alexera Dillon & Dillon, 1945:119

barii (Jekel, 1861:261)
lignicolor Bates, 1865:169
sordida Thomson, 1868:48

Guianas, Peru, nc Brasil (AM)

Apamauta Thomson, 1868:58

Apamanta; Lacordaire, 1872:674

lineolata Thomson, 1868:59

se Brasil (RJ-PR)

Apocoptoma Thomson, 1857:186

chabrilaci Thomson, 1857:186

e Brasil (BA, ES)

| | |
|--------------------------------------------------------------|-------------------------------------------|
| Bacuris Gounelle, 1906:274 | |
| sexvittatus (Bates, 1865:181) | nc Brasil (AM, PA), Peru, Costa Rica |
| Bucoides Dillon & Dillon, 1945:80 | |
| erichsoni Martins, 1979:150 | Ecuador |
| <i>egens</i> ; Dillon & Dillon, 1945:81 (not Erichson, 1847) | |
| exotica Martins & Galileo, 1990:66 | se Brasil (RJ) |
| Cacostola Fairmaire & Germain, 1859:527 | |
| <i>Aporataxia</i> Hamilton in Leng & Hamilton, 1896:142 | |
| <i>Cylindrataxia</i> Linsley, 1934:183 | |
| <i>Paratucumaniella</i> Breuning, 1943:41 | |
| <i>Hyagniellus</i> Breuning, 1943:42 | |
| acuticauda Marinoni & Martins, 1982:248 | se Brasil (ES-PR) |
| brasiliensis Thomson, 1868:68 | e Brasil (ES) |
| <i>brasiliensis</i> ; Dillon & Dillon, 1946:265 | |
| cana Marinoni & Martins, 1982:249 | e Brasil (ES) |
| clorinda Dillon & Dillon, 1946:266 | c Brasil (MT) |
| colombiana Martins & Galileo, 1999: 74 | Colombia |
| flexicornis Bates, 1865:32 | n Brasil (PA), Fr Guiana |
| fusca Thomson, 1868:68 | Brasil |
| fuscata Dillon & Dillon, 1952:71 | nw Brasil (AM) |
| gracilis Marinoni & Martins, 1982:250 | ec Brasil (GO) |
| grisea Dillon & Dillon, 1946:268 | Fr Guiana, Guyana |
| janzeni Chemsak & Linsley, 1986:22 | Mexico (OA, VC) |
| leonensis Dillon & Dillon, 1946:259 | Puerto Rico |
| lineata (Hamilton in Leng & Hamilton, 1896:142) | sw USA (TX) |
| mexicana (Breuning, 1943:42) | e Mexico (VC) |
| nelsoni Chemsak & Linsley, 1986:23 | w Mexico (SI) |
| nordestina Martins & Galileo, 1999: 812 | Brasil (PB) |
| obliquata Martins & Galileo, 1995:2 | Ecuador |
| ornata Fleutiaux & Sallé, 1899:470 | Guadeloupe, Martinique |
| <i>strandii</i> Breuning, 1943:42 | |
| rugicollis Bates, 1885:370 | e Mexico (VC), Guatemala |
| salicicola (Linsley, 1934:184) | sw USA (TX), Mexico |
| simplex (Pascoe, 1859:55) | n Brasil (PA), Fr Guiana |
| sirena Dillon & Dillon, 1946:267 | Venezuela |
| sulcipennis Melzer, 1934:96 | e Brasil (ES) |
| vagelineata Fairmaire & Germain, 1859:527 | Chile |
| vanini Martins, 1979:154 | e Brasil (MG) |
| variegata Dillon & Dillon, 1946:260 | Fr Guiana |
| volvula (Fabricius, 1781:150) | Fr Guiana, Bolivia |
| <i>nitida</i> Dillon & Dillon, 1946:258 | |
| zanao Dillon & Dillon, 1946:256 | Bolivia |
| Carenesycha Martins & Galileo, 1990: 79 | |
| caremata Martins & Galileo, 1990:79 | Ecuador |
| velezi Martins & Galileo, 1995:3 | Colombia |
| Charoides Dillon & Dillon, 1945:55 | |
| cruda (Erichson, 1847:148) | Peru, Ecuador |
| <i>subcostata</i> Dillon & Dillon, 1945:61 | |
| dimidiata (Bates, 1865:112) | nw Brasil (AM), Ecuador |
| <i>cruda</i> ; Dillon & Dillon, 1945:64 (not Erichson, 1847) | |
| distincta Dillon & Dillon, 1945:77 | nw Brasil (AM) |
| fulvofasciata Dillon & Dillon, 1945:74 | Panama, Colombia |
| hebes Dillon & Dillon, 1945:59 | Peru |
| litura Dillon & Dillon, 1945:62 | Bolivia |
| lycimnia Dillon & Dillon, 1945:72 | e Mexico (VC)-Panama, Trinidad, Venezuela |
| <i>picticornis</i> ; Bates, 1880:123 (not Bates, 1865) | |
| obliquefasciata Dillon & Dillon, 1952:61 | Brasil |
| pagana (Pascoe, 1859:35) | nc Brasil, Peru, Colombia, Bolivia |
| pallida Dillon & Dillon, 1945:69 | Panama, Colombia |
| pepoata Martins & Galileo, 1996:295 | Bolivia |
| picticornis (Bates, 1865:111) | Peru, nw Brasil (AM) |

- pigra** Martins & Galileo, 1990:62
pulla Dillon & Dillon, 1945:65
signaticornis (Thomson, 1868:48)
soma Dillon & Dillon, 1945:67
subfasciata (Thomson, 1860:118)
thysbe Dillon & Dillon, 1945:68
tigrinata (Thomson, 1868:49)
antennata antennata Dillon & Dillon, 1945:71
antennata sodalis Dillon & Dillon, 1945:72
- Cherentes** Gounelle, 1906:273
niveilateris (Thomson, 1868:70)
- Chitron** Dillon & Dillon, 1946:404
mniszehi (Buquet, 1859:48)
- Cicatrodea** Dillon & Dillon, 1946:223
bahia Dillon & Dillon, 1946:224
monima Dillon & Dillon, 1946:225
- Cipriscola** Dillon & Dillon, 1945:82
fasciata (Thomson, 1860:118)
crassipes Bates, 1865:168
- Clavidesmus** Dillon & Dillon, 1946:293
chicae Giorgi, 1998: 3
columbianus Breuning, 1961:333
heterocerus (Buquet, 1852:344)
indistinctus Dillon & Dillon, 1952:74
metallicus (Thomson, 1868:70)
monnei Giorgi, 1998: 2
rubiginus Dillon & Dillon, 1949:11
- Cnemosioma** Martins, 1975:65
innominata Martins, 1975:66
- Cordites** Dillon & Dillon, 1946:232
armillata (Thomson, 1868:57)
pubescens (Thomson, 1868:59)
modesta Melzer, 1931:58
- Cydros** Pascoe, 1866:285
Trachytoxus Thomson, 1868:72
leucurus Pascoe, 1866:285
scabrosus Thomson, 1868:72
melzeri Monné & Fragoso, 1984:929
- Cylicasta** Thomson, 1868:42
difficilis (Lameere, 1893:278)
litrata (Fabricius, 1801:325)
coarctata Bates, 1865:312
nysa Dillon & Dillon, 1946:274
parallela (Melzer, 1934:93)
chionea Martins, 1979:155
terminata (Buquet, 1859:47)
litrata; Dillon & Dillon, 1946:270 (not Fabricius, 1801)
- Delilah** Dillon & Dillon, 1945:53
gilvicornis (Thomson, 1868:46)
subfasciata Dillon & Dillon, 1952:61
- Bolivia
Peru, Bolivia
nw Brasil (AM)
Peru
Fr Guiana
Costa Rica, Panama, Ecuador
Fr Guiana, nc Brasil (AM, PA), Peru, Ecuador
- Costa Rica, Panama, SAmer
- se Brasil (ES-RS)
- e Brasil (BA)
Peru, w Brasil (RO)
- Colombia, Brasil (PA, PE-RS), Paraguay, Peru,
n Argentina (MI, CO, CH)
- se Brasil (SP)
Colombia
Brasil, Paraguay
e Brasil (BA)
Fr Guiana
Brasil (MI)
s Brasil (SC)
- e Brasil (ES)
- se Brasil (RJ-SC)
se Brasil (MG-SP)
- Panama, Colombia, Fr Guiana
Brasil (RO, MT, SP)
- Venezuela
Fr Guiana, nc Brasil (AM)
- Nicaragua, Costa Rica, Colombia
sc Brasil (MS), Bolivia, Argentina
- Fr. Guiana, nc Brasil (AM, PA)
- e Brasil (ES)
Peru

- Ecthoea** Pascoe, 1858:250
Talasius Buquet, 1859:99
quadricornis (Olivier, 1792:466) Costa Rica - n SAMer, Trinidad
bispinator Fabricius, 1801:292
faunus Erichson, 1847:148
douei Buquet, 1859:cxviii
- Ephiales** Dillon & Dillon, 1946:218
cretacea (Bates, 1865:173) nw Brasil (AM), Fr Guiana, Ecuador, Peru
- Esonius** Dillon & Dillon, 1945:144
panopus Dillon & Dillon, 1945:145 c Brasil (MT, GO, MG)
- Eudesmus** Audinet-Serville, 1835:81
Larvica Thomson, 1860:71
diopites Dillon & Dillon, 1946:303 Peru
ferrugineus (Thomson, 1860:72) Mexico-Panama, n SAMer
caudalis Bates, 1865:180
grisescens Audinet-Serville, 1835:82 Nicaragua- Fr Guiana, nw Brasil, Peru, Bolivia
nicaraguensis Breuning, 1958:35 Nicaragua
posticalis Guérin-Méneville, 1844:248 nw Brasil (AM)
rubefactus Bates, 1865:180 nw Brasil (AM), Fr Guiana
- Eupales** Dillon & Dillon, 1946:220
attenuata (Thomson, 1868:91) se Brasil (MG-RJ)
multinotata (Melzer, 1934:92)
- Euthima** Dillon & Dillon, 1945:106
araujo Martins, 1979:151 se Brasil (SP)
rodens (Bates, 1865:112) Ecuador, Peru, Fr Guiana, Bolivia,
rodens ceres Dillon & Dillon, 1945:108 n Brasil (AM)
variegata (Aurivillius, 1921:50) Peru, Bolivia
wendtae Martins, 1979:151 Peru
- Furona** Dillon & Dillon, 1945:96
corniculata (Bates, 1885:365) Nicaragua-Panama
degenera (Bates, 1880:123) e Mexico (VC)-Panama, Colombia
egens (Erichson, 1847:149) Peru, Ecuador
- Glyphthaga** Thomson, 1868:64
lignosa Thomson, 1868:55 se Brasil (MG-SC), Fr Guiana
mucorea Martins & Galileo, 1990:72 e Brasil (PE, BA)
paupercula (Thomson, 1868:62) e Brasil (GO, BA)
unicolor Martins & Galileo, 1990:72 s Brasil (RS)
vicina Martins & Galileo, 1990:72 se Brasil (RJ-SC)
xylina (Bates, 1865:172) se Brasil (PB-SC)
maculicornis Thomson, 1868:63
- Hesycha** Fairmaire & Germain, 1859:523
Falsestola Breuning, 1940:155
Estolosybra Breuning, 1943:41
bimaculata Martins & Galileo, 1990:76 e Brasil (ES)
clavata Martins & Galileo, 1990:77 sc Brasil (MS)
consimilis Thomson, 1868: 63 se Brasil (MG-SP)
cribripennis Fairmaire & Germain, 1859:523 Chile
crucifera Dillon & Dillon, 1952:66 se Brasil (RJ)
paupercula; Dillon & Dillon, 1945:133 (not Thomson, 1868)
fasciata Martins & Galileo, 1990:77 e Brasil (ES)
inermicollis (Breuning, 1940:155) se Brasil (BA, MG-PR), n Argentina (MI)
ocellifera Martins & Galileo, 1990:74
microphthalma Martins & Galileo, 1990:76 se Brasil (MG-SC)
simplex Martins & Galileo, 1990:76 e Brasil (MG)
strandii (Breuning, 1943:41) Venezuela
variabilis Dillon & Dillon, 1945:131 se Brasil (RJ-SC), Paraguay, Argentina

- Hesychotypa** Thomson, 1868:53
- ableptema** Martins & Galileo, 1990:80 n Brasil (PA)
nymphonoides; Dillon & Dillon, 1945:160 (not Pascoe, 1859)
 - aeropa** Dillon & Dillon, 1945:155 Bolivia
 - archippa** Dillon & Dillon, 1945:165 se Brasil (RJ-PR)
 - bimaculata** Dillon & Dillon, 1945:161 Ecuador
 - cedestes** Dillon & Dillon, 1945:173 Guatemala-Panama, Ecuador
 - colombiana** Martins & Galileo, 1990:80 Colombia, Ecuador
 - crocea** Dillon & Dillon, 1945:170 Fr Guiana
 - dola** Dillon & Dillon, 1945:164 se Brasil (RJ, SP)
 - fernandezi** Martins & Galileo, 1999: 76 Colombia
 - heraldica** (Bates, 1872:201 Nicaragua-Panama)
 - jaspidea** (Bates, 1865:172) Fr Guiana, n Brasil (PA)
 - lirissa** Dillon & Dillon, 1945:153 c Brasil (MT)
 - liturata** (Bates, 1865:172) Fr Guiana, Brasil
 - humilis* Thomson, 1868:57
 - maculosa** (Bates, 1865:173) nw Brasil (AM)
 - miniata** Thomson, 1868:54 se Brasil, Paraguay, Argentina
 - nymphonoides** (Pascoe, 1859:36) nc Brasil (AM, PA), Peru, Ecuador, Colombia
 - phaola* Dillon & Dillon, 1945:163
 - punctata** Martins, 1979:153 Ecuador
 - subfasciata** Dillon & Dillon, 1945:152 se Brasil (RJ-SC), Paraguay
 - turbida** (Bates, 1880:122) Nicaragua-Panama
 - maculosa*; Bates, 1880: pl.8, fig.20 (not Bates, 1865)
- Hylus** Dillon & Dillon, 1945:104
- dubius** Dillon & Dillon, 1945:105 Peru, Colombia
- Hypselomus** Perty, 1832:95
- Clytemnestra* Thomson, 1860:113 (part)
 - cristatus** Perty, 1832:96 se Brasil (BA-RS), Bolivia, Paraguay, Argentina
 - tumulosus* Thomson, 1860:113
- Hypsioma** Audinet-Serville, 1835:38
- Hypselomus*; Bates, 1865:111 (not Perty, 1832)
 - affinis** Thomson, 1860:117 se Brasil (MG-RS)
 - amydon** Dillon & Dillon, 1945:36 Peru, Ecuador, nw Brasil (AM)
 - aristonia** Dillon & Dillon, 1945:47 e Brasil (ES)
 - asthenia** Martins & Galileo, 1990:56 w Brasil (RO)
 - attalia** Dillon & Dillon, 1945:45 se Brasil (RJ)
 - barbara** Martins & Galileo, 1990:60 e Brasil (ES)
 - basalis** Thomson, 1860:117 se Brasil (ES, RJ)
 - chaseba* Dillon & Dillon, 1945:30
 - chapidensis** Dillon & Dillon, 1945:22 c Brasil (MT), Paraguay
 - charila** Dillon & Dillon, 1945:43 se Brasil (MG-PR)
 - constellata** Thomson, 1868:48 Fr Guiana, n Brasil (AP, PA)
 - dejeanii** Thomson, 1868:47 se Brasil (ES, RJ)
 - gibbera** Audinet-Serville, 1835:39 se Brasil, Paraguay, Argentina
 - grisea** (Fleutiaux & Sallé, 1889:469) W Indies (Lesser Antilles)
 - insularis* Fisher, 1935:199
 - hezia** Dillon & Dillon, 1945:46 se Brasil, Paraguay, Argentina
 - inornata** Thomson, 1868:49 se Brasil, n Argentina (MI)
 - lyca** Dillon & Dillon, 1945:34 Ecuador, nw Brasil (AM), Peru
 - nesiope** Dillon & Dillon, 1945:33 Panama, Colombia
 - obscurella** (Bates, 1865:169) n Brasil (PA)
 - opalina** Dillon & Dillon, 1945:44 se Brasil (RJ)
 - pylades** Dillon & Dillon, 1945:31 se Brasil (RJ)
 - renatoi** Martins & Galileo, 1990:56 e Brasil (ES)
 - rimosa** Dillon & Dillon, 1945:24 Paraguay
 - robusta** Dillon & Dillon, 1945:39 n Brasil (PA)
 - sororcula** Martins, 1981:213 c Brasil (MT)
 - steinbachi** Dillon & Dillon, 1945:27 wc Brasil (MT, RO), Bolivia
 - viridis** Gilmour, 1950:537 se Brasil (SP)

- Iaquira** Galileo & Martins, 2001: 102
viridis Galileo & Martins, 2001: 102 e Brasil (ES)
- Ischiocentra** Thomson, 1860:382
Ischyocentra; Thomson, 1864:103
clavata Thomson, 1860:383 e Brasil (ES)
diringshofeni Lane, 1956:23 s Brasil (SC)
disjuncta Martins & Galileo, 1990:84 Venezuela
hebes (Thomson, 1868:59) se Brasil (ES-SC)
costalimai Melzer, 1931:59
monteverdensis Giesbert, 1984:79 Costa Rica, Panama
nobilitata Thomson, 1868:55 Brasil
quadrisignata Thomson, 1868:57 se Brasil (MG-SP)
stockwelli Giesbert, 1984:81 Costa Rica, Panama
- Ischioderes** Dillon & Dillon, 1945:184
bahiensis Monné & Fragoso, 1984:928 e Brasil (BA, MG)
oncideroides Dillon & Dillon, 1945:185 s Brasil (SC)
- Ischiomaeocles** Franz, 1954:224
salvadorensis Franz, 1954:225 El Salvador
- Ischiosioma** Martins & Galileo, 1990:82
albata Martins & Galileo, 1990:82 e Brasil (ES)
obliquata Martins & Galileo, 1990:82 s Brasil (SC)
- Jamesia** Jekel, 1861:259
duofasciata Dillon & Dillon, 1952:59 Ecuador
ericksoni Hovore, 1989:253 Costa Rica, Panama
fuscofasciata Dillon & Dillon, 1952:60 Ecuador
globifera (Fabricius, 1801:284) Colombia, Ecuador, n SAmer
gemmata Blanchard in Orbigny, 1843:210
variolosus Pascoe, 1859:35
multivittata Bates, 1869:388 Nicaragua-Panama
papulenta Thomson, 1868:43 Nicaragua-Colombia, Ecuador, Peru
phileta Dillon & Dillon, 1945:8 Peru
pyropina Dillon & Dillon, 1945:9 Ecuador
- Lachaerus** Thomson, 1868:71
fascinus (Audinet-Serville, 1835:82) se Brasil (BA- RJ)
seminivorus Buquet, 1852:345
seminivosus; Thomson, 1868:71
- Lachnia** Audinet-Serville, 1835:63
subcincta Audinet-Serville, 1835:64 Fr Guiana, nc Brasil (AM, PA), Ecuador
subvincta; Breuning, 1961:207
fulvoirrorata Thomson, 1868:56
- Lampedusa** Dillon & Dillon, 1945:112
lateralis Thomson, 1868:63 Fr Guiana
obliquator, Dillon & Dillon 1945:114 (not Fabricius, 1801)
obliquator Fabricius, 1801:303 Fr Guiana, Peru, nc Brasil (AM,PA)
- Lesbates** Dillon & Dillon, 1945:12
Truncatoides Dillon & Dillon, 1945:16
acromii (Dalman, 1823:70) se Brasil (ES-PR)
omoplata Lacordaire, 1872:676
axillaris (Thomson, 1860:116) se Brasil (MG-PR)
carissima Dillon & Dillon, 1945:14 e Brasil (BA)
caviunas (Dillon & Dillon, 1949:4) se Brasil (ES-PR)
hauffi Tippmann, 1953:357

- Leus** Dillon & Dillon, 1946:222
ramuli (Bates, 1865:311)
piperella Dillon & Dillon, 1946:222
Peru, c Brasil (AM, MT), Ecuador, Bolivia
- Lochmaeocles** Bates, 1880:124
Lochmaeodes; Aurivillius, 1923:345
Lochmalodes; Arnett, 1962:871
alboplagiatus Dillon & Dillon, 1946:193
basalis Dillon & Dillon, 1946:212
batesi (Aurivillius, 1923:345)
callidryas; Bates, 1880:124 (not Bates, 1865)
callidryas (Bates, 1865:175)
confertus (Aurivillius, 1923:346)
tessellata var. 2 Bates, 1885:366
congener (Thomson, 1868:89)
vermiculata Thomson, 1868:91
consobrinus consobrinus Dillon & Dillon, 1946:205
subsp. **bolivianus** Dillon & Dillon, 1946:207
cornuticeps cornuticeps Schaeffer, 1906:20
tessellatus; Knoll, 1937:42 (not Thomson, 1868)
subsp. **federalis** Dillon & Dillon, 1946:197
subsp. **pacificus** Dillon & Dillon, 1946:198
cretatus Chemsak & Linsley, 1986:25
fasciatus (Lucas in Laporte, 1857:189)
grisescens Noguera & Chemsak, 1993:290
hondurensis Dillon & Dillon, 1946:204
laticinctus Dillon & Dillon, 1946:200
leuripennis Martins & Galileo, 1995:2
marmoratus Casey, 1913:351
tessellatus; Schaeffer, 1906:18 (not Thomson, 1868)
nigritarsus Chemsak & Linsley, 1986:23
obliquatus Dillon & Dillon, 1946:215
pseudovestitus Chemsak & Linsley, 1988:135
vestitus; Dillon & Dillon, 1946:207 (not Bates, 1885)
pulcher Dillon & Dillon, 1946:211
sladeni (Gahan in Arrow, 1903:254)
sparsus (Bates, 1880:125)
callidryas var. Bates, 1880: pl.9, fig.10
tessellatus tessellatus (Thomson, 1868:90)
subsp. **costaricae** Chemsak, 1986:18
vestitus (Bates, 1885:366)
zonatus Dillon & Dillon, 1946:214
Panama, Trinidad
Panama
Honduras-Colombia, Ecuador
n SAmer
Guatemala
se Brasil (ES-SP)
Costa Rica-Colombia
Bolivia, Peru
sw USA (TX), ne Mexico (TA)
c Mexico (MO)
w Mexico (SI, JA)
se Mexico (YU, QR)
se Brasil, Paraguay, Argentina
w Mexico (JA)
Honduras
Guatemala
Colombia
sw USA (AZ), nw Mexico
se Mexico (YU, QR)
e Brasil (CE-BA)
w Mexico (JA, SI, GR)
Ecuador, nw Brasil (AM), Fr Guiana
Brasil, Paraguay, Argentina, Uruguay
e Mexico (VC)-Panama
Panama, Colombia
Nicaragua, Costa Rica
e Mexico (VC)
Trinidad & Tobago, Fr Guiana, Guyana
- Lydipta** Thomson, 1868:52
Aenea Dillon & Dillon, 1945:110
conspersa (Aurivillius, 1922:164)
humeralis Martins & Galileo, 1995:1
pumilio Thomson, 1868:53
senicula (Bates, 1865:167)
nerissa Dillon & Dillon, 1945:108
Brasil (RO, GO, MT, SP), Paraguay
Ecuador
se Brasil, Paraguay, Argentina
nc Brasil (AM, PA), Bolivia
- Marensis** Dillon & Dillon, 1945:94
simplex (Bates, 1865:168)
tybalmoides Dillon & Dillon, 1945:95
nw Brasil (AM), Ecuador
- Microcanus** Dillon & Dillon, 1945:xi
minor (Bates, 1885:368)
e Mexico (VC)
- Midamus** Dillon & Dillon, 1945:141
hecabe Dillon & Dillon, 1945:141
santarensis Dillon & Dillon, 1945:143
se Brasil, Paraguay, Argentina
c Brasil (PA, RO, MT)
- Neocherentes** Tippmann, 1960:155
dilloniorum Tippmann, 1960:156
Peru, Bolivia

Neodillonia Monné & Fragoso, 1984:926

Dillonia Lane, 1955:269

Clytemnestra Thomson, 1860:113 (part)

- albisparsa** (Germar, 1824:477)
adspersus Laporte, 1840:482
bonariensis Thomson, 1860:115

Brasil, Paraguay, Argentina, Uruguay

Oncideres Lepeletier & Audinet-Serville in Lacordaire, 1830:183

Oncoderes; Gemminger & Harold, 1873:3124

- albipilosa** Noguera, 1993:25
albistillata Dillon & Dillon, 1952:75
albomaculata Dillon & Dillon, 1946:347
albomarginata albomarginata Thomson, 1868:80
subsp. **chamela** Chemsak & Giesbert, 1986:35
albopicta Martins & Galileo, 1990:93
alicei Lane, 1977:233
amputator (Fabricius, 1792:276)
lherminieri Forsstrom in Schoenherr, 1817:419
apiaba Martins, 1981:225
apicalis Dillon & Dillon, 1946:349
dalmanii; Martins, 1981:228 (not Thomson, 1868)
aragua Martins & Galileo, 1990:93
argentata Dillon & Dillon, 1946:353
bella Martins & Galileo, 1999:77
boliviana Heyrovsky, 1952:44
bondari Melzer, 1923:7
albifasciata Dillon & Dillon, 1952:78
bouchardi Bates, 1865:179
bucki Melzer, 1934:95
centromaculata Gilmour, 1947:187
canidia Dillon & Dillon, 1946:365
captiosa Martins, 1981:229
aegrota; Fonseca, 1931:37 (not Thomson, 1868)
castanea Dillon & Dillon, 1946:370
cephalotes Bates, 1865:178
cervina Thomson, 1868:87
chagasi Martins, 1981:227
chevrolatii Thomson, 1868:77
diana; Bates, 1865:176 (not Olivier, 1792)
cingulata cingulata (Say, 1826:272)
angulata; Schaeffer, 1908:195
cingulata; Sanborn, 1911:5
cingulator; Manley & French, 1976:50
cingulatus pallescens Casey, 1913:353
praecidens Casey, 1913:354
texana; Herrick, 1902:15 (not Horn, 1885)
subsp. **texana** Horn, 1885:195
subtropicus Casey, 1913:353
cingulatus; Townsend, 1902:79 (not Say, 1826)
colombiana Dillon & Dillon, 1946:324
saga var. *cinnamomea* Gilmour, 1950:541
crassicornis Bates, 1865:177
cumdisci Noguera, 1993:16
dalmani Thomson, 1868:76
defectiofasciata Gilmour, 1950:546
dejeanii Thomson, 1868:201
pustulata; Thomson, 1868:88 (not LeConte, 1854)
diana (Olivier, 1792:470)
albella Schoenherr, 1817:395
digna Bates, 1865:178
aegrota Thomson, 1868:330
ogrota; Thomson, 1868:88
diringsi Martins & Galileo, 1990:91
dorsomaculata Noguera, 1993:36
etiolata Dillon & Dillon, 1946:318

se Mexico (CA, YU)

Peru

n Brasil (PA), Fr Guiana

Nicaragua-n SAmer, Trinidad

Mexico (JA, NA, VC, OA, CHS), Guatemala

Peru

e Brasil (BA)

W Indies

ec Brasil (GO)

n Brasil (AM, PA), Fr Guiana

Venezuela

Panama, Colombia

Colombia

Bolivia

Brasil (GO, MT, BA, SP)

Panama, Colombia, Venezuela

s Brasil (RS)

Jamaica

se Brasil (BA-RS), Paraguay,

n Argentina (MI)

e Brasil (GO, MT, MG-SC)

Fr. Guiana, nw Brasil (AM)

se Brasil (MG-RS)

n Brasil (MA)

nc Brasil (AM, PA)

e USA

sw USA (TX), Mexico

Panama, Colombia, Venezuela

c Brasil (AM), Peru

s Mexico (CHS)

Fr Guiana, nc Brasil (AM, PA)

n Brasil (AM)

se Brasil, Paraguay, Argentina, Uruguay

Fr Guiana, n Brasil (PA)

Panama, nc Brasil (AM, PA), Fr Guiana

nw Brasil (AM), Ecuador

Mexico (GR, QE)

se Brasil (ES-SC)

fabricii Thomson, 1868:78
fisheri Dillon & Dillon, 1946:395
fulva Bates, 1865:176
satyra; Dillon & Dillon, 1946:326 (not Bates, 1865)
fulvoguttata Dillon & Dillon, 1946:356
fulvostillata Bates, 1872:202
gemmata Dillon & Dillon, 1946:350
margarethae Gilmour, 1950:543
germarii Thomson, 1868:79
propenigra Gilmour, 1950:538
gibbosa Thomson, 1868:82
glebulenta Martins, 1981:231
guttulata Thomson, 1868:84
gutturator (Fabricius, 1775:172)
saga amazona Dillon & Dillon, 1946:323
satyra; Martins, 1981:225 (not Bates, 1865)
humeralis Thomson, 1868:86
ilaire Dillon & Dillon, 1946:319
impluviata (Germar, 1842:483)
intermedia Dillon & Dillon, 1946:398
irrorata Melzer, 1934:94
gutturator; Bruch, 1941:366 (not Fabricius, 1775)
jatai Bondar, 1953:31
laceyi Dillon & Dillon, 1949:10
limpida Bates, 1865:179
lyside Dillon & Dillon, 1949:9
macra Thomson, 1868:87
teixeirai Martins & Galileo, 1990:90
maculosus Redtenbacher, 1868:184
magnifica Martins, 1981:224
malleri Fragoso, 1970:79
manauara Martins & Galileo, 1995:3
maxima Dillon & Dillon, 1946:335
miliaris (Voet, 1778:11)
miniata Thomson, 1868:88
minuta Thomson, 1868:86
mirim Martins & Galileo, 1996:297
modesta Dillon & Dillon, 1946:379
multicincta Dillon & Dillon, 1946:346
diana; Bates, 1865:176 (not Olivier, 1792)
nicea Dillon & Dillon, 1949:5
nipheta Martins, 1981:221
nivea Dillon & Dillon, 1946:324
ocellaris Bates, 1885:367
ochreostillata Dillon & Dillon, 1952:75
ocularis Thomson, 1868:82
ocularis var. *argus* Thomson, 1868:83
ophthalmalis Dillon & Dillon, 1946:392
phtharmalis; Breuning, 1961:392
pallifasciata Noguera, 1993:19
paurosoma Noguera, 1993:37
pectoralis Thomson, 1868:83
pepotinga Martins, 1981:230
phaetusa Dillon & Dillon, 1946:338
philosipes Dillon & Dillon, 1946:328
duodillon Gilmour, 1950:541
pittieri Gahan, 1894:119
poecila Bates, 1880:125
poeta Dillon & Dillon, 1949:7
polychroma Dillon & Dillon, 1946:377
pretiosa Martins & Galileo, 1990:94
pulchella Bates, 1865:178
punctata Dillon & Dillon, 1946:390
pustulata LeConte, 1854:82
putator; Riley, 1880:271 (not Thomson, 1868)
trinodatus; Essig, 1926:460 (not Casey, 1913)
putator putator Thomson, 1868:81
subsp. **brevifasciatus** Dillon & Dillon, 1946:360
n Brasil (PA)
s Mexico (VC, OA, CHS), Guatemala
n Brasil (PA), Fr Guiana, Colombia
nc Brasil (AM, PA)
s Mexico (OA, CHS)-Panama
Colombia, Fr Guiana, n Brasil (PA, MA)
se Brasil (SP-RS), Paraguay, Argentina,
Uruguay
se Brasil (MG-SP)
ec Brasil (GO, SP), Argentina
s Brasil (RS), Argentina, Uruguay
Panama, Ecuador, n Brasil, Guianas
se Brasil (ES-RS)
Panama, Colombia
se Brasil, Paraguay, Argentina, Uruguay
Fr Guiana, n Brasil (PA)
se Brasil (RJ)
n Brasil (MA)
Peru
ne Brasil (MA-BA)
Panama
se Brasil (MG-RS)
se Brasil (RJ)
n Brasil (PA), Fr Guiana
c Brasil (MT)
nc Brasil (AM)
Fr Guiana, n Brasil (PA)
Fr Guiana
se Brasil, Paraguay, Argentina
Fr. Guiana, Ecuador
n Brasil (PA)
n Brasil (PA)
Bolivia, Ecuador, n Brasil, Fr Guiana
Peru
se Brasil (MG, SP), Fr Guiana
n Brasil (PA)
Mexico (OA, CHS)-Nicaragua
Brasil
se Brasil (ES-RS), Argentina
Colombia
w Mexico (JA)
sw Mexico (OA, GR)
se Brasil (RJ-SC)
nc Argentina (SE)
nw Brasil (AM), Fr Guiana
Ecuador, Peru
Costa Rica
se Mexico (QR), El Salvador
Panama
c Brasil (MT)
nw Brasil (AM), Fr Guiana
nw Brasil (AM)
Mexico-Costa Rica
sw USA (TX), n Mexico (NL)
Mexico (VC, OA, CHS), Guatemala
Nicaragua-Panama

| | |
|---------------------------------------------------------------------------|--------------------------------------------|
| pyrrothrix Noguera, 1993:23 | w Mexico (NA) |
| quercus Skinner, 1905:291 | sw USA (AZ), n Mexico (NL) |
| repandator (Fabricius, 1792:277) | nw Brasil (AM), Guianas |
| rhodosticta Bates, 1885:365 | sw USA (AZ-TX), nc Mexico (DU), Baja Calif |
| <i>trinodatus</i> Casey, 1913:352 | |
| <i>putator</i> ; Horn 1885:195 (not Thomson, 1868) | |
| <i>cingulatus</i> ; Hamilton in Leng & Hamilton, 1896:141 (not Say, 1826) | |
| <i>pustulatus</i> ; Essig, 1926:460 (not LeConte, 1854) | |
| rubra Franz, 1959:186 | Mexico (JA-YU)-Costa Rica |
| <i>santarosae</i> Chemsak, 1986:16 | |
| saga (Dalman, 1823:69) | se Brasil (GO, MG-RS), Argentina, |
| <i>vomicosa</i> Germar, 1842:483 | Paraguay, Uruguay |
| <i>saga</i> var. <i>pallens</i> Gilmour, 1950:541 | |
| satyra Bates, 1865:176 | Guianas, Bolivia, nc Brasil (AM), Peru |
| <i>trigerta</i> Dillon & Dillon, 1949:8 | |
| schreiteri Bruch, 1941:367 | nw Argentina (CA, TU) |
| scitula Bates, 1880:126 | Mexico (OA, TA, GR, JA, MI, DF) |
| seabrai Fragoso, 1970:81 | c Brasil (MT) |
| senilis Bates, 1885:367 | e Mexico (VC)-Nicaragua |
| sobrina Dillon & Dillon, 1946:354 | Panama, Colombia |
| stillata Aurivillius, 1904:208 | Bolivia |
| travassosi Fragoso, 1970:80 | se Brasil (RJ) |
| tuberculata Thomson, 1868:85 | Fr Guiana, Guyana |
| ulcerosa (Germar, 1824:482) | se Brasil (ES-RS), Paraguay |
| <i>heterocera</i> Thomson, 1868:78 | |
| vicina Thomson, 1868:79 | ne Brasil (MA-BA) |
| <i>crocala</i> Dillon & Dillon, 1946:317 | |
| vitiliga Martins, 1981:226 | Bolivia |
| voetii Thomson, 1868:84 | Fr Guiana, Guyana |
| <i>ochreomaculata</i> Dillon & Dillon, 1952:77 | |
| | |
| Oncioderes Martins & Galileo, 1990:88 | |
| <i>picta</i> Martins & Galileo, 1990:88 | se Brasil (SP?) |
| <i>rondoniae</i> Martins & Galileo, 1990:90 | w Brasil (RO), Fr Guiana |
| | |
| Ophthalmocydrus Aurivillius, 1925:513 | |
| <i>semiorbifer</i> Aurivillius, 1925:513 | Colombia |
| | |
| Paracllytemnestra Breuning, 1974:239 | |
| <i>lineata</i> Fisher, 1926:14 | W Indies(St. Lucia) |
| <i>gigantea</i> Breuning, 1974:240 | |
| | |
| Paratrachysomus Monné & Fragoso, 1984:931 | |
| <i>huedepohli</i> Monné & Fragoso, 1984:931 | c Brasil (MT), Fr Guiana |
| | |
| Paratritania Breuning, 1961:27 | |
| <i>alternans</i> (Aurivillius, 1920:382) | e Brasil (BA, ES) |
| <i>ochritarsis</i> Breuning, 1961:28 | |
| | |
| Pericasta Dillon & Dillon, 1952:72 | |
| <i>virescens</i> (Aurivillius, 1920:383) | se Brasil (BA-RS) |
| | |
| Periergates Lacordaire, 1872:679 | |
| <i>badeni</i> Bates, 1885:369 | Mexico ? |
| <i>chiriquensis</i> Bates, 1885:368 | Panama |
| <i>rodriguezi</i> Lacordaire, 1872:679 | Guatemala, Costa Rica |
| | |
| Peritrox Bates, 1865:313 | |
| <i>denticollis</i> Bates, 1865:313 | SAmer (nc Brasil-Uruguay) |
| <i>nigromaculatus</i> Aurivillius, 1920:383 | se Brasil (ES, RJ), Paraguay |
| <i>perbra</i> Dillon & Dillon, 1945:93 | Fr Guiana, nw Brasil (AM), Peru |
| <i>vermiculatus</i> Dillon & Dillon, 1945:90 | se Brasil (RJ) |

- Plerodia** Thomson, 1868:60
singularis Thomson, 1868:61 Fr Guiana, nw Brasil (AM)
spuria Thomson, 1968:61
syrix (Bates, 1865:170) se Brasil (RJ-RS), Paraguay
pygmaea Thomson, 1868:61
- Priscatoides** Dillon & Dillon, 1945:146
tatila Dillon & Dillon, 1945:147 n Brasil (PA)
- Prohylus** Martins & Galileo, 1990:66
phanthasma Martins & Galileo, 1990:67 n Brasil (PA)
- Proplerodia** Martins & Galileo, 1990:67
goyana Martins & Galileo, 1990:67 c Brasil (GO, MT)
- Pseudobeta** Zajciw, 1972:219
Beta; Dillon & Dillon, 1945:137 (not Saussure, 1855)
doris (Thomson 1868:50) se Brasil (BA-SC)
quadrisignata Zajciw, 1972:219
ferruginea Galileo & Martins, 1990:15 nc Brasil (PA)
seabrai Monné & Fragoso, 1984:928 wc Brasil (RO, MT)
- Psyllotoxoides** Breuning, 1961:336
albomaculata Breuning, 1961:336 nw Brasil (AM)
- Psyllotoxus** Thomson, 1868:74
griseocinctus Thomson, 1868:75 se Brasil (MG-RS), Fr Guiana
inexpectatus Martins & Galileo, 1990:90 se Brasil (SP)
melanospidus Giacomel, 1991:1
- Sternycha** Dillon & Dillon, 1945:121
approximata Dillon & Dillon, 1945:123 Costa Rica
clivosa Martins & Galileo, 1990:68 Bolivia
diasi Martins & Galileo, 1990:69 Brasil (RO, SP)
panamensis Martins & Galileo, 1999: 810 Panama
paupera (Bates, 1885:366) e Mexico (VC), Belize
sternalis Dillon & Dillon, 1945:122 n Brasil (PA), Fr Guiana
- Strioderes** Giorgi, 2001: 1
peruanus Giorgi, 2001: 3 Peru
- Sulpitus** Dillon & Dillon, 1945:139
lilla Dillon & Dillon, 1945:140 se Brasil (ES, RJ)
- Taricanus** Thomson, 1868:73
truquii Thomson, 1868:74 ec Mexico (PU), Nicaragua
zaragozai Noguera & Chemsak, 1993:292 w Mexico (JA)
- Tibiosoma** Martins & Galileo, 1990:77
flavolineata Giorgi, 2001: 1 Brasil (MG, RO)
remipes Martins & Galileo, 1990:79 se Brasil (MG)
- Trachysomus** Audinet-Serville, 1835:40
arriagadai Galileo & Martins, 1991:129 Bolivia, Paraguay, n Argentina (CH)
buquetii Thomson, 1858:386 Brasil, n Argentina (CH)
camelus Buquet, 1852:352 Fr Guiana, nw Brasil (AM)
cavigibba Martins, 1975:68 Bolivia
dromedarius (Voet, 1778:10) Panama, se Brasil (RJ, SP), Fr Guiana
verrucosa Olivier, 1792:458
elephas Buquet, 1852:351
fragifer (Kirby, 1818:440) Brasil (MG-SC), Paraguay
gibbosus Buquet, 1852:354 se Brasil (RJ-RS)

- hydaspes** Dillon & Dillon, 1946:236
luederwaldti Martins, 1975:69
mexicanus Dillon & Dillon, 1946:240
fragifer; Bates, 1880:124 (not Kirby, 1818)
peregrinus Thomson, 1858:387
santarensis Bates, 1865:174
surdus Dillon & Dillon, 1946:242
thomsoni Aurivillius, 1923:345
dromedarius; Buquet, 1852:353 (not Voet, 1778)
- Fr Guiana, Guyana
e Brasil (BA, MG, SP)
sw Mexico (JA, CM, GR)
- Panama, Fr Guiana, se Brasil (RJ)
n Brasil (PA), Fr Guiana
Nicaragua-Panama
Panama, Colombia
- Trestoncideres** Martins & Galileo, 1990:87
lateralba Martins & Galileo, 1990:88
- Costa Rica, Surinam, Fr Guiana
- Trestonia** Buquet, 1859:45
albilatera (Pascoe, 1859:36)
assulina Bates, 1874:226
capreola (Germar, 1824:492)
ceara Dillon & Dillon, 1946:280
confusa Dillon & Dillon, 1946:282
exotica Galileo & Martins, 1990:14
fasciata Martins & Galileo, 1990:87
forticornis Buquet, 1859:46
frontalis (Erichson, 1847:148)
chevrolatii Buquet, 1859:46
fulgurata Buquet, 1859:48
grisea Martins & Galileo, 1990:87
nivea Martins & Galileo, 1990:85
pulcherrima Dillon & Dillon, 1946:285
pyralis Dillon & Dillon, 1946:283
signifera Buquet, 1859:49
turbula Monné & Fragoso, 1984:929
ramuli; Dillon & Dillon, 1946:281 (not Bates, 1865)
- n Brasil (PA)
Nicaragua-Panama
se Brasil, Paraguay, Argentina
e Brasil (CE)
Costa Rica, Panama
nc Brasil (PA)
Colombia
Fr Guiana
Peru, nc Brasil (AM), Ecuador, Bolivia
- Guadeloupe
se Brasil (BA-SC)
Surinam, Fr Guiana, n Brasil (AP)
Costa Rica, Panama
Costa Rica, Panama
Guadeloupe, Martinique
nc Brasil (AM), Fr Guiana, Ecuador, Peru
- Tritania** Dillon & Dillon, 1945:51
dilloni Chalumeau, 1990:300
grisea; Dillon & Dillon, 1945:52 (not Fleutiaux & Sallé, 1889)
- nc Brasil (PA)
- Tulcoides** Martins & Galileo, 1990:64
pura Martins & Galileo, 1990:64
- e Brasil (BA-ES)
- Tulcus** Dillon & Dillon, 1945:50
amazonica (Thomson, 1860:119)
- wc Brasil (AM, RO), Ecuador
- Tybalmia** Thomson, 1868:44
breuningi Dillon & Dillon, 1952:66
caeca Bates, 1872:201
coeca; Aurivillius, 1923:
funeraria Bates, 1880:122
ianthe Dillon & Dillon, 1945:178
mydas (Lucas in Laporte, 1857:189)
orbis Dillon & Dillon, 1945:177
pixe Dillon & Dillon, 1945:179
pupillata (Pascoe, 1859:35)
bipunctata Jekel, 1861:260
tetrops Bates, 1872:201
- Colombia
Nicaragua-Panama
- e Mexico (VC), Guatemala
Panama ?
Brasil
Bolivia
Panama
Guianas, Peru, Colombia, nc Brasil, Ecuador
- Brasil, Peru, Ecuador
- Typhlocerus** Dillon & Dillon, 1945:117
prodigosus (Thomson, 1868:45)
- se Brasil (RJ ?)
- Venustus** Dillon & Dillon, 1945:115
analogus Martins & Galileo, 1996:296
zeteki Dillon & Dillon, 1945:116
- Colombia
Panama, Colombia, Ecuador

Laticraniini

Lane 1959:312

Amplitempora Giesbert, 1996:317
captiocula Giesbert, 1996:317

Panama, Fr Guiana

Laticranium Lane, 1959:312
mandibulare Lane, 1959:313

Guatemala-Panama, e SAmern
Argentina (SA)

Pteropliini

Thomson, 1860:43, 73

Protorhopalitae Thomson, 1860:69

Niphoninae Pascoe, 1864:56

Hebestolitae Thomson, 1864:107 (part)

Ataxiides Lacordaire, 1872:597

Emphytoeciides Lacordaire, 1872:713

Baroeides Lacordaire, 1872:439

Atossides Lacordaire, 1872:496

Metagnomini Breuning, 1961:5

Anobrium Belon, 1902: 334

Euteles Breuning, 1940:212

fasciatum Galileo & Martins, 2002: 21

fraterculum Galileo & Martins, 2002: 24

leuconotum Galileo & Martins, 2002: 19

luridum (Breuning, 1940:212)

oberthuri Belon, 1902:334

punctatum Galileo & Martins, 2002: 21

rugosicollis Galileo & Martins, 2002: 23

simplicis Galileo & Martins, 2002: 22

Brasil (MT)
Brasil (SP, RG)
Brasil (MG)
e Brasil (ES)
Brasil (PA, RO, MT, MG), Bolivia, Ecuador
Brasil (PI)
Brasil (MG), Peru
Brasil (SP, GO, PN)

Ataxia Haldeman, 1847:56

Stenidea; Haldeman, 1847:373 (not Mulsant, 1847)

Stenosoma; LeConte, 1852:158 (not Mulsant, 1839)

Proecha Thomson in Chevrolat, 1862:252

Esthlogena; Bates, 1866:289 (not Thomson, 1864)

Parysatis Thomson, 1868:118

Parepectasis Bruch, 1926:345

acutipennis (Thomson, 1868:111)

albisetosa Breuning, 1940:38

alboscuteolata Fisher, 1926:3

alpha Chemsak & Noguera, 1993:91

arizonica Fisher, 1920:158

brunnea Champlain & Knull, 1926:206

canescens (Bates, 1880:113)

cayennensis Breuning, 1940:152

cayensis Chemsak & Feller, 1988:182

crypta (Say, 1831:5)

annulata Fabricius, 1801:326 (not Fabricius, 1792)

sordida Haldeman, 1847:56

cylindrica Breuning, 1940:39

estoloides Breuning, 1940:39

falli Breuning, 1961:225

sulcata Fall, 1907:84

fulvifrons (Bates, 1885:346)

haitiensis Fisher, 1932:73

hubbardi Fisher, 1924:253

crypta; Riley, 1880:271 (not Say, 1832)

illita (Bates, 1885:347)

linearis (Bates, 1866:290)

lineata (Fabricius, 1792:314)

luteifrons (Bruch, 1926:345)

strandii Breuning, 1940:40

mucronata (Bates, 1866:289)

nivisparsa (Bates, 1885:346)

se Brasil (RJ-RS)
e Brasil (CE, PE)
Cuba, Puerto Rico, Virgin Is.
w Mexico (SI, JA)
sw USA (AZ), n Mexico, Baja Calif
c USA (MN-IL, TX)
se Mexico (YU)
Fr Guiana
Belize (Twin Cays)
e USA-Brasil (?)

Colombia
se Brasil (SP)
s USA (Fla)

Costa Rica, Panama
Haiti
sw USA (AZ-AR, TX, CO), ne Mexico

Guatemala
c Brasil (PA, RO, MT), Fr Guiana
e Mexico (VC)-Argentina
Paraguay, Argentina

nw Brasil (AM), Fr Guiana
Costa Rica, Panama

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| obscura (Fabricius, 1801:307) <i>sulcata</i> Bates, 1866:290 <i>collaris</i> Thomson, 1868:119 <i>flaviceps</i> Breuning, 1942:137 | c Brasil (AM), Ecuador, Fr Guiana |
| obtusa (Bates, 1866:291) <i>brunnipes</i> Thomson, 1868:122 | se Brasil (ES-SC) |
| operaria Erichson in Schomburg, 1848:574 <i>nigritarsis</i> Thomson, 1868:120 <i>lineata</i> , Gemminger & Harold, 1873:3100 <i>flavescens</i> Bates, 1880:112 | e USA-TX-SAmer |
| perplexa (Gahan, 1892:258) | c Mexico (MO, GR) |
| prolixa (Bates, 1866:291) | se Brasil (RJ) |
| rufitarsis (Bates, 1880:112) | Nicaragua |
| setulosa Fall, 1907:84 | Baja Calif |
| spinicauda Schaeffer, 1904:224 | s USA (FL), Cuba, Bahamas, Jamaica |
| spinipennis Chevrolat, 1862:252 | Cuba, Puerto Rico |
| stehliki Chemsak, 1969:187 | Cuba |
| tibialis Schaeffer, 1908:348 | sw USA (TX) |
| uniformis Fisher, 1926:3 | Trinidad |
| variegata Fisher, 1925:1 | Cuba |
| yucatanana Breuning, 1940:39 | se Mexico (YU) |
| | |
| Catafimbria Aurivillius, 1922:260 <i>Fimbria</i> ; Belon, 1896:387 (not Boheman, 1861) | |
| boliviana (Belon, 1896:388) | Bolivia |
| | |
| Cryptocranium Audinet-Serville, 1835:75 <i>Ornatodesisa</i> Breuning, 1961:18 | |
| cazieri Lane, 1958:6 <i>pulchra</i> Breuning, 1961:19 <i>gounellei</i> Breuning, 1980:68 | Brasil (PA, GO), Peru |
| laterale Audinet-Serville, 1835:76 | e Brasil (PE, MG-SC), Bolivia |
| | |
| Emphytoecia Fairmaire & Germain, 1859:529 <i>Amphytoecia</i> ; Thomson, 1860:383 <i>Emphytoecides</i> Breuning, 1942:174 | |
| alboliturata (Blanchard in Gay, 1851:520) | Chile |
| camousseighti Cerda, 1995:77 | Chile |
| dimidiata (Blanchard in Gay, 1851:521) <i>dimidiata</i> m. <i>vitticollis</i> Breuning, 1947:61 | Chile |
| elquiensis Cerda, 1995:79 | Chile |
| lineolata (Blanchard in Gay, 1851:519) <i>lineolata</i> Breuning, 1942:175 | Chile |
| niveopicta Fairmaire & Germain, 1864:390 | Chile |
| sutura-alba Fairmaire & Germain, 1859:531 | Chile |
| suturella (Blanchard in Gay, 1851:518) | Chile |
| | |
| Emphytoeciosoma Melzer, 1934:96 <i>daguerrei</i> Melzer, 1934:97 | e Argentina (BA), Uruguay |
| | |
| Epectasis Bates, 1866:294 <i>hieki</i> Breuning, 1974:157 juncea (Newman, 1840:13) <i>attenuata</i> Bates, 1866:294 <i>grossepunctata</i> Breuning, 1942:175 | |
| junceoides Breuning, 1961:25 | e Mexico (VC) |
| mexicana Breuning, 1954:6 | e Mexico (VC)-Panama, Ecuador, Peru, Fr Guiana, Brasil |
| panamensis Breuning, 1974:157 | nw Brasil (AM) |
| rotundipennis Breuning, 1943:63 | Mexico |
| similis Gahan, 1895:126 | Panama |
| | e Brasil (ES) |
| | W Indies(Lesser Antilles) |
| | |
| Esaete Galileo & Martins, 2002: 15 rufulus Galileo & Martins, 2002: 15 | Brasil (ES, BA) |

Esthlogena (Esthlogena) Thomson, 1864:107

Hebestola; Thomson, 1857:302 (not Haldeman, 1847; not Blanchard in Gay, 1851)

| | |
|----------------------------------------|----------------------|
| albisetosa Bates, 1880:113 | Mexico-Honduras |
| albolineata (Breuning, 1940:40) | Fr Guiana, Guyana |
| brunnescens Breuning, 1940:41 | Colombia |
| <i>brunescens</i> ; Breuning, 1961:35 | |
| comata (Thomson, 1857:303) | Brasil, Uruguay |
| foveolata Aurivillius, 1920:381 | Bolivia |
| glaucipennis Thomson, 1868:121 | Brasil |
| guatemalena Bates, 1885:348 | Guatemala |
| lanata Breuning, 1940:152 | Brasil |
| maculifrons Thomson, 1868:120 | se Brasil (RJ, SP) |
| mirandilla Bates, 1885:348 | Guatemala, Panama |
| monticola (Fisher, 1942:25) | Jamaica |
| porosa Bates, 1872:200 | e Mexico (VC)-Panama |
| porosoides Breuning, 1969:188 | e Brasil (BA) |
| spinipennis Breuning, 1942:137 | s Brasil (SC) |
| spinosa Breuning, 1954:6 | Guatemala |

Esthlogena (Pseudotaxia) Breuning, 1940:152

| | |
|-------------------------------------|-----------------|
| obliquata Breuning, 1940:152 | Brasil |
| proletaria Thomson, 1868:121 | Venezuela, Peru |

Esthlogenopsis Breuning, 1942:138

| | |
|---------------------------------------------|----------------|
| ochreoscutellaris Breuning, 1942:138 | ec Brasil (GO) |
|---------------------------------------------|----------------|

Proxepectasis Monné & Giesbert, 1992:252

Parepectasis; Breuning, 1974:159 (not Bruch, 1926)

| | |
|---------------------------------------|---------------|
| boliviana (Breuning, 1974:159) | e Brasil (ES) |
|---------------------------------------|---------------|

Pteroplius Lepeletier & Audinet-Serville in Lacordaire, 1830:183

Pteroplia; Thomson, 1860:73

| | |
|---------------------------------------------|--------------------|
| acuminatus Audinet-Serville, 1835:66 | se Brasil (ES, RJ) |
|---------------------------------------------|--------------------|

Rhaphiptera Audinet-Serville, 1835:66

| | |
|--------------------------------------------------------|-----------------------------------|
| affinis Thomson, 1868:116 | se Brasil (RJ-RS), Paraguay |
| albicans Breuning, 1940:152 | e Brasil (ES) |
| albipennis Breuning, 1947:51 | e Brasil (BA, MG) |
| alvarengai Fragoso & Monné, 1984:1081 | c Brasil (MT), Fr Guiana |
| annulicornis Gounelle, 1908:13 | c Brasil (GO, MT, MG) |
| candicans Gounelle, 1908:16 | e Brasil (PE) |
| clarevestita Tippmann, 1953:359 | se Brasil (SP-SC) |
| elegans Breuning, 1961:11 | ec Brasil (GO) |
| gahani Gounelle, 1908:15 | se Brasil (RJ) |
| <i>planipennis</i> Zajciw, 1960:144 | |
| melzeri Fragoso & Monné, 1984:1082 | e Brasil (BA) |
| nodifera Audinet-Serville, 1835:66 | e Brasil, Paraguay, Argentina |
| notata (Voet, 1778:16) | Brasil (PA, MT, ES), Fr Guiana |
| <i>americanus</i> Schoenherr, 1817:363 | |
| <i>rixator</i> Thomson, 1868:117 | |
| obtusipennis Melzer, 1935:188 | se Brasil (ES, RJ) |
| oculata Gounelle, 1908:16 | e Brasil (PB-SP, GO), n Argentina |
| <i>oculata</i> var. <i>gounellei</i> Breuning, 1961:16 | |
| pallens Gounelle, 1908:15 | se Brasil (MG-SP) |
| punctulata Thomson, 1868:117 | se Brasil (ES, RJ) |
| roppai Fragoso & Monné, 1984:1082 | nw Brasil (AM) |
| scrutatatrix Thomson, 1868:118 | Panama, Fr Guiana, Peru |
| seabrai Fragoso & Monné, 1984:1080 | e Brasil (ES) |
| tavakiliani Fragoso & Monné, 1984:1082 | Fr Guiana |
| triangulifera Lane, 1974:97 | e Brasil (ES) |

Trichepectasis Breuning, 1940:213

| | |
|-------------------------------------|--------------------|
| rufescens Breuning, 1940:213 | se Brasil (MG, RJ) |
|-------------------------------------|--------------------|

Pogonocherini

Mulsant, 1839:118

Alphomorphus Linsley, 1935:100

- vandykei** (Linsley, 1930:82)
vandykei grandis Linsley, 1933:185
mexicanus Breuning, 1940:185

Mexico (ME, MO, GR)

Callipogonius Linsley, 1935:79

- cornutus** (Linsley, 1930:86)
hircinus (Bates, 1885:358)

sw USA (TX)- Mexico (JA, VC)
e Mexico (VC)-Honduras

Ecteneolus Bates, 1885:359

- flohri** Bates, 1885:360

c Mexico (ME)

Ecyrus LeConte, 1852:160

Exocentrus; Haldeman, 1847:50 (not Mulsant)

Oebaceres Thomson, 1868:164

- albifrons** Chemsak & Linsley, 1975:284
arcuatus Gahan, 1892:259
dasycerus var. *texanus* Schaeffer, 1908:347
ciliatus Chemsak & Linsley, 1975:285
dasycerus dasycerus (Say, 1827:270).
obscurus Haldeman, 1847:50
exiguus Haldeman, 1847:50
subsp. **floridanus** Linsley, 1935:93
hirtipes Gahan, 1895:127
insularis Fisher, 1932:76
hoffmanni Fisher, 1932:78
nanus Fisher, 1932:79
flavus Fisher, 1932:80
lineicollis Chemsak & Linsley, 1975:283
pacificus Linsley, 1942:80
penicillatus Bates, 1880:137
fasciatus Hamilton, 1896:137

c Mexico (MO)-Costa Rica
sw USA (TX), s Mexico (QR, YU), Guatemala

sw Mexico (MI, GR)
e NAmer-TX, Mexico

se USA (FL)
W Indies

sw Mexico (JA, OA, VC, SLP)
Baja Calif, w Mexico (SO, SI)
sw USA (TX), Mexico (SI, TA, VC), Guatemala

Estoloderces Melzer, 1928:147

Falsestoloderces Breuning, 1963:521

- luederwaldti** Melzer, 1928:148

se Brasil (MG-RS), Paraguay

Hypomia Thomson, 1868:51

- mexicana** Thomson, 1868:52

Mexico

Lophopogonius Linsley, 1935:94

- crinitus** (LeConte, 1873:237)

w NAmer (Pac Cst)

Lypsimena Haldeman, 1847:54

Alloeoscelis Bates, 1885:358

- brasiliensis** Aurivillius, 1922:164
navarroii Melzer, 1928:148
fuscata; Bruch, 1912:210 (not LeConte, 1852)
fuscata Haldeman, 1847:54
leptis Bates, 1885:358
californica Horn, 1885:194
nodipennis (Burmeister, 1865:181)
proletaria (Melzer, 1931:2)
proletaria var. *vitticollis* Melzer, 1931:3
strandiella Breuning, 1943:58
tomentosa Chemsak & Linsley, 1978:30

SAmer (widely distributed)

s USA (FL, CA), sc Mexico (MO)-SAmer

se Brasil, Argentina, Uruguay
e Brasil (PE-RS)

c Mexico (PU)
Venezuela

Pogonocherus (Pogonocherus) Dejean, 1821:107 [not Megerle in Dejean]

Pogonochaerus; Gemminger & Harold, 1873:3116

Pityphilus Mulsant, 1862:302

Pityophilus; Bedel, 1889:41

Pogonocherus (Eupogonocherus) Linsley, 1935:97

- arizonicus** Schaeffer, 1908:346 sw USA (AZ), nc Mexico (DU)
medianus Linsley, 1935:98
- mixtus** Haldeman, 1847:50 NAmer
simplex LeConte, 1873:237
- parvulus** LeConte, 1852:160 n USA, Canada
salicola Casey, 1913:347
salicicola Morris, 1918:41
mixtus; Caulfield, 1881:60 (not Haldeman, 1847)
- penicillatus** LeConte in Agassiz, 1850:234 n USA, Canada, Alaska
penicellatus; LeConte, 1852:160
pencillatus; Craighead, 1923:123
alaskanus Schaeffer, 1909:385
carinatus Casey, 1913:346
- pictus** Fall, 1910:6 w NAmer
simplex; Hamilton, 1896:135 (not LeConte, 1873)
emarginatus Casey, 1913:347
fastigiatus Casey, 1913:348
- propinquus** Fall, 1910:6 w NAmer

Poliaenus Bates, 1880:120

- abietis** Tyson, 1968:140 w USA (CA)
- batesi** Linsley, 1933:183 Guatemala
- californicus** (Schaeffer, 1908:347) w USA (CA)
pilatei Van Dyke, 1920:46
- concolor** (Schaeffer, 1909:102) Baja Calif
obliquus Linsley, 1942:81
- hesperus** Chemsak & Linsley, 1988:133 w Mexico (JA, GR)
- negundo** (Schaeffer, 1905:164) w USA (AZ), N Mexico (SO)
- nuevoleonis nuevoleonis** Chemsak & Linsley, 1975:279 sw USA (TX), ne Mexico (NL)
subsp. **similnegundo** Skiles, 1979:107 sw USA (AZ), Mexico (DU)
- obscurus obscurus** (Fall, 1910:5) sw USA (AZ, NE)
subsp. **albidus** Linsley, 1933:184 w USA (CA)
concolor; Van Dyke, 1920:46 (not Schaeffer, 1909)
- subsp. **ponderosae** Linsley, 1935:85 w USA (CA)
californicus; Van Dyke, 1920:49 (not Schaeffer, 1908)
- subsp. **schaefferi** Linsley, 1933:184 w USA (CA)
vandykei; Schaeffer, 1932:153 (not Linsley, 1930)
californicus; Craighead, 1923:124 (not Schaeffer, 1908)
- oregonus** (LeConte, 1861:354) w NAmer
- sparsus** Chemsak & Linsley, 1975:277 w Mexico (NA)
- volitans** (LeConte, 1973:232) w Mexico (SO, SI), Baja Calif, Guatemala
hirsutus Bates, 1880:120
incertus Breuning, 1943:58

Pygmaeopsis Schaeffer, 1908:347

- viticola** Schaeffer, 1908:348 sw USA (TX)

Soluta Lacordaire, 1872:657

- gramineoides** Lacordaire, 1872:657 Brasil

Zaplous LeConte, 1878:415

- annulatus** (Chevrolat, 1862:250) se USA (FL), Cuba
hubbardi LeConte, 1878:415
- baracutey** Zayas, 1975:212 Cuba

Composomatini

Thomson, 1857:70

Aereneites Thomson, 1868:92

Aerenea Thomson, 1857:298

- Pythaides* Brèthes, 1920:46
Pythoides; Breuning, 1961:289
Punctaerenea Breuning, 1948:31

Cognataerenea Breuning, 1971:286
Cognataerenea (Mimaerenea) Breuning, 1971:287
Puncaerenea; Breuning, 1980:3
aglaia Monné, 1980:238
albilarvata Bates, 1866:198
alvaradoi Prosen, 1947:256
annulata Monné, 1980:254
antennalis Breuning, 1948:30
apicalis Melzer, 1923:5
compacta Breuning, 1948:28
compacta mediofasciata Breuning, 1948:28
mediofasciata Breuning, 1971:286
batesi Monné, 1980:240
bimaculata (Brèthes, 1920:46)
brunnea Thomson, 1868:96
subnuda Melzer, 1923:6
subnuda m. trinidadensis Breuning, 1948:29
ecuadoriensis Breuning, 1947:60
flavofasciculata Breuning, 1948:30
flavolineata Melzer, 1923:7
gounellei Monné, 1980:257
humero-lineata Breuning, 1980:22
impetiginosa Thomson, 1868:95
occulta Monné, 1980:244
periscelifera Thomson, 1868:95
columbiana Breuning, 1948:29
albasetosa Breuning, 1971:286
posticalis Thomson, 1857:299
punctatostriata (Breuning, 1948:31)
quadriplagiata (Boheman, 1859:151)
albigena Burmeister, 1865:179
pulchella Thomson, 1868:96
robusta Monné, 1980:261
setifera Thomson, 1868:94
subcostata Melzer, 1932:219
subimpetiginosa Breuning, 1948:29
sulcicollis sulcicollis Melzer, 1932:219
subsp. **subsulcicollis** Breuning, 1948:29
transversefasciata Breuning, 1974:40
trigona Pascoe, 1858:247
tuberculata Monné, 1980:259

se Brasil (MG)
nc Brasil (AM, PA), Fr Guiana, Peru
nc Argentina (SE)
w Brasil (AC)
se Brasil (ES-SC)
e Brasil (BA-SP)
e Brasil (ES)
Peru, Bolivia
Panama-Argentina
Ecuador
Peru
Brasil, Bolivia, Paraguay, Argentina
se Brasil (RJ)
Mexico
Mexico-Colombia, Venezuela
n Argentina (FO)
Colombia
se Brasil, Paraguay, n Argentina
se Brasil (RJ)
SAmer
Paraguay
se Brasil (RJ, SP)
se Brasil (MG, RJ)
e Brasil (PE)
se Brasil, Paraguay, Argentina
ec Brasil, Fr Guiana, nw Argentina
Brasil
se Brasil (ES, RJ)
Peru, Bolivia

Antennaerenea Breuning, 1980:25
niveosignata Breuning, 1980:26

Brasil

Brasiliosoma Breuning, 1960:181

Phrynosoma Breuning, 1948:2

apicale Monné, 1980:45

tibiale (Breuning, 1948:3)

n Brasil (PA)
e Brasil (PB, PE)

Compsosoma Lepelletier & Audinet-Serville in Lacordaire, 1830:183

Compsosoma (Guariteres) Gounelle, 1908:11

Compsosoma (Yamamadis) Gounelle, 1908:12

Compsosoma (Pseudoguariteres) Breuning, 1961:289

alboapicalis Breuning, 1980:69

chabrilacii (Thomson, 1857:74)

fasciatum Monné, 1980:100

geayi Gounelle, 1908:8

mniszehii Thomson, 1857:74

monnei Martins & Galileo, 1996:299

mutillarum (Klug, 1825:463)

nubilum Gounelle, 1908:9

nubilum var. *simplex* Gounelle 1908:10

perpulchrum (Vigors, 1825:418)

phaleratum Thomson, 1857:74

vestitipenne Zajciw, 1962:244

Brasil
c Brasil (MG, SP, GO, MT)
se Brasil (RJ)
Fr Guiana, wc Brasil (AM, PA, RO)
nw Brasil (AM), Peru
Bolivia
se Brasil (MG-SP)
ec Brasil GO, MT, PE, BA), Bolivia,
Paraguay
se Brasil (BA-RS), n Argentina (MI)
se Brasil (BA-RS)
wc Brasil (AM, RO)

- v-notatum** (Vigors, 1825:417)
notatum; White, 1846:48
quinquenotatum Thomson, 1857:75
niveosignata; Audinet-Serville, 1835:56
 se Brasil (MG-SC)
- Cristaerenea** Breuning, 1949:26
Cognataerenea; Breuning, 1980:24 (not Breuning, 1971)
cognata (Pascoe, 1859:36)
hypsiomoides Thomson, 1868:93
 Fr Guiana
- Desmiphoropsis** Gounelle, 1908:12
mannerheimi (Thomson, 1865:557)
variegata (Audinet-Serville, 1835:57)
 Fr Guiana
 se Brasil (ES-PR), n Argentina (MI)
- Eusphaerium** Newman, 1838:498
purpureum Newman, 1838:498
 se Brasil (BA-RS), Argentina
- Laraesima** Thomson, 1868:96
Penessada Thomson, 1868:97
albosignata (Bates, 1885:361)
asperata (Bates, 1885:362)
brunneoscutellaris (Tippmann, 1960:154)
densepunctata Breuning, 1950:535
ecuadorensis Breuning, 1974:40
fuliginea (Bates, 1885:361)
hispida (Thomson, 1868:98)
asperipennis Breuning, 1948:31
nitida Monné, 1980:230
ochreoapicalis Breuning, 1973:664
pilosa Monné, 1980:228
scutellaris Thomson, 1868:97
 Guatemala
 e Mexico (VC)
 se Brasil (RJ, SP)
 s Brasil (SC)
 Ecuador
 c Mexico (PU), Guatemala
 se Brasil (MG-SP)
 se Brasil (SP)
 e Brasil (PE)
 Peru
 se Brasil (MG-RS), n Argentina (MI)
- Paracomposoma** Breuning, 1948:27
humerale Breuning, 1948:28
 ec Brasil (GO)
- Parapythais** Monné, 1980:36
melzeri Monné, 1980:36
 se Brasil (MG)
- Pythais** Thomson, 1857:71
Pithais; Gounelle, 1908:7
scutigera (Vigors, 1826:239)
concretum Blanchard, 1843:210
 se Brasil (MG-SP)
- Tessarecphora** Thomson, 1857:77
arachnoides arachnoides Thomson, 1857:77
 subsp. **amazonica** Monné, 1980:39
 subsp. **centralis** Monné, 1980:39
 se Brasil, Paraguay, Argentina
 n Brasil (AM, PA, MA, PE, AL), Peru
 Mexico-Colombia, Venezuela
- Tucales** Gounelle, 1908:13
Vaziella Prosen, 1954:33
Variella; Breuning, 1961:291
franciscus (Thomson, 1857:76)
franciscanum; Zajciw, 1967:118
pastranai (Prosen, 1954:34)
postrarvi; Breuning, 1961:291
terrenus (Pascoe, 1859:36)
 w Mexico (JA), se Brasil (MG-SP),
 Fr Guiana
 se Brasil (RJ-SC), n Argentina (MI)
 nc Brasil (AM, PA)

Phacellini

Lacordaire, 1872:664

- Brachychilus** Blanchard in Gay, 1851:499
chevrolatii Thomson, 1868:103
 Chile

literatus Blanchard in Gay, 1851:500 Chile
modestus Philippi & Philippi, 1864:383
scutellaris Blanchard in Gay, 1851:500 Chile, w Argentina (NE)
irroratus Thomson, 1868:102
wagenknechti Cerda, 1954:96 Chile

Eurycallinus Bates, 1885:362
Eurycallinodes Breuning, 1947:60
mirabilis Bates, 1885:363 e Mexico (VC)
unifasciatus (Breuning, 1947:61) e Mexico (VC, PU?)

Neobrachychilus Monné, 1979:410
consobrinus (Lane, 1939:75) c Brasil (MT), Bolivia, Argentina (SA)

Phacellus Dejean, 1835:335
boryi (Gory, 1832: pl.45) Fr Guiana, Surinam, nw Brasil (AM)
castaneus Monné, 1979:406 se Brasil (ES)
cuvieri Buquet, 1851:604 se Brasil (MG, SP)
purpureus Lacordaire, 1872:665
dejeani Buquet, 1838:255 se Brasil (ES)
fulguratus Monné, 1979:408 s Brasil (SC)
latreillei Buquet, 1838:255 se Brasil (ES)
plurimaculatus Galileo & Martins, 2001: 104 Brasil (AM)

Piola Marinoni, 1974:86
colombica Martins & Galileo, 1999: 818 Colombia
quiabentiae Marinoni, 1974:88 sc Brasil (MT), n Argentina (SA, FO)
rubra Martins & Galileo, 1999: 815 Bolivia
unicolor Martins & Galileo, 1999: 817 Brasil (PA)

Scolochilus Monné, 1979:411
lautus Monné & Tavakilian, 1988:237 Fr Guiana, nw Brasil (AM)
maculatus Monné, 1979:412 se Brasil (MG)

Tuberopeplus Breuning, 1947:66
chilensis Breuning, 1947:67 Chile
chilensis Cerda, 1963:5
krahmeri Cerda, 1980:66 Chile

Megabasini

Thomson, 1864:23

Megabasis Audinet-Serville, 1835:53
speculifera (Kirby, 1818:439) se Brasil (BA-SP)

Desmiphorini

Thomson, 1860:74

Rhodopides Lacordaire, 1872:450
Epicastides Lacordaire, 1872:490
Apodasyides Lacordaire, 1872:623
Nedinides Lacordaire, 1872:635
Estolides Lacordaire, 1872:636
Ectatosiides Lacordaire, 1872:415
Crinotarsides Lacordaire, 1872:475
Psenocerini LeConte, 1873:333
Hoplosiae LeConte & Horn, 1883:326
Essisini Aurivillius, 1917:44

Acaua Martins & Galileo, 1995:28
exotica Martins & Galileo, 1995:29 s Brasil (MS), Bolivia

Aconoapteroides Breuning, 1959:87
laevipennis (Blanchard in Gay, 1851:506) Chile

| | |
|--------------------------------------------------|----------------------------------------------------|
| Aconopterus Blanchard in Gay, 1851:504 | |
| cristatipennis Blanchard in Gay, 1851:505 | Chile |
| strandii Breuning, 1943:59 | Chile |
| Anisopeplus Melzer, 1934:227 | |
| perplexa Melzer, 1934:228 | se Brasil (MG-SC) |
| Atelodesmis Buquet, 1857:334 | |
| hirticornis Buquet, 1857:335 | se Brasil (ES, RJ) |
| piperita Bates, 1885:352 | Mexico (VC, CHS), Costa Rica |
| unicolor Buquet, 1857:336 | e Mexico (VC) |
| vestita Buquet, 1857:335 | se Brasil (ES-RS) |
| Atimiliopsis Breuning, 1974:32 | |
| ochripennis Breuning, 1974:32 | se Brasil (RJ) |
| Atimiola Bates, 1880:119 | |
| guttulata Bates, 1880:120 | s Mexico (CHS)-Costa Rica |
| Blabia Thomson, 1864:109 | |
| <i>Prymnopteryx</i> Thomson, 1868:13 | |
| <i>Prymnosis</i> Bates, 1866:288 | |
| bangae Galileo & Martins, 1998: 147 | Ecuador |
| bicuspis (Bates, 1866:288) | nc Brasil (AM, PA, RO, MA), Ecuador, Peru |
| bituberosa (Breuning, 1940:59) | Colombia |
| colobothoides Thomson, 1864:109 | Colombia, Peru |
| costaricensis Breuning, 1943:53 | Costa Rica, Panama |
| crisulata Martins & Galileo, 1995:579 | Colombia, Ecuador |
| epicharis Martins & Galileo, 1995:577 | Peru |
| exotica Martins & Galileo, 1995:584 | Colombia |
| ferina Martins & Galileo, 1995:574 | Colombia |
| galba Martins & Galileo, 1995:580 | Ecuador |
| gemma Martins & Galileo, 1995:576 | Colombia |
| incompta Martins & Galileo, 1995:580 | Ecuador |
| intricata Martins & Galileo, 1995:588 | Colombia |
| magdalena Martins & Galileo, 1995:583 | Colombia |
| masoni (Aurivillius, 1927:543) | Colombia |
| meinerti (Aurivillius, 1900:414) | Colombia, Venezuela |
| oculifera Martins & Galileo, 1995:575 | w Brasil (RO), Ecuador |
| piscoides (Thomson, 1868:131) | Venezuela |
| rendira Galileo & Martins, 1998: 148 | Peru |
| similis (Breuning, 1940:59) | Fr Guiana, Venezuela |
| spinella Martins & Galileo, 1995:572 | Colombia |
| strandiiella Breuning, 1943:53 | Peru |
| truncata Breuning, 1940:59 | Colombia, Ecuador |
| Blabicentrus Bates, 1866:192 | |
| angustatus Bates, 1866:193 | n Brasil (PA) |
| hirsutulus Bates, 1866:192 | n Brasil (PA), Fr Guiana |
| Catognatha Blanchard in Gay, 1851:517 | |
| gracilis Blanchard in Gay, 1851:517 | Chile |
| Ceiupaba Martins & Galileo, 1998: 261 | |
| capixaba Martins & Galileo, 1998: 261 | e Brasil (ES) |
| lineata Martins & Galileo, 1998: 261 | Brasil (MG, SP) |
| Cicatrixestola Breuning, 1947:54 | |
| elongata Breuning, 1964:95 | e Brasil (ES) |
| flavicans Breuning, 1947:55 | Bolivia, se Brasil (MS, SC), Paraguay, n Argentina |
| humeralis Martins & Galileo, 1995:163 | Bolivia, Argentina (JU, SA, TU) |

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cicatrisesetoloides Breuning & Heyrovsky, 1964:29 costaricensis Breuning & Heyrovsky, 1964:29 | Costa Rica |
| Cicuiara Galileo & Martins, 1996:874 nitidula (Bates, 1866:191) striata (Bates, 1866:191) <i>stritata</i> ; Galileo & Martins, 1996:875 | n Brasil (PA) Venezuela, c Brasil (PA, MS, GO, MG) |
| Coeloprocta Aurivillius, 1926:4 humeralis (Breuning, 1940:431) singularis Aurivillius, 1926:4 | e Brasil (PE) e Brasil (PB, BA) |
| Colobura Blanchard in Gay, 1851:511 alboplagiata Blanchard in Gay, 1851:512 | Chile, w Argentina (NE) |
| Curuapira Martins & Galileo, 1998: 263 exotica Martins & Galileo, 1998: 263 | Venezuela |
| Cymatonycha Bates, 1874:234 castanea Bates, 1874:234 fasciata Chemsak & Noguera, 1993:101 meridionalis Martins & Galileo, 1995:165 | Guatemala-Costa Rica w Mexico (MI, JA, GR) Colombia, Venezuela |
| Desmiphora (Desmiphora) Audinet-Serville, 1835:62 <i>Desmophora</i> ; Gemminger & Harold, 1873:3107 <i>Pyrracita</i> Thomson, 1868:105 <i>Pyrrhacita</i> ; Gemminger & Harold, 1873:3107 <i>Therchaetes</i> Thomson, 1868:107 <i>Terchaetes</i> ; Lacordaire, 1872:623 <i>Euchaestes</i> Chevrolat, 1861:252 aegrota Bates, 1880:116 amoica Galileo & Martins, 1998: 39 apicata (Thomson, 1868:106) auatinga Martins & Galileo, 1996:300 bijuba Giesbert, 1998: 30 boliviana Breuning, 1948:20 canescens Bates, 1874:226 <i>obliquemaculata</i> Breuning, 1942:156 chemsaki Giesbert, 1998: 32 circumspecta (Lane, 1973:383) <i>circumspecta</i> ; Galileo & Martins, 1993:77 cirrosa Erichson, 1847:147 <i>similis</i> Breuning, 1943:46 compacta Breuning, 1942:155 crinita Giesbert, 1998: 34 crocata Melzer, 1935:186 cucullata Thomson, 1868:104 decora (Melzer, 1928:147) digna Giesbert, 1998: 35 elegantula White, 1855:401 fasciculata (Olivier, 1792:465) <i>servillei</i> White, 1855:401 <i>gigantea</i> Thomson, 1860:75 fasciola Martins & Galileo, 1995:166 ferruginea (Thomson, 1868:107) flavescens Breuning, 1943:47 fuscosignata Breuning, 1942:155 hirticollis (Olivier, 1795:11) <i>mexicana</i> Thomson, 1860:75 <i>lanata</i> Chevrolat, 1862:253 <i>intricata</i> Casey, 1913:350 intonsa (Germar, 1824:484) <i>pallidipennis</i> Chevrolat, 1861:251 <i>crinitus</i> Dejean in Chevrolat, 1862:252 | sw USA (TX)-Panama Brasil (MG, AM) se Brasil (ES-SP), Ecuador Ecuador MX (OA) Bolivia s Mexico (CHS), Nicaragua-Colombia, Venezuela MX (Vc, QR) se Brasil (SP) e Mexico (VC)-Panama, Peru, nw Brasil (AM), Fr Guiana, Argentina se Brasil (GO, RJ-PR), Paraguay Panama ec Brasil (GO, MG) e Brasil, Paraguay, Argentina, Uruguay se Brasil (RJ, SP) Panama n Brasil (PA), Fr Guiana e Mexico (VC)-Brasil, Fr Guiana, Bolivia Peru e Brasil (ES), Fr Guiana, Ecuador n Argentina (TU) e Brasil (PE) sw USA-SAmer, W Indies, Puerto Rico, Galapagos Is se Brasil, Paraguay, Argentina, Uruguay |

lanuginosa Breuning, 1942:155
lateralis Thomson, 1868:104
lateralis Breuning, 1942:157
lenkoi (Lane, 1959:219)
lineatipennis Breuning, 1943:46
longipilis (Fisher, 1926:7)
maculosa Linsley & Chemsak, 1966:220
mirim Martins & Galileo, 2002: 8
mulsa Giesbert, 1998: 38
multicristata Bates, 1866:201
neoflavescens Galileo & Martins, 1998: 40
nigroannulata Martins & Galileo, 2002: 7
niveocincta (Lane, 1959:222)
obliquelineata Breuning, 1948:21
ornata Bates, 1866:201
pallida Bates, 1874:226
grisea Aurivillius, 1904:208
picta Breuning, 1943:46
pitanga Galileo & Martins, 1998: 38
pretiosa Melzer, 1935:186
rufocristata Melzer, 1935:185
scapularis Bates, 1885:351
senicula Bates, 1866:200
spitzi Melzer, 1935:188
tigrinata Martins & Galileo, 2002: 6
travassosi Mendes, 1938:316
albolineata Breuning, 1942:156
undulatofasciata Breuning, 1942:157
unicolor Breuning, 1961:155
variola Giesbert, 1998: 41
venosa Bates, 1866:202
xerophila Martins & Galileo, 1995:167
x-signata Melzer, 1935:187

Desmiphora (Antenniphora) Breuning, 1947:45

antennalis Breuning, 1947:44
endibauna Galileo & Martins, 1998: 37
magnifica Martins & Galileo, 1995:165

Diliolophus Bates, 1885:355

vexator Bates, 1885:355 Guatemala

Dolichestola Breuning, 1942:164

annulicornis Breuning, 1942:164
densepunctata Breuning, 1942:165
nigricornis Breuning, 1942:165
vittipennis Breuning, 1948:26

Esmia Pascoe, 1859:55

seabrai Lane & Prosen, 1961:131
spissicornis (Fabricius, 1801:330)
turbata Pascoe, 1859:55

Estola Fairmaire & Germain, 1859:524

acricula Bates, 1866:293
multilineata Breuning, 1940:62
affinis Breuning, 1940:61
albicans Breuning, 1940:62
alboinsecta Melzer, 1932:217
mediofasciata Breuning, 1940:67
albomarmorata Breuning, 1943:57
albosetosa Breuning, 1940:65
albosignata Breuning, 1940:63
albosparsa Thomson, 1858:124
alboostictica Breuning, 1940:61

albovaria Breuning, 1940:60
alternata Breuning, 1940:68
annulata (Fabricius, 1801:300)
annulicornis Fisher, 1942:26
annulipes Breuning, 1940:70
assimilis Breuning, 1940:69
attenuata Fisher, 1926:12
basiflava Breuning, 1943:57
basimaculata Breuning, 1940:66
basinotata Bates, 1866:291
benjamini Breuning, 1940:66
boliviana Breuning, 1940:71
brunnea Thomson, 1868:123
brunneovariegata Breuning, 1940:71
brunnescens Breuning, 1940:65
cayennensis Breuning, 1940:70
cinerea Breuning, 1940:70
columbiana Breuning, 1940:70
compacta Breuning, 1940:64
crassepunctata Breuning, 1940:61
crassepuncta Breuning, 1940:61
cuneata Breuning, 1940:65
daidalea Martins & Galileo, 2002: 2
densepunctata Breuning, 1940:68
dilloni Zayas, 1975:205
diversemaculata Breuning, 1943:57
flavescens Breuning, 1940:69
flavobasalis Breuning, 1940:66
flavolineata Breuning, 1950:173
flavomarmorata Breuning, 1942:163
flavostictica Breuning, 1940:69
fratercula Galileo & Martins, 1999: 86
freyi Breuning, 1955:660
fuscodorsalis Breuning, 1940:67
fuscomarmorata Breuning, 1940:71
fuscopunctata Breuning, 1943:57
fuscostictica Breuning, 1940:64
grisescens Breuning, 1940:63
postrufa Breuning, 1980:69
griseostictica Breuning, 1940:61
hirsuta (Degeer, 1775:115)
lineolata Bates, 1866:292
hirsutella Aurivillius, 1922:319
hirsuta; Fairmaire & Germain, 1859:525 (not Degeer, 1775)
hispidula Lameere, 1893:277
ignobilis Bates, 1872:200
insularis insularis Blair, 1933:483
 subsp. **cribrata** Blair, 1933:483
 subsp. **duncani** Van Dyke, 1953:135
 subsp. **subnigrescens** Breuning, 1974:109
insularis nigrescens; Linsley & Chemsak, 1966:229 (not Breuning, 1943)
lata Fuchs, 1974:244
longeantennata Breuning, 1940:60
marmorata Breuning, 1940:67
medionigra Breuning, 1940:66
m-flava Breuning, 1940:64
microphthalma Breuning, 1942:163
minor Breuning, 1940:66
misella Bates, 1885:357
nebulosa Breuning, 1940:60
nigrescens Breuning, 1943:57
nigropunctata Breuning, 1940:69
nigrosignata Breuning, 1940:61
nodicollis Breuning, 1940:70
obliquata Breuning, 1940:68
obliquelineata Breuning, 1940:70
obscura (Fabricius, 1792:261)
auriga Schoenherr, 1817:376
Fr Guiana
e Brasil (BA)
SAmer
R Dominicana
Brasil
se Brasil (SP)
Jamaica
Venezuela, Fr Guiana
se Brasil (ES-SP)
n Brasil (PA), Ecuador, Fr Guiana
Colombia
Bolivia
Brasil
Venezuela
Venezuela. Colombia
Fr Guiana
Bolivia
Colombia
n Brasil (PA)
e Brasil (BA), Fr Guiana
ec Brasil (GO)
Ecuador
ec Brasil (GO, PE)
Cuba
Brasil
ec Brasil (GO, BA)
Fr Guiana, ec Brasil (GO)
Bolivia
Venezuela, Colombia
e Brasil (PE, BA)
Colombia
Trinidad
se Brasil, Paraguay
Bolivia
e Brasil (BA, MG)
se Brasil (RJ)
e Brasil (PE)
se Brasil (MG, RJ)
Panama, Guianas, nc Brasil (PA)
Chile
Venezuela
s Mexico-Panama, Venezuela, Puerto Rico
Galapagos Is
Galapagos Is (Albemarle)
Galapagos Is (Duncan)
Galapagos Is (Floreana)
ec Brasil (GO)
ec Brasil (GO), Paraguay
se Brasil (RJ, SP), Venezuela
ec Brasil (GO)
Fr Guiana, nw Brasil (AM)
e Brasil (ES)
e Brasil (ES)
Guatemala-Panama
n Brasil (PA)
Venezuela
e Brasil (CE, PE)
e Brasil (MG)
n Brasil (PA)
se Brasil (MG, RJ)
se Brasil (RJ)
se Brasil (RJ), Fr Guiana

flavicollis Breuning, 1940:62
obscura Monné & Giesbert, 1992:252
obscura; Thomson, 1868:123 (not Fabricius, 1792)
obscuroides Breuning, 1942:163
parvula Breuning, 1940:60
porcula Bates, 1866:293
retrospinosa Breuning, 1940:59
rufa Breuning, 1940:65
ruficeps Breuning, 1943:56
seriata Kirsch, 1875:287
sericata; Lameere, 1883:62
similis Breuning, 1940:70
stramentosa Breuning, 1940:68
strandi Breuning, 1940:71
strandiella Breuning, 1942:163
subannulicornis Breuning, 1963:507
annulicornis; Breuning, 1950:173 (not Fisher, 1942)
trinidadensis Breuning, 1955:660
truncatella Bates, 1866:293
spinipennis Breuning, 1940:64
unicolor Fairmaire & Germain, 1859:526
varicornis Bates, 1866:293
variegata Bates, 1866:292
vittulata Bates, 1874:226
vulgaris Galileo & Martins, 1999: 88

e Brasil (BA, MG)
Paraguay
e Brasil (GO, MG, RJ)
n Brasil (PA), Fr Guiana
Venezuela, Peru
e Brasil (MG)
Fr Guiana
Peru
Peru
se Brasil (RJ, SP)
s Brasil (SC)
Costa Rica
Bolivia
Trinidad
se Brasil (RJ)
Chile
se Brasil (MG, RJ)
nw Brasil (AM), Fr Guiana
e Mexico (VC)-Panama, Venezuela
Colombia

Estoloides (Estoloides) Breuning, 1940:74

affinis Breuning, 1940:75
alboscutellaris Breuning, 1943:55
annulicornis Breuning, 1940:75
aquilonius Linsley & Chemsak, 1984:159
chamelae Chemsak & Noguera, 1993:94
fulvitaris (Bates, 1885:356)
galapagoensis (Blair, 1933:482)
grossepunctata Breuning, 1940:76
leucosticta (Bates, 1885:357)
longicornis Breuning, 1940:75
modica Chemsak & Noguera, 1993:95
paralboscutellaris Breuning, 1971:288
pararufipes Breuning, 1974:161
perforata (Bates, 1872:200)
prolongata (Bates, 1885:356)
reflexa Breuning, 1940:76
rufipes Breuning, 1940:75
scabracaulis Chemsak & Noguera, 1993:93
sordida (LeConte, 1873:273)
sparsa Linsley, 1942:78
strandiella Breuning, 1940:76
venezuelensis Breuning, 1942:163

Trinidad
Fr Guiana, Ecuador
Fr Guiana
sw USA (AZ)
w Mexico (JA)
Costa Rica, Panama
Galapagos Is
Colombia
e Mexico (VC)
Costa Rica, Panama
w Mexico (JA)
Mexico
Belize
e Mexico (VC)-Venezuela, Trinidad, Curaçao
Panama
Venezuela
e Brasil (BA)
w Mexico (JA)
Baja Calif
Baja Calif
Costa Rica
Venezuela

Estoloides (Parestoloides) Breuning, 1940:75

basigranulata Breuning, 1943:56
costaricensis Breuning, 1940:76
esthlogenoides Breuning, 1943:56
parva Breuning, 1940:76

e Mexico (VC)
Nicaragua, Costa Rica
Costa Rica
Panama

Estoloides (Spinestoloides) Breuning, 1954:14

spinipennis Breuning, 1954:14

Jamaica

Estolomimus Breuning, 1940:181

Neoestola Breuning, 1940:182
abjunctus Martins & Galileo, 2002: 224
apicale Martins & Galileo, 1997:101
curtus (Breuning, 1940:182)
distinctus Martins & Galileo, 1997:101

Bolivia
e Brasil (ES)
se Brasil (ES-RS)
e Brasil (ES)

lichenophorus Martins & Galileo, 2002: 226
maculatus Martins & Galileo, 2002: 21
marmoratus Breuning, 1940:181
pulvereus Martins & Galileo, 1997: 105
solidus (Breuning, 1940:183)
transversus Martins & Galileo, 2002: 23

sBrasil (SP)
sBrasil (SP, MG)
e Brasil (CE)
sBrasil (SC)
se Brasil (SP-SC)
Brasil (ES)

Euestola Breuning, 1943:54

basalis Martins & Galileo, 1997:110
basidensepunctata Breuning, 1943:55
fasciata Martins & Galileo, 1997:109
lineata Martins & Galileo, 1997:110

e Brasil (MG)
ec Brasil (GO)
se Brasil (SP-SC)
e Brasil (ES)

Eupogonius LeConte, 1852:159

Phidola Chevrolat, 1862:254

Eriopsilus Bates, 1866:193

affinis Breuning, 1942:161
albipilis Breuning, 1955:659
annulicornis Fisher, 1926:9
apicicornis Bates, 1885:352
arizonensis Knull, 1954:127
bierigi Melzer, 1933:380
columbianus Breuning, 1942:161
comus Bates, 1885:354
cryptus Hovore, 1989:252
cyaneus Zajciw, 1962:243
dubiosus (Breuning, 1942:160)
flavocinctus Bates, 1872:235
flavovittatus Breuning, 1942:161
fulvovestitus Schaeffer, 1905:134
fuscovittatus Breuning, 1974:154
griseus Fisher, 1926:11
hagmanni Melzer, 1927:192
haitiensis Fisher, 1935:197
infimus (Thomson, 1868:107)
subaeneus Bates, 1872:234
marmoratus Fisher, 1925:16
knabi Fisher, 1925:15
laetus Bates, 1885:353
lanuginosus (Chevrolat, 1862:255)
lineolatus Melzer, 1933:376
longipilis Bates, 1880:117
maculicornis (Chevrolat, 1862:254)
major Bates, 1885:353
microphthalmus Breuning, 1943:49
nigrinus (Bates, 1866:193)
nigritarsis Fisher, 1926:10
pauper LeConte, 1852:159
vestita; Say, 1826:273 (not *vestita* Say, 1824:290)
fraxini Knull, 1918:132
petulans Melzer, 1933:379
piceus (Fisher, 1936:348)
pilosulus (Chevrolat, 1862:254)
rubiginosa Chevrolat, 1862:254
exiguus Thomson, 1868:165
pubescens LeConte, 1873:236
pubicollis Melzer, 1933:378
scutellaris Bates, 1885:352
stellatus Chemsak & Noguera, 1993:92
strandii Breuning, 1942:160
subarmatus (LeConte, 1859:22)
subnudus Bates, 1885:353
subtessellatus Melzer, 1933:379
superbus (Zayas, 1975:196)
tomentosus (Haldeman, 1847:50)
pinivorus Fitch, 1859:712
triangularis Linsley, 1935:112

Mexico, Guatemala
Trinidad
s USA (FL), Cuba
Guatemala-Panama
sw USA (AZ)
Cuba
Colombia
sw Mexico (OA)
Costa Rica
e Brasil (ES)
Brasil
Nicaragua, Costa Rica
Guatemala
sw USA (TX)
Guatemala
Cuba
se Brasil (GO, ES-RS)
Hispaniola
s Mexico (OA, VC)-Panama, Venezuela
e Mexico (VC)
Guatemala
Cuba
se Brasil, Paraguay, Argentina, Uruguay
e Mexico (VC), Guatemala
Cuba
e Mexico (VC), Guatemala, Costa Rica
s Brasil (RS)
nw Brasil (AM)
Cuba
e USA-TX
s Brasil, n Argentina, Uruguay
Cuba
Cuba
n-c USA
Honduras-Panama
Panama
w Mexico (JA)
Costa Rica
e NAmer
sw Mexico, Guatemala
Costa Rica
Cuba
e USA
c Mexico (ME)

| | |
|------------------------------------------------|---------------------------------|
| ursulus Bates, 1872:235 | se Mexico (VC)-Nicaragua |
| vandykei Linsley, 1935:111 | c Mexico (SI, NA, ME, MO) |
| vittipennis Bates, 1885:353 | Guatemala-Panama |
| wickhami Fisher, 1935:199 | Bahamas |
| Falsestoloides Breuning, 1954:12 | |
| mexicana Breuning, 1954:13 | nc Mexico (DU) |
| tubericollis Breuning, 1980:70 | n Argentina (SE) |
| Gibbestola Breuning, 1940:72 | |
| flavescens Breuning, 1940:73 | e Brasil (PE) |
| griseovaria Breuning, 1940:72 | se Brasil (SP) |
| Gibbestoloides Breuning, 1940:73 | |
| compacta Breuning, 1940:73 | e Brasil (BA), n Argentina (CH) |
| Gyrpanetes Martins & Galileo, 1998: 260 | |
| cacapira Martins & Galileo, 1998: 260 | Brasil (ES) |
| pukuaba Martins & Galileo, 1998: 260 | Brasil (PA) |
| Hallothamus Thomson, 1868:128 | |
| decorus Thomson, 1868:129 | Venezuela |
| Inermestola Breuning, 1942:164 | |
| densepunctata Breuning, 1942:164 | Brasil (MG) |
| Inermestoloides Breuning, 1966:16 | |
| praeapicalba Breuning, 1966:17 | nw Brasil (AM) |
| Ischnolea Thomson, 1860:347 | |
| bimaculata Chevrolat, 1861:252 | se Brasil, Paraguay, Argentina |
| crinita Thomson, 1860:347 | se Brasil (ES-SC), Ecuador |
| <i>obliquelineata</i> Breuning, 1943:47 | |
| flavinota Galileo & Martins, 1993:74 | se Brasil (SP), Paraguay |
| flavofemorata Breuning, 1943:47 | e Brasil (ES) |
| inexpectata Galileo & Martins, 1993:70 | e Brasil (ES) |
| indistincta Breuning, 1942:158 | e Brasil (PE) |
| longeantennata Breuning, 1942:158 | se Brasil (RJ) |
| modesta Galileo & Martins, 1993:76 | se Brasil (SP) |
| oculata Galileo & Martins, 1993:71 | se Brasil (MG-PR) |
| peruana Breuning, 1943:48 | Peru |
| piim Galileo & Martins, 1996:868 | w Brasil (RO) |
| singularis Galileo & Martins, 1993:75 | nc Brasil (PA) |
| spinipennis Breuning, 1943:48 | e Brasil (ES) |
| strandii Breuning, 1942:158 | s Brasil (SC) |
| Ischnoleomimus Breuning, 1940:168 | |
| excavatus Breuning, 1940:168 | Peru, wc Brasil (RO, PA) |
| foveatus Galileo & Martins, 1996:868 | Bolivia, Ecuador |
| Iurubanga Martins & Galileo, 1996:302 | |
| arixi Martins & Galileo, 1996:303 | se Brasil (SC) |
| Lamiessa Bates, 1885:364 | |
| eumolpoides Bates, 1885:365 | Guatemala, Honduras |
| Malthonea Thomson, 1864:329 | |
| <i>Parablabia</i> Breuning, 1959:86 | |
| albomaculata (Breuning, 1966:15) | Bolivia |
| aurescens (Breuning, 1966:15) | Ecuador |
| cumbica Galileo & Martins, 1996:873 | Venezuela |
| glaucina (Thomson, 1868:131) | Venezuela, Ecuador |

| | |
|---------------------------------------------------|------------------------|
| guttata (Kirsch, 1888:40) | Ecuador, Colombia |
| itaiuba Martins & Galileo, 1999: 819 | Venezuela |
| mimula Martins & Galileo, 1995:615 | Colombia |
| minima Martins & Galileo, 1995:614 | Peru |
| panthera Martins & Galileo, 1995:620 | Colombia, Venezuela |
| phantasma Martins & Galileo, 1995:618 | Ecuador |
| ruficornis Belon, 1903:61 | Bolivia, Ecuador |
| spinosa Galileo & Martins, 1999: 85 | Colombia |
| tigrinata Thomson, 1864:329 | se Brasil (MG-RS) |
| Mimasyngenes Breuning, 1950:268 | |
| icupara Galileo & Martins, 1996:879 | Colombia, Venezuela |
| inlineatus Breuning, 1956:357 | Colombia, Venezuela |
| lineatipennis Breuning, 1950:269 | c Brasil (GO) |
| quiura Galileo & Martins, 1996:878 | se Brasil (SP) |
| venezuelensis Breuning, 1956:694 | Venezuela |
| ytu Galileo & Martins, 1996:880 | e Brasil (MG, SP) |
| Mimestola Breuning, 1940:74 | |
| imitatrix Breuning, 1940:74 | Panama |
| Mimestoloides Breuning, 1974:158 | |
| andresi Breuning, 1974:158 | Mexico |
| benardi Breuning, 1980:70 | Guadeloupe, Martinique |
| Mimopogonius Breuning, 1974:154 | |
| hirsutus Breuning, 1974:154 | c Brasil |
| Murupi Martins & Galileo, 1998: 263 | |
| linearis Martins & Galileo, 1998: 264 | Brasil (AM) |
| Nepagyrtes Martins & Galileo, 1998: 260 | |
| piriana Martins & Galileo, 1998: 261 | Brasil (MG) |
| Oiceaca Martins & Galileo, 1998: 262 | |
| caremata Martins & Galileo, 1998: 263 | Brasil (RG) |
| Panegyrtes Thomson, 1868:133 | |
| basale Galileo & Martins, 1995:864 | e Brasil (ES) |
| bifasciatus Breuning, 1940:178 | se Brasil (RJ) |
| crinitus Galileo & Martins, 1995:866 | e Brasil (MG) |
| davidsoni Martins & Galileo, 1998: 258 | Brasil (PA) |
| delicatus Galileo & Martins, 1995:866 | w Brasil (RO) |
| fasciatus Galileo & Martins, 1995:863 | e Brasil (ES) |
| fraternus Galileo & Martins, 1995:868 | e Brasil (BA) |
| lactescens Thomson, 1868:133 | e Brasil (RJ, GO) |
| <i>sparsepunctatus</i> Breuning, 1940:179 | |
| maculatissimus Galileo & Martins, 1995:861 | e Brasil (BA, ES) |
| porosus Galileo & Martins, 1993:93 | Panama, Colombia |
| pseudolactescens Breuning, 1974:188 | se Brasil (SP) |
| scutellatus Galileo & Martins, 1995:863 | e Brasil (BA, MG) |
| striatopunctatus Breuning, 1940:179 | ec Brasil (GO) |
| varicornis Breuning, 1940:430 | nw Brasil (AM) |
| Paradesmiphora Breuning, 1959:86 | |
| amazonica Galileo & Martins, 1998: 34 | Peru |
| farinosa (Bates, 1885:351) | Costa Rica, Panama |
| Parestola Bates, 1880:119 | |
| hoegei Breuning, 1943:54 | Mexico |
| zapotensis Bates, 1880:119 | Guatemala-Panama |
| Parischnolea Breuning, 1942:158 | |

- excavata** Breuning, 1942:159
jatai Martins & Galileo, 1995:162
 se Brasil (SP), Paraguay
 c Brasil (GO)
- Periestola** Breuning, 1943:54
Paracobelura Monné & Martins, 1976:85
strandi Breuning, 1943:54
curiosa Monné & Martins, 1976:85
 Costa Rica
- Piimuna** Martins & Galileo, 1998: 265
gibbosa Martins & Galileo, 1998: 265
 se Brasil (SC)
- Piruana** Galileo & Martins, 1998: 150
tuberosa Galileo & Martins, 1998: 150
 Brasil (MG)
- Pogonillus** Bates, 1885:360
inermis Bates, 1885:360
subfasciatus Bates, 1885:360
 Mexico (VC, OA)
 Guatemala
- Psenocerus** LeConte, 1852:158
Paralarica Breuning, 1938:389
supernotatus (Say, 1823:425)
pini; LeConte, 1852:158 (not Olivier, 1795)
tristis Casey, 1891:46
supernotatus var. *funebri*s Casey, 1914:367
picta Breuning, 1938:390
 e NAmer-TX
- Pseudestola** Breuning, 1940:181
densepunctata Breuning, 1940:182
 se Brasil (RJ)
- Pseudestoloides** Breuning & Heyrovsky, 1961:17
costaricensis Breuning & Heyrovsky, 1961:17
hiekei Breuning, 1974:51
 Costa Rica
 sc Mexico (MO, OA)
- Ptericoptomimus** Melzer, 1935:189
truncatus Melzer, 1935:190
truncata Breuning, 1940:72
 se Brasil (ES-SP)
- Stereomerus** Melzer, 1934:226
Mimaprotopus Breuning, 1940:84
brachypterus Martins & Galileo, 1994:5
diadelus Martins & Galileo, 1994:10
lineatus (Breuning, 1940:84)
melzeri Martins & Galileo, 1994:8
pachypezoides Melzer, 1934:227
 se Brasil (SP)
 Venezuela
 ec Brasil (GO, SP, PN), Bolivia
 n Brasil (AM)
 s Brasil (SC, RS), Argentina, Uruguay
- Taelosilla** Thomson, 1868:112
lateralis Thomson, 1868:113
 Mexico, Brasil
- Tigrinestola** Breuning, 1949:25
howdeni Chemsak & Linsley, 1966:241
tigrina (Skinner, 1905:291)
picta Schaeffer, 1906:21
 nw-c Mexico (CHA, DU, DF)
 sw USA (AZ, TX), n Mexico, Baja Calif
- Trichestola** Breuning, 1950:174
guatemalana Breuning, 1950:174
mexicana Breuning, 1974:161
 Guatemala
 s Mexico (CHS)
- Unelcus** Thomson, 1864:109
bolivianus Breuning, 1966:16
lineatus Bates, 1885:354
pictus Thomson, 1864:109
 Bolivia
 e Mexico (VC)-Panama, Venezuela, Ecuador
 se Brasil (RJ-RS), n Argentina (CH)

Maesini

Maesinae Lane, 1956:19
Maesini; Gilmour, 1965: 655

Coroicoia Lane, 1966:241

ligata (Schwarzer, 1930:108) Bolivia

Maesia Lane, 1956:19

acorniculata Julio, 2003: 53 Brasil (AM)
bicornis Julio, 2003: 52 Brasil (AM)
cornuta Lane, 1956:19 c Brasil (AM, RO, MT), Fr Guiana

Taurolema Thomson, 1860:15

albopunctata Gounelle, 1906:13 Guatemala, Costa Rica
nasicornis Schwarzer, 1930:106
bellatrix Thomson, 1860:15 Fr Guiana, n Brasil (PA)
cicatricosa Lane, 1966:240 Fr Guiana, Guyana, c Brasil (MT)
lineata Fuchs, 1966:13
duffy Lane, 1966:241 se Brasil (RJ)
flavocincta Gounelle, 1906:13 Costa Rica-Colombia, Peru, Ecuador
vittata Schwarzer, 1930:108
peruviana Lane, 1957:67
hirsuticornis Chevrolat, 1861:188 se Brasil, ne Argentina (MI)
nigropilosa Julio, 2003: 56 e Brasil (ES)
oberthüri Gounelle, 1906:12 n Brasil (PA)
olivacea Gounelle, 1908:19 e Brasil (ES)
pretiosa Chevrolat, 1861:187 Venezuela, Colombia
rutilans Gounelle, 1906:14 e Brasil (BA, ES)
seabrai Lane, 1973:388 nw Brasil (AM)
superba Fuchs, 1966:14 Peru

Anisocerini

Thomson, 1860:31,339
Onychoceritae Thomson, 1864:19
Platysternini Lacordaire, 1872:729

Acanthotritus White, 1855:404

dorsalis White, 1855:404 e Brasil (ES)

Anisocerus Lepeletier & Audinet-Serville in Lacordaire, 1830:181

onca White, 1855:405 nc Brasil (AM), Peru, Bolivia
var. fonteboensis Bates, 1862:449
var. olivencius Bates, 1862:450
scopifer (Germar, 1824:476) se Brasil (MG-SC), Paraguay, Argentina
scopigera; Lacordaire, 1872:723
penicillatus Lacordaire, 1830:181
stellatus Guérin-Méneville, 1855:599 Peru, Ecuador

Badenella Lane, 1964:186

Chimboincola Lane, 1966:237
badeni (Bates, 1875:276) Colombia, Ecuador
fuscus (Franz, 1935:171)
laceyi Lane, 1964:189
fallaciosa Lane, 1964:188 Colombia
gavisa (Lane, 1966:238) Ecuador
ignota Lane, 1964:187 Colombia ?

Batesbeltia Lane, 1964:182

beltii (Bates, 1872:203) Nicaragua, Costa Rica
cerussata Lane, 1964:184 Ecuador
pantherina Lane, 1964:185 Panama, Colombia
pullata Lane, 1964:184 Ecuador
verecunda Lane, 1964:183 Ecuador

- Caciomorpha** Thomson, 1864:22
batesi Pascoe, 1858:242 n Brasil (PA)
buquetii Guérin-Méneville, 1844:240 Fr Guiana
genalis Aurivillius, 1908:9 Ecuador, Peru
palliata (White, 1855:407) Guatemala-Panama
personatus Bates, 1869:385
plagiata Bates, 1875:275 Peru, Ecuador
robusta Galileo & Martins, 1998: 21 Brasil (AM, PA), Peru, Ecuador
susua Martins & Galileo, 1996:305 Ecuador
- Chalastinus** Bates, 1862:447
egensis (White, 1855:408) nw Brasil (AM), Ecuador
egaensis; Bates, 1862:447
egaensis var. *postilenatus* Bates, 1862:448
pantherinus Lacordaire, 1872:721 Fr Guiana, Surinam, nw Brasil (AM)
recticornis Bates, 1875:275 n Brasil (PA), Fr Guiana
- Chapareia** Lane, 1950:91
pinima Lane, 1950:92 Bolivia
- Cyclopeplus** Thomson, 1860:32
batesi Thomson, 1860:32 nw Brasil (AM, RO)
castaneus Gounelle, 1906:3 c Brasil (GO, RO, MT)
cyaneus Thomson, 1860:33 n Brasil (PA, AP), Fr Guiana
lacordairei Thomson, 1868:150 Fr Guiana, Peru, Bolivia, Ecuador
germaini Gounelle, 1906:3
peruvianus Tippmann, 1939:77 Peru
ab. coeruleometallescens Tippmann, 1939:77
ab. submetallicus Tippmann, 1939:77
ab. thoracicus Tippmann, 1939:77
ab. viridimetallescens Tippmann, 1939:77
violaceus Lane, 1957:65
- Eusthenomus** Bates, 1875:277
hopei Lane, 1970:382 Ecuador ?
laceyi Lane, 1970:380 Ecuador
wallisi Bates, 1875:278 Colombia
- Fredlanella** Martins & Galileo, 1996:305
Taperinha Lane, 1964:179 (not Linnavouri, 1959, Homoptera)
cerussata (Lane, 1964:180) n Brasil (PA)
diringshofeni (Lane, 1972:366) nw Brasil (AM)
- Gounellea** Lane, 1964:195
bruchii (Gounelle, 1906:17) nw Brasil (AM, RO), Bolivia, Peru, nc Argentina
zikani (Melzer, 1932:220)
melzeri (Franz, 1935:169)
franzae Lane, 1970:378
capucina (White, 1846:48) c Brasil (PA, RO, MT, MA, AM)
dulcissima (White, 1855:406) nc Brasil (PA, MT)
histrion (Gounelle, 1906:18) nc Brasil (PA, AM), Peru
- Gymnocerina** Lane, 1964:190
cratosomoides (Bates, 1862:452) nw Brasil (AM, PA), French Guiana, Ecuador
crassus Bates, 1862:453
oliveirai Lane, 1964:191
spuria Lane, 1964:192
subsiciva Lane, 1964:192
sulfurea Lane, 1964:193
- Gymnocerus** Audinet-Serville, 1835:84
scabripennis Audinet-Serville, 1835:85 Fr Guiana

- Homoephloeus** Gahan, 1892:261
licheneus Gahan, 1892:261
 sw Mexico (GR)
- Hoplistocerus** Blanchard in Orbigny, 1843:210
Demophoo Thomson 1864:21
bonsae Lane, 1966:239
callioides Gounelle, 1906:7
dichrous Gounelle, 1906:8
dives Bates, 1875:276
eximius Pascoe, 1878:377
gemmatus Bates, 1874:227
hammatus (Chabrilac, 1857:199)
hamatus; Thomson, 1864:21
iheringi Gounelle, 1906:6
lanei Zajciw, 1960:146
prominulosus Lane, 1950:95
prominulus; Gilmour, 1965:620
purpureoviridis Lane, 1938:107
refulgens Blanchard in Orbigny, 1843:210
gloriosus Bates, 1862:457
 c Brasil (MT)
 c Brasil (GO)
 Colombia, Ecuador, Bolivia
 e Brasil (BA, ES), Fr Guiana, Ecuador
 Nicaragua-Panama
 se Brasil (RJ-PR)
 se Brasil (SP)
 se Brasil (RJ)
 n Brasil (PA), Fr Guiana
 se Brasil (SP)
 c Brasil (AM, RO, MT), Fr Guiana, Ecuador,
 Bolivia
- Icarai** Galileo & Martins, 1998: 24
bufo (Thomson, 1868:149)
 Fr Guiana, nw Brasil (AM)
- Jurua** Lane, 1964:194
monachina (White, 1855:406)
monachinus var. *nautensis* (Bates, 1862:454)
 nw Brasil (AM), Peru
 Peru
- Natagaima** Lane, 1972:367
balteata Lane, 1972:368
 Guatemala, Colombia
- Onychocerus** Lepelletier & Audinet-Serville in Lacordaire, 1830:181
Scorpionus Smith, 1884:727
aculeicornis (Kirby, 1818:440)
aculicornis; Zikán & Zikán, 1944:33
albitarsis Pascoe, 1859:31
ampliatus Bates, 1875:277
concentricus Bates, 1862:455
crassus (Voet, 1778:10)
scorpio Fabricius, 1781:210
giesberti Júlio & Monné, 2001: 1
hovorei Júlio & Monné, 2001: 2
versutus (Lane, 1966:242)
 se Brasil (BA-RS), Paraguay, Bolivia, Ecuador
 Argentina, Fr Guiana
 se Brasil (BA-RJ)
 Peru, Ecuador
 c Brasil (PA, MT), Fr Guiana, Ecuador
 Costa Rica, Panama, SAmer, (widely dist.) W Indies
 Ecuador
 s Brasil (BA, PA, RO, SP, ES, SC), Peru
 e Brasil (PB, BA)
- Parachalastinus** Galileo & Martins, 2001:298
championi Bates, 1885:374
nigrescens Galileo & Martins, 2001: 300
rubrocinctus Bates, 1869:385
 Costa Rica, Panama
 Panama
 Nicaragua, Costa Rica
- Phacellocera** Laporte, 1840:468
Phacellocera; Blanchard, 1845:156
plumicornis (Klug, 1825:462)
scopulicornis Laporte, 1840:469
 se Brasil (MG-SC)
- Phacellocerina** Lane, 1964:181
limosa (Bates, 1862:448)
seclusa Lane 1964:181
silvanae Julio, 2003: 139
 Venezuela
 Colombia
 Colombia
- Platysternus** Dejean, 1835:336
hebraeus (Fabricius, 1781:210)
mucoreus Colas, 1952:18
 Fr Guiana, n Brasil (AM, PA, RO, MT)

Satipoella Lane, 1964:195
heilipoides Lane, 1964:197

Peru

Thryallis Thomson, 1858:409

granulosus Bates, 1885:374
leucophaeus (White, 1855:407)
maculosus Thomson, 1858:409
noguerai Chemsak & McCarty, 1997:106
ocellatus Chemsak & McCarty, 1997:110
sallaei Bates, 1880:131
undatus (Chevrolat, 1834:61)

Guatemala
Mexico-Costa Rica
e Mexico (VC)-Nicaragua
w Mexico (JA, NA)
Costa Rica
sc Mexico (MO)
sw USA (TX), ec Mexico (HI, ME, VC)-Honduras

Trigonopeplus White, 1855:403

Anepsius Bates, 1862:447
Anepius; Thomson, 1864:352
abdominalis White, 1855:403
signatipennis Thomson, 1860:340
binominis Chevrolat, 1861:250
bispecularis White, 1855:403
paterculus Lacordaire, 1872:718
maculipennis Lane, 1972:360

se Brasil (ES, RJ)
se Brasil (RJ)
nw Brasil (AM)
Fr Guiana, ne Brasil (PA, BA)

Xylotribus Audinet-Serville, 1835:80

decorator (Fabricius, 1801:289)
heterocerus Audinet-Serville, 1835:80
simulans Bates, 1862:456
pinacopterus Lane, 1964:198

n Brasil (PA), Fr Guiana
nw Brasil (AM)

Polyrhaphidini

Thomson 1860:30

Polyrhaphis Audinet-Serville, 1835:26

Polyrphis; Lacordaire, 1872:731
Polyrrhaphis; Gemminger & Harold, 1873:3139
angustata Buquet, 1853:445
elongata Bates, 1880: pl.10, fig.3
bondari Lane, 1939:76
argentina Lane, 1978:72
armata (Voet, 1778:15)
armiger Schoenherr, 1817:381
batesi Hovore & McCarty, 1998: 8
belti Hovore & McCarty, 1998: 10
confusa Lane, 1978:63
fabricii Thomson, 1865:542
denudata Lane, 1978:69
gracilis Bates, 1862:403
grandini Buquet, 1853:444
hystricina Bates, 1862:402
jansoni Pascoe, 1859:30
janseni; Aurivillius, 1923:372
kempfi Lane, 1978:67
michaeli McCarty, 1997:43
olivieri Thomson, 1865:543
papulosa (Olivier, 1795:72)
paraensis Bates, 1862:404
pilosa Lane, 1965:294
spinipennis Laporte, 1840:460
abdominalis; Heyne & Taschenberg, 1906:243 (not White, 1855)
spinosa (Drury, 1773: pl. 31)
horrida Voet, 1778:15
testacea Lane, 1965:298
turnbowi Hovore & McCarty, 1998: 12

Nicaragua-Panama, Fr Guiana,
Ecuador, ne Brasil (AM, BA)
Peru, Argentina, Bolivia, Paraguay
MX to Panama, Ecuador
Guat - Panama, Ecuador
se Brasil (RJ-RS)
Peru, Guianas, nw Brasil (AM), Ecuador
nw Brasil (AM), Ecuador
se Brasil (MG, RJ)
n Brasil (PA), Fr Guiana
n Brasil (PA), Ecuador
e Brasil (BA, ES)
Mexico (QR, YU)
Fr Guiana
Fr Guiana, n Brasil, Peru
Brasil-Bolivia
Peru, Ecuador, Bolivia, Guianas
ec SAmer
Guianas, Ecuador, n Brasil (AP, AM), Colombia
se Brasil (SP)
Panama

Acrocinini

Thomson 1860:28

Acrocinus Illiger, 1806:247*Macropus*; Thunberg, 1805:282 (not Shaw, 1790)**longimanus** (Linnaeus, 1758:388)*pictus* Leach, 1815:84

ec Mexico (VC, ME)-Panama, SAmer

Macropophora Thomson, 1864:15*Macropus*; Audinet-Serville, 1835:18 (not Shaw, 1790; not Thunberg, 1805)**accentifer** (Olivier, 1795:8)

e SAmer

hoffmanni (Thomson, 1860:28)

e Brasil (BA-RJ)

lateralis Lacordaire, 1872:735**lacordairei** Lepesme, 1946:491Bolivia, Peru, Fr Guiana, Ecuador, Colombia, Brasil
(AM)**trochlearis** (Linnaeus, 1758:389)

n SAmer

depressus Linnaeus, 1758:390*flavimacula* Voet, 1778:16*lepturoides* von Schreber, 1759:83*tuberculatus* Fabricius, 1798:143**worontzowi** Lane, 1938:49

c Brasil (AM, MT), Fr Guiana

Xenofreini

Bates 1885:373

Curiofrea Galileo & Martins, 1999: 96**curiosa** Galileo & Martins, 1999: 97

Colombia

Itajutinga Martins, 1981:213**difficilis** Martins, 1981:214

sc Brasil (GO, MT, SP)

Oroxenofrea Galileo & Martins, 1999: 95**spiculata** Galileo & Martins, 1999: 96

Brasil (PA)

Xenofrea Bates, 1885:373**albofasciata** Galileo & Martins, 2001: 61

s Brasil (PA, SC)

anomala Bates, 1885:373

Panama

apicalis Melzer, 1931:3

e Brasil (MG), Fr Guiana

areolata Bates, 1885:374

Panama

exotica Galileo & Martins, 1999: 97

Colombia

fulgida Galileo & Martins, 2001: 60

Brasil (AM)

lineatipennis Zajciw, 1961:222

e Brasil (ES), Fr Guiana

trigonalis Bates, 1885:373

Peru, Fr Guiana

zonata Bates, 1885:373

Panama, n Brasil (PA), Fr Guiana

Acanthoderini

Thomson, 1860:5

Oreoderitae Thomson, 1864:15*Dryoctenitae* Thomson, 1860:29**Acakyrta** Martins & Galileo, 1996:303**iaguara** Martins & Galileo, 1996:304

Colombia

lateralba Martins & Galileo, 2001: 103

Ecuador

nigrofasciata Martins & Galileo, 2001: 105

Peru

ocellata Chemsak & Hovore, 2002: 13

Panama, Costa Rica

subsp. **onca** Chemsak & Hovore, 2002: 18

Panama

Acanthoderes (Acanthoderes) Audinet-Serville, 1835:29*Acanthoderes*; Laporte, 1840:461**albifrons** Chemsak & Hovore, 2002: 5

s Mexico (VC)

aliciae Chemsak & Hovore, 2002: 6

Mexico (MO)

alpina Chemsak & Hovore, 2002: 7

Guatemala

amplifrons Chemsak & Hovore, 2002: 9

Mexico (NL)

amplitoris Chemsak & Hovore, 2002: 10

n Mexico (TA)

| | |
|-------------------------------------------------------------------------|---------------------------------------------|
| ariasi Chemsak & Hovore, 2002: 11 | Costa Rica – Panama |
| barrera Chemsak & Hovore, 2002: 13 | Mexico (QU, HI) |
| bicolor Chemsak & Hovore, 2002: 15 | n Mexico (TA, SLP) |
| cavei Chemsak & Hovore, 2002: 18 | Honduras |
| daviesii (Swederus, 1787:195) | Honduras, Colombia, Fr Guiana, |
| <i>swederi</i> White, 1855:360 | |
| <i>punctata</i> Fabricius, 1792:272 | |
| ferruginea Chemsak & Hovore, 2002:20 | Guatemala |
| flavomaculata Chemsak & Hovore, 2002: 21 | Guatemala, Honduras |
| forsteri Tippmann, 1960:168 | Peru |
| giesberti Chemsak & Hovore, 2002: 23 | Guatemala |
| hondurae Chemsak & Hovore, 2002: 24 | Honduras, Costa Rica |
| laevicollis Bates, 1872:208 | Nicaragua-Panama |
| laportei Aurivillius, 1923:385 | Fr Guiana |
| <i>daviesii</i> ; Laporte, 1840:464 (not Swederus, 1787) | |
| latiforma Chemsak & Hovore, 2002: 26 | s Mexico (VC) |
| linsleyi Chemsak & Hovore, 2002: 28 | s Mexico (QR) – Honduras |
| maccartyi Chemsak & Hovore, 2002: 30 | Mexico (JA) |
| noguera Chemsak & Hovore, 2002: 31 | Mexico (JA, GU, DF) |
| paravetusta Chemsak & Hovore, 2002: 1 | Costa Rica, Panama |
| parva Chemsak & Hovore, 2002: 3 | Guatemala |
| parvimacla Zajciw, 1964:439 | e Brasil (ES) |
| penrosei Chemsak & Hovore, 2002: 4 | Panama |
| quadrigibba (Say, 1835:195) | e NAmer-TX, Mexico – Costa Rica |
| <i>quadrigibbus lucidus</i> Knull 1958:282 | |
| quattuordecimguttata (Schoenherr, 1817:396) | "America" |
| <i>crassus</i> Voet, 1778:20 (not Voet, 1778:10 [<i>Onychocerus</i>]) | |
| ramirezi Chemsak & Hovore, 2002: 5 | Mexico (JA) |
| rubripes Bates, 1872:208 | Nicaragua, Panama |
| rufofemorata Aurivillius, 1926:12 | Brasil, Bolivia |
| satana Bates, 1880:58 | Peru |
| septemmaculata Buquet, 1859:635 | Fr Guiana, n Brasil (AP) |
| solisi Chemsak & Hovore, 2002:25 | Costa Rica (Cocos Is.) |
| subtessellata Bates, 1880:59 | Ecuador |
| thammi Bates, 1880:59 | Ecuador, Peru, Bolivia |
| ucayalensis Tippmann, 1960:168 | Peru, Ecuador |
| wappesi Chemsak & Hovore, 2002: 7 | Guatemala |
| zischkai Tippmann, 1960:165 | Bolivia |
| zonata Bates, 1880:59 | Colombia |
| | |
| Acanthoderes (Pardalisia) Casey, 1913:302 | |
| funeraria Bates, 1861:151 | Mexico (OA, SLP, VC) |
| <i>erichsonii</i> Thomson, 1868:147 | |
| lacrymans (Thomson, 1864:554) | Mexico (OA, PU) |
| <i>lachrymosus</i> ; Bates, 1880: pl.11, fig.6 | |
| | |
| Acanthoderes (Scythropopsis) Thomson, 1864:20 | |
| albitarsis Laporte, 1840:461 | se Brasil (ES-RS), Paraguay, n Argentina |
| | |
| Acanthoderes (Symperasmus) Thomson, 1864:19 | |
| affinis (Thomson, 1865:544) | Fr Guiana, n Brasil (AM, PA) |
| <i>flexistigma</i> Bates, 1880:61 | |
| thoracica White, 1855:359 | n Brasil (PA), Peru, Fr Guiana, Ecuador |
| <i>thomicus</i> Thomson, 1864:19 | |
| | |
| Aegomorphus Haldeman, 1847:45 | |
| <i>Acanthoderes</i> ; Haldeman, 1847:45 (not Audinet-Serville, 1835) | |
| <i>Aethiopoctines</i> Thomson, 1868:147 | |
| <i>Psapharochus</i> ; Casey, 1913:301 (not Thomson, 1864) | |
| <i>Aegoschema</i> ; Knull, 1946:243 (not Aurivillius, 1923) | |
| albosignus Chemsak & Noguera, 1993:98 | w Mexico (JA) |
| arizonicus Linsley & Chemsak, 1984:253 | sw USA (AZ), Baja Calif |
| chamelae Chemsak & Giesbert, 1986:36 | w Mexico (JA) |
| modestus (Gyllenhal in Schoenherr, 1817:164) | e NAmer |
| <i>decipiens</i> Haldeman, 1847:45 | |
| morrisii (Uhler, 1855:417) | e NAmer |

| | | |
|--------------------|-----------------------------------------------------------|-------------------------------------|
| | <i>leucogenus</i> Thomson, 1868:148 | |
| | peninsularis (Horn, 1880:116) | sw USA (AZ), Baja Calif, w Mexico |
| Aegoschema | Aurivillius, 1923:610 | |
| | <i>Aegomorphus</i> ; White, 1855:373 (not Haldeman, 1847) | |
| | adpersum (Thomson, 1860:337) | Brasil |
| | cinereum Lane, 1938:108 | e Brasil (MG, ES) |
| | moniliferum (White, 1855:374) | n Brasil (PA), Fr Guiana |
| | obesum (Bates, 1861:150) | Fr Guiana, n Brasil (PA), Ecuador |
| | peruvianum Lane, 1973:394 | Peru, Fr Guiana |
| Alphus | White, 1855:375 | |
| | capixaba Marinoni & Martins, 1978:179 | e Brasil (ES) |
| | similis Martins, 1985:178 | se Brasil, Paraguay, Argentina |
| | tuberosus (Germar, 1824:477) | se Brasil (MG-RS) |
| Amblysaphes | Bates, 1885:381 | |
| | striatus Bates, 1885:382 | Guatemala, Costa Rica |
| Anasillus | Marinoni & Martins, 1978:183 | |
| | crinitus Marinoni & Martins, 1978:183 | Peru |
| Anoreina | Bates, 1861:149 | |
| | biannulata (Bates, 1866:433) | nw Brasil (AM), Peru |
| | nana (Bates, 1861:149) | n Brasil (PA), Peru, Fr Guiana |
| Ateralphus | Restello, Iannuzzi & Marinoni, 2001: 300. | |
| | dejeani (Lane, 1973:397) | se Brasil (BA-RS), Fr Guiana |
| | <i>canescens</i> ; Lacordaire, 1872:741 (not Bates, 1862) | |
| | diringsi (Martins & Monné, 1993:138) | nc Brasil (AM) |
| | javariensis (Lane, 1965:311) | nw Brasil (AM) |
| | senilis (Bates, 1862:123) | n Brasil (PA, MA), Fr Guiana, Peru, |
| | <i>scutellaris</i> Bates, 1862:123 | Bolivia |
| | <i>senilis</i> ab. <i>uniformis</i> Tippmann, 1960:165 | |
| | subsellatus (White, 1855:375) | se Brasil, Paraguay, Argentina |
| | <i>canescens</i> Bates, 1862:122 | |
| | variegatus (Mendes, 1938:120) | s Brasil (PR, SC) |
| Azygocera | Aurivillius, 1920:26 | |
| | picturata (Fairmaire & Germain, 1859:518) | Chile, s Argentina (NE, SC) |
| Criopsis | Thomson, 1860:341 | |
| | curtus Thomson, 1860:342 | se Brasil (MG-SC) |
| Discopus | Thomson, 1864:17 | |
| | antennatus (Guérin-Méneville, 1855:599) | Peru |
| | buckleyi Bates, 1880:254 | Ecuador |
| | comes Bates, 1880:254 | Ecuador, Colombia |
| | eques Bates, 1880:253 | Peru |
| | patricius Bates, 1880:254 | Ecuador, Peru |
| | princeps Bates, 1880:255 | Peru |
| | spectabilis (Bates, 1861:476) | nw Brasil (AM), Peru |
| Dryoctenes | Audinet-Serville, 1835:27 | |
| | scrupulosus (Germar, 1824:470) | Panama, SAmer (widely distributed) |
| | <i>caliginosus</i> Audinet-Serville, 1835:28 | |
| Dufauxia | Lane, 1955:293 | |
| | guaicurana Lane, 1955:294 | c Brasil (RO, MT), Bolivia |
| | kourouana Lane, 1970:395 | Fr Guiana, Ecuador |
| | trichocera Monné & Magno, 1990:687 | wc Brasil (RO) |
| | zikani Lane, 1970:394 | e Brasil (BA-ES) |

- Eupromerella** Fisher, 1938:147
clavator (Fabricius, 1801:291)
fascialis White, 1855:361
griseofasciata (Fuchs, 1959:55)
nigroapicalis (Aurivillius, 1916:356)
orbifera (Aurivillius, 1908:9)
propinqua (Melzer, 1931:61)
semigrisea (Bates, 1861:217)
travassosi (Melzer, 1935:195)
versicolor (Melzer, 1935:190)
brasiliensis Fisher, 1938:148
- nc Brasil (AM, PA, MT), Peru, Fr Guiana, Ecuador
s Brasil (SC, RS), Paraguay
e Brasil (ES, RJ)
nw Brasil (AM), Peru, Bolivia, Ecuador, Colombia
se Brasil (MG-SC), Paraguay
se Brasil (MG-SC)
se Brasil (RJ)
s Brasil (SC)
- Exalphus** Restello, Iannuzzi & Marinoni, 2001: 296.
aurivillii (Lane, 1970:389)
biannulatus (Aurivillius, 1921:50)
bruchii Melzer (1931:195)
cavifrons (Bates, 1872:200)
cavifrons var. *batesi* Aurivillius 1923:379
cavifrons var. *Bates*, 1880:136, pl.11, fig.1
colasi (Lane, 1965:305)
confusus Restello, Iannuzzi & Marinoni, 2001: 298
foveatus (Marinoni & Martins, 1978:178)
gounellei (Lane, 1973:398)
guaraniticus (Lane, 1955:292)
leuconotus (Thomson, 1860:10)
lichenophorus (Lane, 1965:309)
malleri (Lane, 1955:287)
simplex (Galileo & Martins, 1998: 152)
spilonotus Restello, Iannuzzi & Marinoni, 2001: 298
zellibori (Lane, 1955:290)
- Guianas, n Brasil (PA)
Peru, Ecuador, Bolivia
Argentina, Uruguay
Guatemala-Panama, Ecuador
c Brasil (GO), Fr Guiana
Brasil (BA, MG)
ec Brasil (GO, SP), Fr Guiana
Brasil, Bolivia, Paraguay, Argentina
n Argentina (SA), Paraguay
Brasil, Argentina
Guianas
Peru, c Brasil, Fr Guiana, Ecuador
Ecuador
Brasil (PA, RO, MG)
se Brasil (RJ, SP)
- Hedypathes** Thomson, 1864:17
betulinus (Klug, 1825:462)
vidua Vigors, 1826:239
curvatocostatus Aurivillius, 1923:470
malleri Fuchs, 1970:109
monachus (Erichson in Schomburg, 1848:573)
albus Thomson, 1865:543
- se Brasil (BA-RS), Paraguay, Argentina
se Brasil (MG-SP)
Guianas, Brasil
- Idiomerus** Melzer, 1934:98
difficilis Melzer, 1934:98
- e Brasil (GO, MG-RS), Paraguay,
Argentina
- Macronemus** Dejean, 1835:337
Aethomerus Thomson, 1860:338
nalis (Pascoe, 1866:281)
antennator (Fabricius, 1801:288)
asperulus White, 1855:376
antennator; Bates, 1872:206 (not Fabricius, 1801)
filicornis (Thomson, 1860:338)
cretatus Pascoe, 1866:281
rufescens (Bates, 1862:119)
verrucosus (Pascoe, 1866:281)
- Brasil
Brasil, Fr Guiana
e Mexico (VC)-Panama, Venezuela, Ecuador
se Brasil (MG-RS), Colombia
n Brasil (PA), Fr Guiana
Colombia
- Myoxinus** Bates, 1862:120
Mysopsis Thomson, 1864:16
asper Bates, 1880:136
pictus (Erichson, 1847:144)
- se Mexico (VC, YU)-Nicaragua
e Mexico (VC)-Panama, Ecuador, n SAmer
- Myoxomorpha** White, 1855:355
alvarengorum Monné & Magno, 1990:689
decorata Monné & Magno, 1992:717
funesta (Erichson in Schomburg, 1848:573)
venezuelae Fisher, 1944:11
seabrai Marinoni & Dalossi, 1971:190
vidua Lacordaire, 1872:746
- c Brasil (AM, MT)
c Brasil (PA, MT)
Panama, n SAmer-Bolivia
c Brasil (PA, RO, MT)
Brasil (PA, RO, MT, BA-SP), Paraguay, Fr Guiana

- Necalphus** Lane, 1970:393
asellus (Pascoe, 1866:282) Colombia
ascellus; Gilmour, 1965:607
- Nesozineus** Linsley & Chemsak, 1966:229
Grossmannia Lane, 1977:3
alphoides (Lane, 1977:5) e Brasil (PE, ES, SP)
confusus Marinoni & Martins, 1978:181
apharus Galileo & Martins, 1996:43 Venezuela
armatus Galileo & Martins, 1996:42 Ecuador
ateuchus Galileo & Martins, 1996:42 Venezuela
bisignatus Hoffmann, 1984:543 e Brasil (PE, BA)
bucki (Breuning, 1954:23) Mexico-Panama, se Brasil, Venezuela, n Argentina
fraterculus Hoffmann, 1984:544 Venezuela
galapagoensis galapagoensis (Van Dyke, 1953:136) Galapagos Is. (S. Albemarle)
subsp. **variabilis** Linsley & Chemsak, 1966:231 Galapagos Is. (Sta. Cruz)
subsp. **williamsi** (Van Dyke, 1953:137) Galapagos Is. (St. James)
granosus Galileo & Martins, 1996:44 Ecuador
griseolus Hoffmann, 1984:539 e Brasil (PB)
juninensis (Lane, 1970:392) Peru, Bolivia
lineatus Galileo & Martins, 1996:43 s Brasil (MS)
marmoratus Galileo & Martins, 1996:44 Venezuela, Colombia
obscurus Hoffmann, 1984:541 n Argentina (CH, FO, SE)
probolus Galileo & Martins, 1996:45 Peru
propinquus Hoffmann, 1984:542 Venezuela
triviale Galileo & Martins, 1996:45 s Brasil (MG-PA, GO, MS)
zonatus Galileo & Martins, 1996:42 se Brasil (SP)
- Octotapnia** Galileo & Martins, 1992:61
ceiaca Galileo & Martins, 1998: 151 Brasil (MG)
exotica Galileo & Martins, 1992:62 Paraguay
mucunaca Galileo & Martins, 1998: 150 Brasil (RO)
- Oplosia** Mulsant, 1863:300
Hoplosia; Fairmaire, 1864:158
Lepargus Schiødte, 1864:512
nubila (LeConte, 1862:39) e NAmer
- Oreodera** Audinet-Serville, 1835:19
achatina Erichson, 1847:143 Peru, nw Brasil (AM)
lacteostrigata Bates, 1861:52
aerumnosa Erichson, 1847:142 Panama, SAmer (widely distributed)
remota Pascoe, 1859:29
affinis Gahan, 1892:262 Guatemala
aglaia Monné & Fragoso, 1988:831 Ecuador
albata Villiers, 1971:349 Panama, Fr Guiana
albicans Monné & Fragoso, 1988:812 c Brasil (RO, MT), Fr Guiana
albilatera Martins & Monné, 1993:136 Panama, Ecuador
amabilis Monné & Fragoso, 1988:826 c Brasil (MT)
basipenicillata Tippmann, 1960:159 Bolivia, Fr Guiana
basiradiata Tippmann, 1960:161 n Brasil (AP), Fr Guiana
bituberculata Bates, 1861:51 Colombia, Ecuador, Peru, nw Brasil (AM), Guianas
boliviana Tippmann, 1960:159 Bolivia
brailovskyi Chemsak & Noguera, 1993:96 w Mexico (JA)
c-album Bates, 1872:204 Nicaragua-Panama, Venezuela
candida Marinoni & Martins, 1978:177 e Brasil (PE-PR)
canotogata Bates, 1872:203 Nicaragua-Panama
charisoma Lane, 1955:285 se Brasil (RJ-SP)
grossa Tippmann, 1960:157
chemsaki McCarty, 2001: 16 Guatemala
cinerea Audinet-Serville, 1835:20 se Brasil (ES-RS)
angustata Melzer, 1932:423
cocoensis (Linsley & Chemsak, 1966:243) Costa Rica (Cocos Is.)
copei McCarty, 2001: 18 Mexico (MO, GU)

corticina Thomson, 1865:542
costaricensis Thomson, 1865:542
cretata Bates, 1861:148
cretifera Pascoe, 1859:29
crinita Monné & Fragoso, 1988:815
curvata Martins & Monné, 1993:134
exigua Monné & Fragoso, 1988:820
fasciculosa Thomson, 1865:542
hispidata Bates, 1880:135
ferruginea Fuchs, 1964:9
flavopunctata Fuchs, 1958:54
fluctuosa Bates, 1861:50
kahli Williams, 1928:222
forsteri Tippmann, 1960:158
glauca glauca (Linnaeus, 1758:390)
tuberculata Degeer, 1775:112
spengleri Fabricius, 1776:231
punctata Voet, 1778:16
rudis Olivier, 1792:461
scabra Fabricius, 1792:274
literata Donovan, 1813:15
subsp. **jamaicensis** Fisher, 1942:26
subsp. **pacifica** Chemsak & Linsley, 1978:140
goudoti (White, 1855:370)
granulifera Bates, 1872:205
pulcherrima Monné & Fragoso, 1988:821
granulipennis Zajciw, 1963:426
graphiptera Bates, 1885:376
griseozonata Bates, 1861:149
howdeni Monné & Fragoso, 1988:818
inscripta Bates, 1872:205
inscriptipennis Bates, 1880: pl.10, fig.11
jacquieri Thomson, 1865:542
jaquieri ; Aurivillius, 1923:377
lanei Monné & Fragoso, 1988:824
lateralis (Olivier, 1795:129)
leucostigma Monné & Fragoso, 1988:814
lezamai Hovore, 1989:254
macropoda Marinoni & Martins, 1978:175
magnifica Martins & Monné, 1993:137
magnoi Monné & Fragoso, 1988:829
marinonii Monné & Fragoso, 1988:817
melzeri Monné & Fragoso, 1988:823
mimetica Lane, 1970:387
minima Galileo & Martins, 1999: 91
mocoiatira Galileo & Martins, 1998: 152
modesta Monné & Fragoso, 1988:829
neglecta Melzer, 1932:425
noguerai McCarty, 2001: 24
obsoleta Bates, 1874:228
occulta Monné & Fragoso, 1988:823
ohausi Melzer, 1930:195
olivaceotincta Tippmann, 1953:343
omissa Melzer, 1932:424
paulista Tippmann, 1953:342
purpurascens Bates, 1880:135
pustulosa Monné & Fragoso, 1988:821
quinquetuberculata (Drapiez, 1820:328)
trinodosa Germar, 1824:471
rhytisma Monné & Fragoso, 1988:818
roppai Monné & Fragoso, 1988:830
rufofasciata Bates, 1861:51
seabrai Monné & Fragoso, 1988:815
semialba Bates, 1874:228
semiporosa Tippmann, 1960:160
sericata Bates, 1861:148
sexplagiata Melzer, 1931:60
simplex Bates, 1861:148
e Mexico (VC)-Honduras
El Salvador-Panama, Colombia, Ecuador
n Brasil (PA), Fr Guiana, Ecuador
se Brasil (ES, RJ)
Ecuador, Peru, Fr Guiana
Fr Guiana, nc Brasil (AM)
e Brasil (BA, ES)
e Mexico (VC, OA)-Panama
Bolivia
n Brasil (PA)
Costa Rica, Panama, n Brasil (AP, AM,
PA, MT), Ecuador, Fr Guiana
Bolivia
Mexico-Panama, SAmer, W Indies
Jamaica
Mexico (Socorro I.)
Colombia
Guatemala-Panama, Colombia
Venezuela
Costa Rica, Panama
nc Brasil (AM, PA), Fr Guiana
Colombia
Nicaragua-Panama
Venezuela, n Brasil (PA, MT), Fr Guiana
Peru, c Brasil (MT)
Panama, SAmer, Cuba, Puerto Rico
s Brasil (PR, SC)
Costa Rica
w Brasil (AC, RO, MT), Ecuador
se Brasil (SP)
w Brasil (RO), Ecuador
e Brasil (BA-RJ)
nw Brasil (AM), Fr Guiana, Peru, Ecuador
Costa Rica, Panama
Colombia
Ecuador
se Brasil (BA-SC)
nc Brasil (PA, MT), Fr Guiana, Ecuador
Mexico (MX)
sw Mexico (OA)-Nicaragua
sw Brasil, Bolivia, n Argentina (FO)
se Brasil (SP-RS), n Argentina (MI)
c Brasil (MT), Bolivia, Ecuador
e Brasil (GO, ES-SC)
Brasil (RO, MT, SP), Fr Guiana
Guatemala, Costa Rica
w Brasil (RO), Fr Guiana
se Brasil, Paraguay, (BA-RS), Argentina
Ecuador
c Brasil (MT), Fr Guiana
nw Brasil (AM), Ecuador
se Brasil (ES, RJ)
Nicaragua, Costa Rica
Bolivia
nw Brasil (AM), Ecuador
se Brasil (MG-RS)
nw Brasil (AM), Fr Guiana, Ecuador

- sororcula** Martins & Monné, 1993:135
stictica Monné & Fragoso, 1988:814
tenebrosa Thomson, 1864:542
fulgurata Melzer, 1931:59
tijuca Marinoni & Martins, 1978:174
tuberculata Thomson, 1864:542
tuberosa Monné & Fragoso, 1988:824
turnbowi McCarty, 2001: 25
undulata Bates, 1861:49
verrucosa Bates, 1872:204
vulgata Monné & Fragoso, 1988:827
wappesi McCarty, 2001: 27
zikani Melzer, 1930:196
- Venezuela, Guyana
c Brasil (MT)
se Brasil (ES-SP)
- se Brasil (RJ)
Colombia, Ecuador
w Brasil (AM, RO), Fr Guiana
Mexico (CS)
c Brasil (AM, MT), Fr Guiana, Ecuador
Nicaragua-Panama
se Brasil (BA-SC), Paraguay
Mexico (VC, CS), Honduras
se Brasil (ES-SP)
- Ozotroctes** Bates, 1861:478
punctatissimus Bates, 1861:478
- n Brasil (PA), Fr Guiana, Ecuador
- Paradiscopus** Schwarzer, 1930:109
maculatus Schwarzer, 1930:110
- Costa Rica
- Peritapnia** Horn, 1894:402
fabra Horn, 1894:404
wickhami Leng in Leng & Hamilton, 1896:114
minima Chemsak & Linsley, 1978:26
nudicornis; Horn, 1894:403 (not Bates, 1885)
nudicornis (Bates, 1885:421)
pilosa Chemsak & Linsley, 1978:26
- sw USA (AZ), Baja Calif, Mexico
Baja Calif
sw Mexico (OA, VC)
sw Mexico (JA, OA)
- Plagiosarus** Bates, 1880:144
binoculus Bates, 1880:144
literatus Bates, 1885:382
melampus Bates, 1885:383
var. *congestus* Bates, 1885:383
- e Mexico (VC)
se Mexico (VC), Guatemala
Guatemala-Panama
- Plistonax** Thomson, 1864:19
albolinitus (Bates, 1861:471)
multipunctatus Thomson, 1864:19
inopinatus Lane, 1960:47
albolinitus; Zikán & Zikán, 1944:34 (not Bates, 1861)
insolitus Monné, 2001: 1
travassosi Monné & Magno, 1992:718
- Fr Guiana, n Brasil (AP, AM, PA)
se Brasil (BA-SC)
nBrasil (AP)
c Brasil (PA, MT)
- Psapharochrus** Thomson, 1864:18
abstersa (Bates, 1880:60)
alboguttata (Melzer, 1935:192)
albomaculata (Fuchs, 1963:10)
albonigra (Bates, 1861:218)
analis (Melzer, 1935:192)
arietis (Bates, 1885:380)
atrosignata (Melzer, 1932:222)
bialbomaculata (Zajciw, 1964:159)
bicuspis (Germar, 1824:475)
bimaculata (Fuchs, 1959:54)
binocularis (Martins, 1981:215)
bivitta (White, 1855:354)
fuliginosus Thomson, 1865:543
borrei (Dugés, 1885:48)
brevicornis (Zajciw, 1964:67)
brunnescens (Zajciw, 1963:585)
carinicollis (Bates, 1880:61)
chrysopus (Bates, 1861:474)
circumflexa (Jacquelin du Val in Sagra, 1857:270)
meteorica Gistel, 1857:79
clerica (Bates, 1880:141)
compta (Marinoni & Martins, 1978:185)
- Colombia
se Brasil (ES-SC)
Bolivia
nc Brasil (AM, PA)
se Brasil (SP-SC), n Argentina
Guatemala
se Brasil (MG-SP)
Peru, Colombia (?)
Brasil
Bolivia
c Brasil (MT)
Guatemala-Panama, Brasil (AM, ES-SP),
Fr Guiana
c Mexico (GU, MO, GR, JA)
se Brasil (SP-RS), n Argentina (MI)
e Brasil (CE-BA)
se Brasil (MG-PR)
c Brasil (AM, RO, MT), Fr Guiana
Mexico-Panama, SAmer, W Indies
c Mexico (PU)
c Brasil (RO, MT), Bolivia

| | |
|-------------------------------------------------------------------|---------------------------------------------|
| conifera (Zajciw, 1963:588) | se Brasil (ES) |
| consentanea Thomson, 1865:544 | Brasil |
| cornuta (Bates, 1880:142) | Guatemala |
| corticaria (Tippmann, 1960:171) | Bolivia |
| crocostigma (Bates, 1880:61) | Ecuador |
| curvistriata (Tippmann, 1960:175) | s Brasil (SP, PR) |
| cylindrica (Bates, 1861:473) | se Brasil, Paraguay, Argentina |
| docta (Bates, 1880:141) | sc Mexico (OA) |
| excellens (Zajciw, 1964:68) | Colombia |
| flavitarsis (Fuchs, 1962:322) | e Brasil (BA-SC) |
| fuscicollis (Bates, 1861:216) | Panama, nw Brasil (AM) |
| galapagoensis galapagoensis (Linell, 1898:261) | Galapagos Is. (Chatham) |
| <i>galapagonesis</i> ; Mutchler, 1938:14 | |
| subsp. vonhageni (Mutchler, 1938:14) | Galapagos Is. (Indefatigable) |
| subsp. williamsi (Linsley & Chemsak, 1966:225) | Galapagos Is. (James) |
| griseomaculata (Zajciw, 1971:306) | Peru |
| guatemalensis Casey, 1913:303 | Guatemala |
| hassenteufeli (Fuchs, 1959:56) | Bolivia |
| hebes (Bates, 1861:215) | nw Brasil (AM), Fr Guiana, Peru, Ecuador |
| histrion Casey, 1913:302 | Honduras |
| homonymus (Blackwelder, 1946:610) | Bolivia, se Brasil (MG) |
| <i>latevittata</i> ; Aurivillius, 1923:35 (not Aurivillius, 1921) | |
| inquinata (Bates, 1872:207) | Nicaragua-Panama, Colombia |
| itatiayensis (Melzer, 1935:194) | se Brasil (RJ-SC) |
| jaspidea (Germar, 1824:475) | s Brasil (ES-RS), c SAmer |
| <i>congener</i> Burmeister, 1865:178 | |
| juno (Fisher, 1938:139) | Brasil (PR-RS), Paraguay, Argentina |
| laetifica (Bates, 1880:60) | Ecuador, Brasil (AM), Peru, Bolivia |
| lanei (Marinoni & Martins, 1978:187) | c Brasil (GO, MT) |
| lateralis (Bates, 1861:475) | Guianas, c Brasil (AM), Peru, Ecuador |
| <i>consentaneus</i> ; Prudhomme, 1906:37 (not Thomson, 1865) | |
| <i>armata</i> Melzer, 1935:191 | |
| latevittata (Aurivillius, 1921:51) | Bolivia |
| leucodryas (Bates, 1880:61) | Ecuador |
| leucogaea (Erichson, 1847:143) | Peru |
| longipennis (Zajciw, 1963:587) | e Brasil (ES) |
| longispinis (Bates, 1861:417) | n Brasil (PA), Peru, Fr Guiana, Ecuador |
| longitarsis (Bates, 1880:58) | Ecuador |
| lotor (White, 1855:362) | n Brasil (PA), Peru |
| luctuosa (Bates, 1880:60) | se Brasil (MG-SC) |
| lugens Thomson, 1865:543 | ec Mexico (ME, PU, VC) |
| maculatissima (Bates, 1861:219) | nc Brasil (PA, MT), Peru |
| maculicollis (Bates, 1861:217) | Fr Guiana, n Brasil (PA) |
| magna (Marinoni & Martins, 1978:188) | Bolivia |
| melanostictus (White, 1855:361) | Brasil |
| <i>contaminatus</i> Thomson, 1865:543 | |
| meleagris (Bates, 1861:474) | c Brasil (AM, MT), Bolivia, Ecuador |
| minima (Bates, 1861:217) | n Brasil (PA) |
| minuta (Fuchs, 1959:57) | Bolivia |
| mourei (Zajciw, 1964:70) | se Brasil (ES, RJ) |
| nigricans (Lameere, 1885:110) | n SAmer |
| nigritarsis (White, 1855:363) | sw Mexico (OA), Guatemala, Costa Rica |
| <i>sylvanus</i> Bates, 1880:141 | |
| nigromaculata (Fuchs, 1962:58) | Peru |
| nigroocellata (Tippmann, 1960:170) | Peru, Bolivia |
| nigropunctata (Tippmann, 1960:169) | Bolivia |
| nigrovittata (Zajciw, 1969:109) | e Brasil (PE, PB, BA) |
| pereirai (Prosen & Lane, 1955:136) | ec Brasil (GO, SP) |
| <i>stygalis</i> Tippmann, 1960:173 | |
| peritapnioides (Linsley, 1958:49) | Mexico (Revilla Ggedo Is.) |
| phasianus (Bates, 1861:473) | Panama, nw Brasil, Ecuador, Fr Guiana, Peru |
| pigmentata (Bates, 1861:472) | nw Brasil (AM), Fr Guiana |
| <i>pegmentata</i> ; Zajciw, 1970:187 | |
| piperata (Gahan, 1892:262) | nw Mexico (DU) |
| plaumanni (Fuchs, 1959:59) | s Brasil (MS, SC) |
| polysticta (Bates, 1885:379) | Panama |
| pseudopropinqua (Fuchs, 1959:60) | Argentina |
| pupillata (Bates, 1880:60) | Colombia |

| | |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| purulensis (Bates, 1885:379) <i>daviesi</i> Olivier, 1795:104 (part) | Guatemala |
| quadrituberculata (Zajciw, 1964:160) | e Brasil (ES) |
| ridleyi (Waterhouse, 1894:555) | Brasil (Fernando de Noronha I) |
| rufitarsis (Kirsch, 1889:41) | Ecuador |
| sallei Thomson, 1865:543 <i>sallaei</i> ; Bates, 1880:141 | e Mexico (VC) |
| satellina (Erichson, 1847:147) | c Brasil (AM, MT), Peru |
| schmithi (Melzer, 1935:193) | se Brasil (RJ-SC) |
| sexmaculata (Fuchs, 1961:20) | s Brasil (SC) |
| signata (Gahan, 1892:263) | sw Mexico (GR) |
| signatifrons (Zajciw, 1964:162) | Ecuador |
| socorroensis (Linsley, 1942:84) | Mexico (Revilla Gigedo Is) |
| spinicornis (Tippmann, 1960:172) | nw Brasil (AM), Fr Guiana |
| subanalis (Zajciw, 1964:163) | se Brasil (MG, SP) |
| umbrata (Bates, 1885:379) | Guatemala |
| vetusta (Bates, 1880:58) <i>mimica</i> Tippmann, 1960:162 | se Brasil (RJ-SC), Fr Guiana |
| virescens (Fuchs, 1962:323) | Peru |
| Pseudaethomerus Tippmann, 1953:339 | |
| lacordairei (Bates, 1862:120) | nw Brasil (AM), Fr Guiana, Ecuador |
| maximus Tippmann, 1953:339 | Guatemala, Costa Rica, Panama, Bolivia, nw Brasil (AM) |
| Pseudotapnia Chemsak & Linsley, 1978:28 | |
| curticornis Chemsak & Linsley, 1978:28 | Panama |
| Pteridotelus White, 1855:356 | |
| contaminatus Thomson, 1865:544 | Brasil |
| hematopus (Lameere, 1884:109) <i>haematopus</i> ; Aurivillius, 1923:383 | Venezuela |
| laticornis White, 1855:356 | Venezuela |
| pupillatus Lacordaire, 1872:725 | se Mexico (YU) |
| Pycnomorphus Thomson, 1864:15 | |
| bilineatus Aurivillius, 1921:51 | Venezuela |
| centrolineatus (Bates, 1862:122) | Nicaragua-Ecuador, n Brasil (PA) |
| pubicornis (Audinet-Serville, 1835:21) | se Brasil (PE-RS), Venezuela, Argentina |
| Scleronotus White, 1855:364 | |
| angulatus Aurivillius, 1916:357 | Peru, Bolivia |
| anthribiformis Aurivillius, 1916:356 | Brasil |
| egensis (White, 1855:364) <i>egaensis</i> ; Bates, 1861:216 | n Brasil (AM), Ecuador |
| flavosparsus Melzer, 1935:195 | se Brasil (SP) |
| hirsutus Julio, 1998: 7 | se Brasil (SC) |
| monticellus Julio, 1998: 6 | Brasil (AM) |
| scabrosus Thomson, 1860:341 | se Brasil (ES-RS) |
| stigosus Julio, 1998: 5 | Brasil (SP, RJ) |
| stupidus Lacordaire, 1872:755 | se Brasil (MG, RJ) |
| tricarinatus Julio, 1998: 3 | Brasil |
| Sorelia Lane, 1965:301 | |
| cervina Lane, 1965:301 | Fr Guiana, c Brasil (GO, TO) |
| Steirastoma Lepeletier & Audinet-Serville in Lacordaire, 1830:180 | |
| <i>Stirastoma</i> ; Gemminger & Harold, 1873:3143 | |
| acutipenne Sallé, 1856:691 | Hispaniola |
| aethiops Bates, 1862:399 | nw Brasil (AM), Peru, Bolivia, Ecuador, Colombia |
| albiceps Bates, 1872:107 | Nicaragua, Costa Rica |
| anomala Bates, 1880:138 | c Mexico (PU, JA, CM, GR) |
| breve (Sulzer, 1776:45) <i>carinatus</i> Voet, 1778:15 <i>depressus</i> Fabricius, 1781:214 | Costa Rica-SAmer, W Indies |

coenosa Bates, 1862:398
genisspina Schwarzer, 1923:259
histrionica White, 1855:354
larva Thomson, 1860:6
liturata Bates, 1885:378
lycaon Pascoe, 1866:279
marmorata (Thunberg, 1822:307)
manuelata Germar, 1824:480
lacerta Laporte, 1840:461
melanogenys White, 1855:355
meridionale Aurivillius, 1908:9
depressum; Heyne & Taschenberg, 1906:243 (not Fabricius, 1781)
heros Colas, 1952: pl.8
poeyi Chevrolat, 1862:246
pustulata (Drury, 1773:64)
cancriformis Fabricius, 1775:165
senex White, 1855:353
stellio Pascoe, 1866:280
thunbergi Thomson, 1865:543
zischkai Prosen, 1958:73

Costa Rica, Panama, Ecuador, n Brasil (PA)
 c Brasil (MT), Ecuador, Fr Guiana
 Mexico (ME, VC)-Panama, Colombia, Ecuador

Guatemala-Panama
 Colombia
 se Brasil (BA-RS), Paraguay, Argentina,
 Uruguay

Nicaragua-n SAMer
 se Brasil (MG-RJ)

Cuba
 Jamaica

e Mexico (VC)-Panama
 Panama, SAMer (widely distributed)
 s Brasil (SP-RS), Uruguay
 Bolivia

Sychnomerus Bates, 1885:380
barbiger Bates, 1885:381
hirticornis Bates, 1885:381

Guatemala
 s Mexico (CHS), Guatemala

Taurorcus Thomson, 1857:186
Taurorcus; Gemminger & Harold, 1873:3147
chabrilacii Thomson, 1857:187
mourei Marinoni, 1969:60

se Brasil (MG-RS), n Argentina (MI)
 s Brasil (PR, RS)

Tetrasarus Bates, 1880:142
albescens Bates, 1880:143
callistus Bates, 1880:143
formosus Bates, 1885:382
inops Bates, 1880:142
lezamai Chemsak & Hovore, 2002: 18
lineatus Bréthes, 1920:47
nanus Chemsak & Hovore, 2002: 21
pictulus Bates, 1880:143
quadriscopulatus; Bates, 1872:208 (not Thomson, 1868)
plato Bates, 1885:382
quadriscopulatus (Thomson, 1868:146)
similis Chemsak & Hovore, 2002: 22

sw Mexico (OA)
 Guatemala
 Costa Rica
 sw Mexico (OA, CHS), Guatemala
 Costa Rica
 Peru
 Guatemala
 Mexico-Costa Rica
 Guatemala
 Guatemala
 Panama

Zikanita Lane, 1943:261
Acanthoderes (Trichacanthoderes) Tippmann, 1960:176
argenteofasciata (Tippmann, 1960:178)
biocellata (Tippmann, 1960:177)
perpulchra Lane, 1943:262

Peru
 Peru, Bolivia, Ecuador
 se Brasil (MG-SP)

Acanthocinini
 Blanchard, 1845:154

Acanthocinus Dejean, 1821:106 [not Megerle in Dejean]
Acanthocinus (Graphisurus) Kirby, 1837:16
Astynomus Haldeman, 1847:46 (not Stephens, 1839)
Aedilis LeConte, 1852:173 (not Audinet-Serville, 1835)
Graphisurus (Canonura) Casey, 1913:335
Graphisurus (Tylocerina) Casey, 1913:335
Neacanthocinus Dillon, 1956:231
angulosus (Casey, 1913:338)
leechi (Dillon, 1956:228)
nodosus (Fabricius, 1775:164)

sw USA (CA, AZ, NM), nMexico
 sw USA (AZ)
 e USA

- bifidator* Fabricius, 1801:286
laticollis Casey, 1913:341
obliquus (LeConte, 1862:39) w N Amer-Honduras
acomanus Casey, 1913:337
obliquus sedulus Casey, 1913:337
pacificus Casey, 1913:338
obtusus Casey, 1924:292
obliquus chihuahuae Casey, 1913:337
obsoletus (Olivier, 1795:310) e N Amer, Cuba
floridanus Casey, 1913:336
punctatus Casey, 1924:293
princeps (Walker in Lord, 1866:331) W Coast N Amer
spectabilis; Horn, 1880:130 (not LeConte, 1854)
vinctus Casey, 1913:340
pusillus Kirby in Richardson, 1837:169 Alaska, Canada, e USA
spectabilis (LeConte, 1854:82) nc USA (MT, SD)-n Mexico
- Acanthodoxus** Martins & Monné, 1974:318
delta Martins & Monné, 1974:320 se Brasil (BA, MG, ES, RJ, SP)
machacalis Martins & Monné, 1974:320 se Brasil (MG, ES)
- Alcathous** Thomson, 1864:24
Amniscus; Bates, 1863:103 (not Dejean, 1835)
polyrhaphoides (White, 1855:394) Costa Rica-Venezuela, Ecuador
polyraphoides; Thomson, 1864:24
- Alcathousites** Gilmour, 1962:266
chaclacayoi Gilmour, 1962:267 Peru
senticosus Monné & Martins, 1976:46 Peru
superstes (Erichson, 1847:146) Peru, Ecuador
- Alcidion** Sturm, 1843:254
Probatius White, 1855:389
Hirsutographis Dillon, 1956:207
aestimabilis (Melzer, 1934:101) se Brasil (SP)
albosparsus (Melzer, 1934:236) se Brasil, Paraguay, Argentina
alienum (Melzer, 1932:431) se Brasil (MG-SP)
apicalis (Bates, 1864:49) nw Brasil (AM)
chryseis (Bates, 1864:47) n Brasil (PA)
dominicum (Fisher, 1926:30) Dominica, R Dominicana
humeralis (Perty, 1832:91) Mexico (OA, VC)-Panama, SAmer
mexicanus Thomson, 1860:17
ludicrum (Germar, 1824:481) se Brasil, Paraguay, Argentina
partitum (White, 1855:390) n Brasil (PA), Fr Guiana
quadriguttatum (Aurivillius, 1920:387) se Brasil (ES, RJ)
ramulorum (Bates, 1864:49) n Brasil (PA)
sannio (Germar, 1824:481) Brasil
sulphurifer (White, 1855:390) w Brasil (RO), Peru, Ecuador
umbraticum (Jacquelin du Val in Sagra, 1857:272) se USA (FL), Cuba, Puerto Rico
pulchra Dillon, 1956:207
unicolor (Fisher, 1932:87) Haiti
- Alphinellus** Bates, 1881:153
carinipennis Bates, 1885:391 e Mexico (VC)
gibbicollis Bates, 1881:153 Guatemala
minus Bates, 1881:154 Guatemala
subcornutus Bates, 1881:154 Guatemala
- Amniscites** Gilmour, 1957:4
Amniscus; Bates, 1863:103 (part) (not Dejean, 1835)
pictipes (Bates, 1863:104) Costa Rica-Panama, Ecuador, Brasil

Amniscus Dejean, 1835:338

Leptostyloides Gilmour, 1963:62

Paratrypanidius Gilmour, 1963:14

assimilis (Gahan, 1895:136)

praemorsus (Fabricius, 1792:275)

similis (Gahan, 1895:136)

testaceus; Aurivillius, 1923:403 (not Froelich, 1792)

turbidus Gilmour, 1963:63

antiquae Gilmour, 1963:15

Mexico, W Indies

e Mexico (VC), W Indies

W Indies (Lesser Antilles), Puerto Rico

Anisolophia Melzer, 1934:233

cultrifera (White, 1855:374)

glauca Melzer, 1934:233

c Brasil (AM, PA, MT)

se Brasil (BA-SP)

Anisopodesthes Melzer, 1931:66

zikani Melzer, 1931:67

se Brasil (RJ)

Anisopodus White, 1855:349

Anisopodus; Burmeister, 1865:178

Anisopus Audinet-Serville, 1835:30 (not Haan, 1835)

Leptoscelis Erichson, 1847:145 (not Laporte, 1832)

acutus Thomson, 1865:544

auctus; Aurivillius, 1923:396

affinis Martins, 1974:59

andicola Kirsch, 1889:42

arachnoides (Audinet-Serville, 1835:31)

phalangodes; Costa Lima, 1936:305 (not Erichson, 1847)

batesi Gilmour, 1965:568

arachnoides; Bates, 1863:283 (not Audinet-Serville, 1835)

bellus Martins & Monné, 1974:17

brevis Gahan, 1892:266

callistus Bates, 1881:164

cognatus Bates, 1863:284

consimilis Aurivillius, 1922:169

conspersus Aurivillius, 1922:169

costaricensis Lara & Shenefelt, 1964:437

curvilineatus White, 1855:350

curvipes Martins, 1974:62

degener Bates, 1885:399

dispar Bates, 1885:399

dominicensis Villiers, 1980:96

elongatus Bates, 1863:285

gracillimus Bates, 1863:286

haliki Martins, 1974:63

hamaticollis Bates, 1872:236

hiekei Martins, 1974:57

phalangodes; Bates, 1872:215 (not Erichson, 1847)

humeralis Bates, 1863:288

latus Monné & Martins, 1976:58

ligneus Bates, 1863:287

lignicola Bates, 1863:287

longipes Linsley & Chemsak, 1966:244

macropus Bates, 1863:286

melzeri Gilmour, 1965:568

nigrosarsus; Melzer, 1935:197 (not Bates, 1885)

mexicanus Bates, 1881:162

nigripes Bates, 1885:399

phalangodes (Erichson, 1847:145)

phalangodes; Duffy, 1960:264

prolixus (Erichson, 1847:145)

puncticollis Monné & Martins, 1976:56

punctipennis Monné & Martins, 1976:57

scriptipennis Bates, 1872:236

sparsus Bates, 1863:284

strigosus (Erichson, 1847:145)

Brasil

Costa Rica, Panama, Ecuador, Bolivia

Ecuador

se Brasil (ES-SC), Paraguay, Argentina

Ecuador, Fr Guiana, nc Brasil (AM),

Peru, Bolivia

se Brasil (MG-SP)

sw Mexico (GR)

Guatemala, Costa Rica

nw Brasil (AM), Ecuador

Peru

Peru

Costa Rica

se Brasil (RJ-RS), Paraguay

se Brasil (ES-SC)

e Mexico (VC)

Panama

Dominica

nw Brasil (AM), Ecuador, Bolivia

nw Brasil (AM)

se Brasil (MG-SC)

e Mexico (VC)-Ecuador

Guatemala-Panama

Costa Rica-nw Brasil (AM), Ecuador, Bolivia

Colombia, Venezuela

nc Brasil (AM, PA), Bolivia, Ecuador, Fr Guiana

n Brasil (PA), Fr Guiana, Ecuador

Cocos Is.

nw Brasil (AM), Ecuador

se Brasil (RJ-RS), Argentina

e Mexico (VC)-Panama

Panama

Peru, c Brasil (AM, RO, MT), Fr Guiana,

Ecuador, Bolivia

Peru, Ecuador, Bolivia

Colombia, Ecuador

Bolivia, Ecuador, Fr Guiana

Guatemala-Panama

n Brasil (PA), Fr Guiana

n Samer, Ecuador, Fr. Guiana, etc.

- subarmatus** Melzer, 1931:65 se Brasil (ES-SC)
varius Melzer, 1935:196 Costa Rica
carinata Lara & Shenafelt, 1964:437
xylinus Bates, 1881:163 Costa Rica
- Antecurisa** Gilmour, 1960:93
apicalis (Bates, 1864:147) e Mexico (VC)-Nicaragua
setiger Bates, 1872:222
picta Gilmour, 1960:93
- Antilleptostylus** Gilmour, 1963:73
nigricans (Fisher, 1935:55) Puerto Rico
puertoricensis (Fisher, 1935:56)
- Apteralcidion** Hovore, 1992:37
lapierrei Hovore, 1992:39 Costa Rica, Panama
- Astylidius** Casey, 1913:308
parvus (LeConte, 1873:234) e USA-sw USA (TX)
leiopinus Casey, 1913:308
versutus Casey, 1913:308
monki Knull, 1936:106
versutus downiei Dillon, 1956:150
- Astyloopsis** Casey, 1913:309
Amniscus; Haldeman, 1847:46 (not Dejean, 1835)
Leptostylus Leng & Hamilton, 1896:116 (part)
arcuata (LeConte, 1878:414) se USA
floridanus Champlain & Knull, 1922:148
knulli Fisher, 1925:103
collaris (Haldeman, 1847:46) e USA
interruptus Haldeman, 1847:48
fascipennis Schiefer, 2001: 533 seUSA (MS – FL)
macula (Say, 1826:268) e NAmer
sticticus Haldeman, 1847:48
perplexa (Haldeman, 1847:46) s USA (GA-TX)
sexguttata (Say, 1826:269) e NAmer
commixtus Haldeman, 1847:47
guttata; LeConte, 1859:328
- Atelographus** Melzer, 1927:578
sexplagiatus Melzer, 1927:578 se Brasil (MG, SP, SC)
sexplagiatus Fuchs, 1974:244
susanae Monné, 1975:249 se Brasil (ES, PR, SC), n Argentina (MI)
- Atrypanius** Bates, 1864:46
Antrypanius; Melzer, 1927:580
Nyssodryx Bates, 1864:149 (part)
albocinctus Melzer, 1930:198 se Brasil, Paraguay, Argentina
ambiguus Melzer, 1930:200 se Brasil (RJ-SC), Bolivia
conspersus (Germar, 1824:474) Mexico-Panama, SAmer (widely distributed)
varipennis Serville, 1835:87
polymitus Erichson, 1847:146
lonspersus; Zajciw, 1974:73
cretiger (White, 1855:381) Mexico-Panama, Colombia
punctatellus Bates, 1872:219
implexus (Erichson 1847:146) Mexico-Panama, Ecuador, Brasil, Fr Guiana
sedata Bates, 1864:150
irrorellus Bates, 1885:411 Mexico-Panama, Trinidad
trinidadensis Gilmour, 1963:76
spermophagus Fisher, 1917:173
remissus (Erichson, 1847:146) nw Brasil (AM), Ecuador, Peru, Fr Guiana
lentiginosus Bates, 1864:150
scitulus (Germar, 1824:479) e Brasil (BA-SP), Ecuador, Fr Guiana
multifasciatus Melzer, 1927:572

- Baecacanthus** Monné, 1975:250
telamon Monné, 1975:251
trifasciatus Monné, 1975:252
- se Brasil (RJ)
se Brasil (SP)
- Baryssinus** Bates, 1864:43
albifrons Monné & Martins, 1976:79
bicirrifera Bates, 1872:218
bilineatus Bates, 1864:44
chemsaki Monné, 1985:369
bilineatus; Bates, 1872:218 (not Bates, 1864)
huedepohli Monné & Martins, 1976:77
lineaticollis (Gounelle, 1910:17)
marcelae Martins & Monné, 1974:330
marisae Martins & Monné, 1974:328
melasmus Monné & Martins, 1976:79
modestus Monné, 1985:370
penicillatus Bates, 1864:44
robertoi Monné & Martins, 1976:77
silviae Martins & Monné, 1974:326
- e Brasil (BA-RJ), Fr Guiana
Panama, Fr Guiana, Ecuador, e Brasil (MT, ES-SC)
nw Brasil (AM), Fr Guiana, Ecuador
w Mexico (SI)-Panama
- Bolivia
Ecuador, Colombia
se Brasil (ES-PR)
se Brasil (BA-RS), n Argentina (MI)
c Brasil (MT)
w Brasil (RO)
c Brasil (PA, MT), Ecuador
e Brasil (ES-SP)
w Brasil (RO, MT), Peru
- Beloesthes** Thomson, 1864:23
megabasoides Thomson, 1864:24
- Venezuela
- Brevoxathres** Gilmour, 1959:33
fasciata Gilmour, 1959:35
x-littera (Melzer, 1932:430)
- s Brasil (SC)
e Brasil (ES)
- Callipero** Bates, 1864:18
bella Bates, 1864:18
basalis Thomson, 1865:545
formosa Monné, 1998: 290
- Fr Guiana, nw Brasil (AM), Ecuador
Brasil (AM)
- Calolamia** Tippmann, 1953:344
bicordifera Tippmann, 1953:346
- s Brasil (SC)
- Canidia** Thomson, 1857:193
cincticornis cincticornis Thomson, 1857:194
subsp. **balteatus** (Lacordaire, 1872:775)
subsp. **inapicalis** (Tippmann, 1960:190)
spinicornis (Bates, 1881:174)
- Nicaragua, Costa Rica
sw Mexico (OA)-Costa Rica
Colombia
Mexico
- Canidiopsis** Dillon, 1955:179
canescens Dillon, 1955:184
hebes Dillon, 1955:185
mexicanus (Thomson, 1860:14)
similis Dillon, 1955:182
- w Mexico (GR, NA)
c Mexico (JA, MO)
c Mexico (MO, PU, HI, VC)
c Mexico (GR, HI, MO)
- Carpheolus** Bates, 1885:410
sublineatus Bates, 1885:410
- Guatemala-Panama
- Carphina** Bates, 1872:223
arcifera Bates, 1872:223
assula (Bates, 1864:23)
psilon Kirsch, 1875:288
elliptica (Germar, 1824:471)
lignea (Bates, 1865:216)
lignicolor (Bates, 1865:215)
occulta Monné, 1990:684
petulans Kirsch, 1875:289
sigillata Monné, 1985:372
- e Mexico (VC)-Panama
c Brasil (AM), Ecuador, Peru
- se Brasil (BA-RS)
n Brasil (PA), Fr Guiana
nw Brasil (AM), Ecuador
se Brasil (MG-SP)
nc Brasil, Ecuador, Fr Guiana, Peru, Bolivia
nw Brasil (AM)

- Carphontes** Bates, 1881:171
posticalis Bates, 1881:172 sMexico-Panama, Brasil, Ecuador, Fr Guiana
- Catharesthes** Bates, 1881:158
Catharestes; Aurivillius, 1923:395
elegans Bates, 1881:158 Guatemala
- Chaetacosta** Gilmour, 1961:354
vittithorax Gilmour, 1961:356 s Brasil (SC)
- Cleodoxus** Thomson, 1864:24
carinatus (White, 1855:395) Colombia, Ecuador, n Argentina (SA)
cristatus Thomson, 1864:25
lineaticollis Gounelle, 1910:17 Ecuador
- Cobelura** Erichson, 1847:149
Sphenopsilus Bates, 1885:409
Acanthosphenopsilus Tippmann, 1960:196
claviger (Bates, 1885:409) Costa Rica, Panama
lorigera Erichson, 1847:149 Peru
choliniformis Lane, 1956:25
flavocinctus Tippmann, 1960:197
peruviana (Aurivillius, 1920:28) Peru
sergioi Monné, 1984:341 Ecuador
vermicularis Kirsch, 1889:43 Ecuador
- Coenopoeus** Horn, 1880:117
niger Horn, 1894:402 Baja Calif
palmeri (LeConte, 1873:233) sw USA, n Mexico (SO, SLP)
- Colobetrypanus** Tippmann, 1953:353
ornatus Tippmann, 1953:354 Costa Rica, Panama, Ecuador
- Cometochus** Villiers, 1980:89
guadeloupensis Villiers, 1980:89 Guadeloupe
- Cosmotoma** Blanchard, 1845:155
Beltista Thomson, 1860:16
Cosmotomella Gilmour, 1955:22
adjuncta (Thomson, 1860:16) n SAmer (widely distributed), Panama, Costa Rica
rubella Bates, 1864:148
nigricollis Bates, 1864:148
fasciata Fisher, 1931:23 Nicaragua-Panama, Ecuador
rubella; Bates, 1872:237 (not Bates, 1864)
melzeri Gilmour, 1955:17 e Brasil (BA)
nigra Gilmour, 1955:19 s Brasil (SC)
olivacea Gilmour, 1955:16 se Brasil (RJ)
pallida Gilmour, 1955:21 s Brasil (SC)
sertifer (Audinet-Serville, 1835:59) Brasil
setifer; Aurivillius, 1923:334
brasiliensis Plavilstshikov, 1927:59
suturalis Gilmour, 1955:8 nw Brasil (AM), Peru, Bolivia
triangularis Gilmour, 1955:12 se Brasil (RJ)
viridana Lacordaire, 1872:781 se Brasil (SP-RS), Paraguay,
sertifer; Bosq, 1944:201 (not Audinet-Serville, 1835) Argentina
zikani Melzer, 1927:574 se Brasil (MG-RJ)
- Cosmotomidius** Melzer, 1931:74
setosus (Audinet-Serville, 1835:58) s Brasil (ES-SC), Paraguay, Argentina

- Cristurges** Gilmour, 1961:358
bimaculatus Gilmour, 1961:359 s Brasil (SC)
- Dectes** LeConte, 1852:144
nigripilus Chemsak & Linsley, 1986:29 c Mexico (widely distributed)
sayi Dillon & Dillon, 1953:260 ne USA
spinosa; Say, 1826:271 (not Drury, 1773)
texanus Bates, 1881:173 (not LeConte, 1862)
spirrosus; Beckham & Tippins, 1972:865
texanus LeConte, 1862:39 e USA, sw USA, n Mexico (widely
brevis Casey, 1913:342 distributed), Baja Calif
latitarsis Casey, 1913:342
alticola Casey, 1913:342
thoracicus Casey, 1913:342
brevisetosus Casey, 1913:342
discolor Casey, 1913:343
aridus Casey, 1913:343
texanus murinus Dillon, 1956:355
- Eleothisus** Bates, 1881:154
abstrusus Bates, 1881:154 Guatemala, Nicaragua
longulus Bates, 1881:155 Guatemala
pygmaeus Bates, 1885:392 Guatemala-Panama
- Eneodes** Fisher, 1926:31
hirsuta Fisher, 1926:32 Cuba
viridulus Fisher, 1942:37 Cuba
- Erphaea** Erichson, 1847:144
pumicosa Erichson, 1847:144 Peru, Bolivia, Ecuador
saxuosus Tippmann, 1960:189
stigma Martins & Monné, 1974:324 nw Brasil (AM), Fr Guiana, Ecuador
- Eucharitolus** Bates, 1885:408
bellus (Melzer, 1927:576) se Brasil (RJ-SC)
geometricus (Tippmann, 1960:198) Bolivia
lituratus (Melzer, 1934:108) se Brasil (SC, RS)
pulcher Bates, 1885:408 Guatemala, Panama
- Eugamandus** Fisher, 1926:33
cayamae Fisher, 1926:35 Cuba
darlingtoni Fisher, 1942:38 R Dominicana
flavipes Fisher, 1935:59 Puerto Rico
oakleyi Fisher, 1935:57 Puerto Rico
brunneus Fisher, 1935:58
schwarzi Fisher, 1926:34 Cuba
tuberculatus Fisher, 1942:40 Cuba
- Eutrichillus** Bates, 1885:397
Ceratographis Gahan, 1887:300
Lepturgoides Schaeffer, 1905:166
biguttatus (LeConte, 1852:172) e NAmer
pusilla Horn, 1880:129 (not Kirby, 1837)
crinicornis Casey, 1924:291
brevipilus Chemsak & Linsley, 1986:27 nw Mexico (DU)
canescens Dillon, 1956:223 sw USA (AZ, NM, TX)
canescens nelsoni Dillon, 1956:223
comus (Bates, 1881:155) w Mexico (SI, NA, JA)-El Salvador
cornus; Franz, 1954:226
neomexicanus (Champlain & Knull, 1925:470) sw USA (AZ, TX), Mexico
pini (Schaeffer, 1905:166) sw USA, Mexico
- Eutrypanus** Erichson, 1847:144
Astynomus; Laporte, 1840:463 (part)

- Astyochus* Aurivillius, 1923:427
dorsalis (Germar, 1824:472)
signata Audinet-Serville, 1835:33
mucoreus (Bates, 1872:221)
signaticornis (Laporte, 1840:464)
tessellatus White, 1855:372
triangulifer Erichson, 1847:144
- e Brasil (GO, MT, BA-RS),
Paraguay, Argentina
e Mexico (VC)-Colombia, Venezuela, Ecuador
e Brasil (ES, RJ)
se Brasil (ES-RS)
Peru, Bolivia
- Exalcidion** Monné, 1977:698
Alcidion; White, 1855:394 (part) (not Sturm, 1843; not Thomson, 1860)
carenatum Monné, 1990:253
tetracanthum Monné & Delfino, 1981:260
tetramaston (White, 1855:395)
- Colombia
Peru
Venezuela
- Fisherostylus** Gilmour, 1963:60
bruneri (Fisher, 1926:23)
- Cuba
- Glaucotes** Casey, 1913:305
yuccivorus (Fall, 1907:84)
yuccavorus; Schaeffer, 1908:330
- sw USA (AZ)
- Granastyochus** Gilmour, 1959:1
elegantissimus (Tippmann, 1953:347)
fulgidus Monné & Martins, 1976:45
intricatus Monné & Martins, 1976:44
nigropunctatus (Bates, 1881:183)
picticauda (Bates, 1881:183)
trifasciatus Gilmour, 1959:3
- Peru, Ecuador, Bolivia, Fr Guiana
Ecuador
Peru
e Mexico (VC), Guatemala
Guatemala-Panama
Venezuela, Ecuador
- Graphisurus** Kirby, 1837:169
Graphidurus; Gemminger & Harold, 1873:3160
eucharis (Bates, 1885:418)
vexillaris (Bates, 1872:222)
- Guatemala-Panama
e Mexico (VC)-Panama
- Hamatastus** Gilmour, 1957:16
conspectus Monné, 1985:28
excelsus Monné, 1978:592
fasciatus Gilmour, 1957:17
lemniscatus Monné, 1985:27
simillimus Monné, 1990:682
- se Brasil (ES, RJ)
Venezuela, Fr Guiana, c Brasil (MT)
Nicaragua, Costa Rica, Panama
Fr Guiana, n Brasil (PA)
nw Brasil (AM), Fr Guiana
- Hexacona** Bates, 1881:157
armata Bates, 1881:158
- Costa Rica
- Hylettus** Bates, 1864:11
alboplagiatus (White, 1855:381)
aureopilosus Monné, 1988:126
coenobita (Erichson 1847:145)
vindex Lacordaire, 1872:788
eremita (Erichson, 1847:145)
sallei Candeze, 1861:384
decorticans Bates, 1864:12
excelsus (Bates, 1864:163)
hiekei Fuchs, 1970:111
griseofasciatus (Audinet-Serville, 1835:33)
magnus Monné, 1988:129
nebulosus Monné, 1982:102
paraleucus Monné, 1988:128
ramea (Bates, 1864:163)
seniculus (Germar, 1824:473)
ophthalmica; Lameere, 1885:110
spilotus Monné, 1982:104
stigmatosus Monné, 1982:100
viridis Monné, 1998:290
- Peru, Ecuador, nw Brasil (AM)
w Brasil (RO)
Guatemala-Panama, Brasil, Bolivia,
Peru, Ecuador, Fr Guiana
Venezuela, Peru, Bolivia, Ecuador
- Ecuador, Peru, Brasil (AM), Bolivia
- se Brasil (MT, ES-RS)
wc Brasil (RO, MT)
se Brasil (SP)
se Brasil (ES, RJ)
c Brasil (AM), Fr Guiana
Costa Rica-SAmer (widely distributed)
- Ecuador, Peru, ec Brasil, Fr Guiana
se Brasil (MG-SC)
Colombia, Ecuador

- Hyperplatys** Haldeman, 1847:49
Liopus; LeConte, 1852:170 (part)
- argentinus** (Berg, 1889:105)
canus; Bosq, 1943:23 (not Bates, 1863)
- argus** (Bates, 1872:216)
- aspersa** (Say, 1824:330)
maculata Blatchley, 1910:1078
vigilans Casey, 1913:329
laceyi Dillon, 1956:351
- californica** Casey, 1892:51
- cana** (Bates, 1863:288)
spinipennis Fisher, 1938:146
- femoralis** Haldeman, 1847:49
- griseomaculata** Fisher, 1926:28
- maculata** Haldeman, 1847:49
maculata var. *nigrellus* Haldeman, 1847:49
aspersa Blatchley, 1910:1078
lentiginosa Casey, 1913:325
robustula Casey, 1913:326
amnicola Casey, 1913:326
delicata Casey, 1913:32
variolata Casey, 1913:327
cryptica Casey, 1913:327
frigida Casey, 1913:328
binocularis Casey 1913:328
- montana** Casey, 1913:325
- pardalis** (Bates, 1881:164)
- pusillus pusillus** (Bates, 1863:285)
 subsp. **nigrisparsus** (Bates, 1885:398)
nigrosparsa; Aurivillius, 1923:418
- Idephrynus** Bates, 1881:160
scaber Bates, 1881:160
- Lagocheirus** Dejean, 1835:336
Lagochirus; Erichson, 1847:144
Karadinia McKeown, 1942:97
Sternocheirus Dillon, 1957:163
Archlagocheirus Dillon, 1957:164
- araneiformis araneiformis** (Linnaeus, 1767:625)
 subsp. **curacaoensis** Gilmour, 1968:158
 subsp. **fulvescens** Dillon, 1957:151
 subsp. **guadeloupensis** Dillon, 1957:150
 subsp. **insulorum** Dillon, 1957:150
 subsp. **stroheckeri** Dillon, 1956:138
 subsp. **ypsilon** (Voet, 1778:11)
parvulus Casey, 1913:304
stroheckeri granulatus Dillon, 1956:139
- crustulatus** Bates, 1872:209
- dezayasi** Dillon, 1957:144
obsoletus; Gahan, 1895:130 (not Thomson, 1860)
- foveolatus** Dillon, 1957:152
- funestus** (Thomson, 1865:545)
nubila McKeown, 1942:97
- giesberti** Hovore, in Toledo, 1998: 23
- integer** Bates, 1885:384
- kathleenae** Hovore, in Toledo, 1998: 25
- lugubris** Dillon, 1957:163
- mecotrochanter** Toledo, 1998: 29
- plantaris plantaris** Erichson, 1847:144
 subsp. **gorgonae** Dillon, 1957:159
 subsp. **indistinctus** Dillon, 1957:158
fasciculatus White, 1855:377
- praecellens** Bates, 1872:209
- procerus** Casey, 1913:304
- Argentina, Uruguay
- Nicaragua-Panama, Ecuador
 e NAmer-TX, UT, CO, NM, AZ
- sw USA (AZ, CA)
 se Brasil (RJ-SC)
- se USA
 Trinidad
 e NAmer-TX
- sw USA
 w Mexico (PU, OA)-Guatemala
 n Brasil (PA), Ecuador, Fr Guiana
 sw Mexico (OA)-Panama
- e Mexico (VC)
- Jamaica, Hispaniola
 Aruba, Bonaire, Curaco
 n Samer, Ecuador
 Guadeloupe, Puerto Rico, Leeward Is.
 W Indies (Lesser Antilles)
 se USA (FL), Cuba
 Mexico (widely distributed)-Panama
- sc Mexico (PU)-Costa Rica
 Cuba
- Panama
 w Mexico (OA, PU)
- Costa Rica
 e Mexico (VC)-Panama
 Costa Rica, Panama
 sc Mexico (PU)
 MX (CH)
 n Samer, Ecuador
 Colombia (Gorgona I)
 Costa Rica, Panama
- Nicaragua, Panama
 Baja Calif

| | |
|----------------------------------------------------------|------------------------------------|
| <i>obsoletus</i> ; Horn, 1880:117 (not Thomson, 1860) | |
| rogersi Bates, 1880:146 | Honduras - Panama |
| <i>hondurensis</i> Dillon, 1957:155 | |
| <i>panamensis</i> Dillon, 1957:154 | |
| rosaceus Bates, 1869:386 | Mexico-Colombia, Ecuador |
| <i>flavolineatus</i> Aurivillius, 1921:52 | |
| simplicicornis Bates, 1872:210 | Guatemala-Costa Rica |
| tuberculatus (Fabricius, 1787:131) | ec Mexico (ME, VC) - Panama |
| <i>binumeratus</i> Thomson, 1860:9 | |
| <i>v-album</i> Bates, 1869:386 | |
| <i>binumeratus</i> ; Bates, 1872:210 (not Thomson, 1860) | |
| undatus (Voet, 1778:11) | sw USA (TX), Mexico-Costa Rica |
| <i>obsoletus</i> Thomson, 1860:10 | |
| <i>longipennis</i> Bates, 1880:145 | |
| <i>zimmermani</i> Dillon, 1952:207 | |
| <i>texensis</i> Dillon, 1956:139 | |
| <i>mariorum</i> Dillon, 1957:144 | |
| <i>aukena</i> Dillon, 1957:145 | |
| unicolor Fisher, 1947:38 | Barbados |
| xileuco Toledo, 1998: 53 | wMX (JA) |
| wenzeli Dillon, 1957:146 | w Mexico (NA) |
| | |
| Lasiolepturges Melzer, 1928:154 | |
| zikani Melzer, 1928:155 | se Brasil (RJ), Ecuador, Fr Guiana |
| | |
| Lathroeus Thomson, 1864:25 | |
| mysticus Melzer, 1932:426 | se Brasil (MG, ES, PA, RJ, SC) |
| oreoderoides Thomson, 1864:25 | SAmer |
| | |
| Leiopus Audinet-Serville, 1835:86 | |
| asperipennis Fairmaire & Germain, 1859:513 | Chile |
| convexus Melzer, 1934:235 | se Brasil (ES-RS) |
| floccidus Erichson, 1847:147 | Peru |
| histrionicus Gistel, 1848:430 | Brasil |
| pleuriticus White, 1855:385 | Brasil, Colombia, Ecuador |
| soricinus Fairmaire & Germain, 1859:512 | Chile |
| strigilis Erichson, 1847:147 | Peru |
| | |
| Leptostylopsis Dillon, 1956:144 | |
| albofasciatus (Fisher, 1926:16) | se USA (FL), Cuba |
| antillarum (Fisher, 1925:5) | Puerto Rico |
| <i>albosignatus</i> (Fisher, 1935:53) | |
| argentatus (Jacquelin du Val in Sagra, 1857:273) | se USA (FL), Cuba, Bahamas |
| <i>taeniatus</i> Casey, 1913:306 | |
| atromaculatus (Fisher, 1926:18) | Cuba |
| bidentatus (Fabricius, 1775:165) | Guadeloupe, Nevis |
| cristatus (Fisher, 1925:7) | R Dominicana |
| duvali (Fisher, 1926:19) | Cuba |
| gundlachi (Fisher, 1925:2) | Puerto Rico |
| hispaniolae (Fisher, 1942:30) | Hispaniola |
| incrassatus (Klug, 1829:13) | Cuba |
| <i>transversatus</i> Jacquelin du Val in Sagra, 1857:273 | |
| jamaicensis (Gahan, 1895:133) | Jamaica |
| latus Chemsak & Feller, 1988:182 | Belize |
| longicornis (Fisher, 1926:15) | Puerto Rico |
| luteus Dillon, 1956:147 | sw USA (TX) |
| martinicensis Villiers, 1980:91 | Martinique, St. Lucia |
| var. <i>luciae</i> Chalumeau, 1983:227 | |
| milleri (Fisher, 1932:83) | R Dominicana |
| monticola (Fisher, 1935:201) | Cuba |
| oakleyi (Fisher, 1935:54) | Puerto Rico |
| ornatus (Fisher, 1928:18) | Jamaica |
| planidorsus (LeConte, 1873:233) | se USA |
| <i>lecontei</i> Casey, 1913:305 | |
| <i>crescenticus</i> Casey, 1913:306 | |
| rogueti Chalumeau, 1983:227 | Martinique |

smithi (Gahan, 1895:132) W Indies (Windward Is.)
terraecolor (Horn, 1880:122) se USA (FL)
transversatus; LeConte, 1878:414 (not Jacquelin du Val, 1857)
mutilus Casey, 1913:307
testaceus (Froelich, 1792:141) W Indies (Lesser Antilles)

Leptostylus LeConte, 1852:168

albagniri Zayas, 1975:231 Cuba
albicinctus Bates, 1885:388 e Mexico (VC)
angulicollis Bates, 1885:390 Guatemala, El Salvador
annulipes Fisher, 1942:28 R Dominicana
arciferus Gahan, 1892:265 sc Mexico (MO, GR)
armatus Monné & Hoffmann, 1981:248 nw Brasil (AM), Ecuador, Peru, Bolivia
asperatus (Haldeman, 1847:46) se USA-TX
albescens; Dillon, 1956:144 (not Haldeman, 1847)
aspiciens Bates, 1885:391 e Mexico (VC)
batesi Casey, 1913:307 Panama
albescens; Bates, 1885:387 (not Haldeman, 1847)
bruesi Fisher, 1942:32 Jamaica
calcarius Chevrolat, 1862:248 Cuba
castaneovirescens Zayas, 1975:239 Cuba
cineraceus Bates, 1874:230 Guatemala-Costa Rica
corpulentus Bates, 1881:152 Nicaragua
cretatellus Bates, 1863:102 swUS (sTX) - Mexico-Nicaragua-n Brasil (PA), Fr Guian:
cristulatus Bates, 1872:213 Nicaragua-Panama
dealbatus (Jacquelin du Val in Sagra, 1857:274) Cuba
decipiens Bates, 1880:149 Nicaragua, Costa Rica
transversus; Bates, 1872:211 (not Gyllenhal, 1817)
diffusus Bates, 1885:387 e Mexico (VC), Guatemala
dubitans Bates, 1885:390 Mexico
faulkneri Hovore, 1988:21 Baja Calif
fernandezi Monné & Hoffmann, 1981:258 Venezuela
fuliginus Bates, 1885:388 Guatemala
fuliginosus; Gilmour, 1965:573
gibbulosus Bates, 1874:230 sw USA (TX), Mexico-Colombia, Venezuela
vogti Dillon, 1956:141
gibbus (Degeer, 1775:116) Surinam, Fr Guiana
gnomus Monné & Hoffmann, 1981:251 se Brasil (MG), Paraguay, Argentina
heticus Zayas, 1975:243 Cuba
hilaris Bates, 1872:211 w Mexico (JA)-Panama
hispidulus Bates, 1874:229 Guatemala-Costa Rica
illitus Zayas, 1975:244 Cuba
incertus (Bates, 1881:176) Guatemala, Nicaragua
jolyi Monné & Hoffmann, 1981:247 Venezuela
laevicauda laevicauda Bates, 1880:150 Guatemala
subsp. **chiriquinus** Bates, 1885:386 Costa Rica, Panama
latifasciatus Zayas, 1975:246 Cuba
lazulinus Bates, 1880:149 e Mexico (VC)
leucanthes Bates, 1880:148 sw Mexico (OA)
leucopygus Bates, 1872:212 Nicaragua-Panama
lilliputanus Thomson, 1865:545 Colombia
lividus Hovore, 1989:256 Costa Rica
macrostigma Bates, 1872:212 Nicaragua, Costa Rica
metallicus Bates, 1880:147 Costa Rica
nigritus Zayas, 1975:248 Cuba
nordestinus Monné & Hoffmann, 1981:257 Brasil
notaticollis Bates, 1880:149 Guatemala-Costa Rica
obliquatus Bates, 1880:150 s Mexico (ME, OA)-Nicaragua, Baja Calif
obscurellus Bates, 1863:103 Venezuela-Argentina, Uruguay
bruchi Melzer, 1932:225
ochropygus Bates, 1885:389 Guatemala, Costa Rica
orbiculus Bates, 1880:151 e Mexico (VC)-Nicaragua
ovalis Bates, 1863:103 Brasil (PA, MT, ES-SP), Fr Guiana
neivai Melzer, 1930:198
palliatus Bates, 1874:229 Mexico-Nicaragua
paraleucus Monné & Hoffmann, 1981:258 c Brasil (AM, MT), Ecuador
paulus Monné & Hoffmann, 1981:253 Venezuela

- perniciosus** Monné & Hoffmann, 1981:259
pleurostictus; Bondar, 1929:85 (not Bates, 1863)
- petulans** Bates, 1885:389
- phrissominus** Bates, 1885:388
- pilula** Bates, 1880:152
- plautus** Monné & Hoffmann, 1981:254
- pleurostictus** Bates, 1863:102
- plumeoventris** Linsley, 1934:109
- poeyi** Fisher, 1925:4
- pseudocalcarius** Zayas, 1975:249
- pulcherrimus** Bates, 1880:148
- pygialis** Bates, 1872:212
- quintalbus** Bates, 1885:389
- retrorsus** Bates, 1885:387
- sagittatus** (Jacquelin du Val in Sagra, 1857:272)
- saxuosus** Tippmann, 1960:189
- seabrai** Lane, 1959:257
- signaticauda** Bates, 1885:387
- sleeperi** Hovore, 1988:22
- spermovoratis** Chemsak, 1972:150
- spiculatus** Bates, 1880:148
- subfurcatus** Bates, 1880:147
- transversus** (Gyllenhal in Schoenherr, 1817:164)
transversatus; LeConte, 1878:470
tuberculatus Froelich, 1792:138
aculiferus Say, 1824:329
marginellus Haldeman, 1847:47
albescens Haldeman, 1847:46
divisus Casey, 1913:306
transversus dakotensis Dillon, 1956:143
transversus dietrichi Dillon, 1956:144
transversus floridellus Dillon, 1956:144
- triangulifer** Bates, 1872:211
- trigonus** Bates, 1880:152
- viridescens** Bates, 1880:148
- viridicomus** Fisher, 1942:29
- viriditinctus** Bates, 1872:210
- xanthopygus** Bates, 1880:149
- x-griseus** Bates, 1885:389
- zonatus** Bates, 1885:388
- Leptrichillus** Gilmour, 1960:91
minutus Gilmour, 1960:92
- Lepturdrys** Gilmour, 1960:47
novemlineata Gilmour, 1960:48
- Lepturgantes** Gilmour, 1957:21
candicans (Bates, 1863:371)
dilectus (Bates, 1863:373)
flavovittatus (Gilmour, 1959:136)
pacificus Gilmour, 1960:178
inscriptus; Bates, 1872:217 (not Bates, 1863)
fragillimus; Bates, 1874:230 (not Bates, 1863)
septemlineatus Gilmour, 1960:176
seriatus Monné, 1988:124
variegatus Gilmour, 1957:22
- Lepturges (Lepturges)** Bates, 1863:367
Lepturges; Gemminger & Harold, 1873:3156
Maculurges Dillon, 1956:338
abditus Monné, 1976:367
alboscriptus Bates, 1863:377
alvarengai Monné, 1976:369
amabilis Bates, 1863:370
anceps Gilmour, 1962:559
- Guianas, Brasil, Bolivia, Paraguay,
Argentina
Costa Rica, Panama
Costa Rica, Panama
Costa Rica
Venezuela, Ecuador, Fr Guiana
nw Brasil (AM), Peru
Mexico (Tres Marias Is.)
Hispaniola
Cuba
e Mexico (VC)-Nicaragua
Nicaragua-Panama
Panama
Costa Rica, Panama
Cuba
Bolivia
Peru, Ecuador
Guatemala, Honduras
Baja Calif
Costa Rica
Nicaragua, Costa Rica
Nicaragua, Costa Rica
e NAmer-TX
- Guatemala-Costa Rica
Guatemala-Panama
Mexico (OA, VC)-Costa Rica
Hispaniola
Nicaragua-Panama
Nicaragua
Guatemala, Costa Rica, Panama
Costa Rica, Panama
- Mexico-Costa Rica
- ec Brasil (GO, MG)
- c Brasil (AM, MT)
c Brasil (AM, MT)
ec Brasil (GO, BA, SP)
Guatemala-Costa Rica
- e Brasil (BA)
Venezuela, Fr. Guiana, c Brasil (MT)
se Brasil (BA, PR, SC), Paraguay
- se Brasil (RJ)
wc Brasil (AM, PA, RO)
se Brasil (ES, RJ)
c Brasil (AM, MT), Fr Guiana
Brasil (GO, MT, BA-SC), Paraguay

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| angulatus (LeConte, 1852:172) <i>symmetricus</i> ; Horn, 1880:126 (not Haldeman, 1847) <i>canus</i> Casey, 1913:317 <i>confluens</i> ; Knoll, 1946:252 (not Haldeman, 1847) | e NAmer-TX |
| angustatus Bates, 1863:375 | c Brasil (AM, MT) |
| beaveri Monné, 1978:6 | wc Brasil (AC, RO, MT) |
| breviceps (White, 1855:384) | Venezuela |
| bucki Melzer, 1930:202 | se Brasil (BA-SC) |
| callinus Bates, 1885:402 | Guatemala, Fr Guiana |
| canocinctus Gilmour, 1962:545 | ec Brasil (MT, GO, BA), Argentina |
| castaneus Monné, 1978:4 | n Brasil (PA) |
| centralis Monné, 1978:3 | e Brasil (MG) |
| charicles Bates, 1885:402 | Costa Rica, Panama |
| cinereolus Monné, 1976:362 | e Brasil (BA) |
| cingillus Monné, 1978:8 | c Brasil (MT) |
| citrinus Monné, 1976:363 | se Brasil (BA-SC) |
| complanatus Bates, 1863:370 <i>aliquobscura</i> Gilmour, 1962:557 | c Brasil (AM, MT), Bolivia, Ecuador, Fr Guiana |
| comptus Melzer, 1930:201 | SAmer (widely distributed) |
| confluens (Haldeman, 1847:50) | e NAmer |
| curvilinea Gilmour, 1959:1 <i>zischkai</i> Tippmann, 1960:192 | Peru, Bolivia |
| dorotheae Gilmour, 1962:551 | se Brasil (BA-SP), Paraguay |
| elegantulus Bates, 1863:368 | nw Brasil (AM), Fr Guiana |
| elimata Monné, 1976:371 | se Brasil (GO, MG, SP), Paraguay |
| eurynota Tippmann, 1960:191 | Bolivia, s Brasil (MT), Peru |
| fasciculatoides Gilmour, 1962:549 | ec Brasil (GO, MT), Argentina |
| festivus Bates, 1872:236 | Nicaragua-Panama |
| figuratus Pascoe, 1866:283 | Panama-Colombia |
| fischeri Melzer, 1928:152 | se Brasil (MG-RS) |
| funereus Monné, 1976:366 | se Brasil (BA-PR) |
| glaphyra Monné, 1976:374 | e Brasil (ES) |
| hahneli Gilmour, 1959:133 | nw Brasil (AM) |
| hylaeanus Monné, 1978:5 | nw Brasil (AM) |
| infilatus Bates, 1872:216 <i>pallisteri</i> Gilmour, 1961:335 | sw USA (AZ), Mexico-Costa Rica |
| insignis Melzer, 1928:153 | se Brasil (ES-SC) |
| itu Monné, 1976:374 | se Brasil (SP) |
| janus Bates, 1881:168 | s Mexico (OA, PU, CHS) |
| laeteguttatus Bates, 1885:402 | Panama |
| limpidus Bates, 1872:216 <i>fasciculata</i> Melzer, 1928:149 <i>peruviana</i> Gilmour, 1962:547 | Mexico-Brasil, Ecuador, Peru, Bolivia, Fr Guiana |
| linearis Bates, 1863:369 | c Brasil (AM, MT), Bolivia |
| macilentus Bates, 1881:166 | e Mexico (VC) |
| maculosus Gilmour, 1959:3 | Venezuela |
| malkini Monné, 1978:7 | c Brasil (MT), Bolivia |
| mattogrossis Gilmour, 1962:555 | ec Brasil (MT, BA, SP) |
| megalops Hamilton in Leng & Hamilton, 1896:127 | se USA (FL)-Panama |
| multilineatus Melzer, 1928:153 | e Brasil (GO, MT, BA-SP), Fr Guiana |
| navicularis Bates, 1872:217 | e Mexico (VC)-Panama |
| perelegans Bates, 1863:373 | c Brasil (AM, PA, MT) |
| peruibensis Monné, 1976:366 | se Brasil (SP) |
| pictus (LeConte, 1852:172) | e USA |
| proximus Melzer, 1934:100 | Costa Rica |
| punctatissimus Monné, 1976:370 | se Brasil (ES-SC) |
| regularis (LeConte, 1852:39) | e USA |
| roppai Monné, 1976:368 | e Brasil (BA, MG, SP) |
| rhytisma Monné, 1976:371 | s Brasil (SC) |
| seabrai Monné, 1976:368 | se Brasil (BA-SC), Paraguay |
| sejunctimacula Bates, 1881:167 | Guatemala-Panama |
| serranus Monné, 1976:363 | se Brasil (SP) |
| sexvittatus Bates, 1874:230 | Nicaragua, Costa Rica |
| singularis Monné, 1976:364 | se Brasil (RJ-RS) |
| spitzi Melzer, 1928:149 | se Brasil (BA-SP) |
| subglaber Casey, 1913:319 | nc Mexico (DU) |
| symmetricus (Haldeman, 1847:50) | e NAmer |
| umbrosus Monné, 1978:9 | c Brasil (MT) |

unicolor Gilmour, 1959:6
virgatus Monné, 1978:11
vogti Hovore & Tyson, 1983:349
yucca Schaeffer, 1905:167
zikani Melzer, 1928:154
zonula Monné, 1976:372

e Brasil, Bolivia, Paraguay
Peru, Ecuador
sw USA (TX)
se USA (AZ, TX), Mexico
se Brasil (RJ)
c, se Brasil (MT, SP, PR)

Lepturges (Chaeturges) Gilmour, 1959:135

comminus Monné, 1977:706
definitus Tavakilian & Monné, 1989:276
dorsalis (White, 1855:382)
barii Bates, 1863:372
epagogus Monné, 1977:704
fragillimus (Bates, 1863:373)
fuchsi Gilmour, 1962:569
gratiosus Bates, 1874:231
griseostriatus (Bates, 1863:376)
inscriptus (Bates, 1863:371)
variegatus Burmeister, 1865:178
fragillima; Bates, 1873:230 (not Bates, 1863)
decoratus Melzer, 1928:150
laetus Melzer, 1928:152
prolatus Monné, 1977:703
repandus Tavakilian & Monné, 1989:278
rotundus Monné, 1977:702
scitulus Tavakilian & Monné, 1989:274
scriptus Gilmour, 1958:137
serenus Monné, 1977:705
tenuis Gilmour, 1962:563
villiersi Gilmour, 1962:567
virgulti Gilmour, 1962:564

Peru
Fr Guiana
nw Brasil (AM), Fr Guiana

Peru, nw Brasil (AM), Bolivia
c Brasil (PA, MT)
se Brasil (BA, SP, SC)
Nicaragua-Panama
nc Brasil (AM), Peru
e Mexico (VC)-SAmer (widely distributed)

se Brasil, Paraguay, Argentina
c Brasil (PA, MT)
wc Brasil (AM, RO, MT), Fr Guiana
c Brasil (AM, PA)
Fr Guiana
se Brasil (MG-SC), Paraguay
Brasil (AP, MT), Fr Guiana
Ecuador
Peru, c Brasil (GO, MT)
nc Brasil (AM), Peru

Lepturginus Gilmour, 1959:334

obscorellus Gilmour, 1959:335
tigrellus (Bates, 1874:231)
var. megapilus Bates, 1885:402

e Mexico (VC)
Guatemala- Nicaragua

Lepturgostrichona Gilmour, 1957:27

bordoni Monné & Martins, 1976:73
cubaecola (Fisher, 1942:36)
flaviceps (Bates, 1863:369)
stigmatica (Bates, 1881:170)

Venezuela
Cuba
n Brasil (PA), Fr Guiana
Guatemala, Honduras, El Salvador

Lethes Zayas, 1975:254

humeralis Zayas, 1975:255
indignus Zayas, 1975:256

Cuba
Cuba

Liopinus Linsley & Chemsak, 1995:88

Amniscus; Haldeman, 1847:46 (part)
Liopus; LeConte, 1852:170 (part)
Leiopus; Haldeman, 1847:50 (part)
Sternidius LeConte, 1873:234 (part)
alpha (Say, 1827:270)
fascicularis Harris, 1836:88
alpha var. *divergens* Haldeman, 1847:48
lateralis Haldeman, 1847:48
vicinus Haldeman, 1847:49
cinereus LeConte, 1852:173
rusticus LeConte, 1852:173
xanthoxyli Shimer, 1868:vii
var. *floridanus* Hamilton in Leng & Hamilton, 1896:125
dentatus Casey, 1913:311
scapalis Casey, 1913:312
testaceus Casey, 1913:312

USA

- pleuralis* Casey, 1913:312
timidus Casey, 1913:313
obscurellus Casey, 1913:313
nelsonicus Casey, 1924:291
alpha coloradensis Dillon, 1956:216
alpha nigricans Dillon, 1956:216
suturalis Dillon, 1956:219
vittatus Dillon, 1956:219
- batesi** (Gahan, 1892:265) sw Mexico (GR)
centralis (LeConte, 1884:24) sw USA (AZ, NM, TX)
chemsaki (Lewis, 1977:196) sw USA (AZ)
crassulus LeConte, 1873:235 Baja Calif
decorus (Fall, 1907:84) sw USA (AZ)
alpha arizonensis Dillon, 1956:217
centralis; Dillon, 1956:218 (not Leconte, 1884)
- gracilipes** (Linsley, 1942:72) Baja Calif
imitans (Knull, 1936:107) sw USA (TX, AZ)
incognitus (Lewis, 1977:201) sw USA (AZ)
mimeticus (Casey, 1891:48) e USA -TX, Mexico
schwarzi Hamilton in Leng & Hamilton, 1896:124
crassulus; Horn, 1880:124 (not LeConte, 1873)
moderator Casey, 1913:314
houstoni Casey, 1913:315
texanus Casey, 1913:315
- misellus** (LeConte, 1852:173) c USA
naeviicornis (Bates, 1885:393) e Mexico (VC)
nivosus (Linsley, 1942:73) Baja Calif
pantherinus (Zayas, 1975:264) Cuba
punctatus (Haldeman, 1847:49) e USA
maculipennis Blatchley, 1922:31
rosaliae (Linsley, 1942:71) Baja Calif
rossi (Linsley, 1942:71) Baja Calif
subfascianus (White 1855:385) Venezuela
subfasciatus; Aurivillius, 1923:410
wiltii (Horn, 1880:124) sw USA (TX)
- Lithargyrus** Martins & Monné, 1974:12
melzeri Martins & Monné, 1974:13 Costa Rica-Brasil, Bolivia, Fr. Guiana
- Lophopoenopsis** Melzer, 1931:63
singularis Melzer, 1931:63 se Brasil (ES-PR)
- Lophopoeum** Bates, 1863:275
Scutelongus Gilmour, 1959:6
bituberculatum (White, 1855:382) nw Brasil (AM)
bruchi Monné & Martins, 1976:53 Uruguay, Argentina
timbouvae; Bruch, 1940:118 (not Lameere, 1884)
carinatulum Bates, 1863:275 nw Brasil (AM), Fr Guiana, Ecuador
carinulatum; Thomson, 1864:322
centromaculatum Monné & Martins, 1976:51 e Mexico (VC)-Honduras
circumflexum Bates, 1863:276 nw Brasil (AM), Peru, Fr Guiana
hylaeantum Martins & Monné, 1974:15
forsteri Tippmann, 1960:180 Bolivia
freudei (Gilmour, 1959:7) Bolivia
fuliginosum Bates, 1863:276 n Brasil (PA), Fr Guiana
humerosum Monné & Martins, 1976:52 Costa Rica, ec Brasil (GO)
meridianum Fisher, 1938:141 s Brasil (SC)
monticulum Monné & Martins, 1976:54 se Brasil (MG-SC)
saronotum Bates, 1872:214 Nicaragua-Panama
scopiferum Bates, 1872:215 sc Mexico (PU)-Nicaragua
timbouvae Lameere, 1884:102 se Brasil (RJ-RS), n Argentina (FO, CH, SF, MI),
leguminicola Linell, 1896:43 Paraguay
w-flavum Bates, 1885:395 Costa Rica, Panama

| | |
|---------------------------------------------------------|--------------------------------------------|
| Mecotetartus Bates, 1872:213 | |
| <i>Eutessus</i> LeConte, 1873:235 | |
| antennatus Bates, 1872:213 | Mexico-Costa Rica, Baja Calif |
| <i>asper</i> LeConte, 1873:236 | |
| <i>granosus</i> LeConte, 1873:339 | |
| Microplia Audinet-Serville, 1835:21 | |
| agilis Audinet-Serville, 1835:22 | se Brasil, Paraguay, Argentina |
| nigra Monné, 1976:578 | se Brasil, n Argentina (SA) |
| Nanustes Gilmour, 1960:43 | |
| fuchsi Gilmour, 1960:45 | s Brasil (RS) |
| Nealcidion Monné, 1977:699 | |
| <i>Alcidion</i> ; Thomson, 1860:12 (not Sturm, 1843) | |
| adjunctum (Thomson, 1865:544) | Costa Rica, Panama |
| albatum Monné & Delfino, 1986:172 | nw Brasil (AM), Ecuador |
| alboplagiatum (Martins & Monné, 1974:321) | e Brasil (ES) |
| armatum Monné & Delfino, 1986:167 | Venezuela |
| badium Monné & Delfino, 1986:169 | Ecuador, Peru, nw Brasil (AM), Fr Guiana |
| batesi (Kirsch, 1889:42) | Colombia |
| bicristatum (Bates, 1863:109) | s Brasil, Paraguay, Argentina, Uruguay |
| bispinum (Bates, 1863:105) | se Brasil (BA-RS), Argentina |
| brachiale (Bates, 1872:214) | e Mexico (VC)-Panama |
| bruchi (Melzer, 1934:230) | Argentina |
| cereicola (Fisher, 1936:7) | n Argentina (SA) |
| <i>privatum</i> ; Bosq, 1934:339 (not Pascoe, 1866) | |
| costatum (Monné & Martins, 1976:47) | Venezuela |
| coxale (Kirsch, 1889:42) | Colombia |
| crisulatum Monné & Delfino, 1986:174 | Bolivia |
| cuspidatu Monné, 1998: 295 | Mexico (CH) |
| cyllenoide (Aurivillius, 1925:515) | Colombia |
| decoratum (Melzer, 1932:223) | e Brasil (MG, RJ) |
| deletum (Bates, 1880:274) | Fr Guiana, c Brasil (AM, PA) |
| elongatum Monné, 1998: 293 | Ecuador |
| emeritum (Erichson, 1847:147) | Peru, w Brasil (AM-RO), Ecuador, Fr Guiana |
| <i>olivaceus</i> Bates, 1863:108 | |
| eulophum (Bates, 1881:156) | se Mexico (CHS, VC)-Costa Rica |
| femoratum (Monné & Martins, 1976:51) | Ecuador |
| formosum (Monné & Martins, 1976:49) | Peru |
| furciferum (Bates, 1881:156) | Guatemala |
| griseum (Aurivillius, 1900:417) | Venezuela |
| humerosum (Bates, 1880:274) | Ecuador |
| hylaeanum (Monné & Martins, 1976:48) | nw Brasil (AM), Ecuador |
| interrogationis (Bates, 1863:107) | nw Brasil (AM), Ecuador |
| latipenne (Bates, 1863:107) | nc Brasil (AM, PA), Ecuador |
| laetulum (Bates, 1880:273) | e Brasil (BA) |
| latum (Thomson, 1860:12) | e Mexico (VC) |
| lineatum (Bates, 1863:105) | Costa Rica, Panama, Venezuela |
| melasum Monné & Delfino, 1986:171 | Venezuela |
| meridanum Monné & Delfino, 1986:175 | Venezuela |
| minimum (Bates, 1863:108) | nw Brasil (AM) |
| murinum Monné, 1998: 293 | Ecuador |
| nebulosum (Bates, 1880:274) | Ecuador |
| oculatum (Bates, 1863:106) | nw Brasil (AM) |
| omissum (Martins & Monné, 1974:14) | se Brasil (BA-SP) |
| parallelum (Monné & Martins, 1976:50) | Peru |
| privatum (Pascoe, 1866:283) | Guatemala-Colombia, Venezuela |
| <i>privatum</i> var. <i>penicillare</i> Bates, 1885:394 | |
| <i>penicillatum</i> ; Aurivillius, 1923:394 | |
| pulchrum (Bates, 1880:273) | Colombia |
| quinquemaculatum (Tippmann, 1960:179) | Bolivia |
| scutellatum (Bates, 1881:157) | Guatemala |
| sexguttatum Monné & Delfino, 1986:169 | Bolivia |
| sexnotatum (Waterhouse, 1901:76) | Guyana |
| silvai Monné & Delfino, 1986:176 | e Brasil (PB) |

- simillimum** (Melzer, 1932:224)
singulare Monné, 1998: 293
socium (Gahan, 1895:131)
spinorum Monné & Delfino, 1986:174
triangulare (Bates, 1863:106)
triangulare var. *paraense* Bates, 1863:107
trivittatum (Bates, 1863:109)
venosum (Bates, 1880:274)
- se Brasil (SP-SC)
Brasil (RO), Peru, Bolivia
St Vincent, Grenada, Venezuela
Venezuela
Venezuela, c Brasil (AM), Fr Guiana, Ecuador
Venezuela
se Brasil (MG-SP)
- Neobaryssinus** Monné & Martins, 1976:80
capixaba Monné & Delfino, 1980:318
marianae (Martins & Monné, 1974:330)
phalaris Monné & Martins, 1976:81
- e Brasil (MG, ES)
Fr Guiana, c Brasil (AM)
e Brasil (BA, ES)
- Neoeutrypanus** Monné, 1977:695
Eutrypanus; White, 1855:371 (part) (not Erichson, 1847)
decorus (Bates, 1881:184)
generosus (Monné & Martins, 1976:86)
glaucus (Melzer, 1931:72)
incertus (Bates, 1864:23)
inustus (Monné & Martins, 1976:87)
maculatus Monné 1985:372
mutilatus (Germar, 1824:478)
nitidus (White, 1855:371)
venezuelensis Thomson, 1860:13
nobilis (Bates, 1864:22)
sobrinus (Melzer, 1935:204)
- Guatemala – Costa Rica
Bolivia
se Brasil, Paraguay, Argentina
Guianas, nc Brasil (AM, PA)
nc Brasil (AM, PA), Fr Guiana
n Brasil (PA)
Costa Rica, Panama, Ecuador, Brasil, Fr Guiana
Venezuela
Fr Guiana, Ecuador, se Brasil (AM, PA), Peru
se Brasil (MG-RS), n Argentina (MI)
- Neopalame** Martins & Monné, 1972:63
albida Monné, 1985:374
albomaculata Monné & Martins, 1976:74
atromaculata Monné & Martins, 1976:76
cretata Monné & Delfino, 1980:317
deludens Monné, 1985:376
digna (Melzer, 1935:203)
- e Brasil (ES)
Peru
se Brasil (BA-SP)
c Brasil (AM, MT)
wc Brasil (RO, MT)
se Brasil (MG-RJ)
- Neseuterpia** Villiers, 1980:88
couturieri Tavakilian, 2001: 437
curvipes Villiers, 1980:89
- Ecuador
Guadeloupe, Dominica
- Nyssocarinus** Gilmour, 1960:51
bondari (Melzer, 1927:579)
humeralis Monné, 1985:307
vittatus Gilmour, 1960:52
- se Brasil (RJ-RS)
c Brasil (PA, RO, MT), Ecuador, Peru, Bolivia
nw Brasil (AM), Ecuador
- Nyssocuneus** Gilmour, 1960:55
heyrovskyi Gilmour, 1960:57
- e Brasil (ES)
- Nyssodectes** Dillon, 1955:142
bispecularis (White, 1855:384)
concinna (Bates, 1885:417)
dulcissimus (Bates, 1863:377)
longula (Bates, 1881:181)
roseicollis (Bates, 1872:221)
veracruz Dillon, 1955:143
- nw Brasil (AM)
Panama
nw Brasil (AM), Peru, Ecuador
Costa Rica
e Mexico (VC)-Panama
e Mexico (VC), Guatemala
- Nyssodrysilla** Gilmour, 1962:249
irrorata (Melzer, 1927:577)
lineata Gilmour, 1962:253
vittata (Melzer, 1934:238)
- se Brasil (MG-RS), Paraguay
Peru, Fr Guiana
se Brasil (RJ-RS)
- Nyssodrysina** Casey, 1913:309
Nyssodrys; Leng & Hamilton, 1896:133

Leiopus; Lacordaire, 1872:775 (part)
Nyssodrysole Gilmour, 1962:256
Sternidurges Gilmour, 1959:329
binocularis (Bates, 1864:153)
bimaculata Aurivillius, 1923:424
cinerascens (Bates, 1864:151)
variegata Aurivillius, 1929:2
corticalis (Bates, 1864:151)
exilis (Bates, 1885:412)
grisella (Bates, 1864:154)
haldemani (LeConte, 1852:173)
contempta Bates, 1864:152
infima (Bates, 1885:412)
leucopyga (Bates, 1872:221)
apicalis Gilmour, 1959:331
lignaria (Bates, 1864:152)
lineatocollis (Bates, 1863:373)
polyspila (White, 1855:383)
pulchella (Bates, 1863:374)
scutellata (Bates, 1866:434)
spretia (Bates, 1864:152)
stictica Gilmour, 1962:257
halfpteri Villiers, 1971:348
venusta (Bates, 1863:372)

Nicaragua-n Brasil (PA), Fr Guiana, Ecuador
n Brasil (PA), Trinidad, Venezuela,
Guianas
Costa Rica-n Brasil (PA), Fr Guiana
Panama
nw Brasil (AM), Ecuador
se USA, Mexico-Panama (widely distributed)
Panama
c Mexico (SLP)-Panama, Ecuador
se Brasil, Paraguay, Argentina
nc Brasil (AM), Ecuador
Mexico-Panama
n Brasil (PA), Fr Guiana, Ecuador
Honduras-Panama, n SAMer
nc Brasil, Fr Guiana, Peru, Ecuador
nc Brasil (AM), Fr Guiana, Ecuador

Nyssodrysternum Gilmour, 1960:59

Nyssodryse Bates, 1864:149 (part)
Nyssodrystes Gilmour, 1963:3
Cicanyssodryse Gilmour, 1965:601
amparense (Melzer, 1934:106)
basale (Melzer, 1934:239)
caudatum (Bates, 1864:157)
conspicillare (Erichson, 1847:146)
albomaculata Aurivillius, 1908:10
conspicuum Monné, 1985:538
cretatum Monné, 1985:539
decoratum Monné, 1992:774
dioptricum (Bates, 1864:153)
efflictum (Bates, 1864:160)
fasciatum Gilmour, 1960:61
flavolineatum Monné, 1985:541
freyorum (Gilmour, 1963:94)
fulminans (Bates, 1864:154)
gratum Monné, 1985:542
impensum Monné, 1985:542
instabile Monné, 1992:775
laterale (Melzer, 1931:71)
lemniscatum Monné, 1985:543
lepidum Monné, 1992:773
lineolatum (Bates, 1864:161)
ocellatum (Bates, 1885:413)
picticolle (Melzer, 1934:105)
pictulum (Bates, 1881:175)
plaumanni Monné, 1992:776
poriferum (Bates, 1885:413)
promeces (Bates, 1864:162)
propinquum (Bates, 1864:159)
ptericoptum (Bates, 1864:163)
reticulatum (Melzer, 1934:107)
rodens (Bates, 1864:161)
rubiginosum Monné, 1975:246
schmithi (Melzer, 1931:70)
serpentinum (Erichson, 1847:146)
deleta Bates, 1864:160
signiferum (Bates, 1864:158)
gruneri Villiers, 1971:347
simulatum (Bates, 1864:159)

se Brasil (BA-SC), n Argentina (SA)
se Brasil (BA-RS), Paraguay
c Brasil, Fr Guiana, Peru, Bolivia
c Brasil (AM), Peru, Ecuador, Bolivia
Venezuela, Guianas, n Brasil (AM, PA)
Panama, Ecuador, Bolivia, Guianas
e Brasil (RJ, BA, ES)
se Brasil (ES-SC), Ecuador, Bolivia
nc Brasil (AM), Ecuador, Peru, Fr Guiana
e Brasil (BA, ES)
Fr Guiana, nc Brasil (AM, PA)
Trinidad, Venezuela
nw Brasil (AM), Ecuador
c Brasil (PA, MT)
wc Brasil (AM, RO), Fr Guiana
se Brasil (RJ, ES, SP)
se Brasil (BA-SP)
Guianas, c Brasil (AM), Peru, Ecuador
se Brasil (SC, RS)
nw Brasil (AM)
Nicaragua-Brasil, Peru, Ecuador, Bolivia
se Brasil (BA-RJ)
Guatemala
se Brasil (SP, SC)
Guatemala-Panama, n SAMer-c Brasil
nw Brasil (AM)
c Brasil (AM), Fr Guiana
Brasil (PA, RO, MT), Peru, Fr Guiana, Ecuador
se Brasil (ES-SP)
wc Brasil (AM, RO, MT), Fr Guiana, Ecuador
Venezuela, Peru, Brasil
s Brasil (SP-RS)
e Mexico (VC)-Panama, Brasil, Fr Guiana,
Ecuador
Costa Rica, n SAMer (widespread)
Guianas, c Brasil (AM)

- spilotum** Monné, 1975:248
stillatum (Bates, 1864:156)
striatellum (Tippmann, 1960:192)
sulphurescens (Bates, 1885:416)
taeniatum Monné, 1985:544
univittis (Bates, 1885:415)
variabile Monné, 1985:546
vigintiguttatum (Bates, 1885:415)
zonatum Monné, 1985:546
- Nyssosternus** Gilmour, 1963:4
duidaensis Gilmour, 1963:5
- Oectropsis** Blanchard in Gay, 1851:503
latifrons Blanchard in Gay, 1851:503
pusillus (Blanchard in Gay, 1851:502)
- Oedopeza** Audinet-Serville, 1835:88
Chaetanes Bates, 1864:45
apicale (Gilmour, 1962:291)
costulatus (Gilmour, 1962:288)
cryptica Monné, 1990:266
flavosparsa Monné, 1990:266
fleutiauxi (Villiers, 1980:95)
guttigera Bates, 1864:147
guttifera; Bates 1881:176
leucostigma Bates 1864:146
maculatissima Monné & Martins, 1976:82
ocellator (Fabricius, 1801:287)
pogonocherooides Audinet-Serville, 1835:88
setigera (Bates, 1864:45)
umbrosa (Germar, 1824:473)
litigiosa Bates, 1864:147
quadrinodosus Burmeister, 1865:178
- Olenosus** Bates, 1872:205
serrimanus Bates, 1872:206
- Onalcidion** Thomson, 1864:25, 353
fibrosum Monné & Martins, 1976:56
obscurum Gilmour, 1957:12
pictulum (White, 1855:395)
- Oxathres** Bates, 1864:50
decorata Monné, 1990:679
erotyloides Bates, 1864:51
implicata Melzer 1926:15
nigrobasalis Gilmour, 1962:290
muscosa Bates, 1864:52
navicula Bates, 1864:50
ornata Monné, 1976:589
proxima Monné, 1976:587
quadrimaculata Monné, 1976:590
scripta Lacordaire, 1872:785
dubius Melzer, 1926:13
sparsa Melzer, 1927:575
- Oxathridia** Gilmour, 1963:7
roraimae Gilmour, 1963:8
- Ozineus** Bates, 1863:278
Acarinozineus Gilmour, 1962:261
alienus Melzer, 1932:427
- se Brasil (BA, PR, SC)
 nw Brasil (AM), Fr Guiana
 Peru, wc Brasil, Bolivia, Fr Guiana, Ecuador
 Costa Rica, Panama
 nc Brasil (PA, AM)
 Costa Rica, Panama
 e Brasil (ES)
 Costa Rica, Panama
 c Brasil (MT)
- Venezuela
- Chile, wc Argentina (NE)
 Chile, wc Argentina (NE)
- Fr Guiana, Ecuador, n Brasil (PA)
 wc Brasil (RO, MT), Peru, Bolivia
 Venezuela, Peru, c Brasil
 nw Brasil, Peru, Bolivia, Fr Guiana
 Guadeloupe, Dominica
 e Mexico (VC)-Panama
- Panama-n SAmer-c Brasil (AM), Ecuador
 SAmer (widely distributed)
 e Mexico (VC)-Uruguay, Cuba
- Nicaragua-n Samer, Ecuador
 se Brasil (BA-RS), Paraguay,
 n Argentina
- w Mexico (SI, JA, OA, VC)-Costa Rica
- Costa Rica-Venezuela, Brasil (RO, GO)
 Venezuela
 Costa Rica-Colombia, Venezuela
- Venezuela
 nw Brasil (AM), Peru, Ecuador
 se Brasil (MG-RS)
- c Brasil (AM), Peru, Fr Guiana
 c Brasil (PA, RO), Ecuador, Bolivia
 c Brasil (PA, RO)
 Peru
 c Brasil (AM, PA)
 se Brasil (BA-SC)
- se Brasil (ES-SP)
- n Brasil (RR)
- e Brasil (ES, RJ)

- angulistigma** Bates, 1885:397
annulicornis (White, 1855:383)
arietinus Bates, 1872:215
barbiflavus Martins & Monné, 1974:22
bicristatus Melzer, 1935:200
cinerascens Bates, 1863:280
cinerascens var. *pallipes* Bates, 1863:281
cretatus Monné & Martins, 1976:66
cribripennis Bates, 1885:396
dimidiatus Aurivillius, 1922:169
doctus Bates, 1863:280
dorsalis Melzer, 1935:200
dubius Aurivillius, 1922:170
elongatus Bates, 1863:279
guttatus Monné & Martins, 1976:63
jubapennis Fisher, 1938:142
lateralis Monné & Martins, 1976:64
moestus Bates, 1885:397
mysticus Bates, 1863:279
nyssodroides Tippmann, 1960:187
orbiculus Monné & Martins, 1976:65
spinicornis (Gilmour, 1962:265)
striatus (Gilmour, 1962:262)
strigosus Bates, 1863:280
torquatus Bates, 1881:162
- Panama
Costa Rica, Panama, Colombia. Ecuador
e Mexico (VC)-Panama, Ecuador
se Brasil (SP-SC)
e Brasil (MG, RJ)
n Brasil (PA), Fr Guiana
- Peru
Costa Rica, Panama
Peru
Fr Guiana, n Brasil (PA)
Costa Rica
Peru
Panama, nc Brasil (AM), Fr Guiana
se Brasil (RJ, SP)
s Brasil (SC)
se Brasil (SP)
Costa Rica, Panama
nw Brasil (AM)
Bolivia, Ecuador
Bolivia
Mexico
Peru
Panama, Ecuador, Fr Guiana
Guatemala
- Palame** Bates, 1864:13
Nyssodoretus Gilmour, 1959:30
Xorathes Gilmour, 1963:11
aeruginosa Monné, 1985:303
anceps (Bates, 1864:156)
crassimana Bates, 1864:13
olivoniger Gilmour, 1959:31
guianensis Gilmour, 1963:12
mimetica Monné, 1985:300
vitticolle (Bates, 1864:157)
- w Brasil (RO)
c Brasil (AM, PA, RO), Fr Guiana, Ecuador
c Brasil (AM), Guianas, Ecuador
- Venezuela, nc Brasil (AM), Fr Guiana, Ecuador
nw Brasil (AM), Ecuador
- Paralcidion** Gilmour, 1957:5
bilineatum Gilmour, 1957:6
- Colombia, Venezuela
- Paranisopodus** Monné & Martins, 1976:59
heterotarsus Monné & Martins, 1976:61
paradoxus Monné & Martins, 1976:61
- Costa Rica
Colombia
- Paraprobatius** Breuning, 1955:311
bucki Breuning, 1955:312
- s Brasil (RS), Paraguay
- Paratenthras** Monné, 1998: 289
martinsi Monné, 1998: 289
- Brasil (MG)
- Paroectropsis** Cerda, 1954:137
decoratus Cerda, 1954:138
- Chile
- Paroecus** Bates, 1863:379
Hysterotarsus Thomson, 1864:26
celebensis (Thomson, 1857:287)
batesi Thomson, 1864:26
ellipticus Bates, 1863:380
charpentierae Villiers, 1971:346
rigidus Bates, 1863:380
socius Melzer, 1928:151
- nw Brasil (AM), Peru, Ecuador, Fr Guiana
- Fr Guiana
Panama, ec Brasil (AM, ES), Peru, Ecuador,
Bolivia

- Pattalinus (Pattalinus)** Bates 1881:165
Lepturguncus (Chaeturguncus) Gilmour 1961:350
charis Bates, 1881:165 e Mexico (VC)
cultus Bates, 1881:165 Mexico (VC, JA)
griseolus Monné, 1988:121 w Brasil (RO)
lineatus Monné & Martins, 1976:72 Peru, Bolivia
strigosus Monné, 1988:123 c Brasil, Peru, Fr Guiana
vittulatus (Gilmour, 1961:351) Guianas, c Brasil (AM), Ecuador
- Pattalinus (Lepturguncus)** Gilmour, 1961:347
mirificus (Gilmour, 1961:348) s Brasil (SC)
- Pentheochaetes** Melzer, 1932:432
apicalis Melzer, 1934:237 Costa Rica, Panama, e Brasil (ES)
argentinus Mendes, 1937:254 n Argentina (MI)
mysticus Melzer, 1932:433 se Brasil (SP-RS), Paraguay,
var. *mediomaculatus* Gilmour, 1957:30 Argentina
trinidadensis Gilmour, 1963:91 Trinidad, Venezuela
turbidus Melzer, 1934:238 Mexico (YU)-Panama, SAmer
- Pertyia** Aurivillius, 1922:426
sericea (Perty, 1832:95) e Brasil (BA-RJ)
- Phrissolaus** Bates, 1881:172
inspersus Bates, 1881:172 Nicaragua-Panama
- Piezochaerus** Melzer, 1932:428
bondari Melzer, 1932:429 e Brasil (BA)
- Probatiomimus** Melzer, 1926:12
eximius Melzer, 1934:104 e Brasil (MG)
melzeri Schwarzer, 1931:210 s Brasil (RS), n Argentina (MI)
schwarzeri Melzer, 1926:13 se Brasil (SP-RS)
var. *flavoguttatus* Fisher, 1938:145
signiferus (Thomson, 1865:544) se Brasil (MG-RJ), Paraguay,
var. *zikani* Melzer, 1934:103 Argentina
zellibori Monné, 1990:685 s Brasil (SP, SC), n Argentina (MI)
- Proxatrypanius** Gilmour, 1959:337
rockefelleri Gilmour, 1959:338 w Mexico (SI, JA, CM)
- Pseudastylopsis** Dillon, 1956:220
Leptostylus; Horn, 1880:119 (part)
Pseudostylopsis; Arnett, 1962:872
nebulosus (Horn, 1880:121) w USA (OR, CA, NE)
nelsoni nelsoni Linsley & Chemsak, 1995:127 sw USA (AZ)
subsp. **australis** Linsley & Chemsak, 1995:128 wc Mexico (DU)
pini (Schaeffer, 1905:165) sw USA (AZ, NM)- wc Mexico(DU)
squamosus Chemsak & Linsley, 1986:28 wc Mexico (SI, DU), Guatemala
- Pseudocanidia** Dillon, 1955:176
cuernavacae Dillon, 1955:177 sc Mexico (GR, MO)
ochreostictus Dillon, 1956:106 wc Mexico (MI)
- Pseudocobelura** Martins & Monné, 1974:27
prolixa (Bates, 1864:19) nc Brasil (AM, PA), Ecuador
succincta Monné & Martins, 1976:84 Panama
- Pseudocriopsis** Melzer, 1931:196
modesta Melzer, 1934:196 se Brasil (MG-SP)

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pseudolepturges Gilmour, 1957:26 rufulus (Bates, 1885:406) | Guatemala |
| Pucallpa Lane, 1959:254 cristata Lane, 1959:254 robusta Monné, 1978:588 | Peru c Brasil (MT), Fr Guiana |
| Pygmalestylus Gilmour, 1963:74 pygmaeus (Fisher, 1926:24) | Cuba |
| Sciadosoma Melzer, 1934:102 umbrosum Melzer, 1934:103 | se Brasil (RJ) |
| Sciadosurus Gilmour, 1962:258 albobrunneus Gilmour, 1962:259 | Peru |
| Seriphus Bates, 1864:144 viridis Bates, 1864:145 | wc Brasil (AM, RO, MT) , Ecuador |
| Sporetus Bates, 1864:54 <i>Sporetus (Chaetissus)</i> Bates, 1864:54 abstrusus Melzer, 1935:203 bellus Monné, 1976:580 colobothoides (White, 1855:372) <i>colobothoides</i> ; Gemminger & Harold, 1873:3160 <i>nigrosignatus</i> Lameere, 1884:97 decipiens Bates, 1866:434 distinctus Monné, 1976:581 fasciatus Martins & Monné, 1974:25 guttulus (Bates, 1864:155) inexpectatus Monné, 1998: 31 porcinus Bates, 1864:54 probatioides Bates, 1864:56 seminalis Bates, 1864:55 var. <i>agglomeratus</i> Bates, 1864:55 variolosus Monné, 1998: 31 venustus Monné, 1998: 29 | s Brasil (SC) wc Brasil (RO, MT), Ecuador, Peru se Brasil (BA-RS), Paraguay, Argentina n Brasil (PA), Peru Peru wc Brasil (AM, RO, MT), Fr Guiana, Ecuador n Brasil (PA, RO, AM) Brasil (ES) nw Brasil (AM) se Brasil (ES-SC), Argentina Fr Guiana, nc Brasil (AM, PA), Ecuador Brasil (AM, PA), Ecuador Brasil (MG, BA) |
| Stenolis Bates, 1864:149 angulata (Fabricius, 1801:312) <i>undulata</i> Bates, 1864:149 calligramma (Bates, 1872:217) var. <i>consobrina</i> Melzer, 1934:109 circumscripta (Bates, 1881:180) decemguttata (Bates, 1885:416) <i>calligramma</i> var. Bates, 1881:181 <i>decempunctata</i> ; Melzer, 1934:110 incisa (Bates, 1864:155) inclusa (Bates, 1885:414) laetifica (Bates, 1872:237) polygramma (Bates, 1872:220) polytaenia (Bates, 1885:415) pulverea (Bates, 1881:180) theobromae (Lara & Shenefelt, 1964:438) | Fr Guiana, nw Brasil (AM) e Mexico (VC)-Panama Nicaragua-Panama Nicaragua-Panama nw BRAS (AM), Guyane Costa Rica, Panama, Ecuador Nicaragua-Panama, Ecuador Nicaragua-Panama Costa Rica, Panama e Mexico (VC)-Costa Rica Costa Rica |
| Stenopsilus Gilmour, 1958:27 bimaculatus Gilmour, 1958:28 | nw Brasil (AM), Bolivia, Ecuador, Fr Guiana |
| Sternacutus Gilmour, 1961:364 zikani (Melzer, 1935:199) <i>lineellus</i> Fisher, 1938:143 <i>cristatus</i> Gilmour, 1961:366 | se Brasil (RJ-RS) |

- Sternidius** LeConte, 1873:234
Astyleiopus Dillon, 1956:161
Leiopus Lacordaire, 1872:775 (part)
Liopus Leng & Hamilton, 1896:121 (part)
variegatus (Haldeman, 1847:47) e NAmer, sw USA (TX, AZ)
var. *trifasciatus* Haldeman, 1847:47
var. *obscurus* Haldeman, 1847:47
- Sternidocinus** Dillon, 1956:166
barbarus (Van Dyke, 1920:45) sw USA (CA)
- Styloleptoides** Chalumeau, 1983:230
inflaticollis (Chemsak, 1966:215) Virgin Is
morazzanii Chalumeau, 1983:231 Guadeloupe
parvulus (Gahan, 1895:134) Grenada, Mustique
- Styloleptus** Dillon, 1956:158
Leptostylus; Leng & Hamilton, 1896:116 (part)
Caribbeana Gilmour, 1963:97
Carribeana; Breuning, 1971:254
albosuturalis Villiers, 1980:93 Guadeloupe, Dominica, Marie-Galante
atrovittatus (Fisher, 1925:9) Cuba, R Dominicana
biustus biustus (LeConte, 1852:169) e USA, Cuba
minuens Hamilton in Leng & Hamilton, 1896:121
scurra var. *dorsalis* Fisher, 1926:21
pusillus Blatchley, 1925:167
bahamicus; Champlain & Knull, 1926:206 (not Fisher, 1925)
israeli Zayas, 1975:257
subsp. **bahamicus** (Fisher, 1925:3) Bahamas
subsp. **fisheri** Gilmour, 1965:577 Cuba
biustus var. *cubanus* Fisher, 1926:22
brunneofasciatus (Fisher, 1935:205) Jamaica
caymanensis (Fisher, 1948:228) Cayman Is.
cubanus (Fisher, 1926:26) Cuba
darlingtoni (Fisher, 1942:31) Jamaica
divisus Gilmour, 1963:70 R Dominicana
dozieri (Fisher, 1932:86) Haiti
inermis (Fabricius, 1801:293) W Indies (Leeward Is.)
bredini Chemsak, 1966:217
hebes Gilmour, 1963:98
infuscatus (Fisher, 1932:84) Hispaniola
laticollis (Fisher, 1925:12) R Dominicana, Bahamas
lewisi (Fisher, 1948:227) Cayman Is.
maraicola (Fisher, 1942:35) Haiti
nigrofasciatus Gilmour, 1963:67 R Dominicana
nigronotatus (Zayas, 1975:261) Cuba
pilosellus (Fisher, 1942:34) Bahamas
planicollis (Fisher, 1935:203) Jamaica
posticalis posticalis (Gahan, 1895:133) W Indies (Lesser Antilles)
subsp. **bonfilsii** Villiers, 1980:93 Guadeloupe
rhizophorae Chemsak & Feller, 1988:185 Belize (Twin Cays)
scurra (Chevrolat, 1862:249) Cuba
var. *maculifer* (Fisher, 1926:21)
thompsoni (Fisher, 1948:226) Cayman Is
vanduzeei (Fisher, 1935:204) Jamaica
variabilis (Fisher, 1925:11) Cuba, R Dominicana
zorrillai (Zayas, 1975:259) Cuba
- Sympagus** Bates, 1881:172
buckleyi (Bates, 1885:416) Bolivia
favorabilis Tippmann, 1960:195 Ecuador, Peru, Bolivia, Fr Guiana
laetabilis (Bates, 1872:217) Guatemala-Panama

| | |
|------------------------------------------------|--------------------------------------------|
| Tenthras Thomson, 1864:224 | |
| obliteratus Thomson, 1864:225 | Venezuela, Fr Guiana, nc Brasil |
| setosus Monné & Tavakilian, 1990:184 | Fr Guiana |
| Tithonus Thomson, 1864:24 | |
| <i>Leptocometes</i> Bates, 1881:161 | |
| <i>Lophopoedes</i> Gilmour, 1957:11 | |
| <i>Lathrozineus</i> Gilmour, 1959:23 | |
| acutispinis (Bates, 1863:277) | Mexico, Panama-c Brasil (AM), Ecuador, |
| <i>volcanensis</i> Gilmour, 1959:24 | Fr Guiana |
| barbiscapus (Bates, 1872:214) | Guatemala-Panama |
| hispidus (Bates, 1881:161) | e Mexico (VC)-Costa Rica |
| nubilus (Melzer, 1934:231) | se Brasil (RJ, SP) |
| obscurus Monné, 1990:272 | Colombia |
| pallidus (Melzer, 1934:231) | e Brasil (MG) |
| penicillatus Monné, 1990:271 | Colombia, Ecuador |
| spinipennis (Bates, 1885:396) | Panama |
| spitzi (Melzer, 1934:232) | se Brasil (BA-SP), Fr Guiana |
| umbrosus Thomson, 1864:24 | se Brasil (RJ-RS), Paraguay, |
| <i>glaucus</i> Melzer, 1934:229 | Argentina |
| virescens (Melzer, 1931:64) | s Brasil (SP-RS), Uruguay |
| volxemi (Lameere, 1884:95) | se Brasil (RJ) |
| zikani (Martins & Monné, 1974:16) | se Brasil (MG, RJ) |
| Tomrogersia Fragoso, 1980:743 | |
| acanthofemorata Fragoso, 1980:744 | Colombia |
| Toronaeus Bates, 1864:13 | |
| <i>Aemylus</i> Thomson, 1864:28 | |
| <i>Neotoronaeus</i> Tippmann, 1953:350 | |
| figuratus Bates, 1864:14 | Guianas, Ecuador, n Brasil (PA) |
| <i>figuratus</i> Thomson, 1864:28 | |
| incisus (Bates, 1864:155) | nw Brasil (AM), Fr Guiana |
| lautus Monné, 1990:680 | Venezuela |
| magnificus (Tippmann, 1953:351) | nw Brasil (AM), Peru, Ecuador, Fr Guiana |
| perforator Bates, 1864:16 | Fr Guiana, Peru, nc Brasil (AM, PA) |
| simillimus Monné, 1974:591 | nw Brasil (AM), Ecuador, Fr Guiana |
| suavis Bates, 1864:15 | Brasil (AM, ES), Peru, Ecuador, Fr Guiana |
| sumptuosus Lane, 1973:403 | nw Brasil (AM), Fr Guiana |
| terebrans Bates, 1864:17 | wc Brasil (AM, RO, MT), Ecuador |
| virens Bates, 1864:17 | nc Brasil (AM, RO, PA), Fr Guiana, Ecuador |
| Trichalcidion Monné & Delfino, 1981:260 | |
| penicillum Monné & Delfino, 1981:261 | Venezuela |
| Trichalphus Bates, 1881:153 | |
| pilosus Bates, 1881:153 | Mexico, Guatemala |
| Trichastylopsis Dillon, 1956:148 | |
| <i>Leptostylus</i> ; Horn, 1880:119 (part) | |
| albidus (LeConte, 1852:168) | sw USA |
| <i>setipes</i> Casey, 1891:48 | |
| <i>falli</i> Linsley, 1934:182 | |
| hoguei Chemsak & Linsley, 1979:141 | Mexico (Socorro Is) |
| Trichillurges Gilmour, 1961:361 | |
| bordoni Monné, 1990:274 | Venezuela |
| brasiliensis (Melzer, 1935:197) | se Brasil (RJ-RS) |
| <i>fasciatus</i> Gilmour, 1961:362 | |
| conspersus Monné, 1990:275 | Venezuela |
| maculatus Martins & Monné, 1974:20 | s Brasil (PR, SC) |
| meridanus Monné, 1990:275 | Venezuela |
| olivaceus Monné, 1990:276 | Venezuela |
| simplex Martins & Monné, 1974:21 | se Brasil (MG-SC) |

- Trichocanonura** Dillon, 1956:229
linearis (Skinner, 1905:290) sw USA (AZ), n Mexico
- Trichonius** Bates, 1864:52
fasciatus Bates, 1864:53 n Brasil (PA)
picticollis Bates, 1864:53 nw Brasil (AM)
quadrivittatus Bates, 1864:53 nw Brasil (AM)
- Trichonyssodrys** Gilmour, 1957:31
aureopilosus Monné, 1990:681 Venezuela
cinctus Delfino, 1981:257 Brasil (GO, SP)
maculatus Gilmour, 1957:32 se Brasil (MG-SC), n Argentina (MI)
melasmus Delfino, 1981:257 e Brasil (BA, MG)
- Trichotithonus** Monné, 1990:254
albidus Monné, 1990:257 e Brasil (BA)
albosetosus Monné, 1990:258 Venezuela
conspectus Monné, 1990:254 e Brasil (ES, RJ)
curvatus (Bates, 1885:396) e Mexico (VC)-Panama, se Brasil (RJ-SC)
nitidus Monné & Martins, 1976:83
tavakiliani Monné, 1990:256 Fr Guiana
tenebrosus Monné, 1990:258 Costa Rica, Panama, Bolivia
venezuelensis Monné, 1990:260 Venezuela
viridis Monné, 1990:256 Venezuela
- Tropanisopodus** Tippmann, 1960:184
andinus Tippmann, 1960:185 Bolivia
- Tropidozineus** Monné & Martins, 1976:66
amabilis Monné, 1991:130 e Brasil (ES)
argutulus Monné, 1988:120 Ecuador, c Brasil (AM), Fr Guiana
cinctulus Monné & Martins, 1976:69 se Brasil (ES-SP)
complanatus Monné, 1991:128 c Brasil (GO, MT)
fulveolus (Lameere, 1884:96) se Brasil (BA-RS)
prolixus Melzer, 1931:7
ignobilis (Bates, 1863:281) se Brasil (RJ-RS)
impensus Monné & Martins, 1976:71 Fr Guiana, nw Brasil (AM), Ecuador
inexpectatus (Melzer, 1934:234) se Brasil (MG-SC)
pauper (Melzer, 1931:69) se Brasil (SP-RS), n Argentina (MI)
quadricristatus (Melzer, 1935:198) se Brasil (RJ-SC)
rotundicollis (Bates, 1863:281) se Brasil (BA-RS)
sincerus Monné, 1988:119 w Brasil (RO)
tersus (Melzer, 1931:5) se Brasil (RJ-SC)
tuberosus Monné, 1991:127 s Brasil (SC)
vicinus (Melzer, 1931:68) se Brasil (SP-RS), n Argentina (MI)
- Trypanidiellus** Monné & Delfino, 1980:321
decoratus Monné & Delfino, 1980:321 e Brasil (BA, ES)
- Trypanidius** Blanchard, 1843:209
Trypaniduis; Thomson, 1864:28
Trepanideus; Heyne & Taschenberg, 1907:243
albosignatus Melzer, 1932:226 e Brasil (BA-RJ)
andicola Blanchard, 1843:209 n SAMer-Ecuador, Bolivia
apicalis Aurivillius, 1921:53 Colombia, Bolivia
dimidiatus Thomson, 1860:8 se Brasil (ES-RS), Argentina
posticus Heyne & Taschenberg, 1907:243
insularis Fisher, 1925:8 Cuba
irroratus Monné & Delfino, 1980:320 Venezuela
isolatus Waterhouse, 1890:555 Brasil (Fernando Noronha I.)
maculatus Monné & Delfino, 1980:319 Venezuela, c Brasil, Paraguay

mexicanus Thomson, 1860:8
nocturnus Fisher, 1942:39
notatus (Fabricius, 1787:139)
melancholicus Audinet-Serville, 1835:87
geminus Pascoe, 1859:29
proximus Melzer, 1931:9
rubripes Bates, 1872:219
spilmani spilmani Villiers, 1980:95
 subsp. **liamaigae** Chalumeau, 1983:225

e Mexico (VC)-Panama
 Puerto Rico
 Guatemala-n SAmer

Brasil, Paraguay, Argentina, Uruguay
 Guatemala-Panama
 Dominica, Martinique, St Lucia
 W Indies (St Kitts)

Tuberastyochus Gilmour, 1959:6
tenebrosus (Bates, 1881:183)

Guatemala

Urgleptes Dillon, 1956:332

Leiopus; Lacordaire, 1872:775 (part)
Lepturges; Leng & Hamilton, 1896:127 (part)
Lepturges; Zayas, 1975:268 (not Bates, 1863)

abstersus (Bates, 1885:405)
amoenus (Bates, 1863:368)
amplicollis (Bates, 1885:406)
bicoloratus Gilmour, 1960:16
bimaculatus Gilmour, 1960:14
bivittatus Gilmour, 1961:342
bruchii (Melzer, 1932:228)
callizonus (Bates, 1885:403)
cazieri Gilmour, 1961:344
celtis (Schaeffer, 1905:168)
chamaeropsis (Fisher, 1926:27)
charillus (Bates, 1885:403)
clarkei Chemsak, 1966:218
clerulus (Bates, 1881:168)
cobbeni Gilmour, 1963:85
debilis (Melzer, 1932:230)
decens (Melzer, 1932:232)
delicatus (Bates, 1863:374)
deliciolus (Bates, 1863:375)
deliciosa; Bruch, 1912:215
dorcadoides (White, 1855:382)
dorotheae Gilmour, 1960:8
duffy Gilmour, 1961:339
euprepes (Bates, 1885:404)
facetus (Say, 1826:271)
fasciatus (Bates, 1881:169)
elaineae Gilmour, 1960:6
foveatocollis (Hamilton in Leng & Hamilton, 1896:126)
minutus Champlain & Knull, 1925:207
kissingeri Dillon, 1956:337
knulli Dillon, 1956:337
franciscanus (Melzer, 1935:202)
freudei Gilmour, 1959:8
gahani Chalumeau, 1983:234
guadeloupensis (Fleutiaux & Sallé, 1889:472)
haitiensis Gilmour, 1963:82
histrionella (Bates, 1885:404)
humilis (Bates, 1863:379)
hummelincki Gilmour, 1968:171
inops (Bates, 1863:376)
kuscheli Linsley & Chemsak, 1966:245
laticollis (Bates, 1881:169)
laxicollis Gilmour, 1960:3
literatus (Bates, 1885:405)
litoralis Gilmour, 1962:23
maculatus Gilmour, 1962:24
mancus (Melzer, 1932:229)
melzeri Gilmour, 1959:7
humilis; Melzer, 1935:201 (not Bates, 1863)

Belize
 se Brasil (RJ)
 Panama
 Guatemala
 Guatemala
 e Mexico (VC)
 se Brasil (SP)
 Guatemala
 c Mexico (SLP)
 sw USA (TX)
 Cuba
 Costa Rica, Panama
 W Indies (Peter I, Antiqua)
 Guatemala
 Lesser Antilles, Curaçao, Bonaire
 se Brasil (SP)
 s Brasil (SC, RS)
 nc Brasil (AM, PA)
 n Brasil (PA)
 c Brasil (AM, MT), Fr Guiana
 Guatemala
 e Mexico (VC)
 sw Mexico (OA)
 e NAmer
 Guatemala, Costa Rica
 se USA-TX
 se Brasil (MG-RS)
 Brasil
 St Vincent
 W Indies
 Haiti
 Costa Rica, Panama
 se Brasil (RJ)
 W Indies (Aruba)
 nw Brasil (AM)
 Cocos Is
 Guatemala-Panama
 Guatemala, Costa Rica
 e Mexico (VC)
 Fr Guiana
 e Brasil (BA)
 se Brasil, Argentina, Uruguay
 se Brasil (SP)

| | |
|-----------------------------------------------------|---------------------------|
| minutissimus (Bates, 1863:379) | n Brasil (PA) |
| miser (Bates, 1863:376) | se Brasil (RJ) |
| mixtus (Bates, 1881:170) | Mexico-Panama |
| <i>musculus</i> ; Bates, 1872:236 (not Bates, 1863) | |
| multinotatus (Bates, 1881:168) | Guatemala, Nicaragua |
| mundulus (Bates, 1885:407) | e Mexico (VC) |
| musculus (Bates, 1863:375) | nw Brasil (AM), Fr Guiana |
| nanus (Melzer, 1934:99) | se Brasil (SP) |
| nigridorsis (Bates, 1885:405) | Guatemala |
| obscorellus (Bates, 1863:378) | nw Brasil (AM) |
| ornatissimus (Bates, 1885:403) | Costa Rica, Panama |
| ovalis (Bates, 1866:433) | n Brasil (PA), Fr Guiana |
| ozophagus Chemsak & Feller, 1988:188 | Belize (Twin Cays) |
| pallidulus (Bates, 1885:400) | Guatemala |
| pareuprepes Gilmour, 1960:1 | Guatemala, Costa Rica |
| physoderus (Bates, 1885:405) | Guatemala-Panama |
| pluristrigosus (Bates, 1885:404) | Costa Rica, Panama |
| <i>pleuristrigosa</i> ; Gilmour, 1959:8 | |
| prolixus (Melzer, 1931:69) | se Brasil (MG-RS) |
| puertoricensis Gilmour, 1963:88 | Puerto Rico |
| puerulus (Melzer, 1932:233) | se Brasil (MG-SP) |
| pusillus (Melzer, 1932:231) | s Brasil (RJ-RS) |
| querci (Fitch, 1858:796) | e NAmer |
| <i>tristis</i> Casey, 1913:321 | |
| recki (Melzer, 1934:236) | se Brasil (SP) |
| ruficollis (Bates, 1881:170) | Nicaragua, Costa Rica |
| sandersoni Gilmour, 1963:79 | Puerto Rico |
| signatus (LeConte, 1852:171) | e NAmer |
| <i>tenebrosus</i> Casey, 1913:320 | |
| sinuosus Gilmour, 1960:12 | Guatemala |
| sordidus (Bates, 1881:168) | e Mexico (VC), Guatemala |
| spinifer (Bates, 1863:379) | se Brasil (RJ) |
| trilineatus Gilmour, 1962:22 | e Brasil (BA-RJ) |
| trivittatus (Bates, 1885:404) | Costa Rica, Panama |
| tumidicollis (Bates, 1881:169) | Guatemala-Panama |
| unilineatus (Bates, 1872:237) | Nicaragua, Costa Rica |
| vauriearum Gilmour, 1960:10 | Guatemala |
| villiersi Gilmour, 1962:21 | e Brasil (MG) |
| xantho (Bates, 1885:406) | Guatemala |

Urographis Horn, 1880:128

| | |
|--------------------------------------------------------|----------|
| <i>Graphisurus</i> LeConte, 1852:174 (not Kirby, 1837) | |
| despectus (LeConte in Agassiz, 1850:234) | e USA |
| <i>pusillus</i> ; LeConte, 1852:175 (not Kirby, 1837) | |
| <i>hebes</i> Casey, 1913:333 | |
| fasciatus (Degeer, 1775:114) | e NAmer |
| <i>pensylvanicus</i> Gmelin, 1790:1863 | |
| <i>mixta</i> Fabricius, 1798:144 | |
| <i>fasciata reducta</i> Casey, 1913:333 | |
| triangulifer (Haldeman, 1847:45) | e USA-TX |
| <i>texana</i> Casey, 1924:292 | |

Valenus Casey, 1892:49

| | |
|---------------------------------|------------------------------|
| inornatus Casey, 1892:50 | sw USA (AZ, NM, TX)-n Mexico |
|---------------------------------|------------------------------|

Xenocona Gilmour, 1960:89

| | |
|---------------------------------|----------------------|
| pulchra Gilmour, 1960:89 | Honduras, Costa Rica |
|---------------------------------|----------------------|

Xenostylus Bates, 1885:394

| | |
|------------------------------------|--------------------|
| sublineatus Bates, 1885:395 | Costa Rica, Panama |
|------------------------------------|--------------------|

Xylergates Bates, 1864:20

| | |
|------------------------------------|----------------------------------|
| elaineae Gilmour, 1962:244 | Peru, Ecuador, c Brasil, Guianas |
| <i>hilaris</i> Proudhomme, 1906:38 | |

dorotheae Gilmour, 1962:279
lacteus Bates, 1864:20
picturatus Lane, 1957:19

n Samer, Ecuador, Guianas
Peru, wc Brasil (AM, RO), Ecuador

Xylergatina Gilmour, 1962:269
pulchra (Lane, 1957:10)
praetor Duffy, 1960:259

Ecuador, Peru, c Brasil (AM, PA), Guianas

Xylergatoides Gilmour, 1962:281
asper (Bates, 1864:21)

Brasil (GO, MT, PB-RS), Paraguay,
Argentina

Elytracanthini

Lane 1955:281

Elytracantha Lane, 1955:281
propinqua Lane, 1959:251
pugionata Lane, 1955:281

e Brasil (MG)
e Brasil (PB-ES)

Cyrtinini

Thomson 1864:41

Acanthomerosternoplonini Tippmann, 1955:10

Cyrtinus LeConte, 1852:166

Myrmolamia Bates, 1885:363
acunai Fisher, 1935:206
araguaensis Howden, 1973:595
beckeri Howden, 1960:175
bordoni Joly & Rosales, 1990:209
eugeniae Fisher, 1935:60
farri Howden, 1960:173
fauxveli (Cameron, 1909:78)
granulifrons Howden, 1970:1313
hubbardi Fisher, 1926:38
humilis Zayas, 1975:284
jamaicensis Howden, 1970:1312
mockfordi Howden, 1959:373
mussoi Joly & Rosales, 1990:206
oakleyi Fisher, 1935:62
opacicollis (Bates, 1885:364)
penicillatus (Bates, 1885:364)
pygmaeus (Haldeman, 1847:42)
querci Howden, 1973:596
sandersoni Howden, 1959:374
schwarzi Fisher, 1926:36
striatus Joly & Rosales, 1990:208
subopacus Fisher, 1935:61

Cuba
Venezuela
sw USA (TX)
Venezuela
Puerto Rico
Jamaica
Haiti
Jamaica
Montserrat, Guadeloupe, Martinique
Cuba
Jamaica
sc Mexico (PU)
Venezuela
Puerto Rico
Guatemala
Panama
e USA
c Mexico (QE)
Jamaica
Cuba
Venezuela
Puerto Rico

Decarthria Hope, 1834:16

albofasciata Gahan, 1895:137
stephensii Hope, 1834:16

W Indies (Grenada)
W Indies (St Vincent)

Omosarotes Pascoe, 1860:131

Acanthomerosternoplon Tippmann, 1955:10
Cyrtinacantha Zajciw, 1970:349
ater Julio & Monné, 2001: 104
singularis Pascoe, 1860:131
foxi (Lane, 1973:391)
nigripennis (Zajciw, 1970:346)
paradoxum (Tippmann, 1955:12)
mirabilis Zajciw, 1970:350

Ecuador
Costa Rica, Panama, n Brasil (PA)
Brasil
e Brasil (ES)
Panama, Ecuador, Peru

| | |
|------------------------------------------------------------------------|---------------------------------|
| Sciocyrtinus Fisher, 1935:207 | |
| elongatus Fisher, 1935:208 | Jamaica |
| Scopadus Pascoe, 1857:100 | |
| ciliatus Pascoe, 1857:100 | nw Brasil (AM) |
| <u>Colobotheni</u> | |
| Thomson, 1860:18 | |
| Apechthes Thomson, 1860:362 | |
| championi Bates, 1881:191 | Guatemala |
| mexicanus Thomson, 1860:363 | se Mexico (OA, VC), Guatemala |
| Calliphenges Waterhouse, 1880:296 | |
| cuprascens Waterhouse, 1880:296 | Ecuador, Peru |
| Carneades Bates, 1869:387 | |
| bicincta Gahan, 1889:393 | Guadeloupe |
| championi Bates, 1885:420 | Costa Rica, Panama |
| delicia Bates, 1869:387 | Nicaragua |
| glaucothea Bates, 1872:227 | Ecuador, nw Brasil (AM), Peru |
| <i>subcrucigera</i> Zajciw, 1961:389 | |
| grandis (Thomson, 1860:21) | e Mexico (VC), Belize, Honduras |
| hemileuca Bates, 1881:190 | Costa Rica, Panama |
| nigrosignata Aurivillius, 1926:515 | Bolivia |
| nodicornis Bates, 1881:277 | Ecuador |
| <i>huamboya</i> Kirsch, 1889:40 | |
| personata Bates, 1881:277 | Colombia |
| princeps Bates, 1872:238 | Nicaragua-Panama |
| quadrinodosa Aurivillius, 1902:224 | Colombia |
| reticulata Bates, 1881:277 | Colombia |
| superba Bates, 1869:387 | Nicaragua-Panama |
| vittata Gahan, 1889:391 | Ecuador, nw Brasil (AM), Peru |
| <i>crucigera</i> Aurivillius, 1902:210 | |
| <i>crucigera</i> var. <i>amazonica</i> Aurivillius, 1902:211 | |
| Carterica Pascoe, 1858:263 | |
| buquetii Thomson, 1860:20 | Brasil |
| cincticornis Bates, 1865:214 | nw Brasil (AM), Ecuador |
| mima Belon, 1903:68 | Bolivia |
| <i>mimi</i> ; Gilmour, 1965:631 | |
| mucronata (Olivier, 1795:30) | Fr Guiana, nc Brasil (AM), Peru |
| <i>tenuicornis</i> Fabricius, 1801:328 | |
| <i>cinctipennis</i> Pascoe, 1858:263 | |
| <i>colobothooides</i> Thomson, 1860:20 | |
| optata Pascoe, 1866:284 | Guatemala-Colombia |
| pygmaea Bates, 1881:186 | Nicaragua-Costa Rica |
| soror Belon, 1896:253 | Bolivia |
| tricuspis Belon, 1903:70 | Bolivia |
| <i>bicuspis</i> ; Aurivillius, 1923:457 | |
| Cathexis Thomson, 1860:18 | |
| grallatrix (Bates, 1865:391) | nw Brasil (AM), Ecuador |
| longimana (Pascoe, 1859:52) | se Brasil (MG-RJ) |
| <i>serrimana</i> Thomson, 1864:29 | |
| vitticollis Zajciw, 1967:322 | e Brasil (ES) |
| Colobothea Lepeletier & Audinet-Serville in Latreille, 1825:336 | |
| albobimaculata Zajciw, 1961:385 | e Brasil (ES) |
| aleata Bates, 1885:420 | se Mexico (VC)-Venezuela |
| amoena Gahan, 1889:390 | e Brasil (BA, ES) |
| andina Monné, 1993:475 | Peru |
| appendiculata Aurivillius, 1902:222 | Bolivia, Fr Guiana |

| | |
|-------------------------------------------------------------------------|---------------------------------------------------|
| assimilis Aurivillius, 1902:212 | Colombia |
| bicuspidata (Latreille, 1811:56) | Colombia, Ecuador, Fr Guiana, Peru, Bolivia, |
| <i>octolineata</i> Bates, 1865:105 | nc Brasil (AM) |
| biguttata Bates, 1865:219 | se Brasil (ES-RS), Ecuador |
| <i>brasiliensis</i> Fuchs, 1961:9 | |
| <i>binoculata</i> ; Zajciw, 1967:118 (not Bates, 1865) | |
| bilineata Bates, 1865:107 | nw Brasil (AM) |
| bisignata Bates, 1865:389 | Guianas, nw Brasil (AM), Peru, Ecuador |
| bitincta Bates, 1872:226 | Nicaragua-Colombia |
| brullei Gahan, 1889:389 | c Brasil (AM, GO, MT), Bolivia, Peru, Ecuador, |
| <i>numida</i> Aurivillius, 1902:214 | Paraguay |
| carneola Bates, 1865:393 | Fr Guiana, n Brasil (PA) |
| cassandra (Dalman, 1823:70) | se Brasil (BA-RS) |
| <i>leucospila</i> Germar, 1824:487 | |
| centralis Monné, 1993:478 | c Brasil (GO) |
| chemsaki Giesbert, 1979:422 | sw Mexico (OA)-Costa Rica |
| chontalensis Bates, 1872:225 | Nicaragua-Panama |
| cincticornis (Schaller, 1783:290) | ? |
| colombiana Monné, 1993:479 | Colombia |
| crassa Bates, 1865:103 | nc Brasil (AM, PA), Peru |
| decemmaculata Bates, 1865:217 | nc Brasil (AM, PA), Fr Guiana |
| declivis Aurivillius, 1902:209 | Bolivia |
| destituta Bates, 1865:383 | n Brasil (PA), Ecuador |
| discicollis Gahan, 1889:391 | se Brasil (BA-SP) |
| dispersa Bates, 1872:226 | Nicaragua-Colombia |
| distincta Pascoe, 1866:284 | Mexico-Colombia |
| elongata Gahan, 1889:388 | Fr Guiana, n Brasil (AP, AM) |
| emarginata (Olivier, 1795:48) | se Brasil (BA-RS) |
| erythrophthalma (Voet, 1806:27) | ? |
| eximia Aurivillius, 1902:213 | Colombia, Fr Guiana, Brasil (AP, AM) |
| fasciata Bates, 1865:108 | se Brasil, Paraguay, Argentina |
| fasciatipennis Linsley, 1935:112 | Panama |
| femorosa Erichson, 1847:149 | Peru |
| fibrosa Erichson, 1847:149 | Peru |
| flavimacula (Voet, 1806:27) | SAmer |
| <i>hieroglyphica</i> Schoenherr, 1817:421 | |
| flavoguttata Aurivillius, 1902:218 | e Brasil (BA, ES) |
| flavomaculata Bates, 1865:218 | nw Brasil (AM) |
| forcipata Bates, 1865:394 | nw Brasil (AM), Ecuador |
| geminata Bates, 1865:106 | Fr Guiana, n Brasil (PA) |
| griseocens Zajciw, 1962:287 | e Brasil (ES) |
| guatemalena Bates, 1881:188 | s Mexico (CHS, OA, VC)- Honduras |
| guttulata Aurivillius, 1902:216 | nw Brasil (AM) |
| hebraica Bates, 1865:108 | s Mexico (CHS, OA, QR)-Nicaragua |
| hirtipes (Degeer, 1775:116) | Guianas, nc Brasil (AM), Peru, Bolivia |
| <i>annulatus</i> Fabricius, 1775:180 | |
| <i>hirtimana</i> Schoenherr, 1817:419 | |
| <i>murina</i> Schoenherr, 1817:419 | |
| <i>contaminata</i> Lepeletier & Audinet-Serville in Latreille, 1825:337 | |
| <i>concreta</i> Bates, 1865:106 | |
| hondurena Giesbert, 1979:436 | Honduras |
| humerosa Bates, 1865:223 | n Brasil (PA), Ecuador |
| juncea Bates, 1865:386 | Fr Guiana, n Brasil (PA) |
| lateralis Bates, 1865:108 | se Brasil (MG-RS) |
| leucophaea Bates, 1865:223 | s Mexico (OA, VC) |
| lineatocollis Bates, 1865:103 | Fr Guiana |
| lucaria Bates, 1865:102 | nw Brasil (AM) |
| luctuosa Pascoe, 1859:53 | c Brasil (PA, MT) |
| lunulata Lucas, 1859:190 | nc Brasil (AM), Peru, Ecuador, Bolivia |
| <i>fryi</i> Pascoe, 1859:52 | |
| macularis (Olivier, 1792:474) | Surinam, Fr Guiana, nc Brasil (AM), Ecuador, Peru |
| <i>velutina</i> Bates, 1865:216 | |
| maculicollis Bates, 1865:217 | Venezuela |
| meleagrina Erichson, 1847:149 | Bolivia, Peru, Ecuador |
| <i>niveosparsa</i> Aurivillius, 1902:220 | |
| mimetica Aurivillius, 1902:222 | Colombia |
| mosaica Bates, 1865:384 | Venezuela |
| musiva (Germar, 1824:488) | se Brasil, Paraguay, Argentina |

naevia Bates, 1865:386
naevigera Bates, 1865:101
nigromaculata Zajciw, 1971:307
obconica Aurivillius, 1902:215
obtusa Bates, 1865:222
obtusicarinata Zajciw, 1962:289
olivencia Bates, 1865:392
ordinata Bates, 1865:104
osculatii Guérin-Ménéville, 1855:600
obsculatii; Gilmour, 1965:629
parcens Bates, 1881:189
passerina Erichson in Schomburg, 1848:574
paulina Bates, 1865:384
peruviana Aurivillius, 1920:389
pictilis Bates, 1865:221
picturata Monné, 1993:480
pimplaea Bates, 1865:382
plagiata Aurivillius, 1902:212
plebeja Aurivillius, 1902:219
pleuralis Casey, 1913:344
poecila (Germar, 1824:488)
propinqua Bates, 1865:385
pseudosubcincta Zajciw, 1961:387
pulchella Bates, 1865:221
punctata Aurivillius, 1902:221
pura Bates, 1865:392
ramosa Bates, 1872:225
regularis Bates, 1881:188
rincona Giesbert, 1979:434
roppai Monné, 1993:476
rubroornata Zajciw, 1962:285
sahlbergi Aurivillius, 1902:220
schmidti Bates, 1865:225
scolopacea Erichson, 1847:149
securifera Bates, 1865:387
sejuncta Bates, 1865:387
seminalis Bates, 1865:383
septemmaculata Zajciw, 1971:143
seriatomaculata Zajciw, 1962:283
sexagglomerata Zajciw, 1962:281
sexmaculata Aurivillius, 1902:218
sexualis Casey, 1913:344
signatipennis Lameere, 1884:98
signativentris Gahan, 1889:387
simillima Aurivillius, 1902:210
sinaloensis Giesbert, 1979:423
socia Gahan, 1889:390
sordida Aurivillius, 1902:221
strigosa Bates, 1865:224
styligera Bates, 1865:391
subcincta Laporte, 1840:491
sublunulata Zajciw, 1962:245
subtessellata Bates, 1865:104
tristis (Voet, 1778:17)
unilineata Bates, 1872:225
varia (Fabricius, 1787:144)
cayennensis Gmelin, 1790:1860
lineola Bates, 1865:222
varica Bates, 1865:385
vidua Bates, 1865:224
viehmanni Monné & Martins, 1979:32
 nw Brasil (AM), Ecuador
 nw Brasil (AM), Peru
 n Brasil (AP)
 Fr Guiana
 nw Brasil (AM)
 se Brasil (RJ)
 nw Brasil (AM)
 nw Brasil (AM)
 Peru, Ecuador
 s Mexico (OA, VC), Belize, Guatemala
 Guyana, Fr Guiana
 Peru, nc Brasil (AM, PA), Fr Guiana
 Peru
 Fr Guiana, n Brasil (AP, PA)
 Venezuela
 Fr Guiana, nc Brasil (AM, PA), Peru
 Colombia
 Bolivia, Peru
 Costa Rica, Panama
 se Brasil, Paraguay, Argentina
 nw Brasil (AM), Peru
 s Brasil (PR, SC)
 Fr Guiana, Venezuela, n Brasil (PA)
 Colombia, Peru
 n Brasil (PA)
 s Mexico (CHS, ME, OA, YU)-Nicaragua
 e Mexico (SLP, VC)
 Costa Rica
 c Brasil (MT, GO)
 se Brasil, Paraguay
 se Brasil (ES-RJ)
 se Brasil (RJ-RS), Argentina
 Peru
 n Brasil (PA), Peru, Ecuador
 nw Brasil (AM), Peru, Ecuador
 n Brasil (PA)
 n Brasil (AP), Fr Guiana
 se Brasil, Paraguay, Argentina
 e Brasil (ES)
 e Brasil (BA)
 s Mexico (CHS)-Honduras
 se Brasil (ES-SP)
 e Brasil (BA-RJ)
 se Brasil, Paraguay, Argentina, Uruguay
 w Mexico (SI, NA, JA)
 e Brasil (BA-RJ)
 nw Brasil (AM), Ecuador, Peru
 se Brasil (ES-PR), Argentina
 nw Brasil (AM), Ecuador
 se Brasil (MG-SC)
 Bolivia
 n Brasil (PA)
 ?
 Nicaragua-Panama
 Panama, Venezuela, Fr Guiana
 nw Brasil (AM)
 e Mexico (VC), Guatemala
 c Brasil (PA, RO, MT)

Colobothina Hovore, 1989:257
perplexa Hovore, 1989:258

Costa Rica, Panama

Hilobothea Monné & Martins, 1979:31
caracensis Monné & Martins, 1979:32

e Brasil (MG, ES)

latevittata (Bates, 1865:390)
var. *obydensis* Bates, 1865:390

Guianas, nc Brasil (AM), Ecuador

Priscilla Thomson, 1864:30

hypsiomoides Thomson, 1864:31
dioptica Bates, 1865:220

Nicaragua-n SAMer

Sangaris Dalman, 1823:71

Songaris; Thomson, 1868:201
Synchyzopus Thomson, 1864:29
albida Monné, 1993:469
cancellata (Bates, 1881:275)
concinna Dalman, 1823:71
histrion Perty, 1832:97
condei Melzer, 1931:76
duplex (Bates, 1881:276)
geometrica (Bates, 1872:224)
giesberti Hovore, 1998: 66
inornata Monné, 1993:470
invida Melzer, 1932:234
laeta (Bates, 1881:275)
lezamai Hovore, 1998: 67
multimaculata Hovore, 1998: 70
octomaculata Aurivillius, 1902:223
penrosei Hovore, 1998: 68
polystigma (Bates, 1881:276)
seabrai Zajciw, 1962:115
sexmaculata Monné, 1993:472
trifasciata Melzer, 1928:155
viridipennis Melzer, 1931:76
zikani Melzer, 1931:75

e Brasil (BA)
Bolivia
e Brasil (BA-SP)

e Brasil (ES)
se Brasil, Paraguay, Argentina
Nicaragua, Costa Rica
MX - Costa Rica
nw Brasil (AM)
se Brasil (RJ)
Ecuador
Costa Rica
Costa Rica
e Brasil (BA-SP)
Panama
Colombia
se Brasil (RJ)
Peru
se Brasil (MG, PR, SC)
se Brasil (RJ-SC)
se Brasil (MG, SP)

Sparna Thomson, 1864:30

bosqi Gilmour, 1954:79
colombiana Gilmour, 1950:552
lycoides Thomson, 1864:30
macilenta Pascoe, 1888:508
ab. *apicemaculata* Gilmour, 1954:85
migsominea Gilmour, 1950:550
nigrolineata Fuchs, 1956:574
pallida Gilmour, 1950:553
platyptera Bates, 1881:276

Bolivia, Peru
Colombia
Bolivia
Colombia, Ecuador

Colombia
Colombia
Ecuador
se Brasil (MG-PR)

Sympleurotis Bates, 1881:185

armatus Gahan, 1892:266
rudis Bates, 1881:185

sw Mexico (OA)-Panama
Mexico, Guatemala

Saperdini

Mulsant, 1839:181

Saperda Fabricius, 1775:184

Anaerea Mulsant, 1839:184
Compsidia Mulsant, 1839:185
Amilia Mulsant, 1863:376
Argalia Mulsant, 1863:381
Lopezcolonia Alonso-Zarazaga, 1998: 131
calcarata Say, 1824:408
adspersa LeConte 1850:234
candida Fabricius, 1787:147
bivittata Say, 1824:409
bipunctata Hopping, 1925:208
cretata Newman, 1838:395
discoidea Fabricius, 1798:147
fuscipes Say, 1827:273
fuscipes var. *dorsalis* Haldeman, 1847:56

NAmer

e NAmer

e NAmer
e NAmer

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| fayi Bland, 1863:320 m. <i>imaculipennis</i> Breuning, 1952:167 <i>shoemakeri</i> Davis, 1923:97 | ne NAmer |
| horni Joutel, 1902:33 <i>uteana</i> Casey, 1924:294 | Pac Cst NAmer |
| imitans Felt & Joutel, 1904:58 | ne NAmer |
| inornata Say, 1824:107 <i>concolor</i> LeConte, 1852:163 <i>concolor</i> var. <i>unicolor</i> Felt & Joutel, 1904:16 <i>mecasoides</i> Casey, 1913:359 | e NAmer-ID, AZ |
| lateralis Fabricius, 1775:185 <i>abbreviatus</i> Fitch, 1858:61 <i>suturalis</i> Fitch, 1858:61 var. <i>connecta</i> Felt & Joutel, 1904:60 var. <i>disconotata</i> Pic, 1907:152 m. <i>transeuns</i> Breuning, 1952:165 | e NAmer-TX, ND |
| mutica Say, 1824:409 | e NAm |
| obliqua Say, 1826:274 | e NAmer |
| populnea populnea (Linnaeus, 1758:394) subsp. moesta LeConte, 1850:234 subsp. tulari Felt & Joutel, 1904:70 | Europe, Asia e NAmer |
| puncticollis Say, 1824:406 <i>trigeminata</i> Randall, 1838:43 | w NAmer e NAmer |
| tridentata Olivier, 1795:30 var. <i>dubiosa</i> Haldeman, 1847:55 <i>intermedia</i> Fitch, 1858:60 <i>rubronotata</i> Fitch, 1858:60 <i>trifasciata</i> Casey, 1913:359 var. <i>disconotata</i> Pic, 1907:152 | e NAmer-TX |
| vestita Say, 1824:290 <i>atkinsoni</i> Curtis, 1829: pl.275 <i>immaculata</i> Breuning, 1976:740 | e NAmer |

Phytoeciini

Pascoe, 1864:8

Obereitae Thomson, 1864:119

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| Mecas (Mecas) LeConte, 1852:155 <i>Stenostola</i> ; LeConte, 1852:154 (not Mulsant, 1839) | |
| ? albovitticollis Breuning, 1955:146 | Mexico |
| ambigena Bates, 1881:203 <i>pseudambigena</i> Breuning, 1955:147 | Mexico (DU-ME) |
| bicallosa Martin, 1924:244 | w NAmer-CO, Baja Calif |
| cana cana (Newman, 1840:12) subsp. saturnina (LeConte, 1859:21) <i>inornata</i> ; Packard, 1871:594 (not Say, 1824) <i>brevicollis</i> Casey, 1913:362 <i>concolor</i> ; Kirk & Balsbaugh, 1975:100 | se USA (FL) sc USA-TX, Mexico |
| cineracea Casey, 1913:360 <i>bicallosa</i> ; Breuning, 1955:140 (not Martin, 1924) | se USA-AZ, CO, ne Mexico |
| cinerea (Newman, 1840:13) <i>senescens</i> Bates, 1881:203 <i>rubripes</i> Bates, 1881:203 <i>inornata</i> ; Gahan, 1888:300 (not Say, 1824) <i>rubripes</i> m. <i>callosoreducta</i> Breuning, 1955:143 | Mexico (SLP, PU, MO, NA, HI, ME) |
| cirrosa Chemsak & Linsley, 1973:171 | c Mexico (GU, QE) |
| confusa Chemsak & Linsley, 1973:163 <i>inornata</i> ; Townsend, 1884:222 (not Say, 1824) | sc USA (KS-TX) |
| femoralis (Haldeman, 1847:59) | se USA |
| humeralis Chemsak & Linsley, 1973:172 | w Mexico (JA) |
| linsleyi Knull, 1974:130 | sw USA (TX) |
| marginella LeConte, 1873:239 | se USA-NM |
| marmorata Gahan, 1892:268 | Mexico (PU, SI, GR) |
| menthae Chemsak & Linsley, 1973:174 <i>marginella</i> ; Linsley, Knull & Statham, 1961:32 (not LeConte, 1873) | sw USA (AZ)-w Mexico (SI, NA, JA, MI, DF) |
| obereoides Bates, 1881:204 | Mexico (widely distributed)-Honduras |

laminata Bates, 1881:204
m. rufobasalis Breuning, 1955:150
m. discopunctata Breuning, 1955:150
m. discoimpunctata Breuning, 1955:150
pergrata (Say, 1824:407) sc-se USA-NM, ne Mexico
gentilis LeConte, 1852:154
discovittata Breuning, 1955:143
m. semiruficollis Breuning, 1955:145

Mecas (Dylobolus) Thomson, 1868:195

rotundicollis Thomson, 1868:196 sw USA, Mexico (widely distributed)-
ruficollis Horn, 1878:44 Costa Rica
laticeps Bates, 1881:204
mexicana Bates, 1881:204
vitticollis Casey, 1913:363
bivitticollis Breuning, 1955:148
m. mediomaculata Breuning, 1955:149
m. suturaflava Breuning, 1955:151
m. mediopunctata Breuning, 1955:151

Mecas (Pannychis) Thomson, 1864:127

sericeus (Thomson, 1864:127) Mexico (CHA, JA, GR, MI, PU, VC)
ducalis Bates, 1881:205

Oberea Mulsant, 1839:194

Isosceles Newman, 1842:318

Amaurostoma Mueller, 1906:223

affinis Leng & Hamilton, 1896:155 e NAmer
caseyi Plavilstshikov, 1926:64 e NAmer
ferruginea Casey, 1913:366
canadensis Fisher, 1946:56
quadricalloso; Linsley & Chemsak, 1995:226 (not LeConte, 1874)
schaumi; Linsley & Chemsak, 1995:229 (part) (not LeConte, 1852)
myops; Linsley & Chemsak, 1995:244 (not Haldeman, 1847)
deficiens Casey, 1924:296 ne NAmer
tripunctata; Linsley & Chemsak, 1995:242 (not Swederus, 1787)
delongi Knull, 1928:12 ne USA
m. anteruficollis Breuning, 1962:224
flavipes Haldeman, 1847:57 ne NAmer-Manitoba
gracilis (Fabricius, 1801:324) Atl Cst NAmer
myops Haldeman, 1847:57 e NAmer (Manitoba, Ont-GA)
ocellata Haldeman, 1847:56 e USA-TX, ND
 var. *discoidea* Horn, 1878:47
plagiata Casey, 1913:371
oculaticollis Say, 1824:406 c NAmer (Manitoba-TX)
brooksi Wallis, 1926:94
pallida Casey, 1913:366 ne NAmer
praelonga; Linsley & Chemsak, 1995:246 (not Casey, 1913)
perspicillata Haldeman, 1847:57 e NAmer-UT, TX
bimaculata; Horn, 1878:46 (not Olivier, 1795)
 var. *tripunctata*; Horn, 1878:46
bipunctata Creutzer, 1896: pl.16
basalis LeConte, 1852:153
texana Horn, 1878:47
montana Casey, 1913:369
filum Casey, 1913:369
delicatula Casey, 1913:368
exilis Casey, 1913:368
iowensis Casey, 1913:370
insignis Casey, 1913:370
m. insignior Breuning, 1962:231
umbra Casey, 1913:370
dolosa Casey, 1913:368
flavocephala Blatchley, 1922:32
m. submandarina Breuning, 1962:229
m. basicollis Breuning, 1962:230

m. bicallosicollis Breuning, 1962:232
praelonga Casey, 1913:367 ne NAmer
tripunctata; Dillon & Dillon, 1961:654 (not Swederus, 1787)
pruinosa Casey, 1913:365 ne NAmer
quadricollis cylindricollis Casey, 1924:295
schaumi; Linsley & Chemsak, 1995:229 (part) (not LeConte, 1852)
quadricollis LeConte, 1874:68 w NAmer-CO, NE
schaumii; Garnett, 1918:284 (not LeConte, 1852)
m. infrarufa Breuning, 1962:223
ruficollis (Fabricius, 1792:311) e USA
plumbea Olivier, 1795:21
bicolor Megerle, 1804:11
tibialis Haldeman, 1847:57
rufolineata Breuning, 1962:227
schaumii LeConte, 1852:153 e NAmer-TX, Alberta
wapleri Chevrolat, 1853:420
m. subcylindricollis Breuning, 1962:223
m. vittipennis Breuning, 1962:224
tripunctata (Swederus, 1787:197) e NAmer-Manitoba, TX
mandarina Fabricius, 1801:321
amabilis Haldeman, 1847:57
tripunctata intermedia Casey, 1913:367
tripunctata appalachiana Casey, 1913:367
m. subexilis Breuning, 1962:228
m. subdeficiens Breuning, 1962:229
ulmicola Chittenden, 1904:4 ne NAmer
ocellata; Linsley & Chemsak, 1995:233 (not Haldeman, 1847)

Pannychella Gilmour, 1962:137
callicera (Bates, 1881:206) Mexico

Pannychina Gilmour, 1962:138
atripennis (Bates, 1885:427) ec Mexico (HI)

Pseudolinda Breuning, 1954:562
quinquepunctata (Bates, 1881:202) s Mexico (OA, TL, CHS)

Tetraopini

Thomson, 1860:66

Mecasoma Chemsak & Linsley, 1974:183
validicornis (Bates, 1885:426) sw Mexico (JA, OA)

Phaea Newman, 1840:13
Oberopa Haldeman, 1847:373
Lamprocleptes Thomson, 1857:64
acromela Pascoe, 1858:256 e Mexico (VC)
andrewsi Chemsak, 1999: 45 Ecuador
astatheoides Pascoe, 1866:289 Colombia
var. *apicalis* Aurivillius, 1923:478
beierli Chemsak, 1999: 46 Honduras
biplagiata Chemsak, 1977:270 Mexico (widely distributed), Guatemala
brevicornis Chemsak, 1999: 47 Venezuela, Colombia
bryani Chemsak, 1999: 48 Mexico (CH - JA)
canescens (LeConte, 1852:157) wc USA (KS, CO, NM)
carnelia Chemsak & Linsley, 1988:137 w Mexico (JA)
coccinea Bates, 1866:367 n Brasil (PA)
copei Chemsak, 1999: 51 Costa Rica
crocata Pascoe, 1866:288 Panama, Colombia
elegantula Melzer, 1933:381 Costa Rica
erinae Chemsak, 1999: 53 Mexico (VC)
eyai Chemsak, 1999: 53 Mexico (JA)
flavovittata Bates, 1881:197 e Mexico (VC)-Costa Rica
giesberti Chemsak, 1999: 55 Guatemala to Panama
haleya Chemsak, 1999: 56 Mexico (CH)

| | |
|-------------------------------------------------|------------------------------------------|
| hatsueae Chemsak, 1999: 57 | Costa Rica |
| högei Bates, 1881:198 | sw Mexico (JA, OA) |
| <i>latifrons</i> Chemsak, 1977:271 | |
| hovorei Chemsak, 1999: 58 | Costa Rica, Panama |
| howdenorum Chemsak, 1999: 59 | Panama |
| janzeni Chemsak, 1999: 60 | Costa Rica, Panama |
| johni Chemsak, 1999: 61 | Panama |
| juanitae Chemsak & Linsley, 1988:138 | w Mexico (JA, GR) |
| kaitlinae Chemsak, 1999: 62 | Mexico (SI) |
| kellyae Chemsak, 1999: 63 | Mexico (OA, CH), Guatemala - Costa Rica |
| lateralis Bates, 1881:196 | ec Mexico (MO, VC)-Costa Rica |
| lauriae Chemsak, 1999: 65 | Mexico (GU) |
| lawi Chemsak, 1999: 65 | Costa Rica, Panama |
| linsleyi Chemsak, 1999: 66 | Mexico (VC) |
| maccartyi Chemsak, 1999: 67 | Mexico (JA, GU, CH) |
| mariae Chemsak, 1999: 68 | Guatemala |
| marthae Chemsak, 1977:271 | w Mexico (SI) |
| maryannae Chemsak, 1977:272 | Mexico (SI, MO, JA,GR) |
| maxima Bates, 1881:199 | w Mexico (JA) |
| miniata Pascoe, 1858:256 | s Mexico (CHS)-Venezuela |
| <i>lineola</i> Bates, 1872:228 | |
| mirabilis Bates, 1874:232 | w Mexico (JA)-Costa Rica |
| monostigma (Haldeman, 1847:57) | e USA |
| <i>jucunda</i> LeConte, 1862:40 | |
| <i>expurgata</i> Casey, 1913:386 | |
| nigripennis Bates, 1881:196 | Guatemala |
| nigromaculata Bates, 1881:199 | se Mexico (YU) |
| noguerai Chemsak, 1999: 74 | Mexico (OA, CH) |
| phthisica Bates, 1881:197 | sc Mexico (ME)-Costa Rica, Panama |
| <i>auricapilla</i> Bates, 1885:425 | |
| <i>vittulata</i> Melzer, 1934:240 | |
| <i>macilenta</i> Bates, 1881:197 | |
| rosea Bates, 1885:425 | Costa Rica, Panama |
| rubella Bates, 1881:198 | Mexico - Costa Rica |
| <i>nevermanni</i> Melzer, 1932:236 | |
| rufiventris Bates, 1872:228 | Mexico (Si - CH) |
| saperda Newman, 1840:14 | Mexico (SLP, OA, VC), Guatemala, Belize |
| <i>entomologorum</i> Thomson, 1857:65 | |
| scuticollis Bates, 1872:227 | Nicaragua, Costa Rica, Panama |
| <i>schildi</i> Melzer, 1934:240 | |
| semirufa Bates, 1872:228 | s Mexico (CHS, GR, MO, OA,VC), Guatemala |
| <i>scapularis</i> Bates, 1881:198 | |
| sharonae Chemsak, 1999: 81 | Mexico (CH) |
| sherylae Chemsak, 1999: 81 | Costa Rica |
| signaticornis Melzer, 1932:235 | Costa Rica |
| tenuata Bates, 1872:228 | s Mexico (MO, GU, OA) |
| <i>unicolor</i> Gahan, 1892:267 | |
| tricolor Bates, 1881:199 | ne Mexico (TA, SLP), Guatemala |
| turnbowi Chemsak, 1999: 84 | Panama |
| vitticollis Bates, 1872:228 | sc Mexico (MO) |
| wappesi Chemsak, 1999: 86 | Mexico (CH) |
| Tetraopes Dalman in Schoenherr, 1817:401 | |
| annulatus LeConte, 1847:93 | Canada (Alberta)-sw USA (TX, AZ) |
| <i>canescens</i> LeConte, 1852:158 | |
| <i>vestitus</i> Casey, 1913:378 | |
| <i>canescens fontinalis</i> Casey, 1913:378 | |
| <i>uteanus</i> Casey, 1913:378 | |
| basalis LeConte, 1852:158 | w USA (CA, OR) |
| <i>mancus</i> LeConte, 1859:81 | |
| <i>omissus</i> Casey, 1913:377 | |
| <i>coccineus</i> Casey, 1913:382 | |
| <i>obsoletus</i> Casey, 1913:382 | |
| <i>junctus</i> Casey, 1913:380 | |
| <i>laticornis</i> Casey, 1924:296 | |
| batesi Chemsak, 1963:28 | sw Mexico (OA) |
| cleroides Thomson, 1860:66 | w Mexico (JA-OA) |

comes Bates, 1881:200 s Mexico (CHS, OA)-Costa Rica
discoideus LeConte, 1858:26 sw USA (CO, TX, AZ), Mexico (widely distributed)-Honduras
rubrocinereus Thomson, 1860:67
nanulus Casey, 1913:376
nigricollis Casey, 1913:376
elegans Horn, 1894:404 Baja Calif
femoratus LeConte, 1847:93 ec USA (OH)-w NAmer, n Mexico (widely distributed)
oregonensis LeConte, 1854:19
collaris Horn, 1878:49
nigripes Casey, 1913:377
vegasensis Casey, 1913:380
velutinus Casey, 1913:380
robustus Casey, 1913:381
brevisetosus Casey, 1913:381
punctipennis Casey, 1913:383
atrisetosus Casey, 1913:383
femoratus amnicola Casey, 1913:384
femoratus monticola Casey, 1913:384
spissicornis Casey, 1913:384
ruber Casey, 1913:384
fortis Casey 1913:384
caseyi Aurivillius, 1923:575
ineditus Chemsak & Giesbert, 1986:38 w Mexico (JA, CHS, CM)
linsleyi Chemsak, 1963:31 sw USA (TX, AZ, NM)
mandibularis Chemsak, 1963:47 sw USA (OK, TX)
mankinsi Chemsak & Linsley, 1979:272 Guatemala-Honduras
melanurus Schoenherr, 1817:401 e USA
canteriator Drapiez, 1819:47
arator Germar, 1824:486
tornator; Stephens, 1829:413 (not Fabricius, 1775)
paracomes Chemsak, 1963:26 Guatemala-Costa Rica
pilosus Chemsak, 1963:40 wc USA (NB, CO, OK, TX)
quinqumaculatus Haldeman, 1847:53 e NAmer-sw USA (TX)
quadrimaculatus; Leng & Hamilton, 1896:160
subfasciatus Bates, 1881:201 sc Mexico (GR, ME, MO, NA, OA, PU)
var. *nigripes* Bates, 1881:201
sublaevis Casey, 1913:382 sw USA (CA, AZ)
sandix Casey, 1914:370
tetrophthalmus (Forster, 1771:41) e NAmer
tetraophthalmus; Provancher, 1877:637
tornator Fabricius, 1775:176
fornator; Fabricius, 1787:141
tredecimpunctatus Drapiez, 1820:121
tetrophthalmus iowensis Casey, 1913:386
humeralis Casey, 1913:379
texanus Horn, 1878:49 sw USA (OK, TX), n Mexico
thermophilus Chevrolat, 1861:190 sw USA (TX), s Mexico (OA, VC)-Nicaragua
thoreyi Bates, 1881:201 sw Mexico (GR, OA, VC)
umbonatus LeConte, 1852:156 Mexico (NA-VC)-Nicaragua
varicornis Laporte, 1840:487 c Mexico (MI-VC)
cordifer Imhoff, 1856:177
undecimpunctatus Thomson, 1857:61

Tetrops Stephens 1829: 16

praeustus (Linnaeus, 1758: 641) Europe, No. Africa (introduced, established in eUS)

Hemilophini

Thomson 1868:189

Amphionychini Thomson 1860:63

Itesini Lepesme, 1943:137

Abycendaua Martins & Galileo, 1992:127

duplicata (Bates, 1881:294) Colombia

Abanycha Martins & Galileo, 1997: 54

bicolor (Gahan, 1889:397) Ecuador

| | |
|---------------------------------------------------------------------|-------------------------------------|
| pulchricollis (Bates, 1885:431) | Guatemala |
| sericipennis (Bates, 1885:430) | Costa Rica, Panama |
| urocosmia (Bates, 1881:204) | Colombia |
| Acabanga Martins & Galileo, 1991:555 | |
| nigrohumeralis (Tippmann 1960:203) | se Brasil (RJ, SP, MG) |
| <i>palliat</i> ab. <i>nigrohumeralis</i> Tippmann, 1960:203 | |
| pinima Martins & Galileo, 1991:555 | se Brasil (RJ) |
| Acaiatuca Martins & Galileo, 1992:591 | |
| denudata Galileo & Martins, 2001: 247 | Brasil (GO) |
| quadricostata (Tippmann, 1953:355) | se Brasil (SP, SC) |
| Acasanga Martins & Galileo, 1991:613 | |
| delectabilis (Waterhouse, 1880:302) | Colombia, Peru |
| dimidiosanguinea (Fuchs, 1963:11) | Colombia |
| humeralis (Waterhouse, 1880:301) | Ecuador |
| reticulata (Waterhouse, 1880:300) | Ecuador |
| Adesmiella Lane, 1959:261 | |
| cordipicta Lane, 1959:261 | s Brasil (SC) |
| Adesmoides Zajciw, 1967:324 | |
| <i>Colatina</i> Lane, 1972:377 | |
| flava Zajciw, 1967:324 | se Brasil (ES, RJ) |
| <i>borgmeieri</i> Lane, 1972:377 | |
| Adesmus Lepeletier & Audinet-Serville in Latreille, 1825:335 | |
| <i>Amphyonycha</i> Dejean, 1835:352 | |
| <i>Eudesmus</i> ; Voigt, 1839:311 | |
| <i>Amphyonica</i> ; Thomson, 1857:311 | |
| <i>Amphionycha</i> ; Thomson, 1860:64 | |
| <i>Somateucharis</i> Lane, 1976:451 | |
| acanga Galileo & Martins, 1999: 84 | seBrasil (MG,ES) |
| albiventris (Bates, 1881:197) | Venezuela |
| basalis Fuchs, 1970:113 | Ecuador |
| bicolor (Gahan, 1889:397) | Ecuador |
| bisellatus (Bates, 1881:200) | Ecuador |
| borgmeieri (Lane, 1976:452) | c Brasil (MT) |
| brunneiceps (Aurivillius, 1920:399) | se Brasil (RJ) |
| <i>cretaceus</i> Lane, 1965:315 | |
| brunneus Aurivillius, 1923:478 | Colombia |
| charis (Bates, 1881:197) | Bolivia, Ecuador |
| chionides (Bates, 1885:430) | Panama |
| <i>chionidis</i> ; Aurivillius, 1923:589 | |
| clathratus (Gistel, 1848:624) | Brasil |
| <i>flavipes</i> Lucas, 1857:192 | |
| <i>clathratella</i> Strand, 1917:90 | |
| collaris Melzer, 1931:79 | se Brasil (ES, RJ, SP) |
| colligatus (Redtenbacher, 1867:187) | se Brasil, Paraguay, Argentina |
| diana (Thomson, 1860:65) | Fr Guiana, nw Brasil (AM), Colombia |
| dignus Melzer, 1931:78 | se Brasil (MG-SP) |
| divus (Chabrillac, 1857:200) | se Brasil, Paraguay, Argentina |
| <i>procerus</i> Gahan, 1889:399 | |
| fulvicornis (Bates, 1881:203) | se Brasil (RJ) |
| griseus (Aurivillius, 1900:419) | Venezuela |
| hiekei Fuchs, 1970:113 | Ecuador |
| hemispilus (Germar, 1821:169) | se Brasil (MG-RS), Paraguay, |
| <i>luctuosa</i> Audinet-Serville, 1835:46 | Argentina |
| juninensis Galileo & Martins, 1999: 89 | Peru |
| laetus (Bates, 1881:198) | Venezuela, Colombia, Peru |
| var. <i>estriatus</i> Plavilstshikov, 1927:103 | |
| leucodryas (Bates, 1881:198) | Colombia |
| meinerti (Aurivillius, 1900:419) | Venezuela |
| nevisi (Gounelle, 1909:83) | e Brasil (MG) |

nigriventris (Fleutiaux & Sallé, 1889:472)
nigrocinctus (Gahan, 1889:397)
niveiceps (Aurivillius, 1900:419)
phoebinus (Aurivillius, 1900:418)
pirauna Galileo & Martins, 1999: 113
pluricostatus (Bates, 1881:217)
postilenatus (Bates, 1881:201)
pulchellus Galileo & Martins, 1999: 97
pysasu Galileo & Martins, 1999: 92
quadricinctus Galileo & Martins, 1999: 90
sannio Melzer, 1931:77
 var. *curitybanus* Lane, 1938:633
seabrai Lane, 1959:258
sexguttatus (Lucas, 1857:192)
sexlineatus (Bates, 1881:199)
stephanus (Aurivillius, 1900:420)
temporalis (Aurivillius, 1908:11)
tribalteatus (Bates, 1881:198)
turrialba Galileo & Martins, 1999: 94
urubu Galileo & Martins, 1999: 84
ventralis (Gahan, 1894:119)
verticalis (Germar, 1824:492)
 nigriceps Laporte, 1840:489
vilhena Galileo & Martins, 1999: 95
vulcanicus Galileo & Martins, 1999: 96

Guadeloupe
 Brasil
 Venezuela
 Venezuela
 Colombia
 Guatemala
 se Brasil (ES, RJ)
 Argentina (SA)
 Ecuador
 Brasil (GO)
 se Brasil (SP-SC)

 e Brasil (ES)
 se Brasil (RJ-RS)
 se Brasil (ES-RS), n Argentina (MI)
 Venezuela
 Bolivia
 Peru
 Costa Rica, Panama
 Brasil (PA,AM)
 Costa Rica
 se Brasil (RJ-RS), Paraguay, Argentina

 Brasil (RO, AM), Peru
 Costa Rica

Alampyris Bates, 1881:218

cretaria Bates, 1885:431
curta Bates, 1881:219
fuliginea Bates, 1881:219
marginella Bates, 1881:220
melanophiloides (Thomson, 1868:197)
mimetica Bates, 1881:220
nigra Bates, 1881:219
photinoides Bates, 1881:220
quadricollis Bates, 1881:220

Mexico
 sc Mexico (PU, OA, TL)
 c Mexico (GU, OA, MO)
 e Mexico (VC)
 e Mexico (VC)
 e Mexico (VC)
 sw Mexico (OA)
 Guatemala
 sw Mexico (OA)

Amapanesia Martins & Galileo, 1996:189

exotica (Martins & Galileo, 1991:104)

nc Brasil (AP)

Apagomera Bates, 1881:147

aereiventris (Tippmann, 1960:208)
 aeriventris; Gilmour, 1965:643
jaguarari Galileo & Martins, 1998: 250
seclusa Lane, 1965:326
tipitinga Galileo & Martins, 1998: 252
triangularis (Germar, 1824:493)

Bolivia

 se Brasil (BA)
 e Brasil (MG)
 e Brasil (BA)
 se Brasil (BA-SC)

Apagomerella Gilmour, 1962:142

versicolor (Boheman, 1859:152)
 sanguinicollis Burmeister, 1865:180
 suturella Bates, 1881:147

s Brasil (PR-RS), Paraguay, Argentina,
Uruguay

Apagomerina Gilmour, 1962:142

Xenonta Lane, 1970:409

apicalis Galileo & Martins, 2001: 62
azurescens (Bates, 1881:147)
diadela Martins & Galileo, 1996:21
erythronota (Lane, 1970:409)
flava Galileo & Martins, 1989:600
ignea Martins & Galileo, 1996:22
jucunda Martins, 1984:326
lepida Martins & Galileo, 1996:22
rubricollis Galileo & Martins, 1992:142
subtilis Martins & Galileo, 1996:23

s Brasil (SC)
 se Brasil (RJ)
 Venezuela
 e Brasil (ES)
 se Brasil (SP)
 e Brasil (BA)
 e Brasil (ES)
 w Brasil (RO)
 w Brasil (RO)
 e Brasil (BA)

| | |
|-----------------------------------------------------------------------------|------------------------------|
| unica Martins & Galileo, 1996:23 | c Brasil (MT) |
| utiariti Galileo & Martins, 1989:600 | c Brasil (MT) |
| Apeba Martins & Galileo, 1991:563 | |
| antiqua (Waterhouse, 1880:300) | e Brasil (BA) |
| barauna Martins & Galileo, 1991:563 | n Brasil (AM, PA) |
| isabellina (Bates, 1885:434) | Panama |
| togata (Klug, 1825:464) | se Brasil (ES, RJ) |
| Apypema Galileo & Martins, 1992:17 | |
| yara Galileo & Martins, 1992:17 | Peru |
| Arixiuna Martins & Galileo, 1992:124 | |
| longula (Bates, 1881:222) | e Mexico (VC) |
| prolixa (Bates, 1872:229) | Mexico-Panama |
| varians (Bates, 1881:222) | e Mexico (VC)-Costa Rica |
| Butocrysa Thomson, 1868:198 | |
| insignis (Lucas, 1857:191) | se Brasil (RJ) |
| Cabreuva Martins & Galileo, 1992:438 | |
| lucianoi Martins & Galileo, 1992:441 | Colombia |
| Cacupira Martins & Galileo, 1991:608 | |
| iodina (Bates, 1881:296) | Ecuador |
| tucurui Martins & Galileo, 1991:613 | n Brasil (PA), Fr Guiana |
| Callanga Lane, 1973:411 | |
| tenebrosa Lane, 1973:415 | Peru |
| trichocera Lane, 1973:413 | Peru, Bolivia |
| Calocosmus Chevrolat, 1862:250 | |
| chevrolati Fisher, 1925:14 | Cuba |
| dimidiatus (Chevrolat in Guérin-Méneville, 1838:284) | Cuba |
| fulvicollis Fisher, 1925:13 | Cuba |
| hispaniolae Fisher 1925:15 | R Dominicana |
| holosericeus Gahan, 1889:395 | Hispaniola |
| janus Bates, 1881:151 | Cuba |
| magnificus Fisher, 1932:89 | Haiti |
| marginipennis Gahan, 1889:396 | Jamaica |
| melanurus Gahan, 1889:395 | Hispaniola |
| nigripennis Chevrolat, 1862:252 | Cuba |
| nigritarsis Fisher, 1942:41 | R Dominicana |
| nuptus Chevrolat, 1862:251 | Cuba |
| semimarginatus Bates, 1881:151 | Cuba |
| speciosus Chevrolat, 1862:252 | Cuba |
| <i>venustus</i> ; Jacquelin du Val in Sagra, 1857:275 (not Chevrolat, 1838) | |
| venustus (Chevrolat in Guérin-Méneville, 1838:283) | Cuba |
| Camposiella Lane, 1972:374 | |
| sulfureopicta Lane, 1972:375 | se Brasil (RJ) |
| Canarana Martins & Galileo, 1992:442 | |
| affinis (Aurivillius, 1908:12) | Peru, Bolivia |
| brachialis (Guérin-Méneville, 1855:600) | Ecuador, Peru, Bolivia |
| <i>croceicollis</i> Gahan, 1889:393 | |
| exotica Galileo & Martins, 2001: 66 | Ecuador |
| marceloi Martins & Galileo, 1992:443 | sc Brasil, Bolivia, Paraguay |
| nigripennis (Bates, 1866:426) | nw Brasil (AM) |
| seminigra (Bates, 1866:426) | nw Brasil (AM) |
| tuberculicollis (Guérin-Méneville, 1855:601) | Ecuador, Peru |

- Cathetopteron** Hamilton in Leng & Hamilton, 1896:162
Cathstopteron; Arnett, 1962:873
amoena Hamilton in Leng & Hamilton, 1896:161 sw USA (TX)
- Cendiuna** Galileo & Martins, 1991:113
auauna Galileo & Martins, 1998: 254 se Brasil (MG)
cendira Galileo & Martins, 1991:119 se Brasil (SP, PR)
pataiuna Galileo & Martins, 1991:118 se Brasil (MG, SP)
planipennis (Bates, 1881:150) se Brasil (ES-SP)
puranga Galileo & Martins, 1991:115 s Brasil (SC)
- Cephalodina** Bates, 1881:212
acangassu Martins & Galileo, 1993:172 Ecuador
capito (Bates, 1866:429) Costa Rica, Panama
crassiceps Bates, 1881:213 Mexico-Panama
capito; Bates, 1872:231 (not Bates, 1866)
- Chrysaperda** Bates, 1881:152
circumcincta (Pascoe, 1859:54) nw Brasil (AM)
collaris Pascoe, 1888:509 Ecuador
metallica Bates, 1881:152 Ecuador, Peru
apicalis Kirsch, 1889:43
- Cirrhicera** Thomson, 1857:309
basalis Gahan, 1892:269 Mexico (JA, GR, ME, NA, VC)
championi Bates, 1881:214 s Mexico (CHS)-Costa Rica
cinereola Bates, 1881:215 s Mexico (CHS)-El Salvador
conspicua Gahan, 1892:269 sw Mexico (GR)
crispipennis Bates, 1881:214 e Mexico (VC), Guatemala, Costa Rica
leuconota (Laporte, 1840:489) Mexico (VC, OA)
longifrons Bates, 1881:214 Guatemala
nigrina Thomson, 1857:310 e Mexico (VC)
niveosignata Thomson, 1860:64 e Mexico (VC)
panamensis Bates, 1885:429 Costa Rica, Panama
sallei Thomson, 1857:310 s Mexico (MO, OA, QR, TA, VC)-Panama
sallaeti; Bates, 1881:214
- Clythraschema** Thomson, 1857:127
chabrilacii Thomson, 1857:128 se Brasil (RJ)
- Columbicella** Galileo & Martins, 1990:586
explanata Galileo & Martins, 1990:588 Colombia
- Corcovado** Lane, 1973:408
peruviense Lane, 1973:409 Peru
ruber (Bates, 1881:204) se Brasil (RJ)
- Cuicirama** Martins & Galileo, 1992:124
cayennensis (Bates, 1881:294) Fr Guiana
fasciata (Bates, 1866:370) nw Brasil (AM)
smithii (Bates, 1881:293) nw Brasil (AM)
spectabilis (Blanchard, 1843:210) Bolivia
- Cuiciuna** Galileo & Martins, 1997:164
amoenoides (Fisher, 1938:151) s Brasil (SP, SC)
fumigata (Germar, 1824:491) se Brasil (BA, RJ)
suturata Bates, 1881:201
iuati Galileo & Martins, 1997:167 se Brasil (MG, SP)
melancholica (Melzer, 1931:79) se Brasil (RJ, SP)
rectilinea (Bates, 1881:202) e Brasil (MG)

- Dadoychus** Chevrolat, 1833:14
flavocinctus Chevrolat, 1833:14
mucuum Galileo & Martins, 1998: 252
Brasil
Brasil (PE)
- Egalicia** Lane, 1974:537
Alicia; Thomson, 1864:125 (not Johnson, 1861)
Tetralicia; Aurivillius, 1923:588 (not Harrison, 1917)
flavescens (Thomson, 1864:125
testacea (Bates, 1866:430)
se Brasil (RJ, SP)
nw Brasil (AM)
- Endybauna** Martins & Galileo, 1991:817
rapicara Martins & Galileo, 1991:817
Ecuador
- Erana** Bates, 1866:431
argentina (Bruch, 1911:176)
atatinga Galileo & Martins, 1999: 107
cendira Martins & Galileo, 1993:170
ciliata Fisher, 1938:152
cincticornis Bates, 1866:431
curuca Galileo & Martins, 1999: 109
diana Martins & Galileo, 1989:78
dispar Bates, 1881:209
florula Bates, 1881:209
fuliginella Bates, 1885:428
fulveola Bates, 1881:210
humeralis Martins & Galileo, 1989:78
icambi Galileo & Martins, 1999: 108
leuconoe Bates, 1881:209
longiscapus (Bates, 1881:294)
meyeri Martins & Galileo, 1989:77
nigrita Galileo & Martins, 1991:104
pallidula Martins & Galileo, 1989:75
pectoralis Bates, 1881:208
piriana Martins & Galileo, 1993:169
porongaba Galileo & Martins, 1998: 252
pusilla Bates, 1874:233
suavissima Bates, 1881:209
tauaira Martins & Galileo, 1993:170
univittata Bates, 1881:209
Paraguay, nw Argentina (TU)
Colombia
c Brasil (MT)
s Brasil (SC, PR), n Argentina (MI)
nw Brasil (AM), Fr Guiana
Colombia
c Brasil (GO)
e Mexico (VC)-Panama
Guatemala
Guatemala
Guatemala-Panama
Bolivia
Colombia
Nicaragua-Panama
se Brasil (MG, RJ)
se Brasil (SP-RS)
nc Brasil (AP)
c Brasil (PA, MT)
e Mexico (VC), Guatemala
Venezuela, Colombia
se Brasil (SC)
Mexico-Costa Rica
Guatemala
Colombia
sw Mexico (OA)
- Essostrutha** Thomson, 1868:198
binotata Bates, 1881:212
laeta (Newman, 1840:13)
albina Pascoe, 1858:256
miniata Lacordaire, 1872:895
fimbriolata Bates, 1881:210
cinnabarina Bates, 1881:211
w Mexico (GR, JA, MO, NA, PU, SI, SO)
swUS (sTX) - w Mexico (CHS, GR, JA, MO, NA, OA, PU,
SI, VC), Guatemala
- Essostruthella** Lane, 1972:381
nevermanni Lane, 1972:381
notaticollis (Lane, 1973: 406)
Costa Rica
Costa Rica, Panama
- Eulachnesia** Bates, 1872:231
cobaltina Bates, 1881:148
humeralis (Fabricius, 1801:321)
sapphira Bates, 1866:428
monnei Martins & Galileo, 1996:190
smaragdina Bates, 1872:231
Colombia
nw Brasil (AM)
nw Brasil (AM)
Nicaragua-Panama
- Fredlanea** Martins & Galileo, 1996:190
aequatoria (Bates, 1881:149)
calliste (Bates, 1881:148)
holmgreni Aurivillius, 1908:11
albosuturalis Fuchs, 1970:112
Ecuador
Peru, Bolivia

| | |
|-------------------------------------------------------------------|--------------------------------|
| colombiana (Lane, 1966:273) | Colombia |
| consobrina (Lane, 1970:410) | Colombia |
| cymatilis (Lane, 1966:272) | Colombia, Ecuador |
| flavipennis (Lane, 1966:271) | Ecuador, Peru |
| guaranitica (Lane, 1966:274) | Paraguay |
| hiekei (Fuchs, 1970:113) | Colombia, Ecuador |
| kirschi (Aurivillius, 1923:590) | Peru, Colombia |
| maculata Martins & Galileo, 1996:192 | Ecuador |
| putiapitanga Galileo & Martins, 1999: 110 | Colombia |
| velutina (Lane, 1966:273) | Ecuador |
| <i>basalis</i> Fuchs, 1970:113 | |
| vilhena Martins & Galileo, 1996:192 | w Brasil (RO) |
| virginea (Fabricius, 1801:324) | nc Brasil (PA) |
| viridipennis (Bates, 1881:149) | Ecuador |
| Gagarinia Lane, 1956:28 | |
| aureolata (Lane, 1950:100) | se Brasil (RJ, SP) |
| borgmeieri (Bondar, 1938:445) | e Brasil (BA), Fr Guiana |
| mniszeczii (Chabrilac, 1857:200) | se Brasil (RJ) |
| Guayuriba Lane, 1970:397 | |
| dilaticeps (Bates, 1881:200) | Panama, Colombia |
| <i>extrelidia</i> Lane, 1970:398 | |
| Hemierana Aurivillius, 1923:594 | |
| <i>Amphionycha</i> ; Haldeman, 1847:57 (not Dejean, 1835) | |
| marginata marginata (Fabricius, 1798:48) | se USA (SC-FL) |
| <i>flammata</i> Newman, 1840:13 | |
| subsp. ardens (LeConte, 1859:22) | e USA-TX, KS |
| <i>flammata</i> ; Horn, 1878:50 (part) | |
| subsp. suturalis (Linell, 1896:398) | sw USA (TX) |
| Hemilophus Audinet-Serville, 1835:49 | |
| <i>Pyrobolus</i> Chevrolat in Guérin-Méneville, 1838:284 | |
| dimidiaticornis Audinet-Serville, 1835:50 | se Brasil, Paraguay, Argentina |
| infuscatus Bates, 1881:292 | se Brasil (RJ) |
| leucogrammus Bates, 1881:293 | se Brasil (RJ-PR) |
| unicolor Bates, 1881:293 | Brasil, Paraguay, Argentina |
| Hilarolea Thomson, 1868:200 | |
| incensa (Perty, 1832:97) | se Brasil (ES, RJ) |
| Hilaroleopsis Lane, 1970:406 | |
| bicarinata (Bates, 1885:430) | Panama |
| dimidiata (Bates, 1881:200) | Costa Rica, Colombia |
| globoicollis (Bates, 1881:218) | Mexico |
| icupira Martins & Galileo, 1992:590 | Costa Rica |
| minor Martins & Galileo, 1997: 58 | Venezuela |
| nigerrima Aurivillius, 1923:590 | Guatemala, Mexico |
| obesa (Bates, 1881:217) | e Mexico (VC), Guatemala |
| pluricostata (Bates, 1881:217) | Guatemala |
| vogti Lane, 1970:406 | Guatemala |
| Iareonycha Martins & Galileo, 1997: 48 | |
| ipepuna Martins & Galileo, 1997: 48 | Colombia |
| Iarucanga Martins & Galileo, 1991:564 | |
| <i>Spathoptera</i> ; Bates, 1866:368 (not Audinet-Serville, 1835) | |
| capillacea (Bates, 1866:369) | nw Brasil (AM) |
| mimica (Bates, 1866:369) | nw Brasil (AM), Bolivia |
| Ibitiruna Galileo & Martins, 1997:169 | |
| araponga Galileo & Martins, 1997:170 | se Brasil (PR) |
| fenestrata (Bates, 1881:202) | se Brasil (SP, SC) |

| | |
|----------------------------------------------------------------------------|--------------------------------------------------|
| Icimauna Martins & Galileo, 1991:819 | |
| angaba Martins & Galileo, 1991:823 | Costa Rica |
| aysa Martins & Galileo, 1991:823 | Costa Rica, Panama |
| ciliaris (Klug, 1825:467) | s Brasil, Paraguay, ne Argentina |
| macilenta (Bates, 1881:294) | se Brasil (RJ) |
| reversa (Bates, 1881:295) | se Brasil (RJ-SC) |
| sarauaia Martins & Galileo, 1991:820 | Bolivia, Brasil (RO) |
| | |
| Icupima Martins & Galileo, 1991:556 | |
| laevipennis (Gahan, 1892:272) | Panama |
| | |
| Iquiara Martins & Galileo, 1998: 55 | |
| tuiuca Martins & Galileo, 1998: 55 | Ecuador |
| | |
| Ischnophygas Thomson, 1868:196 | |
| telephoroides Thomson, 1868:196 | Mexico |
| | |
| Isomerida Bates, 1866:373 | |
| <i>Spathoptera</i> ; Thomson, 1868:190 (part) (not Audinet-Serville, 1835) | |
| albicollis (Laporte, 1840:488) | nw Brasil (AM), Fr Guiana |
| <i>anceps</i> Aurivillius, 1919:7 | |
| amicta Pascoe, 1866:287 | Colombia |
| apiratinga Martins & Galileo, 1992:189 | Peru |
| cinctiventris Bates, 1885:432 | Costa Rica, Panama |
| <i>cinctipennis</i> ; Bates, 1885: pl. 25, fig.20 | |
| ibitira Martins & Galileo, 1992:190 | e Brasil (MG) |
| invicta Galileo & Martins, 1996:244 | Peru |
| lanifica (Germar, 1824:489) | se Brasil (RJ-SP) |
| <i>vittipennis</i> Bates, 1881:292 | |
| lineata Bates, 1874:232 | Nicaragua-Colombia, Peru, Bolivia, w Brasil (RO) |
| <i>albicollis</i> var. Bates, 1872:229 | |
| longicornis Bates, 1881:291 | e Brasil (BA, MG) |
| paraba Galileo & Martins, 2001: 64 | Brasil (AM) |
| paraiba Galileo & Martins, 1996:242 | ne Brasil (PB) |
| ruficornis Bates, 1866:373 | nw Brasil (AM) |
| santamarta Galileo & Martins, 2001: 66 | Colombia |
| separata Galileo & Martins, 1996:239 | Colombia, Ecuador |
| sororcula Galileo & Martins, 1996:236 | se Brasil (RJ) |
| tupi Martins & Galileo, 1992:189 | c Brasil (RO, GO, MT) |
| vittata (Pascoe, 1858:256) | se Brasil (MG-SP) |
| <i>strigatus</i> Redtenbacher, 1867:186 | |
| | |
| Itaituba Lane, 1950:97 | |
| miniacea (Bates, 1866:427) | nc Brasil (PA) |
| <i>truncata</i> Lane, 1950:98 | |
| pitanga Galileo & Martins, 1991:105 | nc Brasil (PA) |
| | |
| Ites Waterhouse, 1880:298 | |
| chaparensis Tippmann, 1960:199 | Bolivia |
| colasi Lepesme, 1943:135 | Fr Guiana |
| plagiatus Waterhouse, 1880:298 | Ecuador |
| | |
| Itumbiara Martins & Galileo, 1992:190 | |
| crinicornis (Germar, 1824:490) | se Brasil (MG, RJ) |
| cuiçi Galileo & Martins, 1997:7 | se Brasil (SC) |
| explanata (Bates, 1885:433) | Panama |
| fimbriata (Bates, 1881:290) | se Brasil (MG-SP) |
| picticollis (Bates, 1881:291) | se Brasil (MG-RS), Argentina |
| picticornis (Bates, 1872:229) | Nicaragua-Panama |
| plumosa (Bates, 1881:291) | se Brasil (ES-RS), Argentina |
| <i>fimbriata</i> ; Zikán & Zikán, 1944:41(not Bates, 1881) | |
| subdilatata (Bates, 1872:229) | Nicaragua-Panama |
| taigaiba Martins & Galileo, 1992:193 | se Brasil (SP, SC, RS) |

- Juninia** Lane, 1966:247
annulifera (Kirsch, 1889:44) Ecuador, Peru
leechi Lane, 1966:247
- Kyranycha** Martins & Galileo, 1997: 60
fraudatrix (Bates, 1881:218) w Mexico (JA)-Costa Rica
lineatus Bates, 1872:233 (not Bates, 1874)
- Lamacoscyclus** Martins & Galileo, 1991:628
bivittatus (Gahan, 1892:272) sw Mexico (GR)
humilis (Bates, 1881:223) sw Mexico (GR, MO)
var.fulvescens Gahan, 1892:271
var.grisescens Gahan, 1892:271
usingeri (Linsley, 1935:113) c Mexico (ME)
- Lapazina** Lane, 1973:409
discicollis (Bates, 1881:203) Ecuador
fuscipennis (Bates, 1881:203) Bolivia, Peru
- Leucophoebe** Lane, 1976:454
albaria (Bates, 1872:230) Nicaragua, Costa Rica, Colombia
kempfi Lane, 1976:455 Ecuador
pictilis Lane, 1972:379 Colombia, Ecuador
- Lycaneptia** Thomson, 1868:191
amicta (Klug, 1825:464) e Brasil (BA, MG)
nigrobasalis Tippmann, 1960:203 se Brasil (SP)
quadricostata; Martins & Galileo, 1991:588 (not Tippmann, 1953)
- Lycidola** Thomson, 1864:125
batesi Aurivillius, 1923:585 n Brasil (PA)
simulatrix var. Bates, 1866:368
beltii Bates, 1872:228 Nicaragua
expansa Bates, 1881:298 Costa Rica, Colombia
felix Waterhouse, 1880:298 Ecuador
flavofasciata Waterhouse, 1880:298 Ecuador, Bolivia, Fr Guiana
palliata (Klug, 1825:465) e Brasil (BA)
simulatrix Bates, 1866:368 n Brasil (AM, AP), Fr Guiana
- Lycodesmus** Melzer, 1927:581
superbus Melzer, 1927:581 nw Brasil (AM)
- Lycomimus** Melzer, 1931:11
Lycoplasma Chemsak & Linsley, 1984:280
albocinctus Melzer, 1931:11 nw Brasil (AM), Fr Guiana
ampliatus (Klug, 1825:466) se Brasil (RJ)
formosus (Chemsak & Linsley, 1984:280) Panama
- Malacoscyclus** Thomson, 1868:190
Macroscyclus; Aurivillius, 1908:12
auricomus Bates, 1881:296 Peru, Bolivia
cinctulus Bates, 1881:297 Ecuador, Peru, Bolivia
cirratus (Germar, 1824:491) Brasil, ne Argentina,
dasycera Klug, 1825:466 Paraguay
fasciatus Galileo & Martins, 1998: 256 se Brasil (SP, MG)
gonostigma Bates, 1881:297 se Brasil (MG, RJ, SP)
gratiosus Bates, 1881:297 Ecuador
lacordairei (Thomson, 1868:193) Colombia
lanei Martins & Galileo, 1991:621 Bolivia
niger Aurivillius, 1908:12 Peru
xanthotaenius (Bates, 1881:295) se Brasil (MG, RJ)
albans Bates, 1881:296

- Mariliana** Lane, 1970:411
niveopicta Lane, 1970:418 se Brasil (SP)
ocularis (Hope, 1846:181) se Brasil (RJ-SC)
rupicola Lane, 1970:419 se Brasil (RJ)
sumpta Lane, 1970:417 se Brasil (MG)
- Melzerina** Lane, 1966:288
lacordairei (Gahan, 1889:394) Brasil
- Mocoiasura** Martins & Galileo, 1991:818
suturalis (Melzer, 1931:198) e Brasil (ES)
- Murupeaca** Martins & Galileo, 1992:576
mocoia Martins & Galileo, 1993:110 se Brasil (ES)
pinimatinga Martins & Galileo, 1992:576 c Brasil (MT)
- Neomoema** Martins & Galileo, 1996:306
Moema Martins & Galileo, 1992:594 (not Costa, 1989, Pisces)
cendi (Martins & Galileo, 1992:595) Costa Rica
- Ochromima** Bates, 1881:151
marginicollis (Gahan, 1889:398) Fr Guiana, n Brasil (AM, PA)
decemmaculata Melzer, 1931:12
megalopoides (Bates, 1866:427) n Brasil (PA), Guianas
pallipes (Olivier, 1795:31) Surinam, Fr Guiana
- Ocoa** Lane, 1970:401
ochromimoides Lane, 1970:402 Colombia
- Oedudes** Thomson, 1868:199
alayoi (Zayas, 1956:111) Cuba
montivagans Fisher, 1942:42
bifasciata (Bates, 1869:386) Nicaragua, Costa Rica
callizona (Bates, 1881:217) Mexico (VC), Guatemala, Belize, Honduras
ramsdeni (Fisher, 1926:39) Cuba
roberto (Fisher, 1935:209) Cuba
scaramuzzai (Fisher, 1936:271) Cuba
spectabilis (Drury, 1782:73) e Mexico (VC)-Panama, Colombia
druryi Thomson, 1868:200 Costa Rica, Panama
knownothing Thomson, 1856:478
- Olivensa** Lane, 1965:318
cephalotes (Pascoe, 1858:257) n Brasil (PA), Fr Guiana
megacephala (Bates, 1866:428) nw Brasil (AM)
mimula Lane, 1965:319 nw Brasil (AM)
- Paleohemilophus** Martins & Galileo, 1999: 309 (Fossil)
dominicanus Martins & Galileo, 1999: 309 (Fossil) Hispaniola
- Parapeba** Galileo & Martins, 2001:248
lyciformis Galileo & Martins, 2001: 248 Brasil (ES, BA)
- Parauna** Lane, 1972:372
zikani Lane, 1972:372 nw Brasil (AM), Fr Guiana
- Phoebe** Audinet-Serville, 1835:37
bicornis (Olivier, 1795:27) n Brasil (AP), Fr Guiana
cava (Germar, 1824:493) se Brasil (ES-PR)
concinna White, 1856:408 nw Brasil (AM)
cornuta (Olivier, 1795:26) Surinam, Fr Guiana

| | |
|----------------------------------------------------------------------|--------------------------------------|
| fryana Lane, 1966:285 | Ecuador |
| goiana Lane, 1966:283 | ec Brasil (GO) |
| luteola Bates, 1881:215 | Guatemala |
| <i>lutaria</i> ; Bates, 1881:302 | |
| mafra Martins & Galileo, 1998: 434 | se Brasil (SC) |
| mexicana Bates, 1881:215 | e Mexico (VC), Nicaragua, Costa Rica |
| ornator (Tippmann, 1960:204) | Bolivia |
| phoebe (Lepeletier & Audinet-Serville in Latreille, 1825:335) | se Brasil (RJ-RS) |
| <i>octomaculata</i> Audinet-Serville, 1835:37 | |
| <i>cretifera</i> Pascoe, 1858:260 | |
| spgazzinii Bruch, 1908:219 | nc Argentina (CD, SE) |
| subalbaria Belon, 1896:254 | Bolivia |
| tinga Martins & Galileo, 1998: 434 | Argentina |
| Phoebella Lane, 1966:248 | |
| albomaculata (Gahan, 1889:396) | e Brasil (BA) |
| Phoebemima Tippmann, 1960:205 | |
| <i>Tacocha</i> Lane, 1970:399 | |
| aequatoria (Lane, 1970:399) | Ecuador |
| antiqua (Gahan, 1889:399) | se Brasil (RJ) |
| ensifera Tippmann, 1960:206 | Bolivia |
| teteia (Galileo & Martins, 1996:236) | w Brasil (RO) |
| theaphia (Bates, 1881:199) | c Brasil (AM, MT) |
| Piampatara Martins & Galileo, 1992:441 | |
| humeralis (Aurivillius, 1916:359) | se Brasil (RJ) |
| var. <i>subapicalis</i> Aurivillius, 1916:359 | |
| ocreata (Bates, 1885:431) | Costa Rica, Panama |
| proseni Martins & Galileo, 1997: 52 | Bolivia |
| ubirajarai (Lane, 1966:287) | se Brasil (RJ) |
| Piratininga Galileo & Martins, 1992:16 | |
| piranga Galileo & Martins, 1992:16 | e Brasil (MG-SP) |
| Piruanycha Martins & Galileo, 1997: 61 | |
| itaiuba Martins & Galileo, 1997: 62 | Brasil (GO, MG) |
| ocoa Martins & Galileo, 1997: 62 | Colombia |
| Porangonycha Martins & Galileo, 1997: 50 | |
| princeps (Bates, 1872:230) | Nicaragua, Costa Rica, Peru |
| Poticuara Martins & Galileo, 1991:614 | |
| exilis (Bates, 1881:298) | Bolivia |
| ipiterpe Martins & Galileo, 1991:615 | Peru |
| Pseudegalicia Galileo & Martins, 2001:249 | |
| tetrops Galileo & Martins, 2001:250 | Brasil (RO, MA) |
| Purusia Lane, 1956:28 | |
| acreana Lane, 1956:29 | w Brasil (AC, RO) |
| Quatiara Lane, 1972:372 | |
| <i>Amphionycha</i> ; Leséleuc, 1844: pl.138 (not Dejean, 1835) | |
| luctuosa (Leséleuc, 1844:138) | se Brasil (ES, RJ) |
| <i>leseleuci</i> Aurivillius, 1923:590 | |
| Sibapipunga Martins & Galileo, 1993:110 | |
| beckeri (Martins & Galileo, 1992:577) | Costa Rica, Ecuador |

- Spathoptera** Audinet-Serville, 1835:50
Photuronta Thomson, 1868:190
albilatera Audinet-Serville, 1835:51 se Brasil (RJ-PR)
gutticollis Thomson, 1868:195
- Sphallonycha** Bates, 1881:149
irundisa Galileo & Martins, 2001:61 nw Brasil (AM)
roseicollis (Bates, 1866:430) nw Brasil (AM)
- Sybaguasu** Martins & Galileo, 1991:621
murinum (Pascoe, 1866:288) Colombia
minima; Bates, 1881:305
longipennis (Bates, 1881:202) Ecuador
pubicorne (Bates, 1881:201) Peru, n Brasil (AM, PA)
subcarinatus (Bates, 1885:432) Panama
thoracicum (Olivier, 1795:18) Fr Guiana, n Brasil (PA)
titingum Martin & Galileo, 1991:622 Peru
- Tabatinga** Lane, 1966:245
x-littera Lane, 1966:246 nw Brasil (AM)
- Tetamauara** Martins & Galileo, 1991:556
eximia (Bates, 1885:435) Panama
retifera (Waterhouse, 1880:299) Ecuador
unicolor (Bates, 1885:434) Panama
- Tetanola** Bates, 1881:151
polita Bates, 1881:151 Ecuador
- Themistonoe** Thomson, 1864:126
cacica Thomson, 1864:126 Brasil
- Tyrinthia** Bates, 1866:371
Cyphometopus Thomson, 1868:190
biformis Bates, 1885:433 Panama
capillata Bates, 1866:371 n Brasil (AM, PA), Bolivia
frontalis (Guérin-Méneville, 1855:601) Ecuador
klugii (Thomson, 1868:192) Colombia
lycinella Bates, 1881:223 Costa Rica
moroïuba Martins & Galileo, 1991:815 Colombia
obtusa Bates, 1881:295 Colombia
paraba Martins & Galileo, 1991:815 w Brasil (AM, RO), Peru
photurina Bates, 1885:434 Panama
picticornis Martins & Galileo, 1991:816 Panama
scissifrons Bates, 1866:372 nc Brasil (AM, AP, PA, MA), Trinidad
infacetus Thomson, 1868:193
turuna Martins & Galileo, 1993:172 Colombia
xanthe Bates, 1881:223 Nicaragua-Panama
- Woytkowskia** Lane, 1966:281
gruberi Martins & Galileo, 1992:592 Costa Rica
scorpiona Lane, 1966:282 Peru
travassosi Lane, 1971:37 e Brasil (ES)
- Zeale** Pascoe, 1866:287
dubia Galileo & Martins, 1997:162 Bolivia
nigromaculata (Klug, 1829:7) Brasil, Paraguay, Argentina, Uruguay
leucomelaena Gistel, 1857:68
petronae Burmeister, 1861:166
spilotus Bates, 1881:199
scalaris Pascoe, 1866:287 Panama, Colombia, Peru

Aerenicini

Lacordaire, 1872:897

Aerenica Dejean, 1835:352

Aerenaesius Gilmour, 1962:131

Aerenasius; Martins & Galileo, 1985:464

canescens (Klug, 1825:468)

lahillei Bruch, 1926:345

lahillei var. *salobrensis* Lane, 1939:77

Brasil (GO, MT, MG-PR), Bolivia,
Paraguay, Argentina

Aerenicella Gilmour, 1962:133

Melaerenica Lane, 1966:231

spissicornis (Bates, 1881:145)

melanocera Lane, 1938:639

s Brasil (PR), Argentina, Uruguay

Aerenicopsis Bates, 1885:427

Falsohippopsis Breuning, 1940:83

Falsohippopsoides Breuning, 1974:158

Hydraschemopsis Lane, 1966:134

championi Bates, 1885:428

costaricensis (Breuning, 1974:159)

hubrichi Bruch, 1925:210

argentiniensis Breuning, 1974:158

malleri Lane, 1966:137

megacephala (Breuning, 1940:83)

mendosa Martins & Galileo, 1998: 97

perforata Lane, 1939:78

pugnatrix Lane, 1966:135

rufoantennata (Breuning, 1974:158)

singularis Martins & Galileo, 1998: 98

sublesta Lane, 1966:136

virgata (Pascoe, 1878:377)

Mexico-Panama

c Argentina (SF, CD)

s Brasil (SC)

s Brasil (SC)

Mexico (VC)

e Brasil, Argentina, Bolivia, Fr Guiana

Panama, Fr Guiana, nc Brasil (PA)

Bolivia

Brasil (MG)

se Brasil (MG, SP)

se Brasil (ES-SC)

Aereniphaula Galileo & Martins, 1990:584

machadorum Galileo & Martins, 1990:584

e Brasil (MG)

Aerenomera Gilmour, 1962:134

boliviensis Gilmour, 1962:135

spilas Martins, 1984:309

ec Brasil, Bolivia, Paraguay, Argentina

e Brasil (MG)

Antodice Thomson, 1864:128

Antodyce; Aurivillius, 1920:41

Spathoptera; Laporte, 1840:494 (not Audinet-Serville, 1835)

abstrusa Lane, 1940:405

aureicollis Martins & Galileo, 1985:491

cretata Bates, 1872:232

eccentrica Galileo & Martins, 1992:142

exilis Chemsak & Noguera, 1993:100

fasciata Linsley, 1935:113

inscripta Lane, 1970:420

juncea Bates, 1881:145

kyra Martins & Galileo, 1998: 44

lenticula Martins & Galileo, 1985:92

mendesi Lane, 1940:403

neivai Lane, 1940:401

simulatrix Tippmann, 1960:207

nympha Bates, 1881:207

picta (Klug, 1825:467)

pinima Martins & Galileo, 1998: 46

pudica Lane, 1970:427

quinquemaculata Lane, 1970:424

sexnotata Franz, 1959:187

sexmaculata; Martins & Galileo, 1985:90

spilota Martins & Galileo, 1998: 44

suturalis Galileo & Martins, 1992:143

e Brasil (MG, ES)

n Brasil (PA)

e Mexico (VC)-Panama

Ecuador

w Mexico (JA)

c Mexico (ME)

w Mexico (NA)

se Brasil (ES, RJ), Argentina

Brasil

e Brasil (BA)

s Brasil (SP-RS)

e Brasil (PE), Bolivia

e Mexico (VC)-Costa Rica

se Brasil, Paraguay, Argentina

Argentina

Panama, Colombia

Brasil

El Salvador

Brasil

Ecuador

| | |
|-----------------------------------------------------------------------------|---------------------------------------------------------|
| tricolor Martins & Galileo, 1985:92 | Bolivia |
| venustula Lane, 1973:433 | se Brasil (RJ), Bolivia |
| Antodilanea Gilmour, 1962:140 | |
| modesta (Lane, 1939:78) | sc Brasil (MS, MG) |
| Aphilesthes Bates, 1881:145 | |
| <i>Aphilestes</i> ; Aurivillius, 1923:598 | |
| <i>Amphilestes</i> ; Blackwelder, 1946:626 | |
| <i>Amphilesthes</i> ; Gilmour, 1965:646 | |
| rustica Bates, 1881:145 | Panama, Venezuela, Peru, Bolivia, Fr Guiana |
| Apoaerenica Martins & Galileo, 1985:465 | |
| martinsi (Monné, 1979:417) | Bolivia |
| Apophaula Lane, 1973:419 | |
| ocellata Lane, 1973:420 | se Brasil (MT, MG-PR), Paraguay |
| Cacsius Lane, 1973:430 | |
| <i>Melzaerenica</i> Lane, 1976:457 | |
| divus (Melzer, 1932:237) | se Brasil (RJ) |
| nobilis Lane, 1973:431 | e Brasil (MG) |
| Calliphaula Lane, 1973:418 | |
| filiola Martins, 1984:309 | e Brasil (MG) |
| leucippe (Bates, 1881:146) | se Brasil (RJ-SC) |
| Eponina Lane, 1939:77 | |
| <i>Aerenicoides</i> Gilmour, 1962:134 | |
| breyeri (Prosen, 1954:36) | c Brasil (MT), Argentina |
| <i>laetanda</i> Lane, 1976:459 | |
| flava Lane, 1939:77 | se Brasil (MS, ES, PR) |
| lanuginosa (Martins & Galileo, 1985:484) | se Brasil (RJ-SC) |
| metuia Martins & Galileo, 1998: 57 | Brasil (ES) |
| nigristernis (Martins & Galileo, 1985:485) | se Brasil (MG) |
| Holoaerenica Lane, 1973:428 | |
| alveolata Martins, 1984:311 | e Brasil (MG) |
| apleta Galileo & Martins, 1987:454 | Mexico (YU), Guatemala, Costa Rica, Panama |
| bistriata Lane, 1973:428 | Bolivia, Brasil (MG) |
| multipunctata (Lepeletier & Audinet-Serville in Latreille, 1825:335) | e Brasil, Paraguay, Argentina |
| <i>albolateralis</i> (Fuchs, 1963:15) | |
| obtusipennis (Fuchs, 1963:14) | se Brasil,Paraguay, nc Argentina (TU) |
| <i>caula</i> Martins, 1984:313 | |
| punctata (Gilmour, 1962:129) | sc Brasil (MS, SP), Bolivia |
| Hoplistonychus Melzer, 1930:203 | |
| bondari Melzer, 1930:204 | Fr Guiana, Brasil (PA, MT, MG, SP), n Argentina (MI) |
| Hydraschema Thomson, 1864:128 | |
| <i>Corupa</i> Lane, 1966:132 | |
| cribripennis Lane, 1966:130 | se Brasil (RJ-SC) |
| fabulosa Thomson, 1864:128 | se Brasil (RJ-PR) |
| leptostyla Lane, 1938:634 | se Brasil (GO-RJ), Bolivia, Argentina |
| mirim Martins & Galileo, 1998: 91 | Brasil (PA) |
| obliquevittata Lane, 1966:133 | se Brasil (MG-SC), Bolivia, Fr Guiana |
| petilia Martins & Galileo, 1998: 91 | Peru |
| veruta Lane, 1966:129 | se Brasil (RJ-PR) |
| villiersi Lane, 1965:322 | Brasil (RJ) |

- Melzerella** Costa Lima, 1931:139
costalimai Seabra, 1961:264
huedepohli Monné, 1979:415
lutzi Costa Lima, 1931:140
Venezuela, Fr Guiana
Bolivia
se Brasil (MG-SP)
- Montesia** Lane, 1938:110
bosqui Seabra, 1961:264
elegantula Monné, 1979:416
fasciolata Galileo & Martins, 1990:586
leucostigma Lane, 1938:110
Peru
c Brasil (MT)
Costa Rica
se Brasil (MG-SC)
- Paraphaula** Fuchs, 1963:13
porosa Fuchs, 1963:13
se Brasil (RJ)
- Phaula** Thomson, 1857:303
Cymbalia Thomson, 1864:119
Ochraesius Pascoe, 1888:510
Cryptophaula Lane, 1973:426
Heterophaula Lane, 1973:418
antiqua Thomson, 1857:303
bullula Martins, 1984:315
lichenigera (Perty, 1832:97)
microsticta (Lane, 1973:426)
splendida Galileo & Martins, 1987:453
thomsoni Lacordaire, 1872:898
lichenigera; Thomson, 1864:120 (not Perty, 1832)
sticticus Pascoe, 1888:511
e Brasil (BA)
sw Brasil (MS)
se Brasil (MG-RS)
se Brasil (MT, MG-PR), Argentina
c Brasil (MT)
Brasil (PA-MS, MG-RS)
- Propantodice** Franz, 1954:228
grisea Franz, 1954:228
El Salvador-Panama
- Pseudomecas** Aurivillius, 1920:400
elegantissima Martins & Galileo, 1998: 101
femoralis Aurivillius, 1920:401
nigricornis Martins & Galileo, 1998: 102
pallidicornis Aurivillius, 1923:479
pickeli (Melzer, 1930:305)
suturalis Martins & Galileo, 1985:467
Brasil (MG)
sc Brasil, Bolivia, Paraguay, Argentina
Brasil (BA)
Colombia
ne Brasil (MA-PE)
ec Brasil (GO)
- Pseudophaula** Lane, 1973:421
foersteri Martins, 1984:314
porosa (Bates, 1881:146)
pustulosa Lane, 1973:423
strigulata Lane, 1973:424
n Argentina (MI)
Venezuela, Colombia, Bolivia, e Brasil
nw Argentina (TU, CA)
nw Brasil (AM), Peru, Bolivia, Argentina
- Recchia** Lane, 1966:232
Aerenica; Thomson, 1857:312 (not Dejean, 1835)
Trichohippopsides Breuning, 1980:68
Coruparana Lane, 1966:233
abauna Martins & Galileo, 1998: 71
acutipennis Gahan, 1889:400
bruchii Gilmour, 1965:644
albicans (Guérin-Méneville, 1831: pl.45, fig.4)
albicans Breuning, 1980:68
boliviana Martins & Galileo, 1998: 65
distincta (Lane, 1939:77)
fallaciosa Lane, 1966:234
flaveola Martins & Galileo, 1985:487
fonsecai (Lane, 1939:76)
gemignanii (Lane, 1939:76)
rustica Martins & Galileo, 1985:489
goiana Martins & Galileo, 1985:489
gracilis Martins & Galileo, 1985:488
hirsuta (Bates, 1881:206)
Brasil
ec Brasil (GO, MT, MG, SP), Bolivia,
Argentina
se Brasil (GO, MG-SC), Argentina
Bolivia
sc Brasil (MS)
se Brasil (SP, SC)
ce Brasil (GO, MS, MG-SP)
se Brasil (RJ, SP)
Brasil (MT, GO, PR), Paraguay, Argentina
c Brasil (GO, MT)
se Brasil (MG-SP)
Guatemala-Panama, Colombia

panamensis Lane, 1959:263
hirticornis (Klug, 1825:468) e SAmer
lanei Martins & Galileo, 1985:485 se Brasil (MG, SP)
ludibriosa Lane, 1966:232 e Brasil (GO, BA-PR)
moema Martins & Galileo, 1998: 74 Brasil, Uruguay, Argentina
parvula (Lane, 1938:637) e Brasil (GO, MT, RJ-PR)
piriana Martins & Galileo, 1998: 78 Brasil, Paraguay
planaltina Martins & Galileo, 1998: 67 Brasil (DF)
procera Martins & Galileo, 1985:486 e Brasil, Bolivia, Paraguay, Argentina
ravida Martins & Galileo, 1985:483 s Brasil (SC)
veruta Lane, 1966:233 s Brasil (PR, SC)

Rumacon Blackwelder, 1946:627

Spegazziniella; Bruch, 1926:347 (not Jorgensen, 1913)
annulicornis (Melzer, 1930:204)
canescens (Bruch, 1926:348)
acutipennis; Tippmann, 1960:206 (not Gahan, 1889)
acutipennis var. *bruchi* Gilmour, 1965:644

se Brasil (MG-RS), Paraguay
 Bolivia, Paraguay, Argentina

Vianopolisia Lane, 1966:138

Dolaerenica Martins & Galileo, 1985:466
captiosa (Martins & Galileo, 1985:466)
spitzi Lane, 1966:139

se Brasil (SP), Paraguay
 ec Brasil (GO)

Pretiliini

Martins & Galileo, 1990:705

Pretilia Bates, 1866:302

tuberculata (Fabricius, 1801:331)
telephoroides Bates, 1866:302

Fr Guiana, n Brasil (PA)

Eupromerini

Galileo & Martins, 1995:132

Eupromera Westwood, 1846:224

disparilis Galileo & Martins, 1995:135
gilmouri Fuchs, 1961:18
similis Breuning, 1940:183
spryana Westwood, 1846:224
zonula Galileo & Martins, 1995:139

se Brasil (ES)
 se Brasil (SP-SC)
 se Brasil (BA-SC)
 se Brasil (RJ, SP, SC)
 se Brasil (ES)

Iquaracetima Galileo & Martins, 1995:140

aspasia Galileo & Martins, 1995:142
brachialis (Thomson, 1868:109)
tuberosa (Belon, 1896:247)

Peru, Ecuador
 Brasil
 c Brasil (AM, MT), Ecuador, Bolivia

Neopibanga Martins & Galileo, 1998: 57

brescoviti Martins & Galileo, 1998: 57

Brasil (RO)

Pibanga Galileo & Martins, 1995:145

costulata (Belon, 1896:251)
diamantina Galileo & Martins, 1995:146
glabricula (Bates, 1885:358)
itacoatiara Galileo & Martins, 1995:147
jacareacanga Galileo & Martins, 1995:150
ochropyga (Belon, 1896:249)
transversefasciata (Breuning, 1943:58)

Bolivia
 c Brasil (MT)
 Costa Rica, Panama
 c Brasil (AM)
 Brasil (PA, MT), Ecuador
 w Brasil (RO), Ecuador, Bolivia
 e Brasil (BA)

Puanama Galileo & Martins, 1995:142

caraca Galileo & Martins, 1995:143
sara Galileo & Martins, 1998: 249
sinopia Galileo & Martins, 1995:145

e Brasil (MG)
 Bolivia
 c Brasil (MT)

Falsamblesthiini

Gilmour, 1961:131

Hebestolite Thomson, 1864:107

Forsteriini Tippmann, 1960:211

Neohebestolini Marinoni, 1977:46

Bactriola Bates, 1885:421

circumdata Martins & Galileo, 1992:105

falsa Martins & Galileo, 1992:107

maculata Martins & Galileo, 1992:106

minuscula Fontes & Martins, 1977:7

paupercula Bates, 1885:422

vittulata Bates, 1885:421

se Brasil (RJ)
se Brasil (MG-RS)
Venezuela, Ecuador
e Brasil (ES)
Panama, Bolivia
Panama, Venezuela, Brasil, Bolivia,
Fr Guiana

Camixaima Martins & Galileo, 1996:308

beraba Martins & Galileo, 1996:307

Ecuador

Falsamblesthis Breuning, 1959:85

Forsteria Tippmann, 1960:211

candicans (Gounelle, 1910:19)

gracilis (Lameere, 1893:277)

ibiyara Marinoni, 1978:91

macilenta (Gounelle, 1910:18)

microps Martins & Galileo, 1992:104

pilula Galileo & Martins, 1987:449

seriepilosa (Kirsch, 1889:40)

taeniata (Belon, 1903:71)

unguicularis (Tippmann, 1960:212)

Ecuador
Venezuela
se Brasil (MG-RS)
Ecuador
Venezuela
Colombia
Ecuador
Bolivia
Bolivia

Gisostola Thomson, 1868:125

bahiensis Martins & Galileo, 1988:220

melancholica (Thomson, 1857:304)

tessellata Thomson, 1868:126

nordestina Galileo & Martins, 1987:93

quentini Martins & Galileo, 1989:122

e Brasil (BA)
se Brasil (MG-RJ)
e Brasil (CE)
se Brasil (RJ)

Helminda Blanchard in Gay, 1851:516

pilipennis Blanchard in Gay, 1851:517

Chile

Huedepohlia Martins & Galileo, 1989:122

pisciformis Martins & Galileo, 1989:123

Ecuador

Lustrocomus Martins & Galileo, 1996:309

paraensis Martins & Galileo, 1996:309

n Brasil (PA)

Neohebestola Marinoni, 1977:46

Hebestola; Blanchard in Gay, 1851:513 (not Haldeman, 1847)

apicalis (Fairmaire & Germain, 1859:529)

brasiliensis (Fontes & Martins, 1977:10)

concolor (Fabricius, 1798:149)

humeralis (Blanchard in Gay, 1851:514)

luchopegnai Martins & Galileo, 1989:129

parvula (Blanchard in Gay, 1851:514)

petrosa (Blanchard in Gay, 1851:515)

chiliensis Breuning, 1980:69

vitticollis (Blanchard in Gay, 1851:515)

bonariensis Thomson, 1868:127

Chile
se Brasil (MG, RJ)
?
Chile
Chile
Chile
Chile
Chile, Argentina

Nyctonympha Thomson, 1868:127

andersoni Martins & Galileo, 1992:103

annulata Aurivillius, 1900:420

annulipes (Belon, 1897:187)

Colombia, Bolivia
Panama, Venezuela
Bolivia, Peru

carcharias (Lameere, 1893:277)
glauca Aurivillius, 1900:420
carioca Galileo & Martins, 2001: 68
costipennis (Lameere, 1893:277)
cribrata Thomson, 1868:128
flavipes Aurivillius, 1920:401
genieri Martins & Galileo, 1992:104
howdenarum Martins & Galileo, 1992:104
punctata Martins & Galileo, 1989:127
taeniata Martins & Galileo, 1992:103

Venezuela
 se Brasil (RJ)
 Venezuela
 Colombia
 Peru, Ecuador, w Brasil (RO), Bolivia
 Ecuador
 Colombia
 n Argentina (SA)
 Panama, Trinidad & Tobago

Obereoides Fisher, 1938:149

cicatricosus (Zajciw, 1968:423)
joergenseni (Bruch, 1911:177)
rufipes Aurivillius, 1920:401
tenuis Fisher, 1938:150
parahybanus Galileo & Martins, 1998: 250
setulosus (Aurivillius, 1920:402)

se Brasil (RJ)
 se Brasil (RJ-RS), Paraguay,
 Argentina
 Brasil
 se Brasil (MG-SP)

Proceroblesthis Galileo & Martins, 1987:91

prolata Galileo & Martins, 1987:92

se Brasil (MG)

Pseudogisostola Fontes & Martins, 1977:12

reichardti Fontes & Martins, 1977:13

e Brasil (ES)

Saepiseuthes Thomson, 1868:141

chilensis Thomson, 1868:141
obliquatus (Fairmaire & Germain, 1859:511)

Chile
 Chile

Spinoblesthis Galileo & Martins, 1987:90

acuta Galileo & Martins, 1987:91

e Brasil (ES)

Udamina Thomson, 1868:124

leprieurii Thomson, 1868:125

Fr Guiana, nw Brasil (AM)

Callini

Thomson, 1864:123
Gryllicides Lacordaire, 1872:489

Acreana Lane, 1973:478

cuprea Lane, 1973:479

w Brasil (AC, RO)

Anapsicomus Galileo & Martins, 1988:513

aethroides Galileo & Martins, 1988:514
lampyroides (Bates, 1866:302)

s Brasil (SC, RS)
 e Brasil (ES)

Ardeocomus Galileo & Martins, 1988:512

hemilophoides Galileo & Martins, 1988:513

e Brasil (BA, MG)

Asemolea Bates, 1881:194

crassicornis Bates, 1881:194
macaranduba Galileo & Martins, 1998: 250
minuta (Bates, 1872:238)
purpuricollis Bates, 1885:423
setosa Bates, 1881:194

e Mexico (VC), Belize
 Brasil (AM)
 Guatemala-Costa Rica
 Panama
 Guatemala

Callia Audinet-Serville, 1835:60

albicornis Bates, 1885:424
ambigua Bates, 1885:424
annulata Galileo & Martins, 2002: 42
argodi Belon, 1903:74
axillaris (Dalman, 1823:69)

Panama, Ecuador
 e Mexico (VC)
 Ecuador
 Bolivia, Ecuador
 se Brasil (ES, RJ)

- flavofemorata* Laporte, 1840:486
- azurea** Audinet-Serville, 1835:60
- batesi** Blackwelder, 1946:626
minuta; Melzer, 1930:207 (not Bates, 1872)
- bella** Galileo & Martins, 1992:139
- bicolor** (Breuning, 1960:17)
- boliviana** Belon, 1903:72
- chrysomelina** Pascoe, 1859:45
- comitessa** Melzer, 1930:206
- criocerina** Bates, 1866:300
- cyanea** Melzer, 1931:14
- divisa** Galileo & Martins, 2002: 44
- flavipes** Zajciw, 1958:55
- fulvocincta** Bates, 1866:300
- gallegoi** Galileo & Martins, 1991:260
- halticoides** (Bates, 1866:301)
- leucozonata** Lane, 1973:436
- lineatula** Lane, 1973:437
- lissonota** Galileo & Martins, 2002: 46
- lycoides** Bates, 1866:301
- marginata** Galileo & Martins, 2002: 42
- paraguaya** Galileo & Martins, 2002: 49
- pulchra** Melzer, 1930:206
- punctata** Galileo & Martins, 2002: 42
- purpureipennis** (Gistel, 1848:431)
- rubristerna** Galileo & Martins, 1992:138
- simplex** Galileo & Martins, 1991:261
- tomentosa** Galileo & Martins, 2002: 46
- tristis** Galileo & Martins, 2002: 44
- xanthomera** Redtenbacher, 1867:185
- se Brasil (ES-SP)
se Brasil (SP)
- Ecuador
Fr Guiana
Peru, Bolivia
n Brasil (PA), Ecuador
se Brasil (ES, RJ)
nw Brasil (AM)
c Brasil (MT)
Brasil (MG)
se Brasil (ES, RJ)
Mexico-Panama, Brasil
Colombia
nw Brasil (AM)
Ecuador
Fr Guiana
Brasil (RO)
nw Brasil (AM)
Peru
Paraguay
s Brasil, Paraguay, Argentina, Bolivia
Colombia
Brasil
Peru
n Brasil (PA)
Brasil (MG)
Bolivia
se Brasil (RJ-RS), Paraguay, Argentina
- Calliomorpha** Lane, 1973:434
- cyanoptera** Lane, 1973:435
- nw Brasil (AM), Ecuador
- Callisema** Martins & Galileo, 1990:475
- consortium** Martins & Galileo, 1990:478
- elongata** Galileo & Martins, 1992:135
- iucaua** Martins & Galileo, 1996:307
- rufipes** Martins & Galileo, 1990:476
- socium** Martins & Galileo, 1990:477
- c Brasil (GO, MT)
Colombia, Venezuela
Peru
Brasil (RO, GO, MT, MG-RS)
se Brasil (MG-SC), n Argentina (MI)
- Callityrinthia** Galileo & Martins, 1991:257
- mimetica** Galileo & Martins, 1991:257
- Costa Rica
- Camitocomus** Galileo & Martins, 1991:254
- nodosus** Galileo & Martins, 1991:254
- se Brasil (ES, RJ)
- Canindea** Galileo & Martins, 1990:472
- latithorax** Galileo & Martins, 1991:251
- maculata** Galileo & Martins, 1990:474
- signaticornis** (Buquet, 1857:339)
- nw Brasil (AM)
nw Brasil (AM)
n Brasil (AM, PA, MA), Fr Guiana
- Chalcolyne** Bates, 1866:297
- metallica** (Pascoe, 1858:263)
- nc Brasil (AM, PA)
- Chereas** Thomson, 1864:124
- Atelodesmis*; Thomson, 1860:62 (not Buquet, 1857)
- octomaculata** (Buquet, 1857:337)
- se Brasil (ES, RJ)
- Colombicallia** Galileo & Martins, 1992:138
- curta** Galileo & Martins, 1992:138
- Colombia
- Drycothaea** Thomson, 1868:145
- Drycothaea*; Bates, 1881:193

- Estolopsis* Breuning, 1940:179
Guyanestola Breuning, 1961:248
angustifrons (Breuning, 1943:56) Fr Guiana
macrophthalma Breuning, 1961:248
anteochracea (Breuning, 1974:157) c Brasil (PA, GO, MT), Fr Guiana
ochreicollis Breuning, 1974:161
bicolorata Martins & Galileo, 1990:610 Ecuador, nw Brasil (AM)
brasiliensis (Breuning, 1974:49) c Brasil (AM, MT), Ecuador, Fr Guiana
marmorata Martins & Galileo, 1990:611
cribrata Bates, 1881:194 e Mexico (VC), Guatemala
curtula Bates, 1885:423 Panama
estola (Lameere, 1893:278) Venezuela
guadeloupensis Fleutiaux & Sallé, 1889:473 Guadeloupe
mexicana (Breuning, 1974:161) Mexico
ochreoscutellaris (Breuning, 1940:180) Ecuador, Surinam, Fr Guiana,
soricina Martins & Galileo, 1990:611 c Brasil (AM, PA, RO)
parva Bates, 1885:423 Panama
sallei (Thomson, 1868:145) s Mexico (TB, VC), Belize, Guatemala
sallaei; Bates, 1881:193
spretta Bates, 1885:422 e Mexico (VC)
stictica Bates, 1881:193 e Mexico (VC)-Panama
var. *lepidiota* Bates, 1885:422
testaceipes Bates, 1881:193 Guatemala
truncatipennis Tavakilian, 1997:136 s Brasil (SC)
stictica; Breuning, 1942:163 (not Bates, 1881)
turrialbae (Breuning, 1943:56) Costa Rica
viridescens (Buquet, 1857:337) se Brasil (ES, RJ)
- Eumathes** Pascoe 1858:251
Sinamora Thomson 1868:113
amazonicus Bates, 1866:297 nw Brasil (AM)
canus (Germar, 1824:483) se Brasil (BA-RJ)
undatus Pascoe, 1858:251
subcostatus Thomson, 1868:114
colombicus (Thomson, 1868:114) Colombia
cuprascens Bates, 1874:233 Nicaragua-Panama
- Eumimesis** Bates, 1866:298
affinis Magno & Monné, 1990:454 nw Brasil (AM), Ecuador
carbonelli Lane, 1973:476 Ecuador, Peru
germana Lane, 1973:474 c Brasil (PA, MT)
heilipoides Bates, 1866:298 nw Brasil (AM), Ecuador, Peru, Fr Guiana
trilineata Magno & Monné, 1990:453 w Brasil (RO)
- Euryestola** Breuning, 1940:180
Euroyestola; Breuning, 1963:510
antennalis Breuning, 1940:180 Venezuela
caraca Galileo & Martins, 1997: 130 Brasil (MG)
castanea Galileo & Martins, 2001: 69 nw Brasil (AM)
freyi Breuning, 1955:660 Trinidad
iquira Galileo & Martins, 1997: 129 Colombia
morotinga Galileo & Martins, 1997: 131 Brasil (PA)
murupe Galileo & Martins, 1997: 132 Venezuela
- Graminea** Thomson, 1864:329
annulata Galileo & Martins, 1990:469 w Brasil (RO)
hispida Galileo & Martins, 1990:471 ec Brasil (GO)
inca Galileo & Martins, 1990:471 Peru
multicava Galileo & Martins, 1990:469 Ecuador
tomentosa Thomson, 1864:330 e Brasil (BA, MG, SP)
- Gryllica** Thomson, 1860:120
Esmia; Thomson, 1864:100 (not Pascoe, 1859)
curitibana Lane, 1965:333 s Brasil (PR)
flavopustulata Thomson, 1860:121 se Brasil (ES, RJ)

| | |
|-----------------------------------------------------------------|-------------------------------------|
| picta (Pascoe, 1858:263) | se Brasil (BA-RS), n Argentina (MI) |
| prava Lane, 1973:470 | c Brasil (PA, MT) |
| <i>metallica</i> ; Dillon & Dillon, 1946:156 (not Pascoe, 1858) | |
| pseudopicta Lane, 1965:329 | e Brasil (BA) |
| pygmaea Lane, 1973:471 | s Brasil (PR) |
| Harringtonia Lane, 1973:477 | |
| dalmeidai (Dillon & Dillon, 1946:161) | Costa Rica, Panama |
| myia (Dillon & Dillon, 1946:163) | Bolivia |
| Hastatis Buquet, 1857:338 | |
| auricollis Buquet, 1857:339 | se Brasil (MG-SC) |
| denticollis Buquet, 1857:338 | se Brasil (RJ, SP) |
| femoralis Burmeister, 1865:181 | wc Argentina (ME) |
| simplicis Galileo & Martins, 1990:604 | se Brasil (SP, SC) |
| Hemicladus Buquet, 1857:328 | |
| callipus Buquet, 1857:331 | e Brasil (ES) |
| decoratus Fuchs, 1955:51 | Bolivia |
| dejeanii Buquet, 1857:329 | Fr Guiana, nw Brasil (AM) |
| fasciatus Galileo & Martins, 1991:249 | nc Brasil (AM), Ecuador |
| thomsonii Buquet, 1857:330 | Brasil, Paraguay |
| Hirticallia Galileo & Martins, 1990:879 | |
| hirsuta Galileo & Martins, 1990:879 | s Brasil (RS) |
| Icelastatis Galileo & Martins, 1991:249 | |
| galerucoides (Bates, 1866:299) | n Brasil (PA) |
| Igualda Thomson, 1868:144 | |
| posticalis Thomson, 1868:144 | Fr Guiana, nc Brasil (AM, PA) |
| Mesestola Breuning, 1980:70 | |
| guadeloupensis Breuning, 1980:70 | Guadeloupe |
| Micatocomus Galileo & Martins, 1988:511 | |
| isomeroides Galileo & Martins, 1988:512 | e Brasil (ES) |
| petalacmoides Galileo & Martins, 1988:511 | e Brasil (ES) |
| Miguelia Galileo & Martins, 1991:252 | |
| monnei Galileo & Martins, 1991:252 | nw Brasil (AM) |
| Mimolaia Bates, 1881:424 | |
| acaiuba Galileo & Martins, 1998: 153 | Colombia |
| buckleyi (Bates, 1885:424) | Bolivia |
| caloptera (Bates, 1885:424) | Costa Rica, Panama |
| cleroides (Bates, 1866:301) | nw Brasil (AM) |
| hua Galileo & Martins, 1991:256 | nw Brasil (AM) |
| lata Galileo & Martins, 1991:256 | Ecuador |
| peruana Galileo & Martins, 1991:255 | Peru |
| pichincha Galileo & Martins, 1992:135 | Ecuador |
| tachira Galileo & Martins, 1992:137 | Venezuela |
| variicornis Belon, 1903:76 | Bolivia |
| Paracallia Martins & Galileo, 1998: 56 | |
| bonaldoi Martins & Galileo, 1998: 56 | Brasil (AC) |
| Paracladus Martins & Galileo, 1990:478 | |
| fasciatus Martins & Galileo, 1990:479 | Peru |
| Parasemolea Martins & Galileo, 1990:479 | |
| boliviana Martins & Galileo, 1990:480 | Bolivia |

Schiacallia Galileo & Martins, 1991:248
tristis Galileo & Martins, 1991:248 e Brasil (BA, MG, ES)

Xenocallia Galileo & Martins, 1990:471
punctatissima Galileo & Martins, 1990:472 Bolivia

Zenicomus Thomson, 1868:194
ignicolor Galileo & Martins, 1988:510 e Brasil (ES)
photuroides Thomson, 1868:194 se Brasil (RJ, SP)

Incertae Sedis (probably Lamiinae)

Lamia annulata Fabricius, 1801:300 "America meridionalis"
Lamia annulicornis Kirby, 1818:439 Brasil
Lamia obscura Fabricius, 1798:144 "America boreali"

Subfamily Disteniinae

Thomson, 1860:181

Disteniini

Thomson, 1860:181

Aiurasyma Martins & Galileo, 2001: 18
potira Martins & Galileo, 2001: 20 Colombia

Cometes Lepeletier & Audinet-Serville in Latreille, 1828:486
amethystinus Villiers, 1957:409 Peru
argodi Belon, 1896:128 Bolivia
carinatus Villiers, 1957:408 ?
hirticornis Lepeletier & Audinet-Serville in Latreille, 1828:486 e Brasil, Paraguay, Argentina
humeralis Villiers, 1957:410 e Brasil (BA)
soledari Martins & Galileo, 2001: 16 Bolivia
zikani Melzer, 1926:6 e Brasil (MG, RJ)

Distenia Lepeletier & Audinet-Serville in Latreille, 1828:485

Antinoe Thomson, 1864:224

Thelxiope Thomson, 1864:226

Apheles Blessig, 1872:165

Sakuntala Lameere, 1890:213

agriloides Bates, 1885:272 Guatemala
agroides Bates, 1870:439 nc Brasil (PA)
angustata Bates, 1870:440 Fr Guiana, c Brasil (GO)
annulicornis Villiers, 1959:75 Colombia
atrocyanea Villiers, 1959:66 Fr Guiana
bahiaensis Villiers, 1959:68 e Brasil (BA, ES)
batesi Villiers, 1959:65 Panama
bicolor (Thomson, 1864:226) Guianas
brevicornis Bates, 1885:274 Mexico
brunneorufa Thomson, 1860:182 se Brasil (RJ-RS)
caerulescens Gounelle, 1911:248 c Brasil (GO)
carinata Villiers, 1959:60 Peru
chaparensis Tippmann, 1953:216 Bolivia
chryso stigma Bates, 1872:196 Nicaragua
cinctipennis Gounelle, 1911:247 c Brasil (GO)
columbina Lepeletier & Audinet-Serville in Latreille, 1828:485 se Brasil, n Argentina (MI)
cribristernis Bates, 1885:272 Nicaragua, Panama
var. *chontalensis* Bates, 1885:272
cyaneipennis Villiers, 1959:67 Fr Guiana
darlingtoni Fisher, 1942:3 R Dominicana, Puerto Rico
denticornis Bates, 1870:439 nw Brasil (AM)

| | |
|----------------------------------------------------|----------------------------|
| equatoriensis Villiers, 1959:74 | Ecuador |
| esmeralda Villiers, 1959:67 | Guyana |
| fastuosa Pascoe, 1871:274 | Guatemala-Colombia |
| fimbriata Lacordaire, 1869:228 | Mexico, Guatemala |
| <i>fimbria</i> ; Villiers, 1959:57 | |
| forcipata Villiers, 1959:76 | e Brasil (BA) |
| fossulata Villiers, 1959:75 | nc Brasil (PA) |
| fryi Villiers, 1959:61 | Fr Guiana |
| fulvopicta Bates, 1885:271 | Guatemala |
| fuscula Bates, 1885:273 | e Mexico (VC) |
| geniculata Bates, 1872:195 | Mexico-Panama |
| germaini Villiers, 1959:73 | Bolivia |
| granulipes Villiers, 1959:71 | Panama, nw Brasil (AM) |
| guyanensis Villiers, 1959:68 | Fr Guiana |
| hoegei Bates, 1885:271 | Mexico (GR, VC), Nicaragua |
| humeralis Waterhouse 1880:295 | Ecuador |
| langurioides Bates, 1885:275 | e Mexico (VC) |
| lateralis Fisher, 1946:329 | Bolivia |
| limbata Bates, 1885:273 | Mexico, Guatemala, Panama |
| lineatopora lineatopora Bates, 1880:35 | Mexico, Guatemala |
| subsp. irregularis Linsley, 1935:70 | Mexico |
| macella Villiers, 1959:64 | e Brasil (BA) |
| mathani Villiers, 1959:69 | Colombia |
| mirabilis Villiers, 1959:62 | se Brasil (RJ) |
| nigrella Bates, 1880:36 | Guatemala |
| pegnai Huedepohl, 1989:357 | Bolivia |
| peruviensis Villiers, 1959:70 | Peru |
| phaecocera Bates, 1880:35 | Nicaragua, Costa Rica |
| <i>rufipes</i> ; Bates, 1872:196 (not Bates, 1870) | |
| pictipes Bates, 1885:275 | Guatemala |
| pilati Chevrolat, 1857:104 | Mexico-Colombia |
| <i>pilatei</i> ; Thomson, 1860:182 | |
| pilosa Villiers, 1959:64 | se Brasil (RJ) |
| pulchra Melzer, 1926:5 | e Brasil (MG) |
| pullula Gounelle, 1911:246 | c Brasil (GO) |
| punctiventris Bates, 1885:274 | Panama |
| rufa Villiers, 1959:65 | Venezuela |
| rufipes Bates, 1870:440 | Colombia |
| rugiscapis Bates, 1885:272 | Guatemala, Panama |
| sallaei Bates, 1885:273 | Mexico |
| simplex Bates, 1885:274 | Panama |
| spinipennis Fisher 1946:330 | Costa Rica |
| spinosa Bates, 1885:273 | Panama |
| splendens Bates, 1870:439 | nw Brasil (AM) |
| striaticollis Villiers, 1959:70 | c Brasil (MT) |
| striatiscapis Villiers, 1959:74 | Costa Rica |
| suturalis Bates, 1870:440 | nw Brasil (AM) |
| trifasciata Bates, 1892:157 | se Mexico (VC, YU) |
| tumidicollis Villiers, 1959:72 | Peru |
| undata (Fabricius, 1775:181) | e USA |
| <i>undulatus</i> Gmelin, 1790:1860 | |
| <i>plebejus</i> Fabricius, 1798:147 | |
| unidentata Villiers, 1959:63 | Ecuador |
| viridicyanea (thomson, 1864:226) | Brasil |
| vittata Bates, 1880:36 | Guatemala |

Microcometes Villiers, 1957:410

| | |
|---------------------------------------|-----------------------------|
| bijubatus (Gounelle, 1911:251) | ne Brasil (PE) |
| lineatus Villiers, 1957:412 | e Brasil (BA, ES) |
| wagneri (Gounelle, 1911:250) | se Brasil, n Argentina (MI) |

Paracometes Villiers, 1957:412

| | |
|---------------------------------------------|------------------|
| acutipennis (Buquet, 1851:191) | Fr Guiana |
| amabilis Martins & Galileo, 2001: 16 | Costa Rica |
| apicalis (Waterhouse, 1880:296) | Colombia |
| bicolor (Fisher, 1946:332) | Panama, Colombia |
| biplagiatus Villiers, 1958:52 | Colombia |

| | |
|-------------------------------------------|-------------------------|
| columbianus Villiers, 1958:50 | Colombia |
| cuneatus Villiers, 1958:49 | Colombia |
| emarginatus (Fisher, 1946:331) | Costa Rica |
| ericae Martins & Galileo, 1994:80 | nc Brasil (TO) |
| eximius (Bates, 1885:275) | Panama |
| festivus (Bates, 1885:276) | Panama |
| flavipennis (Buquet, 1851:189) | Colombia, Ecuador |
| flavipes Villiers, 1958:48 | Peru |
| flavoviridis Villiers, 1958:48 | Colombia |
| hilaris (Bates, 1885:276) | Panama |
| laetificus (Bates, 1870:441) | nw Brasil (AM), Ecuador |
| mathani Villiers, 1958:51 | Colombia |
| peruvianus Villiers, 1958:46 | Peru |
| pojuca Martins & Galileo, 2001: 17 | Brasil (PA) |
| pulcherrimus (Bates, 1872:196) | Nicaragua-Panama |
| quadrinaculatus Villiers, 1958:53 | Ecuador |
| scapularis (Bates, 1870:441) | nw Brasil (AM) |
| spinipennis Villiers, 1958:47 | ? |
| tumidicollis Villiers, 1958:46 | Colombia |
| venustus (Bates, 1885:276) | Panama |
| violaceicollis Villiers, 1958:51 | Ecuador |

Pseudocometes Villiers, 1957:413

| | |
|--------------------------------------|--------------------|
| argutulus (Buquet, 1851:190) | Fr Guiana, Ecuador |
| basalis Villiers, 1958:38 | Colombia |
| bicoloripes Villiers, 1958:38 | nw Brasil (AM) |
| coeruleus (Bates, 1870:442) | nw Brasil (AM) |

Heteropalpini

Villiers, 1980:33

Heteropalpus Buquet, 1843: pl. 118

| | |
|----------------------------------------|---------------------------|
| pretiosus Buquet, 1843: pl. 118 | Fr Guiana, nw Brasil (AM) |
| smaragdinus Villiers, 1958:40 | Guyana |