

**SUBSTITUTE NAMES FOR TWO PREOCCUPIED
LONGHORNED BEETLES GENUS GROUP NAMES DESCRIBED
BY J. THOMSON (COLEOPTERA: CERAMBYCIDAE)**

Hüseyin Özdikmen*

* Gazi Üniversitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 06500 Ankara / TÜRKİYE, e-mail: ozdikmen@gazi.edu.tr

[Özdikmen, H. 2008. Substitute names for two preoccupied longhorned beetles genus group names described by J. Thomson (Coleoptera: Cerambycidae). Munis Entomology & Zoology 3 (2): 661-664]

ABSTRACT: Two junior homonym genus group names were detected among the longhorned beetle genus group names. All names were described by J. Thomson. So, the following replacement names are herein proposed: *Zehra* nom. nov. for *Sibylla* Thomson, 1857 and *Leptocometes* Bates, 1881 for *Tithonus* Thomson, 1864. Accordingly, new combinations are herein proposed for the species currently included in these genus group names. *Zehra coemeterii* (Thomson, 1856) comb. nov.; *Zehra flavosignata* (Fairmaire & Germain, 1859) comb. nov.; *Zehra integra* (Fairmaire & Germain, 1859) comb. nov.; *Zehra krahmeri* (Cerda, 1973) comb. nov.; *Zehra livida* (Germain, 1900) comb. nov. from *Sibylla* Thomson, 1857 and from *Tithonus* Thomson, 1864 and *Leptocometes acutispinis* (Bates, 1863) comb. nov.; *Leptocometes barbiscapus* (Bates, 1872) comb. nov.; *Leptocometes luneli* (Chalumeau & Touroult, 2005) comb. nov.; *Leptocometes nubilus* (Melzer, 1934) comb. nov.; *Leptocometes obscurus* (Monné, 1990) comb. nov.; *Leptocometes pallidus* (Melzer, 1934) comb. nov.; *Leptocometes penicillatus* (Monné, 1990) comb. nov.; *Leptocometes spitzi* (Melzer, 1934) comb. nov.; *Leptocometes umbrosus* (Thomson, 1864) comb. nov.; *Leptocometes umbrosus* (Thomson, 1864) comb. nov.; *Leptocometes virescens* (Melzer, 1931) comb. nov.; *Leptocometes volxemi* (Lameere, 1884) comb. nov. and *Leptocometes zikani* (Martins & Monné, 1974) comb. nov. from *Tithonus* Thomson, 1864.

KEY WORDS: nomenclatural change, homonymy, replacement name, Coleoptera, Cerambycidae.

Two previously proposed genus group names in the beetle family Cerambycidae are nomenclaturally invalid, as the genus group names have already been used by a different authors in Mantodea and Curculionidae. In accordance with Article 60 of the International Code of Zoological Nomenclature, I propose substitute names for these genus names.

**Family CERAMBYCIDAE
Subfamily CERAMBYCINAE
Genus ZEHRA nom. nov.**

Sibylla Thomson, 1857. Arch. ent. Paris, 1, 406. (Insecta: Coleoptera: Cerambycidae: Cerambycinae: Bimiini). Preoccupied by *Sibylla* Stål, 1856. Ofvers. VetenskAkad. Förh. Stockholm, 13, 168. (Mantodea: Siblyllidae: Siblyllinae).

Remarks on nomenclatural change: The name *Sibylla* was initially introduced by Stål, 1856 for an African genus of Mantodea (with the type species *Sibylla pretiosa* Stål, 1856 by monotypy. Later Thomson, 1857 described an neotropical longhorned beetle genus under the same generic

name (with the type species *Phoedinus coemeterii* Thomson, 1856). *Sibylla* Thomson, 1857 is still used as a valid genus name in Cerambycidae. Thus, the genus group name *Sibylla* Thomson, 1857 is a junior homonym of the genus *Sibylla* Stål, 1856. So I propose a new replacement name *Zehra* nom. nov. for the genus name *Sibylla* Thomson, 1857.

Etymology: This genus name is dedicated to Zehra Özdikmen.

Summary of nomenclatural changes:

***Zehra* nom. nov.**

pro *Sibylla* Thomson, 1857 (non Stål, 1856)
= *Sybilla* Thomson, 1864

***Zehra coemeterii* (Thomson, 1856) comb. nov.**

from *Sibylla coemeterii* (Thomson, 1856)
= *Phoedinus coemeterii* Thomson, 1856

Distr.: Chile, C Argentina

***Zehra flavosignata* (Fairmaire & Germain, 1859) comb. nov.**

from *Sibylla flavosignata* Fairmaire & Germain, 1859

Distr.: Chile

***Zehra integra* (Fairmaire & Germain, 1859) comb. nov.**

from *Sibylla integra* Fairmaire & Germain, 1859

Distr.: Chile, W Argentina

***Zehra krahmeri* (Cerda, 1973) comb. nov.**

from *Sibylla krahmeri* Cerda, 1973

Distr.: Chile

***Zehra livida* (Germain, 1900) comb. nov.**

from *Sibylla livida* Germain, 1900

Distr.: Chile

Subfamily LAMIINAE **Genus *LEPTOCOMETES* Bates, 1881**

Tithonus Thomson, 1864. Syst. Cerambycid., 24. (Insecta: Coleoptera: Cerambycidae: Lamiinae: Acanthocini). Preoccupied by *Tithonus* Germar, 1824. Spec. Ins. nov., 1, 355. (Insecta: Coleoptera: Curculionidae: Entiminae: *Otiorhynchus*).

Remarks on nomenclatural change: The longhorned beetle *Tithonus* Thomson, 1864 was established for a genus with the type species *Tithonus umbrosus* Thomson, 1864 in the family Cerambycidae. Nevertheless the name *Tithonus* is already occupied. Germar (1824) proposed a beetle subgenus name *Tithonus* for the genus *Otiorhynchus* Germar, 1822 of Curculionidae. Thus the longhorned beetle genus *Tithonus* Thomson, 1864 is a junior homonym of *Tithonus* Germar, 1824. *Tithonus* Thomson, 1864 has three junior synonyms as *Leptocometes* Bates, 1881; *Lophopoedes* Gilmour, 1957 and *Lathrozineus* Gilmour, 1959. So I suggest here that *Tithonus* Thomson, 1864 should be replaced

with the senior synonym name *Leptocometes* Bates, 1881 as a replacement name.

Summary of nomenclatural changes:

Leptocometes Bates, 1881 **new substitute name**

pro *Tithonus* Thomson, 1864 (non Germar, 1824)

= *Lophopoeides* Gilmour, 1957

= *Lathrozineus* Gilmour, 1959

Leptocometes acutispinis (Bates, 1863) **comb. nov.**

from *Tithonus acutispinis* (Bates, 1863)

= *Lophopoeum acutispine* Bates, 1863

= *Lathrozineus volcanensis* Gilmour, 1959

Distr.: Mexico, Panama-C Brasil, Ecuador, Fr Guiana, Bolivia

Leptocometes barbiscapus (Bates, 1872) **comb. nov.**

from *Tithonus barbiscapus* (Bates, 1872)

= *Lophopoeum barbiscapus* Bates, 1872

Distr.: Honduras, Guatemala-Panama

Leptocometes hispidus Bates, 1881

from *Tithonus hispidus* (Bates, 1881)

Distr.: E Mexico-Costa Rica

Leptocometes luneli (Chalumeau & Touroult, 2005) **comb. nov.**

from *Tithonus luneli* Chalumeau & Touroult, 2005

Distr.: St. Vincent, Antilles

Leptocometes nubilus (Melzer, 1934) **comb. nov.**

from *Tithonus nubilus* (Melzer, 1934)

= *Lophopoeum nubilus* Melzer, 1934

Distr.: SE Brasil

Leptocometes obscurus (Monné, 1990) **comb. nov.**

from *Tithonus obscurus* Monné, 1990

Distr.: Colombia

Leptocometes pallidus (Melzer, 1934) **comb. nov.**

from *Tithonus pallidus* (Melzer, 1934)

= *Lophopoeum pallidus* Melzer, 1934

Distr.: E Brasil

Leptocometes penicillatus (Monné, 1990) **comb. nov.**

from *Tithonus penicillatus* Monné, 1990

Distr.: Colombia, Ecuador

Leptocometes spinipennis Bates, 1885

from *Tithonus spinipennis* (Bates, 1885)

= *Lophopoeum spinipenne* Bates, 1885

Distr.: Panama

Leptocometes spitzzi (Melzer, 1934) **comb. nov.**

from *Tithonus spitzzi* (Melzer, 1934)

= *Lophopoeum spitzzi* Melzer, 1934

Distr.: SE Brasil, Fr Guiana

Leptocometes umbrosus (Thomson, 1864) **comb. nov.**

from *Tithonus umbrosus* Thomson, 1864

= sp. *glaucus* Melzer, 1934

Distr.: SE Brasil, Paraguay, Argentina

Leptocometes virescens (Melzer, 1931) **comb. nov.**

from *Tithonus virescens* (Melzer, 1931)

= *Lophopoeum virescens* Melzer, 1931

Distr.: S Brasil, Uruguay

Leptocometes volxemi (Lameere, 1884) **comb. nov.**

from *Tithonus volxemi* (Lameere, 1884)

= *Lophopoeum volxemi* Lameere, 1884

Distr.: SE Brasil

Leptocometes zikani (Martins & Monné, 1974) **comb. nov.**

from *Tithonus zikani* (Martins & Monné, 1974)

= *Lophopoedes zikani* Martins & Monné, 1974

Distr.: SE Brasil

LITERATURE CITED

Germar, E.F. 1824. Insectorum species novae aut minus cognitae, descriptionibus illustratae. Volumen primum. Coleoptera. [facing title page is one with title: Coleopterorum species. J.C. Hendelii et filii, Halae. 624 pp.

International Commission of Zoological Nomenclature. 1999. International Code of Zoological Nomenclature. Fourth Edition. The International Trust for Zoological Nomenclature, London.

Stål, C. 1856. Öfversigt af Kongl. Vetenskaps-Akademiens Förhandlingar Stockholm. 13: p. 168.

Thomson, J. 1857. Archives Entomologiques, 1: 514 pp. [p. 406].

Thomson, J. 1864. Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. Mémoires de la Société Royale des sciences de Liège, Paris, 19: 1-540.