











# Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

---

Pars 39:

Chr. Aurivillius

Cerambycidae: Cerambycinae.

---

Einzel-Preis: Mark 53.85

Subscriptions-Preis: Mark 35.50

---

W. Junk

Berlin W. 15, Kurfuerstendamm 201.

28. II. 1912.



W. JUNK, Berlin W. 15.  
Verlag und Antiquariat für Entomologie.

Soeben erschienen:

W. Junk

## Bibliographia Coleopterologica.

Ein Leinenband von XVI und 146 Seiten mit 1 Tafel.

Preis 1 Mark.

Mit einer Einleitung „Die Coleopterologische Literatur“, in welcher zum ersten Male der Versuch gemacht ist, den wissenschaftlichen Wert aller irgendwie wichtigen coleopterologischen Werke für den Forscher und Sammler zu charakterisieren.

## Lepidopterorum Catalogus

Editus a Chr. Aurivillius et H. Wagner.

- Pars 1: Chr. Aurivillius, Chrysopolomidae. 1911. 4 p.  
(Mark 0.40) Mk. 0.25
- 2: A. Pagenstecher, Callidulidae. 1911. 14 p.  
(Mark 1.35) Mk. 0.90
- 3: A. Pagenstecher, Libytheidae. 1911. 12 p.  
(Mark 1,10) Mk. 0.75
- 4: H. Wagner, Hepialidae. 1911. 26 p.  
(Mark 2.50) Mk. 1.65

QL  
571  
36  
ENT

# Coleopterorum Catalogus

auspiciis et auxilio

**W. Junk**

editus a

**S. Schenkling.**

Pars 39:

**Chr. Aurivillius**

Cerambycidae: Cerambycinae.



**W. Junk**

Berlin W. 15, Kurfuerstendamm 201.

1912.



# Fam. Cerambycidae.

## Subfam. Cerambycinae.

Auct. Chr. Aurivillius.

Linné, Syst. Nat. ed. 10, 1758, p. 388—399; ed. 12, 1767, p. 621—643. — Fabricius, Syst. Ent. 1775, p. 164—199; Gen. Ins. 1776, p. 47—55; Spec. Ins. I, 1781, p. 209—250; Mant. Ins. I, 1787, p. 130—160; Ent. Syst. I, 2, 1792, p. 251—357; Ent. Syst. Suppl. 1798, p. 142—154; Syst. Eleuth. II, 1801, p. 266—368, 374—375. — Goeze, Entomol. Beytr. I, 1777, p. 424—514. — Voet, Catal. Coleopt. II, 1778, p. 5—24, t. 4—24; 1804—06, p. 25—31, t. 25—27; ed. Panzer III, 1794, p. 9—68, t. 4—24; IV, 1798, p. 1—10, t. 25—27. — Olivier, Encycl. méth. Ins. V, 1790, Callidium p. 244—270; Cerambyx p. 284—309; VII, 1792, Leptura p. 509—526; Ent. IV 1795, 67—70. — Latreille, Hist. Nat. Crust. et Ins. XI, 1804, p. 282—322; in Cuvier, Règne anim. III, 1817, p. 341—345; ed. 2, Ins. II, 1829, p. 109—121. — Serville, Nouv. Classif. de la Fam. des Longic. in: Ann. Soc. Ent. Fr. I, 1832, p. 118—201, 443; II, 1833, p. 528—573; III, 1834, p. 5—110; IV, 1835, p. 197—228. — Castelnau, Hist. Nat. Ins. Col. II, 1840, p. 414—456, 498—506. — White, Cat. Col. Brit. Mus. VII, 1853; VIII, 1855. — Thomson, Archives Entomol. I, 1857, p. 81—89; Essai d'une Classification de la famille des Cerambycides 1860; Systema Cerambycidarum 1864—1865. — Lacordaire, Gen. Col. VIII, 1869, p. 192—552; IX, 1869, p. 1—237. — Pic, Matériaux pour servir à l'étude des Longicornes I—VIII, 1891—1911. — Heyne und Taschenberg, Exotische Käfer 1906—1907, p. 238—240, t. 36.

Paläarktisches Gebiet: Linné, Fauna Suec. ed. 2, 1761, p. 186—200 (Schweden). — Scopoli, Entomol. Carniol. 1763, p. 45—57 (Kärnthen). — Schrank, Enum. Ins. Austriae 1781, p. 128—165 (Österreich). — Laicharting, Verz. und Beschr. der Tyroler Insecten II, 1784, p. 6—176 (Tirol). — Geoffroy in Fourcroy, Entomologia Parisiensis I, 1785, p. 73—89 (Paris). — Rossi, Fauna Etrusca I, 1790, p. 140—164 (Toskana). — Martyn, The English Entomologist 1792 (England). — Schrank, Fauna Boica I, 2, 1798, p. 655—682, 688—697 (Bayern). — Donndorff, Europäische Fauna VII, Käfer, p. 534—613 (Europa). — Paykull, Fauna Suec. III, 1800, p. 53—131 (Schweden). — Walckenaer, Faune Parisienne, Ins. I, 1802, p. 203—224 (Paris). — Marsham, Entomologia Britannica I, 1802, p. 324—358 (England). — Samouelle, The Entomol. useful Compendium 1819, p. 209—211 (England). — Gyllenhal, Ins. Suec. I, 4, 1827, p. 1—50, 69—103, 120—122 (Schweden). — Stephens, Illustr. Brit. Entomol. Mandib. IV, 1831, p. 227—230, 242—266 (England); Manual Brit. Col.

- 1839, p. 268—280 (England). — Mulsant, Col. de France, Longic. 1839 (Frankreich); ed. II, 1862—63 (Europa). — Küster, Käfer Europas I—XXIII, 1844—51 (Europa). — Redtenbacher, Fauna Austriae 1849, p. 479—492, 502—510; ed. 2, 1858, p. 841—857, 869—879; ed. 3. II, 1874, p. 396—413, 427—437 (Österreich). — A. Costa, Fauna del Regno di Napoli, Coleotteri II, Longicornia, 1855—56 (Süditalien). — Bach, Käferfauna für Nord- und Mitteldeutschland III, 1856, p. 9—26, 41—54 (Deutschland). — Schiödt, Naturh. Tidskr. (3) II, 1864, p. 483—576 (Dänemark). — Fairmaire, Genera des Coleoptères d'Europe IV, 1864, p. 121—155, 178—190 (Europa). — Wollaston, Journ. of Entomol. II, 1863, p. 99—107. (Canarische Inseln). — C. G. Thomson, Skand. Coleoptera VIII, 1866, p. 10—77 (Schweden). — Blessig und Solsky, Horae Soc. Ent. Ross. IX, 1872—3, p. 165—191, 229—260 (Sibirien). — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 65—114 (Sibirien). — Cox, Handbook of the Coleopt. of Gr. Brit. and Irel. II, 1874, p. 308—317 (Britannien). — Ganglbauer, Bestimmungs-Tab. der europ. Col. VII, 1881, p. 17—80 (Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 695—758) (Europa); Revue d'Entomol. III, 1884, p. 163—211 (Frankreich). — Bedel, Faune des Coleopt. du bassin de la Seine V, 1889—90, p. 1—33, 50—86 (Nordfrankreich). — Fowler, Coleoptera of the Brit. Islands IV, 1889—90, p. 219—243 (Britannien). — Seidlitz, Fauna Baltica, ed. 2, 1891, p. 732—749 (Ostsee-Provinzen); Fauna Transsylvanica 1891, p. 823—843 (Siebenbürgen). — Stierlin, Coleoptera Helvetiae II, 1898, p. 451—488 (Schweiz). — Donisthorpe, Entomol. Record X, 1898, p. 219—223, 246—249, 269—271, 299—303 (England). — Everts, Coleoptera Neerlandica II. 1, 1901, p. 347—373 (Holland). — Csiki, Rovartani Lapok X, 1903, p. 100—105, 116—118, 138—141, 161—166, 181—183, 200—207; XI, 1904, p. 35—39, 56—60, 79—83, 98—104, 122—123, 135—144, 166—167 (Ungarn). — Houlbert, Faune Entomol. Armoricaine, Cerambycides, 1904, p. 11—59. — Jacobson, Die Käfer Russlands und Osteuropas VIII, 1910, t. 63—68 (Russland).
- Indo-malaysisches Gebiet:** Newman, Entomol. I, 1842, p. 243—248 (Philippinen). — Pascoe, Proc. Zool. Soc. London 1866, p. 504—535 (Penang); Trans. Ent. Soc. London (3) III, 1869, p. 497—660 (Malayischer Archipel). — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 148—156, 193—201 (Japan). — Brongniart, Nouv. Archives Mus. Paris (3) III, 1892, p. 237—247 (Siam, Tonkin). — Gahan, Ann. Museo Civ. Genova (2) XIV, 1894, p. 5—31 (Birma); Journ. Malay. States Museums I, 1906, p. 109—113 (Malacca); Fauna of British India, Coleoptera I, 1906, p. 58—329 (Britisch-Ostindien). — Matsumura, Thousand Insects of Japan III, 1908, t. 52—55 (Japan).
- Australo-papuanisches Gebiet:** Newman, Entomol. I, 1842, p. 351—354 (Südastralien). — Montrouzier, Ann. Soc. Agr. Lyon (2) VII, 1, 1855, p. 56—61 (Insel Woodlark). — Pascoe, Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 80—142 (Australien); Trans. Ent. Soc. Lond. (3) III, 1869, p. 497—660 (Indo-austral. Subregion). — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 16—24, 118—131 (Neuseeland). — Broun, Manual of the New Zealand Coleoptera I—VII, 1880—93 (Neuseeland). — Mac Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 202—204 (Neuguinea).
- Äthiopisches Gebiet:** Chevrolat, Rev. et Mag. Zool. (2) VII, 1855, p. 183—184, 282—290, 513—516; VIII, 1856, p. 340—343, 436—438, 566—572; X, 1858, p. 50—54; Première Centurie de Longicornes du Vieux Calabar 1858 (Alcalabar). — Gerstaecker, Peters' Reise Mossamb. Ins. 1862, p. 319—323 (Mossambik). — Murray,

Ann. Mag. Nat. Hist. (4) V, 1870, p. 430—438; VI, 1870, p. 44—56, 161—176; List of Coleopt. from Old Calabar 1878, p. 163—193 (Altealabar). — Fähræus, Öfvers. Vet. Akad. Förhandl. XXIX, 1, 1872, p. 48—69 (Natal, Transvaal). — Künckel in Grandid. Hist. Madag. XXII, 2, 1890, t. 47—54 (Madagaskar). — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 59—63 (Togo), 241—255 (Usambara); Deutsch-Ostafrika IV, 1897, Coleoptera p. 296—306 (Ostafrika). — Jordan, Nov. Zool. 1, 1894, p. 139—190; X, 1903, p. 131—145. — Aurivillius, Ent. Tidskr. XXIV, 1903, p. 239—267 (Kamerun); Schwed. Zool. Kilimandj. Exped. VII, 11, 1908, p. 140—144 (Kilimandjaro und Meru). — Distant, Insecta Transvaalensia 1904, p. 104—126 (Transvaal). — Gahan, Trans. Zool. Soc. London XIX, 1909, p. 209—210 (Ruwendzori).

**Nearktisches Gebiet:** Kirby, Fauna Bor.-Americana IV, 1837, p. 170—187 (Nördl. Teile Nordamerikas). — Haldeman, Trans. Amer. Philos. Soc. (2) X, 1847, p. 27—45, 57—66 (Vereinigte Staaten). — Leconte, Journ. Acad. Philad. (2) I, 1850, p. 311—340; II, 1850, p. 5—38 (Nordamerika). — Leconte, Smiths. Misc. Coll. XI, 265, 1873, p. 290—328 (Nordamerika). — Provancher, Petite Faune Entomol. du Canada I, 1877, p. 584—623 (Canada). — Leconte & Horn, Classification of the Coleoptera of North America 1883, p. 275—313. — Leng, Bull. Brookl. Entomol. Soc. VII, 1884—85, p. 60—64, 95—101, 112—119; Entomologica Americana I, 1885, p. 28—35, 130—136; II, 1886—87, p. 27—32, 60—63, 81—83, 102—103, 118—120, 193—200; III, 1887, p. 4—8, 23—24, 44; VI, 1890, p. 9—13, 65—67, 97—98, 104—110, 156—160, 185—200, 213—215 (Nordamerika); Supplement dazu von Hamilton: Trans. Amer. Ent. Soc. XXIII, 1896, p. 165—176. — Wickham, Canad. Entomol. XXIX, 1897, p. 81—88, 105—111, 148—153, 169—172, 187—193 (Canada).

**Neotropisches Gebiet:** Erichson, Archiv Naturgesch. XIII, 1847, I, p. 139—142 (Peru). — Blanchard in Gay, Historia de Chile, Zool. V, 1857, p. 457—498 (Chile). — Jacquelin du Val in Ramon de la Sagra, Hist. Cuba VI, 1857, p. 256—270 (Cuba). — Fairmaire et Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 486—511 (Chile). — Chevrolat, Ann. Soc. Ent. Fr. (4) II, 1862, p. 256—268 (Cuba). — Burmeister, Stett. Ent. Zeit. XXVI, 1865, p. 161—177; XL, 1879, p. 197—203 (Argentina). — Bates, Trans. Ent. Soc. Lond. 1870, p. 243—444 (Amazon. Gebiet). — Bates, l. c. 1872, p. 163—196; 1874, p. 219—224 (Nicaragua). — Bates, Biologia Centr.-Americana, Coleoptera V, 1880, p. 13—91; 1885, p. 239—333; Trans. Ent. Soc. Lond. 1892, p. 146—183 (Zentral-Amerika). — Gahan, Trans. Ent. Soc. Lond. 1895, p. 90—120 (Westindien). — P. Germain, Los Lonjicornios Chilenos I—VI, 1897—1901 (Chile). — Gounelle, Ann. Soc. Ent. Fr. LXXVII, 1909, p. 587—688; LXXX, 1911, p. 1—150 (Goyaz: Jatahy).

**Kataloge:** Schönherr, Syn. Ins. I, 3, 1817, p. 346, 348—502. — Dejean, Cat. Col. ed. 2, 1821, p. 105—106, 109—113; ed. 3, 1836, p. 319—335; ed. 4, 1837, p. 341—383. — Sturm, Catalog meiner Insecten-Sammlung 1826; Catalog der Käfersammlung von J. Sturm 1843. — Stephens, System. Catalogue of British Insects 1829, p. 196—206 (Britannien). — Kriechbaumer, Übersicht der Cerambyciden Münchens 1844 (München); Stett. Ent. Zeit. IX, 1848, p. 199—208 (Graubünden). — Pascoe, Zoologist XVIII, 1860, p. 6824—6828 (Australien). — Bland, Proc. Ent. Soc. Philad. I, 1863, p. 93—101 (Philadelphia). — Favareq, Ann. Soc. Agr. de la Loire VIII, 1864, p. 337—346 (Loire). — Rojas, Ann. Soc. Ent. Fr. (4) VI, 1866, p. 236—248 (Caracas). — Pascoe and Masters, List of the Australian Longicorns 1868 (Australien). — Fauvel, Bull. Soc. Linn. Normandie

(2) I. 1868, p. 172—215 (Neu-Caledonien). — Tournier, Rev. et Mag. Zool. (2) XXIII, 1872, p. 257—261, 276—292, 338—349 (Kaukasus). — Gemminger et Harold, Catalogus Coleopterorum I, 1873, p. 2786—2988. — L. Heyden, Verz. der Käfer von Nassau 1877, p. 328—334, 339—344 (Nassau); ed. 2, 1904, p. 266—279. — Schneider und Leder, Beitr. z. Kenntn. der kaukas. Käferfauna 1878, p. 311—317, 320—328 (Kaukasus). — Lewis, Catalogue of Coleoptera from the Japanese Archipelago 1879, p. 25—26 (Japan). — L. Heyden, Catalog der Coleopteren von Sibirien 1880—81, p. 183—187, 192—196, 224; Nachtr. I, 1893, p. 179—185; Nachtr. II, 1896, p. 77—78 (Sibirien). — Westhoff, Die Käfer Westfalens 1881, p. 241—245, 248—252 (Westfalen). — Masters, Catalogue of the descr. Coleoptera of Australia 1885—87, p. 988—1017 (Australien). — Baer, Ann. Soc. Ent. Fr. (6) VI, 1886, p. 150—153 (Philippinen). — Philippi, Catalogo de los Coleópteros de Chile 1887, p. 152—159 (Chile). — Lameere, Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 294—306 (Belgien). — Ganglbauer, Abeille XXV, 1882, p. 466—479 (Paläarktisches Gebiet). — Crill, Catalogus Coleopterorum Scandinaviae 1896, p. 314—324 (Skandinavien). — J. Sahlberg, Catalogus Coleopterorum Faunae Fennicae 1900, p. 106—109 (Finnland). — Alluaud in Grandidier, Hist. Madag. XXI, I, 1900, p. 339—359 (Madagaskar). — Kuthy, Fauna Regni Hungarici, Col. 1900, p. 175—180 (Ungarn). — Reitter, Catalogus Coleopterorum Europae, ed. 2, 1906, p. 502—519 (Europa). — Gerhardt, Verzeichnis der Käfer Schlesiens, ed. 3, 1910, p. 186—197 (Schlesien). — Smith, Insects of New Jersey 1910, p. 323—332 (New Jersey).

**Biologie:** Latreille, Hist. Nat. Crust. et Ins. XI, 1804, p. 262—263. — Ratzeburg, Forstinsekten ed. 2, I, 1839, p. 232—240. — Mulsant, Col. Fr. Longicornes 1839, p. 7—11; ed. 2, 1862, p. 6—14. — Westwood, Introd. Class. Ins. I, 1839, p. 355. — Erichson, Archiv Naturgesch. VIII, 1842, I, p. 375—377. — Gourreau, Ann. Soc. Ent. Fr. (2) II, 1844, p. 427—445. — Candèze, Mém. Soc. Sc. Liège VIII, 1853, p. 520—590. — Keller, Bericht Nat. Ges. St. Gallen 1868, p. 161—181. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 382—396, 440—450. — Perris, Larves des Coléoptères 1877, p. 416—570. — Riley, American Entomol. III, 1880, p. 237—239, 271. — Rappersberger, Biologie der Käfer Europas 1880, p. 234—238, 244—246; Die biol. Literatur über die Käfer Europas von 1880 an, 1894, p. 244—251. — C. G. Thomson, Skand. Col. VIII, 1866, p. 5. — Ganglbauer, Best.-Tab. VII, 1881, p. 4—5 (682—683). — Kittel, Corr.-Blatt Nat. Ver. Regensb. LVII, 1883, p. 45—46. — Fromont, Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 171—174. — Roullet, Rev. d'Ent. IV, 1885, p. 34—35. — Smith, Entomol. Amer. V, 1889, p. 156—158. — Judeich, Lehrb. der mitteleurop. Forstinsektenkunde II, 1, 1889, p. 557—563. — Xamben, Moeurs et Métamorphoses d'Insectes VIII, 1902. — Elliot & Morley, Trans. Ent. Soc. Lond. 1907, p. 24—28 (Parasiten). — Kleine, Entomol. Blätter V, 1909, p. 177—179, 207—212 (Schmarotzerwespen).

**Anatomie und Morphologie:** Schiödte, Nat. Tidskr. (3) II, 1864, p. 483—504. — Verhoeff, Deutsche Ent. Zeitschr. 1893, p. 113—170 (Abdominalsegmente). — Wandolleck, Zool. Jahrb. Anat. XXII, 1905, p. 477—576 (Weibliches Abdomen). — Kempers, Tijdschr. v. Ent. LII, 1909, p. 272—283 (Flügel).

## I. Thaumasiini.

Thoms. Syst. Ceramb. 1864, p. 313. — Lacordaire, Gen. Col. VIII, 1869, p. 194.

### Thaumasus Reiche.

Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 419. — Thoms. Classif. Ceramb. 1860, p. 273; Syst. Ceramb. 1864, p. 314. — Lacord. Gen. Col. VIII, 1869, p. 195.

**gigas** Ol. Journ. Hist. Nat. I, 1792, p. 267, t. 14, f. 6. Columbien,  
— Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 422, Zentral-  
t. 13, 4. — Rodrig. Bull. Soc. Ent. Fr. 1905, amerika  
p. 185.

1

## II. Disteniini.

Thoms. Classif. Ceramb. 1860, p. 181; Syst. Ceramb. 1864, p. 225. —  
Lacord. Gen. Col. IX, 1869, p. 225. — J. Lec. & Horn, Class. Col. N. Am.  
1883, p. 307. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 58.

### Cyrtonops White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 32. — Lacord. Gen. Col. VIII,  
1869, p. 162. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 59.

*Cladopalpus* Lansb. Notes Leyd. Mus. VIII, 1886, p. 35.

**nigra** Gah. Fauna Brit. Ind. Col. I, 1906, p. 60, f. 22. Manipur  
**punctipennis** White, Cat. Col. Brit. Mus. VII, 1853, Ostindien,  
p. 33, t. 2, f. 3; Proc. Zool. Soc. Lond. 1853, Borneo  
p. 29. — Poll, Notes Leyd. Mus. XII, 1890,  
p. 142.

**Hageni** Lansb. Notes Leyd. Mus. VIII, 1886, p. 36. Sumatra  
**tonkineus** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin  
p. 176.

3

### Dynamostes Pasc.

Pascoe, Trans. Ent. Soc. Lond. (2) IV, 1857, p. 90. — Lacord. Gen. Col.  
VIII, 1869, p. 196. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 61.

**audax** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 90, Sikkim,  
t. 22, f. 1. — Lacord. Gen. Col. VIII, 1869, Manipur  
p. 197. — Gah. Fauna Brit. Ind. Col. I, 1906,  
p. 61, f. 23.

1

### Distenia Serv.

Serv. Enc. méth. X, 1825, p. 485; Ann. Soc. Ent. Fr. IV, 1835, p. 207.  
— Cast. Hist. Nat. II, 1840, p. 498. — Thoms. Classif. Ceramb. 1860,  
p. 182; Syst. Ceramb. 1864, p. 442. — Lacord. Gen. Col. IX, 1869, p. 227.  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 62.

*Antioe* Thoms. Syst. Ceramb. 1864, p. 225.

*Apheles* Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 165.

*Sakuntala* Lameere, Bull. Soc. Ent. Belg. XXXIV, 1890, p. 213.

*Thelxiopie* Thoms. Syst. Ceramb. 1864, p. 226.

Katalog: Ross, Internat. Ent. Zeitschr. IV, 1911, p. 220.

## Arten aus Amerika.

- agriloides** Bates, Biol. C.-Am. Col. V, 1885, p. 272. Guatemala  
**agroides** Bates, Trans. Ent. Soc. Lond. 1870, p. 439. Tapajos  
**angustata** Bates, l. c. p. 440 nota. — Goun. Ann. Soc. Cayenne  
 Ent. Fr. LXXX, 1911, p. 146.  
**bicolor** Thoms. Syst. Ceramb. 1864, p. 226.  
**brevicornis** Bates, Biol. C.-Am. Col. V, 1885, p. 274, Mexico  
 t. 17, f. 18.  
**brunneorufa** Thoms. Class. Longic. 1860, p. 182. Brasilien  
**coerulescens** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
 p. 146.  
**chryso stigma** Bates, Trans. Ent. Soc. Lond. 1872, p. 196. Nicaragua  
**cinctipennis** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
 p. 145.  
**columbina** Serv. Enc. méth. X, 1825, p. 485. — Cast. Brasilien  
 Hist. Nat. II, 1840, p. 498.  
**cribristernis** Bates, Biol. C.-Am. Col. V, 1885, p. 272, Panama  
 t. 19, f. 20.  
**denticornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 439. Ega  
**fastuosa** Pasc. Ann. Mag. Nat. Hist. (2) VIII, 1871, Nicaragua  
 p. 274. — Bates, Biol. C.-Am. Col. V, 1885, p. 272.  
**fimbriata** Lacord. Gen. Col. IX, 1869, p. 228, nota 1. Guatemala,  
 — Bates, l. c. p. 271, t. 19, f. 13. Mexico  
**fulvopicta** Bates, l. c. p. 271, t. 17, f. 11. Guatemala  
**fuscula** Bates, l. c. p. 273, t. 19, f. 19. Mexico  
**geniculata** Bates, Trans. Ent. Soc. Lond. 1872, p. 195; Nicaragua,  
 Biol. C.-Am. Col. V, 1886, p. 35, t. 6, f. 17. Panama  
**Högei** Bates, l. c. 1885, p. 271, t. 19, f. 16, 17; Trans. Mexico  
 Ent. Soc. Lond. 1892, p. 157.  
**humeralis** Ch. Waterh. Ann. Mag. Nat. Hist. (5) V, Ecuador  
 1880, p. 295.  
**langurioides** Bates, Biol. C.-Am. Col. V, 1885, p. 275, Mexico  
 t. 19, f. 22.  
**limbata** Bates, l. c. p. 273, t. 19, f. 14.  
**lineatopora** Bates, l. c. 1880, p. 35, t. 17, f. 12; Trans. Guatemala  
 Ent. Soc. Lond. 1892, p. 156.  
**nigrella** Bates, Biol. C.-Am. Col. V, 1880, p. 36. "  
**phaecocera** Bates, l. c. p. 35. Nicaragua  
*rufipes* Bates, Trans. Ent. Soc. Lond. 1872, p. 196; Biol. C.-Am. Col. V, 1880, t. 6, f. 16.  
**pietipes** Bates, l. c. 1885, p. 275, t. 19, f. 21. Guatemala  
**Pilatei** Chev. Rev. Zool. (2) IX, 1857, p. 104, t. 6, f. 2. Columbien  
**pullula** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 144. Goyaz  
**punctiventris** Bates, Biol. C.-Am. Col. V, 1885, p. 274. Panama  
**rufipes** Bates, Trans. Ent. Soc. Lond. 1870, p. 440 nota. Neugranada  
**rugiscapis** Bates, Biol. C.-Am. Col. V, 1885, p. 272, t. 19, Panama  
 f. 15.  
**Sallaei** Bates, l. c. p. 273, t. 17, f. 13. Mexico  
**simplex** Bates, l. c. p. 274. Panama  
**spinosa** Bates, l. c. p. 273, t. 19, f. 18. "  
**splendens** Bates, Trans. Ent. Soc. Lond. 1870, p. 439. Ega  
**suturalis** Bates, l. c. p. 440. "  
**trifasciata** Bates, Trans. Ent. Soc. Lond. 1892, p. 157, Mexico  
 t. 6, f. 1.  
**undata** F. Syst. Ent. 1775, p. 181. — Ol. Ent. IV, 69, Nordamerika  
 1795, p. 25, t. 2, f. 15. — Buq. Mag. Zool. (2)  
 V, 1843, t. 118, f. 7. — J. Lec. Journ. Ac. Philad.

- (2) II, 1850, p. 37. — Lacord. Gen. Col. IX, 1869, t. 95, f. 1. — Leng, Entomol. Amer. VI, 1890, p. 10. — Heyne, Exot. Käf. 1906, p. 240, t. 36, f. 28.  
*undulata* Gmel. Syst. Nat. I, 4, 1790, p. 1860.  
*viridicyanea* Thoms. Syst. Ceramb. 1864, p. 226. Brasilien  
*vittata* Bates, Biol. C.-Am. Col. V, 1880, p. 36, t. 17, f. 10. Guatemala

Arten aus Asien.

- Dohertyi* Gah. Fauna Brit. India Col. I, 1906, p. 56. Manipur  
*dravidiana* Gah. l. c. Nilgiri  
*gracilis* Blessig, Horae Soc. Ent. Ross. IX, 1872—73 Amur,  
 (1872), p. 168, t. 8, f. 1. — Kraatz, Deutsche Ent. Japan  
 Zeitschr. XXIII, 1879, p. 91. — Matsum. Thous.  
 Ins. Japan III, 1909, nr. 692, t. 52, f. 7.  
*japonica* Bates, Ann. Mag. Nat. Hist. (4) XII,  
 1873, p. 155; Journ. Linn. Soc. Lond. XVIII,  
 1884, p. 209. — Jacobs. Käfer Russl. 1910,  
 t. 67, f. 1.  
*Kalidasae* Lameere, Bull. Soc. Ent. Belg. XXXIV, 1890, Bengalen  
 p. 214. — Gah. Fauna Brit. India, Col. I, 1906,  
 p. 63, f. 24.  
*Pryeri* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 57. Borneo

Arten aus Afrika.

- apicalis* Chev. Rev. Zool. (2) VII, 1855, p. 290. — Murr. Altcababar  
 Ann. Mag. Nat. Hist. (4) VI, 1870, p. 175.  
*Queketti* Dist. Ins. Transv. I, 1906, p. 164, f. 22. Natal  
 46

**Typodryas** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 227. — Lacord. Gen. Col. IX, 1869, p. 228.  
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 65.  
*Psalanta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 659.  
*callichromoides* Thoms. Syst. Ceramb. 1864, p. 227. — Assam,  
 Lacord. Gen. Col. IX, 1869, p. 228, t. 95, f. 3. Sylhet  
 — Gah. Fauna Brit. Ind. Col. V, 1906, p. 65, f. 25.  
*chalybeata* Pasc. Proc. Zool. Soc. Lond. 1866, p. 509; Singapore,  
 Trans. Ent. Soc. Lond. (3) III, 1869, p. 659, Borneo  
 t. 22, f. 1.  
*trochanterius* Gah. Fauna Brit. Ind. Col. I, 1906, p. 66. Assam  
 3

**Phelocalocera** Blanch.

- Blanch. Hist. Ins. II, 1845, p. 163. — Lacord. Gen. Col. IX, 1869, p. 231.  
*peregrina* Thoms. Archiv. Ent. I, 1857, p. 316, 394. — Madagascar  
 Künckel in Grand. Hist. Mad. Col. I, 1900, p. 358,  
 t. 48, f. 8.  
 1

**Noemia** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 111; (3) III, 1869, p. 656.  
 — Thoms. Classif. Ceramb. 1860, p. 182; Syst. Ceramb. 1864, p. 442. —  
 Lacord. Gen. Col. IX, 1869, p. 228.

*Nethinius* Fairm. Bull. Soc. Ent. Belg. XXXIII, 1889, p. 94;  
 Ann. Soc. Ent. Belg. XLI, 1897, p. 197; Ann. Soc. Ent. Fr. LXVIII,  
 1899, p. 119 (*Noemia* nicht = *Naemia* Muls.).

## Arten aus Asien.

- ✓ *apiceornis* Rits. Notes Leyd. Mus. XII, 1890, p. 136; Sumatra  
 XIII, 1891, t. 10, f. 3.  
 ✓ *flavicornis* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Malacca  
 p. 111, t. 22, f. 8; (3) III, p. 657.  
*Stevensi* Pasc. l. c. (2) IV, 1857, p. 111; (3) III, 1869, Borneo  
 p. 657.

## Arten aus Madagascar.

- anticipes* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 369. Madagascar  
*Coindardi* Fairm. l. c. XLVI, 1902, p. 251. „  
*dimidiatipes* Fairm. l. c. XXXIII, 1889, Bull. p. 94. — „  
 Künckel in Grand. Hist. Mad. Col. Atlas 1890,  
 t. 48, f. 7.  
*fulvescens* Fairm. l. c. — Künckel, l. c. t. 48, f. 5. „  
*fulvipes* Fairm. l. c. — Künckel, l. c. t. 48, f. 1, 2. „  
*gracillor* Fairm. Rev. d'Ent. XX, 1901, p. 224. „  
*longipennis* Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, „  
 p. 250.  
*obseuripes* Fairm. l. c. XXXIII, 1889, Bull. p. 94. — „  
 Künckel in Grand. Hist. Mad. Col. Atlas 1890,  
 t. 48, f. 6.  
*pallidipes* Künckel, l. c. t. 48, f. 4. „  
*Perrieri* Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 549. „  
*ruficeps* Fairm. l. c. „  
*sanguinicollis* Fairm. l. c. XXXIII, 1889, p. 94. — „  
 Künckel in Grand. Hist. Mad. Col. Atlas 1890,  
 t. 48, f. 3.  
*semirufus* Fairm. Rev. d'Ent. XX, 1901, p. 223. „

16

**Eupalelius** Fairm.

Fairm. Ann. Soc. Ent. Belg. XI, 1896, p. 368.

- scapulatus* Fairm. l. c. Madagascar  
 1

**Apharsatus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 519.

- fallaciosus* Fairm. l. c. Madagascar  
*multicostatus* Fairm. Rev. d'Ent. XX, 1901, p. 221. „

2

**Zulphis** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 518.

*Zulphidea* Fairm. l. c. XXXVIII, 1894, p. 395.

*subfasciata* Fairm. l. c. XXXVII, 1893, p. 518. Madagascar

1

**Nericonia** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 657. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 67.

*uigra* Gah. Ann. Mus. Civ. Gen. XXXIV, 1894, p. 30: Birma  
Fauna Brit. Ind. Col. I, 1906, p. 67.

*trifasciata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo  
p. 658, t. 22, f. 2.

2

**Melegena** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 659. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 66.

*cyanea* Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 275. Cochinchina

*flavipes* Gah. Fauna Brit. Ind. Col. I, 1906, p. 66. Bombay

*pubipennis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo  
p. 659, t. 22, f. 4.

3

**Cometes** Serv.

Serv. Enc. méth. X, 1825, p. 485; Ann. Soc. Ent. Fr. IV, 1835, p. 208.  
— Thoms. Classif. Ceramb. 1860, p. 182; Syst. Ceramb. 1864, p. 442. —  
Lacord. Gen. Col. IX, 1869, p. 229. — Bates, Biol. C.-Am. Col. V, 1880, p. 37.

*acutipennis* Buq. Rev. Zool. (2) III, 1851, p. 191, t. 5, Cayenne  
f. 3. — Bates, Biol. C.-Am. Col. V, 1885, p. 276  
nota.

*apicalis* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 296. Columbien

*Argodi* Belon, Bull. Soc. Ent. Fr. 1896, p. 128; Ann. Soc. Bolivien  
Linn. Lyon XLIII, 1896, p. 246.

*argutulus* Buq. Rev. Zool. (2) III, 1851, p. 190, t. 5, f. 4. Cayenne

*bijubatus* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 149. Penambuko

*coeruleus* Bates, Trans. Ent. Soc. Lond. 1870, p. 442. Ega

*eximius* Bates, Biol. C.-Am. Col. V, 1885, p. 275. Panama

*festivus* Bates, l. c. p. 276, t. 19, f. 24. "

*flavipennis* Buq. Rev. Zool. (2) III, 1851, p. 189, t. 5, f. 2. Columbien

*hilaris* Bates, Biol. C.-Am. Col. V, 1885, p. 276, t. 19, f. 25. Panama

*hirticornis* Serv. Enc. méth. X, 1825, p. 486. — Cast. Brasilien

Hist. Nat. II, 1840, p. 498. — Buq. Rev. Zool.

(2) III, 1851, p. 189, t. 5, f. 1. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 148.

*laetifivus* Bates, Trans. Ent. Soc. Lond. 1870, p. 441. Ega

*pulcherrimus* Bates, l. c. 1872, p. 196; Biol. C.-Am. Col. V, 1880, p. 37, t. 6, f. 18. Nicaragua

*scapularis* Bates, l. c. 1870, p. 441. Ega

*venustus* Bates, Biol. C.-Am. Col. V, 1885, p. 276, t. 19, f. 23. Panama

*Wagneri* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 148 Argentina:  
nota. Misiones

16

**Heteropalpus** Buq.

Buq. Mag. Zool. (2) V. 1843, Ins. t. 118. — Thoms. Syst. Ceramb. 1864, p. 442. — Lacord. Gen. Col. IX, 1869, p. 230. — Bates, Biol. C.-Am. Col. V, 1885, p. 276 nota.

*pretiosus* Buq. l. c. Cayenne  
1

**III. Erlandiini.****Erlandia** Auriv.

Auriv. Ent. Tidskr. XXV, 1904, p. 205.

*inopinata* Auriv. l. c. p. 206, fig. Bolivia  
1

**IV. Smodicini.**

Lacord. Gen. Col. IX, 1869, p. 143 (ex parte). — J. Lec. & Horn, Class. N. Amer. Col. 1883, p. 279.

**Smodicum** Hald.

Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 38. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 24. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 440. — Lacord. Gen. Col. IX, 1869, p. 145. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

*argentinum* Bruch, Rev. Mus. La Plata XVIII, 1911, Buenos Aires  
p. 170, fig.  
*bonariense* Bruch, l. c. p. 171, fig.  
*brunneum* Thoms. Rev. Zool. (3) VI, 1878, p. 7. — Gah. Columbien  
Trans. Ent. Soc. Lond. 1895, p. 90.  
*similare* Thoms. Rev. Zool. (3) VI, 1878, p. 8. St. Domingo  
*cucujiforme* Say, Journ. Ac. Philad. V, 2, 1827, p. 277. Nordamerika  
— J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 24.  
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 96:  
Ent. Amer. I, 1885, p. 35, t. 1, f. 3.  
*cylindrides* Newm. Ent. Mag. V, 1838, p. 394.  
*depressum* Thoms. Rev. Zool. (3) VI, 1878, p. 6. Brasilien  
*Dinellii* Bruch, Rev. Mus. La Plata XVIII, 1911, p. 172, Tucuman  
fig.  
*ebeninum* Chevr. Rev. Zool. (2) VII, 1855, p. 183; Prem. Alcealabar  
Cent. de Long. nr. 3, 1858, t. 1, f. 3. — Murr.  
Ann. Mag. Nat. Hist. (4) VI, 1870, p. 175, t. 2, f. 3.  
*impressicolle* Lacord. Gen. Col. IX, 1869, p. 146, nota 2. St. Domingo  
— Thoms. Rev. Zool. (3) VI, 1878, p. 9.  
*miserum* Thoms. l. c. p. 8.  
*missionum* Bruch, Rev. Mus. La Plata XVIII, 1911, Misiones  
p. 174, fig.  
*parandroides* Bates, Biol. C.-Am. Col. V, 1884, p. 241. Mexico  
t. 18, f. 1.  
*semipubesceus* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
p. 127.  
*subcylindricum* Thoms. Rev. Zoöl. (3) VI, 1878, p. 7. Columbien

**Enosmaeus** Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 9.

*cubanus* Thoms. l. c. p. 10.

Cuba

1

**V. Protaxini.**

Gah. Fauna Brit. Ind. Col. I, 1906, p. 92.

**Protaxis** Gah.

Gah. l. c. p. 93.

*fulvescens* Gah. l. c. p. 93, fig. 36.

Manipur

1

**VI. Spondylini.**

Serville, Ann. Soc. Ent. Fr. I, 1832, p. 123 (ex parte). — Muls. Col. Fr. Long. 1839, p. 17; ed. 2, 1862, p. 36. — Thomson, Classif. Ceramb. 1860, p. 271; Syst. Ceramb. 1864, p. 271. — Fairmaire, Gen. Col. IV, 1864, p. 115. — Lacordaire, Gen. Col. VIII, 1869, p. 197. — J. Leconte, Smiths. Misc. Coll. XI, 264, 1872, p. 281. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 266. — Bedel, Faune Col. Seine V, 1889, p. 2. — Seidlitz, Fauna Balt. ed. 2, 1891, Gatt. p. 179; Fauna Transs. 1891, Gatt. p. 179. — Stierlin, Col. Helvet. II, 1898, p. 451. — Everts, Col. Neerl. II, I, 1901, p. 341. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 303 (ex parte). — Csiki, Rov. Lapok X, 1903, p. 76.

**Spondylis** F.

F. Syst. Ent. 1775, p. 159; Gen. Ins. 1776, p. 45. — Ol. Ent. IV, 71, 1795, p. 1. — Latr. Précis Car. Gen. Ins. 1797, p. 54; Hist. Nat. Crust. Ins. XI, 1804, p. 264. — Payk. Fauna Suec. III, 1800, p. 138. — Gyllenh. Ins. Suec. I, 4, 1827, p. 117. — Zett. Fauna Ins. Lapp. I, 1828, p. 368. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 226; Man. 1839, p. 269. — Serv. Ann. Soc. Ent. Fr. I, 1832, p. 131. — Muls. Col. Fr. Long. 1839, p. 17; ed. 2, 1862, p. 37. — Cast. Hist. Nat. II, 1840, p. 388. — Redt. Gatt. deutsch. Käferf. 1845, p. 107; Fauna Austr. 1849, p. 477; ed. 2, 1858, p. 839; ed. 3; II, 1874, p. 394. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 99. — Bach, Käferfauna III, 1856, p. 7. — Thoms. Classif. Ceramb. 1860, p. 272; Syst. Ceramb. 1864, p. 465. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 115. — Lacord. Gen. Col. VIII, 1869, p. 298. — Ganglb. Best.-Tab. VII, 1881, p. 13 (691); Rev. d'Ent. IV, 1884, p. 169. — Bedel, Faune Col. Seine V, 1889, p. 3. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 179; Fauna Transs. 1891, Gatt. p. 179. — Stierl. Col. Helvet. II, 1898, p. 451. — Everts, Col. Neerl. II, I, 1901, p. 346. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 327 (Synopsis). — Csiki, Rov. Lapok X, 1903, p. 76. — Houlb. Faune Armor. Ceramb. 1904, p. 21.

*Attelabus* L. Syst. Nat. ed. 10, 1758, p. 387 (ex parte).*Pseudoclerus* Voet, Cat. Col. II, 1804—6, p. 57.*Spondylus* C. G. Thoms. Skand. Col. VIII, 1866, p. 17.

*buprestoides* L. Syst. Nat. ed. 10, 1758, p. 388; Fauna Paläarkt-  
Succ. ed. 2, 1761, p. 186. — Müller, Fauna tisches  
Fridr. 1764, p. 12. — F. Syst. Ent. 1775, p. 159. Gebiet,  
— Schrank, Enum. Ins. 1781, p. 219. — Borowsky, Japan,

Naturl. VI, 1784, p. 119, t. 15, f. 6. — Villers, Linn. Ent. I, 1789, p. 221. — Ol. Ent. IV, 71, 1795, p. 4, t. 1, f. 1. — Panzer, Deutschl. Insectenf. 1795, p. 231; Fauna Ins. Germ. XLIV, 1797, t. 19; in Voet, Hartsch. Ins. IV, 1798, p. 77, t. 44, f. γ II. — Schrank, Fauna Boica I, 2, 1798, p. 575. — Donndorff, Europ. Fauna VIII, 1799, p. 528. — Payk. Fauna Succ. III, 1800, p. 138. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 264. — Bechst. & Scharfenb. Naturl. Forstins. I, 1804, p. 181. — Gyllenh. Ins. Succ. I, 4, 1827, p. 117. — Zett. Fauna Ins. Lapp. I, 1828, p. 368. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 226; Man. 1839, p. 268. — Muls. Col. Fr. Long. 1839, p. 17, t. 1, f. A: ed. 2, 1862, p. 38. — Cast. Hist. Nat. II, 1840, p. 388, t. 43, f. 2. — Redt. Fauna Austr. 1849, p. 477; ed. 2, 1858, p. 839; ed. 3, II, 1874, p. 394. — Bach, Käferfauna III, 1856, p. 8. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 35, f. 158. — C. G. Thoms. Skand. Col. VIII, 1866, p. 17. — Ganglb. Best.-Tab. VII, 1881, p. 76 (754); Rev. d'Ent. IV, 1884, p. 211. — Bedel, Faune Col. Seine V, 1889, p. 3. — Seidl. Fauna Balt. ed. 2, 1891, p. 732; Fauna Transs. 1891, p. 823. — Stierl. Col. Helvet. II, 1898, p. 452. — Everts, Col. Neerl. II, 1, 1902, p. 346. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 330. — Csiki, Rov. Lapok X, 1903, p. 76. — Houlb. Faune Armor. Ceramb. 1904, p. 21, f. 40. — Matsum. Thous. Ins. Japan III, 1908, nr. 797, t. 53, f. 6. — Kempers, Tijdschr. Ent. LII, 1909, p. 276, t. 13, f. 1. — Jacobs. Käfer Russl. 1910, t. 63, f. 1.

*bubrestoides* Laich. Verz. Tyrol. Ins. II, 1784, p. 113.

♀ *elongatus* Latr. in Cuv. Règne anim. ed. 2, V, 1829, p. 107. — Muls. Col. Fr. Long. 1839, p. 18.

*magnus* Voet, Cat. Col. II, 1804—06, p. 57, t. 41, f. γ II.

*maxillosus* Degeer, Mém. Ins. V, 1775, p. 84, t. 3, f. 21.

*sinensis* Nonfr. Ent. Nachr. XVIII, 1892, p. 92.

Biologie: Ratzeb. Forstins. I, 1837, p. 233, t. 17, f. 12. — Westw. Introd. Ent. I, 1839, p. 355, f. 43, 6—13. — Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 440, t. 5, f. 351—358; Larves Col. 1877, p. 430. — Nördl. Lebensw. Forstk. 1880, p. 40. — Judeich, Forstins. II, 1, 1889, p. 571. — Xamheu, Moeurs & Métam. VIII, 1902, p. 33. — Mjöberg, Arkiv Zool. II, 17, 1905, p. 37.

✓ *mexicanus* Bates, Biol. C.-Am. Col. V, 1880, p. 15, t. 17, f. 1. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 329.

✓ *upiformis* Mannerh. Bull. Moscou XVI, 1843, p. 304. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 328.

*laticeps* J. Lec. in Agass. Lake Sup. 1850, p. 233: Journ. Acad. Philad. (2) II, 1852, p. 99.

China  
(fehlt in  
Gross-  
britannien)

Mexico

Canada bis  
Alaska

**Scaphinus** J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 100. — Thoms. Classif. Ceramb. 1860, p. 272; Syst. Ceramb. 1864, p. 465. — Lacord. Gen. Col. VIII, 1869, p. 199. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 330.

✓ **muticus** F. Syst. El. II, 1801, p. 265.

*sphaericollis* J. Lec. Journ. Acad. Philad. (2) I, 1847, p. 93; (2) II, 1852, p. 100. — Lacord. Gen. Col. VIII, 1869, p. 199, t. 83, f. 5. — Lameere, Ann. Soc. Ent. Belg. XLVI, 1902, p. 331.

Südstaaten  
Nord-  
amerikas

1

**VII. Asemini.**

Thoms. Classif. Ceramb. 1860, p. 259. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 519. — Lacord. Gen. Col. VIII, 1869, p. 205. — J. Lec. & Horn, Class. Col. N. Amer. 1883, p. 278. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 94.

**Asemum** Eschz.

Eschz. Bull. Mosc. II, 1830, p. 66. — Muls. Col. Fr. Long. ed. 1, 1839, p. 62; ed. 2, 1862, p. 119. — Redt. Gatt. deutsch. Käferf. 1845, p. 109. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 35. — Bach, Käferfauna III, 1856, p. 12. — Thoms. Classif. Ceramb. 1860, p. 260; Syst. Ceramb. 1864, p. 464. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 522. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 123. — C. G. Thoms. Skand. Col. VIII, 1866, p. 18. — Lacord. Gen. Col. VIII, 1869, p. 206. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 62. — Everts, Col. Neerl. II, 1901, p. 362.

✓ **amurense** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 97. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 208. — Matsum. Thous. Ins. Japan III, 1908, nr. 703, t. 53, f. 2. Amur, Japan

✓ **asperum** J. Lec. Proc. Ac. Philad. VII, 1854, p. 18; 1862, p. 42; Reports of Explor. and Surv. IX, I, 1857, p. 60. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 63. Oregon

✓ **atrum** Eschz. Bull. Mosc. II, 1830, p. 66. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 62. Nordamerika

✓ **glabrellum** Bates, Trans. Ent. Soc. Lond. 1892, p. 146, t. 5, f. 6. Mexico

✓ **moestum** Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 35. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 35. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 62. — Wickh. Canad. Ent. XXIX, 1897, p. 105, fig. 16. Nordamerika

Biologie: Pack. Ins. inj. Trees 1881, p. 157, f. 70; Rep. Ent. Comm. III, 1883, t. 9, f. 1. — Felt, Ins. aff. Trees 1907, p. 661, f. 190.

*fuscum* Hald. Trans. Am. Phil. Soc. X, 1847, p. 36.

*juvencum* Hald. l. c.

*striatum* Kirby, Fauna Bor.-Am. IV, 1837, p. 171.

*substriatum* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 36.

- nitidum* Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 169. Oregon  
*punctulatum* Blessig. Horae Soc. Ent. Ross. IX, 1872, Ostsibirien  
 p. 182. — Kraatz, Deutsche Ent. Zeitschr.  
 XXIII, 1879, p. 83  
*striatum* L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Succ. Paläarktische  
 ed. 2, 1761, p. 192. — F. Syst. Ent. 1775, p. 191. Region  
 — Degeer, Mém. Ins. V, 1775, p. 90. — Laich.  
 Verz. Tyrol. Ins. II, 1784, p. 74. — Herbst,  
 in Füessly, Archiv V, 1784, p. 96, t. 26, f. 13.  
 — Villers, Linn. Ent. I, 1789, p. 248. — Ol.  
 Enc. méth. Ins. V, 1790, p. 257; Ent. IV, 70,  
 1795, p. 44, t. 2, f. 24, a, b. — Panz. Deutschl.  
 Ins.-Fauna 1795, p. 264; in Voet's Hartsch.  
 Ins. IV, 1798, p. 77, t. 41, f. γ 6; Fauna Ins.  
 Germ. LXX, 1799, t. 13. — Payk. Fauna Succ.  
 III, 1800, p. 83. — Waleken. Faune Paris. I,  
 1802, p. 214. — Latr. Hist. Nat. Ins. XI, 1804,  
 p. 293. — Gyllenh. Ins. Succ. I, 4, 1827, p. 80.  
 — Zett. Fauna Ins. Lapp. I, 1828, p. 368. —  
 Curt. Brit. Ent. VII, 1830, t. 295. — Steph.  
 III. Brit. Ent. Mand. IV, 1831, p. 246; Man.  
 1839, p. 274. — Muls. Col. Fr. Long. 1839,  
 p. 62; ed. 2, 1863, p. 119. — Shuck. Brit. Col.  
 1840, p. 65, t. 75, f. 3. — Cast. Hist. Nat. II,  
 1840, p. 454. — Redt. Fauna Austr. 1849,  
 p. 485; ed. 2, 1858, p. 845; ed. 3, II, 1874, p. 404.  
 — Bach, Käferf. III, 1856, p. 13. — Schiödte,  
 Nat. Tidskr. (3) II, 1864, p. 522. — Fairm.  
 Gen. Col. d'Eur. IV, 1864, t. 37, f. 168. —  
 C. G. Thoms. Skand. Col. VIII, 1866, p. 18.  
 — Cox, Handb. Col. II, 1874, p. 316. — Ganglb.  
 Best.-Tab. VII, 1881, p. 76 (754); Rev. d'Ent.  
 III, 1884, p. 210. — Bedel, Faune Col. Seine V,  
 1829, p. 23, 69. — Fowler, Col. Br. Isl. IV, 1889,  
 p. 221, t. 120, f. 3. — Seidl. Fauna Balt. ed. 2,  
 1891, p. 732; Fauna Transs. 1891, p. 824. —  
 Stierl. Col. Helvet. II, 1892, p. 452. — Everts,  
 Col. Neerl. II, 1901, p. 362. — Houlb. Faune  
 Armor. Ceramb. 1904, p. 46, f. 89. — Csiki,  
 Rov. Lapok XI, 1904, p. 81. — Jacobs. Käfer  
 Russl. 1910, t. 66, f. 4.  
 Biologie: Chap. & Cand. Mém. Soc. Sc. Liège  
 VIII, 1853, p. 584. — Schiödte, Nat. Tidskr.  
 (3) X, 1876, p. 401, t. 14, f. 1—9. — Perris,  
 Larves Col. 1877, p. 439. — Hoffbauer, Zeitschr.  
 wiss. Zool. LIV, 1892, p. 579. — F. G. Smith,  
 Trans. Ent. Soc. Lond. 1905, p. 165, t. 9, f. 6, 8, 13.  
*buprestoide* Saven. in Hummel, Ess. Ent. IV,  
 1825, p. 64.  
*parvum* Voet, Cat. Col. II, 1804—06, p. 57, t. 41,  
 f. γ 1.  
*ab. agreste* F. Mant. Ins. I, 1787, p. 152. — Gmel.  
 Syst. Nat. I, 4, 1790, p. 1846. — Panz. Deutschl.  
 Ins.-Fauna 1795, p. 262.  
*striatum* var. Laich. Verz. Tyrol. Ins. II, 1784,  
 p. 75. — Ol. Ent. IV, 70, 1795, p. 45, t. 2, f. 24 c.  
*dichroum* Gmel. Syst. Nat. I, 4, 1790, p. 1846.  
 var. *subsulcatum* Motsch. Schrenck's Reis. II,  
 1860, p. 152. Ostsibirien

- tenuicorne** Kraatz, Deutsche Ent. Zeitschr. XXIII, Krim  
1879, p. 97 nota; XXXI, 1887, p. 296. —  
Ganglb. Best.-Tab. VII, 1881, p. 76 (754).  
var. *semilividum* Pic, Ann. Soc. Ent. Fr. LXI, Syrien  
1892, p. 417.

9

### Nothorhina Redt.

- Redt. Gatt. deutsch. Käferf. 1845, p. 109. — Muls. Col. Fr. Long. ed. 2,  
1862, p. 122. — C. G. Thoms. Skand. Col. VIII, 1866, p. 23. — Fairm.  
Gen. Col. d'Eur. IV, 1868, p. 123. — Lacord. Gen. Col. VIII, 1869, p. 207.  
— Ganglb. Best.-Tab. VII, 1881, p. 12 (690); Rev. d'Ent. III, 1884, p. 169.  
— Seidl. Fauna Balt. 1891, Gatt. p. 182.

- muricata** Dalm. Schönh. Syn. Ins. I, 3, App. 1817, p. 193. Nord- und  
— Gyllenh. Ins. Suec. I, 4, 1827, p. 88. — Mittel-  
Redt. Fauna Austr. 1849, p. 485; ed. 2, 1858, europa  
p. 851; ed. 3, II, 1874, p. 404. — Muls. Col.  
Fr. Long. ed. 2, 1862, p. 122. — Fairm. Gen.  
Col. d'Eur. IV, 1867, t. 37, f. 169. — C. G.  
Thoms. Skand. Col. VIII, 1866, p. 24. — Ganglb.  
Best.-Tab. VII, 1881, p. 753. — Seidl. Fauna  
Balt. ed. 2, 1891, p. 739. — Jacobs. Käfer Russl.  
1910, t. 67, f. 8.  
Biologie: Zoufal, Ent. Blätter V, 1909, p. 109.  
*scabricollis* W. Redtb. Col. Austr. 1842, p. 24.

1

### Alocerus Muls.

- Muls. Col. Fr. Long. ed. 2, 1862, p. 127. — Redt. Fauna Austr. ed. 3,  
II, 1874, p. 405. — Csiki, Rov. Lapok XI, 1909, p. 37.  
*Allocerus* Gemm. & Har. Cat. Col. IX, 1873, p. 2788.  
*Cyamophthalmus* Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 99.  
— Fairm. Gen. Col. d'Eur. IV, 1864, p. 126. — Lacord. Gen.  
Col. VIII, 1869, p. 207. — Ganglb. Best.-Tab. VII, 1881, p. 13  
(691).

- moesiacus** Friv. A'Magyar Tud. Tars. Euk. III, 3, 1838, Mittelmeer-  
p. 177, t. 7, f. 7. — Ganglb. Best.-Tab. VII, gebiet  
1881, p. 75 (753). — Csiki, Rov. Lapok XI,  
1904, p. 82.  
*ferrugineus* Kraatz, Berl. Ent. Zeitschr. VII,  
1863, p. 100, t. 4, f. 6 a. — Fairm. Gen. Col.  
d'Eur. IV, 1864, t. 38, f. 172. — Redt. Fauna  
Austr. ed. 3, II, 1874, p. 405.  
*fulvus* Muls. Col. Fr. Long. ed. 2, 1862, p. 128.  
*nitidus* Fairm. Rev. Zool. (2) XVI, 1864, p. 340.  
var. *syriacus* Chevr. Ann. Soc. Ent. Fr. (6) II, Syrien  
1882, p. 59.

1

### Tetropium Kirby.

- Kirby, Fauna Bor.-Am. IV, 1837, p. 174. — J. Lec. Journ. Ac. Philad.  
(2) II, 1850, p. 34. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. °  
1864, p. 462. — Schiödt, Nat. Tidskr. (3) II, 1864, p. 519. — Fairm. Gen.

2

Col. d'Eur. IV, 1864, p. 126. — Lacord. Gen. Col. VIII, 1869, p. 208. — Redt. Fauna Austr. ed. 3, II, 1874, p. 403. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Casey, Ann. N. York Ac. VI, 1892, p. 22; Trans. Am. Ent. Soc. XXIII, 1896, p. 165 (Nordamerikan. Arten). — Everts, Col. Neerl. I, II, 1901, p. 363. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 95.

*Criomorpha* Muls. Col. Fr. Long. ed. 1, 1839, p. 58; ed. 2, 1862, p. 115. — Bach, Käferf. III, 1856, p. 12. — Redt. Fauna Austr. ed. 2, 1858, p. 845. — C. G. Thoms. Skand. Col. VIII, 1866, p. 21. *Isarthron* Redtb. Gatt. deutsch. Käferf. 1845, p. 110; Fauna Austr. 1849, p. 485.

**auripile** Bates, Biol. C.-Am. Col. V, 1885, p. 435.

Mexico  
Nord- und  
Mittel-  
europa  
(fehlt in  
England),  
Sibirien

**castaneum** L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 194; Syst. Nat. ed. 12, 1767, p. 636. — Degeer, Mém. Ins. V, 1775, p. 90. — Müller, Zool. Dan. Prodr. 1776, p. 94. — Schrank, Enum. Ins. 1781, p. 152. — Laich. Verz. Tyrol. Ins. II, 1784, p. 81. — Villers, Linn. Entomol. I, 1789, p. 253. — Payk. Fauna Suec. III, 1800, p. 86. — Muls. Col. Fr. Long. 1839, p. 59. — Bach, Käferf. III, 1856, p. 12. — C. G. Thoms. Skand. Col. VIII, 1866, p. 21. — Pic. Longie. I, 1891, p. 19. — Csiki, Rov. Lapok XI, 1904, p. 82. — Houlb. Faune Armor. Ceramb. 1904, p. 47. — Jacobs. Käfer Russl. 1910, t. 66, f. 3.

*viridum* Gyllenh. Ins. Suec. I, 4, 1827, p. 82. — Redtb. Fauna Austr. 1849, p. 486; ed. 2, 1858, p. 845; ed. 3, II, 1874, p. 404. — Muls. Col. Fr. Long. ed. 2, 1862, p. 116. — Schiödt, Nat. Tidskr. (3) II, 1864, p. 519. — Fairm. Gen. Col. IV, 1864, t. 38, f. 173. — Ganglb. Best.-Tab. VII. 1881, p. 74 (752); Rev. d'Ent. III, 1884, p. 208. — Seidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 453. — Everts, Col. Neerl. II, 1, 1902, p. 363.

ab. *aulicum* F. Syst. Ent. 1775, p. 190. — Gmel. Syst. Nat. I, 4, 1790, p. 1847. — Panz. Naturf. XXIV, 1789, p. 29, t. 1, f. 39; in Scriba. Journ. Ent. 1790, p. 18; Fauna Ins. Germ. LXX, 1799, t. 14. — Ol. Enc. méth. Ins. V, 1790, p. 261. — Payk. Fauna Suec. III, 1800, p. 82. — Muls. Col. Fr. Long. 1839, p. 58. — Pic. Longie. I, 1891, p. 19.

*curiale* Panz. Naturf. XXIV, 1789, p. 29, t. 1, f. 40; in Scriba. Journ. Ent. 1790, p. 18.

*fuscum* Ol. Ent. IV, 70, 1795, p. 59, t. 7, f. 87. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 294.

*impressum* Payk. Fauna Suec. III, 1800, p. 84. *viridum* Bechst. & Scharfenb. Forstins. I, 1804, p. 295. — Cast. Hist. Nat. II, 1840, p. 454.

ab. *fulcratum* F. Ent. Syst. I, 2, 1792, p. 320. — Ol. Ent. IV, 70, 1795, p. 22, t. 7, f. 83. — Panz. Deutschl. Ins.-Fauna 1795, p. 261. — Muls. Col. Fr. Long. 1839, p. 58.

ab. *viridum* L. Syst. Nat. ed. 12, 1767, p. 634. — F. Syst. Ent. 1775, p. 190. — Laich. Verz. Tyrol. Ins. II, 1784, p. 84. — Gmel. Syst. Nat.

I, 4, 1790, p. 1846. — Rossi, Fauna Etr. I, 1790, p. 158 (?). — Ol. Ent. IV, 70, 1795, t. 7, f. 78. — Panz. Deutschl. Ins.-Fauna 1795, p. 263; Fauna Ins. Germ. LXX, 1799, t. 10. — Muls. Col. Fr. Long. 1839, p. 58. — Pic, Longic. I, 1891, p. 19.

*ab. ruficrus* Schrank, Naturf. XXIV, 1789, p. 77; in Scriba, Journ. Ent. 1790, p. 32.  
*aulicum* var. b Payk. Fauna Succ. III, 1800, p. 83.  
*fulcratum* F. Ent. Syst. I, 2, 1792, p. 320. — Ol. Ent. IV, 70, 1795, p. 22, t. 7, f. 83. — Panz. Deutschl. Ins.-Fauna 1795, p. 261. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 292. — Muls. Col. Fr. Long. 1839, p. 58. — Pic, Longic. I, 1891, p. 19.

Biologie: Zinke, Nadelh.-Ins. 1798, p. 45. — Ratzeb. Forstins. ed. 2. I, 1839, p. 237, t. 17, f. 2, B, G. — Schiödte, Nat. Tidskr. (3) X, 1876, p. 398, t. 13, f. 1—10. — Köppen, Schädl. Ins. Russl. 1880, p. 264. — Pauly, Allg. Forst- und Jagdzeit. (2) LXIV, 1888, p. 309; Ent. Nachr. XIV, 1888, p. 361. — Judeich, Forstins. II, 1, 1889, p. 564.

✓ *cinnamopterum* Kirby, Fauna Bor.-Am. IV, 1837, p. 174, t. 5, f. 3. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 35. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 96; Ent. Amer. I, 1885, t. 1, f. 1. — Wickham, Can. Ent. XXIX, 1897, p. 105. Nordamerika

✓ *fuscum* F. Mant. Ins. I, 1787, p. 154. — Gyll. Ins. Succ. I, 4, 1827, p. 84. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 106; XII, 1868, p. 331. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 520. — C. G. Thoms. Skand. Col. VIII, 1866, p. 22. — Ganglb. Best.-Tab. VII, 1881, p. 74 (752.) — Everts, Col. Neerl. II, 1, 1901, p. 363. Nord- und Mitteleuropa, Westsibirien

Biologie: Schiödte, Nat. Tidskr. (3) X, p. 400. — Judeich, Forstins. II, 1, 1889, p. 565.

*arvense* Panz. Naturf. XXIV, 1789, p. 30, t. 1, f. 41; in Scriba, Journ. Ent. 1790, p. 19.

*castaneum* Ol. Enc. méth. Ins. V, 1790, p. 257.  
*triste* Ol. Ent. IV, 70, 1795, p. 60, t. 7, f. 88. — Panz. Fauna Ins. Germ. LXX, 1799, t. 11.

*Gabrieli* Weise, Deutsche Ent. Zeitschr. 1905, p. 136. Mitteleuropa  
 — Sharp, Ent. Month. Mag. XLI, 1905, p. 273.  
 — Crawsh. Trans. Ent. Soc. Lond. 1907, p. 183.  
 — Champ. Ent. Month. Mag. XLVI, 1910, p. 3, t. 1, f. 7.

var. *Crawshayi* Sharp, Ent. Month. Mag. XLI, 1905, p. 271. — Pic, Longic. VI, 1906, p. 9. England

*gracilicorne* Reitter, Deutsche Ent. Zeitschr. 1889, p. 287. Amur

✓ *guatemalenum* Bates, Trans. Ent. Soc. Lond. 1892, p. 147. Guatemala

*opacipenne* Bates, Biol. C.-Am. Col. V, 1885, p. 485. Mexico

*oreinum* Gah. Fauna Brit. Ind. Col. I, 1906, p. 95, f. 37. Nordwestl. Himalaya

✓ *parallelum* Casey, Ann. N. York Ac. VI, 1892, p. 23. Colorado

*pareum* Sharp, Ent. Month. Mag. XLI, 1905, p. 272. England

✓ *parvulum* Casey, Ann. N. York Ac. VI, 1892, p. 24. Indiana

- schwarzianum** Casey, l. e. Michigan  
**tjanshanicum** Semen. Rev. Russe d'Ent. VI, 1907, p. 263. Tian Shan  
**velutinum** J. Lec. Ann. Lye. Nat. Hist. N. York IV, Californien  
 1869, p. 382. — Leng, Bull. Brookl. Ent. Soc.  
 VII, 1884, p. 95. — Casey, Ann. N. York Ac.  
 VI, 1892, p. 23.

15

### Criocephalus Muls.

Muls. Col. Fr. Long. ed. I, 1839, p. 63; ed. 2, 1862, p. 123. — Redt. Gatt. deutsch. Käferl. 1845, p. 109; Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 405. — Lec. Journ. Ac. Philad. (2) II, 1850, p. 35. — Bach, Käferl. III, 1856, p. 11. — Thoms. Classif. Ceramb. 1860, p. 260; Syst. Ceramb. 1864, p. 464. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 125. — C. G. Thoms. Skand. Col. VIII, 1866, p. 19. — Lacord. Gen. Col. VIII, 1869, p. 210. — Ganglb. Best.-Tab. VII, 1881, p. 13 (691). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 63 (Synopsis). — Everts, Col. Neerl. II, 1, 1901, p. 362. — Sharp, Trans. Ent. Soc. Lond. 1905, p. 145—164 (Revision). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 96.

*Criocephalus* Schiödte, Nat. Tidskr. (3) II, 1864, p. 520.

Subgen. *Cephalallus* Sharp, Trans. Ent. Soc. Lond. 1905, p. 148.

Subgen. *Cephalocrius* Sharp, l. c. p. 149.

Subgen. *Megasemum* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 97.

### Subgen. Criocephalus s. str.

- agrestis** Kirby. Fauna Bor.-Am. IV, 1837, p. 170. — J. Nordamerika  
 Lec. Journ. Ac. Philad. (2) II, 1850, p. 36.  
 — Leng, Synopsis p. 63. — Wickh. Canad.  
 Ent. XXIX, 1897, p. 106. — Sharp, Revis.  
 p. 160.
- asperatus** J. Lec. Col. of Kansas 1859, p. 19. — Leng, Westl. Nord-  
 Synopsis p. 63. — Sharp, Revis. p. 160. amerika
- australis** J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 35. Georgien  
 — Leng, Synopsis p. 63.
- coreanus** Sharp, Revis. p. 153. Korea
- deceptor** Sharp, Revis. p. 151. Tibet
- exoticus** Sharp, Revis. p. 159. — Gah. Fauna Brit. Ind. Birma  
 Col. I, 1906, p. 97, f. 38.
- ferus** Muls. Col. Fr. Long. ed. I, 1839, p. 64. — Kraatz, Europa,  
 Berl. Ent. Zeitschr. VII, 1863, p. 107; XVI, Sibirien  
 1872, p. 319. — Michow, l. c. VIII, 1864, p. 395.  
 — Bedel, Faune Col. Seine V, 1889, p. 23, 69.  
 — Seidl. Fauna Balt. ed. 2, 1891, p. 732; Fauna  
 Transs. 1891, p. 824. — Everts, Col. Neerl. II, 1,  
 1901, p. 362. — Sharp, Revis. p. 156, t. 9, f. 1, 3.  
 Biologie: Sharp, Revis. p. 161, t. 9, f. 5, 7,  
 10—12. — Fabre, Souv. Ent. IV, 1891, p. 315.
- epibata** Schiödte, Nat. Tidskr. (3) II, 1864, p. 521; Ann. Mag. Nat. Hist. (3) XV, 1865,  
 p. 203. — C. G. Thoms. Skand. Col. VIII, 1866,  
 p. 20. — Redt. Fauna Austr. ed. 3, II, 1874,  
 p. 405. — Ganglb. Best.-Tab. VII, 1881, p. 75  
 (753.) — Reitter, Wien. Ent. Zeit. XIV, 1895, p. 86.
- polonicus** Motsch. Bull. Mosc. XVIII, 1845, I,  
 p. 88; Bull. Ac. St. Petersb. I, 1860, p. 311.
- var. hispanicus** Sharp, Revis. p. 157. Spanien

- ✓ **montanus** J. Lec. Smiths. Misc. Coll. XI, 1873, nr. 264, p. 170. — Leng, Synopsis p. 63. Colorado
- ✓ **nubilus** J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 36. — Leng, Synopsis p. 63. — Sharp, Revis. p. 158. Nordamerika
- ✓ **obsoletus** Rand. Boston Journ. II, 1838, p. 27. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 106. — Leng, Synopsis p. 63. — Wiekh. Canad. Ent. XXIX, 1897, p. 106. — Sharp, Revis. p. 154. Nordamerika,  
Mexico
- ✓ *mexicanus* Thoms. Classif. Ceramb. 1860, p. 260.  
*obscurus* J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 36.
- pinetorum** Woll. Journ. of Ent. II, 1863, p. 103; Cat. Canar. Col. 1864, p. 388. — Sharp, Revis. p. 155. Teneriffa,  
Palmas,  
Hierro  
*rusticus* Woll. Col. Atlant. 1865, p. 345.
- ✓ **productus** J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 36. — Leng, Synopsis p. 63, t. 2, f. 4. — Sharp, Revis. p. 160. Colorado
- ✓ **rusticus** L. Syst. Nat. ed. 10, 1758, p. 395; Fauna Suec. ed. 2, 1761, p. 192. — Degeer, Mém. Ins. V, 1775, p. 83. — F. Syst. Ent. 1775, p. 188. — Laich. Verz. Tyr. Ins. II, 1784, p. 62. — Villers, Linn. Entomol. I, 1789, p. 246. — Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. IV, 70, 1795, p. 11, t. 3, f. 39. — Panz. Deutschl. Ins. Fauna 1795, p. 262; Fauna Ins. Germ. LXX, 1799, t. 9. — Cederhj. Faun. Ingr. 1798, p. 94. — Payk. Fauna Suec. III, 1800, p. 80. — Walcken, Faune Paris. I, 1801, p. 213. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 288. — Bechst. & Scharfenb. Forstins. III, 1805, p. 887. — Gyllenh. Ins. Suec. I, 4, 1827, p. 81. — Zett. Fauna Ins. Lapp. I, 1828, p. 369. — Steph. III. Br. Ent. Mand. IV, 1831, p. 246 nota; Man. 1839, p. 274. — Muls. Col. Fr. Long. 1839, p. 63; ed. 2, 1862, p. 123. — Cast. Hist. Nat. II, 1840, p. 453. — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 405. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 40, t. 34, f. 2. — Bach, Käferf. III, 1856, p. 12. — Woll. Cat. Col. Ins. Madera 1857, p. 124. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 107. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 521. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 37, f. 171. — C. G. Thoms. Skand. Col. VIII, 1866, p. 19. — Ganglb. Best.-Tab. VII, 1881, p. 75 (753); Rev. d'Ent. III, 1884, p. 210. — Bedel, Faune Col. Seine V, 1889, p. 23, 69. — Seidl. Fauna Balt. ed. 2, 1891, p. 732; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 453. — Everts, Col. Neerl. II, 1, 1901, p. 362. — Houlb. Faune Armor. Ceramb. 1904, p. 46, f. 88. — Csiki, Rov. Lapok XI, 1904, p. 81. — Sharp, Revis. p. 151, t. 9, f. 2, 4, 14, 15. — Champ. Ent. Month. Mag. XLV, 1910, p. 2, t. 1, f. 5. — Jacobs. Käfer Russl. 1910, t. 66, f. 2.
- coriaceus* Motsch. Bull. Moscou XVIII, 1, 1845, p. 89.
- fuscus* Voet, Cat. Col. II, 1804—6, p. 21, t. 23, f. 126.

*lugubris* Gmel. Syst. Nat. 1, 4, 1790, p. 1847.  
*pachymerus* Muls. Col. Fr. Long. 1839, p. 64.

*tristis* F. Mant. Ins. I, 1787, p. 154. — Panz.  
 Deutschl. Ins.-Fauna 1795, p. 263. — Ill. Magaz.  
 Ins. IV, 1805, p. 118.

Biologie: Perris, Ann. Soc. Ent. Fr. (3) IV, 1856,  
 p. 450, t. 5, f. 359—361. — Schiödte, Nat.  
 Tidskr. (3) X, 1876, p. 400, 444, t. 13, f. 11—19.  
 — Decaux, Ann. Soc. Ent. Fr. (6) X, 1890, Bull.  
 p. 214; Le Natural. XIII, 1891, p. 122.

*tibetanus* Sharp, Revis. p. 159.

Tibet

#### Subgen. **Cephalocrius** Sharp.

*syriacus* Reitter, Wien. Ent. Zeit. XIV, 1895, p. 86. —  
 Pic, Bull. Soc. Ent. Fr. 1895, p. 225. — Sharp,  
 Revis. p. 149.

Syrien

#### Subgen. **Megasemum** Kraatz.

*quadricostulatum* Kraatz, Deutsche Ent. Zeitschr. XXIII,  
 1879, p. 98. — Bates, Journ. Linn. Soc. Lond.  
 Zool. XVIII, 1884, p. 208. — Sharp, Revis. p. 147.  
 — Matsum. Thous. Ins. Japan III, 1908, nr. 732,  
 t. 55, f. 6. — Jacobs, Käfer Russl. 1910, t. 65, f. 15.

Amur,  
 Japan

#### Subgen. **Cephalallus** Sharp.

*oberthüri* Sharp, Revis. p. 148.

*unicolor* Gah. Fauna Brit. Ind. Col. I, 1906, p. 97.

Yunnan  
 Assam,  
 Japan

18

### **Marileus** Germain.

Germain, An. Univ. Chile C, 1898, p. 555 (Sep. Apunt. Ent. Lonjic. II, p. 17).

*chiloensis* Germain, l. c. (Sep. l. c. p. 19, t. 2, f. 1a, 1b). Chili

1

### **Pectoctenus** Fairm.\*)

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 366.

*Scalabrii* Fairm. l. c. p. 367.

Madagascar

1

### **Holorusius** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 250.

*Perrieri* Fairm. l. c.

Madagascar

1

### **Hypsostilbus** Brancs.

Brancs. Jahresh. Ver. Trenes. XIX—XX, 1898, p. 126.

*griseus* Brancs. l. c. t. 4, f. 19.

Madagascar

1

\*) Die systematische Stellung der folgenden 6 Gattungen ist unsicher.

**Macrocaulus** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 501.

T **angulosus** Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, Madagascar  
p. 133.T **impressicollis** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, „  
p. 501.

2

**Daramus** Fairm.

Fairm. Rev. d'Ent. XI, 1892, p. 121.

**serricornis** Fairm. l. c.

Obock

1

**Atripatus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 248.

T **subcylindricus** Fairm. l. c. p. 249.

Madagascar

1

**VIII. Saphanini.**

Lacord. Gen. Col. VIII, 1869, p. 211.

**Opsimus** Thoms.Thoms. Classif. Ceramb. 1860, p. 377. — Lacord. Gen. Col. VIII, 1869, p. 212.  
— J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 279.✓ **quadrilineatus** Mannerh. Bull. Mosc. XVI, 1843, II, Alaska,  
p. 305. — J. Lec. Reports of Explor. and Surv. Sitkha  
IX, 1, 1857, p. 60, t. 2, f. 10. — Leng. Bull.  
Brookl. Ent. Soc. VII, 1884, p. 96; Ent. Amer.  
I, 1885, t. 1, f. 2.

1

**Dicentrus** J. Lec.J. Lec. Trans. Am. Ent. Soc. VIII, 1880, p. 195. — J. Lec. & Horn, Classif.  
Col. N. Amer. 1883, p. 279. — Leng. Bull. Brookl. Ent. Soc. VII, 1884,  
p. 96.✓ **Blüthneri** J. Lec. Trans. Am. Ent. Soc. VIII, 1880, p. 195. Californien  
— Leng. Bull. Brookl. Ent. Soc. VII, 1884, p. 96;  
Ent. Amer. I, 1885, t. 3, f. 1.

1

**Hybometopia** Ganglb.

Ganglb. Horae Soc. Ent. Ross. XXIII, 1889, p. 285.

**Starecki** Ganglb. l. c. — Jacobs. Käfer Russl. 1910. t. 67, Kaukasus  
f. 10.

1

**Saphanus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 81. — Cast. Hist. Nat. II, 1840, p. 454. — Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 403. — Bach, Käferf. III, 1856, p. 13. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. 1864, p. 463. — Muls. Col. Fr. Long. ed. 2, 1862, p. 109. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 128. — Lacord. Gen. Col. VIII, 1869, p. 213. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Stierl. Col. Helvet. II, 1898, p. 452. — Csiki, Rov. Lapok VI, 1904, p. 37.

Subgen. *Drymochares* Muls. Ann. Soc. Agric. Lyon X, 1847, p. 518; Col. Fr. Long. ed. 2, 1862, p. 112. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 403. — Thoms. Syst. Ceramb. 1864, p. 463.

Subgen. **Saphanus** s. str.

- Ganglbaueri** Brancs. Jahresh. Ver. Trenes. 1886, p. 17. Dalmatien  
— Apfelb. Wiss. Mitt. Bosnien Herzog. II, 1894, p. 528. — Csiki, Rov. Lapok XI, 1904, p. 81.
- piceus** Laich. Verz. Tyr. Ins. II, 1784, p. 56. — Bach, Käferf. III, 1856, p. 13. — Redt. Fauna Austr. ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 403. — Muls. Col. Fr. Long. ed. 2, 1862, p. 110. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 38, f. 175. — Ganglb. Best.-Tab. VII, 1881, p. 74 (752). — Seidl. Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 453. — Csiki, Rov. Lap. XI, 1904, p. 81. — Jacobs. Käfer Russl. 1910, t. 66, f. 1. — Guerry, Echange XXVII, 1911, p. 99.
- spinosus** F. Ent. Syst. I, 2, 1792, p. 320. — Germ. Fauna Ins. Eur. XII, 1825, nr. 10. — Cast. Hist. Nat. II, 1840, p. 454. — Redt. Fauna Austr. 1849, p. 481. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 28, t. 33, f. 6.
- sudeticus** Richter, Suppl. Faun. Ins. Eur. 1821, t. 10.
- var. **cylindraceus** Fairm. Ann. Soc. Ent. Fr. (2) VII, 1849, p. 426. — Muls. Col. Fr. Long. ed. 2, 1862, p. 111. — Heyd. Deutsche Ent. Zeitschr. XXVI, 1882, p. 255. Spanien
- ab. **rufipes** Pic, Echange XXIV, 1908, p. 72; Long. VII, 2, 1910, p. 2.

Subgen. **Drymochares** Muls.

- Starecki** Ganglb. Deutsche Ent. Zeitschr. XXXII, 1888, p. 398. — Jacobs. Käfer Russl. 1910, t. 65, f. 7. Kaukasus
- Truquii** Muls. Ann. Soc. Agric. Lyon X, 1847, p. 519, t. 7, f. 1; Col. Fr. Long. ed. 2, 1862, p. 113. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 403. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 38, f. 176. — Ganglb. Best.-Tab. VII, 1881, p. 75 (753). — Guerry, Bull. Soc. Ent. Fr. 1904, p. 157. Seealpen

**Lucasianus** Pic.

Pic, Longic. I, 1891, p. 42; VI, 1, 1906, p. 14. — Mayet, Bull. Soc. Ent. Fr. 1905, p. 277.

**Levaillantii** Lucas, Explor. Algér. Col. 1849, p. 485, t. 41, Algier  
f. 5. — Pic, Long. VI, 1, 1906, p. 14.  
Biologie: Mayet, Bull. Soc. Ent. Fr. 1905, p. 277.

1

**Oxypleurus** Muls.

Muls. Col. Fr. Long. ed. 1, 1839, p. 57; ed. 2, 1862, p. 107. — Redt. Fauna Austr. ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 402. — Thoms. Syst. Ceramb. 1864, p. 463. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 127. — Lacord. Gen. Col. VIII, 1869, p. 214. — Ganglb. Best.-Tab. VII, 1884, p. 12 (690); Rev. d'Ent. III, 1884, p. 169.

Biologie: Muls. Ann. Soc. Linn. Lyon (2) II, 1855, p. 191; Opusc. Ent. VI, 1855, p. 109.

**Nodieri** Muls. Col. Fr. Long. ed. 1, 1839, p. 57, t. 3, f. 2; Mittelmeer-  
ed. 2, 1862, p. 107. — Redt. Fauna Austr. ed. 2, gebiet  
1858, p. 846; ed. 3, II, 1874, p. 402. — Fairm.  
Gen. Col. d'Eur. IV, 1864, t. 38, f. 174. — Ganglb.  
Best.-Tab. VII, 1881, p. 74 (752); Rev. d'Ent.  
III, 1884, p. 209.

*Bewickei* Woll. Cat. Col. Mader. 1857, p. 126.  
*scutellaris* Costa, Fauna Nap. Col. II, 1855, Ceramb.  
p. 38, t. 34, f. 1.

**pinicola** Woll. Journ. of Ent. II, 1863, p. 102; Cat. Canar. Insel Palma  
Col. 1864, p. 386.

2

**Blabinotus** Woll.

Wollaston, Ins. Mader. 1854, p. 423. — Thoms. Syst. Ceramb. 1864, p. 267  
463. — Lacord. Gen. Col. VIII, 1869, p. 214.

**spenicollis** Woll. l. c. p. 426, t. 9, f. 1. Madera

1

**Zamium** Pasc.

Pasc. Journ. of Ent. II, 1864, p. 288. — Lacord. Gen. Col. VIII, 1869, p. 215.

**bicolor** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 369; Transvaal  
Ins. Transv. 1904, p. 105, t. 10, f. 3 (genus  
divers.?).

**binaculatum** F. Spec. Ins. I, 1781, p. 240. — Ol. Ent. Südafrika  
IV, 70, 1795, p. 13, t. 5, f. 61. — Fahr. Öfvers.  
Vet. Ak. Förh. XXIX, 1872, nr. 1, p. 53.

*quadrisignatum* Fahr. Öfvers. Vet. Ak. Förh.  
XXIX, 1872, nr. 1, p. 49.

*succineum* Pasc. Journ. of Ent. II, 1864, p. 288.

**erocatum** Pasc. Trans. Ent. Soc. Lond. 1888, p. 492.

**incultum** Pasc. Journ. of Ent. II, 1864, p. 289. — Dist.  
Ins. Transv. 1904, p. 105, t. 10, f. 2.

*hylotrypoides* Fairm. Ann. Soc. Ent. Fr. (6) VII,  
1887, p. 327.

Natal

„  
Transvaal  
Deutsch-  
Ostafrika

- rusticum* Péring. Trans. S. Afr. Phil. Soc. (6) II, 1892, p. 77; Ann. S. Afr. Mus. III, 1904, p. 297. Nyassaland  
*triviale* Fahr. Öfvers. Vet. Ak. Förh. XXIX, 1872, nr. 1, p. 48. Brit.-  
*laevicolle* Jord. Nov. Zool. XI, 1904, p. 364. Ostafrika  
*prociduum* Pasc. Journ. of Ent. II, 1864, p. 289. — Südafrika  
 Dist. Ins. Transv. 1904, p. 105, t. 10, f. 1 ♂.  
 ♀ *bimaculatum* Dist. l. c. t. 9, f. 16.  
 6

### **Derolophodes** Brancs.

Brancs. Jahresh. Ver. Trenes. XIX—XX, 1898, p. 125.

- tuberosus* Brancs. l. c. t. 4, f. 18. Madagascar  
 1

## **IX. Oemini.**

Lacord. Gen. Col. VIII, 1869, p. 216. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 98.

### **Metopotylus** Quedf.

Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 325. — Jord. Nov. Zool. X, 1903, p. 131.

- costatus* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Congo  
 Exped. III, 1911, p. 429.  
*femoratus* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 326. Angola  
*micans* F. Syst. Eleuth. II, 1801, p. 341. Guinea  
 3

### **Metallyra** Thoms.

Thoms. Syst. Ceramb. 1864, p. 334. — Jord. Nov. Zool. X, 1903, p. 131.

- stenochoioides* Thoms. l. c. p. 335. Alcealabar  
 1

### **Lyrarmela** Gah.

Gah. in Dist. Ins. Transv. 1904, p. 109.

- sulcipennis* Gah. l. c. p. 110, t. 10, f. 22. Transvaal  
 1

### **Saphanidus** Jord.

Jord. Nov. Zool. I, 1894, p. 145; X, 1903, p. 131.

- aeneus* Jord. l. c. X, 1903, p. 131. Congo  
*dubius* Jord. l. c. p. 132. Kamerun  
*fulvus* Jord. l. c. Deutsch-  
 Ostafrika  
*viridescens* Jord. l. c. I, 1894, p. 145. Loanda  
 4

**Hypoeshrus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 249. — Lacord. Gen. Col. VIII, 1869, p. 218.  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 104.

- 7 *aenescens* Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro Meru  
VII, 1908, p. 140.  
T *indicus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 104, f. 41. Bengalen  
— Maxw.-Lefr. Ind. Ins. Life 1909, p. 372,  
f. 249, 251.  
T *nitidicollis* Gestro, Ann. Mus. Genova XXXV, 1895, Gallaland  
p. 413.  
T *strigosus* Gyllh. in Schönh. Syn. Ins. III, App. 1817, Sierra Leone  
p. 179. — Thoms. Syst. Ceramb. 1864, p. 249.  
— Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro  
VII, 1908, p. 140.  
var. *abyssinicus* Jord. Nov. Zool. I, 1894, p. 146.  
4

**Leptoeme** Jord.

Jord. Nov. Zool. X, 1903, p. 134.

- acme* Jord. l. c. p. 135. Kamerun  
*xantha* Jord. l. c. p. 134. Congo  
2

**Parandroeme** Auriv.

Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 141.

- brunnea* Auriv. l. c. f. 1. Meru  
1

**Nosoeme** Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 55; D.-Ostafr. Col. 1897, p. 296;

- elavipes* Kolbe, l. c.; l. c. t. 3, f. 38. Albert-  
Nyansa  
*curvipes* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Ruwenzori  
Exped. III, 1911, p. 426, t. 7, f. 11.  
2

**Noserius** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 95; (3) III, 1869, p. 499;  
— Lacord. Gen. Col. VIII, 1869, p. 219.

- femoralis* Auriv Arkiv f. Zool. VII, 3, 1910, p. 3. Borneo  
*ignavus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 500. Timor  
*ovatipennis* Pasc. l. c. Borneo  
*tibialis* Pasc. l. c. (2) IV, 1857, p. 95, t. 23, f. 4; (3) III, ..  
1869, p. 500.  
4

**Catoeme** Auriv.

Auriv. Denkschr. med.-nat. Ges. Jena XIII, 1908, p. 430.

- tessellata* Auriv. l. c. Deutsch-Süd-  
westafrika  
1

**Prosype** Thoms.

Thoms. Syst. Ceramb. 1864, p. 248. — Lacord. Gen. Col. VIII, 1869, p. 219.

**filiformis** Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 628. Senegal

— Thoms. Syst. Ceramb. 1864, p. 249.

1

**Coptoeme** Auriv.

Auriv. Ark. f. Zool. I, 1904, p. 313.

**Krantzi** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 370: Transvaal,  
Ins. Transv. 1904, p. 110, t. 11, f. 16. Natal

*oculata* Auriv. Ark. f. Zool. I, 1904, p. 314.

**triguttata** Auriv. l. c. Tasamaganga

2

**Tetraommatus** Perr.

Perr. Ann. Soc. Linn. Lyon X, 1855, p. 390. — Thoms. Syst. Ceramb. 1864,  
p. 454. — Lacord. Gen. Col. VIII, 1869, p. 221. — Pasc. Trans. Ent. Soc.  
Lond. (3) III, 1869, p. 501. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 100.

*Deuteromma* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 98.

— Thoms. Syst. Ceramb. 1864, p. 454.

**angustatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Ceram  
p. 503.

**bimaculatus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 102. Südindien

**eallidioides** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo  
p. 98, t. 23, f. 6; (3) III, 1869, p. 502.

**filiformis** Perr. Ann. Soc. Linn. Lyon X, 1855, p. 391. Südindien  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 101,  
f. 40.

**insignis** Gah. Ann. Mus. Genova XXXIV, 1895, p. 8, Tenasserim,  
t. 1, f. 1; Fauna Brit. Ind. Col. I, 1906, p. 102. Andamanen

**muticus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1858, p. 25. Ceylon

— Gah. Fauna Brit. Ind. Col. I, 1906, p. 101.

**niger** Gah. Ann. Mus. Genova (3) III, 1901, p. 69. Sumatra

**nigriceps** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Birma, Perak  
p. 502. — Gahan, Fauna Brit. Ind. Col. I, 1906,  
p. 103.

*callidioides* var. Gah. Ann. Mus. Genova XXXIV, Singapore  
1895, p. 8.

**ocularis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 504. Morty

**similis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 503. Batjan

**tabidus** Pasc. l. c. Key

**testaceus** Pasc. l. c. (2) IV, 1857, p. 111; (3) III, 1869, Borneo  
p. 502.

12

**Ciopera** Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 510. — Lacord. Gen. Col. VIII, 1869,  
p. 222.

**decolorata** Pasc. l. c. p. 511, t. 41, f. 10. Penang

1

**Temnopsis** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 90. — Cast. Hist. Nat. II, 1840, p. 452. — Thoms. Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 220.

- cyanescens* Auriv. Ark. f. Zool. VII, 3, 1910, p. 3. Brasilien  
*megacephala* Germ. Ins. spec. nov. 1824, p. 509. ”  
*laeniata* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 91.  
 — Cast. Hist. Nat. II, 1840, p. 452.  
*var. fuscipes* Lacord. Gen. Col. VIII, 1869, p. 220 nota. ”  
*nigripes* Auriv. Ent. Tidskr. XIV, 1893, p. 179, f. 7. ”  
*rufithorax* Auriv. l. c. p. 180, f. 8. ”  
*rufoscapus* Auriv. Ark. f. Zool. VII, 3, 1910, p. 3. ”  
 5

**Tristachycera** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 171.

- viridis* Bates l. c.; Biol. C.-Am. Col. V, 1879, p. 16, t. 3, f. 7. Nicaragua  
 1

**Eucrossus** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 174. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

- villieornis* J. Lec. l. c. p. 175. — Leng, Bull. Brookl. California  
 Ent. Soc. VII, 1884, p. 116; Ent. Amer. I, 1885,  
 t. 2, f. 22.  
 1

**Neoeme** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 595.

- Bouvieri* Goun. l. c. p. 595, f. 4, 1—4. Brasilien:  
 Goyaz  
*sobrina* Goun. l. c. f. 4, 5—9. ”  
 2

**Oeme** Newm.

Newm. The Entomolog. I, 1840, p. 8. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 222.  
 — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

*Sclerocerus* J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 20.

Subgen. **Oeme** s. str.

- brunnea* Kirsch, Abhandl. Mus. Dresden (2) II, 4, 1889, Ecuador  
 p. 37, t. 3, f. 70 (Genus?).  
*costata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 174. Californien  
 — Horn, Trans. Amer. Ent. Soc. VIII, 1880,  
 p. 133.

- fissithorax** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 593, f. 3. Brasilien:  
Goyaz
- fusca** Gah. Bull. Liverp. Mus. III, 1900, p. 12; in Forbes, Nat. Hist. Socotra 1903, p. 284, t. 17, f. 2 (Genus?). Sokotra
- gentilis** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 592, f. 1. Brasilien:  
Goyaz
- gracilis** J. Lec. Bull. Buffalo Soc. IV, 1881, p. 27, t. 1, f. 2. Californien
- modesta** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 593, f. 2. Brasilien:  
Goyaz
- pieticornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 245 (Subgen.?). Ega
- rigida** Say, Journ. Ac. Philad. V, 1827, p. 274. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 133. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 116; Ent. Amer. I, 1885, t. 1, f. 20. Nordamerika
- linearis* Harris, Trans. Hartf. Nat. Hist. Soc. I, 1837, p. 85, t. 1, f. 8. — J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 20.
- indecora* Newm. Entomolog. I, 1840, p. 8.
- mutica* Hald. Proc. Am. Phil. Soc. IV, 1847, p. 374.
- strangulata** Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 133, 138, t. 2, f. 7. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 116; Ent. Amer. I, 1885, t. 1, f. 21. Utah

### Subgen. **Argentinoeme** Bruch.

Bruch, Rev. Mus. La Plata XVIII, 1911, p. 164.

- Schulzi** Bruch, l. c. p. 165, fig. Cordoba  
11

### **Macroeme** Auriv.

Auriv. Ent. Tidskr. XIV, 1893, p. 177.

- annulicornis** Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 627 (Genus?). Brasilien
- cyllindrica** Thoms. Arch. Ent. I, 1857, p. 122 (Subgen.?). „
- decorata** Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 625 (Genus?). „
- pallida** Buq. l. c. p. 626 (Subgen.?). „
- plana** Perty, Delect. Anim. 1834, p. 89, t. 18, f. 3. „  
*Chabrittaci* Thoms. Arch. Ent. I, 1857, p. 121.
- priapica** Thoms. l. c. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 596, f. 5. „

6

### **Stenoeme** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 597.

- Bellarmini** Goun. l. c. p. 598, nota 1. Brasilien
- Iheringi** Goun. l. c. p. 597, f. 6. „

2

**Atenizus** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 28; Trans. Ent. Soc. Lond. 1870, p. 243. — Lacord. Gen. Col. VIII, 1869, p. 399.

**laticeps** Bates, Ent. Month. Mag. IV, 1867, p. 28; Trans. Ent. Soc. Lond. 1870, p. 244. Santarem

**simplex** Bates, Biol. C.-Am. Col. V, 1884, p. 240, t. 18, f. 2. Panama

2

**Niophis** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ent. Soc. Lond. 1870, p. 244. — Lacord. Gen. Col. VIII, 1869, p. 399.

**coptorhina** Bates, Ent. Month. Mag. IV, 1867, p. 28; Trans. Ent. Soc. Lond. 1870, p. 245. Santarem

1

**Sphagøeme** Auriv.

Auriv. Ent. Tidskr. XIV, 1893, p. 178.

**Aurivillii** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 598. Brasilien

**Sahlbergi** Auriv. Ent. Tidskr. XIV, 1893, p. 178. „

2

**Haplidus** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 175. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.

**testaceus** J. Lec. l. c. p. 176. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 117; Ent. Amer. I, 1885, t. 2, f. 24. Californien

1

**Paroeme** Auriv.

Auriv. Ent. Tidskr. VII, 1886, p. 91. — Jord. Nov. Zool. X, 1903, p. 133.

**annulipes** Chevr. Rev. Zool. (2) VII, 1855, p. 183; Cent. de Long. 1858, nr. 1, t. 2, f. 2. — Thoms. Syst. Ceramb. 1864, p. 251. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 46, t. 3, f. 2. Altealabar

**flava** Thoms. Arch. Ent. II, 1858, p. 161. Gabun

**inermis** Jord. Nov. Zool. X, 1903, p. 134. Niger

**insipida** Thoms. Arch. Ent. II, 1858, p. 160. Gabun

**nigripes** Auriv. Ark. f. Zool. III, 18, 1907, p. 2, t. 1, f. 3. Niger

**semifemorata** Chevr. Rev. Zool. (2) VIII, 1856, p. 569; Cent. de Long. 1858, nr. 62. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 171. — Jord. Nov. Zool. X, 1903, p. 134. Altealabar

**bispina** Auriv. Ent. Tidskr. VII, 1886, p. 91.

**similis** Jord. Nov. Zool. X, 1903, p. 134. Deutsch-Ostafrika

**verrucifer** Bates, Proc. Zool. Soc. Lond. 1890, p. 485. Zentralafrika

8

**Oemida** Gah.

Gah. in Dist. Ins. Transv. 1904, p. 106.

**Gahani** Dist. Natural. in Transv. 1892, p. 202, t. 1, f. 7; Transvaal  
Ins. Transv. 1904, p. 106, t. 11, f. 8.

1

**Oemodana** Gah.

Gah. in Dist. Ins. Transv. 1904, p. 107.

**quadrinotata** Gah. l. c. t. 13, f. 5. Transvaal

1

**Alloeme** Lameere.

Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 40.

*Ceresida* Jord. Nov. Zool. I, 1894, p. 156.**rubra** Thoms. Arch. Ent. II, 1858, p. 161. Gabun  
*Murrayi* Lameere, Ann. Soc. Ent. Fr. LXII, Assinie  
1893, p. 40.*suturalis* Jord. Nov. Zool. I, 1894, p. 156, t. 9, f. 1.

1

**Auxesis** Thoms.Thoms. Arch. Ent. II, 1858, p. 196; Classif. Ceramb. 1860, p. 104; Syst.  
Ceramb. 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 464.**gabonica** Thoms. Arch. Ent. II, 1858, p. 197, t. 7, f. 7. Gabun

1

**Psathyrus** Thoms.Thoms. Arch. Ent. I, 1857, p. 192; Classif. Ceramb. 1860, p. 104; Syst.  
Ceramb. 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 465. — Gah. in  
Dist. Ins. Transv. 1904, p. 108.*Listrocerum* Chevr. Rev. Zool. (-)VII, 1855, p. 283; Cent. de Long.  
1858, nr. 19.*Listrocerum* Chevr. l. c. p. 284.**aspericornis** Chevr. Rev. Zool. (2) VII, 1855, p. 283: Altcalabar  
Cent. de Long. 1858, nr. 19.*aeolis* Thoms. Arch. Ent. I, 1857, p. 193, t. 10, Südafrika  
f. 8. — Fahrs. Öfvers. Vet. Ak. Förh. XXIX, 2,  
1872, p. 47.**longipennis** Gah. Trans. Ent. Soc. Lond. 1890, p. 321. Madagascar**modestus** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 374: TransvaalIns. Transv. 1904, p. 109, t. 13, f. 2 (Genus?).  
**suturalis** Gah. in Dist. Ins. Transv. 1904, p. 107, t. 13, f. 1. „

4

**Psathyrisa** Auriv.

Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 141.

**brunnea** Auriv. l. c. p. 142, f. 2.

Kilimandjaro

1

**Hypomares** Thoms.

Thoms. Syst. Ceramb. 1864, p. 250. — Lacord. Gen. Col. VIII, 1869, p. 223.

**brunneus** Thoms. Arch. Ent. II, 1858, p. 161; Syst. Ceramb. 1864, p. 251. Gabun

**vittatus** Auriv. Ent. Tidskr. XIV, 1893, p. 180. „

1

**Androeme** Auriv.

Auriv. Ark. f. Zool. VII, 3, 1910, p. 4.

**plagiata** Auriv. l. c.

Usambara

1

**Antennoeme** Hintz.

Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 427.

**quadriplagiata** Hintz, l. c.

Ituri

1

**Oxycaula** Jord.

Jord. Nov. Zool. X, 1903, p. 133.

**verruca** Jord. l. c.

Congo

1

**Phymatechus** Belon.

Belon, Ann. Soc. Ent. Belg. XLVI, 1902, p. 410.

**fenestratus** Belon, l. c. p. 411.

Congo

1

**Lygrus** Fåhrrs.

Fåhrrs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 55.

*Zoolygrus* Fåhrrs. Col. Hefte X, 1872, p. 194.

**apicalis** Fåhrrs. l. c. p. 56. — Dist. Ins. Transv. 1904, p. 109, t. 10, f. 15. Südafrika

**bicinctus** Jord. Nov. Zool. X, 1903, p. 139. Kamerun

**testaceus** Gah. in Dist. Ins. Transv. 1904, p. 109, t. 10, f. 9. Transvaal

**trifasciatus** Waterh. Ann. Mag. Nat. Hist. (7) II, 1898, p. 261. Usambara

4

**Comusia** Thoms.

Thoms. Syst. Ceramb. 1864, p. 249. — Lacord. Gen. Col. VIII, 1869, p. 224.

**obriumoides** Thoms. l. c. p. 250.

Mindanao

*obriumoides* Lacord. Gen. Col. VIII, 1869, p. 225.

1

**Ochrus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 225.

**grammoderus** Lacord. l. c. nota 1.

Cayenne

1

**Hyphus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 226. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 504.

**apicalis** Pasc. l. c. p. 505.

Borneo

**aurantiaeus** Lacord. Gen. Col. VIII, 1869, p. 226, nota 1.

Celebcs

— Pasc. l. c. p. 505.

2

**Phrynocris** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 26. — Lacord. Gen. Col. VIII, 1869, p. 226.

**notabilis** Bates, l. c.; Trans. Ent. Soc. Lond. 1870, p. 245. Amazon.

1

**Amimes** Pasc.

Pasc. Journ. of Ent. I, 1862, p. 368. — Thoms. Syst. Ceramb. 1864, p. 454. — Lacord. Gen. Col. VIII, 1869, p. 377. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 99.

**macilentus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238; Journ. of Ent. I, 1862, p. 368, t. 17, f. 6. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 99, f. 39.

Ceylon

1

**Eudistenia** Fall.

Fall, Journ. N. York Ent. Soc. XV, 1907, p. 82.

**costipennis** Fall, l. c. p. 83.Süd-  
californien

1

**Malacopterus** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 565. — Cast. Hist. Nat. II, 1840, p. 426. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 227. — J. Lec. &amp; Horn, Classif. Col. N. Amer. 1883, p. 284.

*Ganimus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 173.*Malacomacrus* White, Cat. Col. Brit. Mus. VII, 1853, p. 41.**aper** Germ. Ins. spec. nov. 1824, p. 510 (Genus?).

Brasilien

**pavidus** Germ. l. c. p. 506. — Cast. Hist. Nat. II, 1851, p. 427.

,,

*pallescens* White, Cat. Col. Brit. Mus. VII, 1853, p. 41, t. 2, f. 5. — Buq. Ann. Soc. Ent. Fr. (3) I, 1853, Bull. p. 44.

- ✓ **tenellus** F. Syst. Eleuth. II, 1801, p. 335. Californien,  
*lineatus* Guér. Jeon. règne an. Ins. 1844, p. 222. Zentral-  
 — Er. Arch. Naturgesch. XIII, 1847, p. 141. amerika,  
 — Bates, Biol. C.-Am. Col. V, 1906, p. 15, t. 3, Columbien  
 f. 17.  
*mexicanus* Thoms. Classif. Ceramb. 1860, p. 248.  
 — Lacord. Gen. Col. VIII, 1869, p. 228 nota.  
*vittatus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873,  
 p. 173. — Leng, Bull. Brookl. Ent. Soc. VII,  
 1884, p. 115; Ent. Amer. I, 1885, t. 2, f. 19.

3

**Zathecus** Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 26; Trans. Ent. Soc. Lond. 1870,  
 p. 246. — Lacord. Gen. Col. VIII, 1869, p. 230.  
**Batesi** Pasc. Trans. Ent. Soc. Lond. 1888, p. 493. Ecuador  
**graphites** Bates, Ent. Month. Mag. IV, 1867, p. 26; Ega  
 Trans. Ent. Soc. Lond. 1870, p. 246.

2

**Dryobius** J. Lec.

- J. Lec. Journ. Ac. Philad. (2) II, 1850, p. 23. — Thoms. Syst. Ceramb.  
 1864, p. 439. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 284.  
 ✓ **sexfasciatus** Say, Journ. Ac. Phil. III, 1823, p. 415. — Mississippi  
 J. Lec. Col. of Kans. 1859, p. 20, t. 1, f. 15. —  
 Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 117;  
 Ent. Amer. I, 1885, t. 2, f. 23.

1

**Apoeme** Auriv.

- Auriv. Ark. f. Zool. III, 18, 1907, p. 2.  
**lugubris** Ol. Enc. méth. V, 1790, p. 237; Ent. IV, 70, Senegal  
 1795, p. 27, t. 1, f. 13. — Auriv. Ark. f. Zool.  
 III, 18, p. 2, t. 1, f. 2.

1

**Neomarius** Fairm.

- Fairm. Rev. Zool. (2) XXIII, 1872, p. 60. — Ganglb. Wien. Ent. Zeit. I,  
 1882, p. 137.  
**Gandolpei** Fairm. Rev. Zool. (2) XXIII, 1872, p. 60. Algier  
 — Ganglb. Wien. Ent. Zeit. I, 1882, p. 137.  
 — Pic, Longic. I, 1891, p. 43.

1

**Nastocerus** Fairm.

- Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 391.  
**maculicornis** Fairm. l. c. Madagascar

1

**Xystrocera** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 69. — Cast. Hist. Nat. II, 1840, p. 427. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 229. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 565. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 105.

## Arten aus Afrika.

<b>abrupta</b> Auriv. in Sjöstedt. Ergebn. Exp. Kilimandjaro VII, 1908, p. 142 nota.	Congo
<b>Ansorgei</b> (Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 40; in Ansorge, Under the Afr. Sun. 1899, p. 317, t. 1, f. 2.	Uganda
<b>asperata</b> Thoms. Arch. Ent. II, 1858, p. 156.	Gabun
<b>Buqueti</b> Thoms. l. c. p. 155, t. 5, f. 2.	"
<b>chalybeata</b> Gah. Trans. Ent. Soc. Lond. 1899, p. 299.	Nyassaland
<b>curticollis</b> Fairm. Faune et Flore Comalis 1882, p. 96.	Somaliland
<b>cyanea</b> Chev. Rev. Zool. (2) VII, 1855, p. 515; Cent. Long. 1858, nr. 35. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 164.	Altcalabar
ab. <i>luteiventris</i> Jord. Nov. Zool. I, 1894, p. 146.	Kuili
<b>devittata</b> Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 246.	Usambara
<b>dispar</b> Fahrs. Öfvers. Vet. Ak. Förh. XXIX, I, 1872, p. 49. <i>marginalis</i> Dist. Ins. Transv. 1904, p. 106, t. 9, f. 13, 14.	Südafrika bis Abessinien
<b>emarginata</b> Jord. Nov. Zool. I, 1894, p. 148.	Kuili
<b>erosa</b> Pasc. Journ. of Ent. II, 1864, p. 287. — Dist. Ins. Transv. 1904, p. 106.	Natal
ab. <i>jurena</i> Pasc. l. c.	
ab. <i>semilunaris</i> Fahrs. Öfvers. Vet. Ak. Förh. XXI, I, 1872, p. 50.	
<b>femorata</b> Chev. Rev. Zool. (2) VII, 1855, p. 282; Cent. Long. 1858, nr. 16. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 163.	Altcalabar
ab. <i>Pascoi</i> Murr. l. c. p. 165.	
<b>frontalis</b> Thoms. Arch. Ent. II, 1858, p. 157.	Gabun
<b>fulvipes</b> Thoms. l. c. p. 156.	"
<b>interrupta</b> Jord. Nov. Zool. X, 1903, p. 192.	St. Thomé
<b>laeta</b> Péring. Trans. S. Afr. Phil. Soc. (6) II, 1892, p. 77.	Deutsch-Süd- westafrika
<b>laevis</b> Jord. Nov. Zool. I, 1894, p. 149.	Kuili
<b>lateralis</b> Chev. Arch. Ent. II, 1858, p. 244. — Jord. Nov. Zool. I, 1894, p. 147.	Gabun
<b>latipes</b> Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 428.	Congo
<b>Lujae</b> Hintz, l. c. p. 427.	"
<b>marginalis</b> Goldfuss. Enum. Ins. Cap. 1805, p. 44, t. 1, f. 8. — Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 142 (= <i>globosa</i> Ol.?).	Südafrika?
<b>marginipennis</b> Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 164.	Altcalabar
<b>metallica</b> Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 197. ab. <i>atripes</i> Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 428.	Zentralafrika Congo
<b>minuta</b> Jord. Nov. Zool. I, 1894, p. 146.	Kuili
<b>nigripes</b> Thoms. Arch. Ent. II, 1858, p. 157.	Gabun
<b>nigrita</b> Serv. Ann. Soc. Ent. Fr. III, 1834, p. 70. — Cast. Hist. Nat. II, 1840, p. 427. — Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 333.	West- und Ostafrika

- T *nitidicollis* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 131. Chinchoxo  
T *nitidiventris* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 326. Usagara  
F *parvicollis* Fairm. Rev. d'Ent. XI, 1892, p. 120. Obock  
T *pulehra* Jord. Nov. Zool. X, 1903, p. 135. Congo  
T *similis* Jord. l. c. I, 1894, p. 148. Kulu  
T *togonia* Hintz. Deutsche Ent. Zeitschr. 1909, p. 556. Togo  
T *trivittata* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 196. — Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 333. Zentralafrika  
T *velutina* Jord. Nov. Zool. I, 1894, p. 147. Kulu  
T *viridipleta* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 367. Madagascar  
T *vittata* F. Ent. Syst. I, 2, 1792, p. 323. — Cast. Hist. Nat. II, 1840, p. 427. — Auriv. in Sjöstedt, Ergebn. Exp. Kilimandjaro VII, 1908, p. 142. Senegal  
*senegalensis* Klug, Erman's Reise, Atl. V, 1835, p. 44. — Cast. Hist. Nat. II, 1840, p. 427.

### Arten aus Asien und Australien.

- ✓ *aleyonea* Pasc. Proc. Zool. Soc. Lond. 1866, p. 534; Trans. Ent. Soc. Lond. (3) III, 1869, p. 507. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 48. Borneo  
T *apiculata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 506. Amboina  
T *Australasiae* Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 429. Nord-australien  
T ✓ *festiva* Thoms. Classif. Long. 1860, p. 251. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 506. — Heyne, Exot. Käf. 1906, p. 238, t. 36, f. 1. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 107. Java, Sumatra, Borneo, Birma  
T ✓ *globosa* Ol. Ent. IV, 67, 1795, p. 27, t. 12, f. 81. — Künckel in Grand. Hist. Nat. Mad. Col. Atlas, t. 47, f. 5. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 106, f. 42. Südasiens, Java, Celebes, Philippinen, Madagascar,  
 Biologie: Coquer. Ann. Soc. Ent. Fr. (2) VI, 1848, p. 180, t. 7, 4, f. 2. — Schödte, Nat. Tidskr. (3) X, 1876, p. 406, t. 13, f. 23, 24. — Willcocks, Bull. Soc. Ent. d'Egypte I, 2, 1909, p. 42, f. 1—3. Mauritius, Seychellen, Ägypten  
T *promecoides* Pasc. Trans. Ent. Soc. Lond. 1888, p. 492. Malacca  
T *virescens* Newm. Ann. Mag. Nat. Hist. V, 1840, p. 19. Victoria  
 43

### **Oemospila** Gah.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 104.

- maculipennis* Gah. l. c. p. 105. Assam  
 1

### **Oplatoecera** White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 121. — Thoms. Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 231. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 107.

*Hoplitocera* Gemm. et Har. Cat. Col. IX, 1872, p. 2795.

- callidioides** White, Cat. Col. Brit. Mus. VII, 1853, p. 121, Nordindien  
t. 3, f. 7. — Gah. Fauna Brit. Ind. Col. I, 1906,  
p. 108.
- Oberthüri** Gah. l. c. fig. 43. Sikkim  
2

### **Turcmenigena** Melgunov.

- Melgunov, Nachr. Ges. Liebhab. Naturw. Moscov. LXXXVI, Tageb. zool.  
Abt. II, nr. 1—2, 1894, p. 35.
- Warentzovi** Melgunov, l. c. — Jacobs. Käfer Russl. Turkmenien  
1910, t. 65, f. 13.  
1

## **X. Methiini.\***

- Lacord. Gen. Col. IX, 1872, p. 465. — J. Lec. & Horn, Classif. Col. N. Amer.  
1883, p. 333. — Leng & Hamilton, Trans. Am. Ent. Soc. XXIII, 1896,  
p. 162 (Revision). — Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 143.

### **Idoemea** Horn.

- Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 138. — J. Lec. & Horn, Classif.  
Col. N. Amer. 1883, p. 334.
- californica** Fall, Papers Calif. Acad. VIII, 1902, p. 256. Süd-  
californien
- Fulleri** Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 138, Texas  
t. 2, f. 10. — Leng & Hamilt. Revis. p. 162.
- texana** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 351. „  
3

### **Styloxus** J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 239. — J. Lec. & Horn, Classif.  
Col. N. Amer. 1883, p. 334.
- heanus** Lec. l. c. p. 240. — Leng & Ham. Revis. p. 162. Californien  
1

### **Methia** Newm.

- Newm. Entomolog. I, 1842, p. 418. — J. Lec. Journ. Ac. Philad. (2) II,  
1852, p. 144. — Thoms. Classif. Ceramb. 1860, p. 128, 364; Syst. Ceramb.  
1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 466. — J. Lec. & Horn,  
Classif. Col. N. Amer. 1883, p. 334.

*Thia* Newm. Entomolog. I, 1840, p. 18.

- aestiva** Fall, Journ. N. York Ent. Soc. XV, 1907, p. 86. Californien
- arizonica** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 352. Arizona
- constricticollis** Schaeffer, l. c. p. 351. Texas
- mormona** Linell, Proc. U. S. Mus. XIX, 1896, p. 399. Utah

\*) Diese kleine, eigentümliche Gruppe kann vielleicht nicht von der vorher-  
gehenden getrennt werden.

- necydalea** F. Ent. Syst. Suppl. 1798, p. 148. — Gah. Trans. Ent. Soc. Lond. 1895, p. 122. Westindische Inseln  
*pusilla* Newm. Entomolog. 1, 1840, p. 18. — J. Lec. Florida  
 Journ. Ac. Philad. (2) II, 1852, p. 144. — Leng & Ham. Revis. p. 162.  
**punctata** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 240. Cuba  
 — Leng & Ham. Revis. p. 163.  
*pusilla* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 256 (?).  
 6

### **Tessaropa** Hald.

- Hald. Proc. Amer. Phil. Soc. IV, 1847 (1848), p. 375.  
*Dysphaga* J. Lec. Journ. Ac. Philad. (2) II, 1852, p. 143. — Thoms. Classif. Ceramb. 1860, p. 128; Syst. Ceramb. 1864, p. 387. — Lacord. Gen. Col. IX, 1872, p. 467. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 334. — Leng & Ham. Revis. p. 162.  
*Tessaroptes* Hald. (wo?). — Gemm. et Har. Cat. Col. X, 1873, p. 3063.  
**bicolor** Horn, Trans. Am. Ent. Soc. XII, 1885, p. 196. Texas  
 — Leng & Ham. Revis. p. 163.  
**debilis** Horn, Proc. Calif. Acad. (2) V, 1895, p. 246. Nieder-californien  
**laevis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 240. Illinois  
**tenuipes** Hald. Proc. Acad. Philad. III, 1845, p. 126; Proc. Am. Phil. Soc. IV, 1848, p. 374. — J. Lec. Journ. Ac. Philad. (2) II, 1852, p. 143. — Leng & Ham. Revis. p. 163. New York, New Jersey, Pennsylvanien  
 ♀ *ventralis* Hald. Proc. Am. Phil. Soc. IV, 1848, p. 375. — J. Lec. Journ. Ac. Philad. (2) II, 1852, p. 144.  
 Biologie: Girault, Ent. News XV, 1904, p. 299.  
 4

## **XI. Achrysonini.**

- Lacord. Gen. Col. VIII, 1869, p. 231. — Bates, Trans. Ent. Soc. Lond. 1870, p. 247.

### **Achryson** Serv.

- Serv. Ann. Soc. Ent. Fr. II, 1833, p. 572. — Cast. Hist. Nat. II, 1840, p. 453. — Thoms. Classif. Ceramb. 1860, p. 231; Syst. Ceramb. 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 232. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 285.  
 ✓ **concolor** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 176. Texas  
 ✓ **galapagoensis** Linell, Proc. U. S. Mus. XXI, 1898, p. 259. Galapagos  
**hirsutulium** Bates, Trans. Ent. Soc. Lond. 1870, p. 248. Tapajos  
**immaculipenne** Goun. Bull. Soc. Ent. Fr. LXXXVIII, 1909, p. 305. Brasilien  
*unicolor* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 599, f. 7.  
**lineolatum** Er. Arch. Naturgesch. XIII, 1847, p. 142. Peru  
 ✓ **lutarium** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 175. Tucuman  
 ✓ **maculatum** Burm. l. c. „

- nanum** Bates, Trans. Ent. Soc. Lond. 1870, p. 247. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 600. Tapajos
- ornatipenne** Perr. Ann. Soc. Ent. Linn. Lyon (2) II, 1855, p. 383. — Gah. Trans. Ent. Soc. Lond. 1895, p. 92. Guadeloupe
- Philippii** Germain, An. Univ. Chile C, 1898, p. 560. Cüile
- pictum** Bates, Trans. Ent. Soc. Lond. 1870, p. 248. Para
- scutellatum** Kirsch, Abh. Mus. Dresden (2) II, nr. 4, 1889, p. 37. Peru
- surinamum** L. Syst. Nat. ed. XII, 1767, p. 632. — Bates, Trans. Ent. Soc. Lond. 1870, p. 247. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 117. Südliches Nordamerika, Centralamerika, Südamerika bis Argentinien
- biangulatus* Voet, Cat. Col. II, 1778, p. 23, t. 20, f. 102; ed. Panzer III, 1794, p. 59, t. 20, f. 102.
- circumflexum* F. Mant. Ins. I, 1787, p. 144. — Ol. Ent. IV, 67, 1795, p. 127, t. 23, f. 182. — Cast. Hist. Nat. II, 1840, p. 453.
- longicolle* Degeer, Mém. Ins. V, 1775, p. 117, t. 14, f. 11.
- pallens* F. Ent. Syst. I, 2, 1792, p. 297.
- simplex* Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 99; ed. Panzer III, 1794, p. 58, t. 20, f. 99.
- surinamense* Ol. Ent. IV, 67, 1795, p. 42, t. 13, f. 93. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264. — Leng, Ent. Amer. I, 1885, p. 35, t. 2, f. 25.
- var. *chontalense* Bates, Trans. Ent. Soc. Lond. 1872, p. 171. Nicaragua
- undulatum** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 175. Argentinien
- unicolor** Bruch, Rev. Mus. La Plata XV, 1908, p. 203. „
- 15

### **Eurymerus** Serv.

- Serv. Ann. Soc. Ent. Fr. II, 1833, p. 566. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 233.
- eburioides** Serv. l. c. p. 566. Brasilien
- flavosignatus* White, Cat. Col. Brit. Mus. VII, 1853, p. 115, t. 3, f. 6.
- fenestratus** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 601 nota. Bahia
- guttiger** Lucas, Cast. Voyage, Ent. 1839, p. 183, t. 12, f. 50. Brasilien
- ocellatus** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 600. „
- quadriguttatus** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 168. — Lacord. Gen. Col. VIII, 1869, p. 234, nota 2. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 600. Tucuman
- quadristigma** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 602. Brasilien
- spinipennis** Bug. Ann. Soc. Ent. Fr. XVII, 1860, p. 627. Cayenne, Brasilien
- Belon, Ann. Soc. Linn. Lyon (2) XXXVI, 1890, p. 301. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 601, f. 8.

7

### **Nortia** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 252. — Lacord. Gen. Col. VIII, 1869, p. 234.
- cavicollis** Thoms. l. c. Mindanao

1

**Ectenessa** Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 257. — Belon, Ann. Soc. Ent. Belg. XLVI, 1892, p. 13 (Synopsis). — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 603.

Subgen. **Ectenessa** s. str.

- Argodi** Belon, Ann. Soc. Ent. Belg. XLVI, 1892, p. 15, 16. Brasilien
- nitida** Bates, Biol. C.-Am. Col. V, 1885, p. 258, t. 18, Mexico  
f. 3. — Belon, Synops. p. 16.
- phthisica** Bates, l. c. p. 257. — Belon, Synops. p. 16. Brasilien
- sexmaculata** Bates, l. c. — Belon, Synops. p. 16. „
- subopaca** Bates, l. c. — Belon, Synops. p. 16. „
- Villardi** Belon, Ann. Soc. Ent. Belg. XLVI, 1892, p. 13, 16. „

Subgen. **Ectenessidia** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 603.

- nigriventris** Belon, l. c. p. 15, 16. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 604, f. 9, 1. Brasilien
- varians** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 604, f. 9, 2, 5. „
- var. *cyaneipennis* Goun. l. c. f. 9, 3. „
- var. *simplicipennis* Goun. l. c. f. 9, 4. „

8

**Trumais** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 605.

- rufula** Goun. l. c. Brasilien:  
Goyaz

1

**Aquinillum** Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 13.

- pallidum** Thoms. l. c. p. 14. Fidschi

1

**Herozoum** Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 15.

- longulum** Thoms. l. c. p. 16. Damaraland

1

**Allogaster** Thoms.

Thoms. Syst. Ceramb. 1864, p. 251. — Lacord. Gen. Col. VIII, 1869, p. 235.

- geniculata** Thoms. Syst. Ceramb. 1864, p. 251. Senegal
- niger** Jord. Nov. Zool. I, 1894, p. 496. Benue
- unicolor** Gah. Trans. Ent. Soc. Lond. 1890, p. 300. Natal

3

**Icosium** Lucas.

Lucas, Ann. Soc. Ent. Fr. (3) II, 1854, Bull. p. 8; (3) V, 1857, p. 611. — Muls. Col. Fr. Long. ed. 2, 1862, p. 193. — Thoms. Syst. Ceramb. 1864, p. 441. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 146. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690).

*Cluvia* Stål, Öfvers. Vet. Ak. Förh. XIV, 1857, p. 63.

**tomentosum** Lucas, Ann. Soc. Ent. Fr. (3) II, 1854, Bull. p. 9; (3) V, 1857, p. 613, t. 13, 2, f. 1, 1b. — Muls. Col. Fr. Long. ed. 2, 1862, p. 193. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 203. — Ganglb. Best.-Tab. VII, 1881, p. 65 (743).  
*Chevrolati* Stål, Öfvers. Vet. Ak. Förh. XIV, 1857, p. 63.  
 var. *atticum* Ganglb. Best.-Tab. VII, 1881, p. 65 (743).  
 Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 302, f. 465—467.

Mittelmeer-  
gebiet

Griechenland

1

**Saporaea** Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 11.

**femoralis** Thoms. l. c.

Australien

1

**Araespor** Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 14.

**longicollis** Thoms. l. c. p. 15. — Gal. Trans. Ent. Soc. Lond. 1895, p. 91.  
*angustulum* Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 474.

Fidschi,  
? Cuba

1

**XII. Torneutini.**

Lacord. Gen. Col. VIII, 1869, p. 237. — Bates, Trans. Ent. Soc. Lond. 1870, p. 249.

**Torneutes** Reich.

Reich, Trans. Ent. Soc. Lond. II, 1837, p. 9. — Thoms. Classif. Ceramb. 1860, p. 273; Syst. Ceramb. 1864, p. 456. — Lacord. Gen. Col. VIII, 1869, p. 238.

**Bouchanti** Buq. Rev. Zool. VI, 1843, p. 299.

Patria?

**Lansbergei** Thoms. Syst. Ceramb. 1865, p. 576.

Surinam

**pallidipennis** Reich, Trans. Ent. Soc. Lond. II, 1837, p. 12, t. 2, f. 1. — Blanch. Voy. d'Orb. Ins. 1843, p. 206, t. 20, f. 3 ♂, 4 ♀. — ♀ Buq. Rev. Zool. VI, 1843, p. 299.

Uruguay,  
Argentinien

Biologie: Berg, Stett. Ent. Zeit. XL, 1879, p. 197.

3

**Spathopygus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 239.

- eburioides** Blanch. Voy. d'Orb. Ins. 1843, p. 209, t. 22, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 239. Patagonien  
**obseurus** Guér. Rev. Zool. VI, 1843, p. 301, 352. — „  
 Lacord. Gen. Col. VIII, 1869, p. 239, nota 3.

2

**Xenambyx** Bates.

Bates, Biol. C.-Am. Col. V, 1879, p. 14.

- laticauda** Bates, l. c. t. 17, f. 3. Guatemala  
 1

**Diploschema** Thoms.

Thoms. Arch. Ent. I, 1857, p. 404; Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864, p. 456. — Lacord. Gen. Col. VIII, 1869, p. 240.

- rotundicolle** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 29 ♀. Brasilien  
*Fabricii* Serv. l. c.  
*flavipennis* Thoms. Arch. Ent. I, 1857, p. 405.  
 — Gerst. Arch. Naturgesch. XXIV, 1858, I, p. 323.  
 Biologie: Ihering, Ent. Brasil. II, 1909, p. 229, f. 3—8.

1

**Praxithea** Thoms.

Thoms. Syst. Ceramb. 1864, p. 254. — Lacord. Gen. Col. VIII, 1869, p. 241.

- Derourei** Chabrill. Arch. Ent. I, 1857, p. 196. Brasilien  
**Javeti** Chabrill. l. c. p. 195. „  
**Thomsoni** Chabrill. l. c. — Thoms. Syst. Ceramb. 1864, „  
 p. 255.

3

**Psygmatocherus** Perty.

Perty, Isis VII, 1828, p. 737; Delect. An. Art. 1830, p. 87. — Lacord. Gen. Col. VIII, 1869, p. 241.

- Phoenicocherus* Latr. Crust. Arachn. et Ins. II, 1829, p. 113; in Cuv. Règne anim. Ins. ed. Masson, I, 1832, p. 475. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 28. — Thoms. Classif. Ceramb. 1860, p. 185; Syst. Ceramb. 1864, p. 451.  
*Badariottia* Giglio, Boll. Mus. Zool. Torino VIII, 1893, p. 1.

- Wagleri** Perty, Isis VII, 1828, p. 737; Delect. An. Art. Brasilien  
 1830, p. 88, t. 17, f. 9 ♂.  
*Dejeani* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 29. — Latr. in Cuv. Règne anim. Ins. ed. Masson I, 1832, t. 65, f. 7.  
*Gianellii* Giglio, Boll. Mus. Zool. Torino VIII, 1895, p. 4, fig.  
 ♀ *suturalis* Perty, Delect. An. Art. 1830, p. 88, t. 17 (antenna).

1

**Coccoderus** Buq.

Buq. Rev. Zool. III, 1840, p. 293. — Thoms. Syst. Ceramb. 1864, p. 450.  
— Lacord. Gen. Col. VIII, 1869, p. 243.

- amazonicus** Bates, Trans. Ent. Soc. Lond. 1870, p. 249. Tapajos  
**bisignatus** Buq. Rev. Zool. III, 1840, p. 295. Cayenne  
**noventipunctatus** Germ. Ins. spec. nov. 1824, p. 505. Brasilien  
— Lamcere, Ann. Soc. Ent. Belg. XXVIII,  
1884, p. 85.  
*tuberculatus* Buq. Rev. Zool. III, 1840, p. 295.  
— Blanch. Voy. d'Orb. Ins. 1843, p. 207, t. 21, f. 3.  
**sexguttatus** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Ecuador  
p. 293.  
**sexmaculatus** Buq. Rev. Zool. III, 1840, p. 295. Brasilien  
**speciosus** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 606. „  
**tristis** Blanch. Voy. d'Orb. Ins. 1843, p. 208, t. 21, f. 4. Bolivia

7

**XIII. Metopocoilini.**

Lacord. Gen. Col. VIII, 1869, p. 244.

**Metopocoilus** Serv.

Serv. Ann. Soc. Ent. Fr. I, 1832, p. 170. — Thoms. Classif. Ceramb. 1860,  
p. 186; Syst. Ceramb. 1864, p. 457.

*Metopocoellus* Cast. Hist. Nat. II, 1840, p. 410.

*Metopocoelus* Lacord. Gen. Col. VIII, 1869, p. 244.

- ✓ **giganteus** Nonfr. Ent. Nachr. XX, 1894, p. 137. Nord-  
brasilien  
**maelicollis** Serv. Ann. Soc. Ent. Fr. I, 1832, p. 171. Brasilien  
— Cast. Hist. Nat. II, 1840, p. 410.  
*brasiliensis* G. R. Gray in Griffith. An. Kingd.  
II, 1832, p. 113, t. 65, f. 2; t. 73, f. 1.  
† **quadrispinosus** Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, „  
p. 619.  
**Rojasi** Sallé, Ann. Soc. Ent. Fr. (3) I, 1853, p. 650, t. 20, Venezuela.  
3, f. 1 ♂, 2 ♀. — Bates, Trans. Ent. Soc. Lond. Nord-  
1870, p. 436. — Heyne, Exot. Käf. 1906, t. 36, brasilien  
f. 5.

4

**Uragus** Guér.

Guér. Icon. règne anim. Ins. III, 1843, p. 230. — Lacord. Gen. Col. VIII,  
1869, p. 245.

- † **hamaticollis** Guér. l. e. p. 231. Patagonien

1

**XIV. Cerambycini.**

Lacord. Gen. Col. VIII, 1869, p. 246. — Pasc. Trans. Ent. Soc. Lond.  
(3) III, 1869, p. 597. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 247;  
VII, 1891, p. 19; IX, 1892, p. 19; Fauna Brit. Ind. Col. I, 1906, p. 119.

**Opsamates** Waterh.

Waterh. Trans. Ent. Soc. Lond. 1879, p. 264.

- dimidiatus** Waterh. l. c. p. 265: Aid ident. Ins. II, 1886, t. 171, f. 7. — Künckel in Grand. Hist. Mad. Col. 1890, t. 53, f. 3. Madagascar
- piceonitens** Fairm. Le Natural. XXV, 1903, p. 10. „
- purpureipennis** Waterh. Trans. Ent. Soc. Lond. 1880, p. 60; Aid ident. Ins. II, 1886, t. 171, f. 8. „
- pustulosus** Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 368. „

4

**Taurotagus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 249.

- Auberti** Fairm. Rev. d'Ent. XI, 1892, p. 118. Obock
- brevipennis** Gah. Trans. Ent. Soc. Lond. 1890, p. 301. Sierra Leone
- Greenfieldi** Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 408. Somaliland
- griseus** Guér. Icon. règne anim. Ins. 1843, p. 227. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 248. Senegal
- Klugi** Lacord. Gen. Col. VIII, 1869, p. 249, nota 1. — Dohrn, Stett. Ent. Zeit. XXXV, 1874, p. 422. — Dist. Ins. Transv. 1904, p. 111, t. 9, f. 7. Südafrika
- rusticum** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1. 1872, p. 50. Kaffenland
- subauratus** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 247. Abessinien
- vestitus** Jord. Nov. Zool. I, 1894, p. 150. Sierra Leone

8

**Coelodon** Serv.

Serv. Ann. Soc. Ent. Fr. I, 1832, p. 164. — Thoms. Syst. Ceramb. 1864, p. 445. — Lacord. Gen. Col. VIII, 1869, p. 249.

*Coelodon* Thoms. Classif. Ceramb. 1860, p. 186.

- prionoides** Auriv. Ent. Tidskr. XII, 1891, p. 97. Damaraland
- servum** White, Cat. Col. Brit. Mus. VII, 1853, p. 129. — Dist. Ins. Transv. 1904, p. 111, t. 9, f. 9.
- cinereum** Serv. Ann. Soc. Ent. Fr. I, 1832, p. 164 (nec Ol., nec descriptam). — Lacord. Gen. Col. VIII, 1869, p. 250. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 248.

2

**Bolbotritus** Bates.

Bates, Trans. Ent. Soc. Lond. 1871, p. 375.

- Bainesi** Bates, l. c. — Kraatz, Deutsche Ent. Zeitschr. 1896, p. 153, fig. — Planct, Le Natural. XXI, 1899, p. 142, fig. — Donckier, Bull. Soc. Ent. Fr. 1899, p. 273. Matabeleland, Deutsch-Ostafrika
- Ferrandii** Gestro, Ann. Mus. Genova XXXIX, 1898, p. 537, fig. Somaliland

2

**Neocerambyx** Thoms.

Thoms. Classif. Ceramb. 1860, p. 194; Syst. Ceramb. 1864, p. 444. —  
Lacord. Gen. Col. VIII, 1869, p. 250. — Gah. Ann. Mag. Nat. Hist. (6)  
VI, 1890, p. 249; Fauna Brit. Ind. Col. I, 1906, p. 124.

- gigas** Thoms. Rev. Zool. (3) VI, 1878, p. 3. — Gah. Borneo,  
Ann. Mag. Nat. Hist. (6) VI, 1890, p. 249. Java  
**grandis** Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 20; Allahabad,  
Fauna Brit. Ind. Col. I, 1906, p. 125, fig. Assam  
**intricatus** Pasc. Proc. Zool. Soc. Lond. 1866, p. 527 Penang  
(Genus?).  
**Paris** Wied. in Germ. Mag. Ent. IV, 1821, p. 167. — Bengalen,  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 124. — Birma,  
Maxw.-Lefr. Ind. Ins. Life 1909, p. 377, f. 257. Siam  
*Brama* Newm. Ent. Mag. V, 1837, p. 493.

4

**Mallambyx** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 152.

- Raddei** Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 170, Amur,  
t. 7, f. 1. Japan  
*japonicus* Bates, Ann. Mag. Nat. Hist. (4) XII,  
1873, p. 152; Journ. Linn. Soc. Lond. Zool. XVIII,  
1884, p. 209. — Matsum. Thous. Ins. Japan  
III, 1908, nr. 728, t. 55, f. 2. — Jacobs. Käfer  
Russl. 1910, t. 65, f. 5.  
Biologie: Köppen, Schädli. Ins. Russl. 1880,  
p. 263.

1

**Aeolesthes** Gah.

Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 250 (Revision); Fauna Brit.  
Ind. Col. I, 1906, p. 126.

*Neocerambyx* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 509.

- Achilles** J. Thoms. Syst. Ceramb. 1865, p. 576. — Gah. Borneo  
Revis. p. 251, 252.  
*Aeneas* Pasc. Trans. Ent. Soc. Lond. (3) III,  
1869, p. 510.  
**ampliata** Gah. Revis. p. 253. Bismarek-  
inseln  
**aurifaber** White, Cat. Col. Brit. Mus. VII, 1853, p. 128. Borneo,  
*Aeneas* Thoms. Classif. Ceramb. 1860, p. 195. Penang  
*Alexis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869,  
p. 512.  
*Lumbi* Pasc. Proc. Zool. Soc. Lond. 1866, p. 527.  
**basicornis** Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, Andamanen  
p. 377; Fauna Brit. Ind. Col. I, 1906, p. 126,  
f. 49.  
**holosericea** F. Mant. Ins. I, 1787, p. 135. — Gah. Ann. Brit.-Indien  
Mag. Nat. Hist. (6) VII, 1891, p. 20; Fauna Brit.  
Ind. Col. I, 1906, p. 127. — Maxw.-Lefr. Ind.  
Ins. Life 1909, p. 373, f. 252.  
*similis* Gah. Ann. Mag. Nat. Hist. (6) V, 1890,  
p. 52.

- velutina* Thoms. Syst. Ceramb. 1865, p. 576. —  
Gah. Revis. p. 252, 254.  
Biologie: Cotes, Ind. Mus. Notes I, 2, p. 60, 89,  
t. 5, f. 3.
- indicola* Bates, Entomolog. XXIV, 1891, Suppl. p. 21. Nordwest-  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 128. Indien
- induta* Newm. Entomolog. I, 1842, p. 245. — Gah. Revis. Ceylon,  
p. 251, 253; Fauna Brit. Ind. Col. I, 1906, p. 128. Birma,  
Java,  
Borneo
- langsonius* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin  
p. 176.
- Mariae* Thoms. Rev. Zool. (3) VI, 1878, p. 2. — Gah. Borneo  
Revis. p. 251, 253.
- perplexa* Gah. Revis. p. 251, 254. Siam
- sarta* Solsky, Horae Soc. Ent. Ross. VIII, 1871, p. 150, Turkestan,  
t. 5, f. 4. — Gah. Revis. p. 252, 255; Fauna Belut-  
Brit. Ind. Col. I, 1906, p. 129. — Jacobs. Käfer schistan  
Russl. 1910, t. 65, f. 1.
- sinensis* Gah. Revis. p. 252, 255; Fauna Brit. Ind. Col. I, Birma, China  
1906, p. 128.
- textor* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 511. Molukken  
— Gah. Revis. p. 251, 253.  
*externus* Pasc. l. c. p. 512.  
*ternatensis* Fairm. Le Natural. I, 1879, p. 70.

- chrysothrix* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan  
p. 152; Journ. Linn. Soc. Lond. Zool. XVIII,  
1884, p. 208. — Lewis, Entomolog. XXVI, 1893,  
p. 152.  
♂ *Batesi* Har. Abh. Nat. Ver. Bremen IV, 1875,  
p. 295.

14

### **Trirachys** Hope.

- Hope, Proc. Ent. Soc. Lond. 1841, p. 61; Trans. Ent. Soc. Lond. IV, 1845,  
p. 11. — Thoms. Syst. Ceramb. 1864, p. 444. — Lacord. Gen. Col. VIII,  
1869, p. 257. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 251.

*Trirrachis* Gemm. et Har. Cat. Col. IX, 1873, p. 2801.

- orientalis* Hope, l. c. p. 61; l. c. p. 11. Südchina

1

### **Cyriopalus** Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 530; Trans. Ent. Soc. Lond. (3) III,  
1869, p. 513. — Lacord. Gen. Col. VIII, 1869, p. 251.

- Pascoei* Thoms. Rev. Zool. (3) VI, 1878, p. 2. Borneo
- Wallacei* Pasc. Proc. Zool. Soc. Lond. 1866, p. 530, Borneo,  
t. 42, f. 3; Trans. Ent. Soc. Lond. (3) III, 1869, Penang  
p. 513.

2

**Utopia** Thoms.

Thoms. Syst. Ceramb. 1864, p. 233. — Lacord. Gen. Col. VIII, 1869, p. 252.

**Castelnaudi** Thoms. l. c. p. 233. — Ritsema, Midden- Malay.  
Sumatra IV, 6, 1887, p. 195, t. 3, f. 2. Archipel

1

**Prospilus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 228. — Lacord. Gen. Col. VIII, 1869, p. 253.

**serricornis** Dalm. in Schönh. Syn. Ins. I, 3, App. 1817, Natal,  
p. 160. — Gah. Ann. Mag. Nat. Hist. (6) VII, Transvaal  
1891, p. 19. — Dist. Ins. Transv. 1904, p. 111,  
t. 9, f. 11.

**denticornis** Ol. Ent. IV, 67, 1795, t. 5, f. 33  
(non descr.).

**pilosicollis** Thoms. Syst. Ceramb. 1864, p. 229.

1

**Teraschema** Thoms.

Thoms. Classif. Ceramb. 1860, p. 198; Syst. Ceramb. 1864, p. 443. —  
Lacord. Gen. Col. VIII, 1869, p. 253.

**Menalcas** Thoms. Classif. Ceramb. 1860, p. 199. — Lacord. Madagascar  
Gen. Col. VIII, 1869, p. 254, nota 1. — Künckel  
in Grand. Hist. Mad. Col. 1890, t. 48, f. 10.

1

**Calocerambyx** Heller.

Heller, Deutsche Ent. Zeitschr. 1905, p. 66.

**Hauseri** Heller, l. c. p. 67. Neuguinea

1

**Plocaederus** Thoms.

Thoms. Classif. Ceramb. 1860, p. 197; Syst. Ceramb. 1864, p. 443. —  
Lacord. Gen. Col. VIII, 1869, p. 254. — Gah. Fauna Brit. Ind. Col. I,  
1906, p. 120.

*Plocaederus* Gemm. et Har. Cat. Col. IX, 1872, p. 2799.

## Arten aus Afrika.

1. *Elytra metallica*.

**basalis** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 255. Altcalabar

**chloropterus** Murr. l. c. (4) V, 1870, p. 436.

**ehloropterus** Chev. Rev. Zool. (2) VIII, 1856, p. 566; „  
Cent. Long. 1858, nr. 59. — Gah. Ann. Mag.  
Nat. Hist. (6) VI, 1890, p. 256.

**cyanipennis** Thoms. Classif. Ceramb. 1860, p. 198. — Senegambien

**formosus** Har. Mitth. Münch. Ent. Ver. II, 1878, p. 109; Zentralafrika  
Col. Heft XVI, 1879, p. 166.

- gabonicus** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 256. Gabun  
**glabricollis** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367. Cap Palmas  
 — Jord. Nov. Zool. XVI, 1909, p. 310.  
**nitidipennis** Chevr. Rev. Zool. (2) 1858, p. 50; Cent. Altealabar  
 Long. 1858, nr. 79.  
**purpuripennis** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, Natal  
 p. 257.  
**viridipennis** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367. Sierra Leone  
 — White, Cat. Col. Brit. Mus. VII, 1853, p. 125.  
 — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 256.  
 — Jord. Nov. Zool. XVI, 1909, p. 310.

## 2. *Elytra haud metallica.*

- Bennigseni** Kolbe, D. O. Afrika Col. IV, 1897, p. 297. Deutsch-  
 — Auriv. in Sjöstedt, Ergebn. Exped. Kilima- Ostafrika  
 ndjaro VII, 1908, p. 143. — Hintz, Deutsche Ent.  
 Zeitschr. 1910, p. 574.  
**Caroli** Leprieur, Ann. Soc. Ent. Fr. (5) VI, 1876, Bull. Algerien  
 p. 8. — Pic, Longie. I, 1891, p. 42; III, 1, 1900,  
 p. 6.  
**cineraceus** Fairm. Faune et Flore Comalis, Col. 1882, p. 99. Somaliland  
**Conradti** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 247. — Deutsch-  
 — Auriv. in Sjöstedt, Ergebn. Exped. Kilimandjaro Ostafrika  
 VII, 1908, p. 143. — Hintz, Deutsche Ent.  
 Zeitschr. 1910, p. 574.  
 var. *strigicollis* Kolbe, Berl. Ent. Zeitschr. XLV, Mhonda  
 1900, p. 303.  
**denticornis** F. Syst. Eleuth. II, 1801, p. 271. — Dist. Afrika  
 p. 8. Transv. 1904, p. 112, t. 9, f. 8.  
*cribrithorax* Kolbe, D. O. Afrika Col. IV, 1897, Ostafrika  
 p. 297.  
*serraticornis* Bertol. Mem. Acc. Bologna VI, Ostafrika  
 1855, p. 440, t. 22, f. 4.  
**Emini** Waterh. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 107, Ostafrika  
 t. 1, f. 3. — Hintz, Deutsche Ent. Zeitschr.  
 1910, p. 574.  
**frenatus** Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, Südafrika  
 p. 51.  
*hamifer* Bates, Trans. Ent. Soc. Lond. 1878, p. 190.  
**fucatus** Thoms. Arch. Ent. II, 1858, p. 150. — Gah. Gabun,  
 Ann. Mag. Nat. Hist. (6) VI, 1890, p. 258. Prinzeninsel  
**granulatus** Auriv. Denkschr. med.-nat. Ges. Jena XIII, Deutsch-Süd-  
 1909, p. 429. westafrika  
**incertus** Gestro, Ann. Mus. Civ. Genova (2) XII, 1892, Somaliland  
 p. 784.  
**Kolbei** Hintz, Deutsche Ent. Zeitschr. 1910, p. 574, 575. Deutsch-  
 Ostafrika  
**melancholicus** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, Westafrika  
 p. 257.  
**Peelei** Gah. l. c. (7) II, 1898, p. 42. Britisch-  
 Ostafrika  
**pronus** Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 51. Südafrika  
**ruficornis** Auriv. Ark. f. Zool. VII, 3, 1910, p. 4. Westafrika  
**spiniicornis** F. Spec. Ins. I, 1781, p. 224. — Gah. Ann. Afrika  
 Mag. Nat. Hist. (6) VI, 1890, p. 258.  
*denticornis* Ol. Ent. IV, 67, 1795, p. 60 (non fig.)  
 var. *pubipennis* White, Cat. Col. Brit. Mus. VII, Senegambien  
 1853, p. 126.

## Arten aus Asien.

- consocius** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 20. Ceylon  
— Gah. Ann. Mag. Nat. Hist. (6) VI, 1890,  
p. 258; Fauna Brit. Ind. Col. I, 1906, p. 124.
- ferrugineus** L. Syst. Nat. ed. X, 1758, p. 390; Mus. Lud. Ceylon,  
Ul. 1764, p. 70. — F. Ent. Syst. I, 2, 1792, Bengalen  
p. 256. — Ol. Ent. IV, 67, 1795, p. 9, t. 18,  
f. 134. — Gah. Ann. Mag. Nat. Hist. (6) V,  
1890, p. 51; Fauna Brit. Ind. Col. I, 1906, p. 121.
- gigas** F. Mant. Ins. I, 1787, p. 132.
- nitidus** White, Cat. Col. Brit. Mus. VII, 1853,  
p. 127.
- umbrinus** Dalm. in Schönh. Syn. Ins. III, App.  
1817, p. 161.
- versutus** Pasc. Trans. Ent. Soc. Lond. (2) V,  
1859, p. 20.
- var. **niger** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, Bengalen  
p. 52; Fauna Brit. Ind. Col. I, 1906, p. 121.
- fulvicornis** Guér. Icon. règne an. 1843, p. 227. Philippinen
- ruficornis** Newm. Entomolog. I, 1842, p. 245. Penang
- pruinusus** Pasc. Proc. Zool. Soc. Lond. 1866,  
p. 526.
- humeralis** White, Cat. Col. Brit. Mus. VII, 1853, p. 127. Indien,  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 123 Birma  
(= *rusticus* F.).
- lymphaticus** Lameere, Ann. Soc. Ent. Belg. XXXIV, Ostindien  
1890, Bull. p. 210.
- obesus** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 51; „  
VI, 1890, p. 259; Fauna Brit. Ind. Col. I, 1906,  
p. 121, f. 47. — Maxw.-Lefr. Ind. Ins. Life 1909,  
p. 373.
- pedestris** Cotes, Ind. Mus. Notes I, 1889, p. 91.  
Biologie: Cotes, l. c. t. 5, f. 4.
- pedestris** White, Cat. Col. Brit. Mus. VII, 1853, p. 127. „  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 123.
- rusticus** F. Spec. Ins. I, 1781, p. 228. — Ol. Enc. méth. „  
Ins. V, 1790, p. 305; Ent. IV, 67, 1795, p. 41;  
69, t. 2, f. 16.
- scapularis** Fisch. Lettre à Pander 1821, p. 15. — Motsch. Sibirien,  
Bull. Mosc. XVIII, 1845, p. 87. — Gebl. l. c. Buchara  
XXXII, 1859, IV, p. 346. — Jacobs. Käfer  
Russl. 1910, t. 65, f. 10.
- tataricus** Gebl. Bull. Ac. Petrop. VIII, 1841, p. 375.
- fuliginosus** Ol. Enc. méth. Ins. V, 1790, p. 299; Ent. IV, Patria?  
67, 1795, p. 14, t. 10, f. 64.

35

## Hamaticherus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 15. — Thoms. Classif. Ceramb. 1860,  
p. 196; Syst. Ceramb. 1864, p. 443.
- Hamaticherus* Lacord. Gen. Col. VIII, 1869, p. 255.
- Hammatochaerus* Gemm. et Har. Cat. Col. IX, 1873, p. 2800.
- batus** L. Syst. Nat. ed. X, 1758, p. 390. — Ol. Ent. IV, Surinam,  
67, 1795, p. 10, t. 5, f. 32. — F. Ent. Syst. I, Nord-  
2, 1792, p. 256. — Bates, Trans. Ent. Soc. brasilien

Lond. 1870, p. 250. — Heyne, Exot. Käf. 1906, t. 36, f. 4.

*datius* L. Mus. Lud. Ulr. 1764, p. 69.

*spinosus* Goeze, Ent. Beytr. I, 1777, p. 464.

var. *Carthaganae* Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 21. Columbien

*bellator* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 15. Cayenne

*bipartitus* Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 624. „

*consobrinus* Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 19. — Goun. Ann. Soc. Ent. Fr. LXXVII, „

1909, p. 607, f. 10, 2; l. c. Bull. 1908, p. 289.

*erythropus* Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 305. Columbien

*glabrieollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 251. Ega

*lacordairei* Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 20. Argentinien

*lasiocerus* Gah. l. c. p. 22. — Goun. Ann. Soc. Ent. Fr. Brasilien

LXXVII, 1909, p. 607, f. 10, 1.

*luridipennis* Gah. l. c. p. 22. — Goun. l. c. p. 608, f. 11, 3, 4. Guyana

*maerus* Bates, Trans. Ent. Soc. Lond. 1870, p. 251. — Amazon.

Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 19.

✓ *mexicanus* Thoms. Classif. Ceramb. 1860, p. 196. Mexico, Süd-

*castaneus* Bates, Trans. Ent. Soc. Lond. 1870, brasilien

p. 250 nota; 1872, p. 171; Biol. C.-Am. Col. V, 1879, p. 16, 241, t. 3, f. 2.

*murinus* Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 22. Argentinien

*pactor* Lameere, Ann. Soc. Ent. Belg. XXIX. 1885, Paraguay,

Bull. p. 61. Brasilien

var. Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 607.

× *plicatus* Ol. Enc. méth. V, 1790, p. 299; Ent. IV, 67, Brasilien

1795, p. 40, t. 18, f. 136. — Bates, Trans. Ent. Soc. Lond. 1870, p. 250.

*rufipennis* Gory in Guér. Icon. règne an. 1843, Cayenne

p. 226, t. 44, f. 1, 1 a.

Biologie: Xamheu, Ann. Soc. Linn. Lyon XL,

1893, p. 148; Moeurs & Mét. I, 1893, p. 220.

*punctulatus* Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 21. Brasilien

*rugosus* Ol. Ent. IV, 67, 1795, p. 11, t. 21, f. 159. Cayenne

*rusticus* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 608, Brasilien

f. 11, 1, 2.

17

## Cerambyx L.

L. Syst. Nat. ed. 10, 1758, p. 388. — Latr. Consid. Gen. Ins. 1810, p. 230, 431; in Cuv. Règne an. ed. 2, Ins. II, 1829, p. 115. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 13. — Muls. Col. Fr. Long. ed. 1, 1839, p. 29; ed. 2, 1862, p. 56. — Cast. Hist. Nat. II, 1840, p. 428. — Thoms. Classif. Ceramb. 1860, p. 195; Syst. Ceramb. 1864, p. 444. — Schiödde, Nat. Tidskr. (3) II, 1864, p. 523. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 140. — C. G. Thoms. Skand. Col. VIII, 1866, p. 12. — Lacord. Gen. Col. VIII, 1869, p. 258. — Gangib. Best.-Tab. VII, 1881, p. 11 (689). — Czwalina, Wien. Ent. Zeit. X, 1891, p. 99 (Revision). — Reitter, Ent. Nachr. XX, 1894, p. 353 (Revision). — Everts, Col. Neerl. II, 1, 1901, p. 372.

*Hamaticherus* Germ. Ins. spec. novae 1824, p. 499. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 228.

*Hammaticherus* Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 479; ed. 2, 1858, p. 841; ed. 3, II, 1874, p. 396.  
*Hammatochaerus* Bach, Käferf. III, 1856, p. 9.

Biologie: Mayet, Bull. Soc. Ent. Fr. (6) I, 1881, p. 162.

- Cantori** Hopc, Trans. Ent. Soc. Lond. IV, 1845, p. 11. — Lacord. Gen. Col. VIII, 1869, p. 251, nota 2. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 249. China
- scabricollis* Chev. Rev. Zool. (2) IV, 1852, p. 416. Hongkong
- carinatus** Küst. Käf. Eur. II, 1846, p. 46. — Ganglb. Best.-Tab. VII, 1881, p. 743. — Kraatz, Deutsche Ent. Zeitschr. XXX, 1886, p. 48. — Czwal. Revis. p. 99. — Reitter, Revis. p. 354. — Csiki, Rov. Lapok XI, 1904, p. 59. Dalmatien, Griechenland
- cerdo** L. Syst. Nat. ed. 10, 1758, p. 392. — Drury, Ill. Exot. Ins. I, 1773, p. 87, t. 39, f. 1. — Bergstr. Nomencl. I, 1778, p. 8, t. 1, f. 10; t. 2, f. 3. — Laich. Verz. Tyrol. Ins. II, 1784, p. 6. — Geoffr. in Fourer. Ent. Paris. I, 1785, p. 73. — Petagna, Ins. Calabr. 1787, p. 15. — Schrank, Fauna Boica I, 2, 1798, p. 655. — Donndorf, Eur. Fauna VIII, 1799, p. 553. — Muls. Col. Fr. Long. ed. 2, 1862, p. 59. — Ganglb. Best.-Tab. VII, 1881, p. 66 (744); Rev. d'Ent. III, 1884, p. 202. — Bedel, Faune Col. Seine V, 1889, p. 33, 85. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 829. — Czwal. Revis. p. 100. — Reitter, Revis. p. 354. — Stierl. Col. Helvet. II, 1898, p. 462. — Everts, Col. Neerl. II, 1, 1901, p. 372. — Houb. Faune Armor. Ceramb. 1904, p. 44, f. 82, 83. — Csiki, Rov. Lapok XI, 1904, p. 59. — Jacobs. Käfer Russl. 1910, t. 68, f. 7. Mittel- und Südeuropa
- cerdo* var. F. Syst. Ent. 1775, p. 167. — Razoum. Hist. Nat. du Jorat I, 1789, p. 150.
- heros* Scop. Ent. Carn. 1763, p. 51. — Bergstr. Nomencl. I, 1778, p. 67, t. 11, f. 6. — F. Mant. Ins. I, 1787, p. 132. — Gmel. Syst. Nat. I, 4, 1790, p. 1826. — Rossi, Fauna Etr. I, 1790, p. 141. — Ol. Enc. méth. Ins. V, 1790, p. 295; Ent. IV, 67, 1795, p. 12, t. 1, f. 1. — Panz. Deutschl. Ins.-Fauna 1795, p. 247; Fauna Ins. Germ. LXXXII, 1801, t. 1. — Walcken. Faune Paris. I, 1802, p. 204. — Fallén, Obs. Ent. I, 1802, p. 14. — Bechst. & Scharfenb. Forstins. I, 1804, p. 191. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 283. — Gyllenh. Ins. Succ. I, 4, 1827, p. 49. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 228; Man. 1839, p. 270. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, t. 66, f. 3. — Westw. in Drury, Ill. Exot. Ins. I, 1837, p. 83, t. 39, f. 1. — Muls. Col. Fr. Long. 1839, p. 30. — Cast. Hist. Nat. II, 1840, p. 428. — Küster, Käfer Eur. II, 1845, p. 42. — Redt. Fauna Austr. 1849, p. 479; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 397. — Costa, Fauna Regni Napoli, Col. II, 1854,

- Long. p. 19. — Bach, Käferf. III, 1856, p. 9.  
 — C. G. Thoms. Skand. Col. VIII, 1866, p. 13.  
*luguber* Voet, Cat. Col. II, 1778, p. 8, t. 5, f. 9;  
 ed. Panzer III, 1794, p. 15, t. 5, f. 9.  
 Biologie: Ratzeb. Forstins. I, 1837, p. 194,  
 t. 16, f. 3. — Doebner, Stett. Ent. Zeit. XI,  
 1850, p. 23. — Xamb. Ann. Soc. Linn. Lyon  
 XLV, 1898, p. 9; Moeurs & Mét. VII, 1899,  
 p. 49; VIII, 1902, p. 53. — Unzicker, Ent.  
 Zeitschr. XXV, 1911, p. 93.
- var. *acuminatus* Motsch. Etud. Ent. I, 1852, Krim  
 p. 79. — Ganglb. Best.-Tab. VII, 1881, p. 66  
 (744).
- Manderstjernae* Muls. & God. Ann. Soc. Linn. Syrien  
 Lyon II, 1855, p. 280 (Opusc. Ent. VI, 1855,  
 p. 180); Col. Fr. Long. ed. 2, 1862, p. 62.
- var. *Mirbeckii* Lucas, Ann. Sc. Nat. (2) XVIII, Mittelmeer-  
 gebiet  
 1842, p. 184; Explor. Algér. Col. 1849, p. 484,  
 t. 41, f. 3. — Muls. Col. Fr. Long. ed. 2, 1862,  
 p. 57. — Fairm. Gen. Col. d'Eur. IV, 1864,  
 t. 42, f. 191. — Ganglb. Best.-Tab. VII, 1881,  
 p. 66 (744).
- Biologie: Perris, Ann. Soc. Linn. Lyon (2)  
 XXIII, 1877, p. 262, f. 417—420. — Xamb.  
 Moeurs & Mét. VIII, 1902, p. 57.
- var. *Pfisteri* Sticrl. Berl. Ent. Zeitschr. VIII, Sicilien  
 1864, p. 152. — Ganglb. Best.-Tab. VII, 1881,  
 p. 66 (744).
- ✓ **dux** Fald. Fauna Transc. II, 1837, p. 264, t. 7, f. 5, 6. Türkei,  
 — Ganglb. Best.-Tab. VII, 1881, p. 66 (744). Klein-  
 — Bedel, Faune Col. Seine V, 1889, p. 33. — asien,  
 Czwal. Revis. p. 100. — Reitter, Revis. p. 354. Kaukasus  
*intricatus* Fairm. Ann. Soc. Ent. Fr. (2) VI, 1848, Appenninen  
 p. 167. — Muls. Col. Fr. Long. ed. 2, 1862, p. 64.  
*nodosus* Muls. Ann. Soc. Linn. Lyon (2) IX,  
 1863, p. 144.  
*orientalis* Küst. Käf. Eur. II, 1846, p. 45. —  
 Muls. Col. Fr. Long. ed. II, 1862, p. 64.  
*Thirki* Küst. l. c. p. 47.
- Lucasi** Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, Siam  
 p. 238, t. 10, f. 1.
- miles** Bon. Mem. Soc. Agr. Torino IX, 1823, p. 178, Südeuropa  
 t. 5, f. 26. — Muls. Col. Fr. Long. ed. I, 1839,  
 p. 31; ed. 2, 1862, p. 63. — Cast. Hist. Nat.  
 II, 1840, p. 428, t. 49, f. 5. — Costa, Fauna  
 Napoli, Col. II, 1854, Longic. p. 20. — Redt.  
 Fauna Austr. ed. 3, II, 1874, p. 397. — Ganglb.  
 Best.-Tab. VII, 1881, p. 66 (744). — Kraatz,  
 Deutsche Ent. Zeitschr. XXX, 1886, p. 47.  
 — Bedel, Faune Col. Seine V, 1889, p. 33. —  
 Czwal. Revis. p. 100. — Reitter, Revis. p. 355.  
 — Stierl. Col. Helvet. II, 1898, p. 462. —  
 Houlb. Faune Armor. Ceramb. 1904, p. 44,  
 f. 84. — Csiki, Rov. Lapok XI, 1904, p. 60.  
*militaris* Latr. in Cuv. Règne an. ed. 2, Ins.  
 1829, p. 116.
- Biologie: Horv. Rov. Lap. I, 1884, p. 133,  
 f. 33, 34. — Xamb. Rev. d'Ent. XVII, 1898,  
 p. 36; Moeurs & Mét. VIII, 1902, p. 55.

- multiplicatus** Motsch. Etud. Ent. VIII, 1859, p. 142. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745). — Reitter, Revis. p. 355. Kaukasus
- elegans* Dohrn, Stett. Ent. Zeit. XXXIV, 1878, p. 74. — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 116.
- nodulosus** Germ. Reise Dalmat. 1817, p. 220. — Ganglb. Best.-Tab. VII, 1881, p. 66 (744). — Czwal. Revis. p. 100. — Reitter, Revis. p. 355. — Csiki, Rov. Lapok XI, 1904, p. 60. Südost-europa
- nodicornis* Küst. Käf. Eur. II, 1846, p. 43.
- Scopoli** Füssl. Verz. Schweiz. Ins. 1775, p. 12. — Laich. Verz. Tyrol. Ins. II, 1784, p. 8. — Schrank, Fauna Boica I, 2, 1798, p. 655. — Muls. Col. Fr. Long. ed. 2, 1862, p. 66. — Stierl. Mitth. Schweiz. Ent. Ges. V, 1879, p. 442. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745); Rev. d'Ent. III, 1884, p. 202. — Bedel, Faune Col. Seine V, 1889, p. 32, 86. — Scidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 829. — Reitter, Revis. p. 355. — Stieri. Col. Helvet. II, 1898, p. 462. — Everts, Col. Neerl. II, 1, 1901, p. 373. — Houlb. Faune Armor. Ceramb. 1904, p. 45, f. 85. — Csiki, Rov. Lapok XI, 1904, p. 59. — Jacobs. Käfer Russl. 1910, t. 68, f. 8. Mittel- und Südeuropa
- cerdo* Poda, Mus. Gracc. 1761, p. 33. — Scop. Ent. Carn. 1763, p. 50. — F. Syst. Ent. 1775, p. 167. — Degeer, Mém. Ins. V, 1775, p. 69. — Müller, Zool. Dan. Prodr. 1776, p. 91. — Leske, Naturg. 1779, p. 428 (ex parte). — Cmel. Syst. Nat. I, 4, 1790, p. 1826. — Rossi, Fauna Etr. I, 1790, p. 140. — Ol. Enc. méth. Ins. V, 1790, p. 295; Ent. IV, 67, 1795, p. 13, t. 10, f. 65. — Panz. Deutschl. Ins.-Fauna 1795, p. 247; Fauna Ins. Germ. LXXXII, 1801, t. 2. — Payk. Fauna Suec. III, 1800, p. 55. — Walcken. Faune Paris. I, 1802, p. 204. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 283. — Bechst. & Scharfenb. Forstins. I, 1804, p. 191. — Gyllenh. Ins. Suec. I, 4, 1827, p. 50. — Zett. Fauna Ins. Lapp. I, 1828, p. 362. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 229; Man. 1839, p. 270. — Muls. Col. Fr. Long. 1839, p. 31. — Shuck. Brit. Col. 1840, p. 65, t. 78, f. 1. — Cast. Hist. Nat. II, 1840, p. 429. — Redt. Fauna Austr. 1849, p. 479; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 397. — Costa, Fauna Regn. Napoli Col. II, 1854, Longic. p. 20. — Bach. Käferf. III, 1856, p. 9. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 523. — C. G. Thoms. Skand. Col. VIII, 1866, p. 13.
- heros* ♂ Bergstr. Nomencl. I, 1778, p. 67, t. 11, f. 6.
- niger gallicus* Voet, Cat. II, 1778, p. 7, t. 4, f. 5; ed. Panzer III, 1794, p. 13, t. 4, f. 5.
- piceus* Geoffr. Ent. Par. I, 1785, p. 74.
- Biologie: Chap. & Cand. Mém. Soc. Sc. Liège VIII, 1855, p. 583. — Schiödte, Nat. Tidskr.

- (3) X, 1876, p. 403, t. 15, f. 1—10. — Xamb. Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 104; Moeurs & Mét. VII, 1899, p. 144; VIII, 1902, p. 58.
- var. *helveticus* Stierl. Mitth. Schweiz. Ent. Ges. Schweiz  
V, 1879, p. 442; Col. Helvet. II, 1898, p. 462.
- var. *nitidus* Pic, Bull. Soc. Ent. Fr. 1892, p. 111; Syrien  
Ann. Soc. Ent. Fr. LXI, 1892, p. 417.
- var. *paludivagus* Lucas, Ann. Sc. Nat. (2) XVIII, Algier  
1842, p. 185; Explor. Algér. Col. 1849, p. 485.  
— Pic, Echange VIII, 1892, p. 114.
- velutinus** Brullé, Expéd. Mor. III, 1832, p. 252. — Mittelmeer-  
Cast. Hist. Nat. II, 1839, p. 429. — Muls. Col. gebiet  
Fr. Long. ed. 1, 1839, p. 29, t. 1, f. C, 1—6;  
t. 2, f. 1; ed. 2, 1862, p. 56. — Costa, Fauna  
Napoli, Col. II, 1856, Longic. p. 68. — Ganglb.  
Best.-Tab. VII, 1881, p. 65 (743). — Bedel,  
Faune Col. Seine V, 1889, p. 33. — Czwal.  
Revis. p. 99. — Reitter, Revis. p. 353. — Csiki,  
Rov. Lapok XI, 1904, p. 59.
- Welensi* Küst. Käf. Eur. II, 1846, p. 44.
- Biologie: Xamb. Moeurs & Mét. VI, 1895, p. 59:  
XI, 2, 1902, p. 18; Ann. Soc. Linn. Lyon (2)  
XLIX, 1902, p. 18.
- var. *centurio* Czwal. Revis. 1891, p. 100. Syrien
- var. *tuniseus* Pic, Longic. I, 1891, p. 18. Tunis
- tunisicus* Pic, Echange VIII, 1892, p. 114.
- 
- lativitta** Newm. Zoolog. VIII, 1850, App. p. 115. Nord-  
australien
- lifuanus** Montr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 293. Insel Lifu
- longicollis** Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 100; „India“  
ed. Panzer III, 1794, p. 58, t. 20, f. 100.
- pullus** Newm. Zoolog. IX, 1851, App. p. 129. Neuseeland
- subserratus** Newm. l. c. VIII, 1850, p. 116. Neusüdwaies

15

**Hemadius** Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 57.

**oenochrous** Fairm. l. c. Ngan-Hoei

1

**Massicus** Pasc.Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. — Lacord. Gen. Col.  
VIII, 1869, p. 260. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 129.*Conothorax* Thoms. Syst. Ceramb. 1864, p. 230.**Pascoe**i Thoms. Arch. Ent. I, 1857, p. 122, t. 14, f. 6; Malacca  
Syst. Ceramb. 1864, p. 230.**unicolor** Gah. Fauna Brit. Ind. Col. I, 1906, p. 130. Assam**venustus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 19. Ceylon

— Gah. Fauna Brit. Ind. Col. I, 1906, p. 130.

3

**Hoplocerambyx** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 229. — Lacord. Gen. Col. VIII, 1869, p. 260.  
 — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 513. — Gah. Fauna Brit.  
 Ind. Col. I, 1906, p. 131.
- aramis** Thoms. Syst. Ceramb. 1865, p. 575. — Pasc. Malay.  
 Trans. Ent. Soc. Lond. (3) III, 1869, p. 515. Archipel
- nitidus** Thoms. Syst. Ceramb. 1865, p. 575. — Pasc. Insel Buru  
 Trans. Ent. Soc. Lond. (3) III, 1869, p. 516.
- severus** Pasc. l. c. p. 514. Insel Waigiou
- spineicornis** Newm. Entomol. I, 1842, p. 245. — Thoms. Philippinen,  
 Syst. Ceramb. 1864, p. 230. — Gah. Fauna Borneo,  
 Brit. Ind. Col. I, 1906, p. 131. Sumatra,  
*morosus* Pasc. Trans. Ent. Soc. Lond. (2) IV, Malacca,  
 1857, p. 92; (3) III, 1869, p. 515. Bengalen  
*relictus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 528.

4

**Diorthrus** Gah.

- Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 27; Fauna Brit. Ind. Col. I,  
 1906, p. 132.
- cinereus** F. Ent. Syst. I, 2, 1792, p. 265. Westafrika,  
*holosericeus* Ol. Ent. IV, 67, 1795, p. 14, t. 17, Mauritius,  
 f. 127. Ostindien,  
*inclemens* Thoms. Syst. Ceramb. 1865, p. 576. Ceylon,  
*simplex* White, Cat. Col. Brit. Mus. VII, 1853, Java,  
 p. 130. — Gah. Ann. Mag. Nat. Hist. (6) VII, Birma,  
 1891, p. 27, 31; Fauna Brit. Ind. Col. I, 1906, Siam  
 p. 133, f. 51. — Maxw.-Lefr. Ind. Ins. Life 1909,  
 p. 373.  
*sordidus* Pasc. Trans. Ent. Soc. Lond. 1888, p. 491.  
*vernicosus* Pasc. Trans. Ent. Soc. Lond. (2) V,  
 1859, p. 19.
- vagus** Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 27, 32. Senegal?

2

**Dissopachys** Reitter.

- Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 68; Ent. Nachr. XX,  
 1894, p. 356.
- Matthiesseni** Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 218. Persien
- pulvinata** Reitter, Deutsche Ent. Zeitschr. XXX, 1886, Turkmenien  
 p. 68.

2

**Pachydissus** Newm.

- Newm. Ent. Mag. V, 1838, p. 494. — Thoms. Syst. Ceramb. 1864, p. 231  
 (divis. 2). — Lacord. Gen. Col. VIII, 1869, p. 265. — Gah. Ann. Mag. Nat.  
 Hist. (6) VII, 1891, p. 24—29 (Revision); Fauna Brit. Ind. Col. I, 1906,  
 p. 133.

## Arten aus Australien.

- Australasiae** Hope, Proc. Ent. Soc. Lond. 1842, p. 48. Port  
 — Blackb. Proc. Linn. Soc. N. S. Wales (2) Essington  
 III, 1889, p. 1456.

- boops** Blackb. Trans. R. Soc. S. Austral. XIII, 1890, p. 128. — Gah. Trans. Ent. Soc. Lond. 1893, p. 170. Südaustralien  
*brevicornis* Gah. Revis. 1891, p. 25, 27.
- Frenchi** Blackb. Trans. R. Soc. S. Austral. XIX, 1895, p. 222. Queensland
- intermedius** Gah. Revis. p. 25, 29. Südaustralien
- nubilus** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 558. Queensland  
 — Gah. Revis. p. 25.
- picipennis** Germ. Linn. Ent. III, 1848, p. 225. — Gah. Adelaide  
 Revis. p. 25.
- probatus** Gah. Trans. Ent. Soc. Lond. 1893, p. 167. West-  
 australien
- rugosicollis** Gah. Revis. p. 25, 28. Australien
- sericus** Newm. Ent. Mag. V, 1838, p. 494. — Gah. Revis. Neusüdwaless-  
 p. 25, 28.
- turbinaticornis* Germ. Linn. Ent. III, 1838, p. 224.  
 Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales (2) VIII, 1893, p. 30.
- Tatei** Blackb. Trans. R. Soc. S. Austral. XIII, 1890, p. 129. Südaustralien

#### Art aus Asien.

- parvicollis** Gah. Revis. p. 25, 29; Fauna Brit. Ind. Col. I, 1906, p. 134, f. 52. Nordindien

#### Arten aus Afrika.

- aspericollis** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 335. Somaliland
- Aurivillianus** Dist. Ins. Transv. 1904, p. 112, t. 9, f. 15. Transvaal
- congolensis** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 429. Congo
- camerunicus** Auriv. Ark. f. Zool. III, 18, 1907, p. 4, f. 35, 2. Kamerun
- erinitus** Hintz, Deutsche Ent. Zeitschr. 1910, p. 575. Deutsch-  
 Ostafrika
- elongatus** Har. Mitth. Münch. Ent. Ver. II, 1878, p. 109; Col. Hefte XVI, 1879, p. 167. Westafrika
- euparus** Auriv. Ark. f. Zool. III, 18, 1907, p. 6. Kamerun
- furcifer** Jord. Nov. Zool. I, 1894, p. 151. Abessinien
- furvus** Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 52. Kaffernland
- hector** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 247. Usambara
- natalensis** White, Cat. Col. Brit. Mus. VII, 1853, p. 128. Afrika  
 — Gah. Revis. p. 26. — Dist. Ins. Transv. 1904, p. 113, t. 9, f. 12. — Auriv. Ark. f. Zool. III, 18, 1907, p. 5, f. 35, 3.
- parus** Jord. Nov. Zool. X, 1903, p. 137. Kamerun
- regius** Auriv. Ark. f. Zool. III, 18, 1907, p. 3, 5, f. 35, 1. „
- Schoenigi** Hintz, Deutsche Ent. Zeitschr. 1910, p. 305. Togo
- vicarius** Auriv. Ark. f. Zool. III, 18, 1907, p. 4, 6, f. 35, 4. Kamerun

- elegans** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 307. Sumatra

**Derolus** Gah.

Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 26 (Revision); Fauna Brit. Ind. Col. I, 1906, p. 185.

*Capnocerambyx* Reitter, Ent. Nachr. XX, 1894, p. 356.

## Paläarktische Art.

- mauritanicus** Buq. Ann. Soc. Ent. Fr. IX, 1840, p. 295 („395“). — Ganglb. Best.-Tab. VII, 1881, p. 67 (745). — Gah. Revis. p. 27; Fauna Brit. Ind. Col. I, 1906, p. 135, f. 53. Mittelmeer- gebiet bis Beludschistan
- nerii** Er. Wagn. Reise III, 1841, p. 188, t. 8, f. 11. — Küst. Käf. Eur. II, 1846, p. 49. — Lucas, Explor. Algér. Col. 1849, p. 485, t. 41, f. 4. — Muls. Col. Fr. Long. ed. 2, 1862, p. 58.

## Arten aus Südasien.

- argentifer** Pic, Longic. 5, 1, 1904, p. 11. Yunnan
- discicollis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 136. Karachi
- volvulus** F. Syst. Eleuth. II, 1801, p. 271 („171“). Ostindien,
- demissus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 21. — Gah. Revis. p. 27, 30; Fauna Brit. Ind. Col. I, 1906, p. 136. — Maxw.-Lefr. Philippinen, Ind. Ins. Life 1909, p. 373. China
- strigicollis** Dahm. in Schönh. Syn. Ins. 1, 3, App. 1817, p. 158.

## Arten aus Afrika.

- arciferus** Gah. Revis. p. 27, 30. — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 60. Senegal, Togo
- brunneipennis** Gah. in Dist. Ins. Transv. 1904, p. 113, t. 10, f. 5. Transvaal
- einetus** Jord. Nov. Zool. X, 1903, p. 136. Franz.-Congo
- dilatatus** Chevr. Rev. Zool. (2) VIII, 1856, p. 567; Cent. Long. 1858, nr. 60. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 45. — Jord. Nov. Zool. X, 1903, p. 135. Alcealabar
- femorellus** Chevr. Rev. Zool. (2) VIII, 1856, p. 340; Cent. Long. 1858, nr. 44. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 44. — Gah. Revis. p. 27. „
- fulvus** Jord. Nov. Zool. X, 1903, p. 137. Franz.-Congo
- Gyllenhali** Fährs. Öfvers. Vet. Ak. Förh. XXIX, 1, 1872, p. 52. — Dist. Ins. Transv. 1904, p. 112, t. 9, f. 5. Kaffernland
- Oatesi** Olliff in Oates, Matabele Land, ed. 2, 1889, App. p. 378, t. 8, f. 7.
- inultus** Gerst. Monatsb. Berl. Acad. 1855, p. 265; Peters' Reise Moss. Ins. 1862, p. 319, t. 19, f. 1. Mossambik
- var. **rufoscapus** Auriv. in Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 1908, p. 143. Kilimandjaro
- Kraatzi** Jord. Nov. Zool. X, 1903, p. 136. Kamerun
- somalicus** Gah. Proc. Zool. Soc. Lond. 1900, p. 32. Somaliland
- spurius** Jord. Nov. Zool. X, 1903, p. 137. Kamerun
- subaureus** Jord. Nov. Zool. I, 1894, p. 151. Abessinien
- tenuis** Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 377; XXXVI, 1892, p. 333. Congo

**Djabiria** Duviv.

Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 378; XXXVI, 1892, p. 334.

*geniculata* Duviv. l. c. p. 378; l. c. p. 335. Congo

1

**Margites** Gah.

Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 26 (Revision); Fauna Brit. Ind. Col. I, 1906, p. 137.

## Arten aus Asien.

*egenus* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 236. Nordchina

— Gah. Revis. p. 26.

*exiguus* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 10; Fauna Brit. Ind. Col. I, 1906, p. 137, f. 54. Birma

*fulvidus* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 236. Nordchina

— Gah. Revis. p. 26.

*modicus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 138. Ostindien

*sulcicollis* Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 378; Birma

Fauna Brit. Ind. Col. I, 1906, p. 138.

## Arten aus Afrika.

*argenteus* Auriv. Ark. f. Zool. III, 18, 1907, p. 7, t. 1, f. 5. Adamaua

*humilis* Gah. Revis. p. 26, 30. Senegal

*lineatus* Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 41. Ostafrika

— Dist. Ins. Transv. 1904, p. 113, t. 10, f. 7.

*mimeticus* Auriv. Ark. f. Zool. III, 18, 1907, p. 7. Kamerun

*sulcifrons* Jord. Nov. Zool. X, 1903, p. 135. — Dist. Angola, Transvaal

10

**Micrambyx** Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 60.

*brevicornis* Kolbe, l. c.

Togo

1

**Dissaporus** Auriv.

Auriv. Ark. f. Zool. III, 18, 1907, p. 8.

*Aporus* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 54.

*cylindricus* Fährs. l. c.

Kaffernland,

*pauper* Gah. in Dist. Ins. Transv. 1904, p. 113, Transvaal

t. 10, f. 8.

*mythicus* Gyllh. in Schönh. Syn. Ins. I, 3, App. 1817, Sierra Leone

p. 181.

2

**Imbrius** Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 528; Trans. Ent. Soc. Lond. (3) III, 1869, p. 518. — Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 22.

*ephebus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 529; Trans. Ent. Soc. Lond. (3) III, 1869, p. 519. Malacca, Java

- lineatus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 529, t. 41, Penang  
f. 12.  
*mandibularis* Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, „  
p. 21.  
*micaceus* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, Borneo  
p. 237; (3) III, 1869, p. 519.  
4

### **Dymasius** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 234. — Lacord. Gen. Col. VIII, 1869, p. 261.  
— Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 22; Fauna Brit. Ind. Col.  
I, 1906, p. 139.  
Subgen. *Elydnus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 516. —  
Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 23.

#### Subgen. **Dymasius** s. str.

- fulvescens* Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma  
p. 11, t. 1, f. 2; Fauna Brit. Ind. Col. I, 1906,  
p. 140.  
*maecilentus* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Ceylon  
p. 20. — Gah. Fauna Brit. Ind. Col. I, 1906,  
p. 139, f. 55.  
*strigosus* Thoms. Syst. Ceramb. 1864, p. 234.  
*minor* Gah. Fauna Brit. Ind. Col. I, 1906, p. 140. Südindien  
*plagiatus* Gah. l. c. p. 141. Birma

#### Subgen. **Elydnus** Pasc.

- amictus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 517, Borneo  
t. 20, f. 1.  
*Pascoei* Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 23. Penang  
*strigosus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 529.  
*sericatus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 517. Bandainseln  
*vitreus* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 53. Nordost-  
borneo

8

### **Calpazia** Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 93; (3) III, 1869, p. 519.  
— Lacord. Gen. Col. VIII, 1869, p. 262.  
*vermicularis* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo  
p. 93, t. 23, f. 2; (3) III, 1869, p. 520.

1

### **Dialeges** Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 46; (3) III, 1869, p. 521.  
— Lacord. Gen. Col. VIII, 1869, p. 263. — Gah. Fauna Brit. Ind. Col.  
I, 1906, p. 141.  
*egenus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 522. Ins. Buru  
*pauper* Pasc. l. c. (2) IV, 1856, p. 47, t. 16, f. 7; (3) III, Bengalen,  
1869, p. 521. — Gah. Fauna Brit. Ind. Col. I, Borneo  
1906, p. 142.

*tenuicornis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 522.

*undulatus* Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 23; Fauna Brit. Ind. Col. I, 1906, p. 143, f. 56.

Ceylon,  
Birma,  
Siam

3

### **Lachnopterus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 231. — Lacord. Gen. Col. VIII, 1869, p. 264.  
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 522.

*auripennis* Newm. Entomol. I, 1842, p. 245. — Thoms. Philippinen,  
Syst. Ceramb. 1864, p. 232. — Pasc. Trans. Ent. Nord-  
Soc. Lond. (3) III, 1869, p. 523. molukken

*aureipennis* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Proc. p. 84.

*socius* Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 24. Philippinen

2

### **Tapinolachnus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 445. — Lacord. Gen. Col. VIII, 1869, p. 265.

*Homalolachnus* Thoms. Syst. Ceramb. 1864, p. 232.

*Lacordairei* Thoms. l. c. p. 232.

Malay.  
Archipel

1

### **Coniolochnus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 422.

*aculeatus* Fairm. l. c.

Mauritius

1

### **Jebusaea** Reiche.

Reiche, Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 153.

*Hammerschmidtii* Reiche, l. c. p. 154.

Palästina

*persica* Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 217.

Persien

2

### **Sebasmia** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 18. — Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 272. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 143.

*nigra* Gah. l. c. p. 145.

Nilgiri Hills  
Ceylon

*Templetoni* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 19. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 144, f. 57.

*testacea* Gah. l. c.

..

3

**Trachylophus** Gah.

Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 59; Fauna Brit. Ind. Col. I, 1906, p. 145.

**approximator** Gah. l. c. p. 60.

Java

**sinensis** Gah. l. c. p. 60; Fauna Brit. Ind. Col. I, 1906, p. 146, f. 58.

Birma, China

2

**Zatrephus** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 94; (3) III, 1869, p. 523. — Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 267.

**nebulosus** Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 184; Nouv. Arch. Mus. Paris (3) III, 1892, p. 240, t. 10, f. 2. Saigun

**pannosus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 94, t. 23, f. 3; (3) III, 1869, p. 524. Borneo

**spinus** Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 183. „

3

**Rhytidodera** White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 132. — Thoms. Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 268. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 524. — Gah. Fauna Brit. Ind. Col. I, 1869, p. 146.

**Bowringi** White, Cat. Col. Brit. Mus. VII, 1853, p. 133, t. 4, f. 1. — Lacord. Gen. Col. VIII, 1869, p. 268. Südehina  
— Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 156.  
— Heyne, Exot. Käf. 1903, t. 33, f. 5.

**concolor** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 308. Sumatra  
**cristata** Pasc. Proc. Zool. Soc. Lond. 1866, p. 531, t. 43, f. 1. Penang  
**grandis** Thoms. Syst. Ceramb. 1865, p. 576. Laos

**integra** Kolbe, Arch. f. Naturg. Lil, 1886, p. 237. — Korea,  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 148. China,  
Birma,  
Siam

**integrifrons** Heller, Abh. Mus. Dresden VI, nr. 10, 1897, p. 36. Celebes

**robusta** Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 34; Fauna Brit. Ind. Col. I, 1906, p. 147, f. 59. Bombay

**siamica** Nonfr. Berl. Ent. Zeitschr. XXXVI, 1892, p. 378. Siam

**simulans** White, Cat. Col. Brit. Mus. VII, 1853, p. 132. Tenasserim,  
— Pasc. Proc. Zool. Soc. Lond. 1866, p. 531; Malacca,  
Trans. Ent. Soc. Lond. (3) III, 1869, p. 525. Borneo,  
— Kaup, Einige Ceramb. 1866, p. (4). — Gah. Ceram  
Fauna Brit. Ind. Col. I, 1906, p. 148.

9

**Zegriades** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 525.

**fulvipennis** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 309. Siam

**magister** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 93; (3) III, p. 526, t. 20, f. 2. Borneo

**siamensis** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 308. Siam

3

**Xoanodera** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 92; (3) III, 1869, p. 526.  
— Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869,  
p. 269. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 148.

- amoena** Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 53. Ceylon,  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 150. Südindien  
**insecta** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 94; Borneo  
(3) III, 1869, p. 528. — Lacord. Gen. Col. VIII,  
1869, p. 270, nota 1.  
**laticornis** Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 32. „  
**Pascoei** Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, Siam  
p. 239 (= *regularis*?).  
**regularis** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 52; Nordindien,  
Fauna Brit. Ind. Col. I, 1906, p. 150, f. 60. Birma,  
Tenasserim  
**trigona** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 92, Tenasserim,  
t. 23, f. 1; (3) III, 1869, p. 527. — Lacord. Gen. Malacca  
Col. Atlas, t. 85, f. 1. — Gah. Fauna Brit. Ind.  
Col. I, 1906, p. 149.  
**vitticollis** Gah. Ann. Mag. Nat. Hist. (6) VII, 1891, p. 32. Borneo

9

**Criodion** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 571. — Cast. Hist. Nat. II, 1840,  
p. 429. — Thoms. Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864,  
p. 443. — Lacord. Gen. Col. VIII, 1869, p. 270.

- angustatum** Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 358. Brasilien  
**antennatum** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 24. Venezuela  
**Chabrillaci** Thoms. Arch. Ent. I, 1857, p. 123. Brasilien  
**cinereus** Ol. Ent. IV, 66, 1795, p. 35, t. 13, f. 55. — Surinam  
Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 24.  
— Heyne, Exot. Käf. 1906, t. 36, f. 8.  
**Dejeani** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 25. Brasilien  
**fulguratum** Chabrill. Arch. Ent. I, 1857, p. 196. „  
**fulvopilosum** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, „  
p. 23.  
**Gahani** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 609. „  
**hirsutum** Bates, Trans. Ent. Soc. Lond. 1870, p. 253 nota. Bahia  
**modestum** Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 357. Brasilien  
**murinum** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 306. Costa Rica  
**octomaculatum** Nonfr. Ent. Nachr. XX, 1894, p. 137. Brasilien  
**pictum** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 292. Ecuador  
**pilosum** Lucas, Casteln. Voy. Ins. 1859, p. 153, t. 11, f. 3 a. Brasilien  
**plagiatum** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Ecuador  
p. 293.  
**quadrinaculatum** Gah. l. c. (6) IX, 1892, p. 27. Brasilien  
**rhinoceros** Bates, Trans. Ent. Soc. Lond. 1870, p. 253. Tapajos  
**sculpticollis** Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 356. Columbien  
**sexmaculatum** Buq. in Guér. Icon. règne an. III, 1843, Brasilien  
p. 228.  
**Sommeri** Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 27. „  
**testaceum** Gah. l. c. p. 26. „  
**tomentosum** Serv. Ann. Soc. Ent. Fr. II, 1833, p. 572. „  
— Cast. Hist. Nat. II, 1840, p. 429.

- torticolle* Bates, Trans. Ent. Soc. Lond. 1870, p. 252. Para  
*tuberculatum* Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, Peru  
 p. 25.  
 24

### **Sphallenum** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 253.

- castanopterum* Er. Schomb. Reise III, 1848, p. 571. Guyana  
*femorale* Bates, Trans. Ent. Soc. Lond. 1870, p. 254. Amazon.  
*literatum* (Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 28. Brasilien  
 ? *lugubre* Voet, Cat. Col. II, 1804—06, p. 27, t. 24, f. 129. Patria?  
*puncticolle* Bates, Trans. Ent. Soc. Lond. 1870, p. 254. Amazon.  
*robustum* Bates, l. c. 1872, p. 172; Biol. C.-Am. Col. Nicaragua  
 V, 1880, p. 17, t. 3, f. 8.  
*setosum* Germ. Ins. spec. nov. 1824, p. 507. Brasilien  
*spadiceum* (Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 29. „  
*superbum* Auriv. Ark. f. Zool. VII, 3, 1910, p. 5. Columbien  
*tuberosum* Bates, Trans. Ent. Soc. Lond. 1870, p. 255. Tapajos  
 10

### **Butherium** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 255 nota.

- erythropus* Lucas, Voy. Castelnau, Ins. 1859, p. 187, Südbrasilien  
 t. 11, f. 7.  
*seabricolle* Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 307. Amazon.  
 2

### **Coleoxestia** nov. nom.

*Xestia* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 16. — Thoms.  
 Classif. Ceramb. 1860, p. 186; Syst. Ceramb. 1864, p. 443. —  
 Lacord. Gen. Col. VIII, 1869, p. 271. — Bates, Trans. Ent. Soc.  
 Lond. 1870, p. 255.

- annulipes* Buq. in Guér. Icon. règne an. 1843, p. 228. Brasilien  
*arnata* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 615, Goyaz  
 f. 13.  
*atrata* Goun. l. c. p. 612. „  
*bidens* F. Syst. Eleuth. II, 1801, p. 271. Südamerika  
*bivittata* Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 356. Brasilien  
*suturalis* Perty, Delect. an. 1830, p. 90, t. 18, f. 5.  
*brevipennis* Bates, Trans. Ent. Soc. Lond. 1870, p. 256. Ega  
*cinnamomea* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 615, f. 14.  
*confusa* Lacord. Gen. Col. VIII, 1869, p. 271, nota 2. Brasilien  
 — Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 31.  
*corvina* (Germ. Ins. spec. nov. 1824, p. 508. „  
*denticornis* (Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 29. „  
*dorsalis* Thoms. Classif. Ceramb. 1860, p. 193. „  
*elegans* Gory, Mag. Zool. III, 1833, t. 64. „  
*femorata* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 613. Goyaz  
*glabripennis* Bates, Trans. Ent. Soc. Lond. 1870, p. 256. Tapajos  
*globulicollis* (Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, p. 31. Brasilien  
*illex* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 611. Goyaz

- lateralis* Er. Arch. f. Naturgesch. XIII, 1847, I, p. 140. Peru  
*longipennis* Gah. Ann. Mag. Nat. Hist. (6) IX, 1892, Brasilien  
 p. 31.  
*nigropicea* Bates, Trans. Ent. Soc. Lond. 1870, p. 256. Para  
*nitida* Bates, l. c. 1872, p. 172; Biol. C.-Am. Col. V, 1880, Nicaragua  
 p. 17, t. 3, f. 11.  
*ochrotaenia* Bates, Trans. Ent. Soc. Lond. 1870, p. 257. Amazon.  
*pictipes* Newm. Ent. Mag. V, 1838, p. 396. Brasilien  
*pilosovittata* Bates, Trans. Ent. Soc. Lond. 1872, p. 172; Nicaragua  
 Biol. C.-Am. Col. V, 1880, p. 17, t. 3, f. 10.  
*polita* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 486. Sarayacu  
*pubicornis* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 610.  
*rubromaculata* Goun. l. c. p. 612. "  
*sagittaria* Bates, Trans. Ent. Soc. Lond. 1872, p. 173; Nicaragua  
 Biol. C.-Am. Col. V, 1880, p. 17, t. 3, f. 9.  
*sanguinipes* Bates, l. c. V, 1884, p. 242. "  
*spinipennis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 17. Brasilien  
 — Cast. Hist. Nat. II, 1840, p. 429. — Dohrn,  
 Stett. Ent. Zeit. XLIV, 1883, p. 157. — Gah.  
 Ann. Mag. Nat. Hist. (6) IX, 1892, p. 30. —  
 Heyne, Exot. Käf. 1906, t. 36, f. 2.  
*suturalis* Gory, Mag. Zool. II, 1832. Ins. t. 1. Cayenne  
*Feisthameli* Buq. Ann. Soc. Ent. Fr. (2) X,  
 1852, p. 355, t. 7, f. 5.  
*vittata* Thoms. Classif. Ceramb. 1860, p. 192. — Gah. Brasilien  
 Ann. Mag. Nat. Hist. (6) IX, 1892, p. 30.  
*Waterhousei* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 614, f. 12.  
 32

### **Melathemma** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 258.

- polita* Bates, l. c. Ega  
 1

### **Atylostagma** White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 97. — Thoms. Syst. Ceramb.  
 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 257. — Bates, Biol. C.-Am.  
 Col. V, 1884, p. 242.

- glabrum* Schäffer, Journ. N. York Ent. Soc. XVII, Arizona  
 1909, p. 99.  
*politum* White, Cat. Col. Brit. Mus. VII, 1853, p. 97, Honduras  
 t. 3, f. 5.  
 2

### **Diorus** White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 135. — Thoms. Syst. Ceramb.  
 1864, p. 452. — Lacord. Gen. Col. VIII, 1869, p. 273.

- blapiculatus* White, l. c. t. 4, f. 3. Brasilien  
 1

## XV. Hesperophanini.

Lacord. Gen. Col. VIII, 1869, p. 273. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 528. — Gah. Fauna Brit. Ind. I, 1906, p. 109.

### Hesperophanes Muls.

Muls. Col. Fr. Long. ed. 1, 1839, p. 66; ed. 2, 1862, p. 131. — Bach, Käferfauna III, 1856, p. 11. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 406. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 130. — Thoms. Syst. Ceramb. 1864, p. 455. — Lacord. Gen. Col. VIII, 1869, p. 275. — Ganglb. Best.-Tab. VII, 1881, p. 12 (690). — Bedel, Faune Col. Seine V, 1889, p. 8. — Everts, Col. Neerl. II, 1, 1902, p. 361. — Gah. Fauna Brit. India, Col. I, 1906, p. 112.

*Trichoferus* Woll. Ins. Maderens. 1854, p. 427.

### Paläarktische Arten.

- Pic, Longic. I, 1891, p. 43 (Synopsis).
- Abeillei** Pic, Longic. I, 1891, p. 44. Algier
- campestris** Fald. Mém. Acad. St. Petersb. (2) II, 1835, p. 435. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 65. Amur,  
Korea,  
Nordchina
- flavopubescens** Kolbe, Archiv f. Naturg. LII, 1886, p. 219.
- cinereus** Villers, Linn. Ent. I, 1789, p. 256. — Muls. Col. Fr. Long. ed. 2, 1862, p. 132. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745); Rev. d'Ent. III, 1884, p. 203. — Bedel, Faune Col. Seine V, 1889, p. 22. — Pic, Synops. p. 44. — Everts, Col. Neerl. II, 1, 1902, p. 362. — Csiki, Rov. Lapok XI, 1904, p. 80. — Houlb. Faune Armor. Ceramb. 1904, p. 45, f. 86. Südeuropa
- holosericeus** Rossi, Fauna Etr. I, 1790, p. 153, t. 1, f. 6. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 43, t. 34, f. 4.
- nebulosus** Ol. Enc. méth. V, 1790, p. 257; Ent. IV, 70, 1795, p. 45, t. 1, f. 6. — Muls. Col. Fr. Long. ed. 1, 1839, p. 68.
- Biologie: Muls. Ann. Soc. Linn. Lyon (2) II, 1855, p. 258; Opusc. VI, 1855, p. 158. — Carret, Bull. Soc. d'Angers VI und VII, 1878, p. 86. — Xamb. Moeurs & Mét. VIII, 1902, p. 89.
- fasciculatus** Fald. Fauna Transc. II, 1837, p. 266, t. 8, f. 1. Kaukasien,  
Mittelmeer-  
gebiet
- affinis** Lucas, Ann. Sc. Nat. XVIII, 1842, p. 186; Explor. Algér. Col. 1849, p. 491, t. 41, f. 10. — Pic, Synops. p. 44.
- pulverulentus** Er. Wagner's Reise III, 1841, p. 188. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 108.
- ab. **elongatulus** Pic, Misc. Ent. IV, 1896, p. 35. Syrien
- ab. **pubescens** Pic, Longic. II, 1898, p. 9. Algier
- Biologie: Xamb. Moeurs & Mét. VI, 1895, p. 64; VII, 1899, p. 5; VIII, 1902, p. 91; Ann. Soc. Linn. Lyon (2) XLIV, 1898, p. 15.
- griseus** F. Ent. Syst. 1, 2, 1792, p. 325. — Ol. Ent. IV, 70, 1895, p. 58, t. 7, f. 85. — Muls. Col. Fr. Long. Mittelmeer-  
gebiet

ed. 2, 1862, p. 134. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745). — Pic, Synops. p. 44.  
*bimaculatus* Billb. in Schönh. Syn. Ins. I, 3, App. 1817, p. 194.  
*senex* Woll. Ins. Maderens. 1854, p. 427, t. 9, f. 3; Journ. of Ent. II, 1863, p. 104.  
*tomentosus* Lucas, Ann. Sc. Nat. XVIII, 1842, p. 186; Explor. Algér. Col. 1849, p. 491.  
 Biologie: Xamb. Moeurs & Mét. VI, 1895, p. 62; VIII, 1902, p. 90. — Künck. Bull. Soc. Ent. Fr. 1904, p. 68.

**Kotschii** Ganglb. Wien. Ent. Zeit. II, 1883, p. 300.  
**pallidus** Ol. Enc. méth. V, 1790, p. 256; Ent. IV, 70, 1795, p. 42, t. 6, f. 64. — Muls. Col. Fr. Long. ed. 1, 1839, p. 69; ed. 2, 1862, p. 134. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746). — Bedel, Col. Seine V, 1889, p. 22. — Seidl. Fauna Balt. 1891, p. 233; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 454. — Csiki, Rov. Lapok XI, 1904, p. 80. — Houlb. Faune Armor. Ceramb. 1904, p. 46, f. 87. — Pic, Synops. p. 44. — Jacobs. Käfer Russl. 1910, t. 67, f. 21.  
*mixtus* F. Ent. Syst. Suppl. 1798, p. 150. — Bach, Käferf. III, 1856, p. 11. — Redt. Fauna Austr. ed. 2, 1858, p. 844; ed. 3, II, 1874, p. 406.  
*sermaculatus* Companyo, Bull. Soc. Agric. Pyrén. or. XI, 1858, p. 34, f. 5.  
**pilosus** Bodungen, Rev. Russe d'Ent. VIII, 1908, p. 179.  
**platifemur** Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 57.  
**Preissi** Heyd. Deutsche Ent. Zeitschr. 1894, p. 85. — Pic, Ann. Soc. Ent. Fr. LXVI, 1897, p. 390; Longic. VI, 2, 1907, p. 7.  
**roridus** Brullé in Webb & Berth. Ins. Canar. 1838, p. 62, t. 1, f. 6.  
**sericeus** F. Mant. Ins. I, 1787, p. 152. — Ol. Ent. IV, 70, 1795, p. 10, t. 3, f. 38. — Muls. Col. Fr. Long. ed. 1, 1839, p. 66; ed. 2, 1862, p. 131. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 38, f. 178. — Ganglb. Best.-Tab. VII, 1881, p. 67 (745); Rev. d'Ent. III, 1884, p. 203. — Bedel, Faune Col. Seine V, 1889, p. 22. — Pic, Synops. p. 44. — J. Müller, Wien. Ent. Zeit. XXV, 1906, p. 224.  
*Latreillei* Brullé, Expéd. Mor. Ins. 1832, p. 256, t. 43, f. 8.  
*rotundicollis* Lucas, Ann. Sc. Nat. XVIII, 1842, p. 185.  
 Biologie: Xamb. Moeurs & Mét. VIII, 1902, p. 91.  
**turkestanicus** Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 193; XXXI, 1887, p. 295.  
*rusticus* Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 133.

Cilicien  
 Frankreich,  
 Italien,  
 Griechen-  
 land

Kaukasien  
 Syrien  
 „

Canarische  
 Inseln  
 Mittelmeer-  
 gebiet

Turkestan,  
 Korea

Äthiopische Arten.

**amicus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 304. — Dist. Ins. Transv. 1904, p. 114, t. 9, f. 10.  
**chloroticus** Ol. Enc. méth. V, 1790, p. 256, t. 218, f. 2; Ent. IV, 70, p. 43, t. 3, f. 31 (Genus?).

Natal,  
 Transvaal  
 Südafrika (?)

- fasciatus* Billb. in Schönh. Syn. Ins. I, 3, App. 1817, p. 191. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 175. Sierra Leone bis Angola

#### Ostindische Arten.

- basalis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 304, t. 7, f. 6 (Genus?). Himalaya  
*cribricollis* Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Scient. Res. Sec. Yarkand Miss. Col. 1890, p. 21. Murree  
 — Cah. Fauna Brit. Ind. Col. I, 1906, p. 113.  
*erosus* Cah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 12; Fauna Brit. Ind. Col. I, 1906, p. 113. Tenasserim

#### Südamerikanische Arten.

- amazonicus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 240. Amazon.  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 259.  
*cinereus* Blanch. in Gay, Hist. Chile V, 1851, p. 493, t. 28, f. 9. Chile  
*inspergatus* Fairm. et Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 509. — Lacord. Gen. Col. VIII, 1869, p. 276, nota 2. — Germain, An. Univ. Chile C, 1898, p. 644 (sep. p. 27). „  
*obscurus* Germain, l. c. p. 649 (sep. p. 32). „  
*sulcicornis* Germain, l. c. „

24

#### **Teinotus** Brancs.

Brancs. Jahresh. Ver. Trenes. XIX—XX, 1898, p. 127.

- cinereus* Brancs. l. c. t. 4, f. 20. Madagascar  
1

#### **Trachelophanes** Murr.

Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 170.

- puberulus* Chev. Rev. Zool. (2) VII, 1855, p. 284; Cent. Altc alabar  
 Long. 1858, nr. 21. — Murr. Ann. Mag. Nat.  
 Hist. (4) VI, 1870, p. 170.  
1

#### **Aphoplistus** Murr.

Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 173.

- pilosellus* Chev. Rev. Zool. (2) X, 1858, p. 53; Cent. Altc alabar  
 Long. 1858, nr. 81. — Murr. Ann. Mag. Nat.  
 Hist. (4) VI, 1870, p. 174.  
1

#### **Hololeprus** Gerst.

Gerst. Jahrb. Hamb. Wiss. Anst. I, 1884, p. 60.

- variolosus* Gerst. l. c. Pangani  
1

**Aganipus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 39.

**calopoides** Fairm. l. c.

Abessinien

1

**Pseudophilus** Gah.

Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 256.

*Bagdatocerambyx* Pic, Echange XVII, 1901, p. 11.**testaceus** Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, Mesopota-  
p. 256. mien*Drurei* Pic, Echange XVII, 1901, p. 11.

1

**Osmidus** J. Lec.J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 177. — J. Lec. & Horn, Classif.  
Col. N. Amer. 1883, p. 287.**guttatus** J. Lec. l. c. p. 178. — Leng, Bull. Brookl. Ent. Nieder-  
Soc. VII, 1885, p. 119; Ent. Amer. I, 1885, californien  
t. 2, f. 29.

1

**Chrotoma** Casey.

Casey, Ann. N. York Acad. VI, 1892, p. 27.

**dunniana** Casey, l. c.

Texas

1

**Zamodes** J. Lec.J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 187. — J. Lec. & Horn, Classif.  
Col. N. Amer. 1883, p. 287.**obscurus** J. Lec. l. c. p. 188. — Leng, Ent. Amer. I, Pennsyl-  
1885, p. 134, t. 3, f. 8. vanien,  
New York

1

**Tylonotus** Hald.Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 37. — J. Lec. Journ. Acad.  
Philad. (2) II, 1850, p. 22. — Thoms. Syst. Ceramb. 1864, p. 439. —  
Lacord. Gen. Col. VIII, 1869, p. 396. — J. Lec. & Horn, Classif. Col. N.  
Amer. 1883, p. 287.**bimaculatus** Hald. Trans. Am. Phil. Soc. (2) X, 1847, Pennsyl-  
p. 134. — J. Lec. Journ. Acad. Philad. (2) II, vanien,  
1850, p. 23. — Leng, Ent. Amer. I, 1885, p. 134, New York  
t. 3, f. 7. — Wickh. Canad. Ent. XXIX, 1897,  
p. 110.

1

**Phacodes** Newm.

Newm. Entomolog. 1. 1841. p. 7. — Thoms. Classif. Ceramb. 1860, p. 231; Syst. Ceramb. 1864, p. 455. — Lacord. Gen. Col. VIII, 1869, p. 277.  
Subgen. *Paraphacodes* Belon, Rev. d'Ent. XXI, 1902, p. 4.

Subgen. **Phacodes** s. str.

- bellus** Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 343. Neusüd-wales  
**distinctus** Pasc. Journ. of Ent. II, 1865, p. 373. Südastralien  
**elusus** Pasc. l. c.  
**Essingtoni** Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Port  
Mag. Nat. Hist. IX, 1842, p. 429. Essington  
**ferrugineus** Pasc. Journ. of Ent. II, 1863, p. 238. Südastralien  
**fuscus** Pasc. l. c. 1865, p. 373.  
**longieollis** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Wide Bay  
p. 270.  
**marmoratus** Blackb. Trans. R. Soc. S. Austr. XIV, 1891, Australia  
p. 344.  
**modicus** Blackb. l. c. XXV, 1901, p. 31. Nord-west-  
australien  
**Mossmanni** Newm. Zoolog. VIII, 1850, App. p. 124. Südastralien  
**obscurus** F. Mant. Ins. I, 1787, p. 151. — Ol. Ent. IV, Tasmanien,  
70, 1795, p. 9, t. 4, f. 45. — Newm. Entomolog. Süd-  
I, 1842, p. 418. — Blanch. Voy. Pole Sud IV, australien,  
1853, Col. p. 27, t. 17, f. 13. Victoria  
**lentiginosus** Newm. Entomolog. I, 1841, p. 7. Neusüd-wales  
**occidentalis** Blackb. Proc. Linn. Soc. N. S. Wales (2) West-  
VIII, 1894, p. 192. australien  
**personatus** Er. Arch. f. Naturgesch. VIII, 1842, I, p. 221. Tasmanien  
— Gah. Trans. Ent. Soc. Lond. 1893, p. 170.  
**subfasciatus** Gah. Trans. Ent. Soc. Lond. 1893, p. 170. Nord-west-  
australien  
**tenuitarsis** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Nicol Bay  
p. 270.  
**validus** Blackb. Trans. R. Soc. S. Austr. XIV, 1891, p. 342. Queensland

Subgen. **Paraphacodes** Belon.

- triangulum** Belon, Rev. d'Ent. XXI, 1902, p. 1. Neu-  
caledonien

17

**Oebarina** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 105.

- ceresioides** Pasc. l. c. p. 106. Südastralien  
**tristis** Pasc. l. c. p. 105. "

2

**Liogramma** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 18. — Broun, Man. N. Zeal.  
Col. 1, 1880, p. 567.

- zelandicum** Blanch. Voy. Pole Sud IV, 1853, Col. p. 272, Neuseeland  
t. 17, f. 4. — Broun, Man. N. Zeal. Col. I, 1880,  
p. 568.

1

**Laodora** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 529.

*pilosa* Pasc. l. c.

Banda

1

**Sotira** Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 54.

*flexuosa* Pasc. l. c.

Amboina

1

**Thecladoris** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 616.

*tylonotoides* Goun. l. c. p. 617.Brasilien:  
Goyaz

1

**Ranqueles** Goun.

Goun. Bull. Soc. Ent. Fr. 1906, p. 140.

*mus* Goun. l. c. p. 141, fig.

Argentinien

1

**Anoplomerus** Thoms.

Thoms. Classif. Ceramb. 1860, p. 249; Syst. Ceramb. 1864, p. 450. — Lacord. Gen. Col. VIII, 1869, p. 279. — Belon, Ann. Soc. Linn. Lyon (2) XXXVI, 1890, p. 291 (Revision).

*angusticollis* Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 627. — Belon, Revis. p. 303. Brasilien*brachypus* Bates, Trans. Ent. Soc. Lond. 1870, p. 260. Para  
— Belon, Revis. p. 304.*Buqueti* Belon, Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 9; Revis. p. 298. Brasilien*globulicollis* Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 625. — Belon, Revis. p. 299. „*gracilis* Bates, Trans. Ent. Soc. Lond. 1870, p. 260. Tapajos*quadriguttatus* Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 627. — Belon, Revis. p. 302. — ?? Lacord. Cayenne  
Gen. Col. VIII, 1869, t. 85, f. 5.*rotundicollis* Guér. Icon. règne anim. Ins. 1843, p. 224. Brasilien  
— Thoms. Classif. Ceramb. 1860, p. 249. —  
Belon, Revis. p. 297.

7

**Grammicosum** Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 489. — Thoms. Syst. Ceramb. 1864, p. 456. — Lacord. Gen. Col. VIII, 1869, p. 280. — Germain, An. Univ. Chile C, 1898, p. 658.

*flavofasciatum* Blanch. Voy. d'Orbigny, Ent. 1843, p. 209, Chile  
t. 22, f. 3; in Gay, Hist. Chile V, 1851, p. 490.  
— Germain, An. Univ. Chile C, 1898, p. 660,  
661 (sep. p. 43, 44), t. 2, f. 6a, 6b.

- maculicorne** Germain, l. c. p. 660, 665 (sep. p. 43, 48). Chile  
**minutum** Blanch. in Gay, Hist. Chile V, 1851, p. 492. „  
 — Germain, An. Univ. Chile C, 1898, p. 660,  
 673 (sep. p. 43, 56), t. 2, f. 7a, 7b.  
**signaticolle** Blanch. in Gay, Hist. Chile V, 1851, p. 491, „  
 t. 29, f. 7. — Germain, An. Univ. Chile C, 1898,  
 p. 660, 669 (sep. p. 43, 52), t. 2, f. 8a, 8b.

4

**Eusapia** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 687.

- rubiginosa** Goun. l. c. p. 688. Brasilien

1

**Maripanus** Germain.

Germain, An. Univ. Chile C, 1898, p. 653 (sep. p. 36).

- decoratus** Germain, l. c. p. 656 (sep. p. 39), t. 2, f. 5a, 5b. Chile

1

**Aesiotyche** Pasc.

Pasc. Journ. of Ent. II, 1865, p. 370. — Lacord. Gen. Col. VIII, 1869, p. 281.

- favosa** Pasc. Journ. of Ent. II, 1865, p. 370, t. 16, f. 3. Südaustralien

1

**Stromatiodes** Thoms.

Thoms. Rev. Zool. (3) VI, 1878, p. 1.

- brunneus** Thoms. l. c. Borneo

1

**Digonium** Pic.

Pic, Echange XI, 1895, p. 76.

- longicorne** Pic, l. c. p. 77. Arabien

1

**Stromatium** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 80. — Cast. Hist. Nat. II, 1840,  
 p. 452. — Woll. Ins. Mader. 1854, p. 422. — Thoms. Classif. Ceramb. 1860,  
 p. 231; Syst. Ceramb. 1864, p. 455. — Muls. Col. Fr. Long. ed. 2, 1862,  
 p. 129. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 131. — Lacord. Gen. Col.  
 VIII, 1869, p. 282. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.  
 — Gal. Fauna Brit. Ind. Col. I, 1906, p. 114.

*Selenophorus* Muls. Col. Fr. Long. ed. I, 1839, p. 65.

- alienum** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 95; Brasilien

(3) III, 1869, p. 531 nota.

- ambiguum** Newm. Entomolog. I, 1842, p. 246 (Genus?). Philippinen

- barbatum** F. Syst. Ent. 1775, p. 189. — Ol. Ent. IV, 70, 1795, p. 10, t. 4, f. 41. — Cast. Hist. Nat. II, 1840, p. 452. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 114, f. 45. — Maxw.-Lefr. Ind. Ins. Life 1909, p. 373.
- funestum* Boisd. Voy. Astrol. II, 1835, p. 481.
- tranquebaricum* Gmel. Syst. Nat. I, 4, 1790, p. 1848.
- ♀ *variolosum* F. Ent. Syst. Suppl. 1798, p. 149.
- fulvum** Villers, Linn. Ent. I, 1789, p. 256. — Jacobs. Käfer Russl. 1910, t. 65, f. 14.
- pallidum* Zoubk. Bull. Mosc. VI, 1833, p. 336.
- strepens* F. Ent. Syst. Suppl. 1798, p. 150. — Muls. Col. Fr. Long. ed. I, 1839, p. 65. — Costa, Fauna di Nap. Col. II, 1855, p. 41, t. 34, f. 3. — Redt. Fauna Austr. ed. 2, 1858, p. 843; ed. 3, III, 1874, p. 406. — Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96.
- unicolor* Ol. Ent. IV, 70, 1795, p. 58, t. 7, f. 84. — Woll. Ins. Mader. 1854, p. 423. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Muls. Col. Fr. Long. ed. 2, 1862, p. 129. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 39, f. 179. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746); Rev. d'Ent. III, 1884, p. 203.
- Biologie: Schiödt, Nat. Tidskr. (3) X, 1876, p. 407, t. 14, f. 10, 11. — Xambeu, Mœurs & Mét. VIII, 1902, p. 87. — Silantjev, Horae Soc. Ent. Ross. XXXVIII, 1908, p. 185, fig.
- inermis** Tourn. Rev. Zool. (2) XXIII, 1872, p. 260.
- laticolle** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 532.
- longicornis** Newm. Entomolog. I, 1842, p. 246. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 115.
- asperulum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 300. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 532.
- pubescens** Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 34. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 16. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 119; Ent. Amer. I, 1885, t. 3, f. 30.

8

### Zoodes Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. — Lacord. Gen. Col. VIII, 1869, p. 281. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 115.
- angolensis** Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 324.
- compressus** F. Mant. Ins. I, 1787, p. 153. — Ol. Ent. IV, 70, 1795, p. 11, t. 4, f. 44. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 118.
- cornutus** Lacord. Gen. Col. VIII, 1869, p. 282, nota 1. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 533.

Ostindien,  
Ceylon,  
Birma,  
Anda-  
manen,  
Mada-  
gascar,  
Mauritius,  
Bourbon,  
Seychellen  
Mittelmeer-  
gebiet,  
Persien,  
Turkcestan,  
Süd-  
amerika,  
Rio de  
Janeiro,  
Cuba

Bagdad  
Batjan  
Assam,  
Birma,  
Siam,  
Südchina,  
Philippi-  
nen,  
Borneo,  
Celebes  
Pennsyl-  
vanien

Angola  
Siam,  
Ostindien

Malacca

- crassipes** Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 198. Centralafrika  
**eburioides** Lacord. Gen. Col. VIII, 1869, p. 282, nota 1. Ceylon  
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 118.  
 ? **carinulatus** Karsch, Berl. Ent. Zeitschr. XXVI,  
 1882, p. 389.  
**signiferus** Pasc. Ann. Mag. Nat. Hist. (5) XV,  
 1885, p. 55.  
**fulguratus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 117. Birma  
**liturifer** Walk. List Col. coll. by Lord 1871, p. 18. Arabien,  
 . **denticollis** Fairm. Ann. Soc. Ent. Fr. LX, 1891, Nubien,  
 p. 269; Rev. d'Ent. XI, 1892, p. 120. Ostafrika,  
**hirsutus** Jord. Nov. Zool. I, 1894, p. 497. Südafrika,  
**picicornis** Fairm. Ann. Soc. Ent. Fr. (6) VIII, Senegal  
 1888, p. 200. — Dist. Ins. Transv. 1904, p. 114,  
 t. 9, f. 3.  
**maculatus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 301, Ceylon  
 t. 7, f. 4. — Pasc. Ann. Mag. Nat. Hist. (3)  
 XIX, 1867, p. 319. — Lacord. Gen. Col. VIII,  
 1869, p. 282, nota 1. — Gah. Fauna Brit. Ind.  
 Col. I, 1906, p. 116.  
**nilgiriensis** Gah. l. c. p. 117, f. 46. Nilgiri  
**quadridentatus** Gah. l. c. p. 116. Südostindien  
**subpilosus** Nonfr. Deutsche Ent. Zeitschr. 1894, p. 208. Sumatra  
 11

### Gnatholeophanes Kolbe.

Kolbe, Berl. Ent. Zeitschr. XLV, 1901, p. 301.

- octosignatus** Kolbe, l. c. t. 4, f. 2. Ostafrika  
 1

### Aspitus Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 61.

- seriatus** Kolbe, l. c. Togoland  
 1

### Gnatholea Thoms.

Thoms. Classif. Ceramb. 1860, p. 375; Syst. Ceramb. 1864, p. 456. —  
 Lacord. Gen. Col. VIII, 1869, p. 284. — Pasc. Trans. Ent. Soc. Lond.  
 (3) III, 1869, p. 530. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 110.

- eburifera** Thoms. Classif. Ceramb. 1860, p. 375. — Siam,  
 Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 53; Malacca,  
 Fauna Brit. Ind. Col. I, 1906, p. 111. Borneo  
**fryana** Gah. l. c. p. 111. Tenasscrim  
**simplex** Gah. l. c. p. 111, f. 44. Sikkim,  
 Assam,  
 Birma  
**stigmatipennis** White, Cat. Col. Brit. Mus. VIII, 1855, Philippinen  
 p. 303. — Pasc. Trans. Ent. Soc. Lond. (3) III,  
 1869, p. 530.  
**subnuda** Lacord. Gen. Col. VIII, 1869, p. 284, nota 2. Malacea  
 5

**Cacophrissus** Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 252.

**pauper** Bates, l. c. t. 18, f. 8.

Mexico

1

**Gnaphalodes** Thoms.Thoms. Classif. Ceramb. 1860, p. 235; Syst. Ceramb. 1864, p. 455. —  
Lacord. Gen. Col. VIII, 1869, p. 278.**trachyderoides** Thoms. Classif. Ceramb. 1860, p. 236.

Texas,

— Leng, Ent. Amer. I, 1885, p. 28, t. 2, f. 32.

Mexico,

ab. *inermis* Bates, Biol. C.-Am. Col. V, 1884,

Honduras

p. 243.

1

**Cidugala** Auriv.

Auriv. Arkiv f. Zool. IV, 17, 1908, p. 1.

**grisea** Auriv. l. c. f. 42.

Deutsch-

Ostafrika

1

**Cerasphorus** Serv.Serv. Ann. Soc. Ent. Fr. III, 1834, p. 10. — Thoms. Classif. Ceramb.  
1860, p. 231; Syst. Ceramb. 1864, p. 455. — Lacord. Gen. Col. VIII, 1869,  
p. 285.*Ceratophorus* Gemm. & Har. Cat. Col. IX, 1873, p. 2811.*Corethrogaster* Thoms. Classif. Ceramb. 1860, p. 234.**brunneus** Hintz, Deutsche Ent. Zeitschr. 1910, p. 306.

Deutsch-

Ostafrika

**hirticornis** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 11.

Senegal,

— Klug, Erman's Reise, Atl. V, 1835, p. 44.

Guinea,

*gabonicus* Thoms. Arch. Ent. II, 1858, p. 160;

Congo

Classif. Ceramb. 1860, p. 235.

*murinus* Chevr. Rev. Zool. (2) VIII, 1856, p. 568:

Cent. Long. 1858, nr. 61. — Murr. Ann. Mag.

Nat. Hist. (4) VI, 1870, p. 171.

2

**Amphelictus** Bates.

Bates, Biol. C.-Am. Col. V, 1884, p. 242.

**melas** Bates, l. c.

Mexico

1

**Chion** Newm.Newm. Entomolog. I, 1841, p. 23. — Thoms. Classif. Ceramb. 1860, p. 232:  
Syst. Ceramb. 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 285. —  
J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287.*Cerasphorus* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11.**cinetus** Drury, Ill. Exot. Ins. I, p. 85, t. 37, f. 6; Index

Nordamerika

1773. — Leng, Ent. Amer. I, 1885, p. 28. —

Wickh. Canad. Ent. XXIX, 1897, p. 108, f. 18.

- balteatus* Degeer, Mém. Ins. V, 1775, p. 111, t. 14, f. 3. — Panzer in Drury, Exot. Ins. I, 1778, p. 143, t. 37, f. 6. — Westw. in Drury, Ill. Exot. Ins. I, 1837, p. 80, t. 37, f. 6.
- garganicus* F. Syst. Ent. 1775, p. 178. — Ol. Ent. IV, 67, 1795, p. 39, t. 15, f. 165. — Beauv. Ins. Afr. et Am. 1821, p. 247, t. 37, f. 3.
- quadriscopinosus* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 32.
- ruricola* Gmel. Syst. Nat. I, 4, 1790, p. 1860.
- rusticus* F. Spec. Ins. I, 1781, p. 228. — Ol. Ent. IV, 67, 1795, p. 41, 69, t. 2, f. 16. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 12.
- Biologie: Harris, Ins. of Massach. 1842, p. 81. — Felt, Ins. aff. Trees 1905, p. 267.
- var. *ochraceus* Bates, Biol. C.-Am. Col. V, 1884, p. 243. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 331. Mexico, Florida
- var. *sonorensis* Schaeffer, l. c. p. 332. Arizona
- 1

### **Perilasius** Bates.

- Bates, Biol. C.-Am. Col. V, 1880, p. 17. — Horn, Proc. Am. Ent. Soc. XIII, 1886, p. 10.
- Championi* Bates, Biol. C.-Am. Col. V, 1880, p. 18, t. 17, Guatemala f. 2.
- 1

### **Brothylus** J. Lec.

- J. Lec. Proc. Acad. Philad. 1859, p. 80. — Lacord. Gen. Col. VIII, 1869, p. 290. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 286.
- conspersus* J. Lec. l. c. p. 285. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 119; Ent. Amer. I, 1885, t. 2, f. 28. Oregon
- gemmulatus* J. Lec. Proc. Acad. Philad. 1859, p. 280. Californien — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 119.
- subpubescens* Schaeffer, Journ. N. Y. Ent. Soc. XVII, 1909, p. 100. Arizona
- 3

### **Phymatioderus** Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 495. — Thoms. Syst. Ceramb. 1864, p. 453. — Lacord. Gen. Col. VIII, 1869, p. 287. — Germain, An. Univ. Chile CI, 1898, p. 721 (sep. p. 99).
- bizonatus* Blanch. Voy. d'Orbigny, Ins. 1843, p. 209, t. 21, f. 10; in Gay, Hist. Chile V, 1851, p. 496, t. 28, f. 11. — Germain, An. Univ. Chile CI, 1898, p. 725, t. 2, f. 9 a, 9 b. Chile
- 1

**Xuthodes** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 217. — Broun, Man. N. Zeal. Col. I, 1880, p. 580.

- apicalis* Sharp, Ent. Month. Mag. XIII, 1877, p. 193. Neuseeland  
 — Broun, Man. N. Zeal. Col. I, 1880, p. 580.  
*Batesi* Sharp, l. c. p. 194. — Broun, l. c. p. 581. „  
*divergens* Broun, l. c. p. 581. „  
*lepidus* Broun, l. c. V, 1893, p. 1280. „  
*punctipennis* Pascoe, Ann. Mag. Nat. Hist. (4) XVI, Insel Pitt  
 1875, p. 217, t. 5, f. 9.

5

**Opades** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 288.

- costifera* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 486. Ecuador  
*costipennis* Buq. in Guér. Icon. règne anim. Ins. 1843, Cayenne  
 p. 221.  
*vittipennis* Bates, Trans. Ent. Soc. Lond. 1870, p. 261. Ega

3

**Chlorida** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 31. — Cast. Hist. Nat. II, 1840, p. 422. — Thoms. Classif. Ceramb. 1860, p. 232; Syst. Ceramb. 1864, p. 451.  
 — Lacord. Gen. Col. VIII, 1869, p. 289.

*Tetracanthus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

- cineta* Guérin, Rev. Zool. 1844, p. 259. — Dohrn, Stett. Mexico  
 Ent. Zeit. XLV, 1884, p. 277.  
*costata* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 32. — Brasilien  
 Heyne, Exot. Käf. 1906, t. 36, f. 6.  
*curta* Thoms. Arch. Ent. I, 1857, p. 288. — Bates, Trans. Cayenne,  
 Ent. Soc. Lond. 1870, p. 262. Amazon.  
*denticulata* Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 623. Cayenne  
*fasciata* Bates, Trans. Ent. Soc. Lond. 1870, p. 263. St. Paulo  
*festiva* L. Syst. Nat. ed. 10, 1758, p. 389. — Drury, Ill. Zentral- und  
 Exot. Ins. I, 1773, p. 84, t. 37, f. 5. — F. Syst. Süd-  
 Ent. 1775, p. 179. — Herbst in Füessly, Archiv amerika,  
 V, 1784, p. 92, t. 25, f. 12. — Cast. Hist. Nat. Küste  
 II, 1840, p. 422. — Jacq. du Val in Ramon, West-  
 Hist. Cuba VI, 1857, p. 261. — Chevr. Ann. afrikas,  
 Soc. Ent. Fr. (4) II, 1862, p. 267. Prinzen-  
*africana* Voet, Cat. Col. II, 1778, p. 17, t. 16, Insel,  
 f. 66; ed. Panzer III, 1794, p. 42, t. 16, f. 66. St. Thomé  
*spinosa* Degeer, Mém. Ins. V, 1775, p. 100, t. 13, f. 14.  
*sulcata* Sulzer, Gesch. Ins. 1776, p. 45, t. 5, f. 6.  
 — Ol. Enc. méth. Ins. V, 1790, p. 304; Ent. IV, 67, 1795, p. 28, t. 16, f. 113.  
*obliqua* Buq. Ann. Soc. Ent. Fr. (2) X, 1852, p. 655, Columbien  
 t. 12, f. 1.  
*parvula* Thoms. Classif. Ceramb. 1860, p. 243. Guyana  
*spinosa* Auriv. Ent. Tidskr. VIII, 1887, p. 191. Columbien  
*transversalis* Buq. Icon. règne anim. Ins. 1844, p. 221. „

10

**Pantomallus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 286.

- fuliginus** Bates, Trans. Ent. Soc. Lond. 1872, p. 173; Biol. C.-Am. Col. V, 1880, p. 18, t. 3, f. 4. Nicaragua  
**inermis** Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 461. — Gah. Trans. Ent. Soc. Lond. 1895, p. 93. Guadeloupe  
**meridanus** Bates, Trans. Ent. Soc. Lond. 1872, p. 174 nota. Venezuela  
**morosus** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 10. Brasilien  
*villosicornis* Lacord. Gen. Col. VIII, 1869, p. 287, nota 1, t. 85, f. 2.  
**ovicollis** J. Lee. Smiths. Misc. Coll. XI, 264, 1873, p. 180. Texas  
— Leng, Ent. Amer. I, 1885, p. 29.  
**proletarius** Er. Arch. für Naturgesch. XIII, 1847, I, p. 140. Peru

6

**XVI. Eburini.**

Lacord. Gen. Col. VIII, 1869, p. 290.

**Styliceps** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 291.

- sericatus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 16. Amazoni,  
— Bates, l. c. 1870, p. 263; Biol. C.-Am. Col. Cayenne,  
V, 1880, p. 19, t. 3, f. 1. Nicaragua  
*amazonicus* Thoms. Classif. Ceramb. 1860, p. 210.  
*sericans* Lacord. Gen. Col. VIII, 1869, p. 292,  
nota 1, t. 85, f. 3.

1

**Eburia** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 8. — Cast. Hist. Nat. II, 1840, p. 423. — J. Lee. Journ. Acad. Philad. (2) II, 1850, p. 11. — Thoms. Classif. Ceramb. 1860, p. 231; Syst. Ceramb. 1864, p. 449. — Lacord. Gen. Col. VIII, 1869, p. 293. — Bates, Biol. C.-Am. Col. V, 1880, p. 19. — J. Lee. & Horn, Classif. Col. N. Amer. 1883, p. 287.

*Coeleburia* Thoms. Classif. Ceramb. 1860, p. 237.*Dissacantha* Thoms. Syst. Ceramb. 1864, p. 240.*Dissacanthus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

— Lacord. Gen. Col. VIII, 1869, p. 295.

*Drymo* Thoms. Syst. Ceramb. 1864, p. 242. — Lacord. Gen. Col. VIII, 1869, p. 292.*Eleutho* Thoms. l. c.

- aegrota** Bates, Biol. C.-Am. Col. V, 1880, p. 21 (= *amabilis*?). Mexico  
**amabilis** Boh. Eugen. Resa, Col. 1859, p. 150. Galapagos  
**Baroni** Bates, Trans. Ent. Soc. Lond. 1892, p. 148, t. 5, f. 3. Mexico  
**Bauri** Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 259. Galapagos  
**bimaculatus** Voet, Cat. Col. II, 1778, p. 16, t. 15, f. 65; Antigua  
ed. Panz. III, 1794, p. 41, t. 15, f. 65.

- Blancaneaui** Bates, Biol. C.-Am. Col. V, 1880, p. 20, t. 17, f. 5. Honduras
- brevispinis** Bates, l. c. p. 21. Mexico
- Championi** Bates, l. c. p. 20, t. 17, f. 6. Guatemala
- cinnamomea** Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 463. — Gah. Trans. Ent. Soc. Lond. 1895, p. 98. Guadeloupe
- clara** Bates, Biol. C.-Am. Col. V, 1884, p. 245, t. 17, f. 16. Mexico
- consobrina** Jacq. du Val in Sagra, Hist. Cuba, Ins. p. 265, t. 10, f. 6. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 267. — Thoms. Syst. Ceramb. 1864, p. 242. — Gah. Trans. Ent. Soc. Lond. 1895, p. 97. Cuba, Jamaica
- pedestris* ♂ White, Cat. Col. Brit. Mus. VII, 1853, p. 88.
- conspersa** Horn, Bull. Calif. Acad. (2) IV, 1894, p. 399. Nieder-californien
- costulata** Bates, Trans. Ent. Soc. Lond. 1870, p. 265. Ega
- decemmaculata** F. Syst. Ent. 1775, p. 181. — Ol. Enc. méth. Ins. V, 1790, p. 306; Ent. IV, 67, 1795, p. 44, t. 12, f. 86. Guadeloupe, St. Barthélemy
- quinquemaculata* F. Ent. Syst. I, 2, 1792, p. 296.
- Dejeani** Gah. Trans. Ent. Soc. Lond. 1895, p. 94. Guadeloupe, Martinique
- didyma** Ol. Ent. IV, 67, 1795, p. 125, t. 23, f. 179. — Bates, Trans. Ent. Soc. Lond. 1870, p. 266, nota 1. Cuba
- pulverea* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 266. — Thoms. Syst. Ceramb. 1864, p. 242. — Gah. Trans. Ent. Soc. Lond. 1895, p. 98.
- distincta** Hald. Proc. Acad. Philad. III, 1845, p. 150. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11. — Leng, Ent. Amer. I, 1885, p. 29. Georgien, Mississippi
- Haldemani** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 102. — Leng, Ent. Amer. I, 1885, p. 29. Texas, Florida
- insulana** Gah. Trans. Ent. Soc. Lond. 1895, p. 93. St. Vincent
- lanigera** Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 259. Galapagos
- laticollis** Bates, Biol. C.-Am. Col. V, 1880, p. 22. Mexico
- longicollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 264. Ega
- macrotaenia** Bates, Biol. C.-Am. Col. V, 1880, p. 20, t. 17, f. 9. Guatemala
- maculicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 266 nota. Südbrasilien
- Meinerti** nov. nom. Venezuela
- nigrovittata* Auriv. Ent. Tidskr. XIV, 1893, p. 184, f. 12.
- mutiea** J. Lec. Proc. Acad. Philad. VI, 1853, p. 233. Texas, Mexico
- Leng, Ent. Amer. I, 1885, p. 29. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 332.
- ♂ *tumida* J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 181. — Leng, Ent. Am. I, 1885, p. 29.
- var. *manca* J. Lec. Journ. Acad. Philad. (2) IV, 1858, p. 24. — Leng, Ent. Am. I, 1885, p. 29.
- nigrovittata** Bates, Biol. C.-Am. Col. V, 1884, p. 246. Mexico
- octoguttata** Germ. Mag. Ent. IV, 1821, p. 168. — Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 364. Südbrasilien
- didyma* Heyne, Exot. Käfer 1906, t. 36, f. 7.

- octomaculata** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Gah. Trans. Ent. Soc. Lond. 1895, p. 96. Cuba,  
Dominica,  
Guadeloupe
- patruelis** Bates, Biol. C.-Am. Col. V, 1884, p. 244. Mexico
- pedestris** White, Cat. Col. Brit. Mus. VII, 1853, p. 88. Honduras  
— Bates, Biol. C.-Am. Col. V, 1880, p. 20, t. 3, f. 3.  
var. *mutata* Bates, l. c. 1884, p. 245.
- perspicillaris** Er. Schomb. Reise III, 1848, p. 572. Panama
- pilosa** Er. Nova Acta Acad. Nat. Cur. XVI, 1833, p. 267, t. 39, f. 7. Guyana  
Peru
- porulosa** Bates, Trans. Ent. Soc. Lond. 1892, p. 149. Mexico,  
Honduras  
var. *porifera* Bates, l. c.
- postica** White, Cat. Col. Brit. Mus. VII, 1853, p. 89. Jamaica  
— Gah. Trans. Ent. Soc. Lond. 1895, p. 94.
- quadrigeminata** Say, Journ. Acad. Philad. V, 2, 1827, p. 275. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 265. — Leng, Ent. Amer. I, 1885, p. 29, t. 3, f. 2. — Wickh. Canad. Ent. XXIX, 1897, p. 109. Nordamerika
- quadrimaculata* Ol. Enc. méth. Ins. V, 1790, p. 304; Ent. IV, 67, 1795, p. 45, t. 21, f. 164.  
— ? Haw. Trans. Ent. Soc. Lond. I, 1812, p. 83.  
— Shuck. Brit. Col. 1840, p. 75, Suppl. t. 7, f. 2.  
Biologie: Webster, Ins. Life I, 1889, p. 339.  
— Felt, Ins. aff. Trees 1907, p. 462.
- quadrilineata** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 165. Argentinien,  
Süd-  
brasilien  
var. *Rogersi* Bates, Trans. Ent. Soc. Lond. 1870, p. 266 nota.  
var. *nigricans* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 618.
- quadrimaculata** L. Syst. Nat. ed. XII, 1767, p. 626. — Westindien  
F. Syst. Ent. 1775, p. 180.  
*binodosa* Gah. Trans. Ent. Soc. Lond. 1895, p. 95.  
?♀ *rhamphygea* L. Syst. Nat. ed. XII, 1767, p. 633.
- quadrinotata** Latr. in Humb. & Bonpl. Obs. Zool. I, 1811, p. 165, t. 16, f. 9. Columbien,  
Peru,  
Chile  
*speciosa* Blanch. Voy. d'Orbigny, Ins. 1837—43, p. 208, t. 21, f. 5; in Gay, Hist. Chile V, 1851, p. 463, t. 29, f. 1.
- rotundipennis** Bates, Biol. C.-Am. Col. V, 1884, p. 245, t. 17, f. 15. Mexico
- rufobrunnea** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 366. Guatemala
- semipubescens** Thoms. Classif. Ceramb. 1860, p. 238. Venezuela
- semipubescens** Fall, Canad. Ent. XLI, 1909, p. 163. Californien
- sericea** Sallé, Ann. Soc. Ent. Fr. (3) III, 1855, p. 271, t. 14, f. 6. — Gah. Trans. Ent. Soc. Lond. 1895, p. 98. Haiti
- sexnotata** Boh. Eugen. Resa, Col. 1859, p. 150. — Auriv. Ecuador  
Ent. Tidskr. XIV, 1893, p. 182.
- sordida** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 165. Argentinien
- stigma** Ol. Ent. IV, 67, 1795, p. 126, t. 23, f. 180. — Florida,  
Cuba,  
Haiti,  
Nicaragua  
Jacq. du Val, Hist. Cuba VII, 1856, p. 265. —  
Leng, Ent. Amer. I, 1885, p. 29. — Gah. Trans.  
Ent. Soc. Lond. 1895, p. 96.
- Duvali* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 266.

- stigmatica** Chevr. Col. Mex. III, 1834, nr. 60. — Bates, Biol. C.-Am. Col. V, 1884, p. 244. — Leng, Ent. Amer. I, 1885, p. 29. Mexico, Texas  
*perforata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 180.
- sulphureosignata** Er. Arch. für Naturgesch. XIII, 1847, I, p. 140. Peru  
 var. *umbrosa* Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, p. 285.
- tetralacta** White, Cat. Col. Brit. Mus. VII, 1853, p. 89. Jamaica  
*maculata* Drury, Ill. Exot. Ins. I, 1773, p. 84, t. 37, f. 3, Index.  
*quadrinaculata* Panzer in Drury, Abbild. Exot. Ins. I, 1788, p. 141, t. 37, f. 3. — Westw. in Drury, Ill. Exot. Ins. ed. 2, I, 1837, p. 79, t. 37, f. 3.
- thoracica** White, Cat. Col. Brit. Mus. VII, 1853, p. 92. Brasilien  
**Ulkei** Blandf. Proc. Ent. Soc. Philad. I, 1862, p. 270. Californien  
**unicolor** Bates, Trans. Ent. Soc. Lond. 1870, p. 265. Pebas

53

**Volxemia** Lameere.

Lameere, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 85.

- dianella** Lameere, l. c. p. 86. Südbrasilien  
 1

**Erosida** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 242. — Lacord. Gen. Col. VIII, 1869, p. 295. — Auriv. Ent. Tidskr. XIV, 1893, p. 184.
- Delia** Thoms. Classif. Ceramb. 1860, p. 242. Venezuela,  
*elegans* Lacord. Gen. Col. VIII, 1869, p. 295, Columbien  
 nota 3, t. 85, f. 4.
- formosa** Blanch. Voy. d'Orbigny, Ins. 1837—43, p. 208, Bolivien  
 t. 21, f. 7.
- gratiosa** Blanch. l. c. p. 208, t. 21, f. 8. — Thoms. Classif. Brasilien  
 Ceramb. 1860, p. 242.
- lineola** F. Spec. Ins. I, 1781, p. 228. — Ol. Enc. méth. „  
 Ins. V, 1790, p. 306; Ent. IV, 67, 1795, p. 84:  
 69, t. 2, f. 17. — Lacord. Gen. Col. VIII, 1869,  
 p. 296, nota 1.  
*brasiliانا* Gmelin, Syst. Nat. I, 4, 1790, p. 1860.
- trilineata** Auriv. Ent. Tidskr. XIV, 1893, p. 183, f. 11. Südbrasilien  
 5

**Cupanoscelis** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 618.

- clavipes** Goun. l. c. p. 619, f. 16. Brasilien:  
 Goyaz
- heteroclita** Goun. l. c. f. 15. Brasilien

2

**Eburoidacrys** Thoms.

Thoms. Classif. Ceramb. 1860, p. 288; Syst. Ceramb. 1864, p. 449. — Lacord. Gen. Col. VIII, 1869, p. 296. — Bates, Trans. Ent. Soc. Lond. 1870, p. 267.

*Eburoidacrys* Gemm. & Har. Cat. Col. IX, 1873, p. 2815.

- asperula** Bates, Biol. C.-Am. Col. V, 1880, p. 23, 246. Mexico  
**assimilis** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 625. Goyaz  
**basicornis** Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 373. Südbrasilien  
**caecica** Bates, Trans. Ent. Soc. Lond. 1870, p. 267 nota. Cayenne  
**callixantha** Bates, l. c. 1872, p. 174; Biol. C.-Am. Col. Venezuela,  
 V, 1880, p. 23, 246, t. 3, f. 5. Nicaragua,  
 Mexico  
**campestris** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Brasilien  
 p. 633, f. 19.  
**citreoguttata** Thoms. Classif. Ceramb. 1860, p. 240. Cayenne  
**coalescens** Bates, Biol. C.-Am. Col. V, 1884, p. 247, Nicaragua  
 t. 17, f. 14.  
**Costai** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 628. Goyaz  
**crassimana** Goun. l. c. p. 621, f. 18. Brasilien  
**curialis** Goun. l. c. p. 624. Goyaz  
**decepiens** Goun. l. c. p. 626. „  
**dubitata** White, Cat. Col. Brit. Mus. VII, 1853, p. 95. Brasilien  
 var. *subaffinis* White, l. c. „  
**eburioides** White, l. c. p. 114. — Goun. Ann. Soc. Ent. „  
 Fr. LXXVII, 1909, p. 620, f. 17, 1. „  
 var. *arcijera* Bates, Trans. Ent. Soc. Lond. 1870, „  
 p. 271 nota. „  
 var. *concolor* Goun. Ann. Soc. Ent. Fr. LXXVII, Goyaz  
 1909, p. 620, f. 17, 2, 3.  
**elegantula** Goun. l. c. p. 631. „  
**flexuosa** Goun. l. c. p. 627. Brasilien  
**fortunata** Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, „  
 p. 87. „  
**granipennis** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 629.  
**havanensis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 267. Cuba,  
 Venezuela,  
 Zentral-amerika  
**hirsutula** Bates, Trans. Ent. Soc. Lond. 1870, p. 269. Santarem  
**laevicornis** Bates, Biol. C.-Am. Col. V, 1884, p. 247. Panama  
**longilineata** White, Cat. Col. Brit. Mus. VII, 1853, p. 93. Brasilien  
 var. *gigas* Goun. Ann. Soc. Ent. Fr. LXXVII, Goyaz  
 1909, p. 629.  
**longipilis** Bates, Trans. Ent. Soc. Lond. 1870, p. 268. Ega  
**lugubris** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 622. Goyaz  
**mancula** White, Cat. Col. Brit. Mus. VII, 1853, p. 94. Brasilien  
**mexicana** Thoms. Classif. Ceramb. 1860, p. 239. — Bates, Zentral-amerika  
 Biol. C.-Am. Col. V, 1884, p. 247, t. 17, f. 17. Guatemala  
 var. *interrupta* Bates, l. c. Goyaz  
**memorivaga** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 623.  
**notula** Goun. l. c. p. 632. Brasilien  
**puella** Newm. Ann. Mag. Nat. Hist. (2) IV, 1840, p. 196. „  
**puntipennis** White, Cat. Col. Brit. Mus. VII, 1853, p. 94. Südamerika  
 — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, „  
 p. 624.  
**quadridens** F. Syst. Eleuth. II, 1801, p. 308. „

- raripila* Bates, Trans. Ent. Soc. Lond. 1870, p. 270 nota. Cayenne  
*rufispinis* Bates, l. c. p. 269. Ega  
*sanguinipes* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 632.  
*seminigra* Goun. l. c. p. 622. „  
*sexguttata* Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, Südbrasilien  
 p. 87.  
*sexmaculata* Ol. Enc. méth. V, 1790, p. 305; Ent. IV, Brasilien  
 67, 1795, p. 47, t. 15, f. 103. — F. Ent. Syst.  
 I, 2, 1792, p. 295. — Bates, Trans. Ent. Soc.  
 Lond. 1870, p. 270. — Heyne, Exot. Käfer 1906,  
 t. 36, f. 11. — Goun. Ann. Soc. Ent. Fr. LXXVII,  
 1909, p. 629.  
*Stahli* Auriv. Ent. Tidskr. XIV, 1893, p. 181, f. 9. Südbrasilien  
*sticticollis* Bates, Trans. Ent. Soc. Lond. 1874, p. 220; Nicaragua  
 Biol. C.-Am. Col. V, 1880, p. 23, t. 3, f. 6.  
*sulfurifera* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 630.  
*triocellata* Stål, Öfvers. Vet. Akad. Förh. XIV, 1857, Neugranada  
 p. 65. — Auriv. Ent. Tidskr. XIV, 1893, p. 182,  
 f. 10.  
*tuberosa* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 622. Goyaz  
*virgo* Newm. Ann. Mag. Nat. Hist. (2) IV, 1840, p. 196. Brasilien  
*megalospilota* White, Cat. Col. Brit. Mus. VII,  
 1853, p. 95, t. 3, f. 4. — Bates, Trans. Ent. Soc.  
 Lond. 1870, p. 268.  
*vittata* Blanch. Voy. d'Orbigny, Ent. 1837—43, p. 208, Bolivien  
 t. 21, f. 6.  
 44

### **Oncoptera** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 297.

- vidua* Lacord. l. c. p. 298, nota 1. Montevideo

## **XVII. Phoracanthini.**

Lacord. Gen. Col. VIII, 1869, p. 298. — Gah. Fauna Brit. Ind. Col. I,  
 1906, p. 151.

### **Orion** Guér.

Guér. Icon. règne anim. Ins. 1843, p. 229. — Lacord. Gen. Col. VIII, 1869,  
 p. 298.

- brunneus* Guér. Icon. règne anim. Ins. 1843, p. 229. Patagonien  
*Lacordairei* Rits. Notes Leyd. Mus. XI, 1889, p. 144. Uruguay  
*maurus* Newm. Entomolog. I, 1841, p. 111. Brasilien  
*patagonus* Guér. Icon. règne anim. Ins. 1843, p. 229. Patagonien  
 — Lacord. Gen. Col. VIII, 1869, t. 86, f. 1.  
*Lachesis* Blanch. Voy. d'Orbigny 1837—43, p. 209, Bolivien  
 t. 22, f. 1.

**Romaleum White.**

White, Cat. Col. Brit. Mus. VIII, 1855, p. 309. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115; Ent. Amer. I, 1885, p. 29, 130.

*Hypermallus* Lacord. Gen. Col. VIII, 1869, p. 302.

*Thersalvus* Pasc. Journ. of Ent. II, 1866, p. 372.

- atomarium** Drury, Ill. Exot. Ins. I, p. 93, t. 41, f. 6; II, 1773 Index: ed. 2, I, 1837, p. 88, t. 41, f. 6. — Panzer in Drury, Abbild. Exot. Ins. I, 1788, p. 156, t. 41, f. 6. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 177. — Leng, Ent. Amer. I, 1885, p. 30. — Wickh. Canad. Ent. XXIX, 1897, p. 109. Nordamerika
- bispinosum* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 562. — Lacord. Gen. Col. VIII, 1869, p. 303, nota 1. Neuholland
- marilandicum* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 32.
- marylandicum* F. Syst. Ent. 1775, p. 179. — Ol. Ent. IV, 70, 1795, p. 6, t. 1, f. 5.
- multicolor* Gmelin, Syst. Nat. I, 4, 1790, p. 1857.
- pulverulentum* Degeer, Mém. Ins. V, 1775, p. 118, t. 14, f. 12.
- variegatum* Goeze, Ent. Beytr. I, 1777, p. 481.
- hispidiorne** L. Syst. Nat. ed. 12, 1767, p. 634. — Ol. Enc. méth. Ins. V, 1790, p. 250; Ent. IV, 70, 1795, p. 5, t. 5, f. 57. Nordamerika
- pulverulentum* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 32.
- operarium* White, Cat. Col. Brit. Mus. VIII, 1855, p. 309, t. 6, f. 9.
- simplicicollis* Hald. Proc. Acad. Philad. III, 1845, p. 151. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 12. — Leng, Ent. Amer. I, 1885, p. 30, 130. — Auriv. Ent. Tidskr. XIV, 1893, p. 186.
- var. *procerum* J. Lec. Proc. Acad. Philad. 1859, p. 88. — Leng, Ent. Amer. I, 1885, p. 30, 130. — Auriv. Ent. Tidskr. XIV, 1893, p. 186. — Heyne, Exot. Käfer 1903, t. 33, f. 2. Texas, Arizona, Mexico
- niveitectum** Schaeffer, Bull. Brookl. Inst. I, 1905, p. 160. Arizona
- rufulum** Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 32. — Leng, Ent. Amer. I, 1885, p. 30, t. 3, f. 3. — Wickh. Canad. Ent. XXIX, 1897, p. 109. Nordamerika
- seminitidum** Horn, Ent. Amer. I, 1885, p. 130. Arizona
- taeniatum** J. Lec. Proc. Acad. Philad. VII, 1854, p. 81. Texas
- senex* Bates, Biol. C.-Am. Col. V, 1884, p. 248. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 333.

6

**Eustomula Cocker.**

Cocker, Ent. News XVII, 1906, p. 242.

*Eustoma* J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 186. — Leng, Ent. Amer. I, 1885, p. 133.

- validum** J. Lec. Proc. Acad. Philad. 1858, p. 82. — Leng, Ent. Amer. I, 1885, p. 133, t. 3, f. 6. Texas, Californien

1

**Axestinus J. Lec.**

J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 177. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 286. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115.

**obscurus** J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, Texas  
p. 177. — Leng, Bull. Brookl. Ent. Soc. VII,  
1885, p. 118; Ent. Amer. I, 1885, t. 2, f. 27.  
— Schaeffer, Bull. Brookl. Inst. I, 1908, p. 335.

1

**Proteinidium** Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 149. .

**brevicornis** Bates, l. c. p. 150, t. 5, f. 4. Mexico

1

**Aneflus J. Lec.**

J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 185. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115; Ent. Amer. I, 1885, p. 34, 131.

**calvatus** Horn, Ent. Amer. I, 1885, p. 131, 132. Arizona

**cylindricollis** Bates, Trans. Ent. Soc. Lond. 1892, p. 147, Mexico  
t. 5, f. 1.

**fulvipennis** Bates, l. c. p. 148, t. 5, f. 2.

**Lengi** Schaeffer, Journ. N. York Ent. Soc. XVII, 1909, Arizona  
p. 101.

**linearis** J. Lec. Proc. Acad. Philad. 1859, p. 20. — Leng, Californien  
Ent. Amer. I, 1885, p. 34. — Horn, l. c. p. 131, 132.

**prolixus** J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, p. 203. ,,  
— Leng, Ent. Amer. I, p. 34, 35. — Horn, l. c.  
p. 131, 132.

**protensus** J. Lec. Proc. Acad. Philad. 1858, p. 82. — Arizona  
Leng, Ent. Amer. I, 1885, p. 34, t. 3, f. 5. —  
Horn, l. c. p. 131, 132.

7

**Elaphidion** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 66. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 12. — Lacord. Gen. Col. VIII, 1869, p. 300. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 287. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115.

*Centrocerum* Thoms. Syst. Ceramb. 1864, p. 244, 451.

*Cyclopleurus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

*Stenocorus* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 232.

**aculeatum** J. Lec. in Smiths. Misc. Coll. XI, 264, 1873, Texas  
p. 184. — Leng, Ent. Amer. I, 1885, p. 32, 33.

**albofasciatum** Linell, Proc. U. S. Nat. Mus. XIX, 1896, Californien  
p. 393.

**albosignatum** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, Cuba  
p. 259. — Gah. Trans. Ent. Soc. Lond. 1895,  
p. 102.

- alienum** J. Lec. Trans. Amer. Ent. Soc. V, 1875, p. 173. Arizona  
— Leng. Ent. Amer. I, 1885, p. 31, 32.
- arizonense** Casey, Ann. N. York Acad. VI, 1892, p. 28. ”
- bidens** F. Mant. Ins. I, 1787, p. 143. Südamerika  
*bispinosus* Gmel. Syst. Nat. I, 4, 1790, p. 404.
- brevidens** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 333. Arizona
- cerussatum** Newm. Entomolog. I, 1841, p. 111. Bucnos Aires
- collare** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 166. Argentinien
- conspersum** Newm. Entomolog. I, 1841, p. 110. — Haiti  
Gah. Trans. Ent. Soc. Lond. 1895, p. 101.
- coronatum** White, Cat. Col. Brit. Mus. VII, 1853, p. 100. Guatemala,  
— Bates, Biol. C.-Am. Col. V, 1880, p. 24, t. 3, Nicaragua  
f. 12.
- daedaleum** Bates, Trans. Ent. Soc. Lond. 1874, p. 219; Nicaragua  
Biol. C.-Am. Col. V, 1880, p. 26, t. 3, f. 14.
- decipiens** Bates, l. c. 1884, p. 248. Mexico
- elegans** Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 190. Brasilien  
var. *hirsutum* Chevr. l. c. p. 191. ”  
var. *jocosum* Chevr. l. c. ”  
var. *puberulum* Chevr. l. c. p. 190. ”
- excelsum** Gah. Trans. Ent. Soc. Lond. 1895, p. 101. Guadeloupe
- eximium** Bates, Biol. C.-Am. Col. V, 1885, p. 250, t. 17, Mexico  
f. 19.
- Fuehsi** Wickh. Canad. Ent. XXXVII, 1905, p. 170. Californien
- tullonium** Newm. Entomolog. I, 1841, p. 110. Haiti
- gibbulum** Bates, Biol. C.-Am. Col. V, 1880, p. 25. Mexico
- glabratum** Syst. Ent. 1775, p. 180. Antillen  
*mite* Newm. Entomolog. I, 1840, p. 27.
- glabriusculum** Bates, Biol. C.-Am. Col. V, 1885, p. 251. Panama
- griseus** Bates, Biol. C.-Am. Col. V, 1885, p. 249. Mexico,  
— Schaeffer, Bull. Brookl. Inst. I, 1908, p. 333. Florida
- guttiventre** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 261. Cuba
- imbelle** J. Lec. Bull. Buff. Soc. IV, 1881, p. 27, t. 1, Californien  
f. 1. — Leng. Ent. Am. I, 1885, p. 32.
- incertum** Newm. Entomolog. I, 1840, p. 28. — J. Lec. Nordamerika  
Journ. Acad. Philad. (2) II, 1850, p. 13. —  
Leng. Ent. Amer. I, 1885, p. 31. — Wickh.  
Canad. Ent. XXIX, 1897, p. 109.
- aspersum* Hald. Trans. Amer. Phil. Soc. (2) X,  
1847, p. 32.
- neglectum* J. Lec. Journ. Acad. Philad. (2) II,  
1850, p. 13.
- vicinum* Hald. Trans. Amer. Phil. Soc. (2) X,  
1847, p. 33. — J. Lec. Journ. Acad. Philad.  
(2) II, 1850, p. 13.
- inermis** Newm. Entomolog. I, 1840, p. 29. — Bates, Texas,  
Biol. C.-Am. Col. V, 1885, p. 249. — Leng. Florida  
Ent. Amer. I, 1885, p. 31.  
Biologie: Hubbard, Ins. aff. Orange 1885, p. 125.  
— Chittenden, Bull. U. S. Dep. Agric. Divis.  
Ent. XVIII, 1898, p. 41, f. 12, 13.
- insulare** Newm. Entomolog. I, 1840, p. 27. — Gah. Insel Nevis  
Trans. Ent. Soc. Lond. 1895, p. 100.
- irroratum** L. Syst. Nat. ed. 12, 1767, p. 633. — Drury, New York,  
Ill. Exot. Ins. I, 1773, p. 92, t. 41, f. 3; ed. 2, Illinois,  
1837, p. 87, t. 41, f. 3. — F. Syst. Ent. 1775, Florida,  
p. 180. — Ol. Enc. méth. Ins. V, 1790, p. 305; Antillen,  
Ent. IV, 67, 1795, p. 45, t. 21, f. 163. — J. Zentral-  
Lec. Journ. Acad. Philad. (2) II, 1850, p. 13. amerika

— Jacq. du Val, *Hist. Cuba, Ins.* 1857, p. 266, t. 10, f. 7. — Leng, *Ent. Amer.* I, 1885, p. 31, 32. — Gah. *Trans. Ent. Soc. Lond.* 1895, p. 99.  
*bidens* Ol. *Enc. méth. Ins.* V, 1790, p. 306; *Ent.* IV, 67, 1795, p. 42, t. 17, f. 125.  
*ordinatum* Newm. *Entomolog.* I, 1840, p. 26.  
*tessellatum* Newm. l. c.

Biologie: Hubbard, *Am. Ent.* III, 1880, p. 239.  
 — Schwarz, *Proc. Ent. Soc. Wash.* I, 1888, p. 93.

*laeve* White, *Cat. Col. Brit. Mus.* VII, 1853, p. 102.

✓ *lanatum* Chevr. *Ann. Soc. Ent. Fr.* (4) II, 1862, p. 260.  
 — Leng, *Ent. Amer.* VI, 1890, p. 214. — Gah. *Trans. Ent. Soc. Lond.* 1895, p. 101. — Hamilt. *Trans. Amer. Ent. Soc.* XXIII, 1896, p. 168.

*lanuginosum* Bates, *Biol. C.-Am. Col.* V, 1885, p. 250, t. 18, f. 4.

*Levettei* Casey, *Ann. N. York Acad.* VI, 1892, p. 29.  
 — Schaeffer, *Bull. Brookl. Inst.* I, 1908, p. 335.

*longissimum* Bates, *Biol. C.-Am. Col.* V, 1885, p. 250, t. 17, f. 4.

*lucidum* Ol. *Ent.* IV, 70, 1795, p. 59, t. 7, f. 86.

*elevatum* Schönh. *Syn. Ins.* I, 3, 1817, p. 459.

*mimeticum* Schaeffer, *Bull. Brookl. Inst.* I, 1905, p. 132; 1907, p. 329.

*misellus* Bates, *Biol. C.-Am. Col.* V, 1885, p. 251.

*moestum* J. Lec. *Proc. Acad. Philad.* VI, 1853, p. 442.

*mucronatum* Say, *Journ. Acad. Philad.* III, 1823, p. 427.

— Newm. *Entomolog.* I, 1840, p. 27. — J.

Lec. *Journ. Acad. Philad.* (2) II, 1850, p. 14.

— Leng, *Ent. Amer.* I, 1885, p. 31, 32.

*muricatum* Hald. *Trans. Amer. Phil. Soc.* (2) X, 1847, p. 33.

*nebulosum* Guér. *Icon. règne anim. Ins.* 1843, p. 255.

Biologie: Chittenden, *Bull. U. S. Dep. Agric.* Ent. (2) XVIII, 1898, p. 42, f. 14.

✓ *mutatum* Gah. *Ann. Mag. Nat. Hist.* (6) VI, 1890, p. 32.

*tomentosum* ♀ Chevr. *Ann. Soc. Ent. Fr.* (4) II, 1862, p. 260.

✓ *nanum* F. *Ent. Syst.* I, 2, 1792, p. 300. — Gah. *Trans. Ent. Soc. Lond.* 1895, p. 103.

*cinereum* Ol. *Ent.* IV, 70, 1795, p. 69, t. 8, f. 102.

— Chevr. *Ann. Soc. Ent. Fr.* (4) II, 1862, p. 261.

— Leng, *Ent. Amer.* VI, 1890, p. 214.

Biologie: Schwarz, *Proc. Ent. Soc. Wash.* I, 1888, p. 93.

*Newmani* Hald. *Proc. Am. Phil. Soc.* IV, 1847, p. 375.

*bidens* Newm. *Entomolog.* I, 1840, p. 25.

✓ *niveivestitum* Schaeffer, *Bull. Brookl. Inst.* I, 1905, p. 132.

✓ *pulverulentum* Ol. *Ent.* IV, 70, 1795, p. 69, t. 8, f. 101.

— Gah. *Trans. Ent. Soc. Lond.* 1895, p. 105.

*arctum* Newm. *Entomolog.* I, 1840, p. 29. — J. Lec. *Journ. Acad. Philad.* (2) II, 1850, p. 16.

*oblitum* J. Lec. l. c. p. 14.

*parallelum* Newm. *Entomolog.* I, 1840, p. 29.

— J. Lec. *Journ. Acad. Philad.* (2) II, 1850,

Honduras

Cuba,

Florida

Guatemala

Arizona

Mexico

Haiti

Texas

Guatemala

Texas,

Mexico

Nordamerika

Cuba,

Florida

Cuba,

Haiti,

Florida

Antillen-

Texas

Nordamerika,

Cuba

- p. 103. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 262. — Leng, Ent. Amer. I, 1885, p. 32, 33, t. 3, f. 4.
- Biologie: Pack. Rep. U. S. Ent. Commiss. III, 1883, p. 257, t. 7, f. 1. — Hubbard, Ins. aff. Orange 1885, p. 125. — Townsend, Rep. Ent. Soc. Ont. XVII, 1887, p. 15. — Wickh. Canad. Ent. XXIX, 1897, p. 109.
- pumilum** Newm. Entomolog. I, 1840, p. 29. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 14. — Leng, Ent. Amer. I, 1885, p. 32, 33. Georgien (N. Am.), Texas
- punctatum** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 185. Californien
- quadrituberculatum** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 259. — Gah. Trans. Ent. Soc. Lond. 1895, p. 100. Cuba
- reticolle** Bates, Biol. C.-Am. Col. V, 1885, p. 254, t. 18, f. 6. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 334. Mexico
- rusticum** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 14. Nordamerika
- scabricolle** Bates, Trans. Ent. Soc. Lond. 1872, p. 175; Biol. C.-Am. Col. V, 1880, p. 25, t. 3, f. 13. Nicaragua
- signaticolle** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 261. — Gah. Trans. Ent. Soc. Lond. 1895, p. 105. Cuba
- simile** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 334. Arizona
- spinicorne** Drury, Ill. Exot. Ins. I, p. 92, t. 41, f. 4; II, 1773, Index; ed. 2, I, 1837, p. 87, t. 41, f. 4; — F. Syst. Ent. 1775, p. 179. — Ol. Enc. méth. Ins. V, 1790, p. 306; Ent. IV, 67, 1795, p. 41, t. 17, f. 130. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 232. — Shuck. Brit. Col. 1840, p. 76, Suppl. t. 7, f. 3. Jamaica, Haiti, Portorico
- armatum* Voet, Cat. Col. II, 1804—06, p. 27, t. 24, f. 131.
- insulare* Gmelin, Syst. Nat. I, 4, 1790, p. 1859.
- spinicorne** Fairm. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 274 (Genus?). Mendoza
- spureum** J. Lec. Proc. Acad. Philad. VI, 1853, p. 442. Texas
- Leng, Ent. Amer. I, 1885, p. 31, 33.
- subdepressum** Schaeffer, Journ. N. York Ent. Soc. XII, 1904, p. 222. Californien
- subfasciatum** Gah. Trans. Ent. Soc. Lond. 1895, p. 103. Guadeloupe
- subpubescens** J. Lec. Proc. Acad. Philad. XIV, 1862, p. 41. — Leng, Ent. Amer. I, 1885, p. 32. New Jersey, Texas
- Biologie: Chittenden, Bull. U. S. Dep. Agric. Ent. (2) XVIII, 1898, p. 41.
- subseriatum** Bates, Biol. C.-Am. Col. V, 1885, p. 250. Panama
- tectum** J. Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 414. Florida
- Leng, Ent. Amer. I, 1885, p. 31.
- tenuis** J. Lec. Proc. Acad. Philad. VII, 1854, p. 81. — Leng, Ent. Amer. I, 1885, p. 34. — Horn, l. c. p. 131, 133. Texas
- Thomae** Gah. Trans. Ent. Soc. Lond. 1895, p. 104. Insel
- nanum* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 261. St. Thomas
- tomentosum** Chevr. l. c. p. 260 ♂. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 32; Trans. Ent. Soc. Lond. 1895, p. 100. Cuba, Haiti
- transversum** White, Cat. Col. Brit. Mus. VII, 1853, p. 101. Jamaica

1870 May 21st. (w) VI 1870

1 - 1

1870 May 21st



- truncatum** Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 33. — J. Lec. Smiths. Misc. Coll. XI, 264. 1873, p. 184. — Leng, Ent. Amer. I, 1885, p. 31.  
*debile* J. Lec. Proc. Acad. Philad. VI, 1853, p. 442.
- undulatum** Bates, Biol. C.-Am. Col. V, 1880, p. 25, t. 17, f. 20. Mexico
- ✓ **villosum** F. Ent. Syst. I, 2, 1792, p. 302. — Newm. Entomolog. I, 1840, p. 28. — Leng, Ent. Amer. I, 1885, p. 32. — Wiekh. Canad. Ent. XXIX, 1897, p. 109, f. 19—21. Nordamerika, Cuba
- pruinatum* Guér. Leon. règne anim. Ins. 1843, p. 225. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 260.
- putator* Peck, Massach. Agric. Rep. V, 3, 1819, p. 307. — Harris, Ins. Mass. 1842, p. 81.
- Biologie: Clarkson, Canad. Ent. XIX, 1887, p. 31, 141. — Chittenden, Bull. U. S. Dep. Agric. Ent. (2) XVIII, 1898, p. 35—40, f. 11; Circular nr. 130, 1910, p. 1—7. — Felt, Ins. aff. Trees 1905, p. 59, t. 2, f. 7—9.

66

**Poecilomallus** Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 151.

- palpalis** Bates, l. c. t. 5, f. 6. Mexico  
 1

**Centrocerum** Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 189. — Lacord. Gen. Col. VIII, 1869, p. 302.

- exornatum** Newm. Entomolog. I, 1841, p. 111. — Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 189. — Berg, Ann. Soc. Scient. Argent. XXI, 1886, p. 235. Argentinien
- argentinum* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 174.
- Richteri** Bruch, Rev. Mus. La Plata XVIII, 1911, p. 167. Chubut  
 2

**Phoracantha** Newm.

Newm. Ann. Mag. Nat. Hist. (1) V, 1840, p. 19. — Thoms. Classif. Ceramb. 1860, p. 231 (e. p.); Syst. Ceramb. 1864, p. 449. — Pasc. Journ. Linn. Soc. Lond. IX, 1866, p. 98. — Lacord. Gen. Col. VIII, 1869, p. 303.

*Stenochorus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107 (non F.). Subgen. *Diospides* Pasc. Journ. Linn. Soc. IX, 1866, p. 99.Subgen. **Phoracantha** s. str.

- acanthocera** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 193. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1457. Neuholland
- crucigera** Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 428. Port Essington

- elegans** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 192. West-australien
- fallax** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 549. Sydney
- flavopicta** Pasc. Journ. of Ent. II, 1865, p. 371. Südaustralien
- hospita** Pasc. l. c. p. 232. — Waterh. Aid ident. Ins. II, 1885, t. 161, f. 2. Queensland
- impavida** Newm. Zoolog. VIII, 1850, App. p. 114. Nord-australien
- imperialis** Perroud, Ann. Soc. Linn. Lyon (2) XI, 1864, p. 191, t. 1, f. 5 (Genus?). Neu-caledonien
- laetabilis** Blackb. Trans. R. Soc. S. Austr. XVIII, 1894, p. 165. Queensland
- lata** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 46; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 58; Trans. Zool. Soc. Lond. III, 1843, p. 190. Südwest-australien
- posticalis** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 193. Südaustralien
- punctata** Donov. Ins. New Holl. 1805, t. 6, f. 5. — Boisd. Voy. Astrol. Ins. II, 1835, p. 473. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 47; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 60; Trans. Zool. Soc. Lond. III, 1843, p. 191. — Montr. Ann. Soc. Ent. Fr. (4) 1, 1861, p. 276. Neuholland,
- quinaria** Newm. Entomolog. I, 1840, p. 3. Südaustralien
- recurva** Newm. Entomolog. I, 1840, p. 4. — Germ. Linn. Ent. III, 1848, p. 226. — Heyne, Exot. Käfer 1903, t. 33, f. 10. Neuholland
- Biologie: Schiödte, Naturh. Tidskr. (3) X, 1876, p. 405, t. 16, f. 1—10.
- Savesi** Fauv. Rev. d'Ent. XXV, 1906, p. 47. Neu-caledonien
- semipunctata** F. Syst. Ent. 1775, p. 180. — Ol. Enc. méth. Ins. V, 1790, p. 303; Ent. IV, 67, 1795, p. 38; IV, 69, 1795, t. 2, f. 19. — Donov. Ins. New Holl. 1805, t. 6, f. 6. — Boisd. Voy. Astrol. Ins. II, 1835, p. 476. — Hope, Proc. Zool. Soc. Lond. 1840, p. 48; Trans. Zool. Soc. Lond. III, 1843, p. 192. Neuholland
- inscripta* Germ. Linn. Ent. III, 1848, p. 226.
- synonyma** Newm. Ann. Mag. Nat. Hist. (1) V, 1840, p. 19. Neusüdwailes
- punctata* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 470.
- tricuspis** Newm. Entomolog. I, 1840, p. 3. Neuholland
- gigas* Angas, South Austral. III, 1847, t. 50, f. 21.
- robusta* Germ. Linn. Ent. III, 1848, p. 225.
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales (2) VIII, 1893, p. 29.
- trimaiculata** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 47; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 59; Trans. Zool. Soc. Lond. III, 1843, p. 191, t. 12, f. 9. Südwest-australien
- tunicata** M'Leay, King's Surv. Austral. II, 1827, App. p. 451. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194. Neuholland
- vicina** Hope, Proc. Ent. Soc. Lond. 1841, p. 49; Ann. Mag. Nat. Hist. IX, 1842, p. 428. Port Essington

Subgen. **Diospides** Pasc.

- obscura** Donovan. Ins. New Holl. 1805, t. 6, f. 8. — Boisd. Tasmanien  
 Voy. Astrol. Ins. II, 1835, p. 476. — Hope,  
 Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 47;  
 Ann. Mag. Nat. Hist. (1) VII, 1841, p. 59; Trans.  
 Zool. Soc. Lond. III, 1843, p. 191.

22

**Tryphocharia** Pasc.

- Pasc. Trans. Linn. Soc. Lond. IX, 1866, p. 99. — Blackb. Trans. Linn.  
 Soc. N. S. Wales (2) III, 1889, p. 1456.

- Frenchi** Blackb. Trans. R. Soc. S. Austral. XV, 1892, Neusüdwaless  
 p. 233.

- hamata** Newm. Entomolog. I, 1840, p. 3. — Er. Arch. f. Neuholland  
 Naturgesch. VIII, 1842, 1, p. 247. — Pasc. Journ.  
 Linn. Soc. Lond. IX, 1866, p. 99. — Blackb.  
 Proc. Linn. Soc. N. S. Wales (2) IV, 1890, p. 450.

*uncinata* Blackb. l. c. (2) III, 1889, p. 1461.

- longipennis** Hope, Proc. Zool. Soc. Lond. VIII, 1840 Neuholland  
 (1841), p. 47; Ann. Mag. Nat. Hist. (1) VII,  
 1841, p. 59; Trans. Zool. Soc. Lond. III, 1843,  
 p. 190.

*hamata* Blackb. Proc. Linn. Soc. N. S. Wales (2)  
 III, 1889, p. 1458; (2) IV, 1890, p. 451.

- Mastersi** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 61. Victoria  
 — Waterh. Aid ident. Ins. II, 1885, t. 161, f. 3.

- Mitchelli** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), West-  
 p. 47; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 59; australien  
 Trans. Zool. Soc. Lond. III, 1843, p. 191, t. 12,  
 f. 8. — Blackb. Trans. R. Soc. S. Austral. XV,  
 1892, p. 56.

- Odewahni** Pasc. Journ. of Ent. II, 1864, p. 231; Journ.  
 Linn. Soc. Lond. IX, 1866, p. 142, t. 4, f. 7 ♀.  
 — Blackb. Proc. Linn. Soc. N. S. Wales (2) III,  
 1889, p. 1459.

- princeps** Blackb. Proc. Linn. Soc. N. S. Wales (2) III, Südaustralien  
 1889, p. 1460.

**punctipennis** Blackb. l. c. p. 1462.

- solida** Blackb. l. c. (2) VIII, 1894, p. 194. Fowlers Bay  
 Queensland

- superans** Pasc. Journ. of Ent. I, 1862, p. 357. Tasmanien

10

**Xypeta** Pasc.

- Pasc. Journ. Linn. Soc. Lond. IX, 1866, p. 100. — Lacord. Gen. Col. VIII,  
 1869, p. 305. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1457.

- gigas** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), Neuholland  
 p. 46; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 58;  
 Trans. Zool. Soc. Lond. III, 1843, p. 190, t. 12,  
 f. 5. — Blackb. Proc. Linn. Soc. N. S. Wales  
 (2) III, 1889, p. 1457 (Genus?).

- grallaria** Pasc. Journ. of Ent. II, 1864, p. 231; Journ. Queensland  
 Linn. Soc. Lond. IX, 1866, p. 100, t. 4, f. 2.

2

**Ephthora** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 98. — Lacord. Gen. Col. VIII, 1869, p. 306.

- dorsalis** M'Leay, King's Surv. Austral. II, 1827, App. p. 451. — Newm. Entomolog. I, 1840, p. 3. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 193. — Gah. Trans. Ent. Soc. Lond. 1893, p. 172. — Heyne, Exot. Käfer 1903, t. 33, f. 11. Neuhollland, Tasmanien
- elongata** Boisd. Voy. Astral. Ins. II, 1835, p. 478. Cast. Hist. Nat. Ins. II, 1840, p. 424.
- rhombifera** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 194.
- uniguttata** Hope, l. c. p. 49; l. c. p. 61; l. c. p. 193, t. 12, f. 7.
- var. **umbellis** Newm. Entomolog. I, 1840, p. 3.
- undulata** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 48; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 60; Trans. Zool. Soc. Lond. III, 1843, p. 192. — Auriv. Ent. Tidskr. XIV, 1893, p. 161 (Genus?). Neuhollland

2

**Atesta** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 99. — Lacord. Gen. Col. VIII, 1869, p. 306.

- Augusti** Pasc. Journ. of Ent. II, 1864, p. 233. — Blackb. Trans. R. Soc. S. Austral. X, 1888, p. 284. Südaustralien
- bullifera** Pasc. Journ. of Ent. II, 1864, p. 233. „
- bifasciata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 552; Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 142, t. 4, f. 5. Queensland
- eremita** Blackb. Trans. R. Soc. S. Austral. XVI, 1893, p. 194. Neuhollland
- Tatei** Blackb. l. c. X, 1888, p. 284. „

5

**Allotisis** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 99.

- discreta** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 551; Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 142, t. 3, f. 1. Neusüdwaies
- setifera** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 551. Port Denison
- unifasciata** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 51; Ann. Mag. Nat. Hist. (1) VII, 1841, p. 63; Trans. Zool. Soc. Lond. III, 1843, p. 195, t. 12, f. 6. Südwest-australien

3

**Coleoptus** Auriv.

Auriv. Ent. Tidskr. XIV, 1893, p. 160.

- senio** Newm. Entomolog. I, 1840, p. 4. — Er. Arch. f. Naturgesch. VIII, 1842, I, p. 247. — Gah. Trans. Ent. Soc. Lond. 1893, p. 172. Neuholland
- sexmaculatus** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 51; Ann. Mag. Nat. Hist. (I) VII, 1841, p. 63; Trans. Zool. Soc. Lond. III, 1843, p. 195.

I

**Coptocercus** Hope.

Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. (I) VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194. — Thoms. Syst. Ceramb. 1864, p. 448. — Lacord. Gen. Col. VIII, 1869, p. 307.

**Callirhoe** Newm. Entomolog. I, 1840, p. 3. — Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 98; Trans. Ent. Soc. Lond. (3) III, 1869, p. 534.

- aberrans** Newm. Entomolog. I, 1840, p. 4. Sydney
- assimilis** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 49; Ann. Mag. Nat. Hist. (I) VII, 1841, p. 61; Trans. Zool. Soc. Lond. III, 1843, p. 193 (Genus?). Tasmanien
- biguttatus** Donovan. Ins. New Holl. 1805, t. 6, f. 7. — Cast. Hist. Nat. II, 1840, p. 424. — Newm. Entomolog. I, 1840, p. 3. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 51; Ann. Mag. Nat. Hist. (I) VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 195. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 535. Molukken, Neuholland
- decorus** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 371. Neuholland
- fraternus** Blackb. Trans. R. Soc. S. Austral. X, 1888, p. 285. Halbinsel York
- nigritulus** Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1463. Südaustralien
- pedator** Pasc. Journ. of Ent. II, 1864, p. 232. ”
- politus** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 550. Sydney
- pubescens** Pasc. l. c. Queensland
- rubripes** Boisd. Voy. Astrol. Ins. II, 1835, p. 477. — Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194, t. 12, f. 4. — Auriv. Ent. Tidskr. XIV, 1893, p. 161. Neuholland, Tasmanien
- allapsus** Newm. Entomolog. I, 1840, p. 4. — Er. Arch. für Naturgesch. VIII, 1842, I, p. 247. — Blanch. Voy. Pole Sud, Zool. IV, 1853, p. 261, t. 16, f. 3. — Lacord. Gen. Col. VIII, 1869, t. 86, f. 3.
- Roei** Hope, Proc. Zool. Soc. Lond. VIII, 1840 (1841), p. 50; Ann. Mag. Nat. Hist. VII, 1841, p. 62; Trans. Zool. Soc. Lond. III, 1843, p. 194.
- validus** Gah. Trans. Ent. Soc. Lond. 1893, p. 173. Nordwest-australien

**Yorkeica** Blackb.

Blackb. Trans. R. Soc. S. Austral. XXIII, 1899, p. 90.

**marmorea** Blackb. l. c.

Cape York

1

**Demelius** Waterh.

Waterh. Ent. Month. Mag. XI, 1874, p. 127.

**semirugosus** Waterh. l. c.: Aid ident. Ins. II, 1885, t. 161, Queensland  
f. 6. — Poll, Notes Leyd. Mus. VIII, 1886, p. 242.

1

**Thoris** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 317. — Lacord. Gen. Col. VIII, 1869, p. 308. — Blackb. Trans. R. Soc. Victoria XII, 1900, p. 227.

**eburifera** Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Queensland  
p. 317. — Waterh. Aid ident. Ins. II, 1885,  
t. 161, f. 1.

**moerens** Blackb. Trans. R. Soc. Victoria XII, 1900. Südaustralien  
p. 229.

**septemguttata** Blackb. l. c. p. 228. Neusüdwaless

3

**Skeletodes** Newm.

Newm. Zoolog. X, 1850, App. p. 113. — Thoms. Syst. Ceramb. 1864, p. 449.  
— Lacord. Gen. Col. VIII, 1869, p. 310.

*Elete* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 553.

**tetrops** Newm. Zoolog. X, 1850, App. p. 113. Neuholland

*inscriptus* Pasc. Trans. Ent. Soc. Lond. (3) I,  
1863, p. 554, t. 22, f. 2.

Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
(2) IX, 1894, p. 119.

1

**Porithodes** nov. gen.

*Porithea* Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894,  
p. 197; Trans. R. Soc. Victoria XII, 1900, p. 228.

**plagiata** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, Neusüdwaless  
1894, p. 198.

1

**Nysina** Gah.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 153.

**orientalis** White, Cat. Col. Brit. Mus. VII, 1853, p. 110. Assam,  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 153. Birma

1

**Nyphasia** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 313. — Lacord. Gen. Col. VIII, 1869, p. 308. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 151.

- apicalis** Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 378; Südindien  
Fauna Brit. Ind. Col. I, 1906, p. 152.  
**fuscipennis** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 53; Bombay  
Fauna Brit. Ind. Col. I, 1906, p. 152.  
**maculata** Brongn. N. Archiv. Mus. Paris (3) III, 1892, Saigun  
p. 240, t. 10, f. 3.  
**Pascoei** Lacord. Gen. Col. VIII, 1869, p. 309. — Gah. Birma, Siam  
Fauna Brit. Ind. Col. I, 1906, p. 153, f. 61.  
**torrida** Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Ceylon  
p. 313.

5

**Cordylomera** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 23. — Cast. Hist. Nat. II, 1840, p. 435. — Thoms. Classif. Ceramb. 1860, p. 168; Syst. Ceramb. 1864, p. 452. — Lacord. Gen. Col. VIII, 1869, p. 311.

*Acanthinomomus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107.

- acuminata** F. Gen. Ins. 1776, p. 231. Cap der guten  
Hoffnung  
**annulicornis** Fairm. Rev. d'Ent. XI, 1892, p. 122. Obock  
**apicalis** Thoms. Archiv. Ent. II, 1858, p. 160. Gabun  
**cylindricollis** Auriv. Ent. Tidskr. XXIV, 1903, p. 261. Kamerun  
**elegans** Dist. Ins. Transv. 1904, p. 115, t. 10, f. 6. Transvaal  
**geniculata** Buq. in Guér. Icon. règne anim. Ins. 1843, Senegal  
p. 233.  
**gratiosa** Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 54. Altcalabar  
**Karschi** Qued. Berl. Ent. Zeitschr. XXVII, 1883, p. 144, Zentralafrika  
t. 1, f. 10.  
**nitidipennis** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 24. Senegal  
**principalis** Dist. Ann. Mag. Nat. Hist. (7) 1, 1898, Delagoabay  
p. 380.  
**ruficornis** Chevr. Rev. Zool. (2) VII, 1855, p. 283; Cent. Altcalabar  
Longic. 1858, nr. 17. — Murr. Ann. Mag. Nat.  
Hist. (4) VI, 1870, p. 56.  
**Schoenherri** Fährs. Öivers. Vet. Akad. Förh. XXIX, Kaffernland  
1, 1872, p. 53.  
**spincornis** F. Syst. Ent. 1775, p. 167. — Cast. Hist. Westafrika  
Nat. Ins. II, 1840, p. 435.  
**torrida** Ol. Ent. IV, 67, 1795, p. 31, t. 14, f. 95.  
var. *sansibarica* Kolbe, Stett. Ent. Zeit. LIV, Ostafrika  
1894, p. 248.  
**suturalis** Chevr. in Thoms. Archiv. Ent. II, 1858, p. 159, Altcalabar  
242, t. 14, f. 3. — Murr. Ann. Mag. Nat. Hist.  
(4) VI, 1870, p. 56.  
**testacea** Buq. in Guér. Icon. règne anim. Ins. 1843, p. 233. Senegal  
**vittata** Jord. Nov. Zool. X, 1903, p. 138. Ostafrika  
**zambeziiana** Péring. Trans. S. Afr. Phil. Soc. III, 1885, Transvaal,  
p. 146. — Dist. Ins. Transv. 1904, p. 115, t. 13, Deutsch-  
f. 6. Ostafrika

17

**Hercodera** Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 302.

- fasciata* Gah. l. c. p. 302, t. 9, f. 1. Massailand  
*marginata* Dist. Ann. Mag. Nat. Hist. (7) III, 1899, Delagoabay  
 p. 178.  
*pulchella* Gah. in Dist. Ins. Transv. 1904, p. 115, t. 10, Transvaal  
 f. 24.

3

**Allotraeus** Bates.

Bates, Ent. Month. Mag. XIV, 1877, p. 37.

- sphaerioninus* Bates, l. c. Japan  
 1

**XVIII. Sphaerionini.**

Lacord. Gen. Col. VIII, 1869, p. 312.

**Nyssicus** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 17. — Thoms. Syst. Ceramb. 1864, p. 450. — Lacord. Gen. Col. VIII, 1869, p. 314.

*Lampracantha* Thoms. Classif. Ceramb. 1860, p. 244.

- conspicillatus* Er. Archiv für Naturgesch. XIII, 1847, Peru  
 I, p. 141.  
*quadriguttatus* Swed. Vet. Akad. N. Handl. VIII, 1787, Brasilien  
 p. 196, t. 8, f. 7. — Thoms. Classif. Ceramb.  
 1860, p. 244.  
*quadriramaculatus* Forster in Füessly, Archiv VI, 1785, Amerika  
 p. 13, t. 32, f. 3 (spec. composita?).  
*quadrinus* Bates, Trans. Ent. Soc. Lond. 1870, p. 271. Tapajos  
 4

**Protosphaerion** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 634.

- insulare* White, Cat. Col. Brit. Mus. VII, 1853, p. 109. Jamaica  
 — Gah. Trans. Ent. Soc. Lond. 1895, p. 106.  
*loreum* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Südbrasilien  
 p. 636.  
*signatipenne* Goun. l. c. Guyana  
*variabile* Goun. l. c. p. 635, f. 20, 1. Südbrasilien  
 var. *bimaculata* Goun. l. c. f. 20, 3. ”  
 var. *bivittata* Goun. l. c. f. 20, 4. ”  
*bivitta* Goun. l. c. ”  
 var. *fuscipes* Goun. l. c. f. 20, 2. ”  
 var. *seminigra* Goun. l. c. f. 20, 5. ”

4

**Sphaerion** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 68. — Cast. Hist. Nat. II, 1840, p. 426. — Thoms. Classif. Ceramb. 1860, p. 233. — Lacord. Gen. Col. VIII, 1869, p. 315. — Goun. Bull. Soc. Ent. Fr. 1907, p. 240.

*Sphaerion* Thoms. Syst. Ceramb. 1864, p. 452.

- |              |   |              |
|--------------|---|--------------|
| cassum       | Newm. Entomolog. I, 1841, p. 94.                            | Brasilien    |
| cyanipeune   | Serv. Ann. Soc. Ent. Fr. III, 1834, p. 68.                  | „            |
|              | — Cast. Hist. Nat. II, 1840, p. 426.                        |              |
| ducale       | Bates, Trans. Ent. Soc. Lond. 1870, p. 272.                 | Tapajos      |
| exutum       | Newm. Entomolog. I, 1841, p. 93.                            | Brasilien    |
|              | <i>rusticum</i> Burm. Stett. Ent. Zeit. XXVI, 1865, p. 167. |              |
| inermis      | White, Cat. Col. Brit. Mus. VII, 1853, p. 108.              | „            |
|              | — Lacord. Gen. Col. VIII, 1869, p. 319 nota.                |              |
| lentiginosum | Berg, An. Univ. Buenos Aires VI, 1889, p. 119.              | Argentinien  |
|              | myrrheum Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 637.     | Südbrasilien |
| Sladeni      | Gah. Proc. Zool. Soc. Lond. 1903, 2, p. 253, t. 28, f. 7.   | Brasilien    |

8

**Trichophorus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 17. — Cast. Hist. Nat. II, 1840, p. 423. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 451. — Lacord. Gen. Col. VIII, 1869, p. 315.

*Crocidastus* Pase. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319.

- |                 |   |              |
|-----------------|---|--------------|
| albisparsus     | Bates, Trans. Ent. Soc. Lond. 1872, p. 175;   | Nicaragua    |
|                 | Biol. C.-Am. Col. V, 1880, p. 26, t. 4, f. 3.   |              |
| albomaculatus   | Burm. Stett. Ent. Zeit. XXVI, 1865, p. 167. — Berg, Ann. Soc. Sc. Argent. XXI, 1886, p. 236.                          | Buenos Aires |
|                 | decipiens Bates, Biol. C.-Am. Col. V, 1880, p. 26, t. 17, f. 7.   | Honduras     |
|                 | distinctus Newm. Entomolog. I, 1840, p. 6.  | Brasilien    |
| electus         | Gah. Proc. Zool. Soc. Lond. 1903, 2, p. 254, t. 28, f. 8.   | „            |
|                 | hircus Berg, An. Univ. Buenos Aires VI, 1889, p. 116.   | Argentinien  |
| interrogationis | Blanch. Voy. d'Orbigny, Ins. 1843, p. 208, t. 21, f. 9.   | Bolivia      |
|                 | Jansoni Bates, Biol. C.-Am. Col. V, 1885, p. 252.   | Nicaragua    |
| lippus          | Germ. Ins. spec. nov. 1824, p. 508. — Cast. Hist. Nat. II, 1840, p. 424. — Lacord. Gen. Col. VIII, 1869, t. 86, f. 2. | Brasilien    |
|                 | proximus Berg, An. Univ. Buenos Aires VI, 1889, p. 117.   | Argentinien  |
|                 | variatus Newm. Entomolog. I, 1841, p. 94.   | Brasilien    |

Dysoni White, Cat. Col. Brit. Mus. VII, 1853, p. 106. Venezuela

12

**Eurysthea** Thoms.

Thoms. Classif. Ceramb. 1860, p. 247; Syst. Ceramb. 1864, p. 452.

*Eurysthea* Lacord. Gen. Col. VIII, 1869, p. 321.

- |         |   |           |
|---------|---|-----------|
| obliqua | Serv. Ann. Soc. Ent. Fr. III, 1834, p. 18. — Cast. Hist. Nat. II, 1840, p. 424. — Thoms. Classif. Ceramb. 1860, p. 247. | Brasilien |
|---------|---|-----------|

1

7



**Stizocera** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 107. — Thoms. Syst. Ceramb. 1864, p. 452. — Goun. Bull. Soc. Ent. Fr. 1907, p. 241.

*Nephalius* Lacord. Gen. Col. VIII, 1869, p. 319.  
*Stizocera* Thoms. Classif. Ceramb. 1860, p. 188.

- armata** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 107. — Brasilien  
Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890,  
Bull. p. 170. — Goun. Bull. Soc. Ent. Fr. 1907,  
p. 241, f. 21, 1.
- armigera* White, Cat. Col. Brit. Mus. VII, 1853,  
p. 107.
- consobrina** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
p. 642, f. 21, 2.
- eribricollis** Bates, Biol. C.-Am. Col. V, 1885, p. 253, Mexico  
t. 18, f. 9.
- fragilis** Bates, Trans. Ent. Soc. Lond. 1870, p. 274 nota. Rio Janeiro  
**geniculata** Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Brasilien  
p. 479.
- insulana** Gah. Trans. Ent. Soc. Lond. 1895, p. 106. Jamaica  
**lissonota** Bates, Trans. Ent. Soc. Lond. 1870, p. 274. Tapajos  
**Meinerti** Auriv. Öfvers. Vet. Akad. Förh. LVII, 1900, Venezuela  
p. 409.
- nigriventris** Bates, Trans. Ent. Soc. Lond. 1874, p. 220; Nicaragua  
Biol. C.-Am. Col. V, 1880, p. 27, t. 4, f. 2.
- phtisica** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Südbrasilien  
p. 643.
- plieicollis** Germ. Ins. spec. nov. 1824, p. 506. Brasilien  
**plumbea** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
p. 645.
- Poeyi** Chev. Rev. Zool. I, 1838, p. 284; Ann. Soc. Ent. Cuba,  
Fr. (4) II, 1862, p. 268. — Jacq. du Val, Hist. Zentral-  
Cuba, Ins. 1857, p. 267, t. 11, f. 1. — Goun. amerika  
Ann. Soc. Ent. Fr. LXXVII, 1909, p. 644.
- var. *conspicillata* Goun. l. c. Südamerika
- rugicollis** Guér. Icon. règne anim. Ins. 1844, p. 233. Columbien  
— Lacord. Gen. Col. VIII, 1869, p. 319, nota 3.
- rutilus** Bates, Trans. Ent. Soc. Lond. 1872, p. 177; Biol. Nicaragua  
C.-Am. Col. V, 1880, p. 27, t. 4, f. 14.
- suturalis** Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Columbien  
p. 479.
- tricolor** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 644, Südbrasilien  
f. 22.
- tristis** Guér. Icon. règne anim. Ins. 1844, p. 233. Bolivien  
Ann. Soc. Ent. Fr. LXXVII, 1909, p. 643.

18

**Aposphaerion** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 275.

- longicolle** Bates l. c. Obydos  
**xestioides** Bates, Trans. Ent. Soc. Lond. 1872, p. 177; Nicaragua  
Biol. C.-Am. Col. V, 1880, p. 27, t. 3, f. 15.

2

7\*

**Pantonyssus** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 276. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 646.

- Erichsoni** White, Cat. Col. Brit. Mus. VII, 1853, p. 108. Pará  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 276.  
**nigriceps** Bates l. c. nota. Rio Janeiro  
 var. *bitincta* Goun. Ann. Soc. Ent. Fr. LXXVII, Goyaz  
 1909, p. 646.

2

**Castiale** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 480. — Lacord. Gen. Col. VIII, 1869, p. 320.

- elegantula** Perr. Ann. Soc. Linn. Lyon (2) II, 1855, Brasilien,  
 p. 381 nota; Mélang. Ent. III, 1855, p. 61 nota. Columbien  
*viridipennis* Pasc. Ann. Mag. Nat. Hist. (3)  
 XVIII, 1866, p. 480.

1

**Paramallocera** n. nom.

*Malloecera* sectio 2 Lacord. Gen. Col. VIII, 1869, p. 321.

- angusticollis** Bates in Whymper, Travels Great Andes, Ecuador  
 Suppl. App. 1891, p. 37, fig.  
**cribripennis** Bates, Biol. C.-Am. Col. V, 1885, p. 256, Panama  
 t. 8, f. 5.  
**fulvoterminata** Berg, An. Univ. Buenos Aires VI, 1889, Argentinien  
 p. 113.  
**hirta** Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 441; Brasilien  
 Cent. Ins. 1834, p. 66. — Heyne, Exot. Käfer  
 1906, p. 239, t. 33, f. 6.  
**hiinizae** Kirsch, Mitth. Mus. Dresden (2) II, 4, 1889, Ecuador  
 p. 38, t. 3, f. 71.  
**Lacordairei** Lacord. Gen. Col. VIII, 1869, p. 321, nota 1, Brasilien  
 t. 87, f. 1. — Lameere, Ann. Soc. Ent. Belg.  
 XXXIV, 1890, Bull. p. 173.  
**Nicolai** Auriv. Arkiv f. Zool. V, 1, 1908, p. 2. Bolivien  
**oblita** Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Brasilien  
 Bull. p. 172.  
**pilifera** Er. Arch. für Naturgesch. XIII, 1847, I, p. 141. Peru  
**sordida** Er. l. c. p. 140. "  
**vau** Berg, An. Univ. Buenos Aires VI, 1889, p. 115. Argentinien

11

**Malloecera** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 567. — Cast. Hist. Nat. II, 1840,  
 p. 424 (e. p.). — Thoms. Classif. Ceramb. 1860, p. 232; Syst. Ceramb.  
 1864, p. 452. — Lacord. Gen. Col. VIII, 1869, p. 320.

- amazonica** Bates, Trans. Ent. Soc. Lond. 1870, p. 278. Ega  
**glauca** Serv. Ann. Soc. Ent. Fr. II, 1833, p. 567. Brasilien  
*sericata* Newm. Entomolog. I, 1840, p. 5.

- Hilairi* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 648. Brasilien  
*opulenta* Newm. Entomolog. I, 1841, p. 94. ”  
*ramosa* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 647. Goyaz  
 simplex White, Cat. Col. Brit. Mus. VII, 1853, p. 113. Brasilien  
*spinicollis* Bates, Trans. Ent. Soc. Lond. 1872, p. 179; Nicaragua  
 Biol. C.-Am. Col. V, 1880, p. 28, t. 4, f. 4.  
*umbrosa* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 648. Goyaz

- quinquepustulata* Montrouz. Ann. Soc. Ent. Fr. (4) I, Insel Art  
 1861, p. 277.

9

**Appula** Thoms.

Thoms. Syst. Ceramb. 1864, p. 245. — Lacord. Gen. Col. VIII, 1869, p. 322.

- lateralis* White, Cat. Col. Brit. Mus. VII, 1853, p. 113. Brasilien  
 — Thoms. Syst. Ceramb. 1864, p. 245. — Lacord.  
 Gen. Col. VIII, 1869, t. 86, f. 4. — Goun. Ann.  
 Soc. Ent. Fr. LXXVII, 1909, p. 650, f. 23, 3, 4.  
*melancholica* Goun. l. c. Goyaz  
*nigripes* Bates, Trans. Ent. Soc. Lond. 1870, p. 279. Tapajos  
*sericatula* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 649, f. 23, 1, 2.  
*undulans* White, Cat. Col. Brit. Mus. VII, 1853, p. 114. Brasilien

5

**Ommidion** Newm.

Newm. Ann. Mag. Nat. Hist. IV, 1840, p. 196.

*Ommatidion* Gemm. & Har. Cat. Col. IX, 1873, p. 2826.

- modestum* Newm. Ann. Mag. Nat. Hist. IV, 1840, p. 196. Brasilien

1

**Psyrassa** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 481. — Lacord. Gen. Col.  
 VIII, 1869, p. 322. — Bates, Biol. C.-Am. Col. V, 1880, p. 28. — Schaeffer,  
 Journ. N. York Ent. Soc. XII, 1904, p. 61.

- basicornis* Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Yucatan  
 p. 481.  
*castanea* Bates, Biol. C.-Am. Col. V, 1880, p. 28, t. 17, f. 8. Mexico  
*cribellata* Bates, Trans. Ent. Soc. Lond. 1892, p. 152, ”  
 t. 5, f. 9.  
*nigricornis* Bates, l. c. p. 153, t. 5, f. 10. ”  
*nigroaenea* Bates, l. c. ”  
*pilosella* Bates, l. c. t. 5, f. 11. ”  
*punctulata* Bates, l. c. p. 152. ”  
*rufescens* Nonfr. Ent. Nachr. XX, 1894, p. 139. Brasilien  
*Sallaei* Bates, Biol. C.-Am. Col. V, 1885, p. 255, t. 18, f. 11. Mexico  
*sthenias* Bates, Trans. Ent. Soc. Lond. 1892, p. 152. ”  
*texana* Schaeffer, Bull. Brookl. Inst. I, 1905, p. 160; Texas  
 1908, p. 329.  
*tympanophora* Bates, Biol. C.-Am. Col. V, 1885, p. 255, Mexico  
 t. 18, f. 12.

**unicolor** Randall, Bost. Journ. II, 1838, p. 42. — Hald. Nordamerika  
 Trans. Am. Phil. Soc. (2) X, 1847, p. 44. —  
 J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 15.  
 — Leng, Ent. Amer. I, 1885, p. 32, 33.

13

### **Atharsus** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 25. — Lacord. Gen. Col. VIII, 1869,  
 p. 323.

**nigricauda** Bates, Ent. Month. Mag. IV, 1867, p. 25; Tapajos  
 Trans. Ent. Soc. Lond. 1870, p. 277.

1

### **Ironeus** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 178.

**duplex** Bates, l. c. p. 179; Biol. C.-Am. Col. V, 1880, Nicaragua  
 p. 29, t. 4, f. 3.

**mutatus** Bates, Biol. C.-Am. Col. V, 1885, p. 255, t. 18, f. 10. Mexico

**pulcher** Bates, l. c. 1880, p. 29, t. 4, f. 13. Nicaragua

3

### **Miltesthus** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 177.

**marginatus** Bates, l. c. p. 178; Biol. C.-Am. Col. V, 1880, Nicaragua  
 p. 29, t. 4, f. 1.

1

### **Sphaerionillum** Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 256.

**pictum** Bates, l. c.

Mexico

**quadrisignatum** Bates, l. c. t. 17, f. 21.

,,

2

### **Terpnissa** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 26. — Lacord. Gen. Col. VIII, 1869,  
 p. 324.

**listropterina** Bates, Ent. Month. Mag. IV, 1867, p. 26; Tapajos  
 Trans. Ent. Soc. Lond. 1870, p. 278. — Goun.  
 Ann. Soc. Ent. Fr. LXXVII, 1909, p. 646.

1

## **XIX. Piezocerini.**

Lacord. Gen. Col. VIII, 1869, p. 324.

**Gorybia** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 481. — Lacord. Gen. Col. VIII, 1869, p. 325.

*martes* Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 481. Brasilien

1

**Haruspex** Thoms.

Thoms. Syst. Ceramb. 1864, p. 221. — Lacord. Gen. Col. VIII, 1869, p. 326.  
— Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 651.

- bivittis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 220. Pará  
*brevipes* White, l. c. p. 218. — Thoms. Syst. Ceramb. 1864, p. 221. Brasilien  
*castaneus* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 653, f. 24, 1, 2. Goyaz  
*Chevrolati* White, Cat. Col. Brit. Mus. VIII, 1855, p. 219, t. 7, f. 3. Venezuela  
*chontalensis* Bates, Biol. C.-Am. Col. V, 1880, p. 30, t. 4, f. 12. Nicaragua  
*coriacea* Er. Schomb. Reise III, 1848, p. 573. Guyana  
*fulgidipennis* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 652. Goyaz  
*inermis* Belon, Rev. d'Ent. XXII, 1903, p. 48. Bolivien  
*iusecriptus* Gah. Trans. Ent. Soc. Lond. 1895, p. 107, t. 2, f. 2. Grenada  
*laevifemuratus* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 294. Sarayacu  
*lineolatus* Bates, Trans. Ent. Soc. Lond. 1870, p. 280. Santarem  
*maculicornis* Bates, l. c. p. 281. — Gah. l. c. 1895, p. 107. Pará  
 var. *pallidus* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 652. Goyaz  
*modestus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 239. Tapajos  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 280.  
*ornatus* Bates, l. c. p. 281. Santarem  
*pusillus* Bates, l. c. p. 282. „  
*quadripustulatus* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 651. Goyaz  
*rubiginosus* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 4. Bahía  
 var. *apicalis* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 653, nota 1. „  
 var. *suturalis* Goun. l. c. Goyaz  
*ruficauda* Goun. l. c. p. 654, f. 24, 3, 4.  
*simplicior* Bates, Trans. Ent. Soc. Lond. 1870, p. 282. Rio Janeiro  
 nota.  
*solitarius* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 655, f. 25. Goyaz

20

**Colynthaea** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 5.

*grossa* Thoms. l. c. p. 6. Brasilien

1

**Piezocera** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 92. — Cast. Hist. Nat. II, 1840, p. 447. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 439. — Lacord. Gen. Col. VIII, 1869, p. 326. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 651.

- bivittata** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 93. — Brasilien  
Cast. Hist. Nat. II, 1840, p. 447.  
**gratiosa** Lamcere, Ann. Soc. Ent. Fr. LXII, 1893, Venezuela  
p. 273.  
✓ **monochroa** Bates, Biol. C.-Am. Col. V, 1885, p. 258. Mexico  
✓ **serraticollis** Linell, Proc. U. S. Nat. Mus. XIX, 1896, Texas  
p. 394.  
**submaculata** White, Cat. Col. Brit. Mus. VIII, 1855, "Columbien  
p. 220.

5

**Pyrgotes** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ent. Soc. Lond. 1870, p. 283.

- aeneus** Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ega  
Ent. Soc. Lond. 1870, p. 283.

1

**Hemilissa** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238. — Thoms. Syst. Ceramb. 1864, p. 439. — Lacord. Gen. Col. VIII, 1869, p. 327.

- cornuta** Bates, Trans. Ent. Soc. Lond. 1870, p. 284. — Tapajos  
Goun. Bull. Soc. Ent. Fr. 1909, p. 304.  
*laevigata* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 3. Cayenne  
**flavicauda** Bates, Biol. C.-Am. Col. V, 1885, p. 258, Guatemala  
t. 18, f. 7.  
✓ **gummosa** Perty, Del. anim. 1830, p. 90, t. 18, f. 7. Brasilien  
✓ **sulcicollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 284. Ega

- violaseens** Perty, Del. anim. 1830, p. 90, t. 18, f. 6. — Bahia  
Lacord. Gen. Col. VIII, 1869, p. 328, nota 1.

5

**Coscinedes** Bates.

Bates, Biol. C.-Am. Col. V, 1885, p. 258.

- gracilis** Bates, l. c. p. 259, t. 19, f. 4. Mexico

1

**Anatinomma** Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 150.

- alveolatum** Bates, l. c. p. 151, t. 5, f. 8. Mexico

1

## XX. Ibidionini.

Lacord. Gen. Col. VIII, 1869, p. 328. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 288.

### **Tetroplon** Auriv.

Auriv. Ent. Tidskr. XX, 1899, p. 259.

- Aurivillii** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 656. Brasilien  
**caudatum** Auriv. Ent. Tidskr. XX, 1899, p. 259, f. 13. Südbrasilien  
**Sahlbergi** Auriv. l. c. p. 260, f. 14. Rio Janeiro

3

### **Hexoplon** Thoms.

Thoms. Syst. Ceramb. 1864, p. 219. — Lacord. Gen. Col. VIII, 1869, p. 330.  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 285.

- albipenne** Bates, Trans. Ent. Soc. Lond. 1872, p. 179; Nicaragua  
 Biol. C.-Am. Col. V, 1880, p. 30, t. 4, f. 5.  
**armatum** Auriv. Ent. Tidskr. XX, 1899, p. 263, f. 16. Brasilien  
**calligramma** Bates, Biol. C.-Am. Col. V, 1885, p. 259, Mexico  
 t. 18, f. 13.  
**carissinum** White, Cat. Col. Brit. Mus. VIII, 1855, p. 223, Pará  
 t. 5, f. 9. — Bates, Trans. Ent. Soc. Lond. 1870, p. 295.  
**consanguineum** Auriv. Ent. Tidskr. XX, 1899, p. 261. Brasilien  
**cruciatum** Auriv. l. c. p. 262. Rio Janeiro  
**cruciferum** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 659.  
**ctenostomoides** Thoms. Physis I, 1867, p. 162. Brasilien  
**eximium** Auriv. Ent. Tidskr. XX, 1899, p. 260. Südbrasilien  
**flaveolum** Bates, Trans. Ent. Soc. Lond. 1870, p. 285. Tapajoz  
**gracile** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 658. Goyaz  
**Juno** Thoms. Syst. Ceramb. 1865, p. 575. Brasilien  
**longispina** Auriv. Ent. Tidskr. XX, 1899, p. 261. „  
**nigricolle** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 657.  
**nigritarse** Auriv. Ent. Tidskr. XX, 1899, p. 262. Brasilien  
**praetermissum** Bates, Trans. Ent. Soc. Lond. 1870, Tapajoz  
 p. 442.  
 var. *simplex* Goun. Ann. Soc. Ent. Fr. LXXVII, Goyaz  
 1909, p. 657.  
**quincunx** Thoms. Physis I, 1867, p. 162. — Bates, Trans. Amazon.  
 Ent. Soc. Lond. 1870, p. 285. — Lacord. Gen. Col. VIII, 1869, t. 86, f. 5.  
**Reinhardtii** Auriv. Ent. Tidskr. XX, 1899, p. 262, f. 15. Brasilien  
**Smithi** Bates, Trans. Ent. Soc. Lond. 1892, p. 154, t. 5, Mexico  
 f. 12.  
**sylvarum** Bates, l. c. p. 155, t. 5, f. 14. „  
**uncinatum** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 659.  
**venus** Thoms. Syst. Ceramb. 1864, p. 219. Cayenne

**Glyptoscopus** Auriv.

Auriv. Ent. Tidskr. XX, 1899, p. 264.

- bivittatus** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Minas Geraes  
p. 660.  
**ciatricosus** Auriv. Ent. Tidskr. XX, 1899, p. 264, f. 17. Brasilien  
2

**Gnomidolon** Thoms.

Thoms. Syst. Ceramb. 1864, p. 219. — Lacord. Gen. Col. VIII, 1869, p. 330.  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 286; Biol. C.-Am. Col. V, 1885,  
p. 259.

- biarcuatum** White, Cat. Col. Brit. Mus. VIII, 1855, Brasilien  
p. 228. — Thoms. Syst. Ceramb. 1864, p. 219.  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 289.  
**bipartitum** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
p. 661.  
**Brethesi** Bruch, Rev. Mus. La Plata XV, 1908, p. 204, fig. Argentiniën  
**Clymene** Thoms. Physis I, 1867, p. 161. — Bates, Trans. Amazon.  
Ent. Soc. Lond. 1870, p. 286.  
**conjugatum** White, Cat. Col. Brit. Mus. VIII, 1855, Brasilien  
p. 231. — Bates, Trans. Ent. Soc. Lond. 1870,  
p. 287.  
**denticorne** Bates, Trans. Ent. Soc. Lond. 1892, p. 155. Panama  
**dubium** Bates, l. c. 1870, p. 290. Tapajos  
**eganum** Bates, l. c. p. 287. Ega  
**elegantulum** Lameere, Ann. Soc. Ent. Belg. XXVIII, Südbrasilien  
1885, p. 88.  
**humerales** Bates, Trans. Ent. Soc. Lond. 1870, p. 287. Pará  
**insulicola** Bates, Biol. C.-Am. Col. V, 1885, p. 260, t. 19, Panama  
f. 2.  
**laetabile** Bates, l. c. t. 19, f. 1. ”  
**Meinerti** Auriv. Öfers. Vet. Akad. Förh. LVII, 1900, Venezuela  
p. 410.  
**melanosomum** Bates, Trans. Ent. Soc. Lond. 1870, p. 288. Ega  
var. *maculicorne* Goun. Ann. Soc. Ent. Fr. Goyaz  
LXXVII, 1909, p. 661.  
**musivum** Er. Archiv für Naturgesch. XIII, 1847, I, p. 141. Pará  
**nympha** Thoms. Syst. Ceramb. 1865, p. 575. Brasilien  
**oeax** Thoms. Physis I, 1867, p. 160. Guyana  
**pallidulum** White, Cat. Col. Brit. Mus. VIII, p. 234. Brasilien  
**picipes** Bates, Trans. Ent. Soc. Lond. 1870, p. 287. Ega  
**pietum** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 106. Brasilien  
**rubriceps** Goun. l. c. LXXVII, 1909, p. 662. Goyaz  
**rubricolor** Bates, Trans. Ent. Soc. Lond. 1870, p. 286. Tapajos  
**rugicollis** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 309. Bahia  
**scabrosum** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
p. 663.  
**simplex** White, Cat. Col. Brit. Mus. VIII, 1855, p. 230. Brasilien  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 289.  
**subburneum** White, Cat. Col. Brit. Mus. VIII, 1855, ”  
p. 234. — Bates, Trans. Ent. Soc. Lond. 1870,  
p. 288. — Goun. Ann. Soc. Ent. Fr. LXXVII,  
1909, p. 662, f. 26, l.  
var. *pallidicauda* Goun. l. c. f. 26, 2. Goyaz  
**varians** Goun. l. c. p. 662. ”  
**x-littera** Thoms. Syst. Ceramb. 1865, p. 575. Brasilien

**Octoplon** Thoms.

Thoms. Syst. Ceramb. 1864, p. 218. — Lacord. Gen. Col. VIII, 1869, p. 331.  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 290.

*Lylibaeum* Thoms. Syst. Ceramb. 1864, p. 216. — Lacord. Gen. Col. VIII, 1869, p. 334. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 666.

- adelphum* Thoms. Physis I, 1867, p. 158. Brasilien  
*affine* Thoms. Syst. Ceramb. 1865, p. 575. „  
*angulare* Thoms. Physis I, 1867, p. 159. „  
*antennatum* Thoms. l. c. p. 156. „  
 ab. *graphicum* Thoms. l. c. p. 135. „  
*calligrammum* Bates, Trans. Ent. Soc. Lond. 1870, p. 294. Ega  
*callispilum* Bates, l. c. p. 293. Pará  
*campestre* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 667. Goyaz  
*candidum* Bates, Biol. C.-Am. Col. V, 1885, p. 261. Panama  
*charile* Bates, Trans. Ent. Soc. Lond. 1870, p. 297. Tapajos  
*cinctulum* Bates, l. c. p. 294. „  
*eleophile* Thoms. Syst. Ceramb. 1865, p. 574. Brasilien  
*decoratum* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 665. Goyaz  
✓ *fasciiferum* Berg, An. Univ. Buenos Aires VI, 1889, p. 110. Argentinien  
✓ *flavopictum* Perty, Del. anim. 1830, p. 93, t. 18, f. 14. Brasilien  
✓ *glabriolum* Bates, Trans. Ent. Soc. Lond. 1872, p. 180; Biol. C.-Am. Col. V, 1880, p. 30, t. 4, f. 6. Nicaragua  
*ilium* Thoms. Syst. Ceramb. 1864, p. 216. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 666. Brasilien  
*laesicolle* Germ. Ins. spec. nov. 1824, p. 511. — Thoms. Syst. Ceramb. 1864, p. 218. „  
✓ *Landsbergi* Thoms. Physis I, 1867, p. 159. Venezuela  
✓ *lineatocolle* Thoms. Syst. Ceramb. 1865, p. 574. Brasilien  
*orpa* White, Cat. Col. Brit. Mus. VIII, 1885, p. 227. — Bates, Trans. Ent. Soc. Lond. 1870, p. 290. Tapajos  
*polychromum* Bates, l. c. p. 295. „  
*polyzonum* Bates, l. c. p. 291. „  
*quadrisingatum* Thoms. Syst. Ceramb. 1865, p. 574. Brasilien  
*ruficaudatum* Thoms. l. c. p. 571. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 664. Cayenne  
 var. *rufum* Goun. l. c. Goyaz  
*rugicolle* Bates, Trans. Ent. Soc. Lond. 1870, p. 296. Tapajos  
*rutha* White, Cat. Col. Brit. Mus. VIII, 1855, p. 227. — Bates, Trans. Ent. Soc. Lond. 1870, p. 296. „  
*striatocolle* White, Cat. Col. Brit. Mus. VIII, 1855, p. 224. — Bates, Trans. Ent. Soc. Lond. 1870, p. 292. Cayenne  
*Proserpina* Thoms. Physis I, 1867, p. 140. Guyana  
*tetrops* Bates, Trans. Ent. Soc. Lond. 1870, p. 291. Tapajos  
*thoracicum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 228. — Bates, Trans. Ent. Soc. Lond. 1870, p. 296. „  
*unifasciatum* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 666. Goyaz

**Cynidolon** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 217. — Lacord. Gen. Col. VIII, 1869, p. 333. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 667.
- approximatum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 231. — Bates, Trans. Ent. Soc. Lond. 1870, p. 306. Ega
- Batesianum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 230, t. 6, f. 6. — Bates, Trans. Ent. Soc. Lond. 1870, p. 306. Amazon.
- binodosum* Bates, l. c. Ega
- eques* Thoms. Syst. Ceramb. 1865, p. 217. Brasilien
- Gounellei* Bruch, Rev. Mus. La Plata XV, 1908, p. 206, fig. Argentinien
- mucoriferum* Thoms. Physis I, 1867, p. 154. Brasilien
- modestum* Lacord. Gen. Col. VIII, 1869, p. 334, nota 1.
- podicale* Thoms. Physis I, 1867, p. 155. Venezuela
- unoculum* Bates, Trans. Ent. Soc. Lond. 1870, p. 292. Tapajos
- Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 668.

8

**Hormathus** Gah.

Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 32.

*cinetellus* Gah. l. c. p. 33.

St. Domingo

1

**Phormesium** Thoms.

Thoms. Syst. Ceramb. 1864, p. 217. — Lacord. Gen. Col. VIII, 1869, p. 335. — Bates, Trans. Ent. Soc. Lond. 1870, p. 307.

*Engyium* Thoms. Syst. Ceramb. 1864, p. 216.*albinum* Bates, Trans. Ent. Soc. Lond. 1870, p. 307. Tapajos*eudesmoides* Thoms. Syst. Ceramb. 1864, p. 218. Brasilien*fusiferum* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 106. „*melanodacrys* White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos

p. 235. — Bates, Trans. Ent. Soc. Lond. 1870, p. 307.

*pulchellum* Lamere, Ann. Soc. Ent. Fr. LXII, 1893, p. 274. Venezuela*quadrinotatum* Thoms. Syst. Ceramb. 1864, p. 217. Brasilien*virgulatum* Bates, Biol. C.-Am. Col. V, 1880—85, p. 31, 267. Guatemala

7

**Sydax** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 335.

*stramineus* Lacord. l. c. p. 336, nota 1.

Brasilien

1

**Aphatum** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 308.

**rufulum** White, Cat. Col. Brit. Mus. VIII, 1855, p. 234. Tapajos  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 308.

1

**Compsa** Perty.

Perty, Del. anim. 1830, p. 92. — Lacord. Gen. Col. VIII, 1869, p. 333.  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 301. — J. Lec. & Horn, Classif.  
 Col. N. Am. 1883, p. 289.

*Compsibidion* Thoms. Syst. Ceramb. 1864, p. 215: Physis I,  
 1867, p. 150.

- albocincta** Thoms. Syst. Ceramb. 1865, p. 574. Brasilien  
 ✓ **albopieta** Perty, Del. anim. 1830, p. 92, t. 18, f. 13. „  
**arcuifera** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 669. Goyaz  
**basalis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 229. Tapajos  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 302.  
**clerochroa** Thoms. Physis I, 1867, p. 156. Cayenne  
**eburioides** Thoms. l. c. p. 152. Chile  
**flavofasciata** Thoms. l. c. Bogotá  
**flavonitida** Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, Chile  
 1859, p. 507. — Germain, An. Univ. Chile CI,  
 1901, p. 732 (sep. p. 110).  
 var. *bifasciata* Phil. Stett. Ent. Zeit. XXI,  
 1860, p. 251. „  
**Gaumeri** Bates, Trans. Ent. Soc. Lond. 1892, p. 156, Mexico  
 t. 5, f. 16.  
 ✓ **hipposioides** Bates, Biol. C.-Am. Col. V, 1885, p. 265, Guatemala  
 t. 18, f. 25.  
**histrionica** Bates, Trans. Ent. Soc. Lond. 1870, p. 302. Ega  
**ignobilis** Bates, Biol. C.-Am. Col. V, 1885, p. 265, t. 18, Guatemala  
 f. 24.  
**inconstans** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 669.  
**interrogationis** Thoms. Syst. Ceramb. 1864, p. 216. Brasilien  
**livida** Germain, An. Univ. Chile CI, 1901, p. 737 (sep. Chile  
 p. 115).  
**lunata** Germain, l. c. p. 747 (sep. p. 125). „  
 ✓ **lycoris** Thoms. Physis I, 1867, p. 153. Brasilien  
**macra** Thoms. l. c. p. 154. — Goun. Ann. Soc. Ent. Venezuela  
 Fr. LXXVII, 1909, p. 668.  
**pallidipennis** Thoms. Syst. Ceramb. 1865, p. 573. Chile  
**puncticoellis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien,  
 p. 188. — Leng, Ent. Amer. I, 1885, p. 134, Arizona,  
 t. 3, f. 9. — Schaeffer, Bull. Brookl. Inst. I, Mexico  
 1908, p. 337.  
*asperula* Bates, Biol. C.-Am. Col. V, 1885, p. 266,  
 t. 18, f. 21.  
**quadriguttata** White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos,  
 p. 226. — Bates, Trans. Ent. Soc. Lond. 1870, Goyaz  
 p. 303.  
**quadriplagiata** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
 p. 189. — Horn, Bull. Calif. Acad. (2) IV, 1894,  
 p. 338. — Leng, Ent. Amer. I, 1885, p. 134. —  
 Schaeffer, Bull. Brookl. Inst. I, 1908, p. 337.

<i>griseola</i> Bates, Trans. Ent. Soc. Lond. 1892, p. 156, t. 5, f. 13.	Mexico
<b>semipolita</b> Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 508.	Chile
var. <i>pallidicornis</i> Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 387. — Germain, An. Univ. Chile CI, 1901, p. 742 (sep. p. 120).	„
<b>Sommeri</b> Thoms. Syst. Ceramb. 1865, p. 573.	Brasilien
<b>squalida</b> Thoms. Physis I, 1867, p. 151.	Columbien
<b>tenuata</b> Bates, Biol. C.-Am. Col. V, 1885, p. 263, t. 17, f. 25.	Mexico
<b>tenuissima</b> Bates, l. c. p. 266, t. 17, f. 24.	„
<b>textilis</b> Thoms. Syst. Ceramb. 1865, p. 573. — Bates, Biol. C.-Am. Col. V, 1885, p. 263. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 337.	Costarica
<i>mexicana</i> Thoms. Syst. Ceramb. 1865, p. 573. — Bates, Biol. C.-Am. Col. V, 1880, p. 32, t. 4, f. 11.	Mexico
var. <i>alacris</i> Bates, l. c. p. 264, t. 17, f. 23.	„
var. <i>sericans</i> Bates, l. c.	Panama
<b>truncata</b> Thoms. Syst. Ceramb. 1865, p. 574.	Brasilien
<b>vana</b> Thoms. Physis I, 1867, p. 151. — Bates, Biol. C.-Am. Col. V, 1885, p. 265, t. 18, f. 20.	Cayenne, Guatemala
<b>ventricosa</b> Bates, l. c. p. 264, t. 18, f. 22.	Panama

31

## h Heterachtes Newm.

Newm. Entomolog. I, 1840, p. 9. — Bates, Trans. Ent. Soc. Lond. 1870, p. 303. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 289.	
<i>Heterachton</i> Thoms. Physis I, 1867, p. 134, 148.	
<b>aegrotus</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 305.	Ega
<b>aeneolus</b> Bates, Biol. C.-Am. Col. V, 1885, p. 267, t. 18, f. 23.	Mexico
<b>Andreae</b> Germ. Ins. spec. nov. 1824, p. 511.	Brasilien
<b>bellus</b> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 672.	Goyaz
<b>bilineatus</b> Bates, Biol. C.-Am. Col. V, 1885, p. 262, t. 18, f. 19.	Guatemala
<b>bonariensis</b> Thoms. Syst. Ceramb. 1865, p. 572.	Buenos Aires
<b>chiriquinus</b> Bates, Biol. C.-Am. Col. V, 1885, p. 266.	Panama
<b>corallinus</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 304.	Tapajos
var. <i>chapadensis</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 672.	Goyaz
var. <i>tricolor</i> Belon, Ann. Soc. Linn. Lyon (2) XLIII, 1896, p. 244. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 672.	Bolivien
<b>cribripennis</b> Bates, Biol. C.-Am. Col. V, 1880, p. 32.	Costarica
<b>decipiens</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 303.	Ega
<b>deliciosus</b> Bates, l. c. p. 305.	Obydos
<b>ditelus</b> Bates, l. c. 1872, p. 181; Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 10.	Nicaragua
<b>ebenus</b> Newm. Entomolog. I, 1840, p. 9. — Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 23. — Leng, Ent. Amer. I, 1885, p. 135. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 670.	Nordamerika, Süd- amerika
<b>evanescens</b> Thoms. Physis I, 1867, p. 148.	Texas
<b>Fairmairei</b> Thoms. Syst. Ceramb. 1865, p. 572.	Chile

<i>flavicornis</i> Thoms. l. c. p. 571.	Brasilien
<i>implicatus</i> Thoms. Physis I, 1867, p. 148.	Montevideo
<i>integripennis</i> Bates, Biol. C.-Am. Col. V, 1885, p. 262, t. 18, f. 14.	Mexico
<i>inustus</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 670, f. 27.	Goyaz
<i>involutus</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 304.	Tapajos
<i>latevittatus</i> Bates, Biol. C.-Am. Col. V, 1885, p. 262, t. 18, f. 18.	Mexico
<i>Lefebvrei</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 673.	Goyaz
<i>longipilis</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 304.	Tapajos
<i>myrrheus</i> Goun. Bull. Mus. Paris XVI, 1910, p. 15.	Ecuador
<i>nigrocinctus</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 182; Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 9.	Nicaragua
<i>nobilis</i> J. Lec. Proc. Acad. Philad. 1862, p. 41. — Leng, Ent. Amer. I, 1885, p. 185.	Texas
<i>obtusus</i> Bates, Trans. Ent. Soc. Lond. 1874, p. 221; Biol. C.-Am. Col. V, 1880, p. 33, 264, t. 4, f. 8.	Nicaragua
<i>pelonioides</i> Thoms. Physis I, 1867, p. 149.	Brasilien
<i>quadrioveolatus</i> Chabr. Archiv Ent. I, 1857, p. 197.	„
<i>quadrimaculatus</i> F. Ent. Syst. I, 2, 1792, p. 328.	Antillen
<i>submaculatus</i> Lamcere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 100.	
var. <i>cylindricollis</i> F. Ent. Syst. Suppl. 1798, p. 146.	
<i>clavipes</i> F. Syst. El. II, 1801, p. 316.	
<i>quadrimaculatus</i> Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 23. — Leng, Ent. Amer. I, 1885, p. 135. — Wickh. Canad. Ent. XXIX, 1897, p. 110.	„ Nordamerika
<i>rotundipennis</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 233.	Patria?
<i>ruatanus</i> Bates, Trans. Ent. Soc. Lond. 1892, p. 155, t. 5, f. 15.	Honduras
<i>sejunctus</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 673.	Goyaz
<i>sexsignatus</i> Thoms. Syst. Ceramb. 1865, p. 572.	Brasilien
<i>signaticollis</i> Thoms. l. c.	Venezuela
<i>singularis</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 671.	Goyaz
<i>syphis</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 305.	Tapajos
<i>validicornis</i> Bates, Biol. C.-Am. Col. V, 1885, p. 261, t. 18, f. 17.	Panama

39

### **Bomarion** Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 674.

<i>lineatum</i> Goun. l. c. p. 675, f. 28, 1—3.	Goyaz
<i>scansor</i> Goun. l. c. f. 28, 4.	„
<i>signatipenne</i> Goun. l. c. nota 1.	Pernambuco

3

### **Ibidion** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 103. — Cast. Hist. Nat. II, 1840, p. 443. — Thoms. Syst. Ceramb. 1864, p. 215; Physis I, 1867, p. 134. — Lacord. Gen. Col. VIII, 1869, p. 331. — Bates, Trans. Ent. Soc. Lond. 1870, p. 297. — Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 676.

*Brydaeon* Thoms. Physis I, 1867, p. 134, 137.

*Tropidion* Thoms. l. c. p. 134, 138.

<b>amabile</b> Thoms. l. c. p. 138.	Brasilien
<b>angusticollis</b> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 683.	Goyaz
<b>anormale</b> Thoms. Physis I, 1867, p. 145. — Bates, Biol. C.-Am. Col. V, 1885, p. 257 ( <i>Ectenessa?</i> ).	Bahia
<b>Armandinae</b> Chabr. Archiv Ent. I, 1857, p. 198.	Brasilien
var. <i>biguttatum</i> Redt. Reise Novara, Col. 1868, p. 198, t. 5, f. 12.	„
<b>biplagiatum</b> Redt. l. c. t. 5, f. 11.	„
<b>bituberculatum</b> Serv. Ann. Soc. Ent. Fr. III, 1834, p. 105.	„
— Lacord. Gen. Col. VIII, 1869, p. 330, nota 3.	„
<b>bivulneratum</b> Thoms. Physis I, 1867, p. 141.	„
<b>Borrei</b> Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, p. 88.	„
<b>breviusculum</b> Thoms. Physis I, 1867, p. 147.	„
<b>brunniceps</b> Thoms. Syst. Ceramb. 1865, p. 571.	Bogotá
<b>Buqueti</b> Thoms. Physis I, 1867, p. 139.	Cayenne
<b>Caleiope</b> Thoms. l. c. p. 144.	Bogotá
<b>carinicollis</b> Bates, Trans. Ent. Soc. Lond. 1872, p. 180; Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 7.	Nicaragua
<b>comatum</b> Serv. Ann. Soc. Ent. Fr. III, 1834, p. 104.	Brasilien
— Cast. Hist. Nat. II, 1840, p. 444.	„
<b>cylindricum</b> Thoms. Syst. Ceramb. 1865, p. 570.	„
<b>digrammum</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 299.	Tapajos
<b>dilectum</b> Bates, l. c.	Ega
<b>dimidiatum</b> Thoms. Syst. Ceramb. 1865, p. 571.	Brasilien
<b>duplicatum</b> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 677.	Goyaz
<b>eburnigerum</b> Auriv. Ent. Tidskr. XX, 1899, p. 265.	Guyana
<b>elegans</b> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 679.	Goyaz
var. <i>zonatum</i> Goun. l. c.	„
<b>epaphum</b> Berg. An. Univ. Buenos Aires VI, 1889, p. 111.	Argentiniën
<b>erythrocephalum</b> White, Cat. Col. Brit. Mus. VIII, 1855, p. 224.	Guatemala
<b>exclamationis</b> Thoms. Classif. Ceramb. 1860, p. 201.	Mexico, Texas
<b>Fairmairei</b> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 680.	Goyaz
<b>fenestratum</b> Thoms. Syst. Ceramb. 1865, p. 572.	Brasilien
<b>flavipes</b> Thoms. Physis I, 1867, p. 143.	„
<b>fulvipes</b> Thoms. Syst. Ceramb. 1865, p. 571.	„
<b>geniculatum</b> Thoms. l. c.	„
<b>gnomoides</b> Thoms. l. c. p. 570.	„
<b>griseicollis</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 180; Biol. C.-Am. Col. V, 1880, p. 31, t. 4, f. 17.	Nicaragua
<b>guttiferum</b> Thoms. Physis I, 1867, p. 142.	Columbien
<b>guyanense</b> White, Cat. Col. Brit. Mus. VIII, 1855, p. 225.	Guyana
<b>hermione</b> Thoms. Physis I, 1867, p. 144.	Brasilien
<b>Herse</b> Thoms. l. c. p. 136.	Cayenne
<b>Heteroclitum</b> Thoms. l. c. p. 137.	Brasilien
<b>Jo</b> Thoms. l. c. p. 141.	„
<b>Leprieuri</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 299.	Obydos
<b>leucogramma</b> Perty, Del. anim. 1830, p. 92, t. 18, f. 12.	Brasilien
<i>Thomsoni</i> Chabr. Archiv Ent. I, 1857, p. 197.	„
<b>leucozona</b> Bates, Biol. C.-Am. Col. V, 1885, p. 261, t. 18, f. 16.	Panama
<b>lineolatum</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 301.	Ega
<b>maronicum</b> Thoms. Physis I, 1867, p. 135.	Cayenne
<b>monostigma</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 297.	Tapajos

<i>oedicneme</i> Bates, l. c. p. 298.	S. Paulo
<i>periboeoides</i> Thoms. Physis I, 1867, p. 146.	Brasilien
<i>personatum</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 678, f. 29.	Goyaz
<i>phoracanthoides</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 232.	Brasilien
<i>plagiatum</i> Burm. Stett. Ent. Zeit. XXVI, 1865, p. 174.	Mendoza
<i>pleurostictum</i> Bates, Biol. C.-Am. Col. V, 1885, p. 261, t. 18, f. 15.	Panama
<i>rubellum</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 298.	Pará
<i>rubricatum</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 680.	Goyaz
var. <i>rubronigrum</i> Goun. l. c. p. 681.	„
<i>rurigena</i> Goun. l. c.	„
<i>rusticum</i> Goun. l. c. p. 682.	„
<i>salamis</i> Thoms. Physis I, 1867, p. 143.	Brasilien
<i>semirufum</i> Bates, Biol. C.-Am. Col. V, 1885, p. 265.	Mexico
<i>sexguttatum</i> Serv. Ann. Soc. Ent. Fr. III, 1834, p. 105. — Cast. Hist. Nat. II, 1840, p. 444.	Brasilien
<i>signatum</i> Serv. Ann. Soc. Ent. Fr. III, 1834, p. 104. — Cast. Hist. Nat. II, 1840, p. 444.	„
var. <i>femoratum</i> Lucas, Voy. Castelnau 1859, p. 187, t. 12, f. 6a—b.	„
<i>Sipolisi</i> Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 681.	Goyaz
<i>sphaeriinum</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 300.	S. Paulo
<i>suberuciatum</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 226.	Brasilien
var. <i>spinipenne</i> Thoms. Syst. Ceramb. 1865, p. 570.	„
<i>sulcicorne</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 232. — Bates, Trans. Ent. Soc. Lond. 1870, p. 300.	Tapajos
<i>suturale</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 222.	Südamerika
<i>tenellum</i> Burm. Stett. Ent. Zeit. XXVI, 1865, p. 175.	Mendoza
<i>Tethys</i> Thoms. Physis I, 1867, p. 145.	Guyana
<i>Tisiphone</i> Thoms. l. c. p. 137.	„
<i>Townsendi</i> Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 395.	Texas
<i>unicolor</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 233. — Bates, Trans. Ent. Soc. Lond. 1870, p. 301.	Brasilien
<i>uniforme</i> Berg, An. Univ. Buenos Aires VI, 1889, p. 112.	Argentinien
<i>venezuelae</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 233.	Venezuela

69

### Perissomerus Goun.

Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 684.

<i>Hilairei</i> Goun. l. c.	Goyaz
var. <i>bimaculatus</i> Goun. l. c. p. 685.	„
1	

### Malobidion Schaeffer.

Schaeffer, Bull. Brookl. Inst. I, 1908, p. 336.

<i>brunneum</i> Schaeffer, l. c. p. 337.	Arizona
1	

**Neocorus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 220. — Lacord. Gen. Col. VIII, 1869, p. 336.

**diversipennis** Belon, Rev. d'Ent. XXII, 1903, p. 50. Bolivien

**ibidionoides** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 98. <sup>in</sup> Brazil  
— Thoms. Syst. Ceramb. 1864, p. 220. — Lacord.  
Gen. Col. VIII, 1869, p. 336.

**Romanowskii** Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, Guadeloupe  
1889, p. 464, t. 8, f. 16.

3

**Cilium** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 421.

**Perrieri** Fairm. l. c.

Madagascar

1

**Ganosomus** Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 207.

**elegans** Fairm. l. c.

Madagascar

1

**Trimeroderus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 372.

**Raffrayi** Fairm. l. c. p. 373.

Madagascar

1

**Leptoxenus** Bates.

Bates, Ent. Month. Mag. XIV, 1877, p. 37.

**ibidiiformis** Bates, l. c.

Japan

1

**XXI. Eligmodermini.**

Lacord. Gen. Col. VIII, 1869, p. 337.

**Trichomallus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 338.

**maculipennis** Lacord. l. c. nota 1.

Südamerika

1

**Eligmoderma** Thoms.

Thoms. Syst. Ceramb. 1864, p. 246. — Lacord. Gen. Col. VIII, 1869, p. 338.

**ibidionoides** Thoms. Syst. Ceramb. 1864, p. 247.

Columbien

**ziezæ** Nonfr. Berl. Ent. Zeitschr. XL, 1893, p. 310.

Panama

2

**Limozota** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 482. — Lacord. Gen. Col. VIII, 1869, p. 339.

*virgata* Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Venezuela  
p. 482. — Lacord. Gen. Col. VIII, 1869, p. 339,  
t. 87, f. 2.

1

**Aleyopsis** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 484. — Lacord. Gen. Col. VIII, 1869, p. 339.

*chalcea* Bates, Trans. Ent. Soc. Lond. 1874, p. 221: Biol. Nicaragua  
C.-Am. Col. V, 1880, p. 33, t. 4, f. 18.

*eyanoptera* Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, Brasilien  
p. 484.

*nigrovittata* Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
p. 685.

1

**XXII. Callidiopini.**

Lacord. Gen. Col. VIII, 1869, p. 340. — Gah. Fauna Brit. Ind. Col. I,  
1896, p. 154.

**Rhysium** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XVIII, 1866, p. 483. — Lacord. Gen. Col. VIII, 1869, p. 342.

*bimaculatum* Pasc. Ann. Mag. Nat. Hist. (3) XVIII, Bolivien  
1866, p. 483.

1

**Oemona** Newm.

Newm. Entomolog. I, 1840, p. 8. — Thoms. Syst. Ceramb. 1864, p. 447.  
— Lacord. Gen. Col. VIII, 1869, p. 343. — Sharp, Trans. R. Dublin Soc.  
(2) III, 1886, p. 436.

*Aemona* Broun, Man. N. Zealand Col. I, 1880, p. 570; V, 1893,  
p. 1274.

*Isodera* White, Voy. Ereb. Terr. Ins. 1846, p. 21.

*debilis* Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 439. Neuseeland  
— Broun, Man. N. Zealand Col. V, 1893, p. 1277.

*hirta* F. Syst. Ent. 1775, p. 184; Ent. Syst. I, 2, 1792, „  
p. 309. — Ol. Ent. IV, 68, 1795, p. 37, t. 4,  
f. 50. — Broun, Man. N. Zealand Col. I, 1880,  
p. 570; V, 1893, p. 1275.

♀ *villosa* F. Syst. El. II, 1801, p. 320. — White,  
Voy. Ereb. Terr. Ins. 1846, p. 21, t. 4, f. 1;  
Cat. Col. Brit. Mus. VIII, 1855, p. 331. — Sharp,  
Trans. R. Dublin Soc. (2) III, 1886, p. 437.  
— Broun, Man. N. Zealand Col. V, 1893, p. 1275.

<b>humilis</b>	Newm. Entomolog. I, 1840, p. 8. — Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 436. — Broun, Man. N. Zealand Col. V, 1893, p. 1274.	Neuseeland
<b>inaequalis</b>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 438. — Broun, Man. N. Zealand Col. V, 1893, p. 1275.	„
<b>mutica</b>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 439. — Broun, Man. N. Zealand Col. V, 1893, p. 1276.	„
<b>plicicollis</b>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 437. — Broun, Man. N. Zealand Col. V, 1893, p. 1276.	„
<b>simplex</b>	White, Cat. Col. Brit. Mus. VIII, 1855, p. 331.	Lord Howe Insel
<b>simplicicollis</b>	Broun, Man. N. Zealand Col. I, 1880, p. 571; V, 1893, p. 1276. — Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 438.	Neuseeland
<b>sublineata</b>	Broun, Ann. Mag. Nat. Hist. (8) IV, 1909, p. 281.	„

9

### Didymocantha Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Thoms. Syst. Ceramb. 1864, p. 447. — Lacord. Gen. Col. VIII, 1869, p. 343. — Broun, Man. N. Zealand Col. I, 1880, p. 568.

*Didymacantha* Gemm. & Har. Cat. Col. IX, 1873, p. 2834.

*Eburida* White, Voy. Ereb. Terr. Ins. 1846, p. 19.

<b>aegrota</b>	Bates, Ent. Month. Mag. XIII, 1876, p. 52. — Broun, Man. N. Zealand Col. I, 1880, p. 569.	Neuseeland
<b>binotata</b>	Broun, l. c. V, 1893, p. 1273.	„
<b>brevicollis</b>	Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 100.	West-australien
<b>brevicornis</b>	Broun, Man. N. Zealand Col. I, 1880, p. 570.	Neuseeland
<b>elavipes</b>	Broun, N. Zealand Journ. Sc. I, 1883, p. 493; Man. N. Zealand Col. III, 1886, p. 808.	„
<b>jucunda</b>	Broun, l. c. V, 1893, p. 1272.	„
<b>nigra</b>	Blackb. Trans. R. Soc. S. Austr. XIII, 1890, p. 130.	West-australien
<b>novica</b>	Blackb. l. c. XV, 1892, p. 233.	Victoria
<b>obliqua</b>	Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20.	Neusüdwailes
	<i>varicornis</i> Hope, Proc. Zool. Soc. Lond. 1840, p. 54; Trans. Zool. Soc. Lond. III, 1843, p. 199.	
<b>pallida</b>	Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 388.	Neuseeland
<b>picta</b>	Bates, l. c. (4) XIV, 1874, p. 18. — Broun, Man. N. Zealand Col. I, 1880, p. 569.	„
<b>quadriguttata</b>	Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 440. — Broun, Man. N. Zealand Col. V, 1893, p. 1272.	„
<b>robusta</b>	Sharp, Trans. Ent. Soc. Lond. 1882, p. 92. — Broun, Man. N. Zealand Col. V, 1893, p. 1271.	„
<b>sublineata</b>	White, Voy. Ereb. Terr. Ins. 1846, p. 19. — Broun, Man. N. Zealand Col. I, 1880, p. 568.	Neuseeland
<b>vittata</b>	Broun, l. c. V, 1893, p. 1273.	„

15

**Eburilla** nov. nom.

*Eburida* Broun, Man. N. Zealand Col. I, 1880, p. 586.

*sericea* White, Cat. Col. Brit. Mus. VIII, 1855, p. 299. Neuseeland  
— Broun, Man. N. Zealand Col. I, 1880, p. 587.

1

**Pteroptychus** nov. nom.

*Ptychopterus* Broun, N. Zealand Journ. Sc. 1883, p. 493; Man.  
N. Zealand III, 1886, p. 809.

*simpliceps* Broun, l. c. I, 1880, p. 579. Neuseeland  
*rugosus* Broun, N. Zealand Journ. Sc. 1883,  
p. 494; Man. N. Zealand Col. III, 1886, p. 809.

1

**Ectinope** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 60.

*spiniollis* Pasc. l. c. p. 61, t. 8, f. 3. Sydney

1

**Psylacrida** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 16.

*gracilis* Thoms. l. c. p. 17. Australien

1

**Sisyrium** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 95. — Lacord. Gen. Col.  
VIII, 1869, p. 344. — Gah. Trans. Ent. Soc. Lond. 1893, p. 175. — Blackb.  
Trans. R. Soc. S. Austr. XV, 1892, p. 57 (Revision).

*Igenia* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 95.

*dorsale* Pasc. Journ. of Ent. II, 1863, p. 237. Südaustralien

*fraternum* Blackb. Revis. p. 58.

*ibidionoides* Pasc. Trans. Ent. Soc. (2) V, 1859, p. 26; Sydney  
(3) I, 1863, p. 559. — Gah. l. c. 1893, p. 176.

— Blackb. Revis. p. 61.

*laevigatum* Blackb. Revis. p. 60.

West-  
australien

*plagiatum* Gah. Trans. Ent. Soc. Lond. 1893, p. 177. Tasmanien

*sparsum* Blackb. Revis. p. 60; Trans. R. Soc. S. Austr.  
XXIII, 1899, p. 92. Südaustralien

*stigmatum* Pasc. Journ. Linn. Soc. Lond. Zool. IX,  
1866, p. 95, t. 3, f. 3. — Blackb. Revis. p. 61. „

— Gah. Trans. Ent. Soc. Lond. 1893, p. 176.

*tripartitum* Pasc. Journ. of Ent. II, 1863, p. 238; Journ. „  
Linn. Soc. Lond. Zool. IX, 1866, t. 4, f. 4. —  
Blackb. Revis. p. 61.

- ventrale** Blackb. Revis. p. 59; Trans. R. Soc. S. Austr. XXIII, 1899, p. 92. Südaustralien  
**vittatum** Blackb. Revis. p. 58; Trans. R. Soc. S. Austr. XXIII, 1899, p. 92. — Gah. Trans. Ent. Soc. Lond. 1893, p. 176. „

10

**Acyrusa** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 94. — Lacord. Gen. Col. VIII, 1869, p. 345.

- ciliata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 559. Sydney  
**tasmanica** Gah. l. c. 1893, p. 174. Tasmanien

2

**Sidis** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 93. — Lacord. Gen. Col. VIII, 1869, p. 346.

- opiloides** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 94, t. 4, f. 3. Südaustralien

1

**Paphora** Pasc.

Pasc. l. c. p. 102. — Lacord. Gen. Col. VIII, 1869, p. 346.

- miles** Blackb. Trans. R. Soc. S. Austr. XXX, 1906, p. 324. Australien  
**modesta** Pasc. Journ. of Ent. II, 1863, p. 237; Journ. Linn. Soc. Lond. Zool. IX, 1866, t. 4, f. 6. Südaustralien  
**pulchra** Blackb. Trans. R. Soc. S. Austr. XXX, 1906, p. 323. „  
**robustior** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 195. West-australien

4

**Porithea** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 102. — Lacord. Gen. Col. VIII, 1869, p. 347.

- intorta** Newm. Entomolog. I, 1841, p. 223. — Lacord. Gen. Col. VIII, 1869, p. 347. Neuholland  
**plagiata** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 198. „

2

**Bethelium** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 97. — Lacord. Gen. Col. VIII, 1869, p. 347.

- Blackburni** Gah. Trans. Ent. Soc. Lond. 1893, p. 178. Tasmanien  
**inscriptum** Pasc. Journ. of Ent. I, 1862, p. 363. Queensland  
**mundum** Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 57. Neusüd-wales

- puncticolle* Pasc. Trans. Ent. Soc. Lond. 1888, p. 493.
- signiferum* Newm. Entomolog. I, 1840, p. 10. — Lacord. Gen. Col. VIII, 1869, t. 87, f. 3. — Gah. Trans. Ent. Soc. Lond. 1893, p. 177.
- diversicorne* White, Voy. Ereb. Terr. Ins. 1846, p. 20. — Broun, Man. N. Zealand Col. I, 1880, p. 569.
- flavomaculatum* Blanch. Voy. Pole Sud IV, 1853, p. 273.
- fulvomaculatum* Blanch. l. c. t. 16, f. 8.
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales (2) IX, 1894, p. 117.
- spinicorne* Blackb. Trans. R. Soc. S. Austr. XXIII, 1899, p. 91. Victoria
- tricolor* Blackb. l. c. XV, 1892, p. 56. — Gah. Trans. Ent. Soc. 1893, p. 178. Südaustralien

9

**Ectostieta** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 104. — Lacord. Gen. Col. IX, 1869, p. 91. — Gah. Trans. Ent. Soc. Lond. 1893, p. 178.

- cleroides* White, Cat. Col. Brit. Mus. VIII, 1855, p. 322. Victoria
- eburata* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 563. Sydney
- Lacord. Gen. Col. IX, 1869, p. 92, nota 1.
- ornata* Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 66. Victoria
- ruida* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 104. West-australien
- simillima* White, Cat. Col. Brit. Mus. VIII, 1855, p. 322. Swan River
- Lacord. Gen. Col. IX, 1869, p. 92, nota 1.
- Gah. Trans. Ent. Soc. Lond. 1893, p. 178.

5

**Neobethelium** Blackb.

Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 196.

- megacephalum* Blackb. l. c. Neusüdwaes

1

**Adrium** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 105. — Lacord. Gen. Col. VIII, 1869, p. 348.

- artifex* Newm. Entomolog. I, 1842, p. 353. Südaustralien
- cucujus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 323.
- var. *terebrans* Newm. Entomolog. I, 1842, p. 353.
- catoxanthum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 323. — Lacord. Gen. Col. VIII, 1869, p. 349, nota 1. „

2

**Thephantes** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 318. — Lacord. Gen. Col. VIII, 1869, p. 349.

**clavatus** Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. Neuholland  
1

**Stenygrinum** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XVII, 1873, p. 154. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 163.

**quadrinotatum** Bates, l. c. — Gah. Fauna Brit. Ind. Japan, China,  
Col. I, 1906, p. 164. — Matsum. Thous. Ins. Assam  
Japan III, 1908, nr. 700, t. 52, f. 15.  
1

**Cylindera** Newm.

Newm. Ent. Mag. I, 1833, p. 509.

*Curtomerus* Steph. Man. Brit. Col. 1839, p. 275.

*Cylindrodera* Gemm. & Har. Cat. Col. IX, 1873, p. 2922.

*Cyrtomerus* Gemm. & Har. l. c. p. 2836.

*Lampromerus* Thoms. Classif. Ceramb. 1860, p. 202; Syst. Ceramb. 1864, p. 440. — Lacord. Gen. Col. VIII, 1869, p. 350.

*Sotenus* Sharp, Trans. Ent. Soc. Lond. 1878, p. 205.

**flava** F. Syst. Ent. 1775, p. 191. — Ol. Enc. méth. Ins. Florida,  
V, 1790, p. 261. — Gmel. Syst. Nat. I, 4, 1790, Antillen,  
p. 1849. Mexico,  
**lutea** Steph. Brit. Ent. Mand. IV, 1831, p. 249; Guyana,  
Man. Brit. Col. 1839, p. 275. — Shuck. Brit. (England),  
Col. 1840, p. 76, Suppl. t. 8, f. 2. Honolulu

**pallida** Newm. Ent. Mag. I, 1833, p. 510. — Shuck. Brit. Col. 1840, p. 76, Suppl. t. 8, f. 2.

**pilicornis** F. Ent. Syst. I, 2, 1792, p. 327. — Ol. Ent. IV, 70, 1795, p. 68, t. 8, f. 99. — Thoms. Classif. Ceramb. 1860, p. 203. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 263. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 336.

**setigera** Sharp, Trans. Ent. Soc. Lond. 1878, p. 205; Trans. R. Dublin Soc. (2) III, 1885, t. 5, f. 49. Biologie: Schiödte, Nat. Tidskr. (3) X, 1876, p. 409, t. 13, f. 20—22.

**puberula** Fleut. & Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, Guadeloupe  
p. 464, t. 8, f. 17. — Gah. Trans. Ent. Soc. Lond. 1895, p. 108.

2

**Merostenus** White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 244. — Lacord. Gen. Col. VIII, 1869, p. 396.

**attenuatus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 263. Cuba  
**productus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 244, Jamaica  
t. 8, f. 3.

2

**Diaspila** Jord.

Jord. Nov. Zool. X, 1903, p. 192.

- bipunctata* White, Cat. Col. Brit. Mus. VIII, 1855, p. 248, t. 7, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 351, nota 1. Sierra Leone
- periseelis* Jord. Nov. Zool. X, 1903, p. 192. St. Thomé  
do Principe

2

**Sternangustum** Jord.

Jord. Nov. Zool. I, 1894, p. 152.

- brunneum* Jord. l. c. Kuilu

1

**Agnitosternum** Jord.

Jord. Nov. Zool. I, 1894, p. 152.

- apicale* Jord. l. c. p. 153. Kuilu

1

**Anisogaster** A. Deyr.

A. Deyr. in Maill. Notes d'île Réunion 1862, Annex H, p. 18. — Lacord. Gen. Col. VIII, 1869, p. 351.

- aenescens* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 374. Madagascar
- brunneus* Fairm. l. c. XLVIII, 1904, p. 254. „
- brunneus* Jord. Nov. Zool. I, 1894, p. 153. Kuilu
- cinerarius* Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 420. Bourbon
- Coquereli* Fairm. Rev. d'Ent. XX, 1901, p. 210. „
- fasciolatus* Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 548. „
- flavicans* A. Deyr. in Maill. Notes d'île Réunion 1862, Annex H, p. 19, t. 20, f. 6. „
- ? *pilicornis* Ol. Ent. IV, 70, 1795, p. 68, t. 8, f. 99. „
- impressiusculus* Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 420. „
- latesellatus* Fairm. l. c. XL, 1896, p. 374. Madagascar
- longulus* Fairm. l. c. XLI, 1897, p. 394; XLII, 1898, p. 250. „
- luteosparus* Fairm. Natural. I, 1880, p. 300. Bourbon
- maculipennis* Fairm. Rev. d'Ent. XX, 1901, p. 208. Madagascar
- myrmido* Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 60; Ann. Soc. Ent. Belg. XXXVII, 1893, p. 525. Mayotte
- nigroclavatus* Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 251. Madagascar
- nigrostriatus* Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 393. „
- obscurillus* Fairm. l. c. XL, 1896, p. 373. „
- Perrieri* Fairm. Rev. d'Ent. XX, 1901, p. 209. „
- pietipennis* Fairm. l. c. p. 208. „
- punctum* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 374. „
- reticulatus* Fairm. l. c. XLVII, 1903, p. 374. „
- robustus* Jord. Nov. Zool. I, 1894, p. 154. Westafrika

- seriatoporus** Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 373. Madagascar  
**signifer** Fairm. Natural. I, 1880, p. 300. Bourbon  
**transversus** Fairm. Ann. Soc. Ent. Belg. XL, 1897, p. 394. Madagascar  
**unicolor** A. Deyr. Notes d'île Réunion 1862, Annex H, p. 20. Mauritius  
 25

### **Metacopa** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 376.

- variipennis** Fairm. l. c. Madagascar  
 1

### **Minutius** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 386.

- tenuis** Fairm. l. c. p. 387. Madagascar  
 1

### **Linyra** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 495.

- lymphatica** Fairm. l. c. p. 496. Madagascar  
 1

### **Zarina** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 251.

- semicyanea** Fairm. l. c.; Ann. Soc. Ent. Fr. LXXII, 1903, p. 249. Madagascar  
*obtusicollis* Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 352.  
 1

### **Anthribatus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 381.

- nivosus** Fairm. l. c. p. 382. Madagascar  
 1

### **Arrhythmus** Waterh.

Waterh. Cist. Ent. II, 1878, p. 289.

- aculeatus** Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 547. Madagascar  
**pallimembris** Fairm. Natural. (2) II, 1888, p. 22, f. 1. "  
 — Künckel in Grandid. Hist. Mad. Col. 1890, t. 52, f. 5. "  
**Perrieri** Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 249. "  
**punctatus** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 461. "  
**rugospennis** Waterh. Cist. Ent. II, 1878, p. 289. — "  
 Künckel in Grandid. Hist. Mad. Col. 1890, t. 47, f. 9. "  
 5

**Paralocus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 252.

- annulicornis* Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, Madagascar  
p. 117.  
*brevipennis* Fairm. l. c. LXXII, 1903, p. 249. „  
*longicollis* Fairm. Rev. d'Ent. XX, 1901, p. 211. „  
*scutatus* Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 118. „  
*semitibialis* Fairm. Ann. Soc. Ent. Belg. XLII, 1898, „  
p. 252.  
*Vaeheri* Fairm. Notes Leyd. Mus. XXIII, 1901, p. 79. „  
6

**Delagoa** Jord.

Jord. Nov. Zool. I, 1894, p. 155.

- fenestrata* Jord. l. c. t. 9, f. 2. Delagoabay  
*testacea* Jord. Ins. Transvaal. I, 1906, p. 160, t. 16, f. 13. Transvaal  
2

**Ceresium** Newm.

Newm. Entomolog. I, 1842, p. 322. — Thoms. Syst. Ceramb. 1864, p. 236.  
— Lacord. Gen. Col. VIII, 1869, p. 353. — Gah. Fauna Brit. Ind. Col. I,  
1906, p. 156.

- Diatomocephala* Blanch. Voy. Pole Sud IV, 1853, p. 266. —  
Lacord. Gen. Col. VIII, 1869, p. 354.  
*Pneumida* Thoms. Syst. Ceramb. 1864, p. 191.  
*Rhaphidera* Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 336:  
Mélang. Ent. III, 1855, p. 16.  
*Rhaphidodera* Gemm. & Har. Cat. Col. IX, 1873, p. 2831.

- aethiops* Newm. Entomolog. I, 1842, p. 247, 322. Philippinen  
*albopubens* Fairm. Bull. Soc. Ent. Fr. 1891, p. 182. Seychellen  
— Lameere, l. c. 1893, p. 105. — Kolbe, Col.  
Fauna Seych. 1910, p. 38.  
*andamanicum* Gah. Fauna Brit. Ind. Col. I, 1906, p. 161. Andamanen  
*angustulum* Gah. l. c. p. 158. Ostindien  
*annulicorne* Germ. Linn. Ent. III, 1848, p. 226. Adelaide  
*apicale* Gah. Fauna Brit. Ind. Col. I, 1906, p. 161. Tenasserim  
*argenteofasciatum* Thoms. Syst. Ceramb. 1864, p. 191. Malasien  
*binotatum* Fauv. Rev. d'Ent. XXV, 1906, p. 51. Neu-  
caledonien  
*carinatum* Fauv. l. c. p. 49. „  
*coronarium* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, Buru  
p. 53.  
*Delauneyi* Lameere, Ann. Soc. Ent. Fr. LXII, 1893, Hue  
p. 282.  
*diversum* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Celebes  
p. 541.  
*flavipes* F. Ent. Syst. I, 2, 1792, p. 327. Ostindien,  
*ambiguum* Newm. Entomolog. I, 1842, p. 246. Philippi-  
*simplex* Gyllh. in Schönh. Syn. Ins. I, 3, 1817, nen, Malay.  
App. p. 178. — Fairm. Rev. Mag. Zool. (2) Archipel,

- II, 1850, p. 62. — Künck. in Grand. Hist. Mad. Col. 1890, t. 47, f. 6, 7. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 162. Neuguinea, Mauritius, Madagasear, Mexico
- furtivum* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 538. Sarawak
- geniculatum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 245. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 158. Birma, Siam, Andamanen, Flores, Timor
- rufipes* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 537.
- gracilipes* Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 473. Fidſchi
- gracile* Perr. Ann. Soc. Linn. Lyon (2) II, 1855, p. 333; Mélang. Ent. III, 1855, p. 13. Südostindien,
- cretatum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 246. Ceylon
- grandipenne* Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 472. Fidſchi
- holophaeum* Bates, Ann. Mag. Nat. (4) XII, 1873, p. 153. Japan
- immite* Newm. Entomolog. I, 1842, p. 247, 322. Philippinen
- impuncticollis* Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 473. Fidſchi
- inermis* Montrz. Ann. Soc. Agr. Lyon VII, 1857, p. 57; Ann. Soc. Ent. Fr. (4) I, 1861, p. 298. Woodlark, Lifu
- lanigerum* Fauv. Rev. d'Ent. XXV, 1906, p. 49. Neucaledonien
- lanuginosum* Schauf. Sitzb. Ges. Isis 1864, p. 23; Nunquam otios. II, 1877, p. 449. Neuguinea
- larvatum* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 542. Lombok
- leucosticticum* White, Cat. Col. Brit. Mus. VIII, 1855, p. 245, t. 6, f. 1. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 159, f. 64. Assam, Birma, Siam, Sumatra
- lifuanum* Montrz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 276. Lifu
- Fauv. Bull. Soc. Linn. Normand. VII, 1862, p. 163, t. 10 bis, f. 62, 63.
- lineigerum* Pasc. Trans. Ent. Soc. Lond. 1888, p. 493. Queensland
- maculaticollis* Blanch. Voy. Pole Sud IV, 1853, p. 267, t. 16, f. 9. Samoa
- modestum* Gah. Fauna Brit. Ind. Col. I, 1906, p. 160. Assam
- nigrum* Gah. Proc. Zool. Soc. Lond. 1888, p. 540. Christmasinsel
- nilgiriense* Gah. Fauna Brit. Ind. Col. I, 1906, p. 161. Südostindien, Ceylon
- nitidicollis* Fauv. Rev. d'Ent. XXV, 1906, p. 50. Neucaledonien
- obscurum* Fauv. l. c.
- olidum* Fairm. Rev. Mag. Zool. (2) II, 1850, p. 63; Ann. Soc. Ent. Fr. (6) I, 1881, p. 472. Taiti, Viti
- opacum* Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 249. Madagascar
- ornaticollis* Pic. Longic. VI, 2, 1907, p. 20. Südchina
- pachymerum* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 542. Buru
- procerum* Olliff, Rec. Austr. Mus. 1890, p. 74, t. 10, f. 3. Lord Howe-Insel
- quadrinaculatum* Gah. Christmas Isl. 1900, p. 121. Christmasinsel

- raripilum** Newm. Entomolog. I, 1842, p. 322. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 537. Philippinen, Singapore
- rotundicolle** Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 54. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 160. Südostindien, Ceylon
- rufipes** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 537. Timor
- rufum** Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 211. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 157. Ostindien
- rugulipenne** Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 135. Madagascar
- simile** Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 169. Insel Bonin
- sinicum** White, Cat. Col. Brit. Mus. VIII, 1855, p. 245. Nordchina
- unicolor** F. Mant. Ins. I, 1787, p. 147. — Ol. Ent. IV, 68, 1795, p. 38, t. 3, f. 28. — Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 131. Ozeanien
- guttaticolle* Fairm. Rev. Mag. Zool. (2) II, 1850, p. 63; Ann. Soc. Ent. Fr. (6) I, 1881, p. 472.
- validipes** Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 46. Neupommern
- ventrale** Gah. Fauna Brit. Ind. Col. I, 1906, p. 160. Birma
- versutum** Pasc. Proc. Zool. Soc. Lond. 1866, p. 532; Trans. Ent. Soc. Lond. (3) III, 1869, p. 538. Penang, Borneo
- vestigiale** Pasc. Proc. Zool. Soc. Lond. 1866, p. 532. Penang
- vile** Newm. Entomolog. I, 1842, p. 223, 322. Neuholland
- vitticolle** Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 46. Neupommern
- vittidorsum** Pic, Longic. V, 1, 1905, p. 10. Yunnan
- vulneratum** Fauv. Rev. d'Ent. XXV, 1906, p. 50. Neu-caledonien
- zeylanicum** White, Cat. Col. Brit. Mus. VIII, 1855, p. 246. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 538. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 158. Ceylon, Assam, Tenasserim, Borneo

57

**Examnes** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 540.

- affinis** Gah. Christmas Isl. 1900, p. 122. Christmasinsel
- frontalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 540. Sarawak
- philippensis** Newm. Entomolog. I, 1842, p. 247. — Gah. Christmas Isl. 1900, p. 122. Philippinen, Waigtu, Buru
- idoneus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 540.
- longicornis* Pasc. l. c. t. 20, f. 3.

3

**Notoceresium** Blackb.

Blackb. Trans. R. Soc. S. Austr. XXV, 1901, p. 32.

- impressiceps** Blackb. l. c. p. 33. Tasmanien

1

**Tethionea** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 543.

- apiculata* Pasc. Journ. Ent. I, 1862, p. 357; Trans. Ent. Soc. Lond. (3) III, 1869, p. 544. Batjan
- strumosa* Pasc. l. c. Ceram
- tridentata* Pasc. l. c. p. 545. Batjan
- unicolor* Pasc, l. c. p. 543, t. 20, f. 4. Aru

4

**Dictamnina** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 545.

- biapiculata* Auriv. Deutsche Ent. Zeitschr. 1908, p. 211. Neupommern
- rugosa* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 546. Neuguinea

2

**Salpinia** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 546. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 163.

- diluta* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 546, t. 20, f. 5. Java, Borneo
- socia* Gah. Fauna Brit. Ind. Col. I, 1906, p. 163. Assam

2

**Semiopie** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 547.

- festiva* Pasc. l. c. p. 548, t. 20, f. 6. Saylee
- pieta* Fauv. Rev. d'Ent. XXV, 1906, p. 52. Neu-caledonien

2

**Anoplium** Hald.

Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 34. — Lacord. Gen. Col. VIII, 1869, p. 355.

- unicolor* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 34. Pennsylvanien, Texas
- Lacord. Gen. Col. VIII, 1869, p. 336.
- cinerascens* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 15. — Leng. Ent. Amer. I, 1885, p. 32, 34.

1

**Gelonaetha** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 12. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 154.

*Astrimus* Sharp, Trans. Ent. Soc. Lond. 1878, p. 204.

- hirta* Fairm. Rev. Mag. Zool. (2) II, 1850, p. 60. — Gah. Ostindien, Philippinen,
- Fauna Brit. Ind. Col. I, 1906, p. 155, f. 62. — Sharp, Fauna Hawaiensis II, 1900, p. 96.

- curtipes* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 13. Sandwich-  
*obscura* Sharp, Trans. Ent. Soc. Lond. 1878, p. 204. Inseln,  
 1 Tahiti

### **Trinophylum** Bates.

Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Scient. Res. second Yarkand  
 Miss. Col. 1890, p. 21. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 155.

- cribratum* Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Himalaya  
 Scient. Res. second Yarkand Miss. Col. 1890,  
 p. 22, t. 1, f. 19. — Gah. Fauna Brit. Ind. Col.  
 I, 1906, p. 156, f. 63.  
 1

### **Callidiopsis** Thoms.

Thoms. Syst. Ceramb. 1864, p. 237.

*Callidiopsis* Lacord. Gen. Col. VIII, 1869, p. 356.

- mutica* Lacord. Gen. Col. VIII, 1869, p. 357 nota. Tasmanien  
*praecox* Er. Arch. f. Naturgesch. VIII, 1842, I, p. 220. „  
*scutellaris* F. Syst. El. II, 1801, p. 338. — Er. Arch. „  
 f. Naturgesch. VIII, 1842, I, p. 116. — Lacord.  
 Gen. Col. VIII, 1869, t. 87, f. 4.  
*picea* Newm. Entomolog. I, 1840, p. 9.  
 3

### **Stenodryas** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 453.

- clavigera* Bates, l. c. p. 154. Japan  
 1

## **XXIII. Curini.**

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 304; J. Lec. & Horn,  
 Classif. Col. N. Amer. 1883, p. 289.

### **Curius** Newm.

Newm. Entomolog. I, 1840, p. 17. — Thoms. Syst. Ceramb. 1864, p. 441.  
 — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 22. — Leng, Bull. Brookl.  
 Ent. Soc. VII, 1885, p. 115.

- dentatus* Newm. Entomolog. I, 1840, p. 17, fig. — J. Lec. Florida  
 Journ. Acad. Philad. (2) II, 1850, p. 22. — Leng,  
 Ent. Amer. I, 1885, p. 136, t. 3, f. 12.  
*concinatus* Hald. Trans. Am. Phil. Soc. (2) X,  
 1847, p. 43.  
*panamensis* Bates, Biol. C.-Am. Col. V, 1885, p. 268, Panama  
 t. 19, f. 3.  
 2

**Plectromerus** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 394. — J. Lec. & Horn, Classif. Col. N. Amer, 1883, p. 290. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 115. — M. Camer. Ent. Month. Mag. (2) XXI, 1910, p. 135, 136 (Revision).

*Curius* Lacord. Gen. Col. VIII, 1869, p. 352.

**dentipes** Ol. Enc. méth. V, 1790, p. 268; Ent. IV, 70, 1795, p. 29, t. 4, f. 40. — Leng, Ent. Amer. I, 1885, p. 135, t. 3, f. 11. — M. Camer. Revis. p. 136. Georgien,  
Florida

*dentatus* E. Lec. Ann. Lyc. Nat. Hist. N. York I, 1824, p. 172, t. 11, f. 11.

**distinctus** M. Camer. Revis. p. 136. Haiti  
**seambus** Newm. Entomolog. I, 1841, p. 79. — J. Lec. Florida  
Journ. Acad. Philad. (2) II, 1850, p. 22. — M. Camer. Revis. p. 136 (= *dentipes*?).

**serratus** M. Camer. Revis. p. 135, 136. Haiti

4

**Pentomacrus** White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 297. — Lacord. Gen. Col. VIII, 1869, p. 397.

**fasciatus** Gah. Trans. Ent. Soc. Lond. 1895, p. 109, t. 2, f. 3. — M. Camer. Ent. Month. Mag. (2) XXI, 1910, p. 136. Grenada,  
St. Vincent

**femoratus** F. Ent. Syst. I, 2, 1792, p. 316. — Ol. Ent. IV, 68, 1795, p. 40. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 297, t. 6, f. 5. — M. Camer. Ent. Month. Mag. (2) XXI, 1910, p. 136. Jamaica

2

**XXIV. Graçiliini.**

Lacord. Gen. Col. VIII, 1869, p. 357. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 300. — J. Lec. & Horn, Classif. Col. N. Amer, 1883, p. 285.

**Penichroa** Steph.

Steph. Man. Brit. Col. 1839, p. 270.

*Exilia* Muls. Col. Fr. Long. ed. 2, 1863, p. 195. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 147. — Ganglb. Best.-Tab. VII, 1881, p. 65 (743); Rev. d'Ent. III, 1884, p. 168.

*Liagrica* Costa, Fauna Regn. Nap. Col. II, 1855, Long. p. 59. — Csiki, Rov. Lapok XI, 1904, p. 36.

**fasciata** Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 250; Man. Brit. Col. 1839, p. 275. — Shuck. Brit. Col. 1840, p. 76, Suppl. t. 8, f. 3. — Bedel, Bull. Soc. Ent. Fr. 1906, p. 93. — Jacobs. Käfer Russl. 1910, t. 67, f. 13. Südeuropa,  
Kaukasus,  
Turkestan

*bipunctata* Zoubk. Bull. Mosc. VI, 1833, p. 306.

- fasciolata* Kryn. Bull. Mosc. VII, 1834, p. 170.  
— Fald. Fauna Ent. Transcauc. II, 1837, p. 271,  
t. 8, f. 4.
- timida* Ménétr. Cat. Rais. 1832, p. 228. — Muls.  
Col. Fr. Long. ed. 1, 1839, p. 102, t. 2, f. 2;  
ed. 2, 1863, p. 195. — Lucas, Ann. Soc. Ent.  
Fr. (2) VII, 1849, Bull. p. 66. — Küster, Käfer  
Eur. XXIII, 1851, p. 94. — Costa, Fauna Regn.  
Nap. Col. II, 1855, Long. p. 60, t. 36, f. 1. — Fairm.  
Gen. Col. d'Eur. IV, 1864, t. 44, f. 204. — Redt.  
Fauna Austr. ed. 3, II, 1874, p. 411. — Ganglb.  
Best.-Tab. VII, 1881, p. 65 (743). — Csiki, Rov.  
Lapok XI, 1904, p. 58. — Müller, Wien. Ent.  
Zeit. XXV, 1906, p. 224.
- var. *apicalis* Ragusa, Nat. Sicil. III, 1884, p. 333. Sicilien  
var. *brunnea* Tourn. Rev. Mag. Zool. (2) XXIII, Kaukasus  
1872, p. 280.  
var. *lugubris* Ragusa, Nat. Sicil. III, 1884, p. 333, Sicilien  
t. 3, f. 6.

1

### Hypexilis Horn.

Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 173.

- pallida* Horn, l. c. — Leng, Ent. Amer. VI, 1890, p. 213. Texas

1

### Gracilia Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 81. — Steph. Man. 1839, p. 270.  
— Muls. Col. Fr. Long. ed. 1, 1839, p. 102; ed. 2, 1863, p. 197. — Cast.  
Hist. Nat. II, 1840, p. 446. — Redt. Fauna Austr. 1849, p. 489. —  
J. Lec. Journ. Acad. Philad. (2) 1850, p. 24. — Bach, Käferf. III, 1856,  
p. 23. — Thoms. Classif. Ceramb. 1860, p. 189; Syst. Ceramb. 1864, p. 440.  
— Fairm. Gen. Col. d'Eur. IV, 1864, p. 148. — Schiödte, Nat. Tidkr.  
(3) II, 1864, p. 529. — Thoms. Skand. Col. VIII, 1866, p. 24. — Lacord.  
Gen. Col. VIII, 1869, p. 358. — Fowler, Col. Brit. Isl. IV, 1890, p. 226.  
— Everts, Col. Neerl. II, 1, 1901, p. 361.

*Nothrus* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 43.

*Oesyophila* Bedel, Abeille XXVIII, 1894, p. 156.

- fasciata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 171. Californien  
— Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 118.
- manca* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 24. New York  
— Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 118.
- minuta* F. Spec. Ins. I, 1781, p. 235. — Ol. Ent. IV, Europa,  
68, 1795, p. 41, t. 3, f. 31a, b. — Marsh. Brit. Nord-  
Ins. I, 1802, p. 337. — Latr. Hist. Nat. Crust. amerika  
Ins. XI, 1804, p. 281. — Donov. Brit. Ins. XVI,  
1813, p. 34, t. 553, f. 2. — Steph. Ill. Brit. Ins.  
Mand. IV, 1831, p. 250; Man. 1839, p. 275.  
— Shuck. Brit. Col. 1840, p. 65, t. 75, f. 4. —  
Schiödte, Nat. Tidkr. (3) II, 1864, p. 530.  
— Thoms. Skand. Col. VIII, 1866, p. 25. —  
Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 118;  
Ent. Amer. I, 1885, t. 2, f. 26. — Bedel, Faune  
Col. Seine V, 1889, p. 21. — Fowler, Col. Brit.

- Isl. IV, 1890, p. 226, t. 121, f. 3. — Hansen, Canad. Ent. XXIII, 1891, p. 102, fig. — Wickh. Canad. Ent. XXIX, 1897, p. 110, f. 22. — Everts, Col. Neerl. II, 1, 1901, p. 361. — Houlb. Faune Armor. Ceramb. 1904, p. 43, f. 81. — Csiki, Rov. Lapok XI, 1904, p. 58. — Jacobs. Käfer Russl. 1910, t. 64, f. 24.
- approximata* Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, Bull. p. 159. — Pic, Longic. I, 1891, p. 49.
- fusca* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 24.
- picea* F. Ent. Syst. I, 2, 1792, p. 317.
- pygmaea* F. Ent. Syst. I, 2, 1792, p. 323. — Gyllh. Ins. Succ. I, 4, 1827, p. 89. — Cast. Hist. Nat. II, 1840, p. 446. — Muls. Col. Fr. Long. ed. 1, 1839, p. 103; ed. 2, 1863, p. 198. — Redt. Fauna Austr. 1849, p. 489; ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 411. — Costa, Fauna Regn. Nap. Col. II, 1855, Long. p. 61, t. 36, f. 2. — Bach, Käferf. III, 1856, p. 23. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 205. — Ganglb. Best.-Tab. VII, 1881, p. 64 (742); Rev. d'Ent. III, 1884, p. 201. — Cox, Handb. Col. II, 1874, p. 315. — Seidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 824. — Stierl. Col. Helvet. II, 1898, p. 454.
- vinii* Panz. Faun. Ins. Germ. LXVI, 1799, t. 10. — Creutz. Ent. Vers. 1799, p. 136.
- biologic*: Schmitt, Stett. Ent. Zeit. IV, 1843, p. 105. — Bouillon, Ann. Soc. Ent. Belg. III, 1859, p. 191. — Schiödte, Nat. Tidskr. (3) X, 1876, p. 413, t. 16, f. 11, 12. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 303, f. 468—472. — Nördling, Forstkerfe 1880, p. 41. — Judeich, Forstins. II, 1, 1889, p. 586. — Verhoeff, Ent. Nachr. XVIII, 1892, p. 298. — Sandahl, Ent. Tidskr. XIII, 1892, p. 52. — Xamb. Moeurs & Mét. VIII, 1902, p. 105.
- obliquata* Horn, Trans. Am. Ent. Soc. XII, 1885, p. 174; Texas Ent. Amer. VI, 1890, p. 213.

4

### Lianema Fall.

- Fall, Journ. N. York Ent. Soc. XV, 1907, p. 85. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 331.
- tenuicornis* Fall, Journ. N. York Ent. Soc. XV, 1907, Californien p. 86.

1

### Axinopalpis Dup. et Chevr.

- Dup. & Chevr. in d'Orbigny, Dict. II, 1842, p. 389. — Redt. Gatt. deutsch. Käf.-Faun. 1845, p. 109; Fauna Austr. 1849, p. 490.
- Axinopalpus* Redt. Fauna Austr. ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. ed. 2, 1863, p. 202. — Fairm.

Gen. Col. d'Eur. IV, 1864, p. 129. — Thoms. Syst. Ceramb. 1864, p. 440. — Lacord. Gen. Col. VIII, 1869, p. 359. — Ganglb. Best.-Tab. VII, 1881, p. 689. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182.

*Axinuchus* Gemm. & Har. Cat. Col. IX, 1873, p. 2840.

**gracilis** Kryn. Bull. Mosc. V, 1832, p. 162. — Redt. Österreich, Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. Süd-russland, ed. 2, 1863, p. 202. — Fairm. Gen. Col. d'Eur. Kleinasien IV, 1864, t. 39, f. 177. — Ganglb. Best.-Tab. VII, 1881, p. 65 (743). — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 832. — Csiki, Rov. Lapok XI, 1904, p. 58. — Müller, Wien. Ent. Zeit. XXV, 1906, p. 223. — Pic, Longic. VI, 1, 1906, p. 8. — Jacobs. Käfer Russl. 1910, t. 64, f. 25.

Biologie: Xamb. Ann. Soc. Linn. Lyon XLV, 1893, p. 61; Moeurs & Mét. VII, 1899, p. 101.

var. *laticornis* Pic, Misc. Ent. IV, 1896, p. 35.      Syrien

1

**Ischnorhabda** Ganglb.

Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 64.

**macilentata** Ganglb. l. c.      Szetschuan

1

**Idobrium** Kolbe.

Kolbe, Abh. Senck. Ges. XXVI, 1902, p. 582.

**Voeltzkowi** Kolbe, l. c. p. 583.      Aldabra

1

**Neomicrus** Gah.

Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 98.

**Walkeri** Gah. l. c. p. 99.      Insel Damma

1

**Linopteridius** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 370.

**fuscipleuris** Fairm. l. c. p. 371; Rev. d'Ent. XX, 1901, Madagascar p. 224.

1

**Ambagous** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 370.

**quadricollis** Fairm. l. c.      Madagascar

1

**Linopodius** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 369.

*acutipennis* Fairm. l. c. p. 370.

Madagascar

*longicollis* Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 252.

„

2

**Nisibistum** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 29.

*kaisanum* Thoms. l. c. p. 30.

Ostasien

1

**Tritomacrus** Newm.

Newm. Ent. Mag. I. 1833, p. 510. — Steph. Man. 1839, p. 270. — Lacord. Gen. Col. VIII, 1869, p. 396.

*testaceus* Newm. l. c. — Steph. Man. 1839, p. 275.

(Irland)

1

**XXV. Dodecosini.****Dodecosis** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 27; Trans. Ent. Soc. Lond. 1870, p. 310. — Lacord. Gen. Col. VIII, 1869, p. 398.

*saperdina* Bates, Ent. Month. Mag. IV, 1867, p. 27; Tapajos Trans. Ent. Soc. Lond. 1870, p. 310.

1

**XXVI. Obriini.**

Lacord. Gen. Col. VIII, 1869, p. 360. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 550. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 164.

**Obrium** Curt.

Curt. Brit. Ent. II, 1825, t. 91. — Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 119. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 250. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 93. — Muls. Col. Fr. Long. ed. 1, 1839, p. 97; ed. 2, 1863, p. 204. — Cast. Hist. Nat. II, 1840, p. 445. — Redt. Gatt. deutsch. Käf.-Fauna 1845, p. 108; Fauna Austr. 1849, p. 490. — J. Lee. Journ. Acad. Philad. (2) II, 1850, p. 21. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 179. — Thoms. Skand. Col. VIII, 1866, p. 41. — Leng. Ent. Amer. II, 1886, p. 27, 28. — Bedel, Faune Col. Seine V, 1889, p. 5. — Fowler, Col. Brit. Isl. IV, 1890, p. 227. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 463. — Everts, Col. Neerl. II, 1, 1901, p. 360. — Csiki. Rov. Lapok XI, 1904, p. 35. — Houlb. Faune Armor. Ceramb. 1904, p. 17.

*Diозodes* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 42.*Phyton* Newm. Entomolog. I, 1840, p. 19. — J. Lec. Classif. Col. N. Am. 1873, p. 306; ed. 2, 1883, p. 291. — Leng. Ent. Amer. II, 1886, p. 27, 28.

## Amerikanische Arten.

- albifasciatum** Bates, Trans. Ent. Soc. Lond. 1872, p. 182. Nicaragua  
**angulosum** Bates, Biol. C.-Am. Col. V, 1885, p. 269, Panama  
 t. 19, f. 7.  
**arciferum** Bates, l. c. p. 270, t. 19, f. 11. Guatemala  
**cicatricosum** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, Goyaz  
 p. 686, f. 30.  
**clerulum** Bates, Biol. C.-Am. Col. V, 1885, p. 270, t. 19, Panama  
 f. 5.  
**constricticolle** Schaeffer, Bull. Brookl. Inst. I, 1908, Arizona  
 p. 338.  
**cordicolle** Bates, Trans. Ent. Soc. Lond. 1870, p. 308; Amazon.,  
 Biol. C.-Am. Col. V, 1885, p. 269, t. 19, f. 9. Panama  
**eribripenne** Bates, l. c. p. 271, t. 19, f. 8. Guatemala  
**cruciferum** Bates, l. c. p. 270, t. 19, f. 10. Mexico,  
 Goyaz  
 Californien  
**discoideum** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
 p. 190. — Leng, Ent. Amer. II, 1886, p. 28.  
**laturatum** Bates, Biol. C.-Am. Col. V, 1885, p. 268, t. 19, Guatemala  
 f. 6.  
**maculatum** Ol. Ent. IV, 68, 1795, p. 32, 39, t. 3, f. 33. Nordamerika  
*limum* Newm. Entomolog. I, 1840, p. 18. Mexico  
*pallidum* J. Lec. Journ. Acad. Philad. (2) II,  
 1850, p. 22.  
*pallidum* Say, Journ. Acad. Philad. III, 1823,  
 p. 412. — Hald. Trans. Am. Phil. Soc. (2) X,  
 1847, p. 42. — Leng, Ent. Amer. I, 1885, t. 3,  
 f. 15; II, 1886, p. 28. — Wickh. Canad. Ent.  
 XXIX, 1897, p. 111.  
**moziunae** Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 395. Texas  
**multifarum** Berg, An. Univ. Buenos Aires VI, 1889, Argentinien  
 p. 109.  
**peninsulare** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 338. Californien  
*brunneum* Schaeffer, Journ. N. York Ent. Soc.  
 XII, 1904, p. 223.  
**piperitum** Bates, Biol. C.-Am. Col. V, 1885, p. 269, t. 19, Panama  
 f. 12.  
**rubidum** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 22. Nordamerika  
 — Leng, Ent. Amer. II, 1886, p. 28.  
**ruficolle** Bates, Biol. C.-Am. Col. V, 1885, p. 270. Mexico  
**rufulum** Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 142. Nordamerika  
*rubrum* Leng, Ent. Amer. II, 1886, p. 28. — Wickh.  
 Canad. Ent. XXIX, 1897, p. 111.  
 Biologie: Felt, Ins. aff. Trees 1907, p. 463.  
**vicinum** Goun. Ann. Soc. Ent. Fr. LXXVII, 1909, p. 686. Goyaz

## Paläarktische Arten.

- bicolor** Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 126. Österreich,  
 — Redt. Fauna Austr. ed. 3, 1874, p. 410. — Griechenland  
 Ganglb. Best.-Tab. VII, 1881, p. 64 (742). — Seidl.  
 Fauna Transs. 1891, p. 832.  
 ab. *pallidipes* Pic, Longic. IV, 1, 1902, p. 9. „  
**brunneum** F. Ent. Syst. I, 2, 1792, p. 316. — Panz. Mitteleuropa  
 Fauna Ins. Germ. XXXIV, 1796, t. 15. —  
 Payk. Fauna Suec. III, 1800, p. 79. — Gyllh.  
 Ins. Suec. I, 4, 1827, p. 92. — Muls. Col. Fr.  
 Long. ed. 1, 1839, p. 99; ed. 2, 1863, p. 207.

- Küst. Käf. Eur. II, 1845, p. 55. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 410. — Bach, Käferfaun. III, 1856, p. 24. — C. G. Thoms. Skand. Col. VIII, 1866, p. 42. — Ganglb. Best.-Tab. VII, 1881, p. 64 (742). — Bedel, Faune Col. Seine V, 1889, p. 20. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 468. — Everts. Col. Neerl. II, 1, 1901, p. 360. — Houlb. Faune Armor. Ceramb. 1904, p. 42. — Csiki, Rov. Lapok XI, 1904, p. 58. — Jacobs. Käfer Russl. 1910, t. 64, f. 23.
- Biologie: Estiot, Bull. Soc. Ent. Fr. 1905, p. 142.  
var. *caucasicum* Tourn. Rev. Mag. Zool. (2) XXIII, 1872, p. 279. Kaukasus
- cantharinum** L. Syst. Nat. ed. 12, 1767, p. 637. — Müller, Zool. Dan. Prodr. 1776, p. 95. — F. Spec. Ins. II, 1781, p. 500. — Curt. Brit. Ent. II, 1825, t. 91. — Gyllh. Ins. Succ. I, 4, 1827, p. 91. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 251; Man. Brit. Col. 1839, p. 275. — Blanch. Règne anim. Ins. ed. Masson, 1832, t. 66, f. 7. — Muls. Col. Fr. Long. ed. 1, 1839, p. 97; ed. 2, 1863, p. 205. — Shuek. Brit. Col. 1840, p. 65, t. 75, f. 5. — Cast. Hist. Nat. II, 1840, p. 446, t. 50, f. 5. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, 1874, p. 410. — Bach, Käferfauna III, 1856, p. 24. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 55, f. 259. — C. G. Thoms. Skand. Col. VIII, 1866, p. 42. — Ganglb. Best.-Tab. VII, 1881, p. 742. — Bedel, Faune Col. Seine V, 1889, p. 20. — Fowler, Col. Brit. Isl. IV, 1890, p. 227, t. 121, f. 4. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1894, p. 832. — Stierl. Col. Helvet. II, 1898, p. 468. — Everts, Col. Neerl. II, 1, 1901, p. 360. — Houlb. Faune Armor. Ceramb. 1904, p. 42. — Csiki, Rov. Lapok XI, 1904, p. 57. — Jacobs. Käfer Russl. 1910, t. 64, f. 22. Mittel-  
europa,  
West-  
sibirien
- ferrugineum* F. Spec. Ins. I, 1781, p. 235. — Ol. Ent. IV, 68, 1795, p. 35, t. 2, f. 17. — Payk. Fauna Suec. III, 1800, p. 78. — Panz. Fauna Ins. Germ. XXXIV, 1796, t. 13.
- fuscicornis* Gmel. Syst. Nat. I, 4, 1788, p. 1837. Amur  
Biologie: Xamb. Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 49; Moeurs & Mét. VII, 1899, p. 89; VIII, 1902, p. 103.
- obscuripenne** Pic, Echange XIX, 1904, p. 17.
- Asiatische Arten.
- annulicorne** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 551. Sarawak
- japonicum** Pic, Longic. V, 1, 1904, p. 22. Japan
- longicorne** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 155. „
- longicolle** Jord. Nov. Zool. I, 1894, p. 112, t. 8, f. 1. Timor
- posticum** Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 14; Fauna Brit. Ind. Col. I, 1906, p. 165. Birma

## Polynesische Arten.

- gynandropsidis* Fairm. Rev. Mag. Zool. (2) I, 1849, Taiti, Samoa  
t. 11, f. 4; (2) II, 1850, p. 59.
- laticorne* Fauv. Rev. d'Ent. XXV, 1906, p. 54. Neu-  
caledonien
- oblongoguttulum* Fairm. Pet. Nouv. Ent. II, 1879, Vitiinseln  
p. 289; Ann. Soc. Ent. Fr. (6) I, 1881, p. 474.
- translucidum* Fauv. Rev. d'Ent. XXV, 1906, p. 53. Neu-  
caledonien

## Äthiopische Art.

- circumeinctum* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 5. Usambara  
34

## Ossibia Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 311.
- Acathartus* Fährs. Col. Hefte X, 1872, p. 194.
- Adiaphorus* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 55.
- Obriaccum* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 23.
- fuscata* Chevr. Rev. Mag. Zool. (2) VIII, 1856, p. 570; Westafrika,  
Cent. Long. 1858. nr. 63. — Pasc. Ann. Mag. Südafrika,  
Nat. Hist. (3) XIX, 1867, p. 312. — Thoms. Ostafrika  
Rev. Mag. Zool. (3) VI, 1878, p. 24. — Dist.  
Ins. Transvaal, 1904, p. 116, t. 10, f. 11.
- crinita* Fährs. Öfvers. Vet. Akad. Förh. XXIX,  
1, 1872, p. 55.
- Manzonii* Gestro, Ann. Mus. Civ. Genova (2) VII, 1889, Yemen  
p. 68.
- murina* Gerst. Monatsb. Berl. Akad. 1855, p. 265; Mossambik,  
Peters' Reise, Ins. 1862, p. 323, t. 19, f. 2. Deutsch-  
Ostafrika
- senegalensis* Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 24. Senegal  
4

## Mythozoum Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 25.
- ustulatum* Thoms. l. c. p. 26. Senegal  
1

## Metobrium Gah.

- Gah. Trans. Ent. Soc. Lond. 1890, p. 303.
- elegans* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1888, p. 334, Deutsch-  
t. 3, f. 9. — Gah. Trans. Ent. Soc. Lond. 1890, Ostafrika  
p. 303.
- gazella* Jord. Nov. Zool. X, 1903, p. 138. „  
2

## Calybistum Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 26.
- fuliginosum* Thoms. l. c. p. 27. Senegambia  
1

**Allophyton** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 27.

- biloculare** Thoms. l. c. p. 28. Westafrika  
 „ *ocellatum* Quedf. Berl. Ent. Zeitschr. XXVII, Ostafrika  
 1883, p. 131, t. 1, f. 1.  
**sexmaeulatum** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 6. Fernando Po  
 2

**Armylaena** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 19.

- callidioides** Thoms. l. c. p. 20. Senegambien  
 1

**Aristobrium** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 18.

- cyanipenne** Thoms. l. c. Kapland  
 1

**Synobrium** Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 248.

- pilipes** Kolbe, l. c. p. 249. Usambara  
 1

**Stenobrium** Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 249.

- angusticeps** Kolbe, l. c. p. 250. Usambara  
 1

**Calobrium** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 251.

- Perrieri** Fairm. l. c. Madagascar  
 1

**Iphra** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 552.

- tillomorphoides** Pasc. l. c. Ceram  
 1

**Stenhomalus** White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 243. — Thoms. Syst. Ceramb. 1864, p. 441. — Lacord. Gen. Col. VIII, 1869, p. 362. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 166.

*Stenomalus* Gemm. & Har. Cat. Col. IX, 1873, p. 2841.

- cleroides** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 155. Japan  
**fenestratus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 243. China,  
 t. 8, f. 2. — Gah. Fauna Brit. Ind. Col. I, 1906, Nordindien  
 p. 166, f. 65.

- lateralis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 26. Ceylon  
 — Lacord. Gen. Col. VIII, 1869, p. 362, nota 4.  
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 167.  
**Y-pallidum** Motsch. Bull. Mosc. XXXVI, 1863, I, p. 495. „  
 — Gah. Fauna Brit. Ind. Col. I, 1906, p. 167.

4

**Ibidionidum** Gah.

- Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 14; Fauna Brit. Ind. Col. I, 1906, p. 168.

- Corbetti** Gah. Ann. Mus. Civ. Genova XXXIV, 1894, Birma  
 p. 15, t. 1, f. 3; Fauna Brit. Ind. Col. I, 1906,  
 p. 168, f. 66.

1

**Longipalpus** Montrz.

- Montrz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 275. — Thoms. Syst. Ceramb. 1864, p. 441. — Lacord. Gen. Col. VIII, 1869, p. 363.

- palazyanus** Montrz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 275. Insel Lifu

1

**Araeotis** Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 26; Trans. Ent. Soc. Lond. 1870, p. 309. — Lacord. Gen. Col. VIII, 1869, p. 398.

- fragilis** Bates, Ent. Month. Mag. IV, 1867, p. 26; Trans. Tapajos  
 Ent. Soc. Lond. 1870, p. 309.

1

**Lymernaea** Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 20.

- pieta** Thoms. l. c. p. 21. Brasilien

1

**Urorcites** Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 21.

- cribripennis** Thoms. l. c. p. 22. Chile

1

**Anobrium** Belon.

- Belon, Bull. Soc. Ent. Fr. 1902, p. 333.

- Oberthüri** Belon, l. c. Bolivien

1

**Eumichtus** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 190. — Leng, Ent. Amer. II, 1886, p. 27.

**Oedipus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 190. Vancouver  
— Leng, Ent. Amer. I, 1885, t. 3, f. 14; II, 1886, p. 27.

1

**Cleistimum** Thoms.

Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 30.

**venatum** Thoms. l. c. p. 31.

Australien

1

**Oxilus** Buq.

Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 619. — Lacord. Gen. Col. VIII, 1869, p. 397.

**terminatus** Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 620, Senegal  
t. 14, f. 5.

1

**XXVII. Neostenini.**

Lacord. Gen. Col. VIII, 1869, p. 363.

**Neostenus** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 91. — Thoms. Classif. Ceramb. 1860, p. 285; Syst. Ceramb. 1864, p. 449. — Lacord. Gen. Col. VIII, 1869, p. 364.

*Lysestia* Pasc. Journ. Ent. II, 1865, p. 364.

**morio** Pasc. l. c. p. 365.

West-  
australien  
Südaustralien

**Saundersi** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 91, t. 22, f. 2. — Lacord. Gen. Col. VIII, 1869, t. 84, f. 1.

♂ *rotundicollis* Pasc. Journ. Ent. II, 1865, p. 365, t. 16, f. 5; Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 123.

**spinipennis** Blackb. Trans. R. Soc. S. Austr. XIX, 1895, p. 223.

Zentral-  
australien

3

**Maltheba** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 270.

**flexilis** Pasc. l. c. p. 271.

West-  
australien

1

**Aposites** Pasc.

- Pasc. Journ. Ent. II, 1865, p. 363. — Lacord. Gen. Col. VIII, 1869, p. 365.
- gracilis* Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 198. West-australien
- lanaticollis* Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 61. Südastralien
- macilentus* Pasc. Journ. Ent. II, 1865, p. 364, t. 16, f. 6. „
- niger* Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 62. West-australien
- pubicollis* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 92, t. 3, f. 8. „
- 5

**Mystrosa** Pasc.

- Pasc. Journ. Ent. II, 1864, p. 239. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 366.
- rubiginea* Pasc. Journ. Ent. II, 1864, p. 239, t. 11, f. 2. Südastralien
- 1

**XXVIII. Aphanasiini.**

Lacord. Gen. Col. VIII, 1869, p. 367.

**Aristogitus** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 145. — Lacord. Gen. Col. VIII, 1869, p. 367.
- cylindricus* Thoms. Classif. Ceramb. 1860, p. 157; Syst. Ceramb. 1864, p. 146. Kapland
- 1

**Myrsinus** Gah.

Gah. in Dist. Ins. Transvaal. 1904, p. 116.

- modestus* Gah. l. c. t. 10, f. 21. Transvaal
- 1

**Myrsus** Lacord.

- Lacord. Gen. Col. VIII, 1869, p. 368. — Gah. in Dist. Ins. Transvaal. 1904, p. 117.
- unicolor* Lacord. Gen. Col. VIII, 1869, p. 369, nota 1. Australien?  
— Gah. in Dist. Ins. Transvaal. 1904, p. 117.
- 1

**Aphanasium** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 300; Syst. Ceramb. 1860, p. 404. — Lacord. Gen. Col. VIII, 1869, p. 369.
- Solimnia* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 557.

- australe** Boisd. Voy. Astrol. Ins. II, 1835, p. 480. — Australien  
Thoms. Classif. Ceramb. 1860, p. 300.  
*sublineatum* Pasc. Trans. Ent. Soc. Lond. (3) I,  
1863, p. 558, t. 22, f. 3 ♂; Journ. Linn. Soc.  
Lond. Zool. IX, 1866, p. 134.  
Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
(2) X, 1895, p. 325.

1

## XXIX. Phlyetaenodini.

### **Bardistus** Newm.

- Newm. Entomolog. I, 1841, p. 80. — Thoms. Syst. Ceramb. 1864, p. 405.  
— Lacord. Gen. Col. VIII, 1869, p. 371.
- cibarius** Newm. Entomolog. I, 1841, p. 80. — White in Südwest-  
Grey's Journ. Append. II, 1841, p. 465. — Thoms. australien  
Syst. Ceramb. 1864, p. 137. — Lacord. Gen.  
Col. VIII, 1869, t. 84, f. 2.  
♀ *piceus* Thoms. Syst. Ceramb. 1864, p. 137. —  
Lacord. Gen. Col. VIII, 1869, p. 71 nota.

1

### **Tricheops** Newm.

- Newm. Ent. Mag. V, 1838, p. 171. — Thoms. Syst. Ceramb. 1864, p. 405.  
— Lacord. Gen. Col. VIII, 1869, p. 372.
- ephippiger** Newm. Ent. Mag. V, 1838, p. 171. — Lacord. Neusüdwaes  
Gen. Col. VIII, 1869, p. 372, t. 84, f. 3.

1

### **Astetholea** Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 20. — Broun, Man. N.  
Zealand Col. I, 1880, p. 576.
- Aubreyi** Broun, l. c. p. 577. Neuseeland  
**denticollis** Fauv. Rev. d'Ent. XXV, 1906, p. 45. Neu-  
caldonien
- lepturoides** Bates, Ent. Month. Mag. XIII, 1876, p. 53. Neuseeland  
— Broun, Man. N. Zealand Col. I, 1880, p. 577.
- opacicollis** Fauv. Rev. d'Ent. XXV, 1906, p. 45. Neu-  
caldonien
- pauper** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 21. Neuseeland  
— Broun, Man. N. Zealand Col. I, 1880, p. 577.
- varia** Fauv. Rev. d'Ent. XXV, 1906, p. 45. Neu-  
caldonien

6


### **Astetholida** Broun.

Broun, Man. N. Zealand Col. I, 1880, p. 578.

- lucida** Broun, l. c. Neuseeland

1





**Diotima** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 57. — Lacord. Gen. Col. VIII, 1869, p. 372.

**undulata** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 58, Moretonbay  
t. 2, f. 9 ♀. — Lacord. Gen. Col. VIII, 1869,  
t. 84, f. 4 ♂.

1

**Phlyctaenodes** Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Lacord. Gen. Col. VIII, 1869, p. 373.

*Demacidia* Thoms. Classif. Ceramb. 1860, p. 246.

*Phlyctaenodes* Thoms. Syst. Ceramb. 1864, p. 404.

*Trachelorachys* Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 51;  
Ann. Mag. Nat. Hist. VII, 1841, p. 63; Trans. Zool. Soc. Lond.  
III, 2, 1843, p. 196.

**fasciatus** Gah. Trans. Ent. Soc. Lond. 1893, p. 179.

Tasmanien

**pustulatus** Hope, Proc. Zool. Soc. Lond. VIII, 1840,  
p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64;  
Trans. Zool. Soc. Lond. III, 2, 1843, p. 196.

"

**pustulosus** Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20.

Tasmanien,

— Blanch. Voy. Pole Sud, Zool. IV, 1853, p. 262.

Neusüd-  
wales

*brunneus* Thoms. Classif. Ceramb. 1860, p. 246.

*funicolor* Hope, Proc. Zool. Soc. Lond. VIII, 1840,

p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64;

Trans. Zool. Soc. Lond. III, 2, 1843, p. 196.

*pubescens* Blanch. Voy. Pole Sud, Zool. IV,  
t. 16, f. 4.

3

**Ambeodontus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 374. — Broun, Man. N. Zealand Col. I, 1880, p. 574.

**binodosus** Lacord. Gen. Col. VIII, 1869, p. 374, nota 2.

Australien

**pilosus** Pasc. Journ. Ent. II, 1863, p. 234. — Lacord.  
Gen. Col. VIII, 1869, p. 375 nota.

Südaustralien

**retifer** Lacord. l. c. p. 734, nota 2.

Neuseeland

**tristis** F. Syst. Ent. 1775, p. 186; Ent. Syst. IV, 1794,  
p. 453. — Broun, Man. N. Zealand Col. I, 1880,  
p. 574. — Dohrn, Stett. Ent. Zeit. XLV, 1884,  
p. 281. — Gah. Trans. Ent. Soc. Lond. 1893,  
p. 180.

"

*moestus* Gmel. Syst. Nat. I, 4, 1788, p. 1838.

? *pullus* New. Zoolog. IX, 1851, Append. p. 128.

ab. *trituberculatus* Redt. Reise Novara, Col. 1868,  
p. 188.

4

**Agapanthida** White.

White, Voy. Ereb. and Terr. Ins. 1846, p. 22. — Thoms. Syst. Ceramb. 1864, p. 135. — Lacord. Gen. Col. VIII, 1869, p. 375. — Broun, Man. N. Zealand Col. I, 1880, p. 575.

**pulchella** White, Voy. Ereb. and Terr. Ins. 1846, p. 22, Neuseeland  
t. 4, f. 10. — Lacord. Gen. Col. VIII, 1869,

- p. 375. — Broun, Man. N. Zealand Col. I, 1880,  
p. 575.  
**scutellaris** Pase. Ann. Mag. Nat. Hist. (4) XVII, 1876, Neuseeland  
p. 60. — Broun, Man. N. Zealand Col. I, 1880,  
p. 575.  
2

### **Leptachrous** Bates.

- Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, p. 19. — Broun, Man. N.  
Zealand Col. I, 1880, p. 571.  
**strigipennis** Westw. Arcana Nat. II, 1845, p. 27, t. 56, Neuseeland  
f. 6. — White, Voy. Ereb. Terr. Ins. 1846, p. 19.  
— Broun, Man. N. Zealand Col. I, 1880, p. 572.  
1

### **Votum** Broun.

- Broun, Man. N. Zealand Col. I, 1880, p. 572.  
**mundum** Broun, l. c. p. 573. Neuseeland  
1

### **Pseudocalliprason** Broun.

- Broun, Man. N. Zealand Col. I, 1880, p. 573.  
**marginatum** White, Voy. Ereb. Terr. Ins. 1846, p. 23, Neuseeland  
t. 4, f. 6.  
1

### **Epheus** Broun.

- Broun, Man. N. Zealand Col. IV, 1886, p. 871.  
**costifer** Broun, l. c. Neuseeland  
1

### **Ophryops** White.

- White, Voy. Ereb. and Terr. Ins. 1846, p. 19. — Thoms. Syst. Ceramb.  
1864, p. 448. — Lacord. Gen. Col. VIII, 1869, p. 378. — Broun, Man.  
N. Zealand Col. I, 1880, p. 576.  
**dispar** Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 439, Neuseeland  
t. 13, f. 20. — Broun, Man. N. Zealand Col.  
V, 1893, p. 1277.  
*pallidus* Broun, l. c. I, 1880, p. 576.  
**lentiginosus** Broun, l. c. V, 1893, p. 1279.                    ,,  
**nigropictus** Broun, l. c. p. 1278.                                    ,,  
**pallidus** White, Voy. Ereb. Terr. Ins. 1846, p. 19, t. 4, f. 8.        ,,  
**testaceus** Broun, Man. N. Zealand Col. V, 1893, p. 1278.        ,,  
5

### **Pseudosemnus** Broun.

- Broun, Man. N. Zealand Col. V, 1893, p. 1279.  
**amabilis** Broun, l. c. p. 1280. Neuseeland  
1

**Semnus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 376. — Germain, An. Univ. Chile CI, 1898, p. 766 (sep. p. 144).

*phlyctaenioides* Lacord. Gen. Col. VIII, 1869, p. 376, Brasilien  
nota 2.

*regalis* Germain, An. Univ. Chile LXXXVII, 1894, Chile  
p. 453, t. ?, f. 3; CI, 1898, p. 769 (sep. p. 147),  
t. 2, f. 17.

2

**Ancylodonta** Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 494. — Thoms. Syst. Ceramb. 1864, p. 454. — Lacord. Gen. Col. VIII, 1869, p. 375. — Germain, An. Univ. Chile CI, 1898, p. 756 (sep. p. 134).

*nitidipennis* Germain, l. c. p. 763, t. 2, f. 16. Chile

*tristis* Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 510. — Lacord. Gen. Col. VIII, 1869, p. 376.

*tristis* Blanch. in Gay, Hist. Chile V, 1851, p. 494, „  
t. 28, f. 10.

*granulata* Germain, An. Univ. Chile CI, 1898, p. 760, t. 2, f. 15 (sep. p. 138).

2

**Drascalia** Fairm. & Germ.

Fairm. & Germ. Rev. Mag. Zool. (2) XVI, 1864, p. 387. — Germain, An. Univ. Chile CI, 1898, p. 751 (sep. p. 129).

*praelonga* Fairm. & Germ. Rev. Mag. Zool. (2) XVI, Chile  
1864, p. 388. — Germain, An. Univ. Chile CI,  
1898, p. 754, t. 2, f. 14 (sep. p. 132).

1

**Imerinus** Gah.

Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 460. — Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 252.

*degener* Fairm. l. c. p. 254; XLIII, 1899, p. 548. Madagascar

*granuliferus* Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, „  
p. 460. — Fairm. Ann. Soc. Ent. Belg. XLII,  
1898, p. 253.

*robustus* Fairm. l. c. „

3

**XXX. Tessarommatini.**

Lacord. Gen. Col. VIII, 1869, p. 378.

**Tessaromma** Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Lacord. Gen. Col. VIII, 1869, p. 379.

*Meropachys* Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64; Trans. Zool. Soc. Lond. III, 2, 1843, p. 197.

*Tessaromma* Thoms. Syst. Ceramb. 1864, p. 404.

- nanum** Blackb. Trans. R. Soc. S. Austr. XXIII, 1899, p. 93. Queensland
- sericans** Er. Arch. Naturgesch. VIII, 1842, I, p. 221. Tasmanien
- triste** Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 53; Ann. Mag. Nat. Hist. VII, 1841, p. 64; Trans. Zool. Soc. Lond. III, 2, 1843, p. 197. Südaustralien
- andatum** Newm. Ann. Mag. Nat. Hist. V, 1840, p. 20. — Blanch. Voy. Polc Sud, Zool. IV, 1853, p. 263, t. 16, f. 5. — Lacord. Gen. Col. VIII, 1869, t. 84, f. 5; t. 87, f. 5. Neuholland, Tasmanien
- Mac Leayi* Hope, Proc. Zool. Soc. VIII, 1840, p. 52; Ann. Mag. Nat. Hist. VII, 1841, p. 64; Trans. Zool. Soc. Lond. III, 2, 1843, p. 197.

1

**XXXI. Strongylurini.**

Lacord. Gen. Col. VIII, 1869, p. 379.

**Heterolepis** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 381.

- tmesisternoides** Lacord. l. c. nota 1. Neucaledonien

1

**Aprosictus** Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 331 nota; Trans. Ent. Soc. Lond. (3) III, 1869, p. 549. — Lacord. Gen. Col. VIII, 1869, p. 382.

*Westwoodia* Kaup, Ceramb. Samml. Darmst. 1866, p. (4).

- bilineata** Rits. Notes Leyd. Mus. III, 1881, p. 145. Waigi
- Duivenbodei** Kaup, Ceramb. Samml. Darmst. 1866, p. (4), t. 2, f. 3. — Lacord. Gen. Col. VIII, 1869, p. 382. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 549. Celebes
- intricatus** Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1464. Südaustralien

1

**Piesarthrius** Hope.

Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107; Proc. Zool. Soc. Lond. VIII, 1840, p. 55; Ann. Mag. Nat. Hist. VII, 1841, p. 67; Trans. Zool.

Soc. Lond. III, 2, 1843, p. 200. — Thoms. Syst. Ceramb. 1864, p. 448.  
— Lacord. Gen. Col. VIII, 1869, p. 384. — Galh. Trans. Ent. Soc. Lond.  
1893, p. 181.

*Anatisis* Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 319. —  
Lacord. Gen. Col. VIII, 1869, p. 383.

*Petalodes* Newm. Entomolog. I, 1840, p. 9.

- Frenchi** Blackb. Proc. Linn. Soc. N. S. Wales (2) V, Queensland  
1891, p. 789.
- laminosus** Newm. Entomolog. I, 1840, p. 9, fig. ♂. Südaustralien
- marginellus** Hope, Proc. Zool. Soc. Lond. VIII, 1840, Australien  
p. 55; Ann. Mag. Nat. Hist. VII, 1841, p. 67;  
Trans. Zool. Soc. Lond. III, 2, 1843, p. 200,  
t. 12, f. 1 ♀.
- plagiatus** White, Ann. Mag. Nat. Hist. (3) II,  
1858, p. 354, ♂.
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
(2) VIII, 1893, p. 34.
- Muelleri** Blackb. Trans. R. Soc. S. Austr. XX, 1896, Queensland  
p. 259.

4

### **Opsidota** Pasc.

Pasc. Journ. Ent. II, 1863, p. 235. — Thoms. Syst. Ceramb. 1864, p. 447.  
— Lacord. Gen. Col. VIII, 1869, p. 383.

- aestuosa** Blackb. Trans. R. Soc. S. Austr. XX, 1896, p. 37. Queensland
- albipilosa** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, Südaustralien  
p. 101.
- guttata** Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 64. „
- infecta** Pasc. Journ. Ent. II, 1863, p. 236, t. 11, f. 6. „
- seulpticollis** Blackb. Trans. R. Soc. S. Austr. XXV, Queensland  
1901, p. 33.

5

### **Strongylurus** Hope.

Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107; Proc. Zool. Soc. Lond. VIII,  
1840, p. 54; Ann. Mag. Nat. Hist. VII, 1841, p. 66; Trans. Zool. Soc. Lond.  
III, 2, 1843, p. 199. — Lacord. Gen. Col. VIII, 1869, p. 385.

*Coptopterus* Hope, Trans. Zool. Soc. Lond. I, 1835, p. 107; Proc.  
Zool. Soc. Lond. VIII, 1840, p. 55; Ann. Mag. Nat. Hist. VII,  
1841, p. 66; Trans. Zool. Soc. Lond. III, 2, 1843, p. 200.

*Isalium* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 549.

- ceresioides** Pasc. Journ. Linn. Soc. Lond. Zool. IX, Tasmanien  
1867, p. 308.
- cretifer** Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 55; Sydney  
Ann. Mag. Nat. Hist. VII, 1841, p. 67; Trans.  
Zool. Soc. Lond. III, 2, 1843, p. 200, t. 12, f. 3.
- var. *Odewahni* Pasc. Journ. Ent. II, 1863, p. 235. „
- Lumholtzi** Auriv. Ent. Tidskr. XIV, 1893, p. 162. Queensland
- minor** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII,  
1894, p. 199. „
- orbatus** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, „  
p. 100.
- seutellatus** Hope, Proc. Zool. Soc. Lond. VIII, 1840, Victoria  
p. 54; Ann. Mag. Nat. Hist. VII, 1841, p. 66;

- Trans. Zool. Soc. Lond. III, 2, 1843, p. 199,  
t. 12, f. 2.
- spinus** Fauv. Rev. d'Ent. XXV, 1906, p. 55. Neu-  
caledonien
- thoracicus** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 98. Moretonbay  
Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
(2) X, 1895, p. 326.
- unidens** Fauv. Rev. d'Ent. XXV, 1906, p. 56. Neu-  
caledonien
- 9

### **Exaereta** Pasc.

- Pasc. Journ. of Ent. II, 1865, p. 368. — Lacord. Gen. Col. VIII, 1869, p. 386.
- unicolor** Pasc. Journ. of Ent. II, 1865, p. 369, t. 16, f. 2. Südaustralien  
1

### **Lygesis** Pasc.

- Pasc. Journ. of Ent. II, 1865, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 386.
- cylindricollis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Moretonbay  
p. 18. — Lacord. Gen. Col. VIII, 1869, p. 387.
- mendica** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 62. Neusüdwailes  
Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
(2) IX, 1894, p. 118.
- ornata** Blackb. Trans. R. Soc. S. Austr. XV, 1892, p. 63. Queensland  
3

### **Bebius** Pasc.

- Pasc. Journ. of Ent. II, 1865, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 387.
- filiformis** Pasc. Journ. of Ent. II, 1865, p. 370. Südaustralien
- variegatus** Blackb. Trans. R. Soc. S. Austr. XV, 1892, Victoria  
p. 64.  
2

### **Oxymagis** Pasc.

- Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 101. — Lacord. Gen. Col.  
VIII, 1869, p. 388.
- Grayi** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 101, Neuholland  
t. 3, f. 2.  
1

## XXXII. Uracanthini.

- Thoms. Classif. Ceramb. 1860, p. 150. — Lacord. Gen. Col. VIII, 1869, p. 388.

### **Scolecobrotus** Hope.

- Hope, Proc. Zool. Soc. Lond. I, 1833, p. 64; Trans. Zool. Soc. Lond. I, 1835,  
p. 109. — Thoms. Classif. Ceramb. 1860, p. 143; Syst. Ceramb. 1864, p. 413.  
— Lacord. Gen. Col. VIII, 1869, p. 390.
- simplex** Blackb. Proc. Linn. Soc. N. S. Wales (2) III, Südaustralien  
1889, p. 1465.

- validus** Blackb. l. c. (2) VIII, 1894, p. 199. West-  
australien  
Port Lincoln  
Südaustralien
- variegatus** Blackb. l. c. (2) III, 1889, p. 1466.
- Westwoodi** Hope Proc. Zool. Soc. Lond. I, 1833, p. 64;  
Trans. Zool. Soc. Lond. I, 1835, p. 109, t. 15,  
f. 5; III, 2, 1843, p. 198. — Lacord. Gen. Col.  
VIII, 1869, p. 390.
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
(2) IX, 1894, p. 113. — Best, Victor. Natural.  
XIV, p. 146.

4

### Uracanthus Hope.

Hope, Proc. Zool. Soc. Lond. I, 1833, p. 64; Trans. Zool. Soc. Lond. I,  
1835, p. 108. — Thoms. Classif. Ceramb. 1860, p. 143; Syst. Ceramb. 1864,  
p. 413. — Cast. Hist. Nat. II, 1840, p. 425. — Lacord. Gen. Col. VIII,  
1869, p. 390.

- acutus** Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1890, Victoria  
p. 451.
- bivitta** Newm. Ent. Mag. V, 1838, p. 172. Queensland
- cryptophagus** Olliff, Agric. Gaz. N. S. Wales III, 1892, Australien  
p. 896, t. 57.
- Froggatti** Blackb. Proc. Linn. Soc. N. S. Wales (2) IX, Sydney  
1894, p. 106.
- Biologie: Froggatt, l. c. p. 116.
- fuscocinereus** White, Cat. Col. Brit. Mus. VIII, 1855, Neusüd-wales  
p. 330.
- marginellus** Hope, Proc. Zool. Soc. Lond. VIII, 1840, Südaustralien  
p. 54; Ann. Mag. Nat. Hist. VII, 1841, p. 65;  
Trans. Zool. Soc. Lond. III, 2, 1843, p. 198.
- miniatus** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, „  
p. 92.
- pallens** Hope, Proc. Zool. Soc. Lond. VIII, 1840, p. 53; Tasmanien  
Ann. Mag. Nat. Hist. VII, 1841, p. 65; Trans.  
Zool. Soc. Lond. III, 2, 1843, p. 198.
- simulans** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, Südaustralien  
p. 92.
- strigosus** Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 62. Neusüd-wales
- triangularis** Hope, Proc. Zool. Soc. Lond. I, 1833, p. 64; Neuholland  
Trans. Zool. Soc. Lond. I, 1835, p. 108, t. 15,  
f. 4. — Lacord. Gen. Col. VIII, 1869, t. 88, f. 1.  
**angustatus** Boisd. Voy. Astrol. Ins. II, 1835,  
p. 475. — Cast. Hist. Nat. II, 1840, p. 425.
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
(2) VIII, 1893, p. 29.

11

### Emenica Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 62.

- nigripennis** Pasc. l. c. p. 63, t. 8, f. 2. West-  
australien

1

10\*

**Aethiora** Pasc.

- Pasc. Journ. of Ent. II, 1865, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 391.  
**fuliginea** Pasc. Journ. of Ent. II, 1864, p. 238. — Lacord. Südaustralien  
 Gen. Col. VIII, 1869, p. 391.

1

**Rhinophthalmus** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 152; Syst. Ceramb. 1864, p. 406. —  
 Lacord. Gen. Col. VIII, 1869, p. 391.  
*Stephanops* Shuck. Ent. Mag. V, 1838, p. 509.  
**elongaticeps** Blanch. Voy. Pole Sud, Zool. IV, 1853, Tasmanien  
 p. 306, t. 17, f. 20. — Gah. Trans. Ent. Soc.  
 Lond. 1893, p. 182.  
**marginipennis** Fairm. Natural. I, 1879, p. 75. Nord-  
 australien  
**modestus** Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, Melbourne  
 1889, p. 452.  
**uasutus** Shuck. Ent. Mag. V, 1838, p. 510. — Saund. Tasmanien,  
 Trans. Ent. Soc. Lond. (2) I, 1850, p. 81, t. 4, Neuholland  
 f. 4. — Lacord. Gen. Col. VIII, 1869, t. 88, f. 2.  
 Biologic: Froggatt, Proc. Linn. Soc. N. S. Wales  
 (2) IX, 1894, p. 118.  
**striicollis** Fairm. Natural. I, 1879, p. 75. Australien

5

**XXXIII. Psilomorphini.**

Lacord. Gen. Col. VIII, 1869, p. 392.

**Psilomorpha** W. Saund.

- W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 80. — Thoms. Syst.  
 Ceramb. 1864, p. 406. — Lacord. Gen. Col. VIII, 1869, p. 393. — Broun,  
 Man. N. Zealand Col. I, 1880, p. 579.  
**tenuipes** W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, Neuholland,  
 p. 80, t. 4, f. 1. — Broun, Man. N. Zealand Col. Neuseeland  
 I, 1880, p. 580.

1

**XXXIV. Holopterini.**

Lacord. Gen. Col. VIII, 1869, p. 393.

**Holopterus** Blanch.

- Blanch. in Gay, Hist. Chile V, 1851, p. 475. — Thoms. Syst. Ceramb. 1864,  
 p. 413. — Lacord. Gen. Col. VIII, 1869, p. 394. — Germain, An. Univ.  
 Chile CI, 1898, p. 773 (sep. p. 151).  
**annulicornis** F. Phil. An. Univ. Chile XVI, 1859, p. 674. Chile  
 — Germain, l. c. CI, 1898, p. 780 (sep. p. 158).  
**araneipes** Fairm. Ann. Soc. Ent. Fr. (3) VII,  
 1859, p. 500.

- antarcticus** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 6. Feuerland  
**chilensis** Blanch. in Gay, Hist. Chile V, 1851, p. 476, Chile  
 t. 28, f. 6. — Germain, An. Univ. Chile CI, 1898,  
 p. 791 (sep. p. 169).  
**compressicornis** Fairm. & Germain, Ann. Soc. Ent. „  
 Fr. (3) VII, 1859, p. 501.  
**laevigatus** F. Phil. An. Univ. Chile XVI, 1859, p. 675. „  
 — Germain, l. c. CI, 1898, p. 785 (sep. p. 163),  
 t. 2, f. 18.  
**sublineatus** Fairm. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 273. Mendoza  
*cujanus* Burm. Stett. Ent. Zeit. XXVI, 1865,  
 p. 174.  
 6

### XXXV. Rhagiomorphi.

Lacord. Gen. Col. VIII, 1869, p. 406.

#### Rhagiomorpha Newm.

Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21. — Thoms. Classif. Ceramb. 1860, p. 142; Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 406.

*Physodroma* Thoms. Classif. Ceramb. 1860, p. 150.

- exilis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 58. Moretonbay  
**lepturoides** Boisd. Voy. Astrol. Ins. II, 1835, p. 479. Neuholland  
 — Lacord. Gen. Col. VIII, 1869, t. 88, f. 3.  
*concolor* Heyne, Exot. Käfer 1906, t. 36, f. 12.  
*sexcostata* Thoms. Classif. Ceramb. 1860, p. 150.  
*sordida* Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21.  
**plagiata** Hope, Proc. Ent. Soc. Lond. 1842, p. 50. Neuholland  
**unicolor** Hope, l. c. p. 49. „  
 4

#### Tritocosmia Newm.

Newm. Zoolog. VIII, 1850, Append. p. 115. — Thoms. Classif. Ceramb. 1860, p. 149; Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 407.

- atricilla** Newm. Zoolog. VIII, 1850, Append. p. 115. Neuholland  
 — Blackb. Proc. Linn. Soc. N. S. Wales (2)  
 IV, 1889, p. 1273.  
*Digglesi* Pasc. Trans. Ent. Soc. Lond. (2) V,  
 1859, p. 58. — Waterh. Aid ident. Ins. II, 1890,  
 t. 188, f. 6.  
**latecostata** Fairm. Natural. I, 1879, p. 75. Sydney  
**paradoxa** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 56. Melbourne  
 — Lacord. Gen. Col. VIII, 1869, p. 408, nota 2.  
**Roei** Hope, Trans. Ent. Soc. Lond. I, 1836, p. 17, t. 2, Südaustralien  
 f. 3. — Thoms. Classif. Ceramb. 1860, p. 149.  
**rubea** Pasc. Trans. Ent. Soc. Lond. (2) V, 1858, p. 24. Neusüd-wales  
 5

**Stenopotes** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 216.

**pallidus** Pasc. l. c. p. 217, t. 5, f. 7. — Broun, Man. N. Neuseeland  
Zealand Col. I, 1880, p. 583.

1

**Tropis** Pasc.Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 568. — Lacord. Gen. Col. VIII,  
1869, p. 410.**oculifera** Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21; Tasmanien  
Entomolog. I, 1841. p. 34.

1

**XXXVI. Tropocalymmatini.**

Lacord. Gen. Col. VIII, 1869, p. 408.

**Tropocalymma** Thoms.

Thoms. Syst. Ceramb. 1864, p. 138. — Lacord. Gen. Col. VIII, 1869, p. 409.

**dimidiatum** Newm. Entomolog. I, 1841, p. 34. — Thoms. Queensland  
Syst. Ceramb. 1864, p. 138. — Lacord. Gen.  
Col. VIII, 1869, p. 409.

1

**XXXVII. Stenoderini.***Pterosteninae* Lacord. Gen. Col. VIII, 1869, p. 410.**Aphiorhynchus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 411.

**apicalis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 58. Moretonbay**divisus** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 271. Queensland**maculicornis** W. Saund. Trans. Ent. Soc. Lond. (2) I, Neuholland  
1850, p. 79, t. 4, f. 2. — Gah. l. c. 1893, p. 183.**puleher** Hope, Trans. Ent. Soc. Lond. I, 1834, p. 18. „*lusorius* Pasc. Journ. of Ent. II, 1865, p. 367. „

4

**Stenoderus** Serv.Serv. Enc. méth. Ins. X, 1825, p. 484; Ann. Soc. Ent. Fr. IV, 1835, p. 210.  
— Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 130.*Pterostenus* Lacord. Gen. Col. VIII, 1869, p. 412. — Gah. Trans.  
Ent. Soc. Lond. 1893, p. 183.*Syllitus* Thoms. Syst. Ceramb. 1864, p. 406.**concolor** Mac Leay in King's Surv. Austr. II, 1827, Neuholland  
Append. p. 452. — Blackb. Proc. R. Soc. Victoria  
XII, 1900, p. 230.

- ostricilla** Newm. Zoolog. VIII, 1850, Append. p. 113. Queensland  
**quietus** Newm. Trans. Ent. Soc. Lond. (2) IV, 1857, Moretonbay  
 p. 53. — Blackb. Proc. R. Soc. Victoria XII,  
 1900, p. 230.  
**suturalis** Ol. Ent. IV, 69, 1795, p. 29, t. 3, f. 29. — Neuholland  
 Cast. Hist. Nat. II, 1840, p. 499. — Thoms.  
 Syst. Ceramb. 1864, p. 138. — Gah. Trans.  
 Ent. Soc. Lond. 1893, p. 182.  
*?attenuatus* Weber, Obs. Entomol. 1801, p. 89. Ostindien  
 var. *abbreviatus* F. Syst. El. II, 1801, p. 275. Neusüdwaless  
 — Mac Leay in King's Surv. Austr. II, 1827,  
 Append. p. 451. — Boisd. Voy. Astrol. Ins.  
 II, 1827, Append. p. 451. — Boisd. Voy. Astrol.  
 Ins. II, 1835, p. 521.  
 var. *ceramboides* Kirby, Trans. Linn. Soc. XII,  
 1818, p. 472, t. 23, f. 11. — Boisd. Voy. Astrol.  
 Ins. II, 1835, p. 522.  
 var. *dorsalis* Boisd. l. c. p. 521.  
 var. *labiatus* Pasc. Trans. Ent. Soc. Lond. (2) Victoria  
 V, 1859, p. 24.

4

### Syllitus Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 24; (3) III, 1869, p. 554. —  
 Lacord. Gen. Col. VIII, 1869, p. 413.

#### Arten aus Indo-Australien.

- adonarensis** Jord. Nov. Zool. I, 1894, p. 113, t. 8, f. 2. Insel  
 Adonara  
**albipennis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Morty  
 p. 555.  
**bipunetatus** Waterh. Ent. Month. Mag. XIV, 1877, p. 75. Neuholland  
**deustus** Newm. Entomolog. I, 1841, p. 95. "  
**fulvipennis** Gah. Trans. Ent. Soc. Lond. 1893, p. 184. West-  
 australien  
**grammicus** Newm. Ann. Mag. Nat. Hist. V, 1840, p. 21. Neuholland  
 — Blanch. Voy. Pole Sud IV, 1853, p. 305,  
 t. 17, f. 19. — Gah. Trans. Ent. Soc. Lond. 1893,  
 p. 184.  
 Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales  
 (2) IX, 1894, p. 119.  
**heros** Blackb. Proc. R. Soc. Victoria XII, 1900, p. 231. West-  
 australien  
**microps** Blackb. l. c. p. 232. "  
**papuanus** Gestro, Ann. Mus. Civ. Genova VII, 1875, Neuguinea  
 p. 1021.  
**Parryi** Pasc. Journ. Ent. I, 1862, p. 366. Neuholland  
**rectus** Newm. Entomolog. I, 1841, p. 95. — Lacord. Victoria  
 Gen. Col. VIII, 1869, t. 88, f. 4. — Gah. Trans.  
 Ent. Soc. Lond. 1893, p. 183.  
**tabidus** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 271. West-  
 australien  
**terminatus** Pasc. l. c.  
**uniformis** Blackb. Trans. R. Soc. S. Austr. XVI, 1893, Zentral-  
 p. 197. australien

## Arten aus Chile.

- cylindricus** Germain, An. Univ. Chile CIV, 1899, p. 256 Chile  
(sep. p. 184), t. 3, f. 1.  
**pseudocupes** Fairm. & Germ. Rev. Mag. Zool. (2) XVI, ..  
1864, p. 393.  
16

**Demomisis** Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 309. — Lacord. Gen. Col.  
VIII, 1869, p. 413.  
**filum** Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 310. West-  
australien  
1

**Simocrysa** Pasc.

- Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 272.  
**diseolor** Pasc. l. c. t. 13, f. 7. Südwest-  
australien  
1

**Calliprason** White.

- White in Dieffenb. Trav. N. Zeal. II, 1843, p. 277; Voy. Ereb. Terr. 1846,  
p. 23. — Thoms. Syst. Ceramb. 1864, p. 406. — Lacord. Gen. Col. VIII,  
1869, p. 414. — Broun, Man. N. Zealand Col. I, 1880, p. 582.  
**Sinclairi** White in Dieffenb. Trav. N. Zeal. II, 1843, p. 277; Neuseeland  
Rev. Zool. VIII, 1845, p. 189; Voy. Ereb. Terr.  
1846, p. 23, t. 4, f. 3. — Westw. Arcana Ent.  
II, 1845, p. 27, t. 56, f. 3. — Broun, Man. N.  
Zealand Col. I, 1880, p. 582.  
1

**Drotus** Sharp.

- Sharp, Ent. Month. Mag. XIII, 1877, p. 194. — Broun, Man. N. Zealand  
Col. I, 1880, p. 583.  
**elegans** Sharp, Ent. Month. Mag. XIII, 1877, p. 194. — Neuseeland  
Broun, Man. N. Zealand Col. I, 1880, p. 583.  
1

**Cacodrotus** Broun.

- Broun, Man. N. Zealand Col. V, 1893, p. 1281.  
**bifasciatus** Broun, l. c. Neuseeland  
1

**Drototelus** Broun.

- Broun, Ann. Mag. Nat. Hist. (7) XII, 1903, p. 81.  
**politus** Broun, l. c. p. 82. Neuseeland  
1

**Ceralomus Sharp.**

Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 442. — Broun, Man. N. Zealand Col. V, 1893, p. 1286.

**morosus** Sharp, Trans. R. Dublin Soc. (2) III, 1886, Neuseeland  
p. 442. — Broun, Man. N. Zealand Col. V, 1893,  
p. 1287.

1

**XXXVIII. Macronini.**

Lacord. Gen. Col. VIII, 1869, p. 414.

*Enchapterinae* Thoms. Classif. Ceramb. 1860, p. 151.

**Macrones Newm.**

Newm. Entomolog. I, 1841, p. 33. — Thoms. Syst. Ceramb. 1864, p. 406.  
— Lacord. Gen. Col. VIII, 1869, p. 415.

**acicularis** Pasc. Journ. Ent. I, 1862, p. 368. Adelaide  
**Besti** Blackb. Trans. R. Soc. S. Austr. XXXI, 1907, p. 296. Victoria  
**capito** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 566. Queensland  
— Lacord. Gen. Col. VIII, 1869, t. 88, f. 5.  
**debilis** Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, Victoria  
p. 452.  
**exilis** Newm. Entomolog. I, 1841, p. 33, fig. — W. Saund. Tasmanien  
Trans. Ent. Soc. Lond. (2) I, 1850, p. 78, t. 1, f. 6.  
**rufus** Saund. l. c. t. 1, f. 8. Huntersriver  
**subclavatus** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Sydney  
p. 272.

7

**Enchoptera W. Saund.**

W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 76. — Lacord. Gen. Col.  
VIII, 1869, p. 416.

*Enchaptera* Thoms. Classif. Ceramb. 1860, p. 143; Syst. Ceramb.  
1864, p. 406.

**apicalis** W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, Tasmanien  
p. 77, t. 1, f. 7.  
**nigricornis** W. Saund. l. c. p. 77, t. 1, f. 5. Neusüdwalces

2

**Oroderes W. Saund.**

W. Saund. l. c. p. 81. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord.  
Gen. Col. VIII, 1869, p. 416.

**humeralis** W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, Neusüdwalces  
p. 81, t. 1, f. 3.  
**uniformis** Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, West-  
1889, p. 452. australien

2

**Brachopsis** W. Saund.

W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 79. — Thoms. Syst. Ceramb. 1864, p. 406. — Lacord. Gen. Col. VIII, 1869, p. 417.

**concolor** W. Saund. Trans. Ent. Soc. Lond. (2) I, 1850, p. 79, t. 1, f. 4. Tasmanien

**nupera** Pasc. l. c. (3) I, 1863, p. 565.

Sydney

2

**Myacopterus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 520.

**rufosericans** Fairm. l. c.

Madagascar

1

**XXXIX. Mythodini.**

Lacord. Gen. Col. VIII, 1869, p. 418. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 182.

**Diosyris** Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 508. — Lacord. Gen. Col. VIII, 1869, p. 418.

**miranda** Pasc. Proc. Zool. Soc. Lond. 1866, p. 508, t. 41, f. 7. Penang

1

**Mythodes** Thoms.

Thoms. Syst. Ceramb. 1864, p. 139. — Lacord. Gen. Col. VIII, 1869, p. 419.

**plumosa** Thoms. Syst. Ceramb. 1864, p. 139.

Malay.  
Archip.

1

**Phyodexia** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 182.

**carinata** Pic, Longic. IV, 1902, p. 34.

Tonkin  
Himalaya,  
Assam

**concinna** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273, t. 13, f. 2. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 183, f. 72.

2

**XL. Pseudocephalini.**

*Ametrocephalides* Lacord. Gen. Col. VIII, 1869, p. 420.

**Cyclocranium** Poll.

Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 219.

**Swiestrae** Poll, l. c. p. 220, t. 13, f. 1.

Victoria

1

**Pseudocephalus** Newm.

Newm. Entomolog. I, 1842, p. 353.

*Ametrocephala* Blanch. in Gay, Hist. Chile V, 1851, p. 480. — Lacord. Gen. Col. VIII, 1869, p. 420. — Germain, An. Univ. Chile 1900, p. ? (sep. p. 196).*Attodera* Thoms. Syst. Ceramb. 1864, p. 136.*Orthocéphala* Thoms. Classif. Ceramb. 1860, p. 257.*arietinus* Newm. Zoolog. IX, 1851, Append. p. 137.

Tasmanien

*formicides* Newm. Entomolog. I, 1842, p. 353, fig.

Südaustralien

*mirus* Pasc. Journ. Ent. II, 1865, p. 367; Journ. Linn.

West-

Soc. Lond. Zool. IX, 1866, p. 121. — Lacord.

australien

Gen. Col. VIII, 1869, t. 88, f. 6.

*monstrosus* Blanch. in Gay, Hist. Chile V, 1851, p. 481,

Chile

t. 29, f. 3. — Germain, An. Univ. Chile 1900, p. ? (sep. p. 200), t. 3, f. 2.

4

**Formicomimus** Auriv.

Auriv. Ent. Tidskr. XVIII, 1897, p. 244.

*mirabilis* Auriv. l. c.

Neusüdwaless

1

**XLI. Aphneopini.**

Lacord. Gen. Col. VIII, 1869, p. 422.

**Aphneope** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 567. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 422.

*quadrinaculata* Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 220, t. 13, f. 2.

Queensland

*sericata* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 568, t. 22, f. 1. — Lacord. Gen. Col. VIII, 1869, p. 422.

Port Denison

2

**Zoedia** Pasc.

Pasc. Journ. Ent. I, 1862, p. 361. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 423.

*divisa* Pasc. Journ. Ent. I, 1862, p. 362, t. 17, f. 1. — Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 222.

Tasmanien

*elegans* Waterh. Trans. Ent. Soc. Lond. 1878, p. 236.*gracilipes* Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 223, t. 13, f. 5.

Queensland

*longipes* Poll, l. c. p. 222, t. 13, f. 4.

Neusüdwaless

*tenuis* Poll, l. c. p. 224, t. 13, f. 6.

West-

australien

*triangularis* Pasc. Journ. Ent. I, 1862, p. 361, t. 17, f. 3.

Melbourne

- V-album** Boisd. Voy. Astrol. Ins. II, 1835, p. 485, t. 9, f. 23. — Poll, Tijdschr. v. Ent. XXXIV, 1892, p. 221, t. 13, f. 3. Tasmanien  
6

### Zorion Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 310. — Lacord. Gen. Col. VIII, 1869, p. 423. — Broun, Man. N. Zealand Col. I, 1880, p. 584.
- castum** Broun, l. c. V, 1893, p. 1281. Neuseeland  
**guttigerum** Westw. Arcana Ent. II, 1845, p. 28, t. 56, f. 4. — White, Voy. Ereb. Terr. 1846, p. 20. „  
— Broun, Man. N. Zealand Col. I, 1880, p. 585.  
*Batesi* Sharp, Ent. Month. Mag. XII, 1875, p. 57.  
— Waterh. Trans. Ent. Soc. Lond. 1876, p. 14.  
**minutum** F. Syst. Ent. 1775, p. 192. — Ol. Ent. IV, 70, 1795, p. 57, t. 5, f. 56a—b. — Broun, Man. N. Zealand Col. I, 1880, p. 584. „  
*exiguum* Gmelin, Syst. Nat. I, 4, 1788, p. 1852.  
*fabricianum* Westw. Arcana Ent. II, 1845, p. 28.  
— White, Voy. Ereb. Terr. Ins. 1846, p. 20.  
**opacum** Sharp, Ent. Month. Mag. XXXIX, 1903, p. 109. Insel Chatham  
4

### Gnomodes Broun.

Broun, Man. N. Zealand Col. V, 1893, p. 1232.

- piceus** Broun, l. c. Neuseeland  
1

## XLII. Philini.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 54.

### Doesus Pasc.

Pasc. Journ. Ent. I, 1862, p. 367. — Lacord. Gen. Col. VIII, 1869, p. 161.  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 55.

- taprobanicus** Gah. l. c. p. 56. Ceylon  
**telephoroïdes** Pasc. Journ. Ent. I, 1862, p. 367, t. 17, Ostindien,  
f. 4. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 56. Afrika:  
Nigeria  
2

### Philus Saund.

Saunders, Trans. Ent. Soc. Lond. (2) II, 1853, p. 110. — Thoms. Classif. Ceramb. 1860, p. 284; Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col. VIII, 1869, p. 159. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 57.

- antennatus** Gyllenb. in Schönh. Syn. Ins. III, 1817, Nordchina  
Append. p. 180 ♂. — Lacord. Gen. Col. VIII, 1869, p. 160, t. 83, f. 2. — Heyden. Deutsche Ent. Zeitschr. XXX, 1886, p. 287. — Gah. Ann. Mag. Nat. Hist. (8) V, 1910, p. 347.

*inconspicuus* Saund. Trans. Ent. Soc. Lond. (2)  
II, 1853, p. 110, t. 4, f. 3 ♂, 4 ♀.

♀ *stuposus* Gyllenh. in Schönh. Syn. Ins. III, 1817,  
Append. p. 180.

✓ *costatus* Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 254. Siam  
✓ *globulicollis* Thoms. Classif. Ceramb. 1860, p. 298. — Nordost-  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 57, f. 21. indien  
✓ *ophthalmicus* Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, Borneo  
p. 239.  
✓ *pallescens* Bates, Proc. Zool. Soc. Lond. 1866, p. 350. Formosa  
*rufescens* Pasc. l. c. p. 506. Penang

6

### XLIII. Lepturini.

Leach, Encyclop. Edinb. IX, 1815, p. ?. — Steph. III. Brit. Ent. Mand.  
IV, 1831, p. 253. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 197. — Muls.  
Col. Fr. Long. ed. 2, 1862, p. 35, 437. — C. G. Thoms. Skand. Col. VIII,  
1866, p. 49. — Lacord. Gen. Col. VIII, 1869, p. 424.

*Apatophysides* und *Vesperides* l. c. IX, 1869, p. 234, 236. —  
J. Lec. Classif. Col. N. Am. ed. 1, 1873, p. 327; ed. 2, 1883, p. 312.  
— Ganglb. Best.-Tab. VII, 1881, p. 6 (684) (ex parte). — Scidlitz,  
Fauna Balt. ed. 2, 1891, Gatt. p. 178. — Everts, Col. Neerl. II,  
1, 1901, p. 341. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 68 (ex  
parte).

*Derecephalides* Muls. Col. Fr. Long. ed. 1, 1839, p. 212. — Bach,  
Käferfauna III, 1856, p. 1.

*Prionus* Scop. Annus Hist. Nat. V, 1772, p. 94.

### Vesperoctenus Bates.

Bates, Ent. Month. Mag. XXVII, 1891, p. 159. — Horn, Bull. Calif. Acad.  
(2) IV, 1894, p. 324; Ent. News VI, 1895, p. 114. — Gah. Ent. Month.  
Mag. XXXI, 1895, p. 22.

*Flohri* Bates, l. c. XXVII, 1891, p. 160. — Horn, Bull. Mexico,  
Calif. Acad. (2) IV, 1894, p. 324, t. 8, f. 1—3. Californien

1

### Paraphilus Gah.

Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 255.

*duplex* Gah. l. c. p. 255. China

1

### Vesperus Latr.

Latr. in Cuvier, Règne anim. Ins. II, 1829, p. 129. — Serv. Ann. Soc. Ent.  
Fr. IV, 1835, p. 203. — Cast. Hist. Nat. II, 1840, p. 499. — Redt. Fauna  
Austr. ed. 2, 1858, p. 869; ed. 3, II, 1874, p. 428. — Thoms. Classif. Ceramb.  
1860, p. 145; Syst. Ceramb. 1864, p. 409. — Muls. Col. Fr. Long. ed. 2,  
1863, p. 439. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 180. — Lacord.  
Gen. Col. IX, 1, 1869, p. 237. — Ganglb. Best.-Tab. VII, 1881, p. 8

- (686). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Reitter, Wien. Ent. Zeit. XIV, 1895, p. 130 (Revision).
- Biologie: Mayet, Pet. Nouv. Ent. I, 1874, p. 447.
- Bolivari** Paulino d'Oliveira, Cat. Col. Portug. 1893, p. 330. Portugal  
— Reitter, Revis. p. 130, 132.
- brevicollis** Graells, Mem. Mapa Geol. Esp. 1858, p. 89, Spanien  
t. 5, f. 4. — Reitter, Revis. p. 132.  
var. *hispalensis* Fuente, Butl. Inst. Catal. 1901, „  
p. 6. — Pic, Longic. IV, 2, 1903, p. 10; VII, 1,  
1908, p. 7.  
var. *Sanzi* Reitter, Revis. p. 132.
- conicicollis** Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, Marocco  
p. 69; Abeille XII, 1875, p. 418. — Reitter,  
Revis. p. 132 nota.
- creticus** Ganglb. Stett. Ent. Zeit. XLVII, 1886, p. 310. Creta  
— Reitter, Revis. p. 131 nota.
- flaveolus** Muls. & Rey, Opusc. Ent. XIII, 1863, p. 169; Algier  
Ann. Soc. Linn. Lyon (2) X, 1863, p. 169; Abeille  
XII, 1875, p. 417. — Fairm. Ann. Soc. Ent. Fr.  
(4) VI, 1866, p. 69. — Reitter, Revis. p. 132. —  
Pic, Longic. II, 1898, p. 2.
- luridus** Rossi, Mant. Ins. II, 1794, Append. p. 96, t. 3, Italien,  
f. 1. — Muls. Col. Fr. Long. ed. 1, 1839, p. 216. Süd-  
t. 1, f. k; ed. 2, 1863, p. 443. — Redt. Fauna frankreich,  
Austr. ed. 2, 1858, p. 869; ed. 3, 1874, II, p. 428. Corsica  
— Fairm. Gen. Col. d'Eur. IV, 1864, t. 55,  
f. 261. — Ganglb. Best.-Tab. VII, 1881, p. 41  
(719). — Reitter, Revis. p. 131.  
*graeus* Guér. Icon. règne anim. Ins. 1833, t. 46, f. 2.  
*serraticornis* Rossi, Fauna Etrusea I, 1790,  
p. 148.  
*Solieri* Germ. Fauna Ins. Eur. XVIII, 1836,  
t. 20. — Cast. Hist. Nat. II, 1840, p. 499, t. 54,  
f. 2, 3. — Guér. Icon. règne anim. Ins. 1843,  
p. 251.
- Biologie: Luceiani, Ann. Soc. Ent. Fr. (2) III,  
1845, Bull. p. 111. — Perris, Ann. Soc. Linn.  
Lyon (2) XXIII, 1877, p. 356, f. 531—537.  
— Xambeu, Moeurs & Mét. VIII, 1902, p. 148.
- var. *Fuentei* Pic, Longic. V, 2, 1905, p. 5. — Spanien  
Fuente, Bol. Soc. Esp. Hist. Nat. X, 1910, p. 445.
- ocularis** Muls. & Rey, Opusc. Ent. XIII, 1863, p. 172; Smyrna  
Ann. Soc. Linn. Lyon (2) X, 1863, p. 172;  
Abeille XII, 1875, p. 419. — Reitter, Revis.  
p. 130 nota.
- strepens** F. Ent. Syst. I, 2, 1792, p. 297. — Ol. Ent. Süd-  
IV, 69, 1795, p. 26, t. 1, f. 1. — Latr. Hist. frankreich,  
Nat. Crust. Ins. XI, 1804, p. 312. — Muls. Col. Italien  
Fr. Long. ed. 1, 1839, p. 215; ed. 2, 1863, p. 440.  
— Ganglb. Best.-Tab. VII, 1881, p. 41 (719).  
— Reitter, Revis. p. 131.
- Biologie: Peragallo, Ann. Soc. Ent. Fr. (4) IV,  
1864, Bull. p. 17. — Tappes, Pet. Nouv. Ent.  
I, 1874, p. 437. — Peragallo, l. c. p. 439. —  
Mayet, Ann. Soc. Ent. Fr. (6) X, 1890, Bull.  
p. 189. — Azam, Feuille. Jeun. Nat. XI, 1893,  
p. 11; Ann. Soc. Ent. Fr. LXII, 1893, Bull.

- p. 11. — Viturat, Echange XVII, 1901, p. 6.  
 — Xamb. Moeurs & Mét. VIII, 1902, p. 150.  
 var. *litigiosus* Muls. Col. Fr. Long. ed. 2, 1863,  
 p. 443. — Reitter, Revis. p. 131.

Nizza

- Xatarti** Duf. in Muls. Col. Fr. Long. ed. 1, 1839, p. 219.  
 — Jacq. du Val, Ann. Soc. Ent. Fr. (2) VIII,  
 1850, p. 347, t. 11, f. 6. — Muls. Ann. Soc.  
 Linn. Lyon (2) I, 1853, p. 334; Opusc. Ent. II,  
 1853, p. 121; Col. Fr. Long. ed. 2, 1863, p. 446.  
 — Ganglb. Best.-Tab. VII, 1881, p. 41 (719).  
 — Reitter, Revis. p. 131. — Pic, Longic. IV,  
 2, 1903, p. 9.

Spanien,  
Pyrenäen

- Biologie: Lab. Ann. Soc. Ent. Fr. (5) I, 1871,  
 Bull. p. 81. — Muls. & Licht. Ann. Soc. Linn.  
 Lyon (2) XVIII, 1872, p. 306. — Lucas, Ann.  
 Soc. Ent. Fr. (5) II, 1872, Bull. p. 81; l. c. (5)  
 III, 1873, Bull. p. 93. — Licht. & Mayet, l. c.  
 (5) III, 1873, p. 117, fig.; V, 1875, p. 93. — Licht.  
 l. c. (5) III, 1873, Bull. p. 21, 78; IV, 1874,  
 Bull. p. 227; V, 1875, Bull. p. 13, 31, 220; IX,  
 1879, Bull. p. 25. — Pellet, Abeille XIII, 1875,  
 p. CLXX; XIV, 1876, p. X. — Girard, Ann.  
 Soc. Ent. Fr. (5) IX, 1879, Bull. p. 6, 17, 138.  
 — Bouthery, l. c. Bull. p. 151. — Xamb. l. c.  
 (5) V, 1875, Bull. p. 31; Abeille XIV, 1876,  
 p. LXXXVII; Bull. Ins. Agric. XI, 1886, p. 167;  
 Ann. Soc. Linn. Lyon (2) XL, 1893, p. 135;  
 Moeurs & Mét. VIII, 1902, p. 143. — Noel,  
 Natural. XXVII, 1905, p. 42.

9

**Trypogeus** Lacord.

Lacord. Gen. Col. IX, 1869, p. 236.

**albicornis** Lacord. l. c. nota l.**fuscus** Nonfr. Deutsche Ent. Zeitschr. 1894, p. 209.Penang  
Sumatra

2

**Pachyticon** Thoms.Thoms. Arch. Ent. I, 1857, p. 317; Classif. Ceramb. 1860, p. 145; Syst.  
 Ceramb. 1864, p. 409. — Lacord. Gen. Col. IX, 1869, p. 235.**brunneum** Thoms. Arch. Ent. I, 1857, p. 317.

Kapland

1

**Peithona** Gah.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 71.

**prionoides** Gah. l. c. p. 72, f. 27.

Sikkim

1

**Mantitheus** Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 90.

**pekinensis** Fairm. l. c. — Pic, Ann. Soc. Ent. Belg. China  
 XLIV, 1900, p. 16.

1

**Apatophysis** Chevrol.

- Chevrol. Rev. Mag. Zool. (2) XII, 1860, p. 304. — Thoms. Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col. IX, 1869, p. 234. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 69.
- Baeckmanniana** A. Sem. Rev. Russe d'Ent. VI, 1907, Turkestan  
p. 223.
- barbara** Lucas, Ann. Soc. Ent. Fr. (3) VI, 1858, Bull. Algier  
p. 179. — Fairm. Ann. Soc. Ent. Fr. (4) VI,  
1866, p. 67 ♀ (nicht ♂). — Pic, Bull. Soc. Ent.  
Fr. 1895, p. 384; Echange 1896, p. 61; Longic.  
III, 3, 1901, p. 20.
- toxotoides* Chevrol. Rev. Mag. Zool. (2) XII, 1860,  
p. 304. — Muls. & Rey, Ann. Soc. Linn. Lyon  
(2) X, 1863, p. 175; Opusc. Ent. XIII, 1863,  
p. 175. — Lucas, Ann. Soc. Ent. Fr. (5) VII,  
1877, Bull. p. 51. — Abeille, Bull. Soc. Ent.  
Fr. 1895, p. 274.
- var. *ocularis* Pic, Longic. III, 3, 1901, p. 9, 21.
- caespica** A. Sem. Rev. Russe d'Ent. I, 1901, p. 31. — Transcaspien  
Jacobs. Käfer Russl. 1910, t. 65, f. 6.
- centralis** A. Sem. I. c. p. 32. Turkestan
- kashgarica** A. Sem. I. c. p. 29. Kashgar
- kashmiriana** A. Sem. I. c. — Gah. Fauna Brit. Ind. Kashmir,  
Col. I, 1906, p. 70, f. 26. Thibet
- Komarowi** A. Sem. Horae Soc. Ent. Ross. XXIII, 1889, Transcaspien  
p. 401.
- modica** Gah. Fauna Brit. Ind. Col. I, 1906, p. 71. Persien,  
Beludschistan
- mongolica** A. Sem. Rev. Russe d'Ent. I, 1901, p. 29. Mongolei
- montana** Gah. Fauna Brit. Ind. Col. I, 1906, p. 71. Himalaya
- Roborowskii** A. Sem. Rev. Russe d'Ent. I, 1901, p. 29. Mongolei
- Sieversi** Ganglb. Horae Soc. Ent. Ross. XXI, 1887, p. 21. Peking
- serricornis** Gebl. Bull. Phys. Math. S. Petersb. I, 1843, Dsungarei,  
p. 39. Süd-russland
- obtusicollis* Motsch. Bull. Acad. S. Petersb.  
II, 1860, p. 538; Mélang. Biol. III, 1861, p. 444;  
Nunq. otios. III, 1879, p. 469.
- spincornis* Gebl. Bull. Mosc. XXXII, 2, 1859,  
p. 349.
- tomentosa* Gebl. Bull. Phys. Math. Acad. S.  
Petersb. III, 1845, p. 105; Bull. Mosc. XXXIII,  
2, 1860, p. 30. — Faust, Horae Soc. Ent. Ross.  
XIV, 1878, p. 113. — Ganglb. Best.-Tab. VII,  
1881, p. 41 (719); Horae Soc. Ent. Ross. XXII,  
1888, p. 193.
- sinica** A. Sem. Rev. Russe d'Ent. I, 1901, p. 30. China

**Rhagium** F.

- F. Syst. Ent. 1775, p. 182. — Payk. Fauna Succ. III, 1800, p. 66. —  
Gyllenh. Ins. Succ. I, 4, 1827, p. 44. — Zett. Fauna Ins. Lapp. I, 1828,  
p. 372. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 253. — Serv. Ann.  
Soc. Ent. Fr. IV, 1835, p. 205. — Curtis, Brit. Ent. 1839, t. 750. — Muls.  
Col. Fr. ed. I, 1839, p. 222; ed. 2, 1863, p. 451. — Cast. Hist. Nat. II, 1840,  
p. 500. — Redt. Gatt. deutsch. Käfer 1845, p. 112; Fauna Austr. 1849,

p. 502; ed. 2, 1858, p. 870; ed. 3, II, 1874, p. 428. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 319. — Bach, Käferfauna Deutschl. III, 1856, p. 42. — C. G. Thoms. Skand. Col. VIII, 1866, p. 49. — Cox, Handb. Col. II, 1874, p. 308. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686). — Bedel, Faune Col. Seine V, 1889, p. 5. — Fowler, Brit. Col. IV, 1890, p. 230. — Everts, Col. Neerl. II, 1, 1901, p. 347. — Csiki, Rov. Lapok X, 1903, p. 100.

*Stenocorus* Lam. Syst. Anim. sans Vert. 1801, p. 235.

*Stenocorus* Ol. Ent. IV, 69, 1795, p. 1 (ex parte). — Thoms. Classif.

Ceram. 1860, p. 144; Syst. Ceram. 1864, p. 409. — Fairm.

Gen. Col. IV, 1864, p. 181. — Lacord. Gen. Col. VIII, 1869, p. 428.

— Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 183.

Subgen. *Hargium* Samouelle, Ent. Comp. 1819, p. 210.

*Allorhagium* Kolbe, Ent. Nachr. X, 1884, p. 270.

Biologic: Kolbe, l. c. p. 237—250, 269—280.

### Subgen. *Rhagium* s. str.

- *bifasciatum* F. Syst. Ent. 1775, p. 183; Syst. El. II, 1801, p. 314. — Sulzer, Gesch. Ins. 1776, p. 45, t. 5, f. 8. — Martyn, Engl. Ent. 1792, t. 25, f. 18. — Donovan, Brit. Ins. III, 1794, p. 59, t. 94, f. 1. — Ol. Ent. IV, 69, 1795, p. 11, t. 1, f. 6; t. 2, f. 14. — Marsh. Ent. Brit. I, 1802, p. 342. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 307. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 254. — Guér. Ieon. règne anim. Ins. 1829—44, p. 251, t. 46, f. 3. — H. Schaeff. in Panz. Fauna Ins. Germ. CXVIII, 1830, t. 1. — Muls. Col. Fr. Long. ed. 1, 1839, p. 222; ed. 2, 1863, p. 458. — Cast. Hist. Nat. II, 1840, p. 500, t. 54, f. 4. — Redt. Fauna Austr. 1849, p. 502; ed. 2, 1858, p. 870; ed. 3, II, 1874, p. 429. — Bach, Käferfauna III, 1856, p. 42. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 540. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 263. — Fowl. Brit. Col. IV, 1890, p. 232, t. 121, f. 9. — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 834. — Everts, Col. Neerl. II, 1, 1901, p. 343. — Csiki, Rov. Lapok X, 1903, p. 102. — Houlb. Faune Ent. Armor. Ceram. 1904, p. 26, f. 48. — Pie, Long. VII, 2, 1910, p. 17—20 (Synopsis). — Jacobs. Käfer Russl. 1910, t. 63, f. 9.
- anglicum* Gmel. Syst. Nat. I, 4, 1790, p. 1844.
- elegans* Herbst in Füessly, Archiv VII, 1786, p. 170, t. 45, f. 12.
- maculatum* Goeze, Ent. Beytr. I, 1777, p. 462. — Laich. Tyr. Ins. II, 1784, p. 116.
- parisinum* Geoffr. in Fourer. Ent. Par. I, 1785, p. 85.
- varium* Voet, Cat. Syst. Col. II, 1804—06, p. 29, t. 25, f. 3.
- ab. *bicolor* Ol. Ent. IV, 69, 1795, p. 16, t. 1, f. 4. — Pie, Synops. p. 20.
- dorsale* Marsh. Ent. Brit. I, 1802, p. 343. — Donovan, Brit. Ins. XI, 1806, p. 97, t. 395, f. 1.
- Ecoffeti* Muls. Col. Fr. Long. ed. 1, 1839, p. 222.
- ornatum* F. Syst. Ent. 1775, p. 183; Syst. El. II, 1801, p. 315. — Chevr. Ann. Soc. Ent. Fr. (2) IX, 1851, p. 664.

England,  
Holland,  
Belgien,  
Frankreich,  
Deutsch-  
land,  
Dänemark,  
Österreich,  
Schweiz

- ab. *bimaculatum* Marsh. Ent. Brit. I, 1802, p. 343.  
 ab. *Deyrollei* Pic, Echange XXV, 1909, p. 123.  
 — Pic, Synops. p. 19. Trapezunt  
 ab. *Gravei* Hubenthal, Deutsche Ent. Zeitschr.  
 1902, p. 291. — Pic, Synops. p. 19.  
 ab. *infasciatum* Pic, Longic. II, 1898, p. 3;  
 Synops. p. 18.  
 ab. *latefasciatum* Pic, l. c. I, 1891, p. 2.  
*fasciatum* Pic, l. c. Addenda p. (69); II, 1898,  
 p. 3; Synops. p. 19.  
 ab. *lituratum* Fügner, Deutsche Ent. Zeitschr.  
 1891, p. 201. — Pic, Longic. II, 1898, p. 3;  
 Synops. p. 19.  
 ab. *medionotatum* Pic, Synops. p. 20.  
 ab. *nigrolineatum* Donovan, Brit. Ins. X, 1801,  
 p. 73, t. 353, f. 1. — Marsh. Ent. Brit. I, 1802,  
 p. 343.  
 ab. *rufum* Prell, Ent. Blätter IV, 1908, p. 136.  
 — Pic, Synops. p. 19.  
 ab. *unifasciatum* Muls. Col. Fr. Long. ed. I,  
 1839, p. 222. — Pic, Longic. I, 1891, p. 2; II,  
 1898, p. 3; Synops. p. 19. — Csiki, Rov. Lapok  
 X, 1903, p. 103.  
 Biologie: Chap. & Cand. Mém. Soc. Sc. Liège  
 VIII, 1853, p. 588, t. 8, f. 4. — Letzner, Arb.  
 Schles. Ges. nat. Kult. 1857, p. 136. — Schiödte,  
 Nat. Tidskr. (3) X, 1875, p. 420. — Kolbe,  
 Ent. Nachr. X, 1884, p. 272. — Xamb. Moeurs  
 & Mét. VIII, 1902, p. 116.
- fasciculatum** Fald. Fauna Transc. II, 1837, p. 304,  
 t. 10, f. 8. — Ganglb. Best.-Tab. VII, 1881,  
 p. 40 (718). Kaukasus  
*rufipes* Motsch. Bull. Mosc. XI, 1838, p. 184,  
 t. 3, f. 9; XII, 1839, p. 49.
- mordax** Degeer, Mém. V, 1775, p. 124, t. 4, f. 6. — Thunb.  
 Mus. Nat. Ups. IV, 1787, p. 58, nota 21. —  
 Ol. Ent. IV, 69, 1795, p. 7, t. 2, f. 12. — C. G.  
 Thoms. Skand. Col. VIII, 1866, p. 51. — Ganglb.  
 Best.-Tab. VIII, 1881, p. 40 (718). — Seidl.  
 Fauna Balt. ed. 2, 1891, p. 740: Fauna Transc.  
 1891, p. 834. — Everts, Col. Neerl. II, 1, 1901,  
 p. 349. — Csiki, Rov. Lapok X, 1903, p. 103.  
 — Houlb. Faune Ent. Armor. Ceramb. 1903,  
 p. 26, f. 47. — Jacobs. Käfer Russl. 1910, t. 63, f. 7.  
*bifasciatum* Schrank, Enum. Ins. 1781, p. 137.  
*inquisitor* Stroem, Thronhj. Vid. Selsk. Skrift.  
 III, 1765, p. 392, t. 6, f. 3; Kiöb. Vid. Selsk.  
 Skrift. (2) I, 1781, p. 103, t. 1, f. 3. — F. Mant.  
 Ins. I, 1787, p. 145; Ent. Syst. I, 2, 1792, p. 304;  
 Syst. El. II, 1801, p. 313. — Martyn, Engl.  
 Ent. 1795, t. 25, f. 19. — Payk. Fauna Succ.  
 III, 1800, p. 66. — Panz. Fauna Ins. Germ.  
 LXXXII, 1801, t. 4. — Latr. Hist. Nat. Crust.  
 Ins. XI, 1804, p. 307. — Gyllenh. Ins. Succ.  
 I, 4, 1827, p. 45. — Zett. Fauna Ins. Lapp. I,  
 1828, p. 372. — Steph. Ill. Brit. Ent. Mand.  
 IV, p. 254. — Muls. Col. Fr. Long. ed. I, 1839,  
 p. 225; ed. 2, 1863, p. 453. — Curtis, Brit.
- Europa,  
 West-  
 sibirien

- Ent. XVI, 1839, t. 750. — Shuck. Brit. Col. 1840, p. 67, t. 78, f. 3. — Cast. Hist. Nat. II, 1840, p. 500. — Redt. Fauna Austr. 1849, p. 503; ed. II, 1858, p. 870; ed. 3, II, 1874, p. 429. — Bach, Käferfauna III, 1856, p. 42. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 539. — Fowler, Brit. Col. IV, 1890, p. 231.
- inquisitor* var.  $\beta$  L. Syst. Nat. ed. 10, 1758, p. 393; Fauna Succ. ed. 2, 1761, p. 190; Syst. Nat. ed. 12, 1767, p. 631. — F. Syst. Ent. 1775, p. 183; Spec. Ins. I, 1781, p. 229.
- Linnei* Laich. Tyr. Ins. II, 1784, p. 122.
- vulgare* Samouelle, Ent. Comp. 1819, p. 210.
- Biologie: Degeer, Mém. V, 1775, p. 398, t. 12, f. 6, 7. — Stroem, Kiøb. Vid. Selsk. Skrivt. (2) I, 1781, p. 100, t. 1, f. 1, 2. — Kollar, Naturg. Ins. 1837, p. 385. — Westw. Introd. I, 1839, p. 370, f. 44, 21. — Cand. Mém. Soc. Sc. Liége VIII, 1853, t. 8, f. 6. — Goureau, Ins. nuis. 1867, p. 45. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 419, 445—446. — Borre, Ann. Soc. Ent. Belg. XXV, 1881, Bull. p. 149, t. 4, f. 1, 2. — Kolbe, Ent. Nachr. X, 1884, p. 247, 248. — Xambeu, Moeurs & Mét. VIII, 1902, p. 118.
- var. *caucasicum* Reitter, Deutsche Ent. Zeitschr. 1889, p. 287.
- pygmaeum* Ganglb. Best.-Tab. VII, 1881, p. 40 (718). — Radde, Fauna und Flora Caspigegeb. 1886, p. 234.
- ab. *Rosti* Pic, Longic. III, 1898, p. 18.
- sycephanta* Schrank, Enum. Ins. 1781, p. 137. — Ganglb. Best.-Tab. VII, 1881, p. 40 (718). — Seidl. Fauna Balt. ed. 2, 1891, p. 740. — Everts, Col. Neerl. II, 1, 1901, p. 348. — Csiki, Rov. Lapok X, 1903, p. 103. — Houlb. Faune Ent. Armor. 1904, p. 25, f. 46. — Jacobs. Käfer Russl. 1910, t. 63, f. 6.
- cephalotes* Voet, Cat. Syst. Col. II, 1804—06, p. 29, t. 25, f. 1. — Muls. Col. Fr. Long. ed. 1, 1839, p. 224.
- grandiceps* Thoms. Skand. Col. VIII, 1866, p. 50.
- inquisitor* Ol. Ent. IV, 69, 1795, p. 9, t. 2, f. 11.
- mordax* Herbst in Füessly, Archiv V, 1784, p. 92, t. 25, f. 14. — F. Mant. Ins. I, 1787, p. 145; Ent. Syst. I, 2, 1792, p. 303; Syst. El. II, 1801, p. 313. — Panz. in Voet, Besch. hartschal. Ins. IV, 1798, p. 2, t. 25, f. 1; Fauna Ins. Germ. LXXXII, 1801, t. 3. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 306. — Gyllenh. Ins. Succ. I, 4, 1827, p. 44. — Muls. Col. Fr. Long. ed. 1, 1839, p. 224; ed. 2, 1863, p. 453. — Cast. Hist. Nat. II, 1840, p. 500. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 870; ed. 3, II, 1874, p. 429. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 538.
- scrutator* Ol. Ent. IV, 69, 1795, p. 10, t. 3, f. 21. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 307.
- Biologie: Heeger, Sitzb. Akad. Wiss. Wien XXIX, 1858, p. 104, t. 2. — Schiödte, Nat.

Kaukasus

„

Persien  
Südschweden,  
Holland,  
Belgien,  
Frankreich,  
Deutschland,  
Österreich,  
Russland,  
West-sibirien

- Tidskr. (3) X, 1875, p. 418, 446, t. 17, f. 1—7.  
 — Ganglb. Best.-Tab. VII, 1881, t. 22, f. 1. —  
 Kolbe, Ent. Nachr. X, 1884, p. 247.  
 ab. *latefasciatum* Müller, Zeitschr. Ent. Bresl.  
 (2) XV, 1890, p. 21.  
 var. *syriacum* Pic, Ann. Soc. Ent. Fr. LXI,  
 1892, p. 414; Longic. VI, 2, 1907, p. 3.  
*phrygium* Dan. Münch. Kol. Zeitschr. III, 1906,  
 p. 176.

Schlesien

Syrien

Subgen. *Hargium* Samouelle.

- inquisitor* L. Syst. Nat. ed. 10, 1758, p. 393; Fauna  
 Suec. ed. 2, 1761, p. 199; Syst. Nat. ed. 12,  
 1767, p. 639. — F. Syst. Ent. 1775, p. 183;  
 Spec. Ins. I, 1781, p. 229. — Degger, Mém.  
 V, 1775, p. 126, t. 4, f. 7, 8. — Samouelle, Ent.  
 Comp. 1819, p. 210. — C. G. Thoms. Skand.  
 Col. VIII, 1856, p. 51. — Ganglb. Best.-Tab.  
 VII, 1881, p. 40 (718). — Seidl. Fauna Balt.  
 ed. 2, 1891, p. 749; Fauna Transs. 1891, p. 834.  
 — Everts, Col. Neerl. II, 1, 1901, p. 348. —  
 Csiki, Rov. Lapok X, 1903, p. 142. — Houlb.  
 Faune Ent. Armor. 1904, p. 27, f. 49. — Matsum.  
 Thous. Ins. Jap. III, 1908, nr. 731, t. 55, f. 5.  
 — Jacobs. Käfer Russl. 1910, t. 63, f. 8.  
*cephalotes minor* Voet, Cat. Syst. Col. II, 1804—  
 1806, p. 29, t. 25, f. 2.  
*exile* Gmel. Syst. Nat. I, 4, 1790, p. 1844.  
*indagator* F. Mant. Ins. I, 1787, p. 145; Ent.  
 Syst. I, 2, 1792, p. 364; Syst. El. II, 1801, p. 313.  
 — Ol. Ent. IV, 69, 1795, p. 12, t. 2, f. 13. —  
 Panz. in Voet, Besch. hartschal. Ins. IV, 1798,  
 p. 4, t. 25, f. 2; Fauna Ins. Germ. LXXXII,  
 1801, t. 5. — Payk. Fauna Suec. III, 1800,  
 p. 67. — Gyllh. Ins. Suec. I, 4, 1827, p. 46. —  
 Zett. Fauna Ins. Lapp. I, 1828, p. 373. — Steph.  
 Ill. Brit. Ent. Mand. IV, 1831, p. 254. — Muls.  
 Col. Fr. Long. 1839, p. 227; ed. 2, 1863, p. 456.  
 — Cast. Hist. Nat. II, 1840, p. 500. — Redt.  
 Fauna Austr. 1849, p. 592; ed. 2, 1858, p. 870;  
 ed. 3, II, 1874, p. 429. — Bach, Käferfauna  
 II, 1856, p. 42. — Schiödte, Nat. Tidskr. (3)  
 II, 1864, p. 540. — Fowler, Brit. Col. IV, 1890,  
 p. 231.  
*indagatrix* Latr. Hist. Nat. Crust. Ins. XI,  
 1804, p. 368.  
*investigator* Muls. Col. Fr. Long. 1839, p. 227.  
*minutum* F. Mant. Ins. I, 1787, p. 146; Ent.  
 Syst. I, 2, 1792, p. 396; Syst. El. II, 1801, p. 315.  
 — Ol. Ent. IV, 69, 1795, p. 15, t. 1, f. 3. — Latr.  
 Hist. Nat. Crust. Ins. XI, 1804, p. 368. —  
 Muls. Col. Fr. Long. 1839, p. 227; ed. 2, 1863,  
 p. 455.  
*nubecula* Bergstr. Nomencl. I, 1778, p. 25, t. 4, f. 4.  
 Biologie: Ratzeb. Forstins. I, 1837, p. 195,  
 t. 17, f. 5. — Duf. Ann. Soc. Ent. Fr. IX, 1830,  
 p. 63, t. 5, f. 1—5. — Zebe. Stutt. Ent. Zeit.

Europa,  
Sibirien,  
Japan

- I, 1840, p. 61. — Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 469; (3) V, 1857, t. 8, f. 393—396. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 420, 446, t. 17, f. 8, 9. — Borre, Ann. Soc. Ent. Belg. XXV, 1881, Bull. p. 119, t. 4, f. 1, 2. — Bargaglii, Bull. Soc. Ent. Ital. XV, 1883, p. 165. — Kolbe, Ent. Nachr. X, 1884, p. 247, 275. — Judeich, Forstins. II, 1, 1889, p. 570, f. 180 C. — Xamb. Moeurs & Mét. VIII, 1902, p. 114.
- var. *fortipes* Reitter, Deutsche Ent. Zeitschr. 1898, p. 357. Syrien
- ab. *japonicum* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 209. Japan
- var. *lineatum* Ol. Ent. IV, 69, 1795, p. 13, t. 3, f. 22. — Kirby, Fauna Bor.-Am. Ins. 1837, p. 178. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 319. — Leng, Ent. Amer. VI, 1890, p. 65. — Wickh. Canad. Ent. XXIX, 1897, p. 170. Nordamerika
- investigator* Mannerh. Bull. Mosc. XXV, 1, 1852, p. 367. — J. Lec. Proc. Acad. Philad. 1860, p. 316.
- Biologie: Harris, Ins. of Massach. 1842, p. 93. — Pack. Ins. inj. Trees 1881, p. 163; Rep. Ent. Comm. III, 1883, t. 11, f. 1, 2. — Felt, Ins. aff. Trees 1907, p. 366, t. 64, f. 1.
- rugipennis** Reitter, Deutsche Ent. Zeitschr. 1898, p. 357. Irkutsk
- Schtschukini** Semen. Horae Ent. Ross. XXXI, 1897, p. 601. Kaukasus
- sinense** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1900, p. 638. China

9

### Xenophyrama Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 210.

- purpureum** Bates, l. c. t. 1, f. 1. Japan

1

### Enoploderes Fald.

Fald. Fauna Transc. II, 1837, p. 309. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686).

*Xylostylon* Reitter, Verh. zool.-bot. Ges. Wien XXIX, 1879, p. 484.

- sanguineum** Fald. Fauna Transc. II, 1837, p. 319, t. II, f. 2. — Ganglb. Best.-Tab. VII, 1881, p. 39 (717). — Jacobs. Käfer Russl. 1910, t. 67, f. 25. Kaukasus
- Lederi* Reitter, Ent. Nachr. V, 1879, p. 82; Verh. zool.-bot. Ges. Wien XXIX, 1879, p. 485; Wien. Ent. Zeit. I, 1882, p. 67.

1

### Rhamnusium Latr.

Latr. in Cuv. Règn. anim. ed. 2. Ins. II, 1829, p. 130. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 204. — Muls. Col. Fr. Long. ed. 1, 1839, p. 220; ed. 2, 1863, p. 449. — Redt. Gatt. deutsch. Käferfauna 1845, p. 112. — Bach,

Käferfauna III, 1856, p. 41. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 409. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 182. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 536. — Lacord. Gen. Col. VIII, 1869, p. 430. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 183. — Everts, Col. Neerl. II, 1, 1901, p. 349. — Pic, Longic. III, 3, 1901, p. 29—31 (Synopsis). — Csiki, Rov. Lapok X, 1903, p. 100.

- algericum** Pic, Rev. Sc. Bourb. IX, 1896, p. 102; Longic. II, 1898, p. 15; Synops. p. 30. Algerien  
 ab. *nigrum* Pic, Longic. VI, 1, 1906, p. 4.  
 ab. *testaceum* Pic, Rev. Sc. Bourb. IX, 1896, p. 102; Synops. p. 30.
- bicolor** Schrank, Enum. Ins. 1781, p. 132. — Muls. Col. Fr. Long. ed. 2, 1863, p. 450. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 264. — Ganglb. Best.-Tab. VII, 1881, p. 39 (717). — Seidl. Fauna Balt. ed. 2, 1891, p. 741. — Everts, Col. Neerl. II, 1, 1901, p. 349. — Pic, Synops. p. 31. — Csiki, Rov. Lapok X, 1903, p. 103. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 27, f. 51. — Jacobs. Käfer Russl. 1910, t. 63, f. 10. Mittel- und Südeuropa, Sibirien
- etruscum* Rossi, Fauna Etrusca I, 1790, p. 149, t. 1, f. 4.  
*rubroviolaceum* Geoffr. in Fourcr. Ent. Paris I, 1785, p. 86. — Pall. Icones t. F, f. 27.  
*ruficollis* Herbst in Füessly, Arch. V, 1784, p. 92, t. 25, f. 13.  
*salicis* F. Mant. Ins. I, 1787, p. 154. — Rossi, Mant. Ins. I, 1792, p. 51. — Ol. Ent. IV, 69, 1795, p. 22, t. 1, f. 5. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 309. — Muls. Col. Fr. Long. 1839, p. 220. — Redt. Fauna Austr. 1849, p. 502; ed. 2, 1858, p. 570; ed. 3, II, 1874, p. 428. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 536.  
*Schranki* Laich. Tyr. Ins. II, 1784, p. 118.  
 ab. *ambustum* Heyd. Jahrb. Ver. Nass. XXIX—XXX, 1876—77, p. 394. — Pic, Synops. p. 31.  
 ab. *atripenne* Bedel, Abeille XXIX, 1892, p. 43. — Pic, Synops. p. 30.  
 ab. *capitale* Pic, Longic. II, 1898, p. 2; Synops. p. 31.  
 ab. *glaucopterum* Schaller, Schrift. Nat. Ges. Halle I, 1783, p. 284, t. 1, f. 4. — Muls. Col. Fr. Long. 1839, p. 221. — Pic, Longic. I, 1891, p. 1; Synops. p. 31. — Csiki, Rov. Lapok X, 1903, p. 103.  
 ? *virgo* Voet, Cat. Col. II, 1778, p. 13, t. 11, f. 47; ed. Panzer III, 1794, p. 33, t. 11, f. 47.  
 ab. *humérale* Bedel, Abeille XXIX, 1892, p. 43. — Pic, Longic. II, 1898, p. 2; Synops. p. 31.  
 ab. *inapicale* Pic, Synops. p. 31.  
 Biologie; Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 589, t. 8, f. 5. — Kolbe, Ent. Nachr. X, 1884, p. 246, 278. — Decaux, Feuille Jeun. Nat. XIX, 1889, p. 3; Ann. Soc. Ent. Fr. LXI, 1892, Bull. p. 166; Natural. XV, 1893, p. 178, f. 2, 3. — Buysson, Ann. Soc. Ent. Fr. LXII, 1893, p. 225. — Xamb. Moeurs & Mét. VIII, 1902, p. 119.  
**Delagrangi** Pic, Synops. p. 31. Smyrna

- gracilicorne* Théry, Bull. Soc. Ent. Fr. 1894, p. 265. — Deutschland,  
Pic, Longic. II, 1898, p. 3; Synops. p. 31. Frankreich  
ab. *limbatum* Pic, Rev. Sc. Bourb. 1897, p. 30; Griechenland  
Synops. p. 31.
- graecum* Schauf. Ann. Soc. Ent. Fr. (4) II, 1862, p. 311. „  
— Pic, Synops. p. 30. — Csiki, Rov. Lapok  
X, 1903, p. 103.
- ab. *geniculatum* Pic, l. c. „  
ab. *juglandis* Fairm. Ann. Soc. Ent. Fr. (4) VI, Kleinasien  
1866, p. 276.
- ab. *praeustum* Reitter, Wien. Ent. Zeit. XIV, Syrien  
1895, p. 85. — Pic, Bull. Soc. Ent. Fr. 1895,  
p. 225; Synops. p. 30.
- testaceipenne* Pic, Bull. Soc. Hist. Nat. Autun X, 1897, Kaukasus  
p. 299; Longic. II, 1898, p. 18.
- var. *anatolicum* Pic, Longic. III, 3, p. 31. Amasia  
var. *obscuripes* Pic, Echange XIX, 1903, p. 163. Türkei  
6

### Centrodera J. Lec.

- J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 325. — Thoms. Classif. Ceramb.  
1860, p. 145; Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col. VIII, 1869,  
p. 432. — Leng, Ent. Amer. VI, 1890, p. 65.
- decolorata* Harris, Ins. of Massach. 1841, p. 93. — J. Lec. Nordamerika  
Journ. Acad. Philad. (2) I, 1850, p. 325. — Leng,  
Ent. Amer. VI, 1890, p. 66. — Wickh. Canad.  
Ent. XXIX, 1897, p. 170, f. 26.
- rubida* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 58; Proc. Am. Phil. Soc. IV, 1847, p. 373.  
Biologie: Felt, Ins. aff. Trees 1907, p. 456, fig.
- nevadica* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 205. Nevada  
— Leng, Ent. Amer. VI, 1890, p. 66. — Casey,  
Ann. N. York Acad. VI, 1892, p. 36.
- picta* Hald. Trans. Am. Phil. Soc. (2) X, 1847, p. 58. Pennsyl-  
— Leng, Ent. Amer. VI, 1890, p. 66. vanien,  
N. York,  
Südecarolina
- sublineata* J. Lec. Proc. Acad. Philad. 1862, p. 40. — Pennsyl-  
Leng, Ent. Amer. VI, 1890, p. 66. vanien,  
Nord-  
carolina

4

### Xylosteus Friv.

- Friv. Magyar Tud. Tars. Evkön. III, 1838, p. 180. — Muls. Col. Fr. Long.  
ed. 2, 1863, p. 460. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 181. — Thoms.  
Syst. Ceramb. 1864, p. 409. — Lacord. Gen. Col. VIII, 1869, p. 431. —  
Redt. Fauna Austr. ed. 3, II, 1874, p. 429. — Ganglb. Best.-Tab. VII,  
1881, p. 8 (686). — Seidl. Fauna Transs. 1891, Gatt. p. 183. — Csiki, Rov.  
Lapok X, 1903, p. 100.
- ornatus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 205. Nordamerika:  
— Leng, Ent. Amer. VI, 1890, p. 67. Oregon
- Spinolae* Friv. Magyar Tud. Tars. Evkön. III, 1838, p. 180. Südungarn,  
— Muls. Col. Fr. Long. ed. 2, 1863, p. 460. Bosnien,  
— Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 262. Türkei  
— Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 413.

t. 3, f. 6. — Redt. Fauna Austr. ed. 3, II, 1874, p. 429. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716). — Seidl. Fauna Trans. 1891, p. 834. — Csiki, Rov. Lapok X, 1903, p. 103.

*rufiventris* Germ. Fauna Ins. Eur. XXIII, 1845, t. 16.

ab. *Merkli* Pic, Echange XXVI, 1910, p. 66; Südungarn  
Longic. VIII, 1, 1911, p. 3.

2

### **Leptorhabdium** Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 118. — Ganglb. Best.-Tab. VII, 1881, p. 8 (686). — Csiki, Rov. Lapok X, 1903, p. 101.

*Psilorhabdium* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 118. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716).

*caucasicum* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 118. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716). — Jacobs. Käfer Russl. 1910, t. 67, f. 14. Kaukasus

*illyricum* Kraatz, Deutsche Ent. Zeitschr. XIV, 1870, p. 415, t. 3, f. 6a. — Csiki, Rov. Lapok X, 1903, p. 104. Illyrien,  
Dalmatien

*gracile* Kraatz, Deutsche Ent. Zeitschr. XVII, 1873, p. 202. — Ganglb. Best.-Tab. VII, 1881, p. 38 (716). — Pic, Longic. VI, 1, 1906, p. 4. Griechenland

ab. *lividipenne* Pic, l. c. nota 1. Bosnien

2

### **Microrhabdium** Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 99, 118.

*macilentum* Kraatz, l. c. p. 99, t. 1, f. 8. Amur

1

### **Lemula** Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 211.

*decipiens* Bates, l. c. p. 212, t. 1, f. 5. Japan

*rufithorax* Pic, Bull. Mus. Paris 1901, p. 57. „

2

### **Trichroa** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 395.

*Trichromia* Fairm. Bull. Soc. Ent. Fr. 1892, p. 21.

*Oberthüri* Fairm. l. c. p. 21. Madagascar

1

### **Anthribola** Bates.

Bates, Ent. Month. Mag. XV, 1879, p. 251. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 511.

*Eccrisis* Pasc. Trans. Ent. Soc. Lond. 1888, p. 499.

*abdominalis* Pasc. l. c. t. 14, f. 3. Madagascar

*decorata* Bates, Ent. Month. Mag. XV, 1879, p. 251. — Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 49. „

*quinquemaculata* Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 215; (5) IX, 1882, p. 49.

femorata Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 48. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 52, f. 8. — Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 248. Madagascar

niviguttata Fairm. Natural. XXIV, 1902, p. 287. „

4

### Sagridola Thoms.

Thoms. Syst. Ceramb. 1864, p. 143; Rev. Mag. Zool. (6) III, 1878, p. 33. — Lacord. Gen. Col. VIII, 1869, p. 485.

armiventris Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 370. Madagascar

flavicollis Waterh. Cist. Ent. II, 1878, p. 367; Ann. Mag. Nat. Hist. (5) IX, 1882, p. 50. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 52, f. 7. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 511. „

luctifera Fairm. l. c. p. 510. „

maculosa Guér. Icon. règne anim. Ins. 1844, p. 252. — Thoms. Syst. Ceramb. 1864, p. 144. — Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 77. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 49, f. 10, 11. — Dohrn, Stett. Ent. Zeit. LI, 1893, p. 196. „

plagiaticollis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 510. „

quinquemaculata Waterh. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 414. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 49, f. 9. „

spinierus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 378. „

sulphurata Fairm. l. c. XXXVII, 1893, p. 509. „

8

### Myiodola Fairm.

Fairm. Bull. Soc. Ent. Fr. 1900, p. 87.

brachyptera Fairm. Rev. d'Ent. XX, 1901, p. 219. Madagascar

calceata Fairm. Bull. Soc. Ent. Fr. 1901, p. 127. „

distincta Fairm. Rev. d'Ent. XX, 1901, p. 218. „

maculosa Fairm. l. c. „

musearia Fairm. Bull. Soc. Ent. Fr. 1900, p. 88. „

Perrieri Fairm. l. c. „

Scalabrii Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 378. „

7

### Mastododera Thoms.

Thoms. Arch. Ent. I, 1857, p. 318; Classif. Ceramb. 1860, p. 144; Syst. Ceramb. 1864, p. 408. — Lacord. Gen. Col. VIII, 1869, p. 435.

*Mastodontodera* Gemm. & Har. Cat. Col. IX, 1873, p. 2857.

anticiques Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 513. Madagascar

armicollis Fairm. Natural. XXIV, 1902, p. 287. „

- coccinea** Bates, Ent. Month. Mag. XV, 1879, p. 252. Madagascar  
— Künck. in Grandid. Hist. Mad. Col. 1890,  
t. 49, f. 5.
- difformipes** Bates, Ent. Month. Mag. XV, 1879, p. 252. „
- Jansoni** Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, „  
p. 50. — Künck. in Grandid. Hist. Mad. Col.  
1890, t. 54, f. 5.
- lateralis** Guér. Icon. règne anim. Ins. 1844, p. 252. — „  
Thoms. Classif. Ceramb. 1860, p. 158. — Waterh.  
Cist. Ent. II, 1878, p. 367. — Künck. in Grandid.  
Hist. Mad. Col. 1890, t. 49, f. 7. — Dohrn,  
Stett. Ent. Zeit. LI, 1890, p. 196.
- nodicollis** Klug, Ins. Madag. 1833, p. 121, t. 5, f. 9. — „  
Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 76.  
— Künck. in Grandid. Hist. Mad. Col. 1890,  
t. 49, f. 6. — Dohrn, Stett. Ent. Zeit. LI, 1890,  
p. 196.
- rufosericans** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Comoren  
p. 550.
- rufovelutina** Fairm. Natural. XXIV, 1902, p. 287. Madagascar
- simplicicollis** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, „  
p. 462. — Fairm. Ann. Soc. Ent. Belg. XXXVII,  
1893, p. 513.
- testaceipes** Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, „  
Bull. p. 95; XXXVII, 1893, p. 514. — Künck.  
in Grandid. Hist. Mad. Col. 1890, t. 49, f. 4.
- tibialis** Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, „  
p. 148.
- transversalis** Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, „  
Bull. p. 95. — Künck. in Grandid. Hist. Mad.  
Col. 1890, t. 49, f. 8.

13

**Stenoxotus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XI, 1896, p. 377.

- ochreoruber** Fairm. l. c. Madagascar  
1

**Dysmathosoma** Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 422.

- picipes** Waterh. l. c. p. 423. — Künck. in Grandid. Hist. Madagascar  
Mad. Col. 1890, t. 54, f. 7.

1

**Enthymius** Waterh.

Waterh. Cist. Ent. II, 1878, p. 294.

- dubius** Waterh. l. c. p. 295. Madagascar  
1

**Artelida** Thoms.

Thoms. Syst. Ceramb. 1864, p. 143. — Lacord. Gen. Col. VIII, 1869, p. 436.

- T **asperata** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 415. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 53, f. 12. Madagascar
- T **aurosericca** Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 326. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 53, f. 13. ”
- T **calcarata** Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 134. ”
- T **caligata** Fairm. l. c. XLVIII, 1904, p. 255. ”
- T **erinipes** Thoms. Syst. Ceramb. 1864, p. 143. — Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 77. — Künck. in Grandid. Hist. Mad. Col. 1890, t. 49, f. 3. ”
- T **diversitarsis** Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 385. ”
- T **fuscosericeus** Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 134. ”
- T **gracilipes** Fairm. Natural. XXIV, 1902, p. 287. ”
- T **holoxantha** Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 385. ”
- T **nobilitata** Nonfr. Deutsche Ent. Zeitschr. 1891, p. 274. — Alluaud in Grandid. Hist. Mad. Col. I, 1900, p. 348 nota. ”
- T **olivacea** Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 371. ”
- T **pernobilis** Poll. Notes Leyd. Mus. XII, 1890, p. 8. ”
- T **Perrieri** Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 371. ”
- T **remipes** Fairm. Natural. XXIV, 1902, p. 287. ”
- T **rubicunda** Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 372. ”
- T **scutellaris** Fairm. l. c. XL, 1896, p. 378. ”
- T **villosimana** Fairm. l. c. XLVII, 1903, p. 371. ”

17

**Aedoceus** Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 416.

- brevicollis** Fairm. Rev. d'Ent. XX, 1901, p. 213. Madagascar
- concolor** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 392. ”
- T **geniculatus** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 416. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 52, f. 6. ”
- marginatus** Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 248. ”
- thoracicus** Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 250. ”

5

**Dorcianus** Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 214.

- angulicollis** Fairm. l. c. Madagascar

1

**Rhagiops** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 249.

**costulipennis** Fairm. l. c.

Madagascar

1

**Musius** Fairm.

Fairm. l. c. XXXIII, 1889, Bull. p. 94; XL, 1896, p. 371.

**fuscicornis** Fairm. Ann. Soc. Ent. Fr. LXXXII, 1903, p. 249.

Madagascar

**quadriodosus** Fairm. Ann. Soc. Ent. Belg. XXXIII,

„

1889, Bull. p. 94; XL, 1896, p. 372. — Künckel  
in Grandid. Hist. Mad. Col. 1890, t. 53, f. 5.**rubricollis** Fairm. Bull. Soc. Ent. Fr. 1899, p. 387.

„

3

**Phitryonus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 373.

**cyanipennis** Fairm. l. c.

Madagascar

1

**Logisticus** Waterh.

Waterh. Cist. Ent. II, 1878, p. 290.

**angustatus** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880,

Madagascar

p. 417. — Künckel in Grandid. Hist. Mad. Col.  
1890, t. 54, f. 2.**fuseopunctatus** Fairm. Ann. Soc. Ent. Belg. XLVII, 1903,

„

p. 372.

**iners** Fairm. l. c. p. 373.

„

**latesuleatus** Fairm. Natural. IX, 1887, p. 71, f. 6. —

„

Künckel in Grandid. Hist. Mad. Col. 1890, t. 52,  
f. 11.**modestus** Waterh. Ann. Mag. Nat. Hist. (5) X, 1882,

„

p. 45. — Künckel in Grandid. Hist. Mad. Col.  
1890, t. 54, f. 4.**nivosus** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893,

„

p. 516.

**Oberthüri** Fairm. l. c. XXXIII, 1889, Bull. p. 95.

„

**obseurus** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880,

„

p. 418. — Künckel in Grandid. Hist. Mad. Col.  
1890, t. 54, f. 1.**obtusipennis** Fairm. Rev. d'Ent. XX, 1901, p. 211.

„

**pachydermus** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893,

„

p. 516.

**plicicollis** Fairm. Rev. d'Ent. XX, 1901, p. 212.

„

**proboscideus** Fairm. Ann. Soc. Ent. Belg. XLVI, 1902,

„

p. 249.

**rostratus** Waterh. Cist. Ent. II, 1878, p. 291. — Dohrn,

„

Stett. Ent. Zeit. XLIV, 1883, p. 160. — Künckel  
in Grandid. Hist. Mad. Col. 1890, t. 47, f. 10.**sesquivittatus** Fairm. Natural. (2) II, 1888, p. 23, f. 2.

„

— Künckel in Grandid. Hist. Mad. Col. 1890,  
t. 52, f. 12.

- simplex** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 417. — Künckel in Grandid. Hist. Mad. Col. 1890, t. 54, f. 3. Madagascar  
**spinipennis** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 515. „  
**suturalis** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 416. „  
 17

### **Paratoxotus** Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 212.

- Argodi** Fairm. l. c. p. 213. Madagascar  
**farinosus** Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 385. „  
**inexpectatus** Fairm. Natural. XXV, 1903, p. 10. „  
 3

### **Pachysticus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 95.

- crassipes** Fairm. l. c. Madagascar  
 1

### **Harimius** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, p. 96.

- atripennis** Fairm. l. c. Madagascar  
 1

### **Xanthopiodus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 395.

- angulicollis** Fairm. l. c. Madagascar  
 1

### **Toxitiades** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 586.

*Toxotiades* Fairm. l. c. XXXVIII, 1894, p. 295.

*Toxotinus* Fairm. l. c. XXXVII, 1893, p. 511.

- russus** Fairm. l. c. p. 512. Madagascar  
**sericeus** Guér. Icon. règne anim. Ins. 1844, p. 253. —  
 Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 77. „  
 — Waterh. Cist. Ent. II, 1878, p. 363. — Dohrn,  
 Stett. Ent. Zeit. LJ, 1890, p. 197. — Künckel  
 in Grandid. Hist. Mad. Col. 1890, t. 49, f. 1, 2.  
**subustus** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893,  
 p. 513. „  
**vinosus** Fairm. l. c. p. 512. „  
 4

**Scopanta** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 515.

<i>expansitarsis</i> Fairm. l. c. XL, 1896, p. 380.	Madagascar
<i>laevipennis</i> Fairm. l. c.	"
<i>rufula</i> Fairm. l. c. XXXVII, 1893, p. 515.	"

3

**Scariates** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 148.

<i>basipennis</i> Fairm. l. c.	Madagascar
--------------------------------	------------

1

**Icariotis** Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 497.

<i>alboscutatus</i> Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 255.	Madagascar
<i>basipennis</i> Fairm. Rev. d'Ent. XX, 1901, p. 217.	"
<i>fulvicornis</i> Pasc. Trans. Ent. Soc. Lond. 1888, p. 498.	"
<i>limbipennis</i> Fairm. Rev. d'Ent. XX, 1901, p. 216.	"
<i>nigrans</i> Fairm. l. c. p. 215.	"
<i>pallidocinctus</i> Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 379.	"
<i>politicollis</i> Fairm. l. c. XLIX, 1905, p. 134.	"
<i>pruinosis</i> Fairm. Rev. d'Ent. XX, 1901, p. 215.	"
<i>scapularis</i> Pasc. Trans. Ent. Soc. Lond. 1888, p. 498, t. 14, f. 4.	"
<i>subseleatus</i> Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 514.	"
<i>tenuipes</i> Fairm. Rev. d'Ent. XX, 1901, p. 216.	"
<i>testaceus</i> Fairm. l. c. p. 214.	"
<i>unicolor</i> Pasc. Trans. Ent. Soc. Lond. 1888, p. 497.	"

13

**Lepturasta** Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 217.

<i>rusa</i> Fairm. l. c.	Madagascar
--------------------------	------------

1

**Aliturus** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 386.

<i>fuscus</i> Fairm. Ann. Soc. Ent. Belg. XLVIII, 1904, p. 254.	Madagascar
<i>gracilipes</i> Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 386.	"
<i>griseopubescens</i> Fairm. l. c. LXXII, 1903, p. 252.	"

3

**Lingoria** Fairm.

Fairm. Bull. Soc. Ent. Fr. 1901, p. 126.

**sanguinicollis** Fairm. l. c. p. 127.

Madagascar

1

**Ariastes** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 379.

**monostigma** Fairm. l. c.

Madagascar

1

**Antigenes** Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 500.

**funeris** Pasc. l. c. t. 14, f. 1.

Madagascar

**morosus** Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894,  
p. 148.

,,

2

**Pseudogenes** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 149.

**ornaticeps** Fairm. l. c.

Madagascar

1

**Barossus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 517.

**cineraceus** Fairm. l. c.

Madagascar

1

**Penthoecaulus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 150.

**tenebrosus** Fairm. l. c.

Madagascar

1

**Criocerinus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 150.

**corallinus** Fairm. l. c. p. 151.

Madagascar

1

**Apheledes** Pasc.

Pasc. Trans. Ent. Soc. Lond. 1888, p. 499.

**guttulatus** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893,  
p. 517.

Madagascar

**stigmatipennis** Fairm. Natural. IX, 1887, p. 71; Ann.  
Soc. Ent. Belg. XXXVII, 1893, p. 520.

,,

**velutinus** Pasc. Trans. Ent. Soc. Lond. 1888,  
p. 500, t. 14, f. 9

2

**Tomobrachyta** Fairm.

Fairm. Natural. IX, 1887, p. 72.

**nigroplagiata** Fairm. l. c. f. 7. — Künckel in Grandid. Madagascar  
Hist. Mad. Col. 1890, t. 52, f. 10.

1

**Echarista** Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 219.

**pictipennis** Fairm. l. c. p. 220. Madagascar

1

**Gaurotinus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 392.

**tenuelineatus** Fairm. l. c. Madagascar

1

**Appedesis** Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 418.

**vidua** Waterh. l. c. — Künckel in Grandid. Hist. Mad. Madagascar  
Col. 1890, t. 54, f. 6.

1

**Micrometopus** Quedf.

Quedf. Journ. Sc. Lisboa XL, 1885, p. 241 (sep. p. 2).

**punctipennis** Quedf. l. c. Angola

1

**Otteissa** Pasc.

Pasc. Journ. Ent. II, 1864, p. 286. — Lacord. Gen. Col. VIII, 1869, p. 434.

**sericea** Pasc. l. c. Natal

1

**Blosyropus** Redt.Redt. Reise Novara, Col. 1868, p. 191. — Broun, Man. N. Zealand Col. I,  
1880, p. 578.**dentatus** Fauv. Rev. d'Ent. XXV, 1906, p. 47. Neu-**spinus** Redt. Reise Novara, Col. 1868, p. 192, t. 5, f. 10. Neuseeland

2

**Capnolymma** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 265; (3) III, 1869, p. 556.

— Thoms. Syst. Ceramb. 1864, p. 408. — Lacord. Gen. Col. VIII, 1869,  
p. 433. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 73.*Capnocalymma* Gemm. & Har. Cat. Col. IX, 1873, p. 2856.**capreola** Pasc. Proc. Zool. Soc. Lond. 1866, p. 504, t. 42, Penang  
f. 1.

**cingalensis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 73, f. 28. Ceylon  
**stygium** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 266, Borneo  
 t. 26, f. 6; (3) III, 1869, p. 537. — Lacord. Gen.  
 Col. VIII, 1869, p. 433, t. 89, f. 1.

3

### **Apioccephalus** Gah.

Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 42; Fauna Brit. Ind. Col. I,  
 1906, p. 74.

**licheneus** Gah. l. c. Ostindien  
**punctipennis** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, Ostafrika  
 p. 42.

2

### **Caraphia** Gah.

Gah. Fauna Brit. Ind. Col. I, 1906, p. 75.

**eribrata** Gah. l. c. f. 29. Birma  
**minor** Gah. l. c. p. 76. „

2

### **Teledapus** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 268. — Gah. Fauna Brit.  
 Ind. Col. I, 1906, p. 77.

**doreadioides** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, Himalaya  
 p. 269, t. 13, f. 1. — Gah. Fauna Brit. Ind.  
 Col. I, 1906, p. 77, f. 30.

1

### **Toxotus** Zett.

Zett. Fauna Ins. Lapp. I, 1828, p. 374. — Latr. in Cuv. Règne anim. ed. 2,  
 Ins. II, 1829, p. 130. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 255. —  
 Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 211, 212. — Muls. Col. Fr. Long.  
 ed. 1, 1839, p. 231. — Cast. Hist. Nat. II, 1840, p. 501. — Redt. Fauna  
 Austr. 1849, p. 503; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 429. — Thoms.  
 Syst. Ceramb. 1864, p. 408. — C. G. Thoms. Skand. Col. VIII, 1866, p. 52.

**Oxymirus** Muls. Col. Fr. Long. ed. 2, 1863, p. 464. — Fairm. Gen.  
 Col. d'Eur. IV, 1864, p. 183. — Lacord. Gen. Col. VIII, 1869, p. 443.  
 — Gangib. Best.-Tab. VII, 1881, p. 7 (685). — Seidl. Fauna  
 Balt. 1891, Gatt. p. 183. — Everts, Col. Neerl. II, 1, 1901, p. 350.  
 — Csiki, Rov. Lapok. X, 1903, p. 101. — Gah. Fauna Brit. Ind.  
 Col. I, 1906, p. 78.

**cursor** L. Syst. Nat. ed. 10, 1758, p. 393; Fauna Suec. Nord- und  
 ed. 2, 1761, p. 190; Syst. Nat. ed. 12, 1767, Mittel-  
 p. 630. — Scop. Ent. Carn. 1763, p. 52. — Degecr, europa,  
 Mém. V, 1775, p. 127. — F. Syst. Ent. 1775, Westasien,  
 p. 183. — Sulz. Gesch. Ins. 1776, p. 45, t. 5, f. 7. Belud-  
 — Laich. Verz. Tyrol. Ins. II, 1784, p. 120. schistan  
 — Ol. Ent. IV, 69, 1795, p. 14, t. 1, f. 9. —  
 Panz. in Voet, Beschr. hartsch. Ins. IV, 1798,

12

- p. 5, t. 25, f. 4. — Schrank, Fauna Boica I, 2, 1798, p. 661. — Payk. Fauna Suec. III, 1800, p. 68. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 308. — Gyll. Ins. Suec. I, 4, 1827, p. 42. — Zett. Fauna Ins. Lapp. I, 1828, p. 374. — Muls. Col. Fr. Long. ed. 1, 1839, p. 232; ed. 2, 1863, p. 465. — Cast. Hist. Nat. II, 1840, p. 501. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 430. — Bach, Käferfauna III, 1856, p. 43. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 541. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 265. — C. G. Thoms. Skand. Col. VIII, 1866, p. 53. — Ganglb. Best.-Tab. VII, 1881, p. 37. — Scidl. Fauna Balt. ed. 2, 1891, p. 471; Fauna Transs. 1891, p. 835. — Everts, Col. Neerl. II, 1, 1901, p. 350. — Csiki, Rov. Lapok X, 1903, p. 104. — Gab. Fauna Brit. Ind. Col. I, 1906, p. 79, f. 31. — Pic, Longic. VI, 1, 1906, p. 4; VII, 1, 1908, p. 7. — Jacobs. Käfer Russl. 1910, t. 63, f. 11.
- genuinus* ♀ Letzn. Zeitchar. Ent. Breslau (2) IX, 1884, p. 346.
- Luvordairei* ♀ Pasc. Proc. Ent. Soc. Lond. 1867, p. 84.
- striatus* Voet, Cat. Col. II, 1804—06, p. 29, t. 25, f. 4.
- subvittatus* Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 206.
- vittatus* Gmel. Syst. Nat. I, 4, 1796, p. 1865.
- † ab. *fenestratus* Letzn. Jahresb. Schles. Ges. vaterl. Kult. LXII, 1885, p. 346; — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 139.
- niger* Letzn. Jahresb. Schles. Ges. vaterl. Kult. XLII, 1885, p. 346. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 139.
- † ab. *lineatus* Letzn. Jahresb. Schles. Ges. vaterl. Kult. LXII, 1885, p. 346.
- † ab. *nigricollis* Letzn. l. c.
- † ab. *noctis* L. Syst. Nat. ed. 12, 1867, p. 630. — F. Spec. Ins. I, 1781, p. 230. — Laich. Verz. Tyrol. Ins. II, 1784, p. 139. — Panz. Fauna Ins. Germ. XVII, 1794, t. 3. — Ol. Ent. IV, 69, 1795, p. 17, t. 1, f. 10. — Csiki, Rov. Lapok X, 1903, p. 104. — Pic, Longic. VI, 1, 1906, p. 4.
- genuinus* Letzn. Jahresb. Schles. Ges. vaterl. Kult. LXII, 1885, p. 346.
- luctuosus* Latr. Hist. Nat. Crust. Ins. XI, 1904, p. 310.
- † ab. *niger* Ol. Ent. IV, 69, 1795, p. 19, t. 3, f. 24.
- † ab. *nigrius* Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 259.
- † ab. *semiobscurus* Pic, Longic. VI, 1, 1906, p. 6. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 139.
- † ab. *subvittatus* Reitter, Wien. Ent. Zeit. XXIV, 1905, p. 206; XXV, 1906, p. 139.
- † ab. *Verneuli* Muls. Col. Fr. Long. 1839, p. 232. — Csiki, Rov. Lapok X, 1903, p. 104.
- testaceus* Gredl. Käfer von Tirol 1866, p. 396.

- Biologie: Schiödte, Nat. Tidskr. (3) X, 1875, p. 420, t. 16, f. 13. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 371, f. 547—549.  
 — Xamb. Moeurs & Mét. VIII, 1902, p. 120.  
 mirabilis Motsch. Bull. Mosc. XI, 1838, p. 183, t. 3, fig. f. — Ganglb. Best.-Tab. VII, 1881, p. 37 (715).  
 — Faust, Horae Soc. Ent. Ross. XIV, 1878, p. 134. — Jacobs. Käfer Russl. 1910, t. 67, f. 27.

Kaukasus

2

### Stenocorus F.

F. Syst. Ent. 1775, p. 178. — Ol. Ent. IV, 69, 1795, p. 6 (ex parte). — Bedel, Faune Col. Seine V, 1889, p. 6.

*Anisorus* Muls. Col. Fr. Long. ed. 2, 1863, p. 467.

*Minaderus* Muls. l. c.

*Toxotochorus* Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 208.

*Toxotus* (ex parte; siehe oben unter *Toxotus*). — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 320. — Muls. Col. Fr. Long. ed. 2, 1863, p. 467. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 183. — Lacord. Gen. Col. VIII, 1869, p. 438. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Leng. Ent. Amer. VI, 1890, p. 65. — Fowler, Brit. Col. IV, 1899, p. 230, 232. — Seidl. Fauna Balt. 1891, Gatt. p. 183. — Everts, Col. Neerl. II, 1, 1901, p. 350.

### Paläarktische Arten.

Reitter, Wien. Ent. Zeit. IX, 1890, p. 249 (Synopsis).

- amurensis Kraatz, Deutsche Ent. Zeitschr. XXIII, Amur  
 1879, p. 100. — Heyden, l. c. XXVIII, 1884,  
 p. 282. — Reitter, Synops. p. 250.  
 auricomis Reitter, Synops. p. 250. Syrien  
 biformis Tourn. Rev. Mag. Zool. (2), XXIII, 1872, p. 342. Kaukasus  
 — Ganglb. Best.-Tab. VII, 1881, p. 37 (715). —  
 Pic, Echange XI, 1897, p. 75.  
 heterocerus Ganglb. Wien. Ent. Zeit. I, 1882, p. 139. Cilicien  
 ab. *nigripennis* Pic, Misc. Ent. IV, 1893, p. 141. Syrien  
 homocerus Daniel, Soc. Ent. XV, 1901, p. 139; Münch. Kleinasien  
 Kol. Zeit. II, 1904, p. 206.  
 insitivus Germ. Ins. spec. nov. 1824, p. 520. — Fald. Kaukasus  
 Fauna Transcauc. II, 1837, p. 306, t. 10, f. 9. —  
 Ganglb. Best.-Tab. VII, 1881, p. 36 (714). —  
 Reitter, Synops. p. 250.  
 ab. *latus* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 414; Syrien  
 Bull. p. 111.  
 ab. *nigriventris* Pic, Longic. VII, 1, 1908, p. 2. „  
 ab. *obscuripennis* Pic, Cat. Longic. 1900, p. 15, „  
 nota 1 (!!).  
 meridianus L. Syst. Nat. ed. 10, 1758, p. 393; Fauna Suec. Europa,  
 ed. 2, 1761, p. 187. — Degeer, Mém. V, 1775, Sibirien  
 p. 130. — F. Syst. Ent. 1775, p. 178. — Martyn,  
 Engl. Ent. 1792, t. 25, f. 11, 12. — Panz. Fauna  
 Ins. Germ. XLV, 1797, t. 10. — Payk. Fauna Suec.  
 Ins. III, 1800, p. 104. — Marsh. Ent. Brit. I, 1802,  
 p. 340. — Bechst. & Scharfenb. Forstins. I, 1804,  
 p. 195. — Latr. Hist. Nat. Crust. Ins. XI, 1804,  
 p. 310. — Gyllh. Ins. Suec. I, 4, 1827, p. 40. —

- Zett. Fauna Ins. Lapp. I, 1828, p. 374. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 256. — Muls. Col. Fr. Long. 1839, p. 234; ed. 2, 1863, p. 469. — Shuck. Brit. Col. 1840, p. 67, t. 78, f. 4. — Cast. Hist. Nat. II, 1840, p. 501. — Redt. Fauna Austr. 1849, p. 504; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 430. — Bach, Käferfauna III, 1856, p. 44. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 541. — C. G. Thoms. Skand. Col. VIII, 1866, p. 53. — Ganglb. Best.-Tab. VII, 1881, p. 36 (714). — Bedel, Faune Col. Seine V, 1889, p. 11. — Reitter, Synops. p. 249. — Fowler, Brit. Col. IV, 1890, p. 233, t. 121, f. 10, 11. — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835. — Everts, Col. Neerl. II, 1, 1901, p. 350. — Csiki, Rov. Lapok X, 1903, p. 104. — Houb. Faune Armor. Ceramb. 1904, p. 28, f. 52. — Jacobs. Käfer Russl. 1910, t. 63, f. 12, 13.
- grandis* Poda, Ins. Mus. Graec. 1761, p. 38.
- Lacordairei* ♂ Pasc. Proc. Ent. Soc. Lond. 1867, p. 84.
- rubra* Sulz. Kennz. Ins. 1761, p. 12, t. 5, f. 30.
- ab. *bilineatus* Pic, Echange XXIV, 1908, p. 58; Longie. VII, 1, p. 2 (1908).
- ab. *cantharinus* Herbst in Füessly, Archiv V, 1784, p. 93, t. 25, f. 15.
- geniculatus* Geoffr. in Fourer. Ent. Paris. I, 1785, p. 86. — Pic, Longie. I, 1891, p. 4. — Csiki, Rov. Lapok X, 1903, p. 105.
- meridianus* Ol. Ent. IV, 69, 1795, p. 18, t. 3, f. 2 c.
- ab. *chrysoaster* Schrank, Enum. Ins. 1781, p. 132. — Ol. Ent. IV, 69, p. 19, t. 3, f. 23. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 310. — Muls. Col. Fr. Long. 1839, p. 235. — Pic, Longie. I, 1891, p. 4. — Csiki, Rov. Lapok X, 1903, p. 105.
- splendens* Laich. Tyr. Ins. II, 1784, p. 136.
- ab. *laevis* Ol. Ent. IV, 69, 1795, p. 21, t. 3, f. 25. — Pic, Longie. I, 1891, p. 4. — Csiki, Rov. Lapok X, 1903, p. 105.
- glabratus* Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 311.
- ? *sericeus* Ol. l. c. p. 20, t. 1, f. 8. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 311.
- ab. *ruficrus* Scop. Ent. Carn. 1763, p. 48.
- ab. *rufiventris* Marsh. Ent. Brit. I, 1902, p. 341. Biologie: Mjöv. Arkiv f. Zool. III, 6, 1906, p. 17.
- minutus** Gebl. Bull. Acad. S. Petersb. VIII, 1841, p. 375; Bull. Mose. XXXII, 4, 1859, p. 348.
- persicus** Fald. Fauna Transe. II, 1837, p. 307, t. 10, f. 10, II. — Reitter, Synops. p. 250.
- ab. *obscurior* Pic, Cat. Ceramb. 1900, p. 15 nota.
- ab. *vittidorsum* Reitter, Synops. p. 250 nota.
- quercus** Götz, Naturf. XIX, 1783, p. 72, t. 4, f. 5, 6. — Redt. Fauna Austr. ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 430. — Muls. Col. Fr. Long. ed. 2, 1863, p. 467. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 266.

Südost-  
sibirien  
Persien

„

„

Mittel- und  
Südeuropa,  
Kaukasus

- Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 302. Ganglb. Best.-Tab. VII, 1881, p. 37 (715). — Seidl. Fauna Transs. 1891, p. 835. — Csiki, Rov. Lapok X, 1903, p. 105. — Houlb. Faune Armor. Ceramb. 1904, p. 29. — Jacobs. Käfer Russl. 1910, t. 63, f. 14.
- dispar* Labr. & Imh. Ins. Schweiz II, 1838, t. 18. — Muls. Col. Fr. Long. 1839, p. 231. — Redt. Fauna Austr. 1849, p. 504. — Bach, Käferfauna III, 1856, p. 44.
- humeralis* F. Mant. Ins. I, 1787, p. 158. — Ol. Enc. méth. Ins. VII, 1792, p. 521; Ent. IV, 69, 1795, p. 22, t. 2, f. 18. — Panz. Fauna Ins. Germ. XLV, 1797, t. 11. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 311.
- ab. *aureopubens* Pic, Longic. VII, 1, 1908, p. 2.
- ab. *discoidens* Reitter, Wien. Ent. Zeit. VIII, 1889, p. 163.
- ab. *dispar* Panz. Fauna Ins. Germ. XVII, 1794, t. 1. 2. — Reitter, Wien. Ent. Zeit. VIII, 1889, p. 163.
- baja* Schrank, Fauna Boica I, 2, 1798, p. 692.
- ab. *Magdalenae* Pic, Longic. I, 1891, p. 4; VI, 1, 1906, p. 6. — Daniel, Münch. Kol. Zeit. II, 1904, p. 205.
- ab. *marginatus* Kraatz, Wien. Ent. Zeit. VIII, 1889, p. 163.
- ab. *scutellaris* Kraatz, l. c.
- ab. *subapicalis* Reitter, l. c.
- ab. *subvittatus* Reitter, l. c.
- ab. *unicolor* Fleisch. Wien. Ent. Zeit. VI, 1887, p. 272. — Daniel, Münch. Kol. Zeit. II, 1904, p. 204.
- discolor* Fleisch. Wien. Ent. Zeit. VI, 1887, p. 237 (Druckfehler). — Csiki, Rov. Lapok X, 1903, p. 105.
- tataricus** Gebl. Bull. Acad. St. Petersb. VIII, 1841, p. 375; Bull. Mosc. XXXII, 4, 1859, p. 347. — Reitter, Wien. Ent. Zeit. IX, 1890, p. 250; XXVI, 1907, p. 208. Sibirien
- var. *turkestanicus* Ganglb. Horae Soc. Ent. Ross. XXIII, 1889, p. 280. Turkestan
- validicornis** Pic, Cat. Longic. 1900, p. 16; Longic. VI, 1, 1906, p. 6. Turkestan
- var. *alaiensis* Pic, l. c. Alaiberge
- vittatus** Fisch.-Waldh. Cat. Col. Sib. Or. 1842, p. 19. — Heller, Wien. Ent. Zeit. X, 1891, p. 62. — Semen. Rev. Russe d'Ent. IX, 1909, p. 27. Sibirien
- obliquus* Motsch. Bull. Mosc. XVIII, 1845, p. 86. *Suworowi* Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 208. — Pic, Longic. VII, 1, 1908, p. 2.

## Asiatische Arten.

- aureopubens** Pic, Echange XVIII, 1903, p. 121. Yunnan
- coeruleipennis** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 193. Japan
- longevittatus** Fairm. Rev. d'Ent. VI, 1887, p. 329. Peking

## Nearktische Arten.

- Leng, Ent. Amer. VI, 1890, p. 67 (Synopsis).
- cinnamopterus** Randall, Boston Journ. II, 1838, p. 45. Nordcarolina,  
— J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 321. Illinois,  
— Leng, Synops. p. 67, 68. Massachusetts,  
*aesculi* Hald. Trans. Am. Philos. Soc. (2) X, 1847, Pennsylvania,  
p. 59. Nordamerika
- cylindricollis** Say, Journ. Acad. Philad. III, 1823, p. 417. Nordamerika  
— J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 320.  
— Leng, Synops. p. 68, 69. — Wickh. Canad.  
Ent. XXIX, 1897, p. 170.  
*atratus* Hald. Trans. Am. Philos. Soc. (2) X,  
1847, p. 58.  
*dentipennis* Hald. l. c.  
*dives* Newm. Entomol. I, 1841, p. 68.
- flavolineatus** J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Californien  
Entom. Report 1857, p. 63. — Leng, Synops.  
p. 67, 69.
- lateralis** Casey, Ann. N. York Acad. VI, 1892, p. 37. —  
— Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, ”  
p. 173.
- nubifer** J. Lec. Proc. Acad. Philad. 1859, p. 80. — Leng, ”  
Synops. p. 67, 68.
- obtusus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 206. Yellowstone  
— Leng, Synops. p. 68, 69.
- Schaumi** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 320; Canada,  
Proc. Acad. Philad. 1862, p. 41. — J. Hamilt. Illinois,  
Canad. Ent. XVII, 1885, p. 103. — Leng, Synops. Ohio  
p. 67, 68. — Wickh. Canad. Ent. XXIX, 1897,  
p. 170.
- trivittatus** Say, Journ. Acad. Philad. III, 1823, p. 422. — Canada,  
— J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 321. Vereinigte  
— Bland, Proc. Ent. Soc. Philad. I, 1862, p. 270. Staaten  
Leng, Synops. p. 67, 69. — Wickh. Canad.  
Ent. XXIX, 1897, p. 169.  
ab. *nigripes* Hald. Trans. Am. Philos. Soc. (2)  
X, 1847, p. 58.  
ab. *vittiger* Rand. Boston Journ. II, 1838, p. 29.
- vestitus** Hald. Trans. Am. Philos. Soc. (2) X, 1847, p. 59. Oregon,  
— J. Lec. Journ. Acad. Philad. (2) I, 1850. Californien  
p. 321. — Leng, Synops. p. 67, 68. — Wickh.  
Canad. Ent. XXIX, 1897, p. 170.  
ab. *ater* Leng, Synops. p. 68.
- virgatus** J. Lec. Trans. Am. Ent. Soc. V, 1874, p. 67. — Vancouver  
Leng, Synops. p. 67, 69. Oregon,  
Montana,  
Britisch-  
Columbia,  
Vancouver

23

## Akimerus Serv.

- Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 212. — Thoms. Syst. Ceramb. 1864,  
p. 408. — Lacord. Gen. Col. VIII, 1869, p. 437. — Seidl. Fauna Transs.  
1891, Gatt. p. 183. — Csiki, Rev. Lapok X, 1903, p. 101.  
*Acimerus* Fairm. Gen. Col. d'Eur. IV, 1864, p. 184. — Ganglb.  
Best.-Tab. VII, 1881, p. 8 (686).  
*Toxotus* Thoms. Classif. Ceramb. 1893, p. 144, 156.

- Schaefferi** Latich. Verz. Tyr. Ins. II, 1734, p. 130. — Muls. Col. Fr. Long. ed. 2, 1863, p. 473. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 56, f. 266. — Ganglb. Best.-Tab. VII, 1881, p. 36 (714). — Seidl. Fauna Transs. 1891, p. 834. — Csiki, Rov. Lapok X, 1903, p. 195. — Jacobs. Käfer Russl. 1910, t. 67, f. 7.
- cinctus* F. Mant. Ins. I, 1787, p. 146. — Ol. Ent. IV, 69, p. 24, t. 3, f. 27. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 309. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 871. — Bach, Käferfauna III, 1856, p. 43.
- dentipes* Muls. Ann. Soc. Agric. Lyon V, 1842, p. 209, t. 11, f. 2; Col. Fr. Long. Suppl. 1842, p. (3).
- ab. *nigrinus* Pic, Echange XVII, 1901, p. 96, nota 2.
- 1

### **Toxotinus** Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 213.
- Reini** Heyden, Deutsche Ent. Zeitschr. XXIII, 1879, p. 359; XXIX, 1885, p. 310; Ber. Senckenb. Ges. 1878—79, p. 88. Japan
- longicornis* Bates, Journ. Linn. Soc. XVIII, 1884, p. 213, t. 1, f. 6.
- 1

### **Pachyta** Zett.

- Zett. Fauna Ins. Lapp. I, 1828, p. 376. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 185. — Thoms. Syst. Ceramb. 1864, p. 408. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835. — Csiki, Rov. Lapok X, 1903, p. 101.
- Acmaeops* C. G. Thoms. Skand. Col. VIII, 1866, p. 55.
- Anthophylax* Muls. Col. Fr. Long. ed. 2, 1863, p. 477.
- Anthophylax* Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 232.
- Neopachyta* Bedel, Bull. Soc. Ent. Fr. 1906, p. 93.
- armata** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 207. Washington-Territ., Oregon, Idaho
- Leng, Ent. Amer. VI, 1890, p. 97.
- biuneata** Motsch. Schrenk's Reise, Col. 1860, p. 147, t. 9, f. 25. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 84, nota 1. — Heyden, Deutsche Ent. Zeitschr. XXX, 1886, p. 273. Sibirien, Amur
- quadrinaculata* var. Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 234.
- ab. *bisbimaculata* Pic, Catal. Long. Eur. 1900, p. 17, nota 1.
- ab. *incolumis* Heyden, Deutsche Ent. Zeitschr. XXX, 1886, p. 273.
- erebia** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 212. Japan

- lamed** L. Syst. Nat. ed. 10, 1758, p. 391; Fauna Succ. ed. 2, 1761, p. 187. — F. Syst. Ent. 1775, p. 178. — Panz. Fauna Ins. Germ. XXII, 1794, t. 11. — Ol. Ent. IV, 69, 1795, p. 28, t. 3, f. 28. — Payk. Fauna Succ. III, 1800, p. 101. — Donovan. Brit. Ins. XI, 1806, p. 98, t. 395, f. 2. — Gyllenh. Ins. Succ. I, 4, 1827, p. 38. — Zett. Fauna Ins. Lapp. I, 1828, p. 376. — Bach, Käferfauna III, 1856, p. 45. — Redt. Fauna Austr. ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 430. — Muls. Col. Fr. Long. ed. 2, 1863, p. 478. — Fairm. Gen. Col. IV, 1864, t. 57, f. 268. — C. G. Thoms. Skand. Col. VIII, 1866, p. 55. — Ganglb. Best.-Tab. VII, 1887, p. 36 (714). — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835. — Csiki, Rov. Lapok X, 1903, p. 105.
- pedella* Degeer Mém. Ins. V, 1775, p. 129, t. 4, f. 10.
- spadicea* Payk. Fauna Succ. III, 1800, p. 103. — Quens. in Acerbi, Travels II, 1802, p. 253, t. 2, f. 3. — Gyllenh. Ins. Succ. I, 4, 1827, p. 39. — Zett. Fauna Ins. Lapp. I, 1828, p. 377. — Germ. Fauna Ins. Eur. XXIV, 1848, t. 14. — Redt. Fauna Austr. 1849, p. 504.
- ab. *nigrina* Pic. Longic. I, 1891, p. 5.
- var. *conflagrata* Motsch. Schrenck's Reise, Col. 1860, p. 147.
- oxyoma** Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 58.
- quadrimaculata** L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Succ. ed. 2, 1761, p. 197. — F. Syst. Ent. 1775, p. 197. — Selrunk, Enum. Ins. 1781, p. 152. — Ol. Ent. IV, 73, 1795, p. 24, t. 1, f. 7. — Panzer, Deutschl. Ins.-Fauna 1795, p. 272, t. 10; in Voet, Besch. hartseh. Ins. IV, 1798, p. 8, t. 26, f. 11; t. front., f. 3. — Payk. Fauna Succ. III, 1800, p. 102. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 318. — Gyllenh. Ins. Succ. I, 4, 1827, p. 37. — Zett. Fauna Ins. Lapp. I, 1828, p. 376. — Herr.-Schäff. Fauna Ins. Germ. CXVII, 1830?, t. 4. — Muls. Col. Fr. Long. 1839, p. 243; ed. 2, 1863, p. 480. — Cast. Hist. Nat. II, 1840, p. 502, t. 54, f. 6. — Redt. Fauna Austr. 1849, p. 504; ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 430. — Bach, Käferfauna III, 1856, p. 45. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 542. — C. G. Thoms. Skand. Col. VIII, 1866, p. 56. — Ganglb. Best.-Tab. VII, 1881, p. 36 (714). — Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1892, p. 835. — Csiki, Rov. Lapok X, 1903, p. 105. — Jacobs. Käfer Russl. 1910, t. 63, f. 15.
- major punctata* Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 11.
- timida* Scop. Ent. Carniol. 1763, p. 53; Annus Hist. Nat. V, 1772, p. 99.
- Biologie: Planet, Natural. XV, 1893, p. 275—276, fig.
- ab. *bimaculata* Schönh. Synon. Ins. III, 1817, p. 489. — Muls. Col. Fr. Long. 1839, p. 243. — Csiki, Rov. Lapok X, 1903, p. 105.

Nord- und  
Mittel-  
Europa,  
Sibirien

Alaska

Moupin  
Gebirgsge-  
genden von  
Nord- und  
Mittel-  
europa

**Evodinus** J. Lec.

J. Lec. Journ. Acad. Philad. (2) 1, 1850, p. 325. — Ganglb. Münch. Kol. Zeitschr. 1, 1903, p. 151. — Csiki, Rov. Lapok X, 1903, p. 101.

*Brachyta* Fairm. Gen. Col. d'Eur. IV, 1864, p. 185. — Ganglb. Best.-Tab. VII, 1881, p. 6 (686). — Seidl. Fauna Balt. ed. 2, 1891, p. 741; Fauna Transs. 1891, p. 835.

*Pachyta* (ex parte) Muls. Col. Fr. Longie. 1839, p. 237; ed. 2, 1863, p. 477. — C. G. Thomson, Skand. Col. VIII, 1866, p. 56. — Leng, Ent. Amer. VI, 1890, p. 65.

## Paläarktische Arten.

- amurensis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 69, t. 1, f. 21—23. Amur  
 ab. *bisbioculatus* Pic, Echange XXVI, 1910, „  
 p. 18, 27.  
 ab. *semilunatus* Pic, l. c. p. 18, 27, 34. „
- balkanicus** Hampe, Berl. Ent. Zeitschr. XIV, 1870, p. 336. Balkan  
 — Ganglb. Best.-Tab. VII, 1881, p. 35 (713).
- ✓ **bifasciatus** Ol. Enc. méth. VII, 1792, p. 520; Ent. IV, 73, Sibirien  
 1795, p. 23, t. 3, f. 38. — Pallas, Icones 1798, t. F, f. 20.  
*dauricus* Gebl. Mém. Moscou V, 1817, p. 329. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 234.  
*quadripunctatus* Schönh. Synon. Ins. III, 1817, p. 491.  
 ab. *reductus* Pic, Longie. VI, 2, 1907, p. 6. Sibirien  
 var. *thibetanus* Pic, l. c. p. 5. Thibet
- borealis** Gyllenh. Ins. Suec. I, 4, 1827, p. 36. — Thoms. Nordeuropa,  
 Skand. Col. VIII, 1866, p. 58. — Redt. Fauna Alpen,  
 Austr. ed. 3, II, 1874, p. 431. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 836. Sibirien  
 ab. *brunneonotatus* Pic, Longie. III, 3, 1901, p. 11.  
 ab. *lateobscurus* Pic, l. c.  
 ab. *obscurissimus* Pic, l. c. V, 1, 1904, p. 3.  
 ab. *pictus* Mäkl. Bull. Moscou XVIII, 4, 1845, Daurien  
 p. 549.
- caucasicus** Rost, Deutsche Ent. Zeitschr. 1891, p. 309; Kaukasus  
 Ent. Nachr. XIX, 1893, p. 341.  
 ab. *conjunctus* Rost, l. c. „
- clathratus** F. Ent. Syst. I, 2, 1792, p. 306. — Panz. Alpen,  
 Deutschl. Ins. Fauna 1795, p. 256. — Muls. Col. Karpathen  
 Fr. Long. 1839, p. 237; ed. 2, 1863, p. 487. — Redt. Fauna Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874, p. 432. — Bach, Käferfauna III, 1856, p. 47. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Seidl. Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 477. — Csiki, Rov. Lapok X, 1903, p. 116.
- semiinctus** Drapiez, Ann. gen. Scienc. Phys. Bruxelles I, 1819, p. 52, t. 4, f. 5.  
 ab. *brunnipes* Muls. Col. Fr. Long. 1839, p. 238.  
*nigrescens* Gredl. in Harold, Col. Hefte XI, 1873, p. 74. — Stierl. Col. Helvet. II, 1898, p. 477.  
 — Csiki, Rov. Lapok X, 1903, p. 116.  
 ab. *nigritus* Pic, Longie. I, 1891, p. 6.

- ab. *pedemontanus* Daniel, Col. Studien II, 1898, p. 87.  
 ab. *signatus* Panz. Fauna Ins. Germ. VIII, 1793, t. 13. — Muls. Col. Fr. Long. 1839, p. 238. — Csiki, Rov. Lapok V, 1903, p. 117.  
*clathratus* Panz. Fauna Ins. Germ. ed. 2, VIII, 179?, t. 13.  
*reticulatus* F. Ent. Syst. IV, 1794, p. 453.

**Delagrangei** Pic, Echange VII, 1891, p. 102.

**interrogationis** L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 197. — F. Ent. Syst. I, 2, 1792, p. 345. — Ol. Enc. méth. Ins. VII, 1792, p. 517; Ent. IV, 73, 1795, p. 22, t. 1, f. 3. — Panz. Fauna Ins. Germ. XXII, 1794, t. 14. — Cederhj. Faun. Ingr. 1798, p. 98, t. 3, f. G. — Payk. Fauna Succ. III, 1800, p. 121. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 318. — Gyllenh. Ins. Succ. I, 4, 1827, p. 34. — Zett. Fauna Ins. Lapp. I, 1828, p. 377. — Redt. Fauna Austr. 1849, p. 503; ed. 2, 1858, p. 871; ed. 3, II, 1874, p. 431. — Bach, Käferfauna III, 1856, p. 43. — Muls. Col. Fr. Long. ed. 2, 1863, p. 484. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 543. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 57, f. 269. — C. G. Thoms. Skand. Col. VIII, 1866, p. 57. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 65, t. 1, f. 17. — Ganglb. Best.-Tab. VII, 1881, p. 35 (713). — Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 835. — Pic, Longic. I, 1891, p. 5—6. — Stierl. Col. Helvet. II, 1898, p. 476. — Csiki, Rov. Lapok X. 1903, p. 116. — Jacobs. Käfer Russl. 1910, t. 63, f. 18.

ab. *bimaculatus* Muls. Col. Fr. Long. 1839, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 67, t. 1, f. 20. — Pic, Longic. I, 1891, p. 6.

var. *curvilineatus* Muls. Col. Fr. Long. 1839, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 66, t. 1, f. 19. — Pic, Longic. I, 1891, p. 5. — Stierl. Col. Helvet. II, 1898, p. 476.

ab. *duodecimmaculatus* F. Spec. Ins. I, 1781, p. 248. — Ol. Enc. méth. Ins. VII, 1792, p. 517; Ent. IV, 73, 1795, p. 25, t. 4, f. 40. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 319. — Muls. Col. Fr. Long. 1839, p. 239. — Mannerh. Bull. Moscou XXV, 2, 1852, p. 304. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 76, t. 1, f. 16. — Pic, Longic. I, 1891, p. 5. — Stierl. Col. Helvet. II, 1898, p. 476.

*russicus* Herbet in Füessly, Archiv V, 1784, p. 102, t. 26, f. 27.

ab. *ebeninus* Muls. Col. Fr. Long. 1839, p. 240. — Pic, Longic. I, 1891, p. 6. — Stierl. Col. Helvet. II, 1898, p. 476.

ab. *flavonotatus* Muls. l. c. p. 239. — Pic, Longic. I, 1891, p. 6.

Syrien  
 Nordeuropa,  
 Alpen

Schweiz

Sibirien

- ab. *marginellus* F. Ent. Syst. I, 2, 1792, p. 346. Italien  
 — Muls. Col. Fr. Long. 1839, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 67.  
 — Pic, Longic. I, 1891, p. 6. — Stierl. Col. Helvet. II, 1898, p. 476. — Csiki, Rov. Lapok X, 1903, p. 116.
- Chamouny* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 76, t. 1, f. 18.
- Mannerheimi** Motsch. Schrenck's Reise, Col. 1860, Amur  
 p. 148. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 70.
- punctatus** Fald. Bull. Moscou VI, 1833, p. 67. — Solsky, Ostsibirien  
 Horae Soc. Ent. Ross. VII, 1871, p. 395. — Blesig, l. c. IX, 1873, p. 240. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 67.
- ab. *altaiensis* Pic, Echange XVI, 1900, p. 82. Altai  
 ab. *bioculatus* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 69, t. 1, f. 26. Irkutsk
- ab. *crucifer* Kraatz, l. c. p. 68. „  
*cruciatus* Kraatz, l. c. p. 69, 76, t. 1, f. 25. „
- ab. *inapicalis* Pic, Echange XXVI, 1910, p. 18, 27.  
 ab. *Korbi* Pic, l. c.
- ab. *Kraatzi* Ganglb. in Marseul, Cat. Col. 1889, Mongolei  
 p. 468.
- duodecimmaculatus* Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 397. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 69, t. 1, f. 24.
- ab. *marginialis* Motsch. Bull. Moscou XLIX, 1, Sibirien  
 1875, p. 139.
- ab. *obsidianus* Motsch. l. c. p. 140. Mongolei
- serriicornis** Gebl. Bull. Phys. Acad. St. Petersburg, I, 1843, Alakulsee  
 p. 39.
- spiniicornis* Gebl. Bull. Moscou XXXII, 1859, p. 349.
- Solskyi** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Baikal  
 p. 71, 76, t. 1, f. 15.
- ab. *obscuripennis* Pic, Longic. III, 1, 1900, p. 6. Sibirien
- variabilis** Gebl. Mém. Moscou V, 1817, p. 320; Bull. Westsibirien  
 Moscou XXI, 1, 1848, p. 415. — Muls. Col. Fr. Long. ed. 2, 1863, p. 482. — Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 398. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 74, 76, t. 1, f. 12, 13. — Ganglb. Best.-Tab. VII, 1881, p. 35 (713).
- ab. *altaicus* Ganglb. in Mars. Cat. Col. 1889, Altai  
 p. 467.
- ab. *comosus* Solsky, Horae Soc. Ent. Ross. VII, Sibirien  
 1871, p. 400. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 73.
- ab. *constrictus* Germ. Ins. spec. nov. 1824, p. 520. „  
 — Ganglb. Münch. Kol. Zeitschr. I, 1903, p. 154.
- ab. *semifulvus* Pic, Echange XVI, 1900, p. 82. „  
 var. *Borni* Ganglb. Münch. Kol. Zeitschr. I, 1903, Alpen  
 p. 151. — Pic, Longic. IV, 2, 1903, p. 10.
- ab. *Guerryi* Pic, Echange XXII, 1906, p. 86; „  
 Longic. VI, 2, 1907, p. 5.
- ab. *notatipennis* Pic, Echange XXII, 1906, „  
 p. 86; Longic. VI, 2, 1907, p. 5.

- var. *Rosti* Pic, Echange XVI, 1900, p. 82; Longic. III, 3, 1901, p. 16; IV, 2, 1903, p. 10. Kaukasus  
 ab. *brevinotatus* Pic, Longic. III, 3, 1901, p. 16. „  
 var. *scapularis* Mannerh. Bull. Moscou XX, 1, Ostsibirien  
 1849, p. 245. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 72, t. 1, f. 14. — Ganglb. Münch. Kol. Zeitschr. I, 1903, p. 153.  
 ab. *striolatus* Gebl. Mém. Moscou V, 1817, „  
 p. 330. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 236. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 73.  
*mutabilis* Motsch. Bull. phys. Acad. St. Petersb. XVII, 1859, p. 571; Mél. Biolog. III, 1859, p. 233.

### Nearktische Arten.

- Leng, Entomol. Amer. VI, 1890, p. 97—98 (Synopsis).
- lituratus** Kirby, Fauna Bor.-Amer. IV, 1837, p. 178. Nordamerika  
 — Mannerh. Bull. Moscou XXV, 1, 1852, p. 367.  
 — Leng, Synops. p. 97. — Wickh. Canad. Ent. XXIX, 1897, p. 171.  
*nitens* J. Lec. in Agass. Lake Sup. 1850, p. 235; Journ. Acad. Philad. (2) I, 1850, p. 319.
- monticola** Rand. Bost. Journ. II, 1838, p. 27. — J. Lec. Maine, Mass.,  
 in Agass. Lake Sup. 1850, p. 235, t. 8, f. 12 a, b. New York,  
 — Leng, Synops. p. 97. — Wickh. Canad. Ent. Canada  
 XXIX, 1897, p. 171.
- rugipennis** Newm. Zoolog. II, 1844, p. 476. — J. Lec. Canada  
 Smiths. Misc. Coll. XI, 264, 1873, p. 207. —  
 Leng, Synops. p. 97. — Wickh. Canad. Ent. XXIX, 1897, p. 170.
- spureus** J. Lec. Entom. Report 1857, p. 63. — Leng, Californien,  
 Synops. p. 97, 98. Nevada,  
*cervinus* Walk. Natural. Vancouv. II, 1866, p. 332. Vancouver-  
 insel

17

### Acanthoptura Fairm.

- Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 224.
- spinipennis** Fairm. l. c. Thibet  
 1

### Acmaeops J. Lec.

- J. Lec. in Agass. Lake Sup. 1850, p. 235; Journ. Acad. Philad. (2) I, 1850, p. 321. — Muls. Col. Fr. Long. ed. 2, 1863, p. 491. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 186. — Lacord. Gen. Col. VIII, 1869, p. 441. — Ganglb. Best.-Tab. VII, 1881, p. 6 (686). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 477. — Everts, Col. Neerl. II, 1, 1901, p. 351. — Csiki, Rov. Lapok X, 1903, p. 101. — Houlb. Faune Armor. Ceramb. 1904, p. 16, 29.
- Subgen. *Dinoptera* Muls. Col. Fr. Long. ed. 2, 1863, p. 494.  
*Pachyta* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 264. — Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 215. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 544.
- Subgen. *Pseudodinoptera* Pic, Echange XVI, 1900, p. 82.

## Paläarktische Arten.

Pie, Longic. III, 3, 1901, p. 22—25 (Synopsis).

Subgen. *Acmaeops* s. str.

- alpestris* Pic, Longic. II, 1898, p. 511; Synopsis. p. 25. Seealpen  
*angusticollis* Gebl. Bull. Moscou VI, 1833, p. 304; XXI, Ostsibirien  
 1, 1848, p. 411. — Pic, Synopsis. p. 24.  
*anthracina* Mannerh. l. c. XXII, 1, 1849, p. 246.  
*brachyptera* Daniel, Col. Stud. II, 1899, p. 73. — Pic, Turkestan  
 Synopsis. p. 24.  
*marginata* F. Spec. Ins. I, 1781, p. 247. — Panz. Fauna Nordeuropa,  
 Ins. Germ. LXIX, 1799, t. 17. — C. G. Thoms. Schlesien,  
 Skand. Col. VIII, 1866, p. 62. — Ganglb. Best.- Sibirien  
 Tab. VII, 1881, p. 33 (711). — Seidl. Fauna  
 Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891,  
 p. 237. — Pic. Synopsis. p. 24.  
 ab. *spadicea* Schilsky, Deutsche Ent. Zeitschr.  
 1888, p. 189.  
*pratensis* Laich. Verz. Tyr. Ins. II, 1784, p. 172. — Gebirgs-  
 Muls. Col. Fr. Longic. ed. 2, 1863, p. 492. — genden  
 Fairm. Gen. Col. d'Eur. IV, 1864, t. 57, f. 271. von Nord-  
 — Ganglb. Best.-Tab. VII, 1881, p. 33 (711). und Mittel-  
 — Leng, Ent. Amer. VI, 1890, p. 106, 109. — europa,  
 — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Sibirien,  
 Transs. 1891, p. 837. — Stierl. Col. Helvet. II, Nord-  
 1898, p. 478. — Pic, Synopsis. p. 24. — Csiki, amerika  
 Rov. Lapok X, 1903, p. 118.  
*fulvipennis* Mannerh. Bull. Moscou XXVI, 1853,  
 p. 251.  
*lateralis* Estlund, Vct. Acad. Nya Handl. XVII,  
 1796, p. 127, t. 5, f. 1.  
*longiceps* Kirby, Fauna Bor.-Amer. IV, 1837,  
 p. 187.  
*partensis* Jacobs. Käfer Russl. 1910, t. 63, f. 20.  
*semimarginata* Randall, Bost. Journ. II, 1838,  
 p. 20.  
*strigilata* F. Ent. Syst. I, 2, 1792, p. 341. —  
 Payk. Fauna Suec. III, 1800, p. 112. — Germ.  
 Fauna Ins. Eur. XII, 1825, t. 11. — Gyllenh.  
 Ins. Succ. I, 4, 1827, p. 23. — Zett. Fauna Ins.  
 Lapp. I, 1828, p. 380. — C. R. Sahlb. Ins.  
 Fenn. II, 1839, p. 286. — Muls. Col. Fr. Long.  
 1839, p. 246. — Redt. Fauna Austr. 1849, p. 505;  
 ed. 2, 1853, p. 873; ed. 3, II, 1874, p. 432. —  
 J. Lec. in Agass. Lake Sup. 1850, p. 325; Journ.  
 Acad. Philad. (2) I, 1850, p. 323. — C. G. Thoms.  
 Skand. Col. VIII, 1866, p. 59.  
 ab. *obscuripennis* Pic, Synopsis. p. 24.  
 ab. *suturalis* Muls. Col. Fr. Long. 1839, p. 246.  
 — Blessig, Horae Soc. Ent. Ross. IX, 1873,  
 p. 241. — Pic, Synopsis. p. 24.  
*ustulata* Motsch. Schrenck's Reise, Col. 1860,  
 p. 148.  
 Biologie: Xambou, Natural. XV, 1893, p. 224;  
 Ann. Soc. Linn. Lyon XLIV, 1898, p. 12; Moeurs  
 & Mét. VII, 1899, p. 4; VIII, 1902, p. 111.

- septentrionis** C. G. Thoms. Skand. Col. VIII, 1866, p. 61.  
 — Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 304.  
 — Ganglb. Best.-Tab. VII, 1881, p. 33 (711).  
 — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 837. — Stierl. Col. Helvet. II, 1898, p. 478. — Pic. Synops. p. 25. — Csiki, Rov. Lapok X, 1903, p. 118.
- marginata** Naezen, Vet. Akad. Nya Handl. XV, 1794, p. 271, t. 9, f. 4. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 288.
- smaragdula** var. *c* Zett. Fauna Ins. Lapp. I, 1828, p. 379.
- ab. **simplonica** Stierl. Mitth. Schweiz. Ent. Ges. V, 1880, p. 556; Col. Helvet. II, 1898, p. 478. — Pic. Synops. p. 25. — Csiki, Rov. Lapok X, 1903, p. 118.
- smaragdula** F. Ent. Syst. I, 2, 1792, p. 342. — Ol. Ent. IV, 73, 1795, p. 16, t. 3, f. 28. — Payk. Fauna Suec. III, 1800, p. 118. — Quens. in Acerbi, Travels II, 1802, p. 254, t. 3, f. 11. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 314. — Gyllenh. Ins. Suec. I, 4, 1827, p. 28. — Zett. Fauna Ins. Lapp. I, 1828, p. 379. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 287. — Muls. Col. Fr. Long. ed. 2, 1863, p. 494. — C. G. Thoms. Skand. Col. VIII, 1866, p. 60. — Ganglb. Best.-Tab. VII, 1881, p. 33 (711). — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 837. — Stierl. Col. Helvet. II, 1898, p. 478. — Pic. Synops. p. 24.
- smaragdina** Näzen. Vet. Acad. Nya Handl. XIII, 1792, p. 173, t. 7.
- ab. **morio** F. Ent. Syst. I, 2, 1792, p. 349. — Pic. Synops. p. 24.

Nordeuropa,  
Alpen,  
Sibirien

Schweden,  
Finnland,  
Schweiz,  
Tirol,  
Sibirien

### Subgen. **Dioptera** Muls.

- collaris** L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Suec. ed. 2, 1761, p. 198. — Scop. Ent. Carn. 1763, p. 49. — F. Syst. Ent. 1775, p. 198. — Laich. Verz. Tyrol. Ins. II, 1784, p. 169. — Martyn, Engl. Ent. 1792, t. 27, f. 5. — Ol. Ent. IV, 73, 1795, p. 27, t. 4, f. 44. — Payk. Fauna Suec. III, 1800, p. 126. — Marsh. Ent. Brit. I, 1802, p. 249. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 319. — Gyllenh. Ins. Suec. I, 4, 1827, p. 32. — Steph. Ill. Brit. Ent. Mand. IV, P. 31, p. 265. — Herr.-Schaeff. Fauna Ins. Germ. CN VII, 1832?, t. 5. — Muls. Col. Fr. Long. 1839, p. 247; ed. 2, 1863, p. 495. — Redt. Fauna Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1873, p. 432. — Bach, Käferfauna III, 1856, p. 47. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 544. — C. G. Thoms. Skand. Col. VIII, 1866, p. 63. — Ganglb. Best.-Tab. VII, 1881, p. 33 (711). — Bodel. Fauna Col. Seine V, 1889, p. 11. — Fowler, Col. Brit. Isl. IV, 1889, p. 234, t. 122, f. 1. — Seidl. Fauna Balt. ed. 2, 1891, p. 743;

Europa,  
Sibirien,  
Kaukasus

Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 478. — Pic, Synops. p. 23. — Everts, Col. Neerl. II, 1, 1902, p. 351. — Csiki, Rov. Lapok X, 1903, p. 117. — Houlb. Faune Armor. Ceramb. 1904, p. 29, f. 55. — Jacobs. Käfer Russl. 1910, t. 63, f. 19.

*carneola* Schrank, Fauna Boica I, 1798, p. 696.

*ruficollis* Degeer, Mém. Ins. V, 1775, p. 143.

*silvestris* Geoffr. in Fourcr. Ent. Paris. 1, 1785, p. 88.

ab. *morio* F. Ent. Syst. I, 2, 1792, p. 349.

ab. *nigricollis* Muls. Col. Fr. Long. 1839, p. 247. — Pic, Synops. p. 23. — Csiki, Rov. Lapok X, 1903, p. 117.

Biologie: Perris, Ann. Soc. Ent. Fr. (5) VI, 1876, p. 239; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 373, f. 550—555. — Xambeau, Moeurs & Mét. VIII, 1902, p. 110.

**criocerina** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 194.

**japonica** Pic, Long. VI, 2, 1907, p. 20.

**minuta** Gebl. Nouv. Mém. Mosc. II, 1832, p. 69. — Pic, Synops. p. 23.

Japan

”

Ostsibirien

### Subgen. **Pseudodinoptera** Pic.

**daghestanica** Pic, Natural. (2) XIX, 1897, p. 262; Echange XVI, 1900, p. 82; Synops. p. 23.

Daghestan

### Nearktische Arten.

**J. Lec.** Smiths. Misc. Coll. XI, 264, 1873, p. 208—210 (Synopsis). — Leng, Ent. Amer. VI, 1890, p. 104—110 (Synopsis).

**atra** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 323; Synops. p. 209. — Leng, Synops. p. 105, 106.

Oregon,

Nevada,

Idaho,

Washington

**basalis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 211; Synops. p. 209. — Leng, Synops. p. 105, 108.

Californien,

Nevada,

Washington

Nordamerika

**bivittata** Say. Journ. Acad. Philad. III, 1823, p. 416. — J. Lec. Synops. p. 209. — Leng, Synops. p. 105, 106. — Wickh. Canad. Ent. XXIX, 1897, p. 172, f. 27.

*incerta* Bland, Proc. Amer. Ent. Soc. Philad. II, 1864, p. 321. — Horn, l. c. VIII, 1889, p. 11.

ab. *fusciceps* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 324. — Leng, Synops. p. 106.

ab. *nigripennis* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 323. — Leng, Synops. p. 106.

ab. *varians* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 324. — Leng, Synops. p. 106.

**californica** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 101.

Oregon,

Colorado,

Nevada,

Californien

ab. *fusca* J. Lec. Ent. Report 1857, p. 62.

ab. *lugens* J. Lec. l. c.

ab. *mollipilosa* J. Lec. Proc. Acad. Philad. XII, 1860, p. 321.

- ab. subcyanea* J. Lec. Ent. Report 1857, p. 63.  
*ab. tumida* J. Lec. l. c.; Synops. p. 209. — Leng, Synops. p. 105, 107.  
*ab. viola* J. Lec. Proc. Acad. Philad. XII, 1860, p. 321. — Leng, Synops. p. 105, 107.  
**discoidea** Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 60. — J. Lec. in Agass. Lake Sup. 1850, p. 235; Journ. Acad. Philad. (2) I, 1850, p. 323; Synops. p. 210. — Leng, Synops. p. 106, 109. Michigan bis Pennsylvanien  
**falsa** J. Lec. Proc. Acad. Philad. 1859, p. 80; Synops. p. 210. — Leng, Synops. p. 106, 109. Californien  
**longicornis** Kirby, Fauna Bor.-Amer. IV, 1837, p. 185. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 321; Synops. p. 209. — Leng, Synops. p. 105, 107. — Wickh. Canad. Ent. XXIX, 1897, p. 172. Weststaaten Nord-amerikas  
*ligata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 211. — Leng, Synops. p. 105, 108. — Casey, Ann. N. York Acad. VI, 1891, p. 38.  
*ab. marginalis* J. Lec. Ent. Report 1857, p. 28.  
*var. vincata* J. Lec. Proc. Acad. Philad. XIII, 1861, p. 356. — Leng, Synops. p. 105, 107.  
**lupina** J. Lec. Proc. Acad. Philad. XII, 1860, p. 321. — Casey, Ann. N. York Acad. VI, 1891, p. 38. Oregon  
**militaris** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 322; Synops. p. 209. — Horn, Proc. Amer. Ent. Soc. XIII, 1886, p. 13. — Leng, Synops. p. 105, 108. Oregon, Washington, Californien, Idaho  
♂ *spuria* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 228.  
**pinguis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 209, 210. — Leng, Synops. p. 105, 107. Californien  
**pinicola** Schaeffer, Bull. Brookl. Inst. I, 1908, p. 341.  
**pratensis** siehe unter den paläarktischen Arten!  
**proteus** Kirby, Fauna Bor.-Amer. IV, 1837, p. 186. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 323; Synops. p. 210. — Leng, Synops. p. 106, 109. — Wickh. Canad. Ent. XXIX, 1897, p. 172. Arizona Nordamerika  
*gibbula* J. Lec. Proc. Acad. Philad. XIII, 1861, p. 356. „  
*sublineata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 60.  
**subaenea** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 101; Synops. p. 209. — Leng, Synops. p. 105, 107. Californien  
**subpilosa** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 322; Synops. p. 209. — Leng, Synops. p. 105, 108. — Casey, Ann. N. York Acad. VI, 1891, p. 38. — Wickh. Canad. Ent. XXIX, 1897, p. 172. Weststaaten Nord-amerikas, Canada  
*dorsalis* J. Lec. Col. of Kansas 1859, p. 21.  
**thoracica** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 60. — J. Lec. Synops. p. 208. — Leng, Synops. p. 105, 106. Pennsylvanien, Massachusetts, Virginia Californien  
**varlipes** Casey, Ann. N. York Acad. VI, 1891, p. 38. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 174.  
**vittata** Sweder. Vet. Acad. Nya Handl. VIII, 1787, p. 198. — Gmel. Syst. Nat. I, 4, 1790, p. 1875. Östl. Staaten Nord-amerikas  
*directa* Newm. Entomol. I. 1841, p. 71. — J. Lec. Synops. p. 210. — Leng, Synops. p. 106, 108.

- quadrivittata* Schönh. Synon. Ins. I, 3, 1817, p. 497. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 322.  
 ab. *pallida* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 65.  
 31

### Gaurotina Ganglb.

Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 49.

*superba* Ganglb. l. c. p. 50.

China: Gansu

1

### Sachalinobia Jacobs.

Jacobson, Ann. Mus. Zool. St. Petersb. IV, 1899, p. 39.

*Koltzei* Heyd. Deutsche Ent. Zeitschr. XXXI, 1887, p. 304. Ostsibirien,  
 — Jacobs. l. c. 1902, p. 363; Käfer Russl. 1910, Sachalin  
 t. 67, f. 24.

*retata* Jacobs. Ann. Mus. Zool. St. Petersb. IV, 1899, p. 40.

1

### Gaurotes J. Lec.

J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 324. — Thoms. Classif. Ceramb. 1860, p. 144, 156; Syst. Ceramb. 1864, p. 408. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 186. — Lacord. Gen. Col. VIII, 1869, p. 442. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — F. Blanchard, Bull. Brookl. Ent. Soc. VII, 1884, p. 108. — Leng, Ent. Amer. VI, 1890, p. 65. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 183. — Stierl. Col. Helvet. II, 1898, p. 471. — Everts, Col. Neerl. II, 1, 1902, p. 350. — Csiki, Rov. Lapok X, 1903, p. 101.

*Anthophilax* Thoms. Skand. Col. VIII, 1866, p. 59.

*Carilia* Muls. Col. Fr. Long. ed. 2, 1863, p. 489.

### Paläarktische und ostasiatische Arten.

*adelpa* Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 47. Mongolei  
 ✓ *Doris* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, Japan  
 p. 212.

*cyanea* Matsum. Thous. Ins. Japan III, 1908, nr. 708, t. 53, f. 7.

*excellens* Brancs. Berl. Ent. Zeitschr. XVIII, 1874, p. 230; Karpaten  
 XX, 1876, p. 316. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Seidl. Fauna Transs. 1891, p. 836. — Csiki, Rov. Lapok X, 1903, p. 117.

*Fairmairei* nom. nov.

*donacioides* Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 59. China,  
 Moupin

*splendens* Jakowl. Horae Soc. Ent. Ross. XXVII, 1893, Transbaikalien  
 p. 444.

*tuberculicollis* Blanch. C. R. Acad. Scienc. Paris LXXII, 1871, p. 812. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 356; (6) IX, 1889, p. 59. Tibet,  
 China

*Davidis* Deyr. l. c. (5) VIII, 1878, p. 133, t. 3, f. 9.

- ussuriensis** Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 247. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 213. Amur
- ab. *donacioides* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 85. „
- virginea** L. Syst. Nat. ed. X, 1758, p. 398; Fauna Suec. ed. 2, 1761, p. 198. — F. Syst. Ent. 1775, p. 198. — Ol. Ent. IV, 73, 1795, p. 28, t. 2, f. 24. — Cederhij. Fauna Ingr. Prodr. 1798, p. 99. — Payk. Fauna Suec. III, 1800, p. 125. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320. — Gyllenb. Ins. Succ. I, 4, 1827, p. 33. — Zett. Fauna Ins. Lapp. I, 1828, p. 378. — Herrich-Schaeffer, Fauna Ins. Germ. CXVII, 183?, t. 6. — Muls. Col. Fr. Long. 1839, p. 241; ed. 2, 1863, p. 490. — Cast. Hist. Nat. Ins. II, 1840, p. 562. — Redt. Fauna Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874, p. 432. — Baeh, Käferfauna III, 1856, p. 47. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 57, f. 270. — Thoms. Skand. Col. VIII, 1866, p. 59. — Ganglb. Best.-Tab. VII, 1881, p. 34 (712). — Csiki, Rov. Lapok X, 1903, p. 117. — Jacobs. Käfer Russl. 1910, t. 63, f. 17.
- nigricollis* Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 477.
- ab. *thalassina* Schrank, Enum. Ins. 1781, p. 160; Fauna Boica I, 2, 1798, p. 695. — Csiki, Rov. Lapok X, 1903, p. 117. Mitteleuropa, Sibirien
- aemula* Mannerh. Bull. Moseou XXV, 2, 1852, p. 306.
- nupta* Muls. Col. Fr. Long. 1839, p. 241.
- ruficollis* Solsky, Horae Soc. Ent. Ross. VII, 1871, p. 402.
- virginea* Seidl. Fauna Balt. ed. 2, 1891, p. 742; Fauna Transs. 1891, p. 836. — Stierl. Col. Helvet. II, 1898, p. 477.
- ab. *vidua* Muls. Col. Fr. Long. 1839, p. 242. Frankreich
- ab. *violacea* Degeer, Mém. Ins. V, 1775, p. 144. — Muls. Col. Fr. Long. 1839, p. 241.

### Nearktische Arten.

- Leng, Ent. Amer. VI, 1890, p. 156 (Synopsis).
- abdominalis** Bland, Proc. Ent. Soc. Philad. I, 1862, p. 270. — Leng, Synops. p. 156. Virginien, Pennsylvanien
- Batesi** nov. nom. Mexico
- donacioides* Bates, Biol. C.-Amer. Col. V, 1880, p. 37, t. 4, f. 23.
- Cressoni** Bland, Proc. Ent. Soc. Philad. III, 1864, p. 69. — Leng, Synops. p. 156. Colorado, Nevada
- cyanipennis** Say, Journ. Acad. Philad. III, 1823, p. 423. — Leng, Synops. p. 156. — Wiekh. Canad. Ent. XXIX, 1897, p. 172. Canada und die östl. Teile der Vereinigten Staaten
- ione* Newm. Entomolog. I, 1840, p. 30.
- Laportei* Guér. Icon. règne anim. Ins. 1844, p. 253, t. 46, f. 6.

*Leonardi* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 60.

*Servillei* Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 214.

Biologie: Felt, Ins. aff. Trees 1907, p. 454, fig.

*maculosa* Bates, Biol. C.-Amer. Col. V, 1885, p. 277. Mexico

*multiguttata* Bates, Trans. Ent. Soc. Lond. 1892, p. 158, „  
t. 6, f. 2.

*ochropus* Bates, Biol. C.-Amer. Col. V, 1880, p. 37. „

15

### **Omphalodera** Solsky.

Solsky, Horae Soc. Ent. Ross. IX, 1873, p. 244.

*Puziloi* Solsky, l. c. p. 245, t. 8, f. 5. — Kraatz, Deutsche Ostsibirien,  
Ent. Zeitschr. XXIII, 1879, p. 86. — Jacobs. Amur

Käfer Russl. 1910, t. 67, f. 5.

var. *flaviventris* Bates, Journ. Linn. Soc. Lond. Japan

Zool. XVIII, 1884, p. 212.

I

### **Anthophylax** J. Lec.

J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 326. — Lacord. Gen. Col. VIII,  
1869, p. 443. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 313. —  
Leng, Ent. Amer. VI, 1890, p. 65. — Horn, Ent. Amer. VI, 1890, p. 98  
(Synopsis).

*Anthophilar* J. Lec. in Agass. Lake Sup. 1850, p. 236.

*Argaleus* (pars) J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 319.

*attenuatus* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Lake  
p. 59. — J. Lec. Journ. Acad. Philad. (2) I, 1850, Superior,  
p. 319. — Horn, Synops. p. 98. — Wickh. Canad. Virginia

Ent. XXIX, 1897, p. 171.  
Biologie: Youngs, Ent. News VIII, 1897, p. 192.  
— Felt, Ins. aff. Trees 1907, p. 488, fig.

*cyaneus* Hald. Proc. Acad. Philad. III, 1845, p. 151. Canada,  
*malachiticus* Hald. Trans. Amer. Philos. Soc. (2) Massachusetts,  
X, 1847, p. 64. — J. Lec. Journ. Acad. Philad. (2) Pennsylvania,  
I, 1850, p. 326. — Horn, Synops. p. 98. — Virginia,  
Wickh. Canad. Ent. XXIX, 1897, p. 171. Michigan

*Hofmani* Beutenm. Bull. Amer. Mus. XIX, 1903, p. 518, Nordecarolina  
t. 49, f. 9, 10.

*mirificus* Bland, Proc. Ent. Soc. Philad. IV, 1865, p. 382. Colorado,  
— Horn, Synops. p. 98. Idaho

*costaricensis* Bates, Biol. C.-Amer. Col. V, 1885, Costarica  
p. 277, t. 20, f. 1.

*venustus* Bland, Proc. Ent. Soc. Philad. IV, 1865,  
p. 383.

*subvittatus* Casey, Ann. N. York Acad. VI, 1892, p. 37. Colorado  
— Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896,  
p. 173.

*tenebrosus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
p. 208. — Horn, Synopsis p. 98.

- viridis** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 326; in Agass. Lake Sup. 1850, p. 236. — Horn, Synops. p. 98. — Wickh. Canad. Ent. XXIX, 1897, p. 171. — Beutenm. Bull. Amer. Mus. XIX, 1903, p. 519, t. 49, f. 11.

Lake  
Superior,  
Michigan

7

### **Piodes** J. Lec.

- J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 318. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 313.

- coriacea** J. Lec. Journ. Acad. Phil. (2) I, 1850, p. 318; Entom. Report 1857, p. 62, t. 2, f. 13. — Lacord. Gen. Col. IX, 1869, p. 233, nota 3. — Leng, Ent. Amer. VI, 1890, p. 110.

Oregon

1

### **Rhondia** Gah.

Gahan, Fauna Brit. Ind. Col. I, 1906, p. 79.

- pugnax** Dohrn, Stett. Ent. Zeit. XXXIX, 1878, p. 459. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 80, f. 32.

Nordindien,  
Birma

1

### **Cortodera** Muls.

- Muls. Col. Fr. Long. ed. 2, 1863, p. 572. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 187. — Gangl. Best.-Tab. VII, 1881, p. 7 (685). — Bedel, Faune Col. Seine V, 1889, p. 6. — Reitter, Wien. Ent. Zeit. IX, 1890, p. 243—246 (Synopsis) — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184; Fauna Transs. 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 471. — Pie, Feuill. Jeun. Nat. XXVIII, 1898, p. 77 (Synopsis). — Everts, Col. Neerl. II, 1, 1901, p. 351. — Csiki, Rov. Lapok X, 1903, p. 101. — Houlb. Faune Armor. Ceramb. 1904, p. 16.

- alpina** Ménétr. Cat. Rais. 1832, p. 230. — Fald. Fauna Transc. II, 1837, p. 312, t. 11, f. 3. — Faust, Horae Soc. Ent. Ross. XII, 1877, p. 331. — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). — Reitter, Synops. p. 246. — Pic, Synops. p. 115. — Jacobs. Käfer Russl. 1910, t. 67, f. 15.  
*Beckeri* Desbr. Opusc. Ent. I, 1875, p. 51. — L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 319. — Kraatz, l. c. XXI, 1877, p. 422.  
*tibialis* Mars. Abeille XIV, 1876, Nouv. p. 103.  
*ab. confusa* Reitter, Wien. Ent. Zeit. X, 1891, p. 34. — Pic, Synops. p. 113.
- analis** Gebl. Ledeb. Reise II, 2, 1830, p. 189. — Pic, Synops. p. 115.  
*♂ hirta* Gebl. Ledeb. Reise II, 2, 1830, p. 190.  
*holosericea* Gebl. Bull. Moscou XXI, 1, 1848, p. 423 (32S).
- Birnbacheri** Pic. Synops. p. 111, 114. — Csiki, Rov. Lapok X, 1903, p. 139.  
*ab. rubripes* Pie, Synops. p. 111, nota 2. — Csiki, Rov. Lapok X, 1903, p. 139.

Südrussland,  
Kaukasus

Kaukasus

Altai

Kroatien,  
Steiermark

- circassica* Reitt. Synops. p. 245. — Pic, Synops. p. 112.  
 ab. *obscuripes* Reitt. Synops. p. 245.
- T *colchica* Reitt. l. c. p. 246. — Pic, Synops. p. 112.  
 ab. *ordubadensis* Reitt. l. c.  
 ab. *pygidialis* Reitt. Synops. p. 246. — Pic, Longic. II, 1898, p. 50; Synops. p. 112.  
 ab. *rutilipes* Reitt. Synops. p. 246.
- Deyrollei** Pic, Echange 1894, p. 66; Synops. p. 113.
- discolor** Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 277.  
 — Ganglb. Best.-Tab. VII, 1881, p. 31 (709).  
 — Reitt. Synops. p. 246. — Pic, Synops. p. 112.
- ab. *differens* Pic, Longic. II, 1898, p. 50; Synops. p. 112.  
 ab. *testaceipes* Pic, l. c.  
 var. *variipes* Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 53. — Pic, Synops. p. 112, 115.
- T **femorata** F. Mant. Ins. I, 1787, p. 159. — Payk. Fauna Suec. III, 1860, p. 127. — Gyllenh. Ins. Suec. I, 4, 1827, p. 31. — Thoms. Skand. Col. VIII, 1866, p. 64. — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). — Reitt. Synops. p. 243. — Seidl. Fauna Balt. ed. 2, 1891, p. 743. — Stierl. Col. Helvet. II, 1898, p. 479. — Pic, Synops. p. 80; Longic. VIII, 1, 1911, p. 3.
- T *fusca* Gmel. Syst. Nat. I, 4, 1790, p. 1868.  
 ab. *flavipennis* Reitt. Synops. p. 243. — Pic, Longic. I, 1891, p. 8; Synops. p. 80.  
*affinis* Schilsky, Deutsche Ent. Zeitschr. 1892, p. 204. — Pic, Longic. II, 1898, p. 4.  
 ab. *griseipes* Pic, Echange V, 1889, p. 55; VII, 1891, p. 23; Longic. I, 1891, p. 8; Synops. p. 80.  
 ab. *monticola* Abeille, Ann. Soc. Ent. Fr. (4) X, 1870, p. 88. — Bourg. Mitt. Schweiz. Ent. Ges. XI, 1909, p. 393. — Pic, Echange XXVII, 1911, p. 161.
- T ab. *suturifera* Reitt. Synops. p. 243. — Pic, Synops. p. 80.
- T **fischtensis** Starck, Wien. Ent. Zeit. XIII, 1894, p. 11. — Pic, Longic. II, 1898, p. 50; Synops. p. 112.
- T **flavimana** Walzl, Isis 1838, p. 471. — L. Heyd. Deutsche Ent. Zeitschr. XXI, 1877, p. 418. — Ganglb. Best.-Tab. VII, 1881, p. 32 (710); Stett. Ent. Zeit. LVIII, 1897, p. 52. — Reitt. Synops. p. 245. — Pic, Synops. p. 80.
- ab. *brachialis* Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 52. — Pic, Synops. p. 80.
- T ab. *limbata* Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 52. — Pic, Synops. p. 80.
- var. ? *nigrita* L. Heyd., Deutsche Ent. Zeitschr. XX, 1876, p. 318. — Pic, Synops. p. 80, 115.
- ab. *rufipes* Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 344. — Pic, Synops. p. 80.
- fulvipes* Reitt. Synops. p. 245.
- haemorrhoidalis** Pic, Synops. p. 114.
- T **holosericea** F. Syst. Eleuth. II, 1801, p. 366. — Redt. Fauna Austr. ed. 2, 1858, p. 879; ed. 3, II, 1874, p. 437. — Muls. Col. Fr. Long. ed. 2,
- Kaukasus  
 „  
 Araxesthal  
 „  
 Kaukasus  
 Syrien,  
 Kleinasien,  
 Griechenland  
 Griechenland  
 Angora  
 Schweden,  
 Mitteleuropa  
 Frankreich,  
 Deutschland  
 Frankreich  
 Frankreich,  
 Schweiz  
 Deutschland  
 Kaukasus  
 Türkei,  
 Kleinasien  
 Ungarn  
 Sibirien  
 Österreich,  
 Ungarn

- 1863, p. 575. — L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 317, 318; XXI, 1877, p. 418. — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). — Seidl. Fauna Transs. 1891, p. 837. — Reitt. Synops. p. 244. — Pic, Synops. p. 111. — Csiki, Rov. Lapok X, 1903, p. 138.
- ab. *pilosa* Pic, Longic. II, 1898, p. 50; Synops. p. 111.
- ab. *semitestacea* Pic, Longic. II, 1898, p. 50; Synops. p. 111.
- ab. *velutina* L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 318. — Pic, Synops. p. 111. — Csiki, Rov. Lapok X, 1903, p. 139.
- **humeralis** Schaller. Schrift. Nat. Ges. Halle I, 1783, p. 297. — L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 317. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Bedel, Faune Col. Seine V, 1889, p. 12. — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 837. — Reitt. Synops. p. 243. — Pic, Synops. p. 80. — Everts, Col. Neerl. II, 1, 1901, p. 352. — Csiki, Rov. Lapok X, 1903, p. 138. — Houlb. Faune Armor. Ceramb. 1904, p. 29, f. 54. Mitteleuropa
- quadriguttata* F. Mant. Ins. I, 1787, p. 159. — Herbst in Füessly, Archiv 1786, p. 171, t. 45, f. 13. — Ol. Ent. IV, 73, p. 28, t. 1, f. 2. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach. Käferfauna III, 1856, p. 53. — Muls. Col. Fr. Long. ed. 2, 1863, p. 573. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 272. — Stierl. Col. Helvet. II, 1898, p. 478.
- quadrinotata* Gmel. Syst. Nat. I, 4, 1790, p. 1873.
- Schalleri* Gmel. l. c. p. 1874.
- Biologic; Lamcere, Ann. Soc. Ent. Belg. XXIX, 1885, Bull. p. 63.
- var. *inhumeralis* Pic, Echange VIII, 1892, p. 140; Longic. II, 1898, p. 4; Synops. p. 80. Frankreich
- var. *Nicolasi* Bedel, Faune Col. Seine V, 1901, p. 421. „
- var. *spinosula* Muls. Col. Fr. Long. 1839, p. 290; ed. 2, 1863, p. 573. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Stierl. Col. Helvet. II, 1898, p. 479. „
- ab. *suturalis* F. Mant. Ins. I, 1787, p. 159. — Muls. Col. Fr. Long. 1839, p. 292. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Reitt. Synops. p. 243. — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 837. — Pic, Longic. I, 1891, p. 8; Synops. p. 80. — Stierl. Col. Helvet. II, 1898, p. 479. — Csiki, Rov. Lapok X, 1903, p. 138.
- Kiesenwetteri** Pic, Longic. II, 1898, p. 49; Synops. p. 110. Südrussland
- longipilis** Pic, Longic. II, 1898, p. 50; Synops. p. 113. Syrien
- ab. *rubroformorata* Pic, Longic. II, 1898, p. 50; Synops. p. 113. „
- ab. *tauricola* Pic, Longic. VII, 1, 1908, p. 3. „

- obscurans** Pic, Bull. Soc. Ent. Fr. 1892, p. 111; Ann. Soc. Ent. Fr. LXI, 1892, p. 415; Echange X, 1894, p. 116; Synops. p. 113. Syrien  
 ab. *flavescens* Pic, Echange X, 1894, p. 116; Synops. p. 113. „  
 ab. *fulvipennis* Pic, Longic. II, 1898, p. 50. „
- pseudomophilus** Reitt. Deutsche Ent. Zeitschr. 1889, p. 40; Synops. p. 246. — Pic, Synops. p. 110. Araxesthal
- pumila** Ganglb. Best.-Tab. VII, 1881, p. 32 (710). — Reitt. Synops. p. 244. — Pic, Synops. p. 79. Kaukasus  
 ab. *caucasica* Pic, l. c. „  
 ab. *nigripennis* Pic, Longic. II, 1898, p. 49; Synops. p. 79. „  
 ab. *Tournieri* Pic, Echange XI, 1895, p. 75; Synops. p. 79. „
- Reitteri** Pic, Echange VII, 1891, p. 43; Synops. p. 111. Südrußland  
 ab. *obscuripennis* Pic, Longic. II, 1898, p. 41; Synops. p. 111. Kaukasus  
 ab. *separata* Pic, l. c.
- rubripennis** Pic, Echange VII, 1891, p. 102; Longic. II, 1898, p. 49; Synops. p. 110. Syrien  
 ab. *obscura* Pic, Longic. II, 1898, p. 49; Synops. p. 110.
- semilivida** Pic, Bull. Soc. Ent. Fr. 1891, p. 193; Synops. p. 79. „  
 var. *diversipes* Pic, Longic. II, 1898, p. 49; Synops. p. 79.
- Starecki** Reitt. Wien. Ent. Zeit. VII, 1888, p. 280; Synops. p. 244. — Pic, Synops. p. 113. Kaukasus  
 ab. *parallela* Pic, l. c. p. 111, 113. „
- syriaca** Pic, Echange XVII, 1901, p. 90. Syrien
- umbripennis** Reitter, Synops. p. 245; Wien. Ent. Zeit. XI, 1892, p. 239. — Pic, Synops. p. 114. Kaukasus  
 ab. *armeniaca* Pic, l. c. Armenien  
 ab. *pallidipes* Pic, Longic. II, 1898, p. 49; Synops. p. 114. Sarepta  
 var. *Rosti* Pic, Bull. Soc. Ent. Fr. 1892, p. 83; Synops. p. 114. Kaukasus  
 ab. *xanthoptera* Pic, l. c. p. 115. Kleinasien  
*flavipennis* Ganglb. Stett. Ent. Zeit. LVIII, 1897, p. 53. — Pic, Synops. p. 114, 115.
- villosa** L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 318. — Csiki, Rov. Lapok X, 1903, p. 138. Ungarn,  
*Friwaldszkyi* L. Heyd. Deutsche Ent. Zeitschr. XX, 1876, p. 344. — Ganglb. Best.-Tab. VII, 1881, p. 31 (709). — Reitt. Synops. p. 245. — Seidl. Fauna Transs. 1891, p. 837. Niederösterreich

25

**Sieversia** Ganglb.

Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 134.

**bicolor** Ganglb. l. c.

Korea

1

**Macropidonia** Pic.

Pic, Bull. Mus. Paris VII, 1902, p. 339; Longic. IV, 1, 1902, p. 21, 22.

**ruficollis** Pic, Bull. Mus. Paris VII, 1902, p. 340, Longic. Japan  
IV, 1, 1902, p. 22.

1

**Pseudosieversia** Pic.

Pic, Echange XVIII, 1902, p. 19; Longic. IV, 1, 1902, p. 21, 22.

**bicolor** L. Heyd. Deutsche Ent. Zeitschr. 1886, p. 276. Amur  
— Pic, Longic. IV, 1, 1902, p. 22.

**rufa** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, "  
p. 101. — Pic, Echange XVI, 1900, p. 81; Longic.  
IV, 1, 1902, p. 22. — Jacobs. Käfer Russl.,  
1910, t. 67, f. 11.

**spectabilis** Kraatz, Deutsche Ent. Zeitschr. XXIII, Patria?  
1879, p. 228.

3

**Pidonia** Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 570. — Fairm. Gen. Col. d'Eur.  
IV, 1864, p. 188. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Seidl.  
Fauna Balt. 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 471. —  
Everts, Col. Neerl. II, 1, 1901, p. 352. — Pic, Longic. IV, 1, 1902, p. 21,  
23. — Csiki, Rov. Lapok X, 1903, p. 101. — Houlb. Faune Armor.  
Ceram. 1904, p. 30.

*Grammoptera* Thoms. Syst. Ceramb. 1864, p. 141, 408.

**grisescens** Pic, Echange V, 1889, p. 78; Longic. IV, Ural  
1, 1902, p. 23.

**lurida** F. Ent. Syst. I, 2, 1792, p. 343. — Panz. Fauna Europa  
Ins. Germ. LXIX, 1799, t. 16. — Muls. Col.  
Fr. Long. 1839, p. 288; ed. 2, 1863, p. 571.  
— Bach, Käferfauna III, 1856, p. 53. — Redt.  
Fauna Austr. ed. 2, 1858, p. 878; ed. 3, II, 1874,  
p. 437. — Fairm. Gen. Col. d'Eur. IV, 1864,  
t. 59, f. 274. — Ganglb. Best.-Tab. VII, 1881,  
p. 32 (710). — Seidl. Fauna Balt. ed. 2, 1891,  
p. 742; Fauna Transs. 1891, p. 836. — Stierl. Col.  
Helvet. II, 1898, p. 471. — Everts, Col. Neerl.  
II, 1, 1901, p. 352. — Pic, Longic. IV, 1, 1902,  
p. 23. — Csiki, Rov. Lapok X, 1903, p. 139.  
— Houlb. Faune Armor. Ceramb. 1904, p. 30,  
f. 55. — Jacobs. Käfer Russl. 1910, t. 64, f. 1.

**rufithorax** Pic, Longic. IV, 1, 1902, p. 23.

ab. **suturalis** Ol. Enc. méth. Ins. VII, 1792,  
p. 521; Ent. IV, 73, 1795, p. 33, t. 4, f. 49. —  
Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 321.  
— Pic, Longic. IV, 1, 1902, p. 23.

**Ganglbaueri** Ormay, Wien. Ent. Zeit. VII,  
1888, p. 168. — Csiki, Rov. Lapok X, 1903,  
p. 139.

2

**Pseudopidonia** Pic.

Pic, Echange XVI, 1900, p. 81; Longic. IV, 1, 1902, p. 21, 23 (Synopsis).

- ✓ **aegrota** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan  
1884, p. 214. — Pic, Synops. p. 23, 26.
- ✓ **alticollis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur  
p. 103. — Pic, Synops. p. 25, 26.
- ✓ **amentata** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan  
1884, p. 215. — Pic, Synops. p. 25, 27.
- ✓ **amurensis** Pic, Echange XVI, 1900, p. 81; Synops. Amur  
p. 24, 27.
- ✓ **Bouvieri** Pic, Bull. Mus. Paris VII, 1902, p. 339; Synops. Japan  
p. 23, 26.
- T ✓ **debilis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur  
p. 104. — Pic, Synops. p. 23, 26.
- T ✓ **discoidalis** Pic, Bull. Mus. Paris VI, 1901, p. 58; Synops. Japan  
p. 24 nota, 25, 27.
- T ✓ **gibbicollis** Blessig, Horae Soc. Ent. Ross. IX, 1873, Amur  
p. 258. — Kraatz, Deutsche Ent. Zeitschr.  
XXIII, 1879, p. 87. — Pic, Synops. p. 25, 27.
- T ✓ **grallatrix** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan  
1884, p. 214. — Pic, Synops. p. 25, 27.
- T ✓ **Harmandi** Pic, Bull. Mus. Paris VI, 1901, p. 58; Synops. „  
p. 25, 27.  
ab. *limbaticollis* Pic, l. c. p. 27.
- ✓ **insuturata** Pic, Bull. Mus. Paris VI, 1901, p. 59; Synops. „  
p. 24, 26.  
ab. *brevinotata* Pic, l. c. p. 24.
- ✓ **lineatocollis** Pic, l. c. p. 24. „
- T ✓ **maculithorax** Pic, Bull. Mus. Paris VII, 1902, p. 338; „  
Synops. p. 24, 27.
- ✓ **malthinoides** Kraatz, Deutsche Ent. Zeitschr. XXIII, Amur  
1879, p. 104, t. 1, f. 11. — Pic, Synops. p. 25, 27.
- ✓ **pieta** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 51. Mongolei  
— Pic, Synops. p. 25, 26.
- T ✓ **signifera** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan  
1884, p. 215. — Pic, Synops. p. 24, 27.  
ab. *mutata* Bates, Journ. Linn. Soc. Lond. Zool. „  
XVIII, 1884, p. 215. — Pic, Synops. p. 27.  
ab. *obscurior* Pic, l. c. p. 24, 27. „  
ab. *semiobscura* Pic, Bull. Mus. Paris VII, 1902, „  
p. 338; Synops. p. 24, 27.
- T ✓ **similis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, Amur  
p. 102. — Pic, Synops. p. 25, 26.
- T ✓ **Staudingeri** Pic, Echange XVII, 1901, p. 12; Synops. Japan  
p. 25, 26.
- T ✓ **Suvurovi** Baeckm. Rev. Russe d'Ent. III, 1903, p. 115. Amur
- T ✓ **tristicula** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, „  
p. 104. — Pic, Synops. p. 25, 26.

20

**Fallacia** Muls. et Rey.

Muls. & Rey, Opusc. Ent. XIII, 1863, p. 180 (Ann. Soc. Linn. Lyon (2)  
X, 1863, p. 180).

**elegans** Fald. Fauna Transc. II, 1837, p. 319, t. 11, f. 7, 8. Kaukasus  
— Ganglb. Best.-Tab. VII, 1881, p. 32 (710).

- Pic, Longic. III, 3, 1901, p. 16. — Jacobs.  
Käfer Russl. 1910, t. 67, f. 17.  
*longicollis* Muls. & Rey, Opusc. Ent. XIII, 1863,  
p. 180. — Kraatz, Deutsche Ent. Zeitschr.  
XXIII, 1879, p. 279.  
ab. *inapicalis* Pic, Longic. III, 3, 1901, p. 16. Kaukasus  
ab. *Lederi* Kraatz, Deutsche Ent. Zeitschr. XXIII,  
1879, p. 280. — Pic, Longic. III, 3, 1901, p. 16. ”  
ab. *mingrelica* Kraatz, Deutsche Ent. Zeitschr.  
XXIII, 1879, p. 279. — Pic, Longic. III, 3,  
1901, p. 16. ”  
ab. *subnotata* Pic, l. c. ”  
1

### Nivellia Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 564. — Ganglb. Best.-Tab. VII, 1881,  
p. 29 (707). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Csiki, Rov.  
Lapok X, 1903, p. 102.

- sanguinosa* Gyllenh. Ins. Succ. I, 4, 1827, p. 21. — Schweden,  
C. R. Sahlb. Ins. Fenn. II, 1839, p. 285. — Finnland,  
Bach, Käferfauna III, 1856, p. 52. — Redt. Ost-  
Fauna Austr. ed. 2, 1858, p. 876: ed. 3, II, 1874, preussen,  
p. 435. — Muls. Col. Fr. Long. ed. 2, 1863, Schlesien,  
p. 564. — C. G. Thoms. Skand. Col. VIII, 1866, Karpaten,  
p. 67. — Ganglb. Best.-Tab. VII, 1881, p. 30 Sibirien  
(708). — Seidl. Fauna Balt. ed. 2, 1891, p. 742;  
Fauna Transs. 1891, p. 836. — Csiki, Rov.  
Lapok X, 1903, p. 140. — Jacobs. Käfer Russl.  
1910, t. 67, f. 2.  
*Kratteri* Hampe, Verh. zool.-bot. Ver. Wien II,  
1852, p. 67.  
*Sacheri* Wolfner, Lotos II, 1852, p. 93.  
ab. *extensa* Gebl. Bull. Moscou XIV, 1841, p. 613. Sibirien  
— Kraatz, Deutsche Ent. Zeitschr. XXIII,  
1879, p. 87.

1

### Cornumutilla Letzn.

- Letzner, Arb. Schles. Ges. vaterl. Cult. 1843, p. 173.  
*Letzneria* Kraatz, Zeitschr. Ent. Breslau (2) VII, 1879, p. 63.  
— Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Seidl. Fauna  
Transs. 1891, Gatt. p. 184. — Csiki, Rov. Lapok X, 1903, p. 101.  
*lineata* Letzn. Arb. Schles. Ges. vaterl. Kult. 1843, Schlesien,  
p. 173: LXII, 1884, p. 344. — Bach, Käfer- Karpaten,  
fauna III, 1856, p. 54. — Muls. Col. Fr. Long. Russland  
ed. 2, 1863, p. 572. — Ganglb. Best.-Tab. VII,  
1881, p. 18 (696). — Seidl. Fauna Transs. 1891,  
p. 837. — Csiki. Rov. Lapok X, 1903, p. 140.  
— Jacobs. Käfer Russl. 1910, t. 67, f. 4.  
ab. *flavescens* Letzn. Arb. Schles. Ges. vaterl.  
Kult. LXII, 1884, p. 345.  
ab. *nigrescens* Letzn. l. c.  
ab. *nigropicea* Letzn. l. c. p. 346.

- var. *Weisi* L. Heyd. Deutsche Ent. Zeitschr. Tirol  
1891, p. 389.  
**quadrivittata** Gebl. Ledeb. Reise II, 2, 1830, p. 193; Sibirien  
Bull. Moscou XXI, 1, 1848, p. 420. — L. Heyd.  
Deutsche Ent. Zeitschr. 1891, p. 389.  
2

### **Strangalomorpha** Solsky.

Solsky, Horae Soc. Ent. Ross. IX, 1873, p. 253. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 221.

- aenescens** Bates, l. c.  
**tenuis** Solsky, Horae Soc. Ent. Ross. IX, 1873, p. 254. Japan  
— Kraatz<sup>2</sup>, Deutsche Ent. Zeitschr. XXIII, Amur,  
1879, p. 86. — Jacobs. Käfer Russl. 1910, t. 67, Mongolei  
f. 16.  
var. *signaticornis* Ganglb. l. c. XXIV, 1889, p. 52.  
2

### **Dokhtouroffia** Ganglb.

Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 129.

- nebulosa** Gebl. Bull. Acad. St. Petersburg. III, 1845, p. 105; Sibirien  
Bull. Moscou XXII, 1, 1860, p. 31. — Pic, Longic.  
VI, 1, 1906, p. 7. — Jacobs. Käfer Russl. 1910,  
t. 67, f. 12.  
**turkestanica** Ganglb. Horae Soc. Ent. Ross. XX, Kuldja  
1886, p. 129.  
1

### **Eustrangalis** Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 221.

- distenoides** Bates, l. c. p. 222, t. 1, f. 4. — Matsum. Japan  
Thous. Ins. Jap. III, 1908, nr. 706, t. 53, f. 5.  
1

### **Grammoptera** Serv.

Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 215. — Muls. Col. Fr. Long. 1839,  
p. 289; ed. 2, 1863, p. 575. — Redt. Fauna Austr. 1849, p. 509; ed. 2,  
1858, p. 877; ed. 3, II, 1874, p. 436. — Fairm. Gen. Col. d'Eur. IV, 1864,  
p. 187. — C. G. Thoms. Skand. Col. VIII, 1866, p. 65. — Ganglb. Best.-  
Tab. VII, 1881, p. 7 (685). — Fowler, Col. Brit. Isl. IV, 1890, p. 241. —  
Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. —  
Stierl. Col. Helvet. II, 1898, p. 479. — Everts. Col. Neerl. II, 1, 1901, p. 352.  
— Houb. Faune Armor. Ceramb. 1904, p. 16, 38.

*Fallaciomorpha* Pic, Cat. Longic. 1900, p. 37; Longic. VI, 1,  
1906, p. 7.

*Fallacioforma* Pic, l. c.

- angustata** Pic, Abeille XXVII, 1892, p. 289; Longic. Algier  
II, 1898, p. 15.  
**auricollis** Muls. & Rey, Opusc. Ent. XIII, 1863, p. 183 „  
(Ann. Soc. Linn. Lyon (2) X, 1863, p. 183).  
— Pic, Abeille XXVII, 1892, p. 290.

- ab. *lucidipes* Pic, Abeille XXVII, 1892, p. 290; Longic. II, 1898, p. 8. Algier
- chalybeella* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 216. Japan
- holomelina* Pool, Ent. Rec. XVII, 1905, p. 133. — Donisth. l. c. p. 182. — Champ. Ent. Monthly Mag. (2) XXI, 1910, p. 71. England
- ingrica* Baeckm. Ann. Mus. Zool. St. Petersb. VII, 1902, p. 280, VIII, 1903, p. VIII. — Jacobs. Käfer Russl. 1910, t. 67, f. 3. Ingermanland
- Merkli** Frivald, Term. Füzet. VIII, 1884, p. 4. Kleinasien
- ruficornis* F. Spec. Ins. I, 1781, p. 247. — Rossi, Fauna Etrusca I, 1790, p. 164. — Sturm, Verz. Ins. 1796, p. 51, t. 2, f. 9. — Payk. Fauna Suec. III, 1800, p. 127. — Gyllenh. Ins. Suec. I, 4, 1827, p. 8. — Germ. Fauna Ins. Europ. XII, 1825, t. 12. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 263. — Muls. Col. Fr. Long. 1839, p. 295; ed. 2. 1863, p. 577. — Steph. Man. Brit. Col. 1839, p. 279. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 52. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 545. — C. G. Thoms. Skand. Col. VIII, 1866, p. 66. — Ganglb. Best.-Tab. VII, 1881, p. 30 (708); Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 546. — Bedel, Faune Col. Seine V, 1889, p. 13. — Fowler, Col. Brit. Isl. IV, 1890, p. 242, t. 123, f. 3. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 480. — Everts, Col. Neerl. II, 1, 1901, p. 352. — Csiki, Rov. Lapok X, 1903, p. 205. — Houlb. Faune Armor. Ceramb. 1904, p. 39.
- clavipes* Geoffr. in Fourer. Ent. Paris I, 1785, p. 87.
- femorata* Ol. Ent. IV, 73, 1795, p. 31, t. 2, f. 15. — Marsh. Ent. Brit. I, 1802, p. 352. — Latr. Hist. Nat. Crust. Ins. XI, 1904, p. 321.
- laevis* Herbst in Füessly, Arch. V, 1784, p. 103.
- parisina* Thunb. Nov. Acta Upsal. IV, 1784, p. 16.
- pumila* Schaller, Schrift. Naturf. Ges. Halle I, 1783, p. 299.
- rufipes* Goeze, Ent. Beytr. I, 1777, p. 501.
- Biologie: Perris, Ann. Soc. Ent. Fr. (2) V, 1847, p. 551, t. 9, 2, f. 8—13. — Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516. — Portevin, Bull. Soc. Ent. Fr. 1891, p. 52. — Xambeau, Moeurs & Mét. VIII, 1902, p. 108.
- ab. *flavipes* Pic, Echange VIII, 1892, p. 139; Long. II, 1898, p. 8. Sicilien
- var. *obscuricornis* Kraatz in Radde, Fauna und Flora S. W. Caspigegeb. 1886, p. 234. Kaukasus
- ab. *pallipes* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 263; Man. Brit. Col. 1839, p. 279. — Champ. Ent. Month. Mag. (2) XXI, 1910, p. 70. England, Irland
- ustulata* Schaller, Schrift. Nat. Ges. Halle I, 1783, p. 298. Europa  
— Muls. Col. Fr. Long. ed. 2, 1863, p. 581. —

Ganglb. Best.-Tab. VII, 1881, p. 30 (708). — Bedel, Faune Col. Seine V, 1889, p. 13. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 480. — Everts, Col. Neerl. II, 1, 1901, p. 352. — Csiki, Rov. Lapok X, 1903, p. 205. — Houlb. Faune Armor. Ceramb. 1904, p. 38.

*adusta* Gmel. Syst. Nat. I, 4, 1790, p. 1872.

*praeusta* F. Mant. Ins. I, 1787, p. 159. — Ol. Ent. IV, 73, 1795, p. 34, t. 4, f. 52. — Panz. Fauna Ins. Germ. XXXIV, 1796, t. 17. — Fallén, Observ. Ent. I, 1802, p. 15. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 322. — Gyllenh. Ins. Suec. I, 4, 1827, p. 7. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 264. — Muls. Col. Fr. Long. 1839, p. 296. — Shuck. Brit. Col. 1840, p. 67, t. 79, f. 3. — Cast. Hist. Nat. II, 1840, p. 505. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 53. — Schiödt, Nat. Tidskr. (3) II, 1864, p. 545. — C. G. Thoms. Skand. Col. VIII, 1866, p. 66. — Fowler, Col. Brit. Isl. IV, 1890, p. 243, t. 123, f. 4.

*splendida* Herbst in Füessly, Arch. V, 1784, p. 103.

Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 384, f. 565—573. — Xamheu, Moeurs & Mét. VIII, 1902, p. 107.

ab. *Barrasi* Pic, Longic. III, 1, 1900, p. 6.

ab. *geniculata* Kraatz in Radde, Fauna und Flora S. W. Caspigegeb. 1886, p. 234.

ab. *tibialis* Kraatz, l. c.

Portugal  
Spanien

Kaukasus

**variegata** Germ. Ins. spec. nov. 1824, p. 522. — Ganglb.

Best.-Tab. VII, 1881, p. 30 (708). — Weise, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 423. — Bedel, Faune Col. Seine V, 1889, p. 12. — Seidl. Fauna Balt. 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 480. — Everts, Col. Neerl. II, 1, 1901, p. 353. — Csiki, Rov. Lapok X, 1903, p. 205. — Houlb. Faune Armor. Ceramb. 1904, p. 39, f. 76 bis.

*abdominalis* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 262; Man. Brit. Col. 1839, p. 279.

*analis* Herrich-Schaeffer, Fauna Ins. Germ. CXVIII, 1837, t. 6. — Muls. Col. Fr. Long. 1839, p. 294; ed. 2, 1863, p. 579. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 53. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 273. — Fowler, Col. Brit. Isl. IV, 1890, p. 242, t. 123, f. 2.

*femorata* Muls. Col. Fr. Long. ed. 2, 1863, p. 580. Biologie: Xamheu, Moeurs & Mét. VIII, 1902, p. 109.

var.? *erythropus* Gebl. Bull. Moscou XIV, 1841, p. 612.

ab. *nigrescens* Weise, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 423. — Pic, Longic. I, 1891, p. 16.

Sibirien

Frankreich,  
Deutschland

- griseipes* Pic, Echange V, 1889, p. 55; VI, 1890, p. 156.  
*viridipennis* Pic, Feuille Jeun. Natural. XXIII, 1893, p. 111; Longic. II, 1898, p. 16. ? Korsika

10

**Alosterna** Muls.

- Muls. Col. Fr. Long. ed. 2, 1863, p. 576. — Seidl. Fauna Balt. ed. 2, 1891, p. 743; Fauna Transs. 1891, p. 838. — Csiki, Rov. Lapok X, 1903, p. 102.  
*Allosterna* Stierl. Col. Helvet. II, 1898, p. 479. — Everts, Col. Neerl. II, 1, 1901, p. 353. — Houbl. Faune Armor. Ceramb. 1904, p. 16.
- elegantula* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 105. Amur
- scapularis* L. Heyd. in Schneid. und Leder, Beitr. z. kauk. Käferfauna 1878, p. 325 (Verh. naturf. Ver. Brünn XVII, 1879, p. 69). Persien
- var. *italy schensis* Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 391. Lenkoran
- tabacicolor* Degeer, Mém. Ins. V, 1775, p. 139. — Muls. Col. Fr. Long. ed. 2, 1863, p. 576. — C. G. Thoms. Skand. Col. VIII, 1866, p. 65. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Fowler, Col. Brit. Isl. IV, 1890, p. 242, t. 123, f. 1. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Stierl. Col. Helvet. II, 1898, p. 479. — Everts, Col. Neerl. II, 1, 1901, p. 353. — Csiki, Rov. Lapok X, 1903, p. 205. — Houbl. Faune Armor. Ceramb. 1904, p. 38, f. 75. — Kempers, Tijdschr. v. Ent. LII, 1909, p. 278, t. 13, f. 7. — Jacobs. Käfer Russl. 1910, t. 63, f. 21. Europa, Sibirien
- chrysomeloides* Schrank, Enum. Ins. 1781, p. 158.
- Genii* Gmel. Syst. Nat. I, 4, 1790, p. 1877.
- laevis* F. Ent. Syst. I, 2, 1792, p. 340. — Ol. Ent. IV, 73, 1795, p. 34, t. 4, f. 51. — Panzer, Fauna Ins. Germ. XXXIV, 1796, t. 16. — Estlund, Vet. Akad. Nya Handl. XVII, 1796, p. 127. — Payk. Fauna Succ. III, 1800, p. 128. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 322. — Marsh. Ent. Brit. I, 1802, p. 351. — Gyllenh. Ins. Succ. I, 4, 1827, p. 25. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 263. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 286. — Muls. Col. Fr. Long. 1839, p. 261. — Baebl. Käferfauna III, 1856, p. 54. — Redt. Fauna Austr. ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 546.
- melanura* var. b Müller, Zool. Dan. Prodr. 1776, p. 94.
- solstitialis* Herbst in Füessly, Arch. V, 1784, p. 103.
- Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XLIV, 1897, p. 56; Moeurs & Mét. VII, 1899, p. 48.
- var. *bivittis* Motsch. Schrenck's Reise, Col. 1860, p. 146, t. 9, f. 22. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 256. Sibirien, Kaukasus

- subvittata* Reitt. Deutsche Ent. Zeitschr. XXIX,  
1885, p. 391.  
ab. *dispar* Pic, Echange VIII, 1892, p. 140; Longie. Alpen  
II, 1898, p. 8.  
var. *testacea* Motsch. Schrenck's Reise, Col. 1860, Daurien  
p. 146.  
3

### Leptura L.

Linné, Syst. Nat. ed. 10, 1758, p. 397. — F. Syst. Ent. 1775, p. 196. —  
Ol. Ent. IV, 73, 1795, p. 1—4. — Payk. Fauna Succ. III, 1800, p. 101. —  
Marsh. Ent. Brit. I, 1802, p. 340. — Gyllenh. Ins. Succ. I, 4, 1827, p. 1.  
— Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 257. — Muls. Col. Fr. Long.  
1839, p. 266; ed. 2, 1863, p. 536. — Rcdt. Gatt. deutsch. Käferf. 1845,  
p. 112. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Bach, Käfer-  
fauna III, 1856, p. 50. — Thoms. Classif. Ceramb. 1860, p. 143; Syst.  
Ceramb. 1864, p. 407. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 189. —  
C. G. Thoms. Skand. Col. VIII, 1866, p. 64. — Laeord. Gen. Col. VIII,  
1869, p. 445. — Ganglb. Best.-Tab. VII, 1881, p. 7 (685). — Bedel, Faune  
Col. Seine V, 1889, p. 6. — Fowler, Col. Brit. Isl. IV, 1890, p. 235. — Seidl.  
Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helvet. II, 1898, p. 472.  
— Everts, Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok X, 1903,  
p. 102. — Houlb. Faune Armor. Ceramb. 1904, p. 31. — Gah. Fauna Brit.  
Ind. Col. I, 1906, p. 81.

*Corymbia* Des Gozis, Recherche de l'espèce typique de qu. anc.  
genres, 1886.

*Trigonarthris* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 65.

- Subgen. *Anoplodera* Muls. Col. Fr. Long. 1839, p. 285; ed. 2, 1863, p. 565.  
— Fairm. Gen. Col. d'Eur. IV, 1864, p. 190. — C. G. Thoms.  
Skand. Col. VIII, 1866, p. 66. — Ganglb. Best.-Tab. VII, 1881,  
p. 29 (707). — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs.  
1891, p. 839. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts,  
Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok X, 1903, p. 102.  
Subgen. *Anoploderomorpha* Pic, Bull. Mus. Paris VII, 1901, p. 59;  
Longie. III, 3, 1901, p. 28.  
Subgen. *Vadonia* Muls. Col. Fr. Long. ed. 2, 1863, p. 559. — Ganglb.  
Best.-Tab. VII, 1881, p. 27 (705). — Seidl. Fauna Balt. ed. 2,  
1891, p. 745; Fauna Transs. 1891, p. 839. — Stierl. Col. Helvet.  
II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 354.

Paläarktische und japanische Arten.

#### Subgen. Anoplodera Muls.

- abbreviata* Motsch. Bull. Mosc. XLIX, 1, 1875, p. 143. Daurien  
*nigroflava* Fuss, Mitth. Siebenb. Nat. Ver. III, 1852, Siebenbürgen  
p. 75. — Friv. Termes. Füzct. I, 1877, p. 136.  
— Ganglb. Best.-Tab. VII, 1881, p. 29 (707).  
— Seidl. Fauna Transs. 1891, p. 839. — Csiki,  
Rov. Lapok X, 1903, p. 141.  
*rufipes* Schaller, Schrift. Nat. Ges. Halle I, 1783, p. 296. Südschweden,  
— Preyßler in Mayer, Samml. Phys. Aufsätze Mittel-  
III, 1793, p. 276. — F. Syst. El. II, 1801, p. 358. europa  
— Gyllenh. Ins. Succ. I, 4, 1827, p. 27. —  
Herrich-Schaeffer, Fauna Ins. Germ. CXIX,  
183?, t. 18. — C. R. Sahlb. Ins. Fenn. II, 1839,  
p. 287. — Muls. Col. Fr. Long. 1839, p. 286;

- ed. 2, 1863, p. 568. — Redt. Fauna Austr. 1849, p. 510; ed. 2, 1858, p. 878; ed. 3, II, 1874, p. 437. — Bach, Käferfauna III, 1856, p. 53. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 280. — Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Bedel, Faune Col. Seine V, 1889, p. 14, 56. — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs. 1891, p. 839. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok X, 1903, p. 140. — Houlb. Faune Armor. Ceramb. 1904, p. 31. — Jacobs. Käfer Russl. 1910, t. 64, f. 2.
- atra* var. Payk. Fauna Succ. III, 1800, p. 125.  
 ab. *astrabadensis* Pic, Echange XVI, 1900, p. 82. Astrabad  
 Europa  
 ab. *atra* Payk. Fauna Succ. III, 1800, p. 125.  
*fuscipes* Muls. Col. Fr. Long. 1839, p. 287. — Pic, Longic. I, 1891, p. 9.  
*Krueperi* Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Reitt. Deutsche Ent. Zeitschr. 1889, p. 375.  
*rufipes* var. b Gyllenh. Ins. Succ. I, 4, 1827, p. 27.  
*villosa* Schönh. Syn. Ins. I, 3, 1817, p. 486.  
 ab. *medea* Pic, Echange XXIV, 1909, p. 99; Longic. VII, 2, 1910, p. 2. Kaukasus  
 ab. *ventralis* L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 85. „  
*rufiventris* Tourn. Rev. et Mag. Zool. (2) XXIII, 1872, p. 348.
- rufiventris** Gebl. Ledeb. Reise II, 2, 1839, p. 193; Bull. Moscou XXI, 1, 1848, p. 421 (sep. p. 326).  
 ♀ *maculata* Gebl. Bull. Mosc. XIV, 1841, p. 614.
- sexguttata** F. Syst. Ent. 1775, p. 198. — Herbst in Füessly, Archiv V, 1784, p. 102, t. 26, f. 25. — Rossi, Fauna Etr. I, 1790, p. 162. — Ol. Ent. IV, 73, 1795, p. 29, t. 2, f. 22. — Panz. Fauna Ins. Germ. LXIX, 1799, t. 22. — Payk. Fauna Succ. III, 1800, p. 119. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320. — Gyllenh. Ins. Succ. I, 4, 1827, p. 25. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 262. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 287. — Muls. Col. Fr. Long. 1839, p. 285; ed. 2, 1863, p. 566. — Cast. Hist. Nat. II, 1840, p. 505. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3, II, 1874, p. 436. — Bach, Käferfauna III, 1856, p. 53. — C. G. Thoms. Skand. Col. VIII, 1866, p. 67. — Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Bedel, Faune Col. Seine V, 1889, p. 15, 57. — Fowler, Col. Brit. Isl. IV, 1890, p. 235, t. 122, f. 3. — Seidl. Fauna Balt. 1891, p. 745; Fauna Transs. 1891, p. 839. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 140. — Houlb. Faune Armor. Ceramb. 1904, p. 31.
- cincta* Panz. Enum. Syst. Schaeff. Icon. 1804, p. 57.  
*Uddmanniana* Harrer, Besch. Ins. Schaeff. I, 1784, p. 225.  
 ab. *atrata* Schilsky, Deutsche Ent. Zeitschr. 1889, 7 Deutschland  
 p. 339. — Pic, Longic. II, 1898, p. 4.

- ab. *biguttata* Muls. Col. Fr. Long. 1839, p. 285. Mitteleuropa  
 — Pic, Longic. II, 1898, p. 4.  
*bipustulata* Rothenb. Ent. Blätter V, 1909, Europa  
 p. 190. — L. Heyd. l. c. p. 232.  
 T ab. *exclamationis* F. Ent. Syst. I, 2, 1792, p. 343.  
 — Ol. Ent. IV, 73, 1795, p. 29, t. 2, f. 19. —  
 Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 320.  
 — Muls. Col. Fr. Long. 1839, p. 285. — Ganglb.  
 Best.-Tab. VII, 1881, p. 29 (707). — Seidl.  
 Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs.  
 1891, p. 839. — Pic, Longic. II, 1898, p. 4.  
 — Stierl. Col. Helvet. II, 1898, p. 481. — Everts,  
 Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov.  
 Lapok X, 1903, p. 140. — Houlb. Faunc Armor.  
 Ceramb. 1904, p. 31, f. 59.  
*punctatomaculata* Marsh. Ent. Brit. I, 1802,  
 p. 357.  
*semicolon* Schrank, Fauna Boica I, 2, 1798, p. 694.  
 ab. *guttata* Pic, Longic. II, 1898, p. 4. Kabylien  
 ab. *Landoisi* Pic, Cat. Longic. 1900, p. 25. Westfalen

### Subgen. *Anoploderomorpha* Pic.

- ✓ *cyanea* Gebl. Nouv. Mém. Moscou II, 1832, p. 70. — Ostsibirien  
 Jacobs. Käfer Russl. 1910, t. 67, f. 6.  
*excavata* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan  
 1884, p. 217.

### Subgen. *Vadonia* Muls.

Daniel, Col.-Stud. I, 1891, p. 5—29 (Synopsis).

- atramentaria* Ganglb. Horae Soc. Ent. Ross. XXIV, Mongolei  
 1889, p. 59.  
*bicolor* Redt. Denkschr. Wien. Acad. I, 1850, p. 50. Persien,  
 — Daniel, Synops. p. 5, 15. Kaukasus  
*Türki* L. Heyd. Verh. Nat. Ges. Brünn XVII,  
 1879, p. 70; Schneid. & Leder, Beitr. kauk.  
 Käferf. 1879, p. 326. — Ganglb. Wien. Ent.  
 Zeit. II, 1882, p. 139.  
*bipunctata* F. Spec. Ins. I, 1781, p. 245. — Ganglb. Best.- Russland,  
 Tab. VII, 1881, p. 28 (706), nota 1. — Daniel, Sibirien  
 Synops. p. 19.  
*Fischeri* Zoubk. Bull. Mosc. I, 1829, p. 268,  
 t. 5, f. 9.  
*saucia* Muls. Col. Fr. Long. ed. 2, 1863, p. 563.  
 ab. *saucia* Muls. & God. Ann. Soc. Linn. Lyon  
 (2) II, 1855, p. 282; Opusc. VI, 1855, p. 182.  
 — Daniel, Synops. p. 19.  
*laterimaculata* Motsch. Bull. Mosc. XLIX,  
 1875, p. 142. — Daniel, Synops. p. 20.  
*bisignata* Brullé, Expéd. Mor. III, 1832, p. 264, t. 43, Griechenland,  
 f. 7. — Küster, Kaf. Eur. IX, 1847, p. 76. — Syrien  
 Ganglb. Best.-Tab. VII, 1881, p. 28 (706).  
 — Daniel, Synops. p. 6, 26.  
*binotata* Lefeb. Silberm. Rev. Ent. III, 1835,  
 p. 306.  
*grandicollis* Muls. Ann. Soc. Linn. Lyon (2) X,  
 1863, p. 182.  
 ab. *inapicalis* Pic, Rev. Bourb. 1897, p. 31. Griechenland

- bitlisiensis** Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 59. — Pic, l. c. (6) IX, 1889, Bull. p. 175. — Daniel, Synops. p. 5, 13. Syrien
- Pic, l. c. (6) IX, 1889, Bull. p. 175. — Daniel, Synops. p. 5, 13.
- bistigmata** Pic, Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 176.
- ♀ *cribricollis* Pic, Echange V, 1889, p. 5.
- var. *armeniaca* Pic, Longie. IV, 2, 1903, p. 4. Armenien
- ciliciensis** Daniel, Synops. p. 5, 13. Taurus
- hirsuta** Daniel, l. c. p. 6, 18, 64. Rumänien
- imitatrix** Daniel, l. c. p. 6, 24. — Pic, Longie. II, 1898, p. 4. — Csiki, Rov. Lapok X, 1903, p. 162. Kroatien,  
Dalmatien
- Müller, Verh. zool.-bot. Ges. Wien LVI, 1906, p. 663.
- var. *saucia* Ganglb. Best.-Tab. VII, 1881, p. 28 (706).
- instigmata** Pic, Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 176; Echange VII, 1891, p. 38. — Daniel, Synops. p. 5, 15. Armenien
- livida** F. Gen. Ins. 1776, p. 233. — Herbst in Füessly, Arch. V, 1784, p. 101, t. 26, f. 23. — Rossi, Fauna Etrusca I, 1790, p. 161. — Martyn, Engl. Entomol. 1792, t. 28, f. 13. — Ol. Ent. IV, 73, 1795, p. 33, t. 4, f. 50. — Marsh. Ent. Brit. I, 1802, p. 352. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 322. — Gyllenh. Ins. Suec. I, 4, 1827, p. 24. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 265. — Herrich-Schaeffer, Fauna Ins. Germ. CXVIII, 1837, t. 5. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 286. — Muls. Col. Fr. Long. 1839, p. 282; ed. 2, 1863, p. 559. — Küster, Käfer Eur. VII, 1846, p. 77. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3, II, 1874, p. 436. — Bach, Käferfauna III, 1856, p. 52. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 545. — Ganglb. Best.-Tab. VII, 1881, p. 28 (706). — Bedel, Faune Col. Seine V, 1889, p. 14, 57. — Fowler, Col. Brit. Isl. IV, 1890, p. 237, t. 122, f. 6. — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs. 1891, p. 839. — Daniel, Col. Stud. I, 1891, p. 36. — Stierl. Col. Helvet. II, 1898, p. 481. — Everts, Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok X, 1903, p. 161. — Houlb. Faune Armor. Ceramb. 1904, p. 31, f. 60.
- var. *pastinacae* Panzer, Entomol. Germ. 1795, p. 275.
- var. *bicarinata* Arnold, Horae Soc. Ent. Ross. VI, 1869, p. 137. — L. Heyd. Deutsche Ent. Zeitschr. XXI, 1877, p. 417. — Reitt. Wien. Ent. Zeit. XIII, 1894, p. 247. — Csiki, Rov. Lapok X, 1903, p. 161. Südrussland
- var. *corallipes* Reitt. l. c. p. 247. — Pic, Longie. II, 1898, p. 18. Armenien
- var. *Desbrochersi* Pic, Bull. Soc. Ent. Fr. 1891, p. 16. „
- var. *pecta* Daniel, Col.-Stud. I, 1891, p. 38. Südtirol
- misella** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 216. Japan, Amur
- moesiaca** Daniel, Col. Stud. I, 1891, p. 6, 27. Serbien,
- var. *bipunctata* Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 97. Türkei

- monostigma** Ganglb. Best.-Tab. VII, 1881, p. 29 (707). — Daniel, Synops. p. 6, 28. Griechenland, Türkei, Kleinasien
- Steveni** Sperk, Bull. Moscou VIII, 1835, p. 158. — Ganglb. Best.-Tab. VII, 1881, p. 28 (706). Südost-europa
- adusta* Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 97. — Daniel, Synops. p. 6, 21. — Csiki, Rov. Lapok X, 1903, p. 216.
- bipunctata* Muls. Col. Fr. Long. ed. 2, 1863, p. 562.
- globicollis* Desbr. Abeille VII, 1870, p. 127. — Daniel, Synops. p. 23.
- ab. *litigiosa* Muls. Col. Fr. Long. ed. 2, 1863, p. 564. — Daniel, Synops. p. 22. Österreich
- unipunctata** F. Mant. Ins. I, 1787, p. 157. — Ol. Ent. IV, 73, 1795, p. 13, t. 1, f. 9. — Panzer, Fauna Ins. Germ. XLV, 1797, t. 19. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 315. — Muls. Col. Fr. Long. 1839, p. 283; ed. 2, 1863, p. 561. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3, II, 1874, p. 436. — Bach, Käferfauna III, 1856, p. 52. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 96. — Ganglb. Best.-Tab. VII, 1881, p. 28 (706). — Scidl. Fauna Transs. 1891, p. 840. — Daniel, Synops. p. 6, 16. — Csiki, Rov. Lapok X, 1903, p. 162. Südeuropa, Nordafrika
- Biologic: Nambou, Ann. Soc. Linn. Lyon XL, 1893, p. 142 (Moeurs & Métam. I, p. 214); Moeurs & Métam. VIII, 1902, p. 134; IX, 1898, p. 42; Rev. d'Ent. XVII, 1908, p. 42.
- var. *dalmatina* Müller, Verh. zool.-bot. Ges. Wien LVI, 1906, p. 662. Dalmatien
- ab. *Jacqueti* Pic, Frelon VIII, 1900, p. 3. Pyrenäen
- var. *obscuripilosa* Pic, Bull. Soc. Ent. Fr. 1892, p. 84. Russland
- var. *occidentalis* Daniel, Synops. p. 17. Spanien, Marocco
- ab. *uninstigmata* Pic, Longic. I, 1891, p. 9. Europa

Subgen. **Leptura** s. str.

- apicalis** Motsch. Bull. Moscou XLIX, 1, 1875, p. 142. Sibirien
- Bangi** Pic, Bull. Mus. Paris VII, 1902, p. 340. Japan
- Bouvieri** Pic, l. c. VI, 1901, p. 59. "
- cardinalis** Daniel, Col.-Stud. II, 1899, p. 76. Turkestan
- cordigera** Füssly, Verz. Schweiz. Ins. 1775, p. 14. — Ganglb. Best.-Tab. VII, 1881, p. 23 (701). — Bedel, Faune Col. Seine V, 1889, p. 16. — Everts, Col. Neerl. II, 1, 1901, p. 356. — Csiki, Rov. Lapok X, 1903, p. 165. — Houlb. Faune Armor. Ceramb. 1904, p. 33, f. 63. Südeuropa, Kleinasien
- hastata* Sulzer, Abg. Gesch. Ins. 1776, p. 46, t. 5, f. 11. — F. Mant. Ins. I, 1787, p. 157. — Panzer, Fauna Ins. Germ. XXII, 1794, t. 12. — Ol. Ent. IV, 73, 1795, p. 5, t. 1, f. 5. — Dunker, Ent. Bilderb. 1795, p. 20, t. 1, f. 21. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 312. — Muls. Col. Fr. Long. 1839, p. 274; ed. 2, 1863, p. 545. — Küster, Käfer Eur. VII, 1846, p. 74. — Bach, Käferfauna

- III, 1856, p. 51. — Seidl. Fauna Transs. 1891, p. 841. — Jacobs. Käfer Russl. 1910, t. 64, f. 7.
- lamed* Geoffr. in Fourcr. Ent. Paris I, 1785, p. 86. — Petagna, Spec. Ins. Calabr. 1787, p. 17, tab., f. 17. — Rossi, Fauna Etrusca I, 1790, p. 148.
- Biologie: Xambeu, Ann. Soc. Linn. Lyon (2) XLIV, 1897, p. 46; Moeurs et Métam. VII, 1899, p. 38.
- ab. *auricollis* Chob. Bull. Soc. Ent. Fr. 1895, p. 310. Korsika
- ab. *immaculata* Ragusa, Natural. Sicil. VIII, 1889, p. 236. — Pic, Longie. I, 1891, p. 11. Sicilien
- ab. *inhastata* Pic, l. c. IV, 1, 1902, p. 8. „
- dentatipennis* Pic, Bull. Mus. Paris VI, 1901, p. 60. Japan
- Deyrollei* Pic, Echange XI, 1895, p. 40. Trapezunt
- dubia* Scop. Ent. Carniol. 1763, p. 47. — Bedel, Faune Col. Seine V, 1889, p. 15. — Csiki, Rov. Lapok X, 1903, p. 165. Europa (fehlt in Grossbritannien)
- variabilis* var.  $\beta$  Payk. Fauna Suec. III, 1800, p. 110.
- ab. *chamomillae* F. Syst. Ent. II, 1801, p. 359. — Pic, Longie. II, 1898, p. 6. — Reitter, Wien. Ent. Zeit. XVII, 1898, p. 195. — Csiki, Rov. Lapok X, 1903, p. 166.
- cincta* var. c Gyllenh. Ins. Suec. I, 4, 1827, p. 19.
- fuliginosa* Weise, Ent. Zeitschr. Breslau (n. F.) XII, 1887, p. 56.
- luctuosa* Muls. Col. Fr. Long. 1839, p. 278.
- variabilis* var.  $\gamma$  Payk. Fauna Suec. III, 1800, p. 110.
- var. *distincta* Tourn. Rev. Mag. Zool. (2) XXIII, 1872, p. 347. — Daniel, Col.-Stud. II, 1898, p. 86. Kaukasus
- Pic, Frelon VII, 1898, p. 64.
- ab. *limbata* Laich. Verz. Tyrol. Ins. II, 1784, p. 166. — Ol. Ent. IV, 73, 1795, p. 31, t. 2, f. 20. Europa
- Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 321.
- Seidl. Fauna Balt. ed. 2, 1891, p. 746; Fauna Transs. 1891, p. 841. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194. — Csiki, Rov. Lapok X, 1903, p. 166.
- cincta* F. Syst. El. II, 1801, p. 356. — Ill. Mag. Insectenk. IV, 1805, p. 121. — Gyllenh. Ins. Suec. I, 4, 1827, p. 19. — Zett. Fauna Ins. Lapp. I, 1828, p. 382. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 284. — Muls. Col. Fr. Long. 1839, p. 277; ed. 2, 1863, p. 552. — Redt. Fauna Austr. 1849, p. 569; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435. — Bach, Käferfauna III, 1856, p. 51. — C. G. Thoms. Skand. Col. VIII, 1866, p. 72.
- dubia* Ganglb. Best.-Tab. VII, 1881, p. 26 (704). — Stierl. Col. Helvet. II, 1898, p. 485. — Everts, Col. Neerl. II, I, 1901, p. 355.
- ♀ *sanguinolenta* Laich. Verz. Tyrol. Ins. II, 1784, p. 168 var.  $\beta$ . — Ol. Ent. IV, 73, 1795, p. 11, t. 3, f. 29b. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 9, 10.
- variabilis* Payk. Fauna Suec. III, 1800, p. 109. — Pic, Longie. II, 1898, p. 6.

- ab. *melanota* Fald. Fauna Transc. II, 1837, p. 315, t. 11, f. 5. — Stierl. Col. Helvet. II, 1898, p. 485. Kaukasus
- dubia* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 195. Mittel-europa
- notata* Ol. Ent. IV, 73, 1795, p. 11, t. 1, f. 11. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 314.
- ab. *moreana* Pic, Echange XXII, 1906, p. 96; Longic. VI, 2, 1907, p. 6. Griechenland
- ab. *ratchaensis* Pic. Longic. VIII, 1, 1911, p. 4. Kaukasus
- var. *Reyi* L. Heyd. Wien. Ent. Zeit. VIII, 1889, p. 203. — Pic, Longic. II, 1898, p. 6; Frelon VII, 1898, p. 64. — Stierl. Col. Helvet. II, 1898, p. 485. Frankreich
- ochracea* Rey, Rev. d'Ent. IV, 1885, p. 277. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194.
- ab. *Starcki* Schilsky, Deutsche Ent. Zeitschr. 1892, p. 265. — Pic, Longic. II, 1898, p. 6. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 195. — Csiki, Rov. Lapok X, 1903, p. 166. Alpen, Kaukasus
- ab. *triangulifera* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 195. — Csiki, Rov. Lapok X, 1903, p. 166. Kroatien, Kaukasus
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 382, f. 563—564 (sep. p. 542). — Xam-beu, l. c. (2) XLIV, 1897, p. 37; Moeurs & Métam. VII, 1899, p. 29; VIII, 1902, p. 131.
- erythroptera** Hagenb. Symb. Faunae Helvet. 1822, p. 7, t. 1, f. 1. — Redt. Fauna Austr. ed. 3, II, 1874, p. 435. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Bedel, Faune Col. Seine V, 1889, p. 15, 58. — Seidl. Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 485. — Csiki, Rov. Lapok X, 1903, p. 164. Mitteleuropa, Kaukasus
- rufipennis* Muls. Col. Fr. Long. 1839, p. 272; ed. 2, 1863, p. 542; Opusc. Ent. XI, 1860, p. 162. — Küster, Käfer Eur. VII, 1846, p. 72. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 876. — Bach, Käferfauna III, 1856, p. 50.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 383 (sep. p. 543.) — Xam-beu, Moeurs et Métam. VIII, 1902, p. 126.
- excisipes** Daniel, Col.-Stud. I, 1893, p. 32. — Pic, Longic. IV, 2, 1903, p. 4. Taurus
- Fontenayi** Muls. Col. Fr. Long. 1839, p. 271, t. 3, f. 8; Suppl. 1842, p. (2); ed. 2, 1863, p. 540. — Lucas, Explor. Algér. Col. 1849, p. 510. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702). — Chob. Bull. Soc. Ent. Fr. 1896, p. 201. — Houlb. Faune Armor. Ceramb. 1904, p. 33. Südfrank-reich, Spanien, Nord-afrika
- Biologie: Xam-beu, Moeurs et Métam. II, 1892, p. 58; VIII, 1902, p. 126.
- ab. *erythrodera* Chob. Bull. Soc. Ent. Fr. 1896, p. 201. Südfrank-reich, Algier
- ab. *nigrovittata* Chob. l. c. Marocco
- ab. *Pici* Chob. l. c. Algier
- fulva** Degeer, Mém. Ins. V, 1775, p. 136. — Muls. Col. Fr. Long. ed. 2, 1863, p. 556. — C. G. Thoms. Mitteleuropa

- Skand. Col. VIII, 1866, p. 73. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Bedel, Faune Col. Seine V, 1889, p. 15, 58. — Fowler, Col. Brit. Isl. IV, 1890, p. 237, t. 122, f. 5. — Daniel, Col.-Stud. I, 1891, p. 30. — Seidl. Fauna Balt. ed. 2, 1891, p. 746; Fauna Transs. 1891, p. 840. — Stierl. Col. Helvet. II, 1898, p. 484. — Everts, Col. Neerl. II, 1, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 164. — Houlb. Faune Armor. Ceramb. 1904, p. 32, f. 61. — Jacobs. Käfer Russl. 1910, t. 64, f. 6.
- affinis* Marsh. Ent. Brit. I, 1802, p. 353.
- lutescens* Geoffr. in Fourer. Ent. Paris I, 1785, p. 87. — Villers, Linn. Entomol. I, 1789, p. 274.
- tomentosa* F. Ent. Syst. I, 2, 1792, p. 340. — Rossi, Mant. Ins. II, 1794, App. p. 99. — Ol. Ent. IV, 73, 1795, p. 12, t. 2, f. 13 c. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 19. — Payk. Fauna Suec. III, 1800, p. 108. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 315. — Gyllenh. Ins. Suec. I, 4, 1827, p. 17. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 261. — Muls. Col. Fr. Long. 1839, p. 276. — Cast. Hist. Nat. II, 1840, p. 505. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435. — Bach, Käferfauna III, 1856, p. 51.
- var. *corsica* Pic. Mém. Soc. Zool. Fr. VII, 1894, p. 206; Longie. II, 1898, p. 5.
- var. *Menetriesi* Ganglb. Best.-Tab. VII, 1881, p. 27. Korsika  
Kaukasus
- granulata** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 217. Japan
- grammopteroïdes** Pic, Bull. Soc. Ent. Fr. 1891, p. 185. Libanon
- hybrida** Rey, Rev. d'Ent. IV, 1885, p. 277. — L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 85. — Bedel, Faune Col. Seine V, 1889, p. 15. — Daniel, Col.-Stud. I, 1891, p. 30, 34. Westalpen,  
Pyrenäen
- inseutellata** Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 415 (sep. p. 3); Longie. II, 1898, p. 5; Frelon VIII, 1900, p. 4. Syrien
- kabyliana** Pic, Rev. scient. Bourb. IX, 1896, p. 103; Longie. II, 1898, p. 15. Nordafrika
- maculicornis** Degeer, Mém. Ins. V, 1775, p. 139. — F. Suppl. Ent. Syst. 1798, p. 153. — Payk. Fauna Suec. III, 1800, p. 111. — Gyllenh. Ins. Suec. I, 4, 1827, p. 22. — Zett. Fauna Ins. Lapp. I, 1828, p. 381. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 285. — Muls. Col. Fr. Long. 1839, p. 281; ed. 2, 1863, p. 558. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 877; ed. 3, II, 1874, p. 436. — Bach, Käferfauna III, 1856, p. 52. — C. G. Thoms. Skand. Col. VIII, 1866, p. 70. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Rey, Rev. d'Ent. IV, 1885, p. 276, 325. — Bedel, Faune Col. Seine V, 1889, p. 16. — Seidl. Fauna Balt. ed. 2, 1891, p. 745; Fauna Transs. 1891, p. 840. — Daniel, Col.-Stud. I, 1891, p. 31, 34. — Stierl. Col. Helvet. II, 1898, Gebirgs-  
gegenden  
von Nord-  
und Mittel-  
europa

- p. 483. — Csiki, Rov. Lapok X, 1903, p. 163.  
 — Jacobs. Käfer Russl. 1910, t. 64, f. 8.
- maculosa* Gmel. Syst. Nat. I, 4, 1790, p. 1874.  
 var. *simplonica* Fairm. Rev. d'Ent. IV, 1885, p. 317. — Rey, l. c. p. 325. — Pic, Longic. I, 1891, p. 11. — Daniel, Col.-Stud. I, 1891, p. 31, 34. — Stierl. Col. Helvet. II, 1898, p. 482. Schweiz
- melaena* (melas) Lucas, Explor. Algér. Col. 1849, p. 510, t. 43, f. 11. — Pic, Frelon VIII, 1900, p. 4. Algier
- mikadoi* Pic, Longic. VI, 1, 1906, p. 16. Japan
- moutana* Muls. et Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 179 (Opusc. Ent. XIII, 1863, p. 179). — Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 193. Kreta, Cypren, Syrien
- ab. *Leuthneri* Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516. Syrien
- ab. *nigerrima* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 415. „
- pernigra* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 193. „
- ab. *semisanguinea* Reitt. l. c. „
- Morgani** Pic, Bull. Mus. Paris X, 1905, p. 300. Persien
- oblongomaculata** Buq. Ann. Soc. Ent. Fr. (1) IX, 1840, p. 296. — Lucas, Explor. Algér. Col. 1849, p. 509, t. 43, f. 10. — Muls. Col. Fr. Long. ed. 2, 1863, p. 549. — L. Heyd. Deutsche Ent. Zeitschr. XXV, 1881, p. 249. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702); Wien. Ent. Zeit. I, 1882, p. 12. — Daniel, Col.-Stud. I, 1891, p. 5, 6. — Pic, Echange X, 1894, p. 106, 108. Algier
- ab. *latdecorata* Pic, Frelon VII, 1898, p. 64. Kabylien
- ab. *obliterata* Pic, l. c. „
- ab. *obscurithorax* Pic, Longic. II, 1898, p. 4. „
- pallens** Brullé, Expéd. Mor. III, 1832, p. 264. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Daniel, Col.-Stud. I, 1891, p. 31. — Csiki, Rov. Lapok X, 1903, p. 163. Griechenland, Türkei, Südungarn
- pallidipennis** Tourn. Rev. Mag. Zool. (2) XXIII, 1872, p. 346. — Daniel, Col.-Stud. I, 1891, p. 34. — Rost, Ent. Nachr. XIX, 1893, p. 344. — Pic, Bull. Soc. Ent. Fr. 1894, p. 265; Echange XI, 1895, p. 76. Kaukasus
- circassica* Daniel, Col.-Stud. I, 1891, p. 31.
- pieticornis** Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 390. — Daniel, Col.-Stud. I, 1891, p. 31, 33. Griechenland, Kreta
- pyrrha** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 216. Japan
- Renardi** Gebl. Bull. Moscou XXI, 1, 1848, p. 420. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 87. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 192. Sibirien
- rubra** L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Succ. ed. 2, 1761, p. 196. — Scop. Ent. Carn. 1763, p. 46. — F. Syst. Ent. 1775, p. 196. — Degeer, Mém. Ins. V, 1775, p. 132. — Schrank, Enum. Ins. 1781, p. 153. — Ol. Ent. IV, 73, 1795, p. 9, t. 2, f. 16. — Hoppe, Ent. Taschenb. 1796, Europa (fehlt in Grossbritannien), Sibirien

- p. 170. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 11. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702). — Bedel, Faune Col. Seine V, 1889, p. 16. — Everts, Col. Neerl. II, 1, 1901, p. 356. — Csiki, Rov. Lapok X, 1903, p. 164. — Bickhardt, Deutsche Ent. Zeitschr. 1904, p. 303. — Houlb. Faune Armor. Ceramb. 1904, p. 32, f. 62. — Jacobs, Käfer Russl. 1910, t. 64, f. 3, 4.
- belga flava* Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 6.
- coccinea* J. Lec. Smiths. Misc. Coll. XI, 264, p. 226. — Horn, Canad. Ent. XVI, 1884, p. 148.
- dispar* Preyssl. in Mayr, Samml. Phys. Aufs. III, 1793, p. 179. — Payk. Fauna Succ. III, 1800, p. 107.
- melanura* Houttuyn, Syst. Nat. I, 9, 1766, p. 578, t. 76, f. 1, 2.
- rubrotestacea* Ill. Mag. Insektenk. IV, 1805, p. 122. — Gyllenh. Ins. Succ. I, 4, 1827, p. 16. — Ratzeb. Forstins. I, 1839, p. 240, t. 17, f. 9, 10. — Labr. & Imh. Ins. Schweiz I, 1836, t. 20. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 284. — Muls. Col. Fr. 1839, p. 268. — Küster, Käfer Eur. VII, 1846, p. 71. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435.
- testacea* L. Fauna Succ. ed. 2, 1761, p. 196; Syst. Nat. ed. 12, 1767, p. 638. — Degeer, Mém. Ins. V, 1775, p. 135. — F. Syst. Ent. 1775, p. 197. — Schrank, Enum. Ins. 1781, p. 153. — Ol. Ent. IV, 73, 1795, p. 11, t. 2, f. 13 b. — Panzer in Voet, Beschr. hartsch. Ins. IV, 1798, p. 6, t. 26, f. 6; Fauna Ins. Germ. LXIX, 1799, t. 12. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 314. — Bechstein & Scharfenberg, Naturg. Forstins. I, 1804, p. 213. — Bach, Käferfauna III, 1856, p. 50. — Muls. Col. Fr. Long. ed. 2, 1863, p. 539. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 549. — C. G. Thoms. Skand. Col. VIII, 1866, p. 71. — Seidl. Fauna Balt. 1891, p. 746; Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 485.
- umbellatarum* Laich. Verz. Tyrol. Ins. II, 1784, p. 161. — Schrank, Fauna Boica I, 2, 1798, p. 694.
- ab. *maculiceps* Gabr. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 4.
- ab. *occipitalis* Muls. Col. Fr. Long. 1839, p. 268.
- ab. *Salzmanni* Hubenthal, Deutsche Ent. Zeitschr. 1902, p. 362.
- ab. ♀ *Sattleri* Bickhardt, l. c. 1901, p. 362.
- Biologie: Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 475, f. 397—400. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 423, 447, t. 16, f. 20. — Nördl. Lebensw. Forstkeren 1880, p. 43. — Xamheu, Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 18; Moeurs & Métam. VII, 1899, p. 58; VIII, 1902, p. 125. — Meissner, Ent. Blätter IV, 1908, p. 52.

Schlesien

Deutschland

„

- rufa* Brullé, Expéd. Mor. III, 1832, p. 263, t. 43, f. 9.  
 — ♂ Muls. Col. Fr. Long. 1839, p. 269; ed. 2, 1863, p. 544 ♂, non ♀. — Küster, Käfer Eur. IX, 1847, p. 75. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 375. — L. Heyd. I. c. XXV, 1881, p. 249. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Daniel, Col.-Stud. I, 1891, p. 5, 10. — Csiki, Rov. Lapok X, 1903, p. 164.
- var. *attaliensis* Daniel, Col.-Stud. I, 1891, p. 11.  
 var. *dimidiata* Daniel, l. c.  
 var. *excelsa* Costa, Atti R. Accad. Napoli I, 1863, p. 24, t. 1, f. 5, A, B.  
 var. *Silbermanni* Lef. in Silberm. Rev. Ent. III, 1835, p. 303, t. 35. — L. Heyd. Deutsche Ent. Zeitschr. XXV, 1881, p. 253. — Daniel, Col.-Stud. I, 1891, p. 10.  
*nigropicta* Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 278.
- sanguinolenta* L. Fauna Suec. ed. 2, 1861, p. 196; Syst. Nat. ed. 12, 1867, p. 638. — Scop. Ent. Carn. 1763, p. 46. — F. Syst. Ent. 1775, p. 196. — Sehrank, Enum. Ins. 1781, p. 160; Fauna Boica I, 2, 1798, p. 695. — Laich. Verz. Tyrol. Ins. II, 1784, p. 168. — Ol. Ent. IV, 73, 1795, p. 10, t. 3, f. 29 a. — Panzer, Fauna Ins: Germ. LXIX, 1799, t. 8. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 314. — Donovan. Brit. Ins. XVI, 1813, p. 49, t. 557. — Gyllenh. Ins. Succ. I, 4, 1827, p. 20. — Zett. Fauna Ins. Lapp. I, 1828, p. 381. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 261. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 285. — Muls. Col. Fr. Long. 1839, p. 279; ed. 2, 1863, p. 554. — Küster, Käfer Eur. VII, 1846, p. 74. — Redt. Fauna Austr. 1849, p. 509; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435. — Bach, Käferfauna III, 1856, p. 52. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 548. — C. G. Thoms. Skand. Col. VIII, 1866, p. 72. — Ganglb. Best.-Tab. VII, 1881, p. 26 (704). — Bedel, Faune Col. Seine V, 1889, p. 15. — Fowler, Col. Brit. Isl. IV, 1890, p. 237. — Seidl. Fauna Balt. ed. 2, 1891, p. 746; Fauna Transs. 1891, p. 840. — Stierl. Col. Helvet. II, 1898, p. 484. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 193. — Everts, Col. Neerl. II, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 165. — Jacobs. Käfer Russl. 1910, t. 64, f. 9.
- ignita* Geoffr. in Fourcr. Ent. Paris. II, 1785, p. 89.  
*melanura* Ström, Norske Vid. Selsk. Skrift. III, 1765, p. 394.  
*variabilis* Degger, Mém. Ins. V, 1775, p. 137.  
 Biologie: Schiödte, Naturh. Tidskr. (3) X, 1875, p. 423, 447. — Xamheu, Rev. d'Ent. XIX, 1900, p. 14; Moeurs & Métam. VIII, 1902, p. 131; IX, 1901, p. 77.
- scotodes* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 194.  
*scutellata* F. Spec. Ins. I, 1781, p. 247. — Villers, Linn. Entomol. I, 1789, p. 275, t. 1, f. 30. — Rossi,

Griechenland,  
 Türkei

Kleinasien  
 Armenien  
 Süditalien

Kleinasien,  
 Kaukasus

Europa,  
 Sibirien

Japan

Südschweden,  
 England,

- Fauna Etrusca I, 1790, p. 163. — Ol. Ent. IV, 73, 1795, p. 14, t. 1, f. 12. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 8. — Payk. Fauna Suec. III, 1800, p. 106. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 316. — Gyllenh. Ent. Succ. I, 4, 1827, p. 18. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 260. — Samouelle, Ent. Cabinet I, 1832, t. 45. — Muls. Col. Fr. Long. 1839, p. 273; ed. 2, 1863, p. 550. — Küster, Käfer Eur. IV, 1846, p. 550. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 876; ed. 3, II, 1874, p. 435. — Baeh, Käferfauna III, 1856, p. 51. — Schiödt, Nat. Tidskr. (3) II, 1864, p. 548. — C. G. Thoms. Skand. Col. VIII, 1866, p. 70. — Ganglb. Best.-Tab. VII, 1881, p. 24 (702). — Bedel, Faune Col. Seine V, 1889, p. 16, 59. — Fowler, Col. Brit. Isl. IV, 1890, p. 236, t. 122, f. 4. — Seidl, Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 484. — Everts, Col. Neerl. VI, 1, 1901, p. 356. — Csiki, Rov. Lapok X, 1903, p. 165. — Houlb. Faune Armor. Ceramb. 1904, p. 33, f. 64. — Jacobs, Käfer Russl. 1910, t. 64, f. 5.
- ♀ *chrysothyreos* Schrank, Fauna Boica I, 2, 1798, p. 697.
- junerea* Geoffr. in Fourer. Ent. Paris I, 1785, p. 89.
- nigra* Petagna, Spec. Ins. Calabr. 1787, p. 17, t. 1, f. 36.
- Biologie: Bond, Ent. Mag. I, 1833, p. 212. — Schiödt, Naturh. Tidskr. (3) X, 1875, p. 446. — Xambeu, Moeurs & Métam. VIII, 1902, p. 129.
- var. *ochracea* Faust. Horae Soc. Ent. Ross. XIV, 1879, p. 135, 326. — Selmeid. & Leder, Kaukas. Käferfauna 1878, p. 325. — Pic, Long. II, 1898, p. 6. Kaukasus
- var. *ochraceipennis* Pic, Rev. scient. Bourb. X, 1897, p. 31; Longic. II, 1898, p. 5. — Csiki, Rov. Lapok X, 1903, p. 165. Frankreich
- Sequensi** Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194. Ostsibirien
- ab. *baicalica* Pic, Longic. VIII, 1, 1911, p. 4. "
- ab. *baikalensis* Pic, Longic. VI, 2, 1907, p. 6. "
- ab. *diversenotata* Pic, l. c. "
- ab. *pulchrina* Reitt. Wien. Ent. Zeit. XVII, 1898, p. 194. "
- ab. *rufopaca* Reitt. l. c. "
- ab. *tristina* Reitt. l. c. "
- sicula** Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 515. — Daniel, Col.-Stud. II, 1898, p. 87. Sicilien
- stragulata** Germ. Ins. spec. nov. 1824, p. 523. — Charp. Horae Ent. 1825, p. 228, t. 9, f. 7. — Muls. Col. Fr. Long. Suppl. 1842, p. (7); ed. 2, 1863, p. 546. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Pic, Longic. I, 1891, p. 11. Pyrenäen,  
Spanien,  
Portugal
- fuscipes* Muls. Col. Fr. Long. Suppl. 1842, p. (7).
- fusciventris* Muls. l. c.
- Biologie: Xambeu, Ann. Soc. Linn. Lyon (2) XL, 1893, p. 137; XLV, 1898, p. 11; Moeurs & Métam. VII, 1899, p. 51; VIII, 1902, p. 126.

- ab. *abbreviata* Muls. Col. Fr. Long. Suppl. 1842, p. (7). — Pic, Longic. I, 1891, p. 11.  
*stragulata* Charp. Horae Ent. 1825, p. 228, t. 9, f. 9.  
 ab. *hispanica* Pic, Echange XXVI, 1910, p. 27; Longic. VIII, 1, 1911, p. 4. Spanien
- ab. *luteipes* Muls. Col. Fr. Long. Suppl. 1842, p. (7).  
 ab. *nigrina* L. W. Schauf. Rev. Mag. Zool. (2) XV, 1863, p. 121. — Pic, Longic. I, 1891, p. 12.  
 ab. *rufiventris* Muls. Col. Fr. Long. Suppl. 1842, p. (7).
- ab. *scapularis* Muls. l. c.  
*stragulata* Charp. Horae Ent. 1825, p. 228, t. 9, f. 8.  
 ab. *sublineata* Muls. Col. Fr. Long. Suppl. 1842, p. (7).  
 ab. *varipes* Muls. l. c.  
 ab. *variventris* L. W. Schauf. Rev. Mag. Zool. (2) XV, 1863, p. 121; Sitzber. Ges. Isis 1863, p. 204. — Pic, Longic. I, 1891, p. 12.
- suberis** Chob. Bull. Soc. Ent. Fr. 1900, p. 265. Algier
- succedanea** Lewis, Ann. Mag. Nat. Hist. (5) IV. 1873, p. 464. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 217. — Matsum. Thous. Ins. Japan III, 1908, nr. 701, t. 52, f. 16. Japan  
*muliebris* L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 276; XXXI, 1887, p. 295.
- tangeriana** Tourn. Pet. Nouv. Ent. I, 1875, p. 475. — Pic, Echange X, 1894, p. 108. — Daniel, Col.-Stud. I, 1891, p. 9. Tanger  
 ab. *maroccana* L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 85. — Daniel, Col.-Stud. I, 1891, p. 9.  
*tangeriana* L. Heyd. Deutsche Ent. Zeitschr. XXV, 1881, p. 252.  
 ab. *Olceseii* Pic, Echange X, 1894, p. 108.
- tesserula** Charp. Horae Ent. 1825, p. 227. — Muls. Col. Fr. Long. ed. 2, 1863, p. 557. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Seidl. Fauna Transs. 1891, p. 840. — Csiki, Rov. Lapok X, 1903, p. 163. Schlesien,  
Ungarn,  
Südost-  
europa
- var. *abchastica* Rost. Ent. Nachr. XIX, 1893, p. 344. Kaukasus  
 var. *Dejeani* Ganglb. in Mars. Cat. Col. 1889, p. 469. ,,  
*bisignata* Ménétr. Cat. Rais. 1832, p. 232. — Fald. Fauna Transc. II, 1837, p. 313, t. 11, f. 4.
- var. *impunctata* L. Heyd. Deutsche Ent. Zeitschr. XXI, 1877, p. 420. — Gangl. Best.-Tab. VII, 1881, p. 27 (705). — Csiki, Rov. Lapok X, 1903, p. 163. Ungarn,  
Russland  
*kubanensis* Rost (in litt.?) Kaukasus
- tonsa** Daniel, Col.-Stud. I, 1891, p. 30, 31. Kaukasus,  
Kleinasien
- trisignata** Fairm. Ann. Soc. Ent. Fr. (2) X, 1852, p. 92. — Ganglb. Best.-Tab. VII, 1881, p. 25 (703). — Pic, Echange X, 1894, p. 108. — Daniel, Col.-Stud. I, 1891, p. 5, 6. Süd-  
frankreich,  
Spanien  
*rufa* Muls. Col. Fr. Long. 1839, p. 269; ed. 2, 1863, p. 544 ♀.

- semirufula* Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 376. — Pic, Echange X, 1894, p. 108.
- tripartita** L. Heyd. Deutsche Ent. Zeitschr. 1889, p. 329. Syrien
- ustulata** Ménér. Cat. Rais. 1832, p. 231. — L. Heyd. Deutsche Ent. Zeitschr. XXI, 1877, p. 421; XXXIII, 1879, p. 167. — Ganglb. Best.-Tab. VII, 1884, p. 27 (705). Kaukasus, Kleinasien, Syrien, Persien
- Heydeni* Ganglb. in Mars. Cat. Col. 1889, p. 469. — Daniel, Col. Stud. I, 1891, p. 5, 11. — Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 415.
- var. *incipennis* Reitt. Wien. Ent. Zeit. XIV, 1895, p. 85. Syrien
- variicornis** Dalm. in Schönh. Synon. Ins. I, 3, 1817, p. 482, nota f. — Gebl. Led. Reise II, 2, 1830, p. 194. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 217. — Ganglb. Best.-Tab. VII, 1881, p. 26 (704). — Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 191. — Schwarz, Ent. Amer. II, 1886, p. 161. — Seidl. Fauna Balt. ed. 2, 1891, p. 746. Nordost-europa, Sibirien, Japan
- varicornis* Germ. Fauna Ins. Eur. IV, 1821, t. 6. — Muls. Col. Fr. Long. ed. 2, 1863, p. 538.
- virens** L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Suec. ed. 2, 1761, p. 196. — F. Syst. Ent. 1775, p. 197. — Degeer, Mém. Ins. V, 1775, p. 131. — Schrank, Enum. Ins. 1781, p. 154. — Laich. Tyrol. Ins. II, 1784, p. 159. — Panzer, Naturf. XXIV, 1789, p. 31, t. 1, f. 42. — Ol. Ent. IV, 73, 1795, p. 9, t. 2, f. 4. — Townson, Travels in Hongrie 1797, p. 472. — Panzer, Fauna Ins. Germ. LXIX, 1799, t. 13. — Payk. Fauna Suec. III, 1800, p. 117. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Gyllenh. Ins. Suec. I, 4, 1827, p. 15. — Zett. Fauna Ins. Lapp. I, 1828, p. 378. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 260, t. 22, f. 3. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 283. — Muls. Col. Fr. Long. 1839, p. 267; ed. 2, 1863, p. 536. — Cast. Hist. Nat. II, 1840, p. 504. — Küster, Käfer Eur. II, 1844, p. 60. — Redt. Fauna Austr. 1849, p. 508; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 51. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 547. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 59, f. 279. — C. G. Thoms. Skand. Col. VIII, 1866, p. 69. — Ganglb. Best.-Tab. VII, 1881, p. 27 (705). — Bedel, Faune Col. Seine V, 1889, p. 15, 59. — Fowler, Col. Brit. Isl. IV, 1890, p. 236. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 841. — Stierl. Col. Helvet. II, 1898, p. 482. — Everts, Col. Neerl. II, 1, 1901, p. 355. — Csiki, Rov. Lapok X, 1903, p. 163. — Jacobs. Käfer Russl. 1910, t. 64, f. 10.
- viridis* Voet, Cat. Col. II, 1804—06, p. 31, t. 27, f. 13.
- var. *fuscopubens* Reitt. Deutsche Ent. Zeitschr. 1890, p. 164. — Csiki, Rov. Lapok X, 1903, p. 163. Bosnien
- var. *kenteiensis* Pic, Frelon VIII, 1900, p. 4. Kentei

## Indomalayische Arten.

- elytina* Gah. Fauna Brit. Ind. Col. I, 1906, p. 84. Birma  
*cribripennis* Gah. l. c. p. 85. Assam  
*dichroa* Blanch. Compt. rend. Acad. Scienc. Paris LXXII, China  
 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent.  
 Fr. (6) IX, 1889, p. 63.  
*dissimilis* Fairm. Ann. Soc. Ent. Fr. LXVIII, 1900, p. 639. „  
*femorata* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 558. Singapore  
*histrionica* Pasc. l. c. p. 557. Macassar  
 var.? Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, Borneo  
 t. 20, f. 42.  
*inaequalithorax* Pic, Longie. IV, 1, 1902, p. 28. China  
*kingana* Pic, Echange XVIII, 1903, p. 105; Longie. IV, „  
 2, 1903, p. 19.  
*Lavinia* Gah. Fauna Brit. Ind. Col. I, 1906, p. 83. Nordindien  
*lepta* Gah. l. c. p. 84. Birma  
*manipurensis* Gah. l. c. p. 86. Manipur  
*miniacea* Gah. l. c. p. 82. Nordindien  
*porphyrophora* Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, Moupin  
 p. 64.  
*rubriola* Bates, Proc. Zool. Soc. Lond. 1878, p. 720; Nordindien  
 Scient. Res. Soc. Yark. Miss. Col. 1890, p. 22,  
 t. 1, f. 21, 22. — Gah. Fauna Brit. Ind. Col. I,  
 1906, p. 81, f. 33.  
*sepulchralis* Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 63. Moupin

## Nearktische und zentralamerikanische Arten.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 219—223. — Leng, Entomol.  
 Amer. VI, 1890, p. 185—200 (Synopsis).  
*aliena* Bates, Biol. C.-Amer. Col. V, 1880, p. 38, 278. Mexico  
 ab. *erythrogaster* Bates, l. c. 1885, p. 278.  
*anomala* Bates, l. c. 1885, p. 279, t. 20, f. 2. Guatemala  
*aspera* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 228. Canada,  
 — Leng, Synops. p. 192, 200, 215. Michigan,  
 Colorado,  
 Idaho,  
 Vancouver  
*aurata* Horn, Proc. Acad. Philad. 1860, p. 570, t. 8, f. 5. Pennsyl-  
 — Leng, Synops. p. 192, 199. vanien,  
 Nord-  
 carolina,  
 Virginien  
*Behrensi* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 227. Californien  
 — Leng, Synops. p. 191, 198.  
*biforis* Newm. Entomolog. I, 1841, p. 70. — Haldem. Canada,  
 Trans. Amer. Phil. Soc. (2) X, 1847, p. 64. — New York,  
 J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. Pennsylvanien,  
 — Leng, Synops. p. 190, 198. — Wickh. Canad. Virginien  
 Ent. XXIX, 1897, p. 191. Nordamerika  
*canadensis* Ol. Ent. IV, 73, 1795, p. 8, t. 3, f. 27. — F. Syst. El. II, 1801, p. 357. — Kirby, Fauna  
 Bor.-Amer. IV, 1837, p. 181. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Leng, Synops.  
 p. 189, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191.  
 ♂ *tenuicornis* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 64.

- ab. cinnamoptera* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 64.  
*erythroptera* Kirby, Fauna Bor.-Amer. IV, 1837, p. 180. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Long, Synops. p. 197.  
 var. *cribripennis* J. Lec. Col. of Kans. 1859, p. 21. — Leng, Synops. p. 197. Kansas  
*ab. ebenina* Leng, Synops. p. 197.  
 Biologie: Pack. Psyche V, 1889, p. 225. — Felt, Ins. affect. Trees 1907, p. 270.  
*chrysocoma* Kirby, Fauna Bor.-Amer. IV, 1837, p. 179, t. 5, f. 2. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339. — Leng, Synops. p. 190, 198. — Wickh. Canad. Ent. XXIX, 1897, p. 191. Nördl. Teile von Nordamerika  
*auripilis* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339.  
*circumdata* Ol. Ent. IV, 73, 1795, p. 32, t. 4, f. 48. — Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 65. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 337. — Leng, Synops. p. 189, 197. Massachusetts, New York, Pennsylvanien  
*Cockerelli* Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 251. Neumexico, Colorado  
*crassipes* J. Lec. Entom. Report 1857, p. 65. — Leng, Synops. p. 191, 198. Weststaaten Nordamerikas  
 ♀ *crassicornis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 227.  
*fasciventris* J. Lec. Proc. Acad. Philad. 1861, p. 355.  
*xanthogastra* J. Lec. l. c. 1859, p. 88.  
*cubitalis* J. Lec. Proc. Acad. Philad. 1861, p. 355. — Leng, Synops. p. 192, 200. Californien  
*dehiscens* J. Lec. Proc. Acad. Philad. 1859, p. 89. — Leng, Synops. p. 190, 197. Californien, Washington, Oregon, Vancouver  
*dolorosa* J. Lec. Proc. Acad. Philad. 1861, p. 355. — Leng, Synops. p. 190, 198. Vancouver, Washington, Californien, Nevada, Oregon  
*gnathoides* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 228. — Leng, Synops. p. 192, 199. — Schaeff. Bull. Brookl. Inst. I, 1908, p. 342. Oregon, Washington  
 ? *lisa* Leng, Ent. Amer. VI, 1890, p. 108.  
*Haldemani* Casey, Ann. N. York Acad. VI, 1892, p. 42. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 175. Neumexico  
*hirtella* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 226. — Leng, Synops. p. 190, 197. Labrador, New-Hampshire  
*ignita* Schaeff. Bull. Brookl. Inst. I, 1908, p. 341. Arizona  
*insignis* Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 251. Californien  
*lacustris* Casey, Ann. N. York Acad. VI, 1892, p. 43. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 175. Michigan

- laetifica** J. Lec. Proc. Acad. Philad. 1859, p. 89. — Leng, Synops. p. 190, 197.  
*lugens* J. Lec. Proc. Acad. Philad. 1859, p. 89.
- mutabilis** Newm. Entomol. I. 1841, p. 71. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 340. — Leng, Synops. p. 192, 200. — Wickh. Canad. Ent. XXIX, 1897, p. 192.  
 ab. *luridipennis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63.  
 ab. *Provancheri* nov. nom.  
*laetifia* Provanch. Pet. Faune Ent. Canad. I, 1877, p. 620; Natural. Canad. IX, 1877, p. 332.
- nigrolineata** Bland, Proc. Ent. Soc. Philad. IV, 1865, p. 383. — Leng, Synops. p. 190, 198.
- octonotata** Say, Journ. Acad. Philad. III, 1823, p. 419. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 191.  
*stictica* Newm. Entomol. I, 1841, p. 72.  
 ab. *quadripunctata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 64.
- pedalis** J. Lec. Proc. Acad. Philad. 1861, p. 355 nota. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
- pernigra** Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 397.
- proxima** Say, Journ. Acad. Philad. III, 1823, p. 420. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 65. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. — Leng, Synops. p. 190, 198. — Wickh. Canad. Ent. XXIX, 1897, p. 191.  
*subpubescens* Kirby, Fauna Bor.-Amer. IV, 1837, p. 180.  
 ab. *atrata* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339.
- pubera** Say, Journ. Acad. Philad. V, 2, 1827, p. 279. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192.
- quadricollis** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339. — Leng, Synops. p. 192, 200.
- quadrillum** J. Lec. Proc. Acad. Philad. 1859, p. 88. — Leng, Synops. p. 190, 198.
- rubrica** Say, Journ. Acad. Philad. III, 1823, p. 418. — Hald. Proc. Amer. Phil. Soc. IV, 1847, p. 374. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 336. — Leng, Synops. p. 189, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191.  
*erythroptera* Germ. Ins. spec. nov. 1824, p. 522. — Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 64.
- ruficollis** Say, Journ. Acad. Philad. III, 1823, p. 421.  
*allecta* Newm. Entomol. I, 1841, p. 72.
- Californien,  
 Washington,  
 Nevada,  
 Oregon  
 Canada bis  
 Pennsylvanien
- Colorado,  
 Idaho  
 Oststaaten  
 von Nordamerika
- Canada,  
 Newhampshire,  
 Michigan  
 Californien  
 Canada,  
 Vereinigte Staaten
- Canada,  
 Weststaaten  
 Nordamerikas
- Vermont,  
 Massachusetts
- Vancouver,  
 Washington,  
 Californien,  
 Oregon  
 Nordamerika
- Canada,  
 Oststaaten

- ab. *sphaericollis* Say, Journ. Acad. Philad. V, 2, 1827, p. 280. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. — Prov. Faune Ent. Canada I, 1877, p. 623. — Leng, Synops. p. 192, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192.
- ab. *paupercula* Newm. Entomol. I, 1841, p. 72.
- rufula** Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 60. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 338. — Leng, Synops. p. 190, 198. Michigan
- sanguinea** J. Lec. Proc. Acad. Philad. 1859, p. 89. — Leng, Synops. p. 190, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191. Californien, Vancouver, Neumexiko
- scripta** J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 384. — Leng, Synops. p. 192, 199. Vancouver, Washington
- Straussi** Webb, Proc. Ent. Soc. Washingt. IX, 1908, p. 41. Oregon, Nevada, Nordcarolina
- tibialis** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 339; in Agass. Lake Super. 1850, p. 236 nota. — Leng, Synops. p. 191, 198. Michigan, Washington, Newhampshire
- vagans** Ol. Ent. IV, 73, 1795, p. 31, t. 4, f. 46. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 64. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 190, 197. — Wickh. Canad. Ent. XXIX, 1897, p. 191. Biologie: Felt, Ins. affect. Trees 1907, p. 440, fig. ab. *brevis* Kirby, Fauna Bor.-Amer. IV, 1837, p. 182. Canada bis Georgien
- valida** J. Lec. Entomol. Report 1857, p. 64, t. 2, f. 14. — Leng, Synops. p. 192, 200. Vancouver, Californien, Nevada, Oregon
- vibex** Newm. Entomolog. I, 1841, p. 72. — Horn, Entomol. Amer. I, 1885, p. 6, 8. — Hamilt. Canad. Entomol. XVII, 1885, p. 104. — Leng, Synops. p. 192, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192. Canada bis Virginien
- ab. *nitidicollis* Horn. Proc. Acad. Philad. 1860, p. 570, t. 8, f. 5.
- vittata** Ol. Enc. méth. VII, 1792, p. 523; Ent. IV, 73, 1795, p. 30, t. 4, f. 45. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 337. — Leng, Synops. p. 191, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 192. Nordamerika
- ab. *abbreviata* Germ. Ins. spec. nov. 1824, p. 523.
- ab. *semivittata* Kirby, Fauna Bor.-Amer. IV, 1837, p. 183.
- ab. *gulosa* Kirby, l. c. p. 184.

## Neotropische Art.

- bonaëriensis** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 177. Buenos Aires

**Judolia** Muls.

Muls. Col. Fr. Long. ed. 2, 1863, p. 496. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 189. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helv. II, 1898, p. 472. — Csiki, Rov. Lapok X, 1903, p. 102. — Houlb. Faune Armor. Ceramb. 1904, p. 30.

*Julodia* Pic, Longic. I, 1891, p. 65.

Subgen. *Pachytodes* Pic, Longic. I, 1891, p. 65.

## Paläarktische und japanische Arten.

- cerambeiformis* Schrank, Enum. Ins. 1781, p. 154. — Mittel- und  
Herbst in Füessly, Archiv V, 1784, p. 102, t. 26, Südeuropa  
f. 26. — Muls. Col. Fr. Long. ed. 2, 1863, p. 499.  
— Fairm. Gen. Col. d'Eur. IV, 1864, t. 59, f. 278.  
— Ganglb. Best.-Tab. VII, 1884, p. 23 (701). —  
Bedel, Faune Col. Seine V, 1889, p. 14, 57. —  
Fowler, Col. Brit. Isl. IV, 1890, p. 234, t. 122, f. 2.  
— Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna  
Transs. 1891, p. 838. — Pic, Longic. I, 1891, p. 12.  
— Stierl. Col. Helvet. II, 1898, p. 480. — Everts,  
Col. Neerl. II, 1, 1901, p. 354. — Csiki, Rov. Lapok  
X, 1903, p. 182. — Houlb. Faune Armor. Ceramb.  
1904, p. 33, f. 65. — Jacobs. Käfer Russl. 1910,  
t. 63, f. 16.
- decempunctata* Ol. Ent. IV, 73, 1795, p. 26, t. 4,  
f. 42. — Latr. Hist. Nat. Crust. Ins. XI, 1904,  
p. 319. — Muls. Col. Fr. Long. 1839, p. 244. —  
Küster, Käfer Eur. XV, 1848, p. 87. — Guiffart,  
Mém. Soc. Sc. Nat. Cherb. IV, 1859, p. 384. —  
Pic, Longic. I, 1891, p. 12.
- octomaculata* Schaller, Schrift. Naturf. Ges. Halle  
I, 1783, p. 297. — F. Ent. Syst. I, 2, 1792, p. 345.  
— Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 266;  
Man. Brit. Col. 1839, p. 280. — Shuck. Brit. Col.  
1840, p. 67, t. 79, f. 4. — Redt. Fauna Austr.  
1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874,  
p. 431. — Bach. Käferfauna III, 1856, p. 45. —  
Schiodte, Nat. Tidskr. (3) II, 1864, p. 546.
- parva punctata* Voet, Cat. Col. II. 1804—06, p. 31,  
t. 26, f. 12.
- quadrinaculata* Scop. Ent. Carn. 1761, p. 47. —  
Pic, Longic. I, 1891, p. 12.
- sexmaculata* Voet, Cat. Col. II, 1778, p. 24, t. 21,  
f. 108; ed. Panzer III, 1794, p. 62, f. 21, f. 108. —  
Martyn, Engl. Ent. 1792, t. 28, f. 22. — Panzer,  
Fauna Ins. Germ. LXIX, 1799, t. 21. — Donovan.  
Brit. Ins. X, 1800, p. 74, t. 353, f. 2. — Marsh.  
Ent. Brit. I, 1802, p. 353.
- sexpunctata* Muls. Col. Fr. Long. 1839, p. 244. —  
Pic, Longic. I, 1891, p. 12.
- ab. *bisbigigma* Pic, Echange XXII. 1906, p. 67; Frankreich  
Longic. VI, 2, 1907, p. 6.
- ab. *efasciata* Csiki, Rov. Lapok X, 1903, p. 182; Ungarn  
Auszug p. 17.
- ab. *Salbachi* Reitt. Wien. Ent. Zeit. XXVII,  
1908, p. 216. — Pic, Longic. VII, 1, 1908, p. 3.
- ab. *transsylvanica* Csiki, Rov. Lapok X, 1903, Siebenbürgen  
p. 182; Auszug p. 17.

- cometes** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 218. Japan
- erratica** Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 490 nota. — Germ. Fauna Ins. Eur. VI, 1822, t. 11. — Muls. Col. Fr. Long. ed. 2, 1863, p. 498. — Ganglb. Best.-Tab. VII, 1884, p. 23 (701). — Bedel, Faune Col. Seine V, 1889, p. 14. — Scidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 838. — Pic, Longic. I, 1891, p. 12. — Stierl. Col. Helvet. II, 1898, p. 480. — Csiki, Rov. Lapok X, 1903, p. 182.
- sexmaculata* F. Syst. Ent. 1775, p. 197. — Redt. Fauna Austr. 1849, p. 505; ed. 2, 1858, p. 873; ed. 3, II, 1874, p. 431. — Bach, Käferfauna III, 1856, p. 46.
- ab. *akbesiana* Pic, Longic. II, 1898, p. 6. Syrien
- var. *Böttcheri* Pic, Longic. VIII, 1, 1911, p. 5. Altai
- ab. *erythrura* Küster, Käfer Eur. XV, 1848, p. 90. — Pic, Longic. I, 1891, p. 13. — Csiki, Rov. Lapok X, 1903, p. 183.
- ab. *septemsignata* Küster, Käfer Eur. XV, 1848, p. 89. — Csiki, Rov. Lapok X, 1903, p. 183.
- russica** Pic, Longic. II, 1898, p. 54. Russland
- longipes** Gebl. Nouv. Mém. Moscou II, 1832, p. 67; Bull. Moscou VI, 1833, p. 305; XXI, 1, 1848, p. 413. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 253. Sibirien
- guttulata* Motsch. Bull. Mosc. XLIX, 1, 1875, p. 141.
- sexmaculata** L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 197. — Ol. Ent. IV, 73, 1795, p. 26, t. 4, f. 43. — Payk. Fauna Succ. III, 1800, p. 123. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 319. — Gyllenh. Ins. Succ. I, 4, 1827, p. 14. — Zett. Fauna Ins. Lapp. I, 1828, p. 383. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 265 nota. — Kirby, Fauna Bor.-Amer. IV, 1837, p. 182. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 283. — Küster, Käfer Eur. XV, 1848, p. 88. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333. — Muls. Col. Fr. Long. ed. 2, 1863, p. 496. — C. G. Thoms. Skand. Col. VIII, 1866, p. 68. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Bedel, Faune Col. Seine V, 1889, p. 14. — Fowier, Col. Brit. Isl. IV, 1890, p. 234. — Leng, Entomol. Amer. VI, 1890, p. 188, 196. — Seidl. Fauna Balt. ed. 2, 1891, p. 744; Fauna Transs. 1891, p. 839. — Wickh. Canad. Ent. XXIX, 1897, p. 190. — Stierl. Col. Helvet. II, 1898, p. 480. — Csiki, Rov. Lapok X, 1903, p. 182. — Champ. Ent. Month. Mag. (2) XXI, 1910, p. 3, t. 1, f. 6.
- testaceofasciata* Degecr, Mém. Ins. V, 1775, p. 133.
- trifasciata* F. Ent. Syst. I, 2, 1792, p. 349. — Cederhj. Faun. Ingr. 1798, p. 98, t. 3, fig. f. — Redt. Fauna Austr. ed. 2, 1858, p. 872; ed. 3, II, 1874, p. 431. — Bach, Käferfauna III, 1856, p. 46. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 252.

- ab. *dentatofasciata* Mannerh. Bull. Moscou XXV, 2, 1852, p. 308. — Motsch. Mélang. Biol. St. Petersb. III, 1859, p. 232.  
 ab. *nigra* Csiki in Zichy, Ergebn. dritt. asiat. Forschungsreise II, 1901, p. 115.  
 ab. *parallelopipeda* Motsch. Schrenck's Reise, Col. 1860, p. 146, t. 9, f. 23. — Mars. Abeille XVI, 1878, Bibliogr. p. 111.

## Nearktische Arten.

- Leng, Entomol. Amer. VI, 1890, p. 188—189; p. 195—196 (Synopsis).
- ✓ *Coquilletti* Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 398. Californien
- ✓ *cordifera* Ol. Ent. IV, 73, 1795, p. 25, t. 4, f. 41. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332. — Leng, Synops. p. 188, 196. Ost-staaten Nord-amerikas
- ab. *lunaris* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 59.
- ✓ *flaviventris* Schaeffer, Bull. Brookl. Inst. I, 1908, p. 342. Arizona
- ✓ *gaurotoides* Casey, Ann. N. York Acad. VII, 1893, p. 592. Utah  
 — Hamilt. Trans. Amer. Ent. Soc. XXXII, 1896, p. 174.
- ✓ *grossa* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 225. — Leng, Synops. p. 189, 196. Californien
- ✓ *impura* J. Lec. Entomol. Report 1857, p. 64. — Leng, Synops. p. 188, 196. Nevada, Oregon, Californien
- ✓ *instabilis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 59. Weststaaten Nord-amerikas  
 — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332.  
 — Leng, Synops. p. 188, 196.
- ab. *convexa* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332. „
- ab. *quadrata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 225. — Horn, Trans. Amer. Ent. Soc. XIII, 1886, Proc. p. 13. — Leng, Synops. p. 196. „
- ✓ *laeta* J. Lec. Entomol. Report 1857, p. 64. — Leng, Synops. p. 188, 195. Vancouver, Washington, Californien, Oregon, Nevada
- ✓ *Matthewsi* J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 384. — Leng, Synops. p. 189, 196. Vancouver, Washington, Californien
- ✓ *nitens* Forster, Nov. spec. Ins. 1771, p. 45. — Leng, Synops. p. 188, 195. — Wickh. Canad. Ent. XXIX, 1897, p. 190. Oststaaten Nord-amerikas, Canada
- aurigera* Newm. Entomolog. I, 1841, p. 70.  
*carolina* var. Weber, Observ. Ent. 1801, p. 91.  
*quagga* Germ. Ins. spec. nov. 1824, p. 521. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 332.  
*zebra* Felt, Ins. affect. Trees 1907, p. 450, f. 106.  
*zebrata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62.
- sexmaculata* L. (siehe unter den paläarktischen Arten). Nordamerika

- sexspilota* J. Lec. Proc. Acad. Philad. 1859, p. 80. — Leng, Californien  
Synops. p. 188, 196.  
*tribalteata* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 224. „  
— Leng, Synops. p. 188, 195.  
ab. *serpentina* Casey, Ann. N. York Acad. VI,  
1892, p. 41. — Hamilt. Trans. Amer. Ent. Soc. Idaho  
XXIII, 1896, p. 174.  
*vexatrix* Mannerh. Bull. Moscou XXVI, 1853, p. 250. — Kenai, Cali-  
Horn, Trans. Amer. Ent. Soc. XIII, 1886, Bull. fornien,  
p. 14. — Leng, Synops. p. 188, 196. Nevada,  
Oregon

19

**Oedeceema** Thoms.

Thoms. Arch. Ent. I, 1857, p. 319. — Muls. Col. Fr. Long. ed. 2, 1863, p. 535.  
— Fairm. Gen. Col. d'Eur. IV, 1864, p. 188. — Lacord. Gen. Col. VIII, 1869,  
p. 449.

- dubia* F. Spec. Ins. I, 1781, p. 249. — Ol. Enc. méth. Sibirien  
Ins. VII, 1792, p. 520; Ent. IV, 73, 1795, p. 23,  
t. 4, f. 39. — Latr. Hist. Nat. Crust. Ins. XI, 1804,  
p. 318. — Gebl. Mém. Moscou V, 1817, p. 321;  
Bull. Moscou XXI, 1, 1848, p. 416. — Muls.  
Col. Fr. Long. ed. 2, 1863, p. 535. — Fairm.  
Gen. Col. d'Eur. IV, 1864, t. 58, f. 275.  
*Gebleri* Ganglb. in Mars. Cat. Col. 1889, p. 470. —  
Jacobs. Käfer Russl. 1910, t. 67, f. 18.

1

**Strangalia** Serv.

- Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 220. — Muls. Col. Fr. Long. 1839,  
p. 250; ed. 2, 1863, p. 505. — Redt. Gatt. deutsch. Käferf. 1845, p. 112;  
Fauna Austr. 1849, p. 46; ed. 2, 1858, p. CXXX; ed. 3, I, 1874, p. CXLVI.  
— J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 327. — Bach, Käferfauna  
III, 1856, p. 47. — Thoms. Classif. Ceramb. 1860, p. 144; Syst. Ceramb.  
1864, p. 407. — Fowler, Col. Brit. Isl. IV, 1890, p. 238. — Seidl. Fauna  
Balt. ed. 2, 1891, Gatt. p. 184. — Stierl. Col. Helv. II, 1898, p. 472.  
Subgen. *Bellamira* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 328.  
— J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 313.  
Subgen. *Ischnostrangalis* Ganglb. Horae Soc. Ent. Ross. XXIV, 1889,  
p. 53.  
Subgen. *Parastrangalis* Ganglb. l. c. p. 57.  
Subgen. *Pedostrangalia* Sokolow, l. c. XXX, 1896, p. 461.  
Subgen. *Sphenalia* Daniel, Münch. Kol. Zeitschr. II, 1904, p. 355 (Synopsis).  
Subgen. *Stenura* Ganglb. Best.-Tab. VII, 1881, p. 18 (696) = *Strangalia*  
sens. str.  
Subgen. *Strangalina* n. nom.  
*Strangalia* Lacord. Gen. Col. VIII, 1869, p. 450. — J. Lec. Smiths.  
Misc. Coll. XI, 265, 1873, p. 328. — J. Lec. & Horn, Classif.  
Col. N. Amer. 1883, p. 313. — Ganglb. Best.-Tab. VII, 1881,  
p. 18 (696). — Leng, Entomol. Amer. VI, 1890, p. 157.  
Subgen. *Typocerus* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333;  
Smiths. Misc. Coll. XI, 265, 1873, p. 328. — J. Lec. & Horn,  
Classif. Col. N. Amer. 1883, p. 313. — Thoms. Classif. Ceramb.  
1860, p. 143; — Leng, Entomol. Amer. VI, 1890, p. 158.

## Paläarktische und japanische Arten.

Subgen. **Sphenalia** Daniel.

- Ariadne** Daniel, Synops. p. 355, 358, 365.
- emnipoda** Muls. Col. Fr. Long. ed. 2, 1863, p. 531. — Ganglb. Best.-Tab. VII, 1881, p. 21 (699). — Reitt. Wien. Ent. Zeit. XX, 1901, p. 80. — Pic, Bull. Soc. Ent. Fr. 1901, p. 235; Longic. VI, 1, 1906, p. 18—20. — Daniel, Synops. p. 359, 365. *Jaegeri* Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 279.
- ab. *insaturata* Pic, Longic. I, 1891, p. 15; VI, 1, 1906, p. 20; Bull. Soc. Ent. Fr. 1901, p. 235. — Daniel, Synops. p. 366.
- ab. *subsignata* Pic, Bull. Soc. Ent. Fr. 1901, p. 235; Longic. VI, 1, 1906, p. 18—20. — Daniel, Synops. p. 366.
- Erinnys** Daniel, Synops. p. 356, 360, 368. — Pic, Echange XXI, 1905, p. 127; Longic. VI, 1, 1906, p. 20—24.
- femoralis** Motsch. Etud. Ent. IX, 1860, p. 40. — Daniel, Synops. p. 366, 370.
- diversipes* L. Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 298.
- imberbis** Ménétr. Cat. Rais. 1832, p. 231. — Fald. Fauna Transc. II, 1837, p. 316. — Daniel, Synops. p. 357, 360. — Pic, Longic. VI, 1, 1906, p. 7.
- angulicollis* L. Heyd. in Schmeid. & Leder, Beitr. Kauk. Käferf. 1878, p. 323. — Faust, Deutsche Ent. Zeitschr. XXIII, 1879, p. 414.
- ab. *holomelaena* Daniel, Synops. p. 360.
- ab. *lucida* Daniel, l. c. p. 361.
- ab. *rufopicta* Daniel, l. c.
- ab. *signatipennis* Daniel, l. c.
- pubescens** F. Mant. Ins. I, 1787, p. 158. — Payk. Fauna Suec. III, 1800, p. 255. — Gyllenh. Ins. Suec. I, 4, 1827, p. 3. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 280. — Muls. Col. Fr. Long. 1839, p. 255; var.  $\beta$  ed. 2, 1863, p. 519. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 49. — C. G. Thoms. Skand. Col. VIII, 1866, p. 76. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698). — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 487. — Csiki, Rov. Lapok X, 1903, p. 203. — Daniel, Münch. Kol. Zeitschr. II, 1904, p. 358, 363.
- atra* Panzer, Voet's Cat. Col. IV, 1798, p. 8, t. 26, f. 9.
- hollandica nigra* Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 9.
- obscura* Thunb. Mus. Nat. Ups. IV, 1787, p. 56, nota 8.
- nigra* Degeer, Mém. Ins. V, 1775, p. 144.
- perobscura* Reitt. Wien. Ent. Zeit. XX, 1901, p. 77.
- ab. *auriflua* Redt. Fauna Austr. ed. 2, 1858, p. 874 nota; ed. 3, II, 1874, p. 433.

Creta  
Griechenland,  
Türkei,  
Kleinasien,  
Syrien

Kleinasien

Amur

Kaukasus,  
Persien,  
Trans-  
kaspien

Südschweden,  
östliches  
Mittel-  
europa,  
Südeuropa

- holosericea* Muls. Col. Fr. Long. 1839, p. 255.  
*pubescens* var.  $\beta$  Payk. Fauna Succ. III, 1800, p. 107.  
 ab. *holosericea* F. Syst. El. II, 1801, p. 481.  
*obscura* Panz. Fauna Ins. Germ. LXIX, 1799, t. 20. — Muls. Col. Fr. Long. 1839, p. 255.  
*pubescens* var.  $\epsilon$  Gyllenh. Ins. Succ. I, 4, 1827, p. 3.  
 ab. *maculifera* Heyrovsky, Acta Soc. Ent. Bohemiae VII, 1910, p. 114.  
 ab. *Otto* Pic, Longic. VI, 2, 1907, p. 6.

Kärnthen

- revestita** L. Syst. Nat. ed. 12, 1767, p. 638. — Schrank, Enum. Ins. 1781, p. 159. — Laich. Verz. Tyrol. Ins. II, 1784, p. 153. — Marsh. Ent. Brit. I, 1802, p. 350. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 258; Man. Brit. Beetl. 1839, p. 278. — Bach, Käferfauna III, 1856, p. 49. — Redt. Fauna Austr. ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Muls. Col. Fr. Long. ed. 2, 1863, p. 511. — Schiödte, Nat. Tidskr. (3) III, 1864, p. 554. — Thoms. Skand. Col. VIII, 1866, p. 73. — Ganglb. Best.-Tab. VII, 1881, p. 21 (699). — Bedel, Faune Col. Seine V, 1889, p. 16, 61. — Fowler, Col. Brit. Isl. IV, 1890, p. 239. — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stiert. Col. Helvet. II, 1898, p. 487. — Everts. Col. Neerl. II, 1, 1901, p. 357. — Csiki, Rov. Lapok X, 1903, p. 203. — Houlb. Faune Armor. Ceramb. 1904, p. 36, f. 70. — Daniel, Synops. p. 357, 361. — Pic, Longic. VIII, 1, 1911, p. 15—18.

Mittel- und  
Südeuropa

- villica* F. Syst. Ent. 1775, p. 196. — Rossi, Fauna Etr. I, 1790, p. 161; Mant. Ins. Append. 1794, p. 132. — Martyn, Engl. Entomol. 1792, t. 27, f. 1. — Ol. Ent. IV, 73, 1795, p. 13, t. 2, f. 25. — Panzer, Fauna Ins. Germ. XXII, 1794, t. 13. — Payk. Fauna Succ. III, 1800, p. 113. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 315. — Gyllenh. Ins. Succ. I, 4, 1827, p. 5. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 281. — Muls. Col. Fr. Long. 1839, p. 253. — Redt. Fauna Austr. 1849, p. 506.  
 ab. *bicoloraticeps* Pic, Longic. VIII, 1, 1911, p. 4, 17.  
 ab. *discicollis* Scriba, Ber. Oberhess. Ges. Nat.- und Heilk. XI, 1866, p. 32. — L. Heyd. Käfer Nassaus 1877, p. 344; ed. 2, 1904, p. 271. — Daniel, Synops. p. 362. — Pic, Longic. VIII, 1, 1911, p. 17.  
 ab. *diversipennis* Daniel, Synops. p. 362. — Pic, Longic. VIII, 1, 1911, p. 16.  
 ab. *fulvilabris* Muls. Col. Fr. Long. 1839, p. 254. — Csiki, Rov. Lapok X, 1903, p. 203. — Daniel, Synops. p. 362. — Pic, Longic. VIII, 1, 1911, p. 18.  
*revestita* var.  $\epsilon$  Muls. Col. Fr. Long. ed. 2, 1863, p. 512.  
 ab. *Gabilloti* Pic, Longic. VIII, 1, 1911, p. 18.  
 ab. *labiata* Muls. Col. Fr. Long. 1839, p. 254. — Daniel, Synops. p. 363. — Pic, Longic. VIII, 1, 1911, p. 17.

- revestita* var.  $\delta$  Muls. Col. Fr. Long. ed. 2, 1863, p. 512.
- ab. *rubra* Geoffr. in Fourer. Entom. Paris. I, 1785, p. 89. — Daniel, Synops. p. 363. — Pic, Longic. VIII, 1, 1911, p. 17.
- ferruginea* Muls. Col. Fr. Long. 1839, p. 254. — Csiki, Rov. Lapok X, 1903, p. 203.
- fuscicornis* Marsh. Ent. Brit. I, 1802, p. 357.
- revestita* var.  $\alpha$  Muls. Col. Fr. Long. ed. 2, 1863, p. 512.
- villica* ♀ Ol. Ent. IV, 73, 1795, p. 13, t. 1, f. 10.
- ab. *rufomarginata* Muls. Col. Fr. Long. 1839, p. 254. — Daniel, Synops. p. 362. — Csiki, Rov. Lapok X, 1903, p. 203. — Pic, Longic. VIII, 1, 1911, p. 18.
- revestita* var.  $\beta$  Muls. Col. Fr. Long. ed. 2, 1863, p. 512.
- var. *vitticollis* Muls. Col. Fr. Long. 1839, p. 254. — Daniel, Synops. p. 363. — Pic, Longic. VIII, 1, 1911, p. 17.
- revestita* var.  $\gamma$  Muls. Col. Fr. Long. ed. 2, 1863, p. 512.
- verticalis* Germ. Fauna Ins. Eur. V, 1822, t. 9. — Brullé, Expéd. Morée III, 1832, p. 265. — Küster, Käfer Eur. II, 1845, p. 59. — Muls. Col. Fr. Long. ed. 2, 1863, p. 520. — Ganglb. Best.-Tab. VII, 1881, p. 21 (669). — Reitt. Wien. Ent. Zeit. XX, 1901, p. 80. — Csiki, Rov. Lapok X, 1903, p. 203. — Daniel, Synops. p. 359, 366.
- var. *Adaliae* Reitter, Deutsche Ent. Zeitschr. XXIX, 1885, p. 390. — Daniel, Synops. p. 366.
- ab. *graeca* Pic, Echange XVII, 1901, p. 52; Longic. VI, 1, 1906, p. 23, 24.
- ab. *taygetana* Daniel, Synops. p. 366.
- ab. *verticenigra* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 416; Longic. II, 1898, p. 19; VI, 1, 1906, p. 24. — Daniel, Synops. p. 366, 369.
- xanthoma* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 195.
- Illyrien,  
Dalmatien,  
Griechen-  
land
- Kleinasien,  
Cypern  
Griechenland
- „  
Kleinasien
- Japan

Subgen. **Strangalia** sens. str.

(Stenura Ganglb.)

- aethiops* Poda, Ins. Mus. Graec. 1761, p. 38. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698). — Bedel, Faune Col. Seine V, 1889, p. 17, 60. — Everts, Col. Neerl. II, 1, 1901, p. 357. — Csiki, Rov. Lapok X, 1903, p. 202. — Houlb. Faune Armor. Ceramb. 1904, p. 36, f. 69.
- aterrima* Motsch. Schrenck's Reise, Col. 1860, p. 147, t. 9, f. 24. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 250. — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 195. — Mars. Abeille XVI, 1878, p. III. — Lewis, Entomol. XXVI, 1893, p. 152.
- atra* Scop. Ann. Hist. Nat. V, 1772, p. 100. — F. Syst. Ent. 1775, p. 197. — Laich. Verz. Tyrol. Ins. II, 1784, p. 148. — Rossi, Fauna Etr. I,
- Mittleuropa,  
Sibirien

- 1790, p. 163. — Ol. Ent. IV, 73, 1795, p. 30, t. 1, f. 4. — Panzer in Voet, Besch. hartsch. Ins. IV, 1798, p. 8, t. 26, f. 9; Fauna Ins. Germ. LXIX, 1799, t. 14. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 321. — Muls. Col. Fr. Long. 1839, p. 257; ed. 2, 1863, p. 516. — Küster, Käfer Eur. IX, 1847, p. 517. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 49. — Schödte, Nat. Tidskr. (3) II, 1864, p. 552. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Stierl. Col. Helvet. II, 1898, p. 486. — Jacobs. Käfer Russl. 1910, t. 64, f. 12.
- hollandica nigra* Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 9.
- melanaria* Herbst in Füssly, Archiv V, 1784, p. 101.
- unicolor* Ol. Eneycl. méth. VII, 1792, p. 518.
- ab. *Beckeri* Gerh. Deutsche Ent. Zeitschr. 1910, p. 557. — Pic, Longie. VIII, 1, 1911, p. 4.
- var. *Letzneri* Gabriel, Deutsche Ent. Zeitschr. 1895, p. 437.
- adumbrata** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 220. Japan
- adustipennis** Solsky. Horae Soc. Ent. Ross. VII, 1870, p. 404. — Blessig, l. c. IX, 1873, p. 251. — L. Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 282. Ostsiibirien
- anaspidoides** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 196. Japan
- approximans** Rosenh. Thiere Andal. 1856, p. 305. — Fairm. Ann. Soc. Ent. Fr. (2) VI, 1866, p. 70. — L. Heyd. Ent. Reise südl. Spanien 1870, p. 163. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698); Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 516. Spanien, Marocco
- distigma* Charpent. Horae Ent. 1825, p. 227, t. 9, f. 1.
- purpuripennis* Muls. Col. Fr. Long. ed. 2, 1863, p. 515.
- ab. *Edmundi* Pic, Bull. Soc. Ent. Fr. 1901, p. 237.
- arcuata** Panzer, Fauna Ins. Germ. VIII, 1793, t. 12. — Muls. Col. Fr. Long. Suppl. 1846; ed. 2, 1863, p. 524. — Redt. Fauna Austr. ed. 3, II, 1874, p. 433. — Ganglb. Best.-Tab. VII, 1881, p. 19 (697). — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 487. — Csiki, Rov. Lapok X, 1903, p. 202. — Houlb. Faune Armor. Ceramb. 1904, p. 36. Mitteleuropa, Sibirien
- annularis* F. Syst. El. II, 1801, p. 363. — Cast. Hist. Nat. II, 1840, p. 503. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 874. — Bach, Käferfauna III, 1856, p. 48.
- ab. *mediodisjuncta* Pic, Echange XVIII, 1902, p. 10.
- var. *mimica* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 219. Japan

- aurulenta** F. Ent. Syst. I, 2, 1792, p. 348. — Ol. Ent. VI, 73, 1795, p. 18, t. 3, f. 31. — Marsh. Ent. Brit. I, 1802, p. 356. — Panz. Fauna Ins. Germ. XC, 1804, t. 5. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — Gyllenh. Ins. Succ. I, 4, 1827, p. 10. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 259; Man. 1839, p. 278. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 282. — Muls. Col. Fr. Long. 1839, p. 251; ed. 2, 1863, p. 507. — Cast. Hist. Nat. II, 1840, p. 504. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 550. — Cox, Handb. Col. II, 1874, p. 312. — Ganglb. Best.-Tab. VII, 1881, p. 19 (697). — Bedel, Faune Col. Seine V, 1889, p. 17, 61. — Fowler, Col. Brit. Isl. IV, 1890, p. 239, t. 122, f. 7. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Stierl. Col. Helvet. II, 1898, p. 486. — Everts, Col. Neerl. II, 1, 1902, p. 357. — Csiki, Rov. Lapok X, 1903, p. 201. — Houlb. Faune Armor. Ceramb. 1904, p. 34, f. 66. — Jacobs. Käfer Russl. 1910, t. 64, f. 13.
- quadri-fasciata* Rossi, Fauna Etr. I, 1790, p. 161. Biologie: Perris, Ann. Scienc. Nat. XIV, 1840, p. 90, t. 3, nr. 4; Larves Col. 1877, p. 539. — Xambeu, Moeurs & Métam. VIII, 1902, p. 121.
- bifasciata** Müll. Zool. Dan. Prodr. 1776, p. 93. — Schrank, Enum. Ins. 1781, p. 159; Fauna Boica I, 2, 1798, p. 693. — Bechst. & Scharfenb. Naturg. Forstins. I, 1804, p. 215. — Küster, Käfer Eur. IX, 1847, p. 74. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 49. — Muls. Col. Fr. Long. ed. 2, 1863, p. 529. — Ganglb. Best.-Tab. VII, 1881, p. 21 (699). — Bedel, Faune Col. Seine V, 1889, p. 17, 60. — Seidl. Fauna Balt. ed. 2, 1891, p. 749; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 488. — Everts, Col. Neerl. II, 1, 1902, p. 358. — Csiki, Rov. Lapok X, 1903, p. 204. — Houlb. Faune Armor. Ceramb. 1904, p. 37.
- cruciata* Ol. Ent. IV, 73, 1795, p. 7, t. 1, f. 5 d. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Muls. Col. Fr. Long. 1839, p. 263.
- melanura* Herbst in Füessly, Archiv V, 1784, p. 100; in Borowsky, Naturg. VI, 1784, p. 132, t. 17, f. 2. — var. *Petagna*, Spec. Ins. Calabr. 1787, p. 19.
- quadri-fasciata* Poda, Ins. Mus. Graec. 1761, p. 28.
- ustulata* Laich. Verz. Tyrol. Ins. II, 1784, p. 157. Biologie: Xambeu, Ann. Soc. Linn. Lyon XLIV, 1897, p. 33; Moeurs et Métam. VII, 1899, p. 25; IX, 1901, p. 79; Rev. d'Ent. XIX, 1900, p. 16.
- ab. *ferruginipes* Pic, Echange XI, 1895, p. 76; Bull. Soc. Ent. Fr. 1895, p. 225.
- ab. *immaculata* Pic, Echange V, 1889, p. 55; Longic. I, 1891, p. 15.

Mittel- und Südeuropa

Mittel- und Südeuropa

Armenien

Südfrankreich

- ab. *lanceolata* Muls. Ann. Soc. Linn. Lyon (2), IX, 1863, p. 177. Spanien
- ab. *nigriventris* Pic, Longic. I, 1891, p. 15. Südfrankreich
- ab. *nigrosuturalis* Reitter, Wien. Ent. Zeit. XIV, 1895, p. 88. — Pic, Bull. Soc. Ent. Fr. 1895, p. 225; Echange XI, 1895, p. 76. Syrien
- dimorpha** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 195. Japan, Sibirien
- distigma** Charpent. Horae Ent. 1825, p. 227, t. 9, f. 4. — Muls. Col. Fr. Long. Suppl. 1842, p. (5); ed. 2, 1863, p. 514. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 59, f. 277. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698). — Pic, Longic. I, 1891, p. 15; II, 1898, p. 7. Südfrankreich, Spanien, Nordafrika
- ab. *bimaculata* Pic, Longic. I, 1891, p. 15; II, 1898, p. 7. Südfrankreich
- ab. *Lopez-bayoi* Lauffer, Bol. Soc. Esp. Hist. Nat. IV, 1904, p. 374. — Pic, Longic. V, 2, 1905, p. 8. Spanien
- ab. *neglecta* Chob. Bull. Soc. Ent. Fr. 1895, p. 310. Algerien
- ab. *notata* Pic, Longic. I, 1891, p. 15; II, 1898, p. 7. Südfrankreich
- ab. *subscutellaris* Pic, Echange XVII, 1901, p. 67. „
- ab. *tenietensis* Pic, Echange VI, 1890, p. 157. Algerien
- duodecinguttata** F. Syst. El. II, 1801, p. 363. — Gebl. Bull. Mosc. XXI, 1, 1848, p. 418. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 249. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 86. Sibirien
- elboursensis** Pic, Bull. Mus. Paris XI, 1905, p. 390. Kaukasus
- Harmandi** Pic, Bull. Mus. Paris VII, 1901, p. 61. Japan
- Hecate** Reitter, Deutsche Ent. Zeitschr. 1896, p. 48. Turkestan
- ab. *auliensis* Pic, Longic. VI, 1, 1906, p. 7. Samarkand
- hybridula** Reitter, Deutsche Ent. Zeitschr. 1901, p. 188. Spanien
- ab. *atriventris* Pic, Longic. V, 2, 1905, p. 8. Portugal
- Jaegeri** Hummel, Essais Ent. IV, 1825, p. 68. — Ménétr. Cat. Rais. 1832, p. 231. — Ball. Bull. Moseou XLIII, 2, 1870, p. 270. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700); Wien. Ent. Zeit. I, 1882, p. 140. Kaukasus, Syrien
- ♀ *mingrelica* Tourn. Rev. Mag. Zool. (2) XXIII, 1872, p. 344.
- ♂ *oxyptera* Fald. Fauna Transc. II, 1837, p. 318, t. 11, f. 6.
- var. *fenestrata* Reitter, Wien. Ent. Zeitschr. XX, 1901, p. 79. Kaukasus
- var. *Jekeli* Pic, Bull. Soc. Ent. Fr. 1901, p. 236. „
- inermis** Daniel, Col.-Stud. II, 1898, p. 74. „
- limbiventris** Reitter, Wien. Ent. Zeit. XVII, 1898, p. 21. „
- maculata** Poda, Ins. Mus. Graec. 1761, p. 37. — Muls. Col. Fr. Long. ed. 2, 1863, p. 521. — Ganglb. Best.-Tab. VII, 1881, p. 19 (697). — Bedel, Faune Col. Seine V, 1889, p. 16, 62. — Pic, Longic. I, 1891, p. 13. — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 842. — Stierl. Col. Helvet. II, 1898, p. 486. — Everts, Col. Neerl. II, 1, 1902, p. 357. — Csiki, Rov. Lapok X, 1903, p. 202. — Houlb. Faune Armor. Ceramb. 1904, p. 35. — Pic, Longic. VII, 2, 1910, p. 21. Europa
- armata** Preyßler in Mayer, Samml. physik. Aufs. III, 1793, p. 183. — Hoppe, Taschenb. 1796, p. 171. — Gyllenh. Ins. Succ. I, 4, 1827, p. 11.

— Muls. Col. Fr. Long. 1839, p. 258. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 551. — Cox, Handb. Col. II, 1874, p. 313. — Fowler, Col. Brit. Isl. IV, 1890, p. 240.

*calcarata* Ol. Ent. IV, 73, 1790, t. 1, f. 16.

*elongata* Thoms. Skand. Col. VIII, 1866, p. 74.

*fasciata* Scop. Ent. Carn. 1763, p. 54. — Hoppe, Enum. Ins. 1795, p. 59.

*nigra* Petagna, Spec. Ins. Calabr. 1787, p. 19.

*nigrofasciata* Petagna, Instit. Ent. I, 1792, p. 247.

*quinquemaculata* Gmel. Syst. Nat. I, 4, 1790, p. 1868.

*rubea* Geoffr. in Fourer. Ent. Paris. I, 1785, p. 86.

*subspinosa* F. Ent. Syst. I, 2, 1792, p. 347. — Ol. Ent. IV, 73, p. 15, t. 3, f. 30a. — Pic, Longic. VII, 2, 1910, p. 23.

Biologie: Westw. Introd. Class. Ins. I, 1839, p. 369, f. 44, 20. — Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 390, t. 8, f. 10. — Bargagli, Bull. Soc. Ent. Ital. XIV, 1882, p. 404. — Hambeau, Moeurs & Métam. VIII, 1902, p. 123.

ab. *alsatica* Pic, Longic. VII, 2, 1910, p. 23.

ab. *binotata* Muls. Col. Fr. Long. 1839, p. 258.

— Pic, Longic. I, 1891, p. 13; VII, 2, 1910, p. 23.

ab. *Dayremi* Pic, l. c. VII, 2, 1910, p. 23.

ab. *disconotata* Pic, l. c. VII, 1, 1908, p. 3; VII, 2, 1910, p. 22.

*armata* Fowler, Col. Brit. Isl. IV, 1890, t. 122, f. 9.

ab. *elongata* Degeer, Mém. Ins. V, 1775, p. 134.

— Rossi, Mant. Ins. I, 1792, p. 54. — Marsh.

Ent. Brit. I, 1802, p. 355. — Steph. Ill. Brit.

Ent. Mand. IV, 1831, p. 257; Man. 1839, p. 278.

*armata* Herbst in Füessly, Archiv V, 1784, p. 101,

t. 26, f. 24. — Fowler, Col. Brit. Isl. IV, 1890,

t. 122, f. 10.

*attenuata* Ström, Danske Vid. Selsk. Skrivt. (2) II, 1783, p. 60, tab., f. 12.

*calcarata* F. Ent. Syst. I, 2, 1792, p. 347. — Payk. Fauna Suec. III, 1800, p. 114. — Latr.

Hist. Nat. Crust. Ins. XI, 1804, p. 316.

*maculata* Pic, Longic. VII, 2, 1910, p. 22. —

Jacobs, Käfer Russl. 1910, t. 64, f. 14.

*punctatofasciata* Muls. Col. Fr. Long. 1839, p. 258.

*Scopoliana* Laich. Verz. Tyrol. Ins. II, 1784, p. 145.

*subspinosa* Ol. Ent. IV, 73, 1795, p. 15, t. 3,

f. 30b. — Payk. Fauna Suec. III, 1800, p. 115.

— Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 316.

ab. *Escudei* Lauffer, Bol. Soc. Esp. Hist. Nat. IX,

1909, p. 275. — Pic, Longic. VII, 2, 1910, p. 24.

Spanien

ab. *externepunctata* Muls. Col. Fr. Long. 1839,

p. 258. — Pic, Longic. I, 1891, p. 13; VII, 2,

1910, p. 23. — Csiki, Rov. Lapok X, 1903, p. 202.

ab. *impunctata* Muls. Col. Fr. Long. 1839, p. 258.

— Pic, Longic. I, 1891, p. 13; VII, 2, 1910, p. 22.

ab. *manca* L. W. Schauf. Rev. Mag. Zool. (2) XV,

1863, p. 121. — Pic, Longic. VII, 2, 1910, p. 23.

Spanien

- ab. *nigricornis* Stierl. Berl. Ent. Zeitschr. VIII, 1864, p. 153. Sicilien
- ab. *sinuata* F. Ent. Syst. I, 2, 1792, p. 347. — Muls. Col. Fr. Long. 1839, p. 259. — Pic, Longic. I, 1891, p. 13; VII, 2, 1910, p. 23.
- belga minor* Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 7.
- scopolina* Sturm, Ins.-Cabinet IV, 1792, t. 23.
- subspinosa* Panz. in Voet, Verz. hartsch. Ins. IV, 1798, p. 7, t. 26, f. 7.
- ab. *undulata* Muls. Col. Fr. Long. 1839, p. 259. — Pic, Longic. I, 1891, p. 13; VII, 2, 1910, p. 22. — Csiki, Rov. Lapok X, 1903, p. 202.
- elongata* Donovan. Brit. Ins. III, 1794, p. 32, t. 84, f. 4. — Shuck. Brit. Col. 1840, p. 67, t. 19.
- maculata* var. Houlb. Faune Armor. Ceramb. 1904, p. 35, f. 68.
- nigrofasciata* Petagna, Instit. Ent. I, 1792, t. 2, f. 12.

- melanura** L. Syst. Nat. ed. 10, 1758, p. 397; Fauna Suec. ed. 2, 1761, p. 195. — Poda, Ins. Mus. Graec. 1761, p. 37. — F. Syst. Ent. 1775, p. 196. — Laich. Verz. Tyrol. Ins. II, 1784, p. 155. — Rossi, Fauna Etr. I, 1790, p. 160. — Ol. Enc. méth. VII, 1792, p. 513; Ent. IV, 73, 1795, p. 6, t. 1, f. 6. — Sturm, Ins.-Cabinet IV, 1792, t. 22. — Martyn, Engl. Ent. 1792, t. 27, f. 7. — Preyssl. in Mayer, Samml. Physik. Aufs. III, 1793, p. 261. — Panz. Fauna Ins. Germ. LXIX, 1799, t. 19. — Payk. Fauna Suec. III, 1800, p. 110. — Marsh. Ins. Brit. I, 1802, p. 350. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 312. — Bechst. & Scharfenb. Naturg. Forstins. I, 1804, p. 212. — Gyllenh. Ins. Suec. I, 4, 1827, p. 6. — Zett. Fauna Ins. Lapp. I, 1828, p. 384. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 261; Man. 1839, p. 279. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 281. — Muls. Col. Fr. Long. 1839, p. 265; ed. 2, 1863, p. 531. — Cast. Hist. Nat. II, 1840, p. 504. — Küster, Käfer Eur. IX, 1847, p. 74. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 49. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 553. — C. G. Thoms. Skand. Col. VIII, 1866, p. 76. — Cox, Handb. Col. II, 1874, p. 313. — Ganglb. Best.-Tab. VII, 1881, p. 20 (698). — Bedel, Faune Col. Seine V, 1889, p. 17. — Fowler, Col. Brit. Isl. IV, 1890, p. 241. — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 488. — Everts, Col. Neerl. II, 1, 1902, p. 357. — Csiki, Rov. Lapok X, 1903, p. 204. — Houlb. Faune Armor. Ceramb. 1904, p. 37, f. 71. — Jacobs. Käfer Russl. 1910, t. 64, f. 15.
- diversiventris* Duf. Excurs. Vall. d'Ossau 1843, p. 103.
- similis* Herbst in Füessly, Archiv V, 1784, p. 101, t. 26, f. 22. Europa, Sibirien

- sutura nigra* Degeer, Mém. Ins. V, 1775, p. 138. Biologie: Muls. Ann. Soc. Agric. Lyon (3) VIII, 1864, p. 531. — Xambou, Ann. Soc. Linn. Lyon (2) XLIII, 1896, p. 169; XLV, 1899, p. 11; Moeurs & Métam. V, 1896, p. 147; VII, 1899, p. 51; VIII, 1902, p. 125.
- ab. *georgiana* Pic, Longic. I, 1891, p. 63. Kaukasus
- ab. *latesuturata* Pic, l. c.
- ab. *melanurella* Reitter, Wien. Ent. Zeit. XX, 1901, p. 78.
- ab. *rubellata* Reitter, l. c. p. 77.
- ab. *tibialis* J. Friv. (wo?). — Csiki, Rov. Lapok X, 1903, p. 204. Spanien  
Ungarn
- nigra** L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Succ. ed. 2, 1761, p. 198. — F. Syst. Ent. 1775, p. 197. — Schrank, Enum. Ins. 1781, p. 159. — Petagna, Spec. Ins. Calabr. 1787, p. 19. — Ol. Enc. méth. VII, 1792, p. 522; Ent. IV, 73, 1795, p. 21, t. 3, f. 36. — Rossi, Fauna Etr. I, 1790, p. 163. — Sturm, Ins.-Cabinet III, 1792, t. 9. — Martyn, Engl. Ent. 1792, t. 27, f. 8. — Preyssl. in Mayer, Samml. Phys. Aufs. III, 1793, p. 183. — Panz. Fauna Ins. Germ. LXLIX, 1799, t. 18. — Payk. Fauna Succ. III, 1800, p. 120. — Marsh. Ent. Brit. I, 1802, p. 351. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — Gyllenh. Ins. Succ. I, 4, 1827, p. 7. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 262; Man. 1839, p. 279. — Muls. Col. Fr. Long. 1839, p. 262; ed. 2, 1863, p. 527. — Cast. Hist. Nat. II, 1840, p. 504. — Küster, Käfer Eur. VI, 1846, t. 91. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 49. — Schiödde, Nat. Tidskr. (3) II, 1864, p. 553. — C. G. Thoms. Skand. Col. VIII, 1866, p. 76. — Cox, Handb. Col. II, 1874, p. 313. — Ganglb. Best.-Tab. VIII, 1881, p. 21 (699). — Bedel, Faune Col. Seine V, 1889, p. 17, 60. — Fowler, Col. Brit. Isl. IV, 1890, p. 241, t. 122, f. 11. — Scidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 487. — Everts, Col. Neerl. II, I, 1902, p. 358. — Csiki, Rov. Lapok X, 1903, p. 204. — Houlb. Faune Armor. Ceramb. 1904, p. 37, f. 75. — Jacobs. Käfer Russl. 1910, t. 64, f. 16. Europa
- picea* Geoffr. in Fourer. Ent. Paris. I, 1785, p. 87.
- nigripes** Degeer, Mém. Ins. V, 1775, p. 136. — Payk. Fauna Succ. III, 1800, p. 121. — Gyllenh. Ins. Succ. I, 4, 1827, p. 4. — Zett. Fauna Ins. Lapp. I, 1828, p. 382. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 280. — Muls. Col. Fr. Long. ed. 2, 1863, p. 516. — C. G. Thoms. Skand. Col. VIII, 1866, p. 68. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Scidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Csiki, Rov. Lapok X, 1903, p. 200. Nordeuropa,  
Alpen,  
Karpäthen,  
Sibirien
- intermedia* Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 59.

- ab. rufipennis* Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 251. Sibirien  
*novercalis* Reitter, Wien. Ent. Zeit. XX, 1901, p. 78. Kaukasus  
*ab. semilimbata* Pic, Bull. Soc. Ent. Fr. 1901, p. 236.  
*nymphula* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 220. Japan  
 var. *Lesnei* Pic, Bull. Mus. Paris VII, 1901, p. 60. „  
*ochraceofasciata* Motsch. Etud. Entomol. X, 1861, p. 21. „  
 — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 196. — Matsum. Thous. Ins. Jap. III, 1908, nr. 716, t. 54, f. 3.  
*ab. ochrotela* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 196. „  
*quadrifasciata* L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Suec. ed. 2, 1761, p. 197. — F. Syst. Ent. 1775, p. 198. — Schrank, Enum. Ins. 1781, p. 156. — Ström, Danske Vid. Selsk. Skrivt. (2) II, 1783, p. 59. — Laich. Verz. Tyrol. Ins. II, 1784, p. 143. — Petagna, Spec. Ins. Calabr. 1787, p. 19. — Ol. Enc. méth. VII, 1792, p. 519; Ent. IV, 73, 1795, p. 16, t. 2, f. 17 a, b. — Martyn, Engl. Entom. 1792, t. 27, f. 9. — Payk. Fauna Suec. III, 1800, p. 114. — Marsh. Ent. Brit. I, 1802, p. 354. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — ♀ Bechst. & Scharfenb. Naturg. Forstins. I, 1804, p. 214. — Sam. Ent. Compend. 1819, p. 55, t. 2, f. 26. — Gyllenh. Ins. Suec. I, 4, 1827, p. 9. — Zett. Fauna Ins. Lapp. I, 1828, p. 382. — Hummel, Essais Ent. VII, 1829, p. 31. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 259; Man. 1839, p. 278. — Herrieh-Schaeffer, Fauna Ins. Germ. CXVII, 183?, t. 8. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 281. — Muls. Col. Fr. Long. 1839, p. 252; ed. 2, 1863, p. 509. — Shuck. Brit. Col. 1840, p. 67, t. 79, f. 2. — Cast. Hist. Nat. II, 1840, p. 504. — Küster, Käfer Eur. VIII, 1847, p. 509. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach. Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 550. — C. G. Thoms. Skand. Col. VIII, 1866, p. 74. — Cox, Handb. Col. II, 1874, p. 312. — Ganglb. Best.-Tab. VII, 1881, p. 19 (697). — Bedel. Faune Col. Seine V, 1889, p. 19, 61. — Fowler, Col. Brit. Isl. IV, 1890, p. 239, t. 122, f. 8. — Seidl. Fauna Balt. ed. 2, 1891, p. 747; Fauna Transs. 1891, p. 842. — Stierl. Col. Helvet. II, 1898, p. 486. — Everts, Col. Neerl. II, 1, 1902, p. 357. — Csiki, Rov. Lapok X, 1903, p. 201. — Houlb. Faune Armor. Ceramb. 1904, p. 35, f. 67. — Jacobs. Käfer Russl. 1910, t. 64, f. 11.  
 ♀ *apicalis* Curt. Brit. Ent. VIII, 1831, t. 362. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 260.  
 ♀ *apicata* Steph. Man. 1839, p. 278.  
*belga major* Voet, Cat. Col. II, 1804—06, p. 30, t. 26, f. 5.  
*calcarata* Panz. in Voet, Besch. Ins. IV, 1798, p. 5, t. 26, f. 5.

- octomaculata* Degeer, Mém. Ins. V, 1775, p. 131, t. 4, f. 11.
- Biologie: Nördl. Stett. Ent. Zeit. IX, 1848, p. 257. — Kawall, l. c. XXVIII, 1867, p. 118. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 422, 447. — W. Kolbe, Zeitschr. Ent. Breslau (2) XXI, 1896, p. 9. — Xambeu, Mœurs & Métam. VIII, 1902, p. 122.
- ab. abbreviata* Gabriel, Deutsche Ent. Zeitschr. 1909, p. 419. — Pic, Longic. VIII, 1, 1911, p. 4.
- ab. Guillemoti* Desbr. Erclon IV, 1895, p. 130. — Pic, Longic. II, 1898, p. 7. — Csiki, Rov. Lapok X, 1903, p. 201.
- ab. interrupta* L. Heyd. Jahrb. Ver. Naturk. Nassau XXIX—XXX, 1877, p. 396. — Csiki, Rov. Lapok X, 1903, p. 201.
- Lederi* Ganglb. Best.-Tab. VII, 1882, p. 19 (697). — Pic, Longic. II, 1898, p. 7.
- ab. lugubris* Sahlb. Meddel. Soc. Fauna Fl. Fenn. XXXI, 1906, p. 47.
- ab. Melgunovi* Jacobs. Horae Soc. Ent. Ross. XXIX, 1895, p. 523. — Pic, Longic. II, 1898, p. 7.
- ab. notatipennis* Pic, Echange XIII, 1897, p. 5; Longic. II, 1898, p. 7.
- ab. quadripustulata* F. Ent. Syst. I, 2, 1792, p. 345. — Lampa, Ent. Tidskr. II, 1881, p. 173.
- Sedakovi** Mannerh. Bull. Moscou XXV, 2, 1852, p. 307. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 251.
- senicrassa* Pic, Echange XVII, 1901, p. 58.
- septempunctata* F. Ent. Syst. I, 2, 1792, p. 346. — Ol. Enc. méth. VII, 1792, p. 517; Ent. IV, 73, 1795, p. 7, t. 2, f. 21, 23. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 313. — Panz. Fauna Ins. Germ. XC, 1805, t. 4. — Küster, Käfer Eur. VI, 1846, p. 93. — Redt. Fauna Austr. 1849, p. 506; ed. 2, 1858, p. 874; ed. 3, II, 1874, p. 433. — Bach, Käferfauna III, 1856, p. 50. — Muls. Col. Fr. Long. ed. 2, 1863, p. 533. — Ganglb. Best.-Tab. VII, 1881, p. 22 (700). — Seidl. Fauna Transs. 1891, p. 843. — Csiki, Rov. Lapok X, 1903, p. 204.
- ab. quinquesignata* Küster, Käfer Eur. VI, 1846, p. 94. — Muls. Col. Fr. Long. ed. 2, 1863, p. 535. — Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 141.
- ab. suturata* Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 22. — Csiki, Rov. Lapok X, 1903, p. 204.
- subtilis* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 219.
- syriaca* Pic, Deser. Long. Syrie 1891, p. 1; Ann. Soc. Ent. Fr. LXI, 1892, p. 415. — Daniel, Münch. Kolcopt. Zeitschr. II, 1904, p. 370.
- tenuicornis* Motsch. Etudes Ent. X, 1861, p. 20. — Pic, Longic. VI, 2, 1907, p. 20.
- ab. infernalis* Pic, Bull. Mus. Paris VII, 1901, p. 61.
- ab. modicenotata* Pic, l. c.
- thoracica* Creutz. Ent. Vers. 1799, p. 125, t. 3, f. 28. — Payk. Fauna Succ. III, 1800, p. 105. — F. Syst. El. II, 1801, p. 356. — Quens. in Acerbi, Travels

Schlesien  
Frankreich  
Deutschland  
Kaukasus  
Finnland  
Russland  
Spanien,  
Armenien  
Schweden,  
Sibirien?  
Sibirien  
Frankreich  
Süddeutsch-  
land,  
Österreich,  
Ungarn,  
Türkei,  
Griechen-  
land,  
Kleinasien  
Kaukasus  
Japan  
Syrien  
Japan  
,,  
,,  
Finnland,  
Nordost-  
europa,

- II, 1802, p. 254, t. 2, f. 4. — Gyllenh. Ins. Suec. I, 4, 1827, p. 2. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 279. — Bach, Käferfauna III, 1856, p. 49. — Muls. Col. Fr. Long. ed. 2, 1863, p. 510. — Blessig, Horae Soc. Ent. Ross. IX, 1873, p. 252. — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 136. — Ganglb. Best.-Tab. VII, 1882, p. 20 (698). — Seidl. Fauna Balt. ed. 2, 1891, p. 747. — Csiki, Rov. Lapok X, 1903, p. 201. ab. *altaica* Gebl. Mém. Moscou V, 1817, p. 331. Sibirien  
*altalca* Gebl. Ledeb. Reise II, 2, 1830, p. 191.  
 ab. *obscurissima* Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 17. Japan  
**Vaucheri** Bedel, Bull. Soc. Ent. Fr. 1900, p. 336. Algier  
**vicaria** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 218. Japan

### Subgen. *Strangalina* Auriv.

- attenuata* L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Suec. ed. 2, 1761, p. 197. — Poda, Mus. Graec. 1761, p. 38. — Scop. Annus Hist. Nat. V, 1772, p. 99. — F. Syst. Ent. 1775, p. 198. — Schrank, Enum. Ins. I, 1781, p. 156; Fauna Boica I, 2, 1798, p. 692. — Laich. Verz. Tyrol. Ins. II, 1784, p. 150. — Herbst in Füssly, Archiv V, 1784, p. 101; in Borowsky, Naturgesch. VI, 1784, p. 132, t. 17, f. 3. — Rossi, Fauna Etr. I, 1790, p. 163. — Ol. Enc. méth. VII, 1792, p. 518; Ent. IV, 73, 1795, p. 17, t. 1, f. 8. — Payk. Fauna Suec. III, 1800, p. 116. — Marsh. Ent. Brit. I, 1802, p. 354. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 317. — Gyllenh. Ins. Suec. I, 4, 1827, p. 12. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 258; Man. 1839, p. 278. — C. R. Sahlb. Ins. Fenn. II, 1839, p. 282. — Muls. Col. Fr. Long. 1839, p. 260; ed. 2, 1863, p. 526. — Redt. Fauna Austr. 1849, p. 507; ed. 2, 1858, p. 875; ed. 3, II, 1874, p. 434. — Bach, Käferfauna III, 1856, p. 48. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 554. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 58, f. 276. — C. G. Thoms. Skand. Col. VIII, 1866, p. 75. — Cox, Handb. Col. II, 1874, p. 313. — Ganglb. Best.-Tab. VII, 1881, p. 18 (696). — Bedel, Faune Col. Seine V, 1889, p. 26. — Fowler, Col. Brit. Isl. IV, 1890, p. 240. — Seidl. Fauna Balt. ed. 2, 1891, p. 748; Fauna Transs. 1891, p. 843. — Stierl. Col. Helvet. II, 1898, p. 485. — Everts, Col. Neerl. II, 1, 1902, p. 356. — Csiki, Rov. Lapok X, 1903, p. 201. — Houll. Faune Armor. Ceramb. 1904, p. 38, f. 74.  
*quadrijasciata* ♂ Bechst. und Scharfenb. Forstins. I, 1804, p. 210.  
 Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 380, f. 556—562. — Xambeau, Moeurs et Métam. VIII, 1902, p. 124.  
 ab. *brunnescens* Balbi, Rivista Ital. Sc. Nat. XII, 1892, p. 49. Europa, Sibirien

ab. <i>imperfecta</i> Gerh. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 5.	Schlesien
ab. <i>maculicollis</i> Gabr. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 5.	„
<i>contracta</i> Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 223.	Japan
<i>dulcis</i> Bates, l. c. p. 222.	„
<i>Maindroni</i> Pic, Bull. Mus. Paris VII, 1901, p. 61; Longic. VI, 2, 1907, p. 20. — Matsum. Thous. Ins. Jap. III, 1908, nr. 717, t. 54, f. 4.	„
<i>regalis</i> Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 223.	„

Subgen. **Pedostrangalia** Sokolow.

<i>Kassjanowi</i> Sokolow, Horae Soc. Ent. Ross. XXX, 1897, p. 461.	Transcaspien
---	--------------

Subgen. **Ichnostrangalis** Ganglb.

<i>Semenowi</i> Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 53.	Mongolei
--	----------

Subgen. **Parastrangalis** Ganglb.

<i>Potanini</i> Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 57.	Kanssu
--	--------

Indomalayische Arten\*).

<i>aeneipennis</i> Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 63.	Moupin
<i>arcifera</i> Blanch. Comptes rend. Acad. Sc. Paris LXXII, 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 59.	„
<i>Argodi</i> Théry, Bull. Soc. Ent. Fr. 1896, p. 109. — Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 17.	China
<i>Aurivillii</i> Pic, Longic. IV, 2, 1903, p. 29.	Tonkin
<i>aurosericans</i> Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 177.	„
ab. <i>mausonensis</i> Pic, Longic. IV, 2, 1903, p. 29.	„
ab. <i>sericea</i> Pic, l. c.	„
<i>basiplicata</i> Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 60.	Moupin
<i>conicollis</i> Auriv. Arkiv f. Zool. VII, 3, 1910, p. 7.	Borneo
spec. Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 40.	
<i>flavovittata</i> Auriv. l. c.	„
<i>Fortunei</i> Pascoe, Trans. Ent. Soc. Lond. (2) IV, 1858, p. 265.	Nordelina
<i>Frainii</i> Fairm. Notes Leyd. Mus. XVIII, 1897, p. 239.	Sikkim,
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 86.	Butan
<i>Guerryi</i> Pic, Longic. IV, 1, 1902, p. 28.	China
<i>lateripicta</i> Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 178.	Tonkin
<i>lineigera</i> Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 61.	Moupin
<i>mirabilis</i> Auriv. Ent. Tidskr. XXIII, 1902, p. 207, f. 18.	Tonkin
<i>nigrocaudata</i> Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 135; Ann. Soc. Ent. Fr. (6) IX, 1889, p. 63.	Nordchina

\*) Untergattungen können hier leider nicht angegeben werden.

- quadrizon** Fairm. Bull. Soc. Ent. Fr. 1902, p. 244.  
**rufomaculata** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 177. Yunnan  
 Tonkin  
**stricticollis** Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 62. Moupin  
**sumatrensis** Gah. Ann. Mus. Genova (3) III, 1907, p. 71. Sumatra  
**thibetana** Blanch. Compt. rend. Acad. Sc. Paris LXXII, Thibet,  
 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent. Moupin  
 Fr. (6) IX, 1889, p. 61.  
**virescens** Auriv. Arkif f. Zool. VII, 19, 1911, p. 1. Borneo  
 spec. Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282,  
 t. 20, f. 44.  
**zonifera** Blanch. Compt. rend. Acad. Sc. Paris LXXII, Moupin  
 1871, p. 812, nota 3. — Fairm. Ann. Soc. Ent.  
 Fr. (6) IX, 1889, p. 60.

## Nearktische Arten.

**Strangalia** sens. str.*Stenura* Ganglb.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 215 (Synopsis). —  
 Leng, Entomol. Amer. VI, 1890, p. 185 (Synopsis).  
**abdominalis** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, New York,  
 p. 63. — Leng, Synops. p. 187, 194. Georgia,  
 Texas  
 ♀ **atrovittata** Bland, Proc. Ent. Soc. Philad. III, Louisiana  
 1864, p. 255.  
**amabilis** J. Lec. Entom. Report 1857, p. 64. — Leng, Oregon,  
 Synops. p. 187, 194. Washington  
**americana** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Pennsylvanien,  
 p. 63. — J. Lec. Journ. Acad. Philad. (2) I, Georgia,  
 1850, p. 331. — Leng, Synops. p. 188, 194. Ohio  
**Barberi** Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, Californien,  
 p. 250. Nevada  
**brevicornis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Nevada,  
 p. 226. — Horn, Proc. Amer. Ent. Soc. XIII, Washington  
 1886, p. 14. — Leng, Synops. p. 189, 196.  
**capitata** Newm. Entomol. I, 1841, p. 71. — Hald. Trans. Canada,  
 Amer. Philos. Soc. (2) X, 1847, p. 65. — J. Lec. Oststaaten  
 Journ. Acad. Philad. (2) I, 1850, p. 331. — Prov. Nord-  
 Faune Ent. Canada I, 1877, p. 614, 617. — Wickh. Canad-  
 Ent. XXIX, 1897, p. 190. amerikas  
**carbonata** J. Lec. Proc. Acad. Philad. 1861, p. 355. — Californien,  
 Prov. Faune Ent. Canada I, 1877, p. 614, 619. Washington  
 — Leng, Synops. p. 189, 197.  
**chalybea** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Oststaaten  
 p. 60. — J. Lec. Journ. Acad. Philad. (2) I, Nord-  
 1850, p. 331. — Leng, Synops. p. 188, 194. — Wickh. Canad. Ent. XXIX, 1897, p. 190. amerikas  
**cruentata** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Pennsylvanien,  
 p. 64. — J. Lec. Journ. Acad. Philad. (2) I, 1850, Canada,  
 p. 332. — Leng, Synops. p. 187, 194. — Wickh. Georgia,  
 Canad. Ent. XXIX, 1897, p. 189. Texas  
**deleta** J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. Massachusetts  
 — Leng, Synops. p. 187, 193.

- emarginata** F. Mant. Ins. I, 1787, p. 158. — Ol. Enc. méth. VII, 1792, p. 514; Ent. IV, 73, 1795, p. 5, t. 3, f. 26. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. — Prov. Faune Ent. Canada I, 1877, p. 614, 616. — Leng. Synops. p. 186, 192. — Hamilt. Trans. Amer. Ent. Soc. XXVI, 1895, p. 379. — Wickh. Canad. Ent. XXIX, 1897, p. 189.
- exigua** Newm. Entomol. I, 1841, p. 73. — Horn, Ent. Amer. I, 1885, p. 8; Trans. Amer. Ent. Soc. XV, 1888, p. 301. — Leng. Synops. p. 188, 194, 215. — Hamilt. Ent. Amer. VI, 1890, p. 215. — Wickh. Canad. Ent. XXIX, 1897, p. 190.
- saucia* J. Lec. Proc. Acad. Philad. 1862, p. 40.
- gigas** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 223. — Leng. Synops. p. 186, 192.
- Kerniana** Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 249.
- lineola** Say, Journ. Acad. Philad. III, 1823, p. 421. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330. — Prov. Faune Ent. Canada I, 1873, p. 614, 617. — Leng. Synops. p. 187, 194. — Wickh. Canad. Ent. XXIX, 1897, p. 190.
- cineta* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63.
- indirecta* Newm. Entomol. I, 1841, p. 71.
- lateralis* J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330.
- ab. *lateralis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63.
- ab. *obsoleta* Hald. l. c.
- molybdica** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 101. — Leng. Synops. p. 188, 195.
- ab. *militaris* Chev. Rev. Mag. Zool. (2) VII, 1855, p. 187; Ann. Soc. Ent. Fr. (3) VI, 1858, p. 529, t. 12, f. 3.
- nana** Newm. Entomol. I, 1841, p. 73. — Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 301. — Hamilt. Ent. Amer. VI, 1890, p. 215. — Leng. l. c. — Wickh. Canad. Ent. XXIX, 1897, p. 190.
- ab. *haematites* Newm. Entomol. I, 1841, p. 73. — Horn, Trans. Amer. Ent. Soc. XV, 1888, p. 301. — Leng. Synops. p. 188, 194.
- nigrella** Say, Journ. Acad. Philad. V, 2, 1827, p. 279. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333. — Prov. Faune Ent. Canada I, 1877, p. 614, 618. — Leng. Synops. p. 189, 196. — Wickh. Canad. Ent. XXIX, 1897, p. 191.
- obliterata** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. — Leng. Synops. p. 187, 193.
- perductor* Walk. Natural. Vancouver II, 1866, p. 333.
- ab. *vittiosa* J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Entomol. Report 1857, p. 64.
- Canada,  
New York,  
Pennsylvanien,  
Nord-carolina,  
Texas
- Canada,  
Massachusetts,  
New York,  
Pennsylvanien  
Texas,  
Neumexico  
Californien
- Nordamerika
- Californien,  
Nevada  
Oregon
- Massachusetts,  
Connecticut,  
New York  
N. Carolina,  
Illinois
- Nordamerika
- Vancouver,  
Washington,  
Oregon,  
Californien,  
Nevada  
Montana,  
Idaho

- plagifera** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 224. — Leng, Synops. p. 187, 194. Californien, Nevada, Colorado
- ♀ **anthracina** J. Lec. Trans. Amer. Ent. Soc. V, 1875, p. 175. Montana, Idaho, Oregon
- plebeja** Rand. Boston Journ. II, 1838, p. 28. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 333. — Prov. Faune Ent. Canada I, 1877, p. 614, 616. — Leng, Synops. p. 187, 193. — Wickh. Canad. Ent. XXIX, 1897, p. 189. Oststaaten Nord-amerikas
- propinqua** Bland, Proc. Ent. Soc. Philad. IV, 1865, p. 384. — Leng, Synops. p. 187, 193. Weststaaten Nord-amerikas
- rubida** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 224. — Leng, Synops. p. 187, 194. Californien
- soror** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 223. — Leng, Synops. p. 187, 193. Californien, Vancouver
- subargentata** Kirby, Fauna Bor.-Amer. IV, 1837, p. 184. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 331. — Mannerh. Bull. Moscov XXVI, 1853, p. 251. — Prov. Faune Ent. Canada I, 1877, p. 614, 617. — Leng, Synops. p. 188, 195. — Wickh. Canad. Ent. XXIX, 1897, p. 190. Canada, Vereinigte Staaten, Alaska
- ab. **rhodopus** J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 68. — Leng, Synops. p. 195. Californien
- ab. **rufibasis** J. Lec. Proc. Acad. Philad. 1862, p. 40. — Leng, Synops. p. 195. Hudson-bay
- ab. **ruficeps** J. Lec. Proc. Acad. Philad. 1862, p. 40. — Leng, Synops. p. 195. Georgia
- ab. **ruficollis** Prov. Faune Ent. Canada I, 1877, p. 617. Canada
- ab. **similis** Kirby, Fauna Bor.-Amer. IV, 1837, p. 185. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 331. — Leng, Synops. p. 195.
- subeostata** Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 249. Nevada
- subhamata** Rand. Boston Journ. II, 1838, p. 28. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 328. — Prov. Faune Ent. Canada I, 1877, p. 614, 616. — Leng, Synops. p. 187, 193. — Wickh. Canad. Ent. XXIX, 1897, p. 190, f. 29. Canada, Oststaaten Nord-amerikas
- armata** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61.
- interrupta** Newm. Entomol. I, 1841, p. 72.
- ab. **elegans** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Prov. Faune Ent. Canada I, 1877, p. 617. — Leng, Synops. p. 193. Biologie: Felt, Ins. aff. Trees 1907, p. 675, f. 202.

### Subgen. **Bellamira** J. Lec.

- antennata** Schaeffer, Bull. Brookl. Instit. I, 1908, p. 342. Arizona
- scalaris** Say, Journ. Acad. Philad. V, 2, 1827, p. 278. Nordamerika
- Hald. Trans. Amer. Philos. Soc. (2) X, 1847,

p. 65. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 327. — Leng, Ent. Amer. VI, 1890, p. 156. — Wickh. Canad. Ent. XXIX, 1897, p. 187.

*coarctata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 156. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 327.

### Subgen. *Strangalina* Auriv.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 212. — Leng, Ent. Amer. VI, 1890, p. 157 (Synopsis).

- acuminata* Ol. Ent. IV, 73, 1795, p. 20, t. 3, f. 35. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330. — Leng, Synops. p. 157.
- emaciata* Newm. Entomol. I, 1841, p. 68. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61.
- ab. *unicolor* Hald. l. c. p. 62.
- bicolor* Swed. Vet. Akad. Nya Handl. VIII, 1787, p. 197. — Say, Journ. Acad. Philad. III, 1823, p. 418. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 239. — Leng, Synops. p. 157. — Wickh. Canad. Ent. XXIX, 1897, p. 187.
- delicata* J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 97. — Leng, Synops. p. 157.
- famelica* Newm. Entomol. I, 1841, p. 68. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 330. — Leng, Synops. p. 157.
- familica* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61.
- ab. *confluenta* Hald. l. c.
- ab. *flaviceps* Hald. l. c.
- ab. *obsoleta* Hald. l. c. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329.
- ab. *solitaria* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61.
- luteicornis* F. Syst. Ent. 1775, p. 197. — Ol. Enc. méth. VII, 1792, p. 529; Ent. IV, 73, 1795, p. 20, t. 3, f. 34. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Leng, Synops. p. 157. — Wickh. Canad. Ent. XXIX, 1897, p. 187.
- sexnotata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 61. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Leng, Synops. p. 157.
- ab. *montana* Casey, Ann. N. York Acad. Sc. VI, 1892, p. 46. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 174.
- strigosa* Newm. Entomol. I, 1841, p. 69. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 329. — Leng, Synops. p. 157.
- virilis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 212. — Leng, Synops. p. 157.

Connecticut,  
New York,  
N. Jersey,  
Pennsylvania

Canada,  
New York  
bis  
Alabama

Californien,  
Nevada

Oststaaten  
Nord-  
amerikas

Oststaaten  
Nord-  
amerikas,  
Canada

Massa-  
chusetts,  
Georgia,  
Florida,  
Texas  
Neumexico

Florida

TEXAS

Subgen. **Typocerus** J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 213. — Leng, Ent. Amer. VI, 1890, p. 158 (Synopsis).
- badia** Newm. Entomol. I, 1841, p. 69. — J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 214. — Leng, Synops. p. 158, 159. Georgien, Nord-carolina, Florida, Alabama
- balteata** Horn. Trans. Amer. Ent. Soc. VII, 1878, p. 55. — Leng, Synops. p. 159, 160. Colorado, Arizona, Montana
- brunnicornis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 214. — Leng, Synops. p. 159, 160. Florida, Texas, Colorado, Neumexico Nordamerika
- lugubris** Say, Journ. Acad. Philad. III, 1823, p. 419. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 334. — Leng, Synops. p. 159, 160. — Wickh. Canad. Ent. XXIX, 1897, p. 188.
- lunulata** Swed. Vet. Akad. Nya Handl. VIII, 1787, p. 197. — Ol. Enc. méth. VII, 1792, p. 523. *arcuata* Ol. Ent. IV, 73, 1795, p. 32, t. 4, f. 47. *lanata* F. Syst. El. II, 1801, p. 360. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 334. — Leng, Synops. p. 159. Nordcarolina, Georgia, Florida, Texas
- sinuata** Newm. Entomol. I, 1841, p. 70. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 335; Smiths. Misc. Coll. XI, 264, p. 214. — Prov. Faune Ent. Canada I, 1877, p. 612. — Leng, Synops. p. 159, 160. *octonotata* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. Nordamerika
- sparsa** J. Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 614. — Leng, Synops. p. 159. — Wickh. Canad. Ent. XXIX, 1897, p. 188. Michigan, Wisconsin, Ohio, Canada Nordamerika
- velutina** Ol. Ent. IV, 73, 1795, p. 18, t. 3, f. 32. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — Prov. Faune Ent. Canada I, 1877, p. 612. — Leng, Synops. p. 159. — Wickh. Canad. Ent. XXIX, 1897, p. 188.
- fugax* F. Ent. Syst. Suppl. 1798, p. 153. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62; Proc. Acad. Philad. IV, 1847, p. 375. — J. Lec. Journ. Acad. Philad. (2) X, 1850, p. 334.
- nobilis* Newm. Entomol. I, 1841, p. 67.
- tenuior* Kirby, Fauna Bor.-Amer. IV, 1851, p. 181.
- zebra** Ol. Ent. IV, 73, 1795, p. 19, t. 3, f. 33. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 62. — Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 143. *carolina* Weber, Observ. Ent. 1801, p. 91. New York, Pennsylvanien, Nord-carolina, Georgia, Florida
- zebrata* F. Syst. El. II, 1801, p. 364. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 334. — Prov. Faune Ent. Canada I, 1877, p. 612. — Leng, Synops. p. 159. — Wickh. Canad. Ent. XXIX, 1897, p. 188, f. 28.

**Neoleptura** Thoms.

Thoms. Classif. Ceramb. 1860, p. 153; Syst. Ceramb. 1864, p. 407. — Lacord.  
Gen. Col. VIII, 1869, p. 450.

**Lecointei** Thoms. Classif. Ceramb. 1860, p. 153. — Lacord. Mexico  
Gen. Col. VIII, 1869, p. 450.

1

**Ophistomis** Thoms.

Thoms. Arch. Ent. I, 1857, p. 319; Classif. Ceramb. 1860, p. 144; Syst.  
Ceramb. 1864, p. 407. — Lacord. Gen. Col. VIII, 1869, p. 451. — Bates,  
Biol. C.-Amer. Col. V, 1880, p. 38.

*Ophiostomis* Gemm. et Har. Cat. Col. IX, 1873, p. 2875.

- albicollis** Pasc. Journ. of Ent. I, 1860, p. 63. — Bates, Brasilien  
Trans. Ent. Soc. Lond. 1870, p. 313.
- auriflua** Redt. Reise Novara, Col. 1868, p. 190, t. 5, f. 9. Rio Janeiro
- Belti** Bates, Trans. Ent. Soc. Lond. 1872, p. 182; Biol. C.- Nicaragua  
Amer. Col. V, 1880, p. 39, t. 4, f. 22.
- bivittata** Bates, Trans. Ent. Soc. Lond. 1870, p. 311. Ega
- brachialis** Bates, Biol. C.-Amer. Col. V, 1885, p. 280. Mexico
- discophora** Redt. Reise Novara, Col. 1868, p. 191. Rio Janeiro
- emaciata** Bates, Biol. C.-Amer. Col. V, 1880, p. 39. Costa Rica
- felix** Bates, l. c. 1885, p. 282, t. 20, f. 5. Panama
- flavirostris** Bates, l. c. 1880, p. 40. Guatemala
- flavoincta** Thoms. Classif. Ceramb. 1860, p. 155. Brasilien
- fulveola** Bates, Biol. C.-Amer. Col. V, 1885, p. 283, t. 20, Guatemala  
f. 7.
- fulvicornis** Bates, Trans. Ent. Soc. Lond. 1872, p. 183 Espirito  
nota. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Santo  
p. 3.
- hirsuta** Bates, Biol. C.-Amer. Col. V, 1885, p. 283. Mexico
- histrion** Bates, l. c. p. 281, t. 20, f. 3. Guatemala
- Irene** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 1. Brasilien:  
Goyaz
- lachrymans** Bates, Biol. C.-Amer. Col. V, 1885, p. 280, Guatemala  
t. 20, f. 4.
- laevicollis** Bates, l. c. p. 39, 279.
- lyrata** Redt. Reise Novara, Col. 1868, p. 190. Rio Janeiro
- melampus** Bates, Biol. C.-Amer. Col. V, 1885, p. 280. Guatemala
- melanostoma** Bates, Trans. Ent. Soc. Lond. 1870, p. 312. Ega
- nigella** Bates, l. c. 1872, p. 233; Biol. C.-Amer. Col. V, Chontales  
1880, p. 40, t. 4, f. 20.
- ochroptera** Bates, Trans. Ent. Soc. Lond. 1870, p. 312. Ega
- pallida** Bates, l. c. 1872, p. 183; Biol. C.-Amer. Col. V, Chontales  
1880, p. 40, t. 5, f. 2.
- paraensis** Bates, Trans. Ent. Soc. Lond. 1870, p. 311. Para
- pectoralis** Bates, Biol. C.-Amer. Col. V, 1885, p. 282. Mexico
- pieticornis** Bates, Trans. Ent. Soc. Lond. 1869, p. 384; Nicaragua  
Biol. C.-Amer. Col. V, 1880, p. 38, t. 4, f. 21.
- pupipennis** Bates, l. c. 1885, p. 279. Mexico,  
Guatemala
- rostrata** Bates, Trans. Ent. Soc. Lond. 1872, p. 183 nota. Neugranada
- rubiginosa** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 3. Brasilien:  
Goyaz
- rubricollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 312. Ega

<b>rufiventris</b> Bates, l. c. 1872, p. 183; Biol. C.-Amer. Col. V, 1880, p. 39, t. 4, f. 19.	Chontales
<b>Sallaei</b> Bates, l. c. 1885, p. 280.	Mexico
<b>saltator</b> Bates, l. c. p. 281, t. 20, f. 6.	Panama
<b>semifulva</b> Bates. Trans. Ent. Soc. Lond. 1870, p. 313.	Ega
<b>succinata</b> Redt. Reise Novara, Col. 1868, p. 190, t. 5, f. 8.	Rio Janeiro
<b>thoracica</b> Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 465.	Guadeloupe
<b>ventralis</b> Horn, Bull. Calif. Acad. (2) IV, 1894, p. 401.	Californien
<b>xantho</b> Bates, Biol. C.-Amer. Col. V, 1885, p. 282.	Mexico
<b>xanthotelus</b> Bates, Trans. Ent. Soc. Lond. 1892, p. 158, t. 6, f. 4.	„

39

**Chontalia** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 233.

<b>eyanicollis</b> Bates, l. c.; Biol. C.-Amer. Col. V, 1880, p. 40, t. 5, f. 3.	Nicaragua
--	-----------

1

**Choriolaus** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 283.

<b>aegrotus</b> Bates, l. c.	Mexico
<b>lutescens</b> Bates, l. c. p. 284, t. 20, f. 9.	„
<b>nanus</b> Bates, l. c. t. 20, f. 8.	„

3

**Euryptera** Serv.

Serv. Enc. méth. Ins. X, 1825, p. 688; Ann. Soc. Ent. Er. IV, 1835, p. 222. — Thoms. Classif. Ceramb. 1860, p. 144; Syst. Ceramb. 1860, p. 407. — Lacord. Gen. Col. VIII, 1869, p. 454. — J. Lec. Classif. Col. N. Amer. 1883, p. 313. — Bates. Biol. C.-Amer. Col. V, 1885, p. 284. — Belon, Ann. Soc. Ent. Belg. XLI, 1897, p. 339 (Synopsis).

<b>angustisternis</b> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 9.	Brasilien:
ab. <i>nigra</i> Goun. l. c. p. 10 nota.	Goyaz
<b>Argodi</b> Belon, Synops. p. 342.	Minas Geraës
<b>atripennis</b> Bates, Trans. Ent. Soc. Lond. 1870, p. 313.	Bolivia
<b>bicolor</b> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 7.	Ega
<b>Chihuahuae</b> Bates, Biol. C.-Amer. Col. V, 1885, p. 285.	Goyaz
<b>costulata</b> Bates, l. c. p. 284.	Mexico
<b>dimidiata</b> Redt. Reise Novara, Col. 1868, p. 189. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 5.	„
var. <i>atra</i> Goun. l. c. p. 5 nota.	Rio Janeiro
<b>fulvella</b> Bates, Biol. C.-Amer. Col. V, 1885, p. 286, t. 20, f. 12.	Minas Geraës
<b>Huachucae</b> Schaeffer, Bull. Brookl. Instit. I, 1905, p. 134.	Panama
<b>lateralis</b> Ol. Ent. IV, 73, 1795, p. 22, t. 3, f. 37. — Leng, Ent. Amer. VI, 1890, p. 213.	Texas
<b>cincta</b> Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63.	Massachusetts,
<b>distans</b> Germ. Ins. spec. nov. 1824, p. 524.	Pennsylvania,
	Kentucky,

- obsoleta* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 63. Florida, Louisiana, Mexico
- ✓ *latipennis* Serv. Enc. méth. Ins. X, 1825, p. 688. — Cast. Hist. Nat. II, 1840, p. 503. Brasilien
- var. *virgata* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 5. Goyaz, Tucuman
- leonina* Goun. l. c. p. 6. Brasilien: Goyaz
- longipennis* Bates, Biol. C.-Amer. Col. V, 1885, p. 286, t. 20, f. 13. Mexico
- lyceiformis* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 289. Neugranada
- melanophthisis* Berg, Ann. Univ. B. Aires VI, 1889, p. 107. Argentina
- melanura* Redt. Reise Novara, Col. 1868, p. 189. Rio Janeiro
- mimula* Bates, Biol. C.-Amer. Col. V, 1885, p. 285. Mexico
- patricia* Bates, l. c. p. 286, t. 20, f. 14. "
- planicoxis* Bates, Trans. Ent. Soc. Lond. 1892, p. 159, t. 6, f. 5. Panama
- princeps* Bates, Biol. C.-Amer. Col. V, 1885, p. 286, t. 20, f. 11. "
- ruficollis* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 289. Neugranada
- sericea* Bates, Biol. C.-Amer. Col. V, 1885, p. 285. Panama
- unicolor* Bates, Trans. Ent. Soc. Lond. 1892, p. 159, t. 6, f. 3. "
- venusta* Brême, Ann. Soc. Ent. Fr. (2) II, 1844, p. 311, t. 9, f. 8. Brasilien

24

**Ephies** Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 506. — Lacord. Gen. Col. VIII, 1869, p. 453. — Gah. Fauna Brit. India, Col. I, 1906, p. 87.
- cardinalis* Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 131. Yunnan
- ✓ *coccineus* Gah. Fauna Brit. India, Col. I, 1906, p. 87, f. 34. Nordindien
- cruentus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 506, t. 41, f. 9. — Lacord. Gen. Col. VIII, 1869, t. 89, f. 3. Penang
- dilaticornis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 560, t. 21, f. 1. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 283, t. 23, f. 18. Sarawak
- lepturoides* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 560. Singapur
- suleipennis* Bates, Entomol. XXIV, 1891, Suppl. p. 22. — Gah. Fauna Brit. India, Col. I, 1906, p. 88. Nordindien

6

**Asilaris** Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 505. — Lacord. Gen. Col. VIII, 1869, p. 452.
- zonatus* Pasc. Proc. Zool. Soc. Lond. 1866, p. 505, t. 41, f. 1. Penang

1

**Ocalemia** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 264. — Thoms. Classif. Ceramb. 1860, p. 155; Syst. Ceramb. 1864, p. 407. — Lacord. Gen. Col. VIII, 1869, p. 452.

**carpo** Pic, Longic. IV, 2, 1903, p. 28.

Tonkin  
Malacca

**vigilans** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 265, t. 26, f. 3; (3) III, 1864, p. 559. — Lacord. Gen. Col. VIII, 1869, t. 89, f. 2.

2

**XLIV. Encyclopini.**

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 326. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 311. — Leng, Ent. Amer. VI, 1890, p. 10, 12.

**Encyclops** Newm.

Newm. Ent. Mag. V, 1838, p. 392. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869, p. 455. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 327. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 312. — Leng, Ent. Amer. VI, 1890, p. 13.

**coerulea** Say, Journ. Acad. Philad. V, 2, 1827, p. 280.

Canada.  
Connecticut,  
New York,  
Illinois

— Hald. Proc. Amer. Philos. Soc. IV, 1847, p. 376. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Leng, Ent. Amer. VI, 1890, p. 13. — Wickh. Canad. Ent. XXIX, 1897, p. 173.

*pallipes* Newm. Ent. Mag. V, 1838, p. 392.

**olivacea** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 211, t. 1, f. 7.

Japan

2

**Thesalia** Casey.

Casey, Ann. N. York Acad. VI, 1891, p. 36.

**lisa** Casey, l. c.

Californien

?*lisa* Leng, Ent. Amer. VI, 1890, p. 108.

1

**Leptalia** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 204; XI, 265, 1873, p. 327. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 312. — Leng, Ent. Amer. VI, 1890, p. 13.

**macilenta** Mannerh. Bull. Moscou XXVI, 1853, p. 253.

Alaska

— J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 204. — Leng, Ent. Amer. VI, 1890, p. 13. Biologie: Kincaid, Proc. Wash. Acad. II, 1900, p. 376, t. 25, f. 8—12.

- var. *Frankenhäuseri* Mannerh. Bull. Moscou Alaska  
XXVI, 1853, p. 252. — J. Lec. Smiths. Misc.  
Coll. XI, 264, 1873, p. 204. — Leng, Ent. Amer.  
VI, 1890, p. 13.
- var. *fuscicollis* J. Lec. Ent. Report 1857, p. 65; Vancouver,  
Ann. Mag. Nat. Hist. (3) IV, 1869, p. 383; Oregon,  
Smiths. Misc. Coll. XI, 264, 1873, p. 264. — Californien  
Leng, Ent. Amer. VI, 1890, p. 13.

1

**Pyrotrichus** J. Lec.

- J. Lec. Journ. Acad. Philad. 1862, p. 41; Smiths. Misc. Coll. XI, 265, 1873,  
p. 327. — Thoms. Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII,  
1869, p. 456. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 312. — Leng,  
Ent. Amer. VI, 1890, p. 13.

- vitticollis* J. Lec. Journ. Acad. Philad. 1862, p. 41. — Californien  
Leng, Ent. Amer. VI, 1890, p. 13.

1

**Pyrrhona** Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 224.

- laeticolor* Bates, l. c. t. 1, f. 8. Japan

1

**Hornius** Fairm.

- Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 61.

- Hornibius* Fairm. Miss. Sc. Cape Horn VI, 2, 1891, Col., p. 60.

- sulcifrons* Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 62; Feuerland  
Miss. Sc. Cape Horn VI, 2, 1891, Col., p. 60,  
t. 2, f. 11.

1

**XLV. Dorcasomini.**

- Lacord. Gen. Col. VIII, 1869, p. 456.

- Desmocerinae* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 324.

**Dorcasomus** Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 12. — Thoms. Syst. Ceramb. 1864,  
p. 410. — Lacord. Gen. Col. VIII, 1869, p. 457.

- Delegorguei* Guér. Rev. Zool. VIII, 1845, p. 286. Natal  
*ebulinus* F. Mant. Ins. I, 1787, p. 132. — Cast. Hist. Nat. Capelonie  
II, 1840, p. 412.

- cafer* Gmel. Syst. Nat. I, 4, 1790, p. 1825.  
*testaceus* Ol. Ent. IV, 69, 1873, p. 27, t. 2, f. 20.

2

**Neoclosterus** Heller.

Heller, Ent. Nachr. XXV, 1899, p. 11. — Lameere, Faune Ent. Afr. Trop. Longic. I, 1903, p. 50.

**curvipes** Heller, Ent. Nachr. XXV, 1899, p. 12, fig. ♂, p. 81 ♀. — Lameere, Faune Ent. Afr. Trop. Longic. I, 1903, p. 50.

**Lemairei** Lameere, l. c. p. 52.

**Severini** Lameere, l. c. p. 51, t. 3, f. 5, ♂.

Togo

Katanga  
Gabun,  
Ogowe

3

**Plectogaster** Waterh.

Waterh. Trans. Ent. Soc. Lond. 1881, p. 429. — Lameere, Faune Ent. Afr. Trop. Longic. I, 1903, p. 49, 52.

*Cyrtocerus* Kraatz, Deutsche Ent. Zeitschr. 1896, p. 154.

*Kraatziellus* Berg, Comunic. Mus. B. Aires I, 1898, p. 18.

**Jordani** Heath, Entomol. XXXVIII, 1905, p. 76, f. 2.

**pectinicornis** Bates, Trans. Ent. Soc. Lond. 1881, p. 430,

♀. — Waterh. Aid identif. Ins. I, 1881, t. 60. —

Kolbe, Deutsch-O.-Afrika IV, Col. 1897, p. 299.

— Lameere, Faune Ent. Afr. Trop. Longic. I, 1903,

p. 52.

*mirabilis* Kraatz, Deutsche Ent. Zeitschr. 1896,

p. 155, fig.

*thoracica* Waterh. Trans. Ent. Soc. Lond. 1881,

p. 430.

2

Goldküste  
Elfenbein-  
küste,  
Kamerun,  
Franz.  
Kongo,  
Deutsch-  
Ostafrika**Aphelogaster** Kolbe.

Kolbe, Deutsch-Ostafrika IV, 1897, Col. p. 299.

*Hoplogaster* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 54.

**Emini** Kolbe, l. c.; Deutsch-Ostafrika IV, 1897, Col. p. 299, t. 4, f. 42. Albertsee

1

**Megacoelus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 458.

*Megaproctus* Chev. Silb. Rev. Ent. V, 1840, p. 322. — Thoms. Syst. Ceramb. 1864, p. 410.

**didelphis** Chev. l. c. p. 324, t. 38.

**Gustavi** Dist. Ann. Mag. Nat. Hist. (8) I, 1908, p. 279.

2

Capcolonie  
,,**Gahania** Dist.

Dist. Ann. Mag. Nat. Hist. (7) XX, 1907, p. 423.

**Simmondsi** Dist. l. c. p. 424.

Natal

1

**Desmocerus** Serv.

Serv. Ann. Soc. Ent. Fr. IV, 1835, p. 202. — Cast. Hist. Nat. II, 1840, p. 498. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869, p. 459. — Prov. Faune Ent. Canada I, 1877, p. 604. — Horn, Trans. Amer. Ent. Soc. IX, 1882, Proc. p. 8 (Synopsis). — Leng, Ent. Amer. VI, 1890, p. 11 (Synopsis). — Webb, Proc. Ent. Soc. Washingt. VII, 1905, p. 105 (Synopsis).

- aureipennis** Chev. Rev. Mag. Zool. (2) VII, 1855, p. 187; Ann. Soc. Ent. Fr. (3) VI, 1858, p. 325, t. 8, f. 6. — Horn, Trans. Amer. Ent. Soc. VII, 1879, Proc. p. 30. — Horn, Synops. p. 8. — Leng, Synops. p. 11. — Webb, Synops. p. 105. Californien, Nevada
- californicus** Horn, Trans. Amer. Ent. Soc. IX, 1882, Proc. p. 7. — Leng, Synops. p. 11. — Webb, Synops. p. 105. Californien
- cribripennis** Horn, Trans. Amer. Ent. Soc. IX, 1882, Proc. p. 8. — Leng, Synops. p. 8. — Webb, Synops. p. 105. Washington, Californien
- palliatius** Forst. Nov. spec. Ins. 1771, p. 40. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 318. — Prov. Faune Ent. Canada I, 1877, p. 605. — Leng, Synops. p. 11. — Wickh. Canad. Ent. XXIX, 1897, p. 169. — Webb, Synops. p. 105. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 22. Canada, Connecticut, New York, Virginia, Nordcarolina, Louisiana
- blandus** F. Syst. Ent. 1775, p. 182.
- cyaneus** F. l. c. p. 823. — Ol. Ent. IV, 69, 1795, p. 23, t. 3, f. 26. — Knoch, Neue Beitr. I, 1801, p. 148, t. 6, f. 1. — Palis, Ins. Afr. et Amer. p. 249, t. 37, f. 6. — Cast. Hist. Nat. II, 1840, p. 499, t. 35, f. 1. — Guér. Icon. règne anim. Ins. 1844, p. 251, t. 46, f. 1.
- elongatus** Bland, Proc. Ent. Soc. Philad. I, 1862, p. 269.
- Biologie: Harris, Ins. of Massach. 1842, p. 92. — Beutenm. Journ. N. York Ent. Soc. IV, 1896, p. 77.
- Piperi** Webb, Proc. Ent. Soc. Washingt. VII, 1905, p. 104. Oregon

5

**Lycosomus** Auriv.

Auriv. Ent. Tidskr. XXIV, 1903, p. 265.

- mirabilis** Auriv. l. c. p. 267, fig. Kamerun

1

**XLVI. Dejanirini.**

Lacord. Gen. Col. VIII, 1869, p. 460.

**Dejanira** Thoms.

Thoms. Syst. Ceramb. 1864, p. 134. — Lacord. Gen. Col. VIII, 1869, p. 460. — Pase. Trans. Ent. Soc. Lond. (3) III, 1869, p. 561.

- biapiculata** Pase. Proc. Zool. Soc. Lond. 1866, p. 507. — Penang  
Lacord. Gen. Col. VIII, 1869, p. 461 nota.

**quadripunctata** Thoms. Syst. Ceramb. 1864, p. 134. — Java  
 Lacord. Gen. Col. VIII, 1869, p. 461 nota, t. 89,  
 f. 4. — Pasc. Trans. Ent. Soc. Lond. (3) III,  
 1869, p. 561.

2

## XLVII. Oxypeltini.

Lacord. Gen. Col. VIII, 1869, p. 461. — Germain, Lonjic. Chil. V, 1900,  
 p. 202.

### **Cheloderus** Cast.

Cast. Hist. Nat. II, 1840, p. 409. — Blanch. in Gay, Hist. Chile V, 1851,  
 p. 457. — Thoms. Classif. Ceramb. 1860, p. 286; Syst. Ceramb. 1864, p. 410.  
 — Lacord. Gen. Col. VIII, 1869, p. 462. — Germain, Lonjic. Chil. V, 1900,  
 p. 211.

**Childreni** Gray in Griff. Anim. Kingd. Ins. II, 1832, Chile  
 p. 784, t. 119. — Cast. Hist. Nat. II, 1840,  
 p. 409. — Blanch. Voy. d'Orbigny, Ins. 1843,  
 p. 207, t. 20, f. 7; in Gay, Hist. Chile V, 1851,  
 p. 458, t. 27, f. 7. — Germain, Lonjic. Chil. V,  
 1900, p. 213, t. 3, f. 3.

1

### **Oxypeltus** Blanch.

Blanch. in Gay, Hist. Chile V, 1851, p. 459. — Thoms. Classif. Ceramb.  
 1860, p. 286; Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869,  
 p. 463. — Germain, Lonjic. Chil. V, 1900, p. 216, t. 3, f. 4.

**quadrispinosus** Blanch. in Gay, Hist. Chile V, 1851, Chile  
 p. 460, t. 27, f. 8. — Fairm. & Germain, Ann.  
 Soc. Ent. Fr. (3) VII, 1859, p. 486. — Germain,  
 Acta Soc. Chil. II, 1894, p. 166; Lonjic. Chil. V,  
 1900, p. 218.

1

## XLVIII. Bimiini.

Lacord. Gen. Col. VIII, 1869, p. 464. — Germain, Lonjic. Chil. VI, 1901,  
 p. 222.

### **Lautarus** Germain.

Germain, Lonjic. Chil. VI, 1901, p. 225, t. 3, f. 5.

**concinus** F. Phil. Ann. Univ. Chile XVI, 1859, p. 670; Chile  
 Stett. Ent. Zeit. XXI, 1860, p. 249. — Germain,  
 Lonjic. Chil. VI, 1901, p. 231.

♂ **laevigatus** F. Phil. Stett. Ent. Zeit. XXV, 1864,  
 p. 376.

1

**Sibylla** Thoms.

Thoms. Arch. Ent. I, 1857, p. 406; Classif. Ceramb. 1860, p. 285. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 487. — Germain, Lonjic. Chil. VI, 1901, p. 235.

*Sibylla* Thoms. Syst. Ceramb. 1864, p. 410. — Lacord. Gen. Col. VIII, 1869, p. 235.

- coemeterii** Thoms. Rev. Mag. Zool. (2) VIII, 1856, p. 482. Chile  
 — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 487. — Germain, Lonjic. Chil. VI, 1901, p. 243, t. 3, f. 6.  
 ab. *integra* Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 488.
- Dancoi** Lamcère, Ann. Soc. Ent. Belg. XLIV, 1900, Patagonien  
 p. 112; Res. Belgica, Zool. Col. 1906, p. 49, t. 1, f. 9.
- flavosignata** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) Chile  
 VII, 1859, p. 489. — Germain, Lonjic. Chil. VI, 1901, p. 249, t. 3, f. 7.
- livida** Germain, l. c. p. 252, t. 3, f. 8.  
 4

**Adalbus** Fairm. & Germain.

Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 490. — Thoms. Syst. Ceramb. 1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 466. — Germain, Lonjic. Chil. VI, 1901, p. 256 (An. Univ. Chile CVII, 1901, p. 901).

- erassicornis** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) Chile  
 VII, 1859, p. 490.  
*Proteus* Germain, Lonjic. Chil. VI, 1901, p. 263, t. 3, f. 9.  
 ab. *dimidiatipennis* Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 492. „  
 ab. *flavipennis* Fairm. & Germain, l. c. p. 491. „  
 1

**Phantazoderus** Fairm. & Germain.

Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 391. — Lacord. Gen. Col. VIII, 1869, p. 466. — Germain, Lonjic. Chil. VI, 1901, p. 266.

- frenatus** Fairm. & Germain, Rev. Mag. Zool. (2) XVI, Chile  
 1864, p. 392. — Germain, Lonjic. Chil. VI, 1901, p. 271, t. 3, f. 10.  
 1

**Bimia** White.

White, Proe. Zool. Soc. Lond. XVIII, 1850, p. 13. — Thoms. Syst. Ceramb. 1864, p. 405. — Lacord. Gen. Col. VIII, 1869, p. 467.

- bicolor** White, Proe. Zool. Soc. Lond. XVIII, 1850, p. 13. Neuholland  
 t. 13, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 467, t. 90, f. 1.  
 ab. *femoralis* Saund. Trans. Ent. Soc. Lond. (2) I, 1851, p. 82, t. 4, f. 7. — Lacord. Gen. Col.

- VIII, 1869, p. 467, nota 1. — Blackb. Trans.  
R. Soc. S. Austr. X, 1888, p. 286.  
**maculicornis** Poll, Notes Leyd. Mus. VIII, 1886, p. 223. Victoria  
2

### **Akiptera** Saund.

- Saund. Trans. Ent. Soc. Lond. (2) I, 1851, p. 82. — Thoms. Syst. Ceramb.  
1864, p. 405. — Pasc. Journ. of Ent. II, 1864, p. 240. — Lacord. Gen.  
Col. VIII, 1869, p. 468.

*Acidoptera* Gemm. & Har. Cat. Col. IX, 1873, p. 2879.

- semiflava** Saund. Trans. Ent. Soc. Lond. (2) I, 1851, Neuholland  
p. 83, t. 4, f. 6.

- Waterhousei** Pasc. Journ. of Ent. II, 1864, p. 239, „  
t. II, f. 4.

2

### **Agapete** Newm.

- Newm. Zoolog. III, 1845, p. 1017. — Thoms. Syst. Ceramb. 1864, p. 416.  
— Lacord. Gen. Col. VIII, 1869, p. 468.

*Anteros* Blanch. Hist. Ins. II, 1845, p. 170. — Lacord. Gen. Col.  
VIII, 1869, p. 511. — Blackb. Proc. Linn. Soc. N. S. Wales (2)  
\*III, 1889, p. 1466.

- earissima** Newm. Zoolog. III, 1845, p. 1017. — Saund. Neuholland  
Trans. Ent. Soc. Lond. (2) I, 1851, p. 84, t. 1,  
f. 2. — White, Cat. Brit. Mus. VIII, 1855,  
p. 185, t. 5, f. 4.

- Kreusleri** Pascoe, Journ. of Ent. II, 1864, p. 241. Gawler  
**vestita** Pascoe, Journ. Linn. Soc. Lond. Zool. IX, 1866, „  
p. 91.

3

## **XLIX. Necydalini.**

- C. G. Thomson, Skand. Col. VIII, 1866, p. 47. — Lacord. Gen. Col. VIII,  
1869, p. 469. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 325. — J. Lec. &  
Horn, Classif. Col. N. Amer. 1883, p. 310. — Leng, Ent. Amer. VI, 1890, p. 11.

*Necydalates* Muls. Col. Fr. Long. ed. 2, 1862, p. 232.

*Necydalites* Fairm. Gen. Col. d'Eur. IV, 1864, p. 179.

### **Callisphyris** Newm.

- Newm. Entomol. I, 1840, p. 1. — Blanch. in Gay, Hist. Chile, Zool. V,  
1851, p. 469. — Lacord. Gen. Col. VIII, 1869, p. 472.

*Callysphyris* Thoms. Syst. Ceramb. 1864, p. 411.

- annulatus** Philippi, Stett. Ent. Zeit. XXV, 1864, p. 380. Chile

- apicicornis** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) „  
VII, 1859, p. 497.

- asphaltinus** Fairm. & Germain, l. c. „

*rufiventer* Philippi, An. Univ. Chile XVI, 1859,  
p. 672.

- concolor** Fairm. & Germain, Ann. Soc. Ent. Fr. (4) I, 1861, p. 105. Chillan
- ✓ **macroptus** Newm. Entomol. I, 1840, p. 1, fig. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 471, t. 28, f. 3. — Lacord. Gen. Col. VIII, 1869, p. 473, t. 90, f. 2. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 13. Chile
- molorehoides** Guér. Mag. Zool. IX, 1839, p. 66, t. 233, f. 2; Icon. règne anim. Ins. 1844, p. 237. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 498. „
- odyneroides** Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 385. „
- semicaligatus** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 496. — Fairm. Miss. sc. Cape Horn VI, 2, 1891, Col. p. 60, t. 2, f. 10. „
- leptopus* Philippi, An. Univ. Chile XVI, 1859, p. 673.
- Schythei* Philippi, l. c. 1862, 2, p. 212; Stett. Ent. Zeit. XXV, 1864, p. 380.
- testaceipes** Fairm. & Germain, Rev. Mag. Zool. (2) XVI, 1864, p. 286. „
- vespa** Fairm. & Germain, Ann. Soc. Ent. Fr. (4) I, 1861, p. 106. Chillan
- 10

**Atelopteryx** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 473.

- compsocerooides** Lacord. l. c. p. 474, nota I. Brasilien
- 1 *Nathrius* Brèthes 1916.
- Porter: Brèthes 1916. Revista Chilena Hist. Nat. XX. pp. 75-78. (Pc) Chili.

**Hephaestion** Newm.

Newm. Entomol. I, 1840, p. 10. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 466. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 474.

- annulatus** F. Philippi, An. Univ. Chile XVI, 1859, p. 672; Stett. Ent. Zeit. XXI, 1860, p. 250. Chile
- chalybaeus** Philippi, An. Univ. Chile 1865, I, p. 659. Valdivia
- corralensis** F. Philippi, Stett. Ent. Zeit. XXV, 1864, p. 379. Chile
- cyanopterus** F. Philippi, l. c. p. 377. „
- flavicornis** F. Philippi, l. c. p. 378. „
- fuscescens** F. Philippi, l. c. p. 379. „
- holometas** F. Philippi, l. c. „
- iopterus** F. Philippi, l. c. p. 378. „
- nigricornis** Fairm. & Germain, Ann. Soc. Ent. Fr. (4) I, 1861, p. 105. — Lacord. Gen. Col. VIII, 1869, p. 475, nota 3. „
- ocreatus** Newm. Entomol. I, 1840, p. 10. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 467, t. 28, f. 1. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 492. „
- pallidicornis** Fairm. & Germain, l. c. p. 493. „

- versicolor** F. Philippi, An. Univ. Chile XVI, 1859, p. 671; Chile  
Stett. Ent. Zeit. XXI, 1860, p. 250.  
**violaceipennis** Fairm. & Germain, Ann. Soc. Ent. Fr. (4) „  
1, 1861, p. 105.

13

### **Platynocera** Blanch.

Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 471.

*Stenorhopalus* Blanch. l. c. p. 477. — Lacord. Gen. Col. VIII,  
1869, p. 475.

- annulata** F. Philippi, Stett. Ent. Zeit. XXV, 1864, p. 381; Chile  
An. Univ. Chile 1862, II, p. 386.  
**bicolor** F. Philippi, l. c. 1865, I, p. 658. Valdivia  
**flavicans** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) Chile  
VII, 1859, p. 495.  
**gracilipes** Blanch. in Gay, Hist. Chile, Zool. V, 1851, „  
p. 469. — Fairm. & Germain, Ann. Soc. Ent.  
Fr. (3) VII, 1859, p. 493.  
**gracilis** Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 478, „  
t. 28, f. 7. — Fairm. & Germain, Ann. Soc. Ent.  
Fr. (3) VII, 1859, p. 502. — Lacord. Gen. Col.  
VIII, 1869, p. 476, nota 1.  
**lepturoides** Blanch. in Gay, Hist. Chile, Zool. V, 1851, „  
p. 473. — Fairm. & Germain, Ann. Soc. Ent. Fr.  
(3) VII, 1859, p. 499.  
**maecer** Newm. Entomol. 1, 1840, p. 10. — Blanch. in Gay, „  
Hist. Chile, Zool. V, 1851, p. 468, t. 28, f. 2. —  
Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII,  
1859, p. 493.  
**nigriceps** F. Philippi, An. Univ. Chile XVI, 1859, p. 673; Valdivia  
Stett. Ent. Zeit. XXI, 1860, p. 250.  
**opaca** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, Chile  
1859, p. 494.  
**rubriceps** Blanch. in Gay, Hist. Chile, Zool. V, 1851, „  
p. 472, t. 28, f. 4. — Fairm. & Germain, Ann.  
Soc. Ent. Fr. (3) VII, 1859, p. 499.  
**rufofemorata** Fairm. & Germain, l. c. p. 494. „  
**rugosa** Fairm. & Germain, l. c. (4) I, 1861, p. 106. „  
**virescens** Fairm. & Germain, l. c. (3) VII, 1859, p. 495. „

13

### **Rhathymoscelis** Thoms.

Thoms. Classif. Ceramb. 1860, p. 160; Syst. Ceramb. 1864, p. 411. — Lacord.  
Gen. Col. VIII, 1869, p. 476.

- Dormei** Goun. Bull. Soc. Ent. Fr. 1910, p. 48. Brasilien:  
Minas  
Geraes  
**Haldemani** Thoms. Classif. Ceramb. 1860, p. 161. — Bates, Mexico  
Biol. C.-Amer. Col. V, 1885, p. 287.  
**Iheringi** Goun. Bull. Soc. Ent. Fr. 1910, p. 47, f. 1. Sao Paulo

3

**Ulochaetes J. Lec.**

J. Lec. Proc. Acad. Philad. VII, 1854, p. 82. — Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 478. — Leng, Ent. Amer. VI, 1890, p. 12.

✓ **leoninus** J. Lec. Proc. Acad. Philad. VII, 1854, p. 82: Oregon,  
Entomol. Report 1857, p. 62, t. 2, f. 12. — Leng, Nevada  
Ent. Amer. VI, 1890, p. 12.

1

**Necydalis L.**

L. Syst. Nat. ed. 10, 1758, p. 421. — Degeer, Mém. Ins. V, 1775, p. 146 (ex parte). — Laich. Verz. Tyrol. Ins. II, 1784, p. 173 (ex parte). — Ol. Ent. IV, 74, p. 1—4 (ex parte). — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 543 (ex parte). — Muls. Col. Fr. Long. 1839, p. 110; ed. 2, 1862, p. 233. — Redt. Gatt. deutsch. Käferf. 1845, p. 109; Fauna Austr. 1849, p. 491. — J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 411. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 179. — C. G. Thoms. Skand. Col. VIII, 1866, p. 47. — Lacord. Gen. Col. VIII, 1869, p. 477. — Ganglb. Best.-Tab. VII. 1881, p. 6 (684). — Bedel. Faune Col. Seine V, 1889, p. 9, 17. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 470. — Everts, Col. Neerl. II, 1, 1902, p. 358. — Csiki, Rov. Lapok X. 1903, p. 102. — Houlb. Faune Armor. Ceramb. 1904, p. 15, 39.

*Gymnopterion* Schrank, Fauna Boica I, 2, 1798, p. 688 (ex parte).  
*Molorchus* F. Ent. Syst. I, 2, 1792, p. 356 (ex parte). — Payk. Fauna Suec. III, 1800, p. 129 (ex parte). — Gyllenh. Ins. Suec. I, 4, 1827, p. 120 (ex parte). — Bach, Käferfauna III, 1856, p. 25. — Redt. Fauna Austr. ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 427 (ex parte).

## Paläarktische und japanische Arten.

**ebenina** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan  
1884, p. 225.  
**Harmandi** Pic, Bull. Mus. Paris VII, 1902, p. 340. „  
**major** L. Syst. Nat. ed. 10, 1758, p. 421; Fauna Suec. Europa,  
ed. 2, 1761, p. 229. — Leske, Naturgesch. I, Sibirien  
1779, p. 429. — Laich. Verz. Tyrol. Ins. II,  
1784, p. 173. — Herbst in Borowsky, Naturg.  
VI, 1784, p. 135, t. 18, f. 1. — Geoffr. in Fourcr.  
Ent. Paris. I, 1785, p. 174. — Vill. Linn. Ent. I,  
1789, p. 277. — Ol. Ent. IV, 74, 1795, p. 5,  
t. 1, f. 1. — Donnd. Europ. Fauna VIII, 1799,  
p. 609. — Bechst. & Scharfenb. Forstins. I,  
1804, p. 220. — Muls. Lettres à Julie II, 1830,  
p. 334, t. 4, f. 4. — Küster, Käfer Eur. XIX,  
1849, nr. 97. — Redt. Fauna Austr. 1849, p. 492;  
ed. 2, 1858, p. 856. — Bach, Käferfauna III,  
1856, p. 26. — Muls. Col. Fr. Long. ed. 2, 1862,  
p. 236. — Fairm. Gen. Col. d'Eur. IV, 1864,  
t. 55, f. 260. — C. G. Thoms. Skand. Col. VIII,  
1866, p. 48. — Buysson, Feuille jeun. Natural.  
VIII, 1878, p. 127, fig. — Ganglb. Best.-Tab.

- VII, 1882, p. 17 (695). — Bedel, Faune Col. Seine V, 1889, p. 18, 63. — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 472. — Everts, Col. Neerl. II, 1, 1902, p. 358. — Csiki, Rov. Lapok X, 1903, p. 296. — Houlb. Faune Armor. Ceramb. 1904, p. 40, f. 77. — Jacobs. Käfer Russl. 1910, t. 64, f. 17.
- abbreviata* F. Syst. Ent. 1775, p. 199. — Rossi, Fauna Etr. I, 1790, p. 164. — Payk. Fauna Succ. III, 1800, p. 129. — Gyllenh. Ins. Succ. I, 4, 1827, p. 120.
- Duponti* Muls. Col. Fr. Longic. 1839, p. 299, t. 1, f. F.
- ichneumonea* Degeer, Mém. Ins. V, 1775, p. 148, t. 5, f. 1. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 555.
- populi* Büttner in Germ. Mag. Ent. III, 1818, p. 245.
- salicis* Muls. Col. Fr. Long. 1839, p. 112. — Heyden, Berl. Ent. Zeitschr. VIII, 1864, p. 331, t. 4, f. 7. — Redt. Fauna Austr. ed. 3, II, 1874, p. 427.
- Biologie: Nowicki, Verh. zool.-bot. Ges. Wien XXIV, 1874, p. 366. — Schreiber, Korresp.-Blatt Ent. Ver. Halle I, 1886, p. 73. — Nebel, Käfer Anhalt 1894, p. 23.
- morio** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 106. Amur
- pennata** Lewis, Ann. Mag. Nat. Hist. (5) IV, 1879, p. 464. Japan
- sericella** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 46. China:  
Sze-Tschuan
- sirexoides** Reitter, Wien. Ent. Zeit. XXI, 1902, p. 82. Astrabad
- solida** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 225. Japan
- ulmi** Chev. Centurie de Buprestides 1838, p. 76. — Muls. Col. Fr. Long. ed. 2, 1862, p. 233. — Bedel, Faune Col. Seine V, 1889, p. 18, 62. — Everts, Col. Neerl. II, 1, 1902, p. 339. — Csiki, Rov. Lapok X, 1903, p. 296. — Houlb. Faune Armor. Ceramb. 1904, p. 40. Mittel-  
europa
- abbreviata* Panz. Fauna Ins. Germ. XLI, 1797, t. 20. — Heyden, Berl. Ent. Zeitschr. VIII, 1864, p. 330, t. 4, f. 6. — Redt. Fauna Austr. ed. 3, II, 1874, p. 427. — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 834.
- major* Gaér. Leon. règne anim. Ins. 1844, p. 236, t. 44, f. 8. — Muls. Col. Fr. Long. 1839, p. 111.
- Panzeri* Har. Col. Heite XV, 1876, p. 174. — Ganglb. Best.-Tab. VII, 1882, p. 17 (695). — Stierl. Col. Helvet. II, 1898, p. 472.
- Biologie: Chobaat, Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 210; Echange VII, 1891, p. 42. — Xamben, Bull. Soc. Ent. Fr. 1895, p. 348; Moeurs & Métam. VIII, 1902, p. 141.
- xantha** Semen. Bull. Moscou (n. s.) XIII, 1899, p. 132; Rev. Russe Ent. II, 1902, p. 285; VII, 1908, p. 264. Kaukasus

## Nearktische Arten.

Leng, Ent. Amer. VI, 1890, p. 12 (Synopsis).

- ✓ **Barbarae** Rivers, Ent. Amer. VI, 1890, p. 112. Californien  
 ✓ **cavipennis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 204. „  
 — Leng, Synops. p. 12.  
 ✓ **laevicollis** J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, Vancouver  
 p. 383. — Leng, Synops. p. 12.  
 ✓ **mellita** Say, Boston Journ. I, 1835, p. 194. — Harris, Pennsylv-  
 Trans. Hartf. Nat. Hist. Soc. I, 1837, p. 89. — vania,  
 J. Lec. Journ. Acad. Philad. (2) I, 1850, p. 317. — Indiana  
 Leng, Synops. p. 12. — Wickh. Canad. Ent.  
 XXIX, 1897, p. 169.  
*americana* Hald. Trans. Amer. Philos. Soc. (2)  
 X, 1847, p. 44; Proc. Amer. Philos. Soc. IV, 1847,  
 p. 372.

14

**Psebena** Gah.

Gahan, Proc. Zool. Soc. Lond. 1902, 2, p. 277.

- brevipennis** Gah. l. c. p. 278, t. 19, f. 12. Borneo

1

L. **Psebiini**.

Lacord. Gen. Col. VIII, 1869, p. 479.

**Chorotyse** Pasc.Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 307. — Lacord. Gen. Col.  
VIII, 1869, p. 479.

- vesparia** Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Südafrika  
 p. 308. — Lacord. Gen. Col. VIII, 1869, p. 480,  
 t. 89, f. 5.

1

**Haplopsebium** Auriv.

Auriv. Ent. Tidskr. XII, 1891, p. 99.

*Psebida* Jord. Nov. Zool. I, 1894, p. 157.

- ngricorne** Auriv. Ent. Tidskr. XII, 1891, p. 99. Gabun,  
*flavum* Jord. Nov. Zool. I, 1894, p. 157, t. 9, f. 3. Kuiu

1

**Neopsebium** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 151.

- apicipenne** Fairm. l. c. Madagaskar

1

**Psebium** Pasc.

Pasc. Journ. of Ent. II, 1864, p. 289. — Lacord. Gen. Col. VIII, 1869, p. 480.

*brevipenne* Pasc. Journ. of Ent. II, 1864, p. 290, t. 13, f. 2. — Lacord. Gen. Col. VIII, 1869, p. 481, t. 89, f. 6. Natal

*Linnaei* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 56. Kaffernland

2

**Macropsebium** Bates.

Bates, Trans. Ent. Soc. Lond. 1878, p. 191.

*Cotterilli* Bates, l. c. p. 192.

Nyassaland

*Wahlbergi* Auriv. Ent. Tidskr. VIII, 1887, p. 192, f. 1.

Ngamisee

2

**Bottegia** Gestro.

Gestro, Ann. Mus. Genova XXXV, 1895, p. 414.

*spectabilis* Gestro, l. c.

Gallaland

1

**Nephithea** Pasc.

Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 308. — Lacord. Gen. Col. VIII, 1869, p. 481.

*necydaloides* Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 309. Natal

1

**Leptidea** Muls.

Muls. Col. Fr. Long. 1839, p. 105; ed. 2, 1862, p. 200. — Redt. Fauna Austr. ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 411. — Thoms. Syst. Ceramb. 1864, p. 440. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 149. — Lacord. Gen. Col. VIII, 1869, p. 481. — Ganglb. Best.-Tab. VII, 1881, p. 9 (87). — Bedel, Faune Col. Seine V, 1889, p. 9, 21. — Houlb. Faune Armor. Ceramb. 1904, p. 18, 42. — Csiki, Rov. Lapok XI, 1904, p. 35.

*brevipennis* Muls. Col. Fr. Long. 1839, p. 105, t. 2, f. 3; ed. 2, 1862, p. 200. — Küster, Käfer Eur. XXIII, 1859, p. 95. — Redt. Fauna Austr. ed. 2, 1858, p. 854; ed. 3, II, 1874, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 206. — Ganglb. Best.-Tab. VII, 1882, p. 64 (742). — Bedel, Faune Col. Seine V, 1889, p. 21. — Houlb. Faune Armor. Ceramb. 1904, p. 43, f. 80. — Csiki, Rov. Lapok XI, 1904, p. 58.

*minuta* Motsch. Bull. Moscou XVIII, 1845, p. 84.

*rufipennis* Duf. Actes Soc. Linn. Bord. XVII, 1851, p. 351.

Biologie: Delarue, Feuille jeun. Natural. VI, 1875, p. 11. — Perris, Ann. Soc. Linn. Lyon

(2) XXIII, 1877, p. 305: Larves des Col. 1877, p. 465. — Nicolas, Ann. Acad. Vauchuse 1884, p. 62; Le Coléoptér. 1891, p. 56. — Xambeau, Moeurs & Métam. VIII, 1902, p. 138.

1

## LI. Thranini.

Gahan, Fauna Brit. Ind. Col. I, 1906, p. 236.

### Thranius Pasc.

Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, p. 22. — Thoms. Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 470. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 562. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 236.

*Singalia* Lacord. Gen. Col. IX, 1872, p. 834.

- angustipennis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 564. Amboina
- basalis** Pasc. l. c. Batjan
- bimaculatus** Pasc. l. c. (2) V, 1859, p. 23, t. 2, f. 7; (3) III, 1869, p. 563. — Lacord. Gen. Col. VIII, 1869, p. 471, t. 90, f. 4. Malacca
- brunneus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 564. Dorey
- fryanus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 238. Tenasserim
- gibbosus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 23. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 237, f. 89. Südindien, Ceylon
- spinipennis* Lacord. Gen. Col. IX, 1872, p. 835, nota 1.
- ✓ **simplex** Gah. Ann. Mus. Genova XXXIV, 1895, p. 15; Fauna Brit. Ind. Col. I, 1906, p. 237. Birma, Bhutan
- sumatrensis** Gah. Ann. Mus. Genova (3) III, 1907, p. 71. Sumatra
- tripagiatus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 238. Manipur
- variegatus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 196. Japan

10

## LII. Molorchini.

Lacord. Gen. Col. VIII, 1869, p. 482. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 169.

*Necydalinae* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 565.  
*Stenopteri* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 306. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 292.

### Epania Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 237; (3) III, 1869, p. 566. — Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 484.

- brevipennis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 567. Singapore
- discolor** Pasc. l. c. p. 538, t. 21, f. 7. Ceram

- paula** Pasc. l. c.  
**pusio** Pasc. l. c. p. 567. — Waterh. Aid identif. Insects I, 1882, t. 77. Sarawak  
 Singapore  
**sarawakensis** Thoms. Archiv. Ent. I, 1857, p. 124. — Borneo,  
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 568. Batjan,  
 Morty  
**singaporensis** Thoms. Archiv. Ent. I, 1857, p. 124. — Singapore,  
 Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 566. Borneo

6

**Euchlanis** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 569.

- collaris** Pasc. l. c. p. 570, t. 21, f. 9. Borneo  
 1

**Holangus** Pic.

Pic, Longic. IV, 1, 1902, p. 33.

- flavonotatus** Pic, l. c. p. 34. Tonkin  
**Guerryi** Pic, l. c. V, 1, 1904, p. 40. Yunnan  
 2

**Stenopterus** Ill.

Ill. Mag. Insektenk. III, 1804, p. 120; IV, 1805, p. 127. — Schönh. Synon. Ins. 1, 3, 1817, p. 501. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 252. — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 544. — Muls. Col. Fr. Long. 1839, p. 113; ed. 2, 1862, p. 217. — Redt. Gatt. deutsch. Käferf. 1845, p. 109; Fauna Austr. 1849, p. 491; ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 413. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 64. — Bach, Käferf. III, 1856, p. 25. — Thoms. Classif. Ceramb. 1860, p. 145; Syst. Ceramb. 1864, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 151. — Lacord. Gen. Col. VIII, 1869, p. 485. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Bedel, Faune Col. Seine V, 1889, p. 7, 19. — Seidl. Fauna Balt. 1891, Gatt. p. 182. — Pic, Echange VIII, 1892, p. 21. — Stierl. Col. Helvet. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Houlb. Faune Armor. Ceramb. 1904, p. 16, 41. — Csiki, Rov. Lapok XI, 1904, p. 36.

*Necydalis* Lam. Syst. Anim. sans Vert. 1801, p. 234. — Latr. Consid. Gen. Ins. 1810, p. 231, 431. — Cast. Hist. Nat. II, 1840, p. 441.

- ater** L. Syst. Nat. ed. 12, 1767, p. 642. — F. Syst. Ent. Südeuropa,  
 1775, p. 209. — Muls. Col. Fr. Long. 1839, p. 114; Mittelmeer-  
 ed. 2, 1862, p. 219; Mém. Acad. Sc. Lyon (2) gebiet  
 1, 1851, p. 137. — Costa, Fauna Napoli, Col. II, 1856, Longic. p. 67, t. 36, f. 7. — Bedel, Faune Col. Seine V, 1889, p. 19, 65. — Csiki, Rov. Lapok XI, 1904, p. 38.  
**auriventris** Küster, Käfer Eur. XXIII, 1851, p. 96.  
**praeustus** F. Ent. Syst. I, 2, 1792, p. 354. — Muls. Col. Fr. Long. 1839, p. 114. — Küster, Käfer Eur. XIX, 1849, p. 100. — Costa, Fauna Napoli, Col. II, 1856, Longic. p. 66, t. 36, f. 6 ♂. —

Fairm. Gen. Col. d'Eur. IV, 1864, t. 45, f. 209. — Ganglb. Best.-Tab. VII, 1882, p. 44 (722). — Seidl. Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469.

ab. *flavipes* Pic, Echange VIII, 1892, p. 66; Longic. II, 1898, p. 9. Alger

ab. *inustulatus* Pic, Echange VIII, 1892, p. 22; Longic. II, 1898, p. 8. „

ab. *nigripes* Costa, Fauna Napoli, Col. II, 1856, p. 67. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 103. — Pic, Longic. I, 1891, p. 16; II, 1898, p. 9; Echange VIII, 1892, p. 22. Süd-frankreich, Alger

ab. *ustulatus* Muls. Col. Fr. Long. 1839, p. 115; ed. 2, 1862, p. 221. — Pic, Echange VIII, 1892, p. 22; Longic. II, 1898, p. 8. Spanien, Alger

*atricornis* Pic, Echange VII, 1891, p. 102; VIII, 1892, p. 22; Ann. Soc. Ent. Fr. LXI, 1892, p. 416. Syrien

*flavicornis* Küster, Käfer Eur. VI, 1846, p. 75. — Redt. Fauna Austr. 1849, p. 491; ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 413. — Bach, Käferf. III, 1856, p. 25. — Ganglb. Best.-Tab. VII, 1881, p. 43 (721). — Bedel, Faune Col. Seine V, 1889, p. 19. — Seidl. Fauna Transs. 1891, p. 833. — Pic, Echange VIII, 1892, p. 21. — Csiki, Rov. Lapok XI, 1904, p. 38. Südeuropa

*procerus* Costa, Fauna di Napoli, Col. II, 1856, Longic. p. 64, t. 36, f. 4.

**Kraatz** Pic, Echange VIII, 1892, p. 21, 22, Smyrna

**mauritanicus** Lucas, Explor. Algér. Col. 1849, p. 496, t. 42, f. 3. — Muls. Col. Fr. Long. ed. 2, 1862, p. 222. — Ganglb. Best.-Tab. VII, 1881, p. 43 (721). — Pic, Echange VIII, 1892, p. 21. Alger

*rufus* var. Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 103. Andalusien

**rufus** L. Syst. Nat. ed. 12, 1767, u. 642. — F. Syst. Ent. 1775, p. 209. — Schrank, Enum. Ins. Austr. 1781, p. 166. — Herbst in Borowski, Naturgesch. VI, 1784, p. 136, t. 18, f. 3. — Petagna, Spec. Ins. Calabr. 1787, p. 21. — Rossi, Fauna Etr. I, 1790, p. 173; Mant. Ins. II, 1794, Append. p. 132. — Ol. Ent. IV, 74, 1795, p. 8, t. 1, f. 6. — Donndorff, Europ. Fauna VIII, 1799, p. 616. — Herrich-Schaeff. Fauna Ins. Germ. CXX, 183?, t. 4. — Muls. Col. Fr. Long. 1839, p. 113; ed. 2, 1862, p. 218. — Cast. Hist. Nat. II, 1840, p. 441. — Küster, Käfer Eur. VI, 1846, p. 76. — Redt. Fauna Austr. 1849, p. 491; ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 413. — Costa, Fauna Napoli, Col. II, 1856, Longic. p. 65, t. 36, f. 5. — Bach, Käferfauna III, 1856, p. 25. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 100. — Ganglb. Best.-Tab. VII, 1881, p. 43 (721). — Bedel, Faune Col. Seine V, 1889, p. 19, 64. — Seidl. Fauna Transs. 1891, p. 833. — Pic, Echange VIII, 1892, p. 21. — Stierl. Col. Helvet. II, 1898, p. 469. — Everts, Col. Neerl. II, 1, 1902, p. 360. — Houlb. Faune Armor. Ceramb. 1904, p. 42, f. 79. — Csiki, Rov. Lapok XI, 1904, p. 39. — Jacobs, Käfer Russl. 1910, t. 64, f. 19. Mittel- und Südeuropa

- attenuatus* Geoffr. in Fourer. Ent. Paris. I, 1785, p. 84.  
*dispar* Schönh. Synon. Ins. I, 3, 1817, p. 501.  
 Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 307, f. 473—475; Larves Col. 1877, p. 467. — Xambeu, Mœurs & Métam. VIII, 1902, p. 137.  
 ab. *geniculatus* Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 103. — Pic, Longic. I, 1891, p. 16; Echange VIII, 1892, p. 21.  
 ab. *subhumeralis* Pic, Echange XXI, 1905, p. 156.  
 var. *syriacus* Pic, l. c. VIII, 1892, p. 22; Ann. Syrien Soc. Ent. Fr. LXI, 1892, p. 416.

6

### Guerryus Pic.

Pic, Echange XVIII, 1903, p. 105; Longic. IV, 2, 1903, p. 20.

*aureopubesens* Pic, Echange XVIII, 1903, p. 105; China Longic. IV, 2, 1903, p. 20.

1

### Molorchus F.

F. Ent. Syst. I, 2, 1792, p. 356 (ex parte). — Payk. Fauna Suec. III, 1800, p. 129 (ex parte). — Gyllenh. Ins. Suec. I, 4, 1827, p. 120. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 252 (ex parte). — Muls. Col. Fr. Long. 1839, p. 107; ed. 2, 1862, p. 223. — Cast. Hist. Nat. II, 1840, p. 442 (ex parte). — Bach, Käferfauna III, 1856, p. 25 (ex parte). — Redt. Fauna Austr. ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 427 (ex parte). — Schiödte, Nat. Tidskr. (3) II, 1864, p. 530. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 153. — Lacord. Gen. Col. VIII, 1869, p. 486. — Cox, Handb. Col. II, 1874, p. 308. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Leng, Ent. Amer. II, 1886, p. 27, 30. — Fowler, Col. Brit. Isl. IV, 1890, p. 228. — Seidl. Fauna Balt. 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 464. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 169.

*Caenoptera* Bedel, Faune Col. Seine V, 1889, p. 18. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Csiki, Rov. Lapok X, 1903, p. 102.

*Glaphyra* Newm. Entomol. I, 1840, p. 19.

*Gymnopterion* Schrank, Fauna Boica I, 2, 1798, p. 684 (ex parte).

*Heliomanes* Newm. Ann. Mag. Nat. Hist. V, 1840, p. 17; Entomol.

I, 1840, p. 20. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 21.

*Laphyra* Newm. Entomol. I, 1842, p. 418.

*Necydalis* L. usw. (ex parte) siehe p. 259.

Subgen. *Cuenoptera* C. G. Thoms. Skand. Col. I, 1859, p. 150; VIII, 1866, p. 44. — Ganglb. Best.-Tab. VII, 1882, p. 42 (720). — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469.

*Molorchus* s. str. Muls. Col. Fr. Long. ed. 2, 1862, p. 224. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 153. — Lacord. Gen. Col. VIII, 1869, p. 487.

Subgen. *Molorchus* s. str. C. G. Thoms. Skand. Col. VIII, 1866, p. 43. — Ganglb. Best.-Tab. VII, 1882, p. 42 (720). — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833.

- Conchopterus* Fairm. Gen. Col. d'Eur. IV, 1864, p. 153. — Lacord.  
Gen. Col. VIII, 1869, p. 487. — Bedel, Faune Col. Seine V, 1889,  
p. 18.  
*Linomius* Muls. Col. Fr. Long. ed. 2, 1862, p. 226.  
*Sinolus* Muls. l. c. p. 228.

### Paläarktische Arten.

- hircus** Abeille, Nouv. & Faits II, 1881, p. 133. Antilibanon  
**Kiesenwetteri** Muls. & Rey, Ann. Soc. Linn. Lyon (2) Mitteleuropa  
 VIII, 1861, p. 173; Opusc. Ent. XII, 1861,  
 p. 173; Col. Fr. Long. ed. 2, 1862, p. 228. —  
 Ganglb. Best.-Tab. VII, 1881, p. 42 (720). —  
 Stierl. Col. Helvet. II, 1898, p. 470. — Csiki,  
 Rov. Lapok X, 1903, p. 207.  
*plagiatus* Reiche, Ann. Soc. Ent. Fr. (5) VII,  
 1877, Bull. p. 122.  
 var. *Schmidti* Ganglb. Wien. Ent. Zeit. II, 1883, Galizien  
 p. 300.  
**Marmottani** Brisout, Cat. Col. Grenier 1863, p. 118. — Frankreich,  
 Muls. Col. Fr. Long. ed. 2, 1863, p. 583. — Faust, Süd-  
 Horae Soc. Ent. Ross. XIX, 1879, p. 124. — Ganglb. Best.-Tab. VII, 1881, p. 43 (721). — deutsch-  
 Mayet, Bull. Soc. Ent. Fr. 1900, p. 226. — Pie, Süd-  
 l. c. p. 300. — Fauvel, l. c. p. 382. russland  
*discicollis* L. Heyd. Deutsche Ent. Zeitschr. XX,  
 1876, p. 383.  
 Biologie: Lavagne, Echange XVII, 1902, p. 72.  
**minor** L. Syst. Nat. ed. 10, 1758, p. 421; Fauna Succ. Europa,  
 ed. 2, 1761, p. 229. — Sulzer, Kennz. der Ins. Sibirien  
 1761, p. 17, t. 7, f. 51. — Poda, Mus. Graec.  
 1761, p. 48. — Scop. Ent. Carn. 1763, p. 56. —  
 Houttuyn, Natuurl. Hist. I, 10, 1766, p. 90,  
 t. 78, f. 7. — Müller, Zool. Dan. Prodr. 1776,  
 p. 96. — Laich. Verz. Tyrol. Ins. II, 1784, p. 175.  
 — Herbst in Borowski. Naturg. VI, 1784, p. 136,  
 t. 18, f. 2. — Villers, Linn. Ent. I, 1789, p. 278,  
 t. 1, f. 32. — Martyn. Engl. Entomol. 1792,  
 t. 23, f. 1. — Ol. Ent. IV, 74, 1795, p. 6, t. 1,  
 f. 2. — Donndorff, Europ. Fauna VIII, 1799,  
 p. 611. — Marsh. Ent. Brit. I, 1802, p. 358. —  
 Stewart, Elem. Nat. Hist. II, 1802, p. 67. —  
 Shaw, Gen. Zool. VI, 1806, p. 76. — Wood,  
 Ill. Linn. Gen. Ins. I, 1821, p. 49, t. 18. — Curtis,  
 Brit. Ent. I, 1824, t. 11. — Steph. Ill. Brit.  
 Ent. Mand. IV, 1831, p. 252; Man. 1839, p. 276.  
 — Sam. Ent. Cabinet I, 1833, t. 73. — Spry &  
 Shuck. Brit. Col. 1840, p. 65, t. 74, f. 3. — Cast.  
 Hist. Nat. II, 1840, p. 443. — Küster, Käfer Eur.  
 XIX, 1849, p. 98. — Redt. Fauna Austr. 1849,  
 p. 492; ed. 2, 1858, p. 856; ed. 3, II, 1874, p. 427.  
 — Bach, Käferfauna III, 1856, p. 26. — Muls.  
 Col. Fr. Long. ed. 2, 1862, p. 224. — Fairm. Gen.  
 Col. d'Eur. IV, 1864, t. 45, f. 211. — C. G. Thoms.  
 Skand. Col. VIII, 1866, p. 45. — Cox, Handb.  
 Col. II, 1874, p. 311. — Ganglb. Best.-Tab. VII,  
 1881, p. 42 (720). — Bedel, Faune Col. Seine V,  
 1889, p. 18, 63. — Fowler, Col. Brit. Isl. IV, 1890,  
 p. 228, t. 121, f. 5. — Scidl. Fauna Balt. ed. 2,

1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Csiki, Rov. Lapok X, 1903, p. 206. — Houlb. Faune Armor. Ceramb. 1904, p. 41, f. 78. — Jacobs. Käfer Russl. 1910, t. 64, f. 18.

*cerambooides* Degeer, Mém. Hist. Ins. V, 1775, p. 151.

*dimidiatus* F. Syst. Ent. 1775, p. 199. — Panz. Fauna Ins. Germ. XLI, 1797, t. 21. — Cederhj. Faun. Ingr. 1798, p. 100. — Payk. Fauna Succ. III, 1800, p. 130. — Gyllenh. Ins. Succ. I, 4, 1827, p. 121. — Muls. Col. Fr. Long. 1839, p. 108. — Labr. & Imh. Ins. Schweiz III, 1842, t. 16. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 530.

*medius* Schrank, Fauna Boica I, 2, 1798, p. 688. Biologie: Schiödte, Naturh. Tidskr. (3) X, 1875, p. 414, t. 5, f. 11, 12. — Judeich, Forstins. II, 1, 1889, p. 571. — Xambeu, Moeurs & Métam. VIII, 1902, p. 140.

**pallidipennis** L. Heyd. Deutsche Ent. Zeitschr. XXXI, 1887, p. 321. Issikkul

**rufescens** Kiesenw. Verh. Naturf. Ver. Brünn XVII, 1879, p. 60; Beitr. Kauk. Käferf. 1879, p. 316. Kaukasus

**umbellatarum** Schreber, Nov. spec. Ins. 1759, p. 9. — Linné, Syst. Nat. ed. 12, 1767, p. 641. — F. Syst. Ent. 1775, p. 199. — Sulzer, Gesch. Ins. 1776, p. 48, t. 6, f. 1. — Villers, Linn. Ent. I, 1789, p. 279. — Martyn, Engl. Ent. 1792, t. 23, f. 2. — Ol. Ent. IV, 74, 1795, p. 7, t. 1, f. 3. Mittel- und Südeuropa

— Donndorff, Europ. Fauna VIII, 1799, p. 612. — Payk. Fauna Succ. III, 1800, p. 131. — Marsh. Ent. Brit. I, 1802, p. 358. — Gyllenh. Ins. Succ. I, 4, 1827, p. 122. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 252; Man. 1839, p. 277. — Herrieh-Schaeffer, Fauna Ins. Germ. CXIX, 1837, t. 34. — Küster, Käfer Eur. XIX, 1849, nr. 99. — Redt. Fauna Austr. 1849, p. 492; ed. 2, 1858, p. 857; ed. 3, II, 1874, p. 427. — Bach, Käferfauna III, 1856, p. 26. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 531. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 153, t. 46, f. 212. — C. G. Thoms. Skand. Col. VIII, 1866, p. 44. — Cox, Handb. Col. II, 1874, p. 311. — Bedel, Faune Col. Seine V, 1889, p. 18. 64. — Fowler, Col. Brit. Isl. IV, 1890, p. 228, t. 121, f. 6. — Everts, Col. Neerl. II, 1, 1902, p. 359. — Csiki, Rov. Lapok X, 1903, p. 207. — Houlb. Faune Armor. Ceramb. 1904, p. 41.

*depressus* Motsch. Bull. Mosc. XVIII, 1845, p. 85. *minus* Scop. Ent. Carn. 1763, p. 57. — Schrank, Fauna Boica I, 2, 1798, p. 689. — Ganglb. Best.-Tab. VII, 1881, p. 42 (720). — Seidl. Fauna Balt. ed. 2, 1891, p. 740; Fauna Transs. 1891, p. 833. — Stierl. Col. Helvet. II, 1898, p. 469.

*umbellatorum* Muls. Col. Fr. Long. 1839, p. 109; ed. 2, 1862, p. 226. — Cast. Hist. Nat. II, 1840, p. 443.

Biologie: Laboulb. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 841. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 308, f. 476; Larves Col. 1877, p. 468, f. 476. — Verhoeff, Verh. Nat. Ver. Rheinl. XLVIII, 1891, p. 2. — Xambeu, Moeurs & Métam. VIII, 1902, p. 139.

var. *diversipes* Pic, Rev. Sc. Bourb. X, 1897, p. 31; Longic. II, 1898, p. 19. Kaukasus

### Indomalayische Arten.

**filiformis** Motsch. Etudes Ent. VII, 1858, p. 67. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 170. Ceylon

**insularis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 179. Hongkong

**taprobanicus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 170, f. 67. Ceylon

### Australische Art.

**sidus** Newm. Ann. Mag. Nat. Hist. V, 1840, p. 17. Neuhollland

### Nearktische und westindische Arten.

**bimaculatus** Say, Journ. Acad. Philad. III, 1823, p. 428. Nordamerika  
— Prov. Faune Ent. Canada I, 1877, p. 593.  
— Leng, Ent. Amer. I, 1886, t. 3, f. 20; II, 1886, p. 30. — Wickh. Canad. Ent. XXIX, 1897, p. 148, f. 23.

*affinis* E. Lec. Ann. Lyc. Nat. Hist. N. York I, 1824, p. 172, t. II, f. 12.

*obscurus* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 21, 103.

ab. *corni* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 45. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 21. — Leng, Ent. Amer. II, 1886, p. 30.

ab. *semitustus* Newm. Entomol. I, 1840, p. 19. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 38. — Horn, Ent. Amer. I, 1885, p. 8. — Leng, l. c. II, 1886, p. 30.

**longicollis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 193. Californien  
— Leng, Ent. Amer. II, 1886, p. 30.

**ruficollis** Gah. Trans. Ent. Soc. Lond. 1895, p. 119. Cuba

*sanguinicollis* Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 257.

14

### Brachypteroma L. Heyd.

L. Heyd. Berl. Ent. Zeitschr. VII, 1863, p. 128. — Thoms. Syst. Ceramb. 1864, p. 150. — Lacord. Gen. Col. VIII, 1869, p. 488. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687).

*Brachypterema* Thoms. Syst. Ceramb. 1864, p. 411.

*Brachypteromma* Fairm. Gen. Col. d'Eur. IV, 1864, p. 154.

*Dolocerus* Muls. Col. Fr. Longic. ed. 2, 1863, p. 230.

**Holtzi** Pic, Echange XXI, 1905, p. 114.

**ottomanum** L. Heyd. Berl. Ent. Zeitschr. VII, 1863, p. 128, t. 4, f. 4. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 46, f. 213. — Kraatz, Berl. Ent. Zeitschr. X, Taurus  
Türkei,  
Italien,  
Sicilien

- 1866, p. 370. — Ganglb. Best.-Tab. VII, 1881, p. 43 (721). — Everts, Tijdschr. Ent. LIII, 1910, Versl. p. 66.  
*Mulsanti* Stierl. Mitth. Schweiz. Ent. Ges. II, 1866, p. 30.  
*Reichei* Muls. Col. Fr. Long. ed. 2, 1863, p. 231.  
 2

### Anomoderus Fairm.

Fairm. Ann. Soc. Ent. Fr. (5) 1, 1871, p. 59.

- Coppereli* Fairm. l. c. p. 60. Madagascar  
*tubericollis* Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 376. „  
 2

### Callimoxys Kraatz.

- Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 104. — Thoms. Syst. Ceramb. 1864, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 152. — Lacord. Gen. Col. VIII, 1869, p. 489. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 307; Classif. Col. N. Amer. 1883, p. 292. — Redt. Fauna Austr. ed. 3, II, 1874, p. 412. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Long. Ent. Amer. II, 1886, p. 27. — Csiki, Rov. Lapok XI, 1904, p. 36.  
*fuscipennis* J. Lec. Proc. Acad. Philad. 1861, p. 356. — Californien  
 Leng. Ent. Amer. II, 1886, p. 30.  
*gracilis* Brullé, Expéd. Morée 1832, p. 257, t. 44, f. 1, 2. — Dalmatien,  
 Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 105, Türkei,  
 t. 4, f. 3. — Fairm. Gen. Col. d'Eur. IV, 1864, Griechenland  
 t. 45, f. 219. — Redt. Fauna Austr. ed. 3, II, 1874, p. 412. — Ganglb. Best.-Tab. VII, 1881, p. 44 (722). — Csiki, Rov. Lapok XI, 1908, p. 57. — Jacobs, Käfer Russl. 1919, t. 67, f. 22, 23.  
*sanguinicollis* Ol. Ent. IV, 74, 1795, p. 9, t. 1, f. 7. — Say, Nordamerika  
 Boston Journ. 1, 1835, p. 194. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 20. — Leng. Ent. Amer. I, 1886, t. 3, f. 19; II, 1886, p. 30. — Wiekh. Canad. Ent. XXIX, 1897, p. 148.  
 3

### Callimus Muls.

- Muls. Col. Fr. Sécurip. 1846, Append.; Long. ed. 2, 1863, p. 210. — Redt. Fauna Austr. ed. 2, 1858, p. 850; ed. 3, II, 1874, p. 412. — Bach, Käferfauna III, 1856, p. 17. — Thoms. Classif. Ceramb. 1860, p. 145, 160; Syst. Ceramb. 1864, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 150. — Lacord. Gen. Col. VIII, 1869, p. 489. — Perrin, Nouv. et Faits II, 1881, p. 134, 137. — Ganglb. Best.-Tab. VII, 1881, p. 9 (687). — Leng. Ent. Amer. II, 1886, p. 27, 29. — Bedel, Faune Col. Seine V, 1889, p. 7, 19. — Seidl. Fauna Transs. 1891, Gatt. p. 182. — Everts, Col. Neerl. II, 1, 1902, p. 360. — Csiki, Rov. Lapok XI, 1904, p. 36.

- Pilema* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 192.  
 Subgen. *Lampropterus* Muls. Col. Fr. Long. ed. 2, 1863, p. 214.  
 Subgen. *Procallimus* Pic, Longic. VI, 2, 1907, p. 7.

## Paläarktische Arten.

- abdominalis** Ol. Ent. IV, 70, 1795, p. 70, t. 8, f. 103. — Muls. Mém. Acad. Sc. Lyon II, 1847, p. 417; Col. Fr. Long. ed. 2, 1863, p. 213. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 325. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 45, f. 208. — Ganglb. Best.-Tab. VII, 1881, p. 44 (722). — Bedel, Faune Col. Seine V, 1889, p. 20. — Pic, Longic. I, 1891, p. 16.  
*decorus* Gené, Mem. Accad. Torino II, 1839, p. 78, t. 1, f. 23.  
Biologie: Xambou. Rev. d'Ent. XVII, 1898, p. 36; Moeurs & Métam. IX, 1901, p. 36.  
? *miles* Voet, Catal. Col. II, 1804—06, p. 25, t. 22, f. 117.  
ab. ♂ *nigricollis* Pic, Echange VI, 1899, p. 157; Longic. I, 1891, p. 17.
- Adonis** Perrin, Nouv. & Faits II, 1881, p. 139. — Ganglb. Best.-Tab. VII, 1881, p. 45 (723).  
*rumelicus* Apfelb. Ent. Nachr. XXV, 1899, p. 292. — Pic, Longic. III, 1, p. 6.
- akbesianus** Pic, Bull. Soc. Ent. Fr. 1892, p. 111; Ann. Soc. Ent. Fr. LXI, 1892, p. 416.
- ✓ **angulatus** Schrank, Naturf. XXIV, 1789, p. 77. — Scriba, Journ. Ent. I, 1790, p. 32. — Ganglb. Best.-Tab. VII, 1881, p. 44 (722). — Bedel, Faune Col. Seine V, 1889, p. 20, 65. — Seidl. Fauna Transs. 1891, p. 832. — Everts, Col. Neerl. II, 1, 1902, p. 360. — Csiki, Rov. Lapok XI, 1904, p. 57.  
♂ *Bourdini* Muls. Col. Fr. Sécurip. 1846, Append. *cyaneus* F. Ent. Syst. 1, 2, 1792, p. 330. — Ill. Mag. Insektenk. IV, 1805, p. 118. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 325. — Bach, Käferfauna III, 1856, p. 17. — Redt. Fauna Austr. ed. 2, 1858, p. 850; ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. ed. 2, 1863, p. 211.  
*laetus* Motsch. Bull. Moscou XVIII, 1845, p. 85.  
♂ *variabilis* Bon. Mem. R. Soc. Agrar. Torino IX, 1812, p. 181, t. 6, f. 29.
- distinctipes** Pic, Echange XXII, 1906, p. 11; Longic. VI, 1, 1906, p. 8.
- egregius** Muls. & Rey, Ann. Soc. Linn. Lyon (2) X, 1863, p. 146; Opusc. Ent. 1863, p. 146. — Ganglb. Best.-Tab. VII, 1881, p. 45 (723).  
ab. *obscurithorax* Pic, Echange XXIII, 1907, p. 154; Longic. VII, 1, 1908, p. 3.
- femoratus** Germ. Ins. spec. nov. 1824, p. 519. — Küster, Käfer Eur. VI, 1846, p. 77. — Muls. Col. Fr. Long. ed. 2, 1863, p. 214. — Ganglb. Best.-Tab. VII, 1881, p. 45 (723). — Jacobs. Käfer Russl. 1910, t. 67, f. 19, 20.  
*thoracicus* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 57.
- Narcissus** Perrin, Nouv. & Faits II, 1881, p. 138.
- semicyaneus** Pic, Echange XXI, 1905, p. 187; Longic. VI, 1, 1906, p. 8.

Südfrankreich,  
Italien

Türkei,  
Bulgarien,  
Südrussland  
Kleinasien

Syrien

Frankreich,  
Süddeutschland,  
Südeuropa,  
Mittelmeergebiet

Syrien

Kleinasien,  
Kaukasus

Türkei,  
Südrussland,  
Kleinasien,  
Cypern  
Tripolis

Syrien  
Griechenland

## Nearktische Arten.

- cyanipennis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
p. 192. — Leng, Ent. Amer. II, 1886, p. 29, t. 3,  
f. 27.  
**ruficollis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 192. „  
— Leng, Ent. Amer. II, 1886, p. 29.  
11

**Pocilobrium** Horn.

- J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 291. — Leng, Ent. Amer.  
II, 1886, p. 27.  
**chalybaeum** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
p. 189. — Leng, Ent. Amer. I, 1886, t. 3, f. 13;  
II, 1886, p. 27.  
**rugosipenne** Linell, Proc. U. S. Nat. Mus. XIX, 1896, „  
p. 395.  
2

**Hybodera** J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 191. — Leng, Ent. Amer. II,  
1886, p. 27, 28.  
**debilis** J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 66. — Californien  
Leng, Ent. Amer. II, 1886, p. 28, 29.  
**tuberculata** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Vancouver,  
p. 191. — Leng, Ent. Amer. I, 1886, t. 3, f. 17; Oregon  
II, 1886, p. 28.  
2

**Megobrium** J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 192. — J. Lec. & Horn, Classif.  
Col. N. Amer. 1883, p. 291. — Leng, Ent. Amer. II, 1886, p. 27, 29.  
**Edwardsi** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 193. Californien  
— Leng, Ent. Amer. I, 1886, t. 3, f. 18; II, 1886,  
p. 29.  
1

**Merionoedopsis** Goun.

Gounelle, Ann. Soc. Ent. Fr. LXXX, 1911, p. 11.

- aeneiventris** Goun. l. c. p. 13. Goyas,  
Minas  
Geraes,  
Argentina,  
Misiones

1

**Merionoeda** Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238; (3) III, 1869, p. 565, 570.  
— Thoms. Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 490.  
— Bates, Biol. C.-Amer. Col. V, 1885, p. 287. — Gah. Fauna Brit. India, Col.  
I, 1906, p. 171.

*Oxycoleus* Lacord. Gen. Col. VIII, 1869, p. 484.

*Stenoptrellus* Bates, Trans. Ent. Soc. Lond. 1870, p. 314.

## Indomalayische Arten.

<i>acuta</i> Pasc. Proc. Zool. Soc. Lond. 1866, p. 509; Trans. Ent. Soc. Lond. (3) III, 1869, p. 573.	Penang
<i>amabilis</i> Jord. Stett. Ent. Zeit. LVI, 1895, p. 268. — Gah. Fauna Brit. India, Col. I, 1906, p. 174.	Assam
<i>Andrewesi</i> Gah. l. c. p. 172, f. 68.	Südindien
<i>brachyptera</i> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 574.	Sarawak, Singapore
<i>calcarata</i> Pasc. l. c. p. 573.	Sarawak
<i>flavipennis</i> Jord. Nov. Zool. I, 1894, p. 113, t. 8, f. 3.	Timor
<i>flavitaris</i> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 571.	Neuguinea: Dorey
<i>fulvonotata</i> Nonfr. Deutsche Ent. Zeitschr. 1894, p. 207.	Sumatra
<i>indica</i> Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. India, Col. I, 1906, p. 171.	Nepal
<i>melanopsis</i> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 572.	Aru
<i>Musschenbroeki</i> Gestro, Ann. Mus. Civ. Genova X, 1877, p. 653.	Celebes
<i>nigriceps</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 181, t. 5, f. 1. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 574. — Gah. Fauna Brit. India, Col. I, 1906, p. 173.	Birma, Assam
<i>puella</i> Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 238; (3) III, 1869, p. 571.	Macassar
<i>seitella</i> Pasc. l. c. (2) IV, 1858, p. 238, t. 25, f. 3; (3) III, 1869, p. 572.	Borneo
<i>subulata</i> Pasc. l. c. (3) III, 1869, p. 547, t. 21, f. 4.	„
<i>sumatrana</i> Nonfr. Deutsche Ent. Zeitschr. 1894, p. 206.	Sumatra
<i>taprobanica</i> Gah. Fauna Brit. India, Col. I, 1906, p. 173.	Ceylon

## Afrikanische Arten.

<i>africana</i> Dist. Ann. Mag. Nat. Hist. (7) III, 1899, p. 461; Ins. Transv. 1904, p. 117, t. 10, f. 10.	Transvaal
<i>melanargyrea</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 187 (Genus?).	Natal

## Neotropische Arten.

<i>clavipes</i> Lacord. Gen. Col. VIII, 1869, p. 485, nota 1, t. 90, f. 5.	Mexico
<i>culicina</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 315; Biol. C.-Amer. Col. V, 1885, p. 287, t. 20, f. 18.	Ega, Panama
<i>gratiosa</i> Bates, l. c. t. 20, f. 16, 17.	Mexico

22

## Kunbir Lameere.

Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 213. — Gah. Fauna Brit. India Col. I, 1906, p. 174.	
<i>telephoroides</i> Lameere, Ann. Soc. Ent. Belg. XXXIV, 1899, Bull. p. 213. — Gah. Fauna Brit. India, Col. I, 1906, p. 174, f. 69.	Ostindien

1

**Ocytasia** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 565, 575.

**fulvipennis** Pasc. l. c. p. 575, t. 21, f. 6. Kaioa  
1

**Debilissa** n. nom.

*Debilisa* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 178.

**angustissima** Pic, Echange XVIII, 1903, p. 105; Longie. China  
IV, 2, 1903, p. 19.  
**rufoflavida** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, Tonkin  
p. 178.  
2

**Earinis** Pasc.

Pasc. Journ. of Ent. II, 1863, p. 240. — Lacord. Gen. Col. VIII, 1869, p. 491.

**Kreuserae** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, Gawler  
p. 91.

**minula** Pasc. Journ. Ent. II, 1863, p. 241, p. 241, t. 11, f. 3. Neuholland  
**picta** Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273. Neusüdwaales  
— Waterh. Aid identif. Ins. I, 1882, t. 78.  
3

**Gastrosarus** Bates.

Bates, Ann. Mag. Nat. Hist. (7) XIV, 1874, p. 22. — Broun, Man. N. Zeal.  
Col. I, 1880, p. 585.

**lautus** Broun, l. c. V, 1893, p. 1283. Neuseeland  
**nigricollis** Bates, Ann. Mag. Nat. Hist. (4) XIV, 1874, "  
p. 22. — Broun, Man. N. Zeal. Col. I, 1890, "  
p. 586.  
**picticornis** Broun, l. c. 1893, p. 1284. "  
**urbanus** Broun, l. c. p. 1283. "  
4

**Anencyrus** Sharp.

Sharp, Trans. R. Dublin Soc. (2) III, 1886, p. 441. — Broun, Man. N.  
Zeal. Col. V, 1893, p. 1285.

**discedens** Sharp, Trans. R. Dublin Soc. (2) III, 1886, Neuseeland  
p. 441. — Broun, Man. N. Zeal. Col. V, 1893,  
p. 1285.  
1

**Mecynopus** Er.

Er. Archiv Naturgesch. VIII, 1842, I, p. 222. — Thoms. Syst. Ceramb.  
1864, p. 412. — Lacord. Gen. Col. VIII, 1869, p. 492.

**cothurnatus** Er. Archiv Naturgesch. VIII, 1842, I, p. 223, Tasmanien  
t. 4, f. 10.

**semivitreus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Melbourne  
p. 56.  
2

**Omotes** Newm.

Newm. Entomol. I, 1842, p. 353.

**cucujides** Newm. l. c. p. 354.**erosicollis** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 57.**punctatissima** Newm. Zoologist IX, 1851, Append.  
p. 129.Südaustralien  
Melbourne  
Victoria

3

**LIII. Necydalopsini.**

Lacord. Gen. Col. VIII, 1869, p. 493.

**Necydalopsis** Blanch.Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 473. — Thoms. Syst. Ceramb.  
1864, p. 411. — Lacord. Gen. Col. VIII, 1869, p. 493.**cyanipennis** Fairm. & Germain, Ann. Soc. Ent. Fr. (4) Chile  
I, 1861, p. 106.**femoralis** Fairm. & Germain, l. c. (3) VII, 1859, p. 499. — „  
Germain, An. Univ. Chile 1855, p. 407.**iridipennis** Fairm. & Germain, Rev. Mag. Zool. (2) XVI, „  
1864, p. 386.**trizonata** Blanch. in Gay, Hist. Chile, Zool. V, 1851, „  
p. 474, t. 28, f. 5. — Fairm. & Germain, Ann.  
Soc. Ent. Fr. (3) VII, 1859, p. 499.**valdiviensis** F. Phil. An. Univ. Chile XVI, 1859, p. 674; „  
Stett. Ent. Zeit. XXI, 1860, p. 250.

5

**Sthelenus** Buq.Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 621. — Thoms. Classif. Ceramb.  
1860, p. 369; Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. VIII, 1869,  
p. 494.**braconinus** Bates, Trans. Ent. Soc. Lond. 1870, p. 315. Amazon.**ichneumoneus** Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, Cayenne  
p. 622, t. 14, f. 4.**morosus** Pasc. Journ. Ent. I, 1862, p. 356. Caracas

3

**Eucharassus** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 308.

**dispar** Bates, l. c. p. 309, t. 21, f. 18.**Nisseri** Auriv. Ent. Tidskr. XII, 1891, p. 100, f. 1.Panama  
Columbien

2

**Conopogaster** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 502.

**singularis** Fairm. l. c. p. 503.

Madagascar

1



## LVI. Rhinotragini.

Lacord. Gen. Col. VIII, 1869, p. 497. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 21—45, 117—132.

### Oxylymma Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 21. — Thoms. Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. VIII, 1869, p. 500.

*Oxycalymma* Gemm. & Har. Cat. Col. IX, 1873, p. 2888.

**Championi** Bates, Biol. C.-Amer. Col. V, 1885, p. 288, Guatemala  
t. 20, f. 10.

✓ **coeruleocincta** Bates, l. c. p. 436, t. 25, f. 25. Panama

**gibbicollis** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 23. Bahía

**lepida** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 22, Pará, Ega  
t. 2, f. 3. — Bates, l. c. 1870, p. 316.

**telephorina** Bates, l. c. Ega

5

### Rhinotragus Germ.

Germ. Ins. spec. nov. 1824, p. 513. — Serv. Enc. méth. Ins. X, 1825, p. 288; Ann. Soc. Ent. Fr. II, 1833, p. 549. — Cast. Hist. Nat. II, 1840, p. 441 (ex parte). — Thoms. Classif. Ceramb. 1860, p. 176; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. VIII, 1869, p. 500.

**analis** Serv. Ann. Soc. Ent. Fr. II, 1833, p. 550. Brasilien

**apicalis** Guér. Icon. règne anim. Ins. 1844, p. 236. Bolivien

✓ **bizonatus** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 15. Goyaz

**dorsiger** Germ. Ins. spec. nov. 1824, p. 513. Brasilien

var. *marginatus* Perty, Del. Anim. Artie. 1830—34, „  
p. 94, t. 19, f. 1.

*anceps* Newm. Ent. Mag. V, 1838, p. 495.

**festivus** Perty, Del. Anim. Artie. 1830—34, p. 94, t. 19, f. 2. „

*suturalis* Serv. Ann. Soc. Ent. Fr. II, 1833, p. 550.

ab. *immaculipennis* Goun. l. c. LXXX, 1911, Goyaz  
p. 14.

**longicollis** Bates, Biol. C.-Amer. Col. V, 1880, p. 41. Nicaragua

*apicalis* Bates, Trans. Ent. Soc. Lond. 1872, p. 183.

**trilineatus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 200. Amazon.

— Bates, Trans. Ent. Soc. Lond. 1870, p. 317.

**trizonatus** Blanch. in Cuv. Règne anim. Ins. ed. Masson Patria?

1832, t. 66 bis, f. 1.

8

### Erythroplatys White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 201. — Thoms. Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. VIII, 1869, p. 511. — Bates, Trans. Ent. Soc. Lond. 1870, p. 317.

**corallifer** White, Cat. Col. Brit. Mus. VIII, 1855, p. 202, Santarem  
t. 5, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870,  
p. 317.

**Lucasi** Thoms. Classif. Ceramb. 1860, p. 178. Guyana

**rugosus** Lucas in Voyage Castelnaud, Ent. 1857, p. 182, Brasilien  
t. 12, f. 7.

**simulator** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 16. Goyaz

4

**Ornistoromus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 166, 417.

*Aechmutes* Bates, Ent. Month. Mag. IV, 1867, p. 23. — Lacord. Gen. Col. VIII, 1869, p. 511. — Bates, Trans. Ent. Soc. Lond. 1870, p. 331; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 25. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 18.

<b>armatus</b>	Goun. l. c. nota.	Peru
<b>bicinctus</b>	Thoms. Syst. Ceramb. 1864, p. 167.	Brasilien
	var. <i>pallidulus</i> Goun. Ann. Soc. Ent. Fr. LXXX,	Goyaz
	1911, p. 20, f. 1, 2.	
<b>lycoides</b>	Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans.	Amazon.:
	Ent. Soc. Lond. 1870, p. 332.	Ega
	3	

**Oregostoma** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 551. — Thoms. Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869, p. 501.

<b>discoideum</b>	Serv. Ann. Soc. Ent. Fr. II, 1833, p. 552.	Brasilien
<b>luridum</b>	Klug, Nova Acta Acad. Nat. Cur. XII, 1825,	„
	p. 470, t. 44, f. 3.	
<b>rubricorne</b>	Serv. Ann. Soc. Ent. Fr. II, 1833, p. 553.	„
	— Guér. Icon. règne anim. Ins. 1844, p. 236.	
	<i>coccineum</i> Guér. l. c. 183?, t. 44, f. 7.	
	3	

**Ommata** White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 194. — Thoms. Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869, p. 502. — Bates, Trans. Ent. Soc. Lond. 1870, p. 319; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 26.

Subgen. <i>Agaone</i>	Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, p. 22. —	
	Thoms. Syst. Ceramb. 1864, p. 418. — Bates, Trans. Ent. Soc.	
	Lond. 1870, p. 317; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 26, 36.	
Subgen. <i>Chrysaëthe</i>	Bates, l. c. p. 27.	
Subgen. <i>Eclipta</i>	Bates, l. c. p. 29.	
Subgen. <i>Phoenissa</i>	Bates, l. c. p. 26.	
	<i>Oregostoma</i> Thoms. Classif. Ceramb. 1860, p. 176, 178.	
Subgen. <i>Rhopalessa</i>	Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 28.	

Subgen. **Phoenissa** Bates.

<b>bipartita</b>	Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 26.	Parana
<b>collaris</b>	Serv. Ann. Soc. Ent. Fr. II, 1833, p. 553.	Brasilien
<b>nigripes</b>	Serv. l. c. p. 552.	„
<b>nitidiventris</b>	Goun. l. c. LXXX, 1911, p. 21.	Goyaz
<b>punicca</b>	(Newm. Ent. Mag. V, 1838, p. 495.	Brasilien

Subgen. **Chrysaëthe** Bates.

<b>amoena</b>	Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 22.	Goyaz
<b>asperiventris</b>	Bates, Trans. Ent. Soc. Lond. 1872, p. 184	Rio Janeiro
	nota.	
<b>atrata</b>	Bates, l. c.	Brasilien

<i>aurata</i> Bates, l. c. 1870, p. 320.	Amazon.
<i>beltiana</i> Bates, l. c. 1872, p. 184; Biol. C.-Amer. Col. V, 1880, p. 42, t. 5, f. 7.	Nicaragua
<i>cyanipennis</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 184; Biol. C.-Amer. Col. V, 1880, p. 42, t. 5, f. 5.	„
<i>iodes</i> Bates, l. c. 1885, p. 288.	Panama
<i>smaragdina</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 320.	Amazon.

Subgen. **Ommata** s. str.

<i>elegans</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 194, t. 5, f. 6.	Venezuela
<i>Maia</i> Newm. Entomolog. I, 1841, p. 92.	Brasilien

Subgen. **Rhopalessa** Bates.

<i>clavicornis</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 28. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 23.	Río Janeiro
<i>tenuis</i> Burm. Stett. Ent. Zeit. XXVI, 1865, p. 173.	Paraná

Subgen. **Eclipta** Bates.

<i>aegrota</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 233; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 35.	Nicaragua
<i>anoguttata</i> Bates, l. c.	Paraná
<i>brachialis</i> Bates, l. c. p. 31.	Río Janeiro
<i>castanea</i> Bates, l. c. p. 29.	„
<i>championella</i> Bates, Biol. C.-Amer. Col. V, 1880, p. 42.	Guatemala
<i>cribripennis</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 33.	Paraná
<i>croceicornis</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 25.	Goyaz
<i>cyanea</i> Bates, Biol. C.-Amer. Col. V, 1885, p. 288.	Mexico
<i>discolor</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 34.	Goyaz
<i>Eirene</i> Newm. Entomol. I, 1841, p. 92. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 29.	Brasilien
<i>Eunomia</i> Newm. Entomol. I, 1841, p. 92. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 31.	„
var. <i>nigrilatera</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 24.	Goyaz
<i>erythrodera</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 33.	Río Janeiro
<i>fenestrata</i> Lucas, Voyage Castelnau, Ent. 1857, p. 182, t. 12, f. 8. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 34.	Brasilien
<i>flavicollis</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 30.	Paraná
<i>fulvicollis</i> Lacord. Gen. Col. VIII, 1869, p. 503, nota 1 (vix descr.).	Brasilien
<i>jejuna</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 26.	Goyaz
<i>lauginosa</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 32.	Río Janeiro
<i>liturifera</i> Bates, l. c. p. 31.	„
<i>malthinoides</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 319.	Amazon.
<i>nais</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 28.	Goyaz
<i>notaticollis</i> Goun. l. c. p. 31.	„
<i>perplexa</i> Goun., l. c. p. 30.	„
<i>picturata</i> Goun. l. c. p. 24.	„
<i>pocella</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 35. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 33.	Paraná

<i>prolixa</i> Bates, l. c.	Paraná
<i>ramulicola</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 29.	Goyaz
<i>ruficollis</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 319.	Amazon.
<i>semiflammea</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 35.	Goyaz
<i>seminigra</i> Goun. l. c. p. 32.	"
<i>thoracica</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 30.	Paraná
<i>vitticollis</i> Bates, l. c. p. 34.	"
<i>xantho</i> Bates, l. c. p. 35.	"

### Subgen. *Ag Boone* Pasc.

<i>notabilis</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 199.	Amazon.
— Bates, Trans. Ent. Soc. Lond. 1870, p. 318.	
<i>Sallaei</i> Bates, Biol. C.-Amer. Col. V, 1885, p. 289, t. 20, f. 15.	Mexico
<i>viridis</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 36.	Goyaz

52

### *Odontocera* Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 546. — Thoms. Classif. Ceramb. 1860, p. 176; Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869, p. 503. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 36.	
<i>albicans</i> Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 471, t. 44, f. 5.	Rio Janeiro
<i>apicalis</i> Klug, l. c. p. 472, t. 44, f. 6.	Brasilien
✓ <i>apicula</i> Bates, Biol. C.-Amer. Col. V, 1885, p. 289, t. 20, f. 24.	Panama
✓ <i>aurocincta</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 42.	Mexico
<i>bisulcata</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 326.	Tapajos
<i>chrysostetha</i> Bates, l. c. p. 320.	Amazon.
<i>cinctiventris</i> Bates, l. c. p. 321.	Amazon.
✓ <i>clara</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 38; Biol. C.-Amer. Col. V, 1880, p. 43, t. 5, f. 4.	Nicaragua
<i>colon</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 319.	Pará
<i>compressipes</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 191. — Bates, Trans. Ent. Soc. Lond. 1870, p. 324; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 45.	Amazon.
<i>crocata</i> Bates, l. c. p. 39.	Rio Janeiro
<i>cylindrica</i> Serv. Ann. Soc. Ent. Fr. II, 1833, p. 548.	Brasilien
<i>Dice</i> Newm. Entomol. I, 1841, p. 91.	"
<i>dispar</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 321.	Amazon.
✓ <i>fasciata</i> Ol. Ent. IV, 74, 1795, p. 10, t. 1, f. 9. — Bates, Trans. Ent. Soc. Lond. 1870, p. 324; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 44.	Brasilien
<i>chrysozone</i> White, Cat. Col. Brit. Mus. VIII, 1855, p. 192, t. 5, f. 5.	
<i>vitrea</i> Serv. Ann. Soc. Ent. Fr. II, 1833, p. 547.	
✓ <i>flavicauda</i> Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 40. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 40.	Paraná
var. <i>notatisternis</i> Goun. l. c. p. 40 nota.	Minas Geraes
<i>flavocalceata</i> Goun. l. c. p. 46.	Goyaz
<i>furcifera</i> Bates, Trans. Ent. Soc. Lond. 1870, p. 323; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 45.	Tapajos

- fuscicornis** Bates, Biol. C.-Amer. Col. V, 1885, p. 289. Mexico  
**gracilis** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Brasilien  
 p. 472, t. 44, f. 7. — Cast. Hist. Nat. II, 1840,  
 p. 442.  
*elegans* Guér. Icon. règne anim. Ins. 1844, p. 236,  
 t. 44, f. 9.
- hilaris** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 43. Tapajos  
*punctata* Bates, Trans. Ent. Soc. Lond. 1870,  
 p. 323.
- leucothea** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 42. Rio Janeiro  
**margaritacea** F. Syst. El. II, 1801, p. 349. Südamerika  
**mellea** White, Cat. Col. Brit. Mus. VIII, 1855, p. 188. Amazon.  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 322.  
**molorehoides** White, Cat. Col. Brit. Mus. VIII, 1855, „  
 p. 200. — Bates, Trans. Ent. Soc. Lond. 1870,  
 p. 318.
- monostigma** Bates, l. c. 1869, p. 384; Biol. C.-Amer. Nicaragua  
 Col. V, 1880, p. 43, t. 5, f. 6.
- ✓ **nigriclavus** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 41. Parana  
**ornaticollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 323; Santarem  
 Ann. Mag. Nat. Hist. (4) XI, 1873, p. 44.
- parallela** White, Cat. Col. Brit. Mus. VIII, 1855, p. 189. Amazon.  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 322.
- petiolata** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 44. Rio Janeiro  
**poecilopoda** White, Cat. Col. Brit. Mus. VIII, 1855, Amazon.  
 p. 191. — Bates, Trans. Ent. Soc. Lond. 1870,  
 p. 321.
- punctata** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Brasilien  
 p. 471, t. 44, f. 4.
- pusilla** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 38. Brasilien:  
 Goyaz,  
 Bahia
- rugicollis** Bates, Biol. C.-Amer. Col. V, 1880, p. 43. Guatemala  
 ✓ **sanguinolenta** Bates, Ann. Mag. Nat. Hist. (4) XI, Rio Janeiro  
 1873, p. 39.
- simplex** White, Cat. Col. Brit. Mus. VIII, 1855, p. 189. Amazon.  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 325.
- soror** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 41. Goyaz  
**sulfureicauda** Goun. l. c. p. 44. „
- triliturata** Bates, Trans. Ent. Soc. Lond. 1870, p. 324. Pará  
**trisinuata** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
 p. 43, fig.
- virgata** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 39. „  
**vittipennis** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, Brasilien  
 p. 37.
- yucateca** Bates, Trans. Ent. Soc. Lond. 1892, p. 159, Mexico  
 t. 6, f. 7.

### **Acyphoderes** Serv.

- Serv. Ann. Soc. Ent. Fr. II, 1833, p. 549. — Thoms. Classif. Ceramb. 1860,  
 p. 177, 179; Syst. Ceramb. 1864, p. 417. — Lacord. Gen. Col. VIII, 1869,  
 p. 505. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 117.
- ✓ **abdominalis** Ol. Ent. IV, 74, 1795, p. 8, t. 1, f. 5. — Cayenne  
 Cast. Hist. Nat. II, 1840, p. 442. — Bates, Trans.  
 Ent. Soc. Lond. 1870, p. 328.

- Olivieri* Bates, Trans. Ent. Soc. Lond. 1870, p. 328; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 119; Biol. C.-Amer. Col. V, 1885, p. 290, t. 20, f. 21.
- ✓ *acutipennis* Thoms. Classif. Ceramb. 1860, p. 179.
- ✓ *aurulenta* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 443. — Dalm. Anal. Ent. 1823, p. 71. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 119. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 14.
- sericina* White, Cat. Col. Brit. Mus. VIII, 1855, p. 195.
- ✓ *carinicollis* Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 119. Rio Janeiro
- ab. *nigricans* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 48. Goyaz
- ✓ *cribricollis* Bates, Trans. Ent. Soc. Lond. 1892, p. 160, t. 6, f. 6. Mexico
- ✓ *crinita* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 474, t. 44, f. 11. — Lacord. Gen. Col. VIII, 1869, p. 505, nota 2. Franzl
- delicata* Horn. Bull. Calif. Acad. (2) IV, 1894, p. 400. Niedercalifornien
- femorata* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 475, t. 44, f. 10. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 118. Rio Janeiro
- brachialis* Pasc. Journ. Ent. I, 1862, p. 369. — Lacord. Gen. Col. VIII, 1869, p. 506, nota 1.
- hirtipes* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 473, t. 44, f. 9. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 118. Brasilien
- ✓ *moesta* Bates, l. c. p. 117. Paraná
- odyneroides* White, Cat. Col. Brit. Mus. VIII, 1855, p. 196, t. 5, f. 3. — Bates, Trans. Ent. Soc. Lond. 1870, p. 329; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 120. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 48. Tapajos
- suavis* Bates, Biol. C.-Amer. Col. V, 1885, p. 290, t. 20, f. 20. Mexico
- velutina* Bates, l. c. t. 20, f. 19. Guatemala
- vespiventris* Bates, l. c. 1880, p. 43. „

14

**Bromiades** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 165. — Lacord. Gen. Col. VIII, 1869, p. 506. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 120.
- ✓ *brachyptera* Chevr. Rev. Zool. 1838, p. 285. — Jacq. Cuba, du Val in Sagra, Hist. Cuba, Ins. 1857, p. 269, t. 10, f. 9. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 120. Neugranada

1

**Sphecomorpha** Newm.

- Newm. Ent. Mag. V, 1838, p. 396. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 120.
- Sphecogaster* Lacord. Gen. Col. VIII, 1869, p. 471.
- chalybea* Newm. Ent. Mag. V, 1838, p. 397. — White, Surinam, Cat. Col. Brit. Mus. VIII, 1855, p. 197. — Bates, Amazon.

Trans. Ent. Soc. Lond. 1870, p. 314; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121.

*biplagiata* Lacord. Gen. Col. VIII, 1869, p. 472, nota 1.

✓ *murina* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 473, t. 44, f. 8. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121. Brasilien

*rufa* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 49. Goyaz  
3

### Isthmiade Thoms.

Thoms. Syst. Ceramb. 1864, p. 166. — Lacord. Gen. Col. VIII, 1869, p. 504. — Bates, Trans. Ent. Soc. Lond. 1870, p. 326; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121.

*braconides* Perty, Del. Anim. Artic. 1830, p. 94, t. 19, f. 3. Südbrasilien  
*hephestionoides* Thoms. Syst. Ceramb. 1864, p. 166.

*ichneumoniformis* Bates, Trans. Ent. Soc. Lond. 1870, p. 326. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 51. Amazon.

*macilentata* Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 122. Südbrasilien

*modesta* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 51. Goyaz

*necydalea* L. Syst. Nat. ed. 10, 1758, p. 399. Surinam

*glaucescens* L. Syst. Nat. ed. 12, 1767, p. 642.

*nitida* Degeer, Mém. Ins. V, 1775, p. 153, t. 15, f. 2, 3.

*rubra* Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 121. Rio Janeiro  
6

### Ischasia Thoms.

Thoms. Syst. Ceramb. 1864, p. 163. — Lacord. Gen. Col. VIII, 1869, p. 508. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 122.

*crassitarsis* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 54, f. 1—3. Goyaz

*ligulatipennis* Goun. l. c. p. 56, fig.

*rufina* Thoms. Syst. Ceramb. 1864, p. 163. — Lacord. Südbrasilien

Gen. Col. VIII, 1869, p. 508. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 123. — Goun.

Ann. Soc. Ent. Fr. LXXX, 1911, p. 53.

*valida* Goun. l. c. p. 53. Goyaz

ab. *atra* Goun. l. c. p. 54 nota. Bahia

4

### Epimelitta Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 330; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 123.

*Charis* Newm. Entomol. I, 1840, p. 21. — Thoms. Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 507.

*Charisia* Champ. Trans. Ent. Soc. Lond. 1892, p. 161 nota.

*Aglaiia* Newm. Entomolog. I, 1840, p. 22. — Bates, Ann. Brasilien  
Mag. Nat. Hist. (4) XI, 1873, p. 125.

ab. *rufofemorata* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz  
1911, p. 60.

- barbierus** Kirby, Trans. Linn. Soc. Lond. XII, 1818, Rio Janeiro  
p. 443. — Bates, Ann. Mag. Nat. Hist. (4) XI,  
1873, p. 123.  
*Aaede* Newm. Entomol. I, 1841, p. 91.
- bicolor** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, Brasilien  
p. 124. — Goun. Ann. Soc. Ent. Fr. LXXX,  
1911, p. 59.
- debilis** Goun. l. c. p. 59. Goyaz
- Erato** Newm. Entomol. I, 1840, p. 21. Brasilien
- Eupheme** Lamcère, Ann. Soc. Ent. Belg. XXVIII, 1885, Südbrasilien  
p. 89.
- Euphrosyne** Newm. Entomol. I, 1840, p. 21. Brasilien
- margaritacea** F. Syst. El. II, 1801, p. 372. Südamerika
- melanaria** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 57. Goyaz
- Melete** Newm. Entomol. I, 1841, p. 91. Brasilien
- meliponica** Bates, Trans. Ent. Soc. Lond. 1870, p. 331. Amazon.
- mimica** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 123. Rio Janeiro
- Mneme** Newm. Entomol. I, 1841, p. 90. Brasilien
- nigerrima** Bates, Trans. Ent. Soc. Lond. 1892, p. 160, Mexico  
t. 6, f. 8.
- rufiventris** Bates, l. c. 1870, p. 331. Amazon.
- seoparia** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, „  
p. 469, t. 44, f. 2. — Bates, Trans. Ent. Soc.  
Lond. 1870, p. 331.

16

**Pasiphyle** Thoms.

Thoms. Syst. Ceramb. 1864, p. 164.

*Pasiphyle* Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 130.*Pasyphile* Lacord. Gen. Col. VIII, 1869, p. 508.

- mystica** Thoms. Syst. Ceramb. 1864, p. 164. — Lacord. Brasilien  
Gen. Col. VIII, 1869, p. 509.

1

**Phygopoda** Thoms.

Thoms. Syst. Ceramb. 1864, p. 164. — Lacord. Gen. Col. VIII, 1869, p. 509.  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 327; Ann. Mag. Nat. Hist. (4)  
XI, 1873, p. 327.

- albitarsis** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Amazon.  
p. 475, t. 44, f. 12. — Bates, Trans. Ent. Soc.  
Lond. 1870, p. 327; Ann. Mag. Nat. Hist.  
(4) XI, 1873, p. 125.
- fugax** Thoms. Syst. Ceramb. 1864, p. 164. — Goun. Brasilien  
Ann. Soc. Ent. Fr. LXXX, 1911, p. 61.
- fulvitaris** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Cayenne  
p. 61 nota.
- nigritarsis** Goun l. c. p. 62 nota. Bahia
- subvestita** White, Cat. Col. Brit. Mus. VIII, 1855, p. 190. Tapajos  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 126;  
Ann. Mag. Nat. Hist. (4) XI, 1873, p. 126.

5

**Acorethra** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 126.

- aureofasciata** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Südbrasilien p. 62.
- chrysoaspis** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, Rio Janeiro p. 126.

2

**Phespia** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 127.

- cercerina** Bates, Trans. Ent. Soc. Lond. 1870, p. 325. Amazon.
- ✓ **corinna** Pasc. l. c. (3) V, 1866, p. 290. — Bates, Biol. Neugranada, C.-Amer. Col. V, 1885, p. 44, 290, t. 20, f. 25. Nicaragua
- ✓ **simulans** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, Südbrasilien p. 127.

3

**Tomopterus** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 544. — Thoms. Classif. Ceramb. 1860, p. 166; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 569. — Bates, Trans. Ent. Soc. Lond. 1870, p. 329.

- bispeculifer** White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos p. 190. — Bates, Trans. Ent. Soc. Lond. 1870, p. 330.
- consobrinus** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz p. 64.
- laticornis** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Rio Janeiro p. 469, t. 44, f. 1. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 129.
- ✓ **larroides** White, Cat. Col. Brit. Mus. VIII, 1855, p. 177, Tapajos — Bates, Trans. Ent. Soc. Lond. 1870, p. 330; Ann. Mag. Nat. Hist. (4) XI, 1873, p. 129.
- obliquus** Bates, Trans. Ent. Soc. Lond. 1870, p. 329. — Tapajos, Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 65. Goyaz

- ✓ **quadratipennis** Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 128. Rio Janeiro

- staphylinus** Serv. Ann. Soc. Ent. Fr. II, 1833, p. 545. Brasilien — White, Cat. Col. Brit. Mus. VIII, 1855, p. 176. — Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 128.

*pretiosus* Newm. Entomol. I, 1841, p. 21. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 176.

- ✓ **vespoides** White, l. c. p. 176, t. 5, f. 8. — Bates, Biol. Guatemala C.-Amer. Col. V, 1885, p. 291.

8

**Apostropha** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 130.

- curvipennis** Bates, l. c. Paraná

1

**Stenopseustes** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 131.

- aeger** Bates, l. c. Paraná  
**sericinus** Bates, Biol. C.-Amer. Col. V, 1880, p. 44; 1885, Mexico  
 p. 291, t. 20, f. 22.

2

**Xenocrasis** Bates.

Bates, Ann. Mag. Nat. Hist. (4) XI, 1873, p. 131.

- Badeni** Bates, l. c. p. 132. Rio Janeiro

1

**Catorthontus** Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 487.

- collaris** Waterh. l. c. Ecuador

1

**LVII. Hesthesini.**

Lacord. Gen. Col. VIII, 1869, p. 512.

**Hesthesis** Newm.

Newm. Ann. Nat. Hist. V, 1840, p. 17. — Thoms. Classif. Ceramb. 1860,  
 p. 167; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 512.

*Esthesis* Gemm. & Har. Cat. Col. IX, 1873, p. 2893.

- acutipennis** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, Neusüdwaales  
 p. 556. — Waterh. Aid identif. Ins. II, 1890,  
 t. 188, f. 5.  
**angulata** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 554. Südaustralien  
**auricomata** Newm. Ann. Nat. Hist. V, 1840, p. 16. — Lacord. Adelaide  
 Gen. Col. VIII, 1869, p. 478, nota 2 (Genus?).  
**bizonata** Newm. Ann. Nat. Hist. V, 1840, p. 17. — White, Neuholland  
 Cat. Col. Brit. Mus. VIII, 1855, p. 184.  
**cingulata** Kirby, Trans. Linn. Soc. Lond. XII, 1818, „  
 p. 472. — White, Cat. Col. Brit. Mus. VIII,  
 1855, p. 184.  
**ferruginea** Boisd. Voy. Astrol. Ent. II, 1835, p. 487. — Queensland  
 Haase, Bibl. Zool. VIII, 1892, t. 14, f. 124.  
**moerens** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 21. Sydney  
**murina** Pasc. l. c. (3) I, 1863, p. 555. Neusüdwaales  
**ornata** Saund. l. c. (2) I, 1850, p. 84, t. 1, f. 1. Hunters  
 River  
**plorator** Pasc. Journ. of Ent. I, 1862, p. 369. Melbourne  
**variegata** F. Syst. Ent. 1775, p. 199. — White, Cat. Neusüdwaales  
 Col. Brit. Mus. VIII, 1855, p. 184. — Haase,  
 Bibl. Zool. VIII, 1892, t. 14, f. 125.  
**vesparia** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 557. „  
**vigilans** Pasc. l. c. p. 556. „

13

## LVIII. Distichocerini.

Lacord. Gen. Col. VIII, 1869, p. 513.

### **Distichocera** Kirby.

Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 471. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 59. — Blanch. in Cuv. Règne anim. Ins. 1832, p. 484. — Cast. Hist. Nat. II, 1840, p. 414. — Newm. Proc. Zool. Soc. Lond. XX, 1852, p. 75; Ann. Mag. Nat. Hist. (2) XI, 1853, p. 253 (Monogr.). — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. VIII, 1869, p. 514.

- Frenchi** Blackb. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 200. Queensland
- Macleayi** Newm. Monogr. p. 81; p. 258. Neusüdwaless
- maculicollis** Kirby, Trans. Linn. Soc. XII, 1818, p. 417; Victoria,  
t. 23, f. 10. — Serv. Ann. Soc. Ent. Fr. III, Neusüd-  
1834, p. 59. — Cast. Hist. Nat. II, 1840, p. 414. waless
- Newm. Monogr. p. 75; p. 253.
- ♀ **ferruginea** Guér. Voy. Coquille II, 1828—32, p. 129. — Boisd. Voy. Astrol. Ent. II, 1835, p. 467.
- ♀ **fulvipennis** Newm. Ent. Mag. V, 1838, p. 492.
- ♀ **rubripennis** McLay, King Narrat. Surv. II, 1827, Append. p. 449.
- Biologie: Frogg. Proc. Linn. Soc. N. S. Wales (2) VIII, 1894, p. 31.
- par** Newm. Monogr. p. 78; p. 256. Südaustralien
- fuliginosa** Blanch. in Cuv. Règne anim. ed. Victoria
- Masson 1832, t. 66 bis, f. 4.
- superba** Poll, Notes Leyd. Mus. IX, 1887, p. 113. Neusüdwaless
- thomsonella** White, Ann. Mag. Nat. Hist. (3) III, 1859, p. 290; Proc. Zool. Soc. Lond. 1859, p. 122, t. 58, f. 6. „

6

### **Paradistichocera** Poll.

Poll, Notes Leyd. Mus. IX, 1887, p. 115.

- Kirbyi** Newm. Proc. Zool. Soc. Lond. XX, 1852, p. 79, t. 20; Ann. Mag. Nat. Hist. (2) XI, 1853, p. 257. — Neusüdwaless,  
Poll, Notes Leyd. Mus. VIII, 1886, p. 222. Queens-  
**mutator** Pasc. Journ. of Ent. I, 1862, p. 370. land

1

## LIX. Eroschemini.

Lacord. Gen. Col. VIII, 1869, p. 515.

### **Tethlimmena** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 185.

- aliena** Bates, l. c.; Biol. C.-Amer. Col. V, 1880, p. 45, t. 5, f. 1. Nicaragua
- basalis** Gahan, Trans. Ent. Soc. Lond. 1895, p. 111. St. Vincent
- Gahani** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 66. Goyaz

3

**Corennys** Bates.

Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 225.

*sericata* Bates, l. c. t. 1, f. 2.

Japan

1

**Pyrocalymma** Thoms.

Thoms. Syst. Ceramb. 1864, p. 159, 415. — Lacord. Gen. Col. VIII, 1869, p. 516. — Gah. Fauna Brit. India, Col. I, 1906, p. 88.

*conspicua* Gah. l. c. p. 89.

Birma

*pyrochroides* Thoms. Syst. Ceramb. 1864, p. 160. —  
Lacord. Gen. Col. VIII, 1869, p. 516. — Gah.  
Fauna Brit. India, Col. I, 1906, p. 89, f. 35.

Sikkim,  
Birma

2

**Eroschema** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 17. — Thoms. Syst. Ceramb. 1864, p. 415. — Lacord. Gen. Col. VIII, 1869, p. 516.

*Octavia* Thoms. Classif. Ceramb. 1860, p. 146.

*affine* Pasc. Trans. Ent. Soc. Lond. 1888, p. 497.

Queensland

*atricolle* Pasc. Journ. of Ent. II, 1865, p. 365.

Neuholland

*Poweri* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 17,  
t. 2, f. 2. — Haase, Bibl. Zool. VIII, 1892, t. 14,  
f. 107.

Sydney

*nigricolle* Thoms. Classif. Ceramb. 1860, p. 147.

3

**Chaodalis** Pasc.

Pasc. Journ. of Ent. II, 1865, p. 366. — Lacord. Gen. Col. VIII, 1869, p. 517.

*Macleayi* Pasc. Journ. of Ent. II, 1865, p. 367, t. 16, f. 1. —  
Lacord. Gen. Col. VIII, 1869, p. 518, t. 91, f. 1.

Neusüdwaes

1

**LX. Pyrestini.**

Lacord. Gen. Col. VIII, 1869, p. 518. — Gah. Fauna Brit. India, Col. I, 1906, p. 224.

**Pachylocerus** Hope.

Hope, Trans. Ent. Soc. Lond. I, 1834, p. 19. — Thoms. Syst. Ceramb. 1864, p. 446. — Lacord. Gen. Col. VIII, 1869, p. 519. — Gah. Fauna Brit. India, Col. I, 1906, p. 224.

*corallinus* Hope, Trans. Ent. Soc. Lond. J, 1834, p. 19, t. 2,  
f. 5. — Gah. Fauna Brit. India, Col. I, 1906, p. 225.

Ostindien

*crassicornis* Ol. Ent. IV, 67, 1795, p. 51, t. 20, f. 150. —  
Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 158. —  
Gah. Fauna Brit. India, Col. I, 1906, p. 226, f. 84.

„  
Ceylon

- plumifer* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96, t. 23, f. 5.
- parvus* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 69. Sumatra
- pilosus* Guér. Icon. règne anim. Ins. 1844, p. 230. — Rits. Java
- Notes Leyd. Mus. XII, 1890, p. 36.
- plagiatus* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 70. Sumatra
- sulcatus* Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, p. 240, t. 10, f. 4. — Gah. Fauna Brit. India, Siam, Assam, Birma, Südchina
- Col. I, 1906, p. 225. Birma
- unicolor* Dohrn, Stett. Ent. Zeit. XXXIX, 1878, p. 360; XLI, 1880, p. 149; XLIV, 1883, p. 158. — Gah. Fauna Brit. India, Col. I, 1906, p. 225.

7

**Pyrestes** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96; (3) III, p. 576. — Gah. Fauna Brit. India, Col. I, 1906, p. 227.

*Pyresthes* Thoms. Syst. Ceramb. 1864, p. 415. — Lacord. Gen. Col. VIII, 1869, p. 520.

- birmanica* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 16; Fauna Brit. India, Col. I, 1906, p. 228. Tenasserim
- cardinalis* Pasc. Journ. Ent. II, 1863, p. 50. Hongkong
- Dohertyi* Gah. Fauna Brit. India, Col. I, 1906, p. 229. Birma
- eximia* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 96, t. 22, f. 3; (3) III, 1869, p. 576. Borneo
- haematica* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 97. Nordchina
- hypomelaena*(as) Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 131. Yunnan
- miniata* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 97. — Gah. Fauna Brit. India, Col. I, 1906, p. 227. Nordindien
- nigricollis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 517. Penang
- polita* Pasc. l. c. p. 516, t. 42, f. 2. ..
- Pyrrhus* Gah. Fauna Brit. India, Col. I, 1906, p. 228, f. 85. Ostindien
- quinquesignata* Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 65. Nyenhangli
- rugicollis* Fairm. l. c. LXVIII, 1900, p. 642. China
- seapularis* Pasc. Proc. Zool. Soc. Lond. 1866, p. 516, t. 42, f. 5. Penang
- virgata* Pasc. l. c. p. 517, t. 42, f. 4. — Shelf. l. c. 1902, 2, p. 283, t. 23, f. 12. Penang, Borneo

14

**Cymaterus** Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 55.

- torridus* Pasc. l. c. Nordborneo

1

**Erythrus** White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 142. — Lacord. Gen. Col. VIII, 1869, p. 521. — Gah. Fauna Brit. India, Col. I, 1906, p. 229.

*Disidaema* Thoms. Classif. Ceramb. 1860, p. 147; Syst. Ceramb. 1864, p. 415.

*Pseudoleptura* Thoms. *Classif. Ceramb.* 1860, p. 142, 148; *Syst. Ceramb.* 1864, p. 414.

- apiculatus* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 515. Penang  
var. ? *Shelf. l. c.* 1902, 2, p. 283, t. 23, f. 8. Borneo
- assimilis* Auriv. *Arkiv f. Zool.* VII, 3, 1910, p. 9. "
- atricollis* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 515. Penang
- axillaris* Auriv. *Arkiv f. Zool.* VII, 3, 1910, p. 8. Borneo
- biapicatus* Gah. *Proc. Zool. Soc. Lond.* 1902, 2, p. 376, t. 23, f. 19. — *Shelf. l. c.* 1902, 2, p. 283, t. 23, f. 19. "
- bicolor* Westw. *Cab. Orient. Ent.* 1848, p. 60, t. 29, f. 9. —  
Schaum, *Archiv Naturgesch.* XV, 1849, I, p. 171. Assam,  
— Gah. *Fauna Brit. India*, Col. I, 1906, p. 230. Bhutan,  
Sikkim
- bimaculatus* Auriv. *Arkiv f. Zool.* VII, 3, 1910, p. 8. Borneo
- Championi* White, *Cat. Col. Brit. Mus.* VII, 1853, p. 142, t. 4, f. 4. Hongkong
- coccineus* Gah. *Fauna Brit. India*, Col. I, 1906, p. 231. Norindien
- congruus* Pasc. *Journ. Ent.* 11, 1863, p. 51. Hongkong
- formosanus* Bates, *Proc. Zool. Soc. Lond.* 1866, p. 350. Formosa
- Fortunei* White, *Cat. Col. Brit. Mus.* VII, 1853, p. 142. —  
Thoms. *Classif. Ceramb.* 1860, p. 148. Nordehina
- ignitus* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 514. Penang
- lacertosus* Pasc. *l. c.* p. 515. "
- laticornis* Fairm. *Ann. Soc. Ent. Belg.* XXXIX, 1895, p. 180. Tonkin
- ligystropteroides* Lansb. *Notes Leyden Mus.* VI, 1884, p. 92. — *Rits. l. c.* XVI, 1894, p. 159. Sumatra
- palliatius* Lansb. *l. c.* VI, 1884, p. 91. "
- Rothschildi* Rits. *l. c.* XVI, 1894, p. 157. Java
- rotundicollis* Gah. *Proc. Zool. Soc. Lond.* 1902, 2, p. 275, t. 23, f. 6. Borneo
- sternalis* Gah. *l. c.* t. 23, f. 7. "
- viridipeennis* Gah. *l. c.* p. 276, t. 23, f. 58. "
- Westwoodi* White, *Cat. Col. Brit. Mus.* VII, 1853, p. 143. Himalaya,  
— Gah. *Fauna Brit. India*, Col. I, 1906, p. 231, f. 86. Nordindien

22

### **Erythresthes** Thoms.

Thoms. *Syst. Ceramb.* 1864, p. 158. — Lacord. *Gen. Col.* VIII, 1869, p. 522.

- Bowringi* Pasc. *Journ. Ent.* II, 1863, p. 52. — Thoms. Hongkong  
*Syst. Ceramb.* 1864, p. 159. — Waterh. *Aid*  
*identif. Ins.* II, 1890, t. 188, f. 1.

1

### **Mioeris** Fairm.

Fairm. *Bull. Soc. Ent. Fr.* 1902, p. 245.

- nigroseutatus* Fairm. *l. c.* — Pic, *Longic.* VI, 2, 1907, p. 24. Yunnan

1

### **Plutonesthes** Thoms.

Thoms. *Syst. Ceramb.* 1864, p. 160. — Lacord. *Gen. Col.* VIII, 1869, p. 522.  
— Pasc. *Trans. Ent. Soc. Lond.* (3) III, 1869, p. 577.

- amoena* Pasc. *l. c.* p. 577. Singapore
- crocata* Pasc. *Proc. Zool. Soc. Lond.* 1866, p. 514, t. 42, f. 2. — Lacord. *Gen. Col.* VIII, 1869, t. 91, f. 2. Penang



**Euryarthrum** Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 149. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 578.

*Blemmya* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 42. — Thoms. Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. VIII, 1869, p. 526.

- \* **albocinctum** Blanch. Hist. Nat. Ins. II, 1845, p. 170. — Singapore  
Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 579.
- Whitei* Pasc. l. c. (2) IV, 1856, p. 42, t. 16, f. 6. Borneo  
— Lacord. Gen. Col. VIII, 1869, t. 91, f. 3.
- atripenne** Pasc. Proc. Zool. Soc. Lond. 1866, p. 525. Penang
- \* **bifasciatum** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, Borneo  
p. 43; (3) III, 1869, p. 579.
- carinatum** Pasc. Proc. Zool. Soc. Lond. 1866, p. 524. Penang
- egenum** Pasc. l. c. p. 525. "
- interruptum** Pasc. l. c. p. 524. "
- Laubi** Pasc. l. c. "
- nodicolle** Pasc. l. c. t. 42, f. 7. "

8

**LXII. Pytheini.**

Thoms. Syst. Ceramb. 1864, p. 153 (ex parte). — Lacord. Gen. Col. VIII, 1869, p. 527.

**Pytheus** Newm.

Newm. Entomol. I, 1840, p. 14. — Thoms. Syst. Ceramb. 1864, p. 412.  
— Lacord. Gen. Col. VIII, 1869, p. 529.

*Erionispa* Chap. l. c. XI, 1875, p. 302. pl. 127, f. 1.

- jugosus** Newm. Entomol. I, 1840, p. 14. Neusüdwaies
- latebrosus** Newm. l. c. 1841, p. 95. Swan River  
var. *pallidus* White, Voy. Erebus and Terror,  
Ins. 1846, p. 19.
- pulcherrimus** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Moretonbay  
p. 28. — Lacord. Gen. Col. VIII, 1869, p. 529,  
t. 91, f. 4. — Lameere, Ann. Soc. Ent. Belg.  
XXVIII, 1884, p. 89. — Dohrn, Stett. Ent. Zeit.  
XLV, 1884, p. 282.
- Badeni* Chap. Gen. Col. XI, 1875, p. 302. pl. 127, f. 1.

3

**Titurius** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 63.

- calcaratus** Pasc. l. c. Neusüdwaies

1

**Brachytria** Newm.

Newm. Ann. Nat. Hist. V, 1840, p. 16. — Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 264. — Thoms. Classif. Ceramb. 1860, p. 185; Syst. Ceramb. 1864, p. 413. — Lacord. Gen. Col. VIII, 1869, p. 530.

- centralis** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 564. Port Denison
- gulosa** Newm. Ann. Nat. Hist. V, 1840, p. 16. — Saund. Tasmanien  
Trans. Ent. Soc. Lond. (2) I, 1851, p. 83, t. 4,

f. 3. — Blanch. Voy. Pôle Sud, Zool. IV, 1853,  
p. 265.

*depressa* Blanch. l. c. t. 17, f. 3.

*picta* Waterh. Ann. Mag. Nat. Hist. (4) XIX, 1877, p. 423.

Queensland

*thoracica* Poll, Notes Leyden Mus. IX, 1887, p. 233.

Victoria

*varia* Waterh. Ann. Mag. Nat. Hist. (4) XIX, 1877, p. 422.

Sydney

5

### **Pempsamaera** Newm.

Newm. Ent. Mag. V, 1838, p. 495. — Thoms. Syst. Ceramb. 1864, p. 413.  
— Lacord. Gen. Col. VIII, 1869, p. 530.

*Lepidisia* White, Cat. Col. Brit. Mus. VIII, 1855, p. 333.

*argentata* Pasc. Trans. Ent. Soc. Lond. 1888, p. 494.

Eclipsinsel

*condita* Pasc. l. c.

Queensland

*dispersa* Newm. Entomol. I, 1842, p. 354.

Port Philipp

*pygmaea* Newm. Zoolog. IX, 1851, p. 128.

Neusüdwaless

*bimaculata* White, Cat. Col. Brit. Mus. VIII, 1855,  
p. 333, t. 8, f. 9.

Queensland

*subaurea* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 564.

Sydney

*tillides* Newm. Ent. Mag. V, 1838, p. 496, fig. — Lacord.

Neusüdwaless

Gen. Col. VIII, 1869, p. 531, nota 1.

*vestita* Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 57.

Melbourne

7

### **Omophaena** Pasc.

Pasc. Journ. Ent. II, 1864, p. 230. — Lacord. Gen. Col. VIII, 1869, p. 531.

*Kreusleri* Pasc. Journ. Ent. II, 1864, p. 231, t. 11, f. 8.

Neuholland

*taeniata* Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,

„

p. 93.

2

### **Obrida** White.

White, Stoke's Discov. Austr. I, 1846, Append. p. 510. — Lacord. Gen.  
Col. VIII, 1869, p. 533.

*eomata* Pasc. Journ. Ent. II, 1863, p. 50.

Queensland

*fascialis* White, Stoke's Discov. Austr. I, 1846, p. 510,

Neusüdwaless

t. 2, f. 4. — Lacord. Gen. Col. VIII, 1869, p. 288.

2

### **Hadimus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 93.

*cartalloides* Fairm. l. c. p. 94.

Madagascar

1

### **Cartallum** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 94. — Muls. Col. Fr. Long. 1839,  
p. 96; ed. 2, 1862, p. 208. — Cast. Hist. Nat. II, 1840, p. 445. — Bach,  
Käferfauna III, 1856, p. 24. — Redt. Fauna Austr. ed. 2, 1858, p. 855;

- ed. 3, II, 1874, p. 412. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 150. — Ganglb. Best.-Tab. VII, 1882, p. 9 (687).
- ebulinum** L. Syst. Nat. ed. 12, 1767, p. 637. — F. Mant. Südeuropa,  
Ins. I, 1787, p. 151. — Ol. Enc. méth. Ins. V, Nordafrika,  
1790, p. 253. Syrien
- ebulinum* var.  $\alpha$  Muls. Col. Fr. Long. ed. 2, 1862, p. 269.
- nigricolle* Pic. Longic. I, 1891, p. 17.
- ab. *ruficolle* F. Spec. Ins. I, 1781, p. 236; Mant. Ins. I, 1787, p. 150. — Ol. Ent. IV, 70, 1795, p. 19, t. 2, f. 27. — Guér. Ieon. règne anim. Ins. 1830, t. 44, f. 5. — Muls. Col. Fr. Long. 1839, p. 96. — Cast. Hist. Nat. Ins. II, 1840, p. 445.
- ebulinum* Bach, Käferfauna III, 1856, p. 24. — Redt. Fauna Austr. ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 412. — Muls. Col. Fr. Long. ed. 2, 1862, p. 208. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 45, f. 207. — Ganglb. Best.-Tab. VII, 1882, p. 45 (723). — Jacobs. Käfer Russl. 1910, t. 64, f. 20.
- italicum* Gmel. Syst. Nat. I, 4, 1790, p. 1851.
- monspeliense* Gmel. l. c. p. 1842.
- tricolor* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 57. Biologie: Nambu, Rev. d'Ent. IX, 1890, p. 58; Ann. Soc. Linn. Lyon XL, 1893, p. 113; XLIV, 1897, p. 10; Moeurs & Métam. VII, 1899, p. 2; VIII, 1902, p. 208; Bull. Soc. Pyrén. Or. XLV, 1904, p. 45.
- thoracicum** Sharp, Ent. Month. Mag. XVI, 1880, p. 247. Arabien,  
*laevicolle* Pic, Echange XI, 1895, p. 76. Meso-  
potamien
- Denisoni** Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861, Insel Lifu  
p. 276 (Genus?).

3

## LXIII. Deilini.

Fairm. Gen. Col. d'Eur. IV, 1864, p. 154. — Lacord. Gen. Col. VIII, 1869, p. 534.

### Deilus Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 73. — Muls. Col. Fr. Long. 1839, p. 100; ed. 2, 1862, p. 199. — Cast. Hist. Nat. II, 1840, p. 440. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, 1874, p. 410. — Costa, Fauna Napoli, Col. II, 1855, Longic. p. 62. — Bach, Käferfauna III, 1856, p. 24. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 154. — Thoms. Syst. Ceramb. 1864, p. 412. — Lacord. Gen. Col. VIII, 1869, p. 537. — Ganglb. Best.-Tab. VII, 1882, p. 10 (658). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 182. — Stierl. Col. Helvet. II, 1898, p. 464.
- Deilosoma* Fairm. Gen. Col. d'Eur. IV, 1864, p. 804.
- Dilus* Gemm. & Har. Cat. Col. IX, 1873, p. 2899. — Bedel, Faune Col. Seine V, 1889, p. 7, 20. — Csiki, Rov. Lapok XI, 1904, p. 35.
- fugax** Ol. Enc. méth. Ins. V, 1790, p. 253; Ent. IV, Südeuropa,  
70, 1795, p. 30, t. 6, f. 69. — F. Ent. Syst. I, Mittelmeer-  
2, 1792, p. 323. — Muls. Col. Fr. Long. 1839, gebiet

p. 100; ed. 2, 1862, p. 191. — Germ. Fauna Ins. Eur. XXII, 1842, t. 9. — Cast. Hist. Nat. II, 1840, p. 440. — Küster, Käfer Eur. II, 1844, p. 56. — Redt. Fauna Austr. 1849, p. 490; ed. 2, 1858, p. 855; ed. 3, II, 1874, p. 410. — Costa, Fauna Regn. di Napoli, Col. II, 1855, Long. p. 62, t. 36, f. 3. — Bach, Käferfauna III, 1856, p. 25. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 46, f. 214. — Ganglb. Best.-Tab. VII, 1882, p. 45 (723). — Bedel, Faune Col. Seine V, 1889, p. 20, 65. — Seidl. Fauna Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 464. — Csiki, Rov. Lapok XI, 1904, p. 57. — Jacobs. Käfer Russl. 1910, t. 64, f. 21.

*ceramboides* Rossi, Mant. Ins. II, 1794, App. p. 99, t. 5, f. o.

Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 299, f. 464. — Xambeau, Rev. d'Ent. XVII, 1898, p. 48; Moeurs & Métam. VIII, 1902, p. 104; IX, 1901, p. 48.

*notula* Fauvel, Rev. d'Ent. XXV, 1906, p. 57.

Neu-  
caledonien

2

### **Delagrangus** Pic.

Pic, Bull. Soc. Ent. Fr. 1892, p. 93; Echange IX, 1893, p. 29.

*Edithia* Reitter, Wien. Ent. Zeit. XVIII, 1899, p. 160.

*angustissimus* Pic, Bull. Soc. Ent. Fr. 1892, p. 94; l. c. Syrien  
1899, p. 232.

*carbonarius* Reitter, Wien. Ent. Zeit. XVIII,  
1899, p. 161, 283, t. 4, f. 7.

1

### **Schizopleurus** Lacord.

Lacord. Gen. Col. VIII, 1869, p. 535.

*balteatus* Lacord. l. c. nota 1.

Nord-  
australien

1

### **Telocera** White.

White, Ann. Mag. Nat. Hist. (3) II, 1858, p. 354. — Thoms. Syst. Ceramb. 1864, p. 415. — Lacord. Gen. Col. VIII, 1869, p. 535.

*Wollastoni* White, Ann. Mag. Nat. Hist. (3) II, 1858, Queensland  
p. 355, fig. — Lacord. Gen. Col. VIII, 1869,  
p. 536, t. 91, f. 5.

1

### **Eburophora** White.

White, Cat. Col. Brit. Mus. VIII, 1855, p. 332. — Thoms. Syst. Ceramb. 1864, p. 413. — Lacord. Gen. Col. VIII, 1869, p. 538.

*Eburigera* Gemm. & Har. Cat. Col. IX, 1873, p. 2899.

- eburata** Pasc. Journ. Ent. II, 1865, p. 374. — Waterh. Australien  
Proc. Ent. Soc. Lond. 1874, p. 28.  
**octoguttata** White, Cat. Col. Brit. Mus. VIII, 1855, Victoria  
p. 332, t. 8, f. 7.  
2

## LXIV. Typhocesini.

Lacord. Gen. Col. VIII, 1869, p. 539.

### **Taphos** Pasc.

- Pasc. Journ. Ent. II, 1864, p. 236. — Thoms. Syst. Ceramb. 1864, p. 444.  
— Lacord. Gen. Col. VIII, 1869, p. 539.  
**aterrimus** Pasc. Journ. Ent. II, 1864, p. 236, t. 11, Südaustralien  
f. 7. — Lacord. Gen. Col. VIII, 1869, p. 540.  
t. 91, f. 6.  
1

### **Typhocesis** Pasc.

- Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 561. — Thoms. Syst. Ceramb.  
1864, p. 422. — Lacord. Gen. Col. VIII, 1869, p. 540.  
**adpersa** Blackb. Trans. R. Soc. S. Austr. XIX, 1895, Queensland  
p. 59.  
**floccosa** Poll, Notes Leyd. Mus. IX, 1887, p. 116.  
**Macleayi** Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 562, Port Denison  
t. 23, f. 4. — Lacord. Gen. Col. VIII, 1869,  
p. 541, t. 92, f. 1.  
3

### **Hemesthocera** Newm.

- Newm. Zoolog. VIII, 1850, Append. p. 111. — Thoms. Syst. Ceramb. 1864,  
p. 422. — Lacord. Gen. Col. VIII, 1869, p. 542.  
**flavilinea** Newm. Zoolog. VIII, 1850, Append. p. 111. Nord-  
— White, Cat. Col. Brit. Mus. VIII, 1855, australien  
p. 212, t. 6, f. 2.  
1

### **Bixorestes** Pasc.

- Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 315. — Lacord. Gen. Col.  
VIII, 1869, p. 541.  
**illustris** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Südafrika  
p. 192.  
**doctus** White, Cat. Col. Brit. Mus. VIII, 1855,  
p. 267.  
1

**LXV. Callichromini.**

Lacord. Gen. Col. IX, 1869, p. 1. — Gah. Fauna Brit. India, Col. I, 1906, p. 189.

**Polyschisis** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 564. — Cast. Hist. Nat. II, 1840, p. 432. — Thoms. Classif. Ceramb. 1860, p. 371; Syst. Ceramb. 1864, p. 419. — Lacord. Gen. Col. IX, 1869, p. 5.

- ✓ **hirtipes** Ol. Enc. méth. VII, 1792, p. 460; Ent. IV, 67, Cayenne  
1795, p. 36, t. 20, f. 157. — Cast. Hist. Nat.  
II, 1840, p. 432. — Lacord. Gen. Col. IX, 1869,  
p. 6.  
**melanaria** White, Cat. Col. Brit. Mus. VII, 1853, p. 145, Brasilien  
t. 4, f. 6. — Lacord. Gen. Col. IX, 1869, p. 6,  
nota 1.  
**rufitarsis** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, Sarayacu  
p. 294. — Goun. Ann. Soc. Ent. Fr. LXXX,  
1911, p. 67.

3

**Amphionthe** Bates.

Bates, Cist. Ent. II, 1879, p. 395.

- brevicollis** Bates, Biol. C.-Amer. Col. V, 1885, p. 291, t. 20, Mexico  
f. 23.  
✓ **doris** Bates, Cist. Ent. II, 1879, p. 396. Columbien

2

**Hypargyra** Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 303.

- cribripennis** Gah. l. c. p. 304, t. 9, f. 2. Mamboia  
**similis** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 44. Ostafrika

2

**Jonthodes** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 558. — Thoms. Classif. Ceramb. 1860, p. 168; Syst. Ceramb. 1864, p. 421. — Lacord. Gen. Col. IX, 1869, p. 6.

- amabilis** Hope, Ann. Nat. Hist. XI, 1843, p. 367. — Jord. Sierra Leone  
Nov. Zool. XVI, 1909, p. 310.  
**formosa** Serv. Ann. Soc. Ent. Fr. II, 1833, p. 559. Senegal  
**sculptilis** White, Cat. Col. Brit. Mus. VII, 1853, p. 151. — Südafrika  
Dist. Ins. Transv. 1904, p. 117, t. 10, f. 20.

3

**Compsomera** White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 152. — Thoms. Syst. Ceramb. 1864, p. 421. — Lacord. Gen. Col. IX, 1869, p. 7.

- Ansongei** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 43; in Uganda  
Ansonge, Under the Afr. Sun 1899, p. 318, t. 1,  
f. 3.

- eyaneonigra** Fairm. in Revoil, Faune et Flore Çomalis, Col. 1882, p. 97. Südabessinien
- elegantissima** White, Cat. Col. Brit. Mus. VII, 1853, p. 152, t. 4, f. 7. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 57. — Lacord. Gen. Col. IX, 1869, p. 7, t. 92, f. 2. — Dist. Ins. Transvaal. 1904, p. 118, t. 10, f. 14. Südafrika
- leprosa* Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 17.
- var. *insignis* Auriv. Ent. Tidskr. VIII, 1887, p. 196. Damara
- fenestrata** Gerst. Archiv Naturgesch. XXXVII, 1871, I, p. 77; Deeken's Reise III, 2, 1873, p. 254, t. 12, f. 3. Ostafrika
- nigricollis** Gah. Trans. Ent. Soc. Lond. 1890, p. 305. Mamboia
- speciosissima** Gerst. Monatsb. Berl. Acad. 1855, p. 265; Peters' Reise, Ins. 1862, p. 322, t. 19, f. 7. Mossambik
- 6

### Coloborhombus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 486. — Lacord. Gen. Col. IX, 1869, p. 7.
- Colobus* Serv. Ann. Soc. Ent. Fr. II, 1833, p. 554. — Cast. Hist. Nat. II, 1840, p. 437. — Thoms. Classif. Ceramb. 1860, p. 146; Syst. Ceramb. 1864, p. 420.
- Nothopeus* Pasc. Journ. Ent. II, 1864 Dez., p. 287. — Gah. Fauna Brit. India, Col. I, 1906, p. 202.
- auricomus** Rits. Notes Leyden Mus. XII, 1890, p. 247. Java
- cingalensis** White, Cat. Col. Brit. Mus. VIII, 1855, p. 175. Ceylon
- Gah. Fauna Brit. India, Col. I, 1906, p. 294 nota.
- fasciatipennis** Waterh. Trans. Ent. Soc. Lond. 1885, p. 369, t. 10, f. 12. Borneo
- fulvus** Bates, Cist. Ent. II, 1879, p. 395. — Gah. Fauna Brit. India, Col. I, 1906, p. 203. Sikkim,
- hemipterus** Ol. Ent. IV, 67, 1795, p. 127, t. 23, f. 181. — F. Syst. El. II, 1801, p. 310. — Cast. Hist. Nat. II, 1840, p. 437. — Gah. Fauna Brit. India, Col. I, 1906, p. 203, f. 78. Assam
- intermedius** Gah. Proc. Zool. Soc. Lond. 1902, 2, p. 277, t. 19, f. 21. Java
- sericeus** Saund. Trans. Ent. Soc. Lond. (2) II, 1853, p. 111, t. 4, f. 2. Borneo
- tibialis** Rits. Notes Leyd. Mus. XVI, 1895, p. 159. — Gah. Fauna Brit. India, Col. I, 1906, p. 204. Shanghai
- 8

### Asmedia Pasc.

- Pasc. Proc. Zool. Soc. Lond. 1866, p. 525. — Lacord. Gen. Col. IX, 1869, p. 8.
- mimetes** Pasc. Proc. Zool. Soc. Lond. 1866, p. 526, t. 41, f. 11. — Lacord. Gen. Col. IX, 1869, p. 9. Penang

**Niraeus** Newm.

Newm. Mag. Nat. Hist. (2) IV, 1840, p. 194. — Thoms. Syst. Ceramb. 1864, p. 420. — Gah. Fauna Brit. India, Col. I, 1906, p. 193.

*Euchroa* Guér. in Deless. Voy. Ind. II, 1843, p. 56.

**tricolor** Newm. Mag. Nat. Hist. (2) IV, 1840, p. 194. — Tenasserim  
Gah. Fauna Brit. India, Col. I, 1906, p. 194.

*dimidiata* Guér. in Deless. Voy. Ind. II, 1843, p. 57, t. 14, f. 1.

1

**Zonopterus** Hope.

Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 110. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 420. — Lacord. Gen. Col. IX, 1869, p. 9. — Gah. Fauna Brit. India, Col. I, 1906, p. 190.

**Boschae** Rits. Notes Leyden Mus. XVI, 1894, p. 107. Borneo

**Corbetti** Gah. Fauna Brit. India, Col. I, 1906, p. 192. Birma

**consanguineus** Rits. Notes Leyden Mus. XI, 1889, p. 10. Himalaya,  
Südüdindien

**diversus** Gah. l. c. p. 193. Ceylon

✓ **flavitaris** Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 111, t. 10, f. 7. — Rits. Notes Leyden Mus. XII, 1890, p. 174. — Gah. Fauna Brit. India, Col. I, 1906, p. 191, f. 75. Assam

**grandis** Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 31. Malacca

**imitans** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 10. Borneo

**magnificus** Bates, Proc. Zool. Soc. Lond. 1889, p. 391; Whitehead, Explor. Kina Balu 1893, p. 295, tab., f. 11. "

**Redemanni** Nonfr. Deutsche Ent. Zeitschr. 1891, p. 274. Ceylon

— Gah. Fauna Brit. India, Col. I, 1906, p. 192.

**scabricollis** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 311. Sumatra

**unifasciatus** Rits. Bull. Mus. Paris II, 1897, p. 376. Annam

11

**Euchitonia** Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 8.

✓ **superba** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 10. Borneo

**suspecta** Rits. Notes Leyden Mus. VII, 1885, p. 125, t. 4, f. 5. — Kolbe, Stett. Ent. Zeit. LV, 1894, p. 8. Java

2

**Pachyteria** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 553. — Cast. Hist. Nat. II, 1840, p. 419. — Thoms. Classif. Ceramb. 1860, p. 168; Syst. Ceramb. 1864, p. 420. — Lacord. Gen. Col. IX, 1869, p. 10. — Rits. Tijdschr. Ent. XXXII, 1889, p. XXX; Notes Leyden Mus. XII, 1890, p. 175 (Katalog). — Gah. Fauna Brit. India, Col. I, 1906, p. 194. — Ross. Internat. Ent. Zeitschr. IV, 1910, p. 153 (Liste).

**affinis** Rits. Notes Leyden Mus. III, 1881, p. 35; X, 1888, p. 191. Java

**apicalis** Poll, l. c. XI, 1889, p. 219, t. 10, f. 1. Borneo

- basalis** Waterh. Ann. Mag. Nat. Hist. (5) II, 1878, p. 137. Borneo  
*polychroma* Har. Col. Hefte XVI, 1879, p. 228.
- Batesi** Rits. Notes Leyden Mus. XV, 1893, p. 14. „
- bicolor** Parry, Trans. Ent. Soc. V, 1849, p. 182, t. 18, Java  
 f. 5. — Fry, Notes Leyden Mus. X, 1888, p. 180.
- borneensis** Rits. l. c. XIV, 1892, p. 218. Sarawak
- Borrei** Rits. l. c. X, 1888, p. 178. Java
- Bouvieri** Rits. Bull. Mus. Paris II, 1896, p. 330. Siam
- calumniata** Rits. Notes Leyden Mus. XII, 1890, p. 166. Südüindien  
 — Gah. Fauna Brit. India, Col. I, 1906, p. 196.  
*fasciata* Voet, Cat. Col. II, 1778, p. 14, t. 11,  
 f. 49 A. — Herbst in Füessly, Archiv V, 1784,  
 p. 89, t. 25, f. 5.
- chrysogaster** Rits. Notes Leyden Mus. X, 1888, p. 195, Java,  
 XI, 1889, t. 10, f. 4. — Gah. Fauna Brit. India, Ceylon  
 Col. I, 1906, p. 197.
- dimidiata** Westw. Cabin. Or. Ent. 1848, p. 60, t. 29, Assam  
 f. 8. — Gah. Fauna Brit. India, Col. I, 1906,  
 p. 196.
- diversipes** Rits. Notes Leyden Mus. XII, 1890, p. 170. Cochinchina
- equestris** Newm. Entomol. I, 1841, p. 79. — Pasc. Proc. ?  
 Zool. Soc. Lond. 1866, p. 518.
- Evertsi** Rits. Notes Leyden Mus. X, 1888, p. 187. Sumatra
- fasciata** F. Syst. Ent. 1775, p. 168. — Ol. Ent. IV, 67, Ostindien,  
 1795, p. 19, t. 1, f. 4. — Cast. Hist. Nat. II, Ceylon,  
 1840, p. 420. — Rits. Notes Leyden Mus. XII, Siam  
 1890, p. 164. — Gah. Fauna Brit. India, Col. I,  
 1906, p. 195, f. 76.
- populnea* Schröter, Abhandl. I, 1776, p. 349,  
 t. 3, f. 1.
- voluptuosa* Thoms. Syst. Ceramb. 1865, p. 568.
- Hageni** Rits. Notes Leyden Mus. X, 1888, p. 185. Sumatra
- Hügeli** Dist. Ann. Mag. Nat. Hist. (5) VII, 1881, p. 298. — Java  
 Waterh. Aid identif. Ins. I, 1881, t. 36.
- insignita** Pasc. Proc. Zool. Soc. Lond. 1866, p. 520. Penang
- javana** Bates, Cist. Ent. II, 1879, p. 396. Java
- puncticollis* Rits. Notes Leyden Mus. III, 1881,  
 p. 33, 83.
- Lambi** Pasc. Proc. Zool. Soc. Lond. 1866, p. 519, t. 43, f. 6. Penang
- lugubris** Rits. Notes Leyden Mus. XIV, 1892, p. 215. Nias
- melancholica** Rits. Notes Leyden Mus. XXI, 1909, Sumatra  
 p. 189.
- Moultoni** Ariv. Arkiv f. Zool. VII, 3, 1910, p. 11. Borneo
- niassensis** Gah. Notes Leyden Mus. XII, 1890, p. 161. Nias
- Nieuwenhuisi** Rits. l. c. XXX, 1909, p. 248. Borneo
- Oberthuri** Rits. l. c. X, 1888, p. 190. Sumatra
- ochracea** Waterh. Ann. Mag. Nat. Hist. (5) II, 1878, Borneo  
 p. 136.
- parallela** Rits. Notes Leyden Mus. III, 1881, p. 36. Java?
- Pasteuri** Rits. l. c. XIV, 1892, p. 213: XV, 1893, p. 16. Nias
- Pryeri** Rits. l. c. X, 1888, p. 183. Borneo
- ruficollis** Waterh. Ann. Mag. Nat. Hist. (5) II, 1878, „  
 p. 137.
- collaris* Harold. Col. Hefte XVI, 1879, p. 228.
- rugosicollis** Rits. Notes Leyden Mus. III, 1881, p. 31. Java
- similis** Rits. l. c. XII, 1890, p. 171. Cochinchina
- Sheepmakeri** Rits. l. c. III, 1881, p. 38. Java
- speciosa** Pasc. Proc. Zool. Soc. Lond. 1866, p. 519, t. 43, f. 5. Penang

- spinicollis** Pasc. l. c. t. 43, f. 4. Penang  
**strumosa** Pasc. l. c. p. 520, t. 43, f. 3. ”  
**superba** Gestro, Ann. Mus. Civ. Genova (2) VI, 1888, Birma  
 p. 128.  
**Vandepolli** Rits. Notes Leyden Mus. XI, 1889, p. 49, Malacca  
 t. 10, f. 2.  
 ✓ **virescens** Pasc. Proc. Zool. Soc. Lond. 1866, p. 519, Penang  
 t. 43, f. 2.  
 40

### **Xanthospila** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 77.

- ✓ **flavoplagiata** Fairm. l. c.; Ann. Soc. Ent. Fr. (6) VII, Somaliland  
 1887, p. 333.  
 1

### **Cataphrodisium** Auriv.

Auriv. Arkiv f. Zool. III, 18, 1907, p. 8.

- latemaculata** Pic, Longic. IV, 1, 1902, p. 29. China  
**rubripenne** Hope, Trans. Linn. Soc. Lond. XIX, 1843, Assam,  
 p. 110, t. 10, f. 6. — Gah. Fauna Brit. India, China  
 Col. I, 1906, p. 210. — Auriv. Arkiv f. Zool.  
 III, 18, 1907, p. 8.  
 ab. *magnifica* Pic, Longic. IV, 1, 1902, p. 29; China  
 VIII, 1, 1911, p. 20.  
 2

### **Aphrodisium** Thoms.

Thoms. Syst. Ceramb. 1864, p. 173. — Lacord. Gen. Col. IX, 1869, p. 11.  
 — Gahan, Fauna Brit. India, Col. I, 1906, p. 205.

- Albardae** Rits. Notes Leyden Mus. X, 1888, p. 193: Java  
 XI, 1889, t. 10, f. 3; XVIII, 1896, p. 130.  
*Fruhstorferi* Kolbe, Stett. Ent. Zeit. LV, 1894,  
 p. 11.  
 ✓ **Cantori** Hope, Trans. Linn. Soc. Lond. XVIII, 1840, Assam  
 p. 440, t. 30, f. 3. — Thoms. Syst. Ceramb. 1864,  
 p. 173. — Gah. Fauna Brit. India, Col. I, 1906,  
 p. 205.  
**cribricolle** Poll, Notes Leyden Mus. XII, 1890, p. 157. — Sikkim  
 Gah. Fauna Brit. India, Col. I, 1906, p. 207.  
**Delatouchei** Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, China  
 Bull. p. 162; LXVIII, 1899, p. 642; Tijdschr.  
 Ent. XXXII, 1889, p. XXXII.  
 ✓ **Griffithi** Hope, Trans. Linn. Soc. XVIII, 1840, p. 440, Assam  
 t. 30, f. 2. — Gah. Fauna Brit. India, Col. I,  
 1906, p. 209.  
*zonopteroïdes* Fleut. Ann. Soc. Ent. Fr. (6) VII, Hué  
 1887, p. 66, t. 4, f. 6.  
**hardwickianum** White, Cat. Col. Brit. Mus. VII, 1853, Nepal  
 p. 162. — Gah. Fauna Brit. India, Col. I, 1906,  
 p. 208.  
**neoxenum** White, Cat. Col. Brit. Mus. VII, 1853, p. 154. — Assam  
 Gah. Fauna Brit. India, Col. I, 1906, p. 208.

- planicolle** Poll, Notes Leyden Mus. XII, 1890, p. 155. Darjeeling  
 — Gah. Fauna Brit. India, Col. I, 1906, p. 206,  
 f. 79.  
**robustum** Bates, Cist. Ent. II, 1879, p. 408. — Gah. Nordindien,  
 Fauna Brit. India, Col. I, 1906, p. 269. Sikkim  
**saxosicolle** Fairm. Bull. Soc. Ent. Fr. 1902, p. 245. Yunnan  
**semignitum** Chevr. Rev. Zool. 1841, p. 227. Manila

11

**Hexamitodera** Heller.

- Heller, Abhandl. u. Ber. Mus. Dresden VI, 3, 1896, p. 22.  
**semivelutina** Heller, l. c. tab., f. 17. Celebes

1

**Eugoides** Auriv.

- Auriv. Arkiv f. Zool. I, 1904, p. 314.  
**coeruleipennis** Auriv. l. c. p. 315. Ostafrika

1

**Eugoa** Fährs.

- Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 57. — Jord. Nov.  
 Zool. I, 1894, p. 158.  
**Dalmani** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Kaffernland  
 1872, p. 57. — Dist. Ins. Transv. 1904, p. 118,  
 t. 10, f. 12.  
**ruficus** Gerst. Monatsb. Berl. Akad. 1855, p. 265: Mossambik  
 Peters' Reise Mossamb. Ins. 1862, p. 321, t. 19,  
 f. 5. — Kolbe, Berl. Ent. Zeitschr. XLV, 1900,  
 p. 301, t. 4, f. 3.

2

**Dictator** Thoms.

- Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 32.  
*Omoptycha* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 132. —  
 Jord. Nov. Zool. I, 1894, p. 158.  
**Falkensteini** Quedf. Berl. Ent. Zeitschr. XXVII, 1883, Chinchoxo  
 p. 133, t. 1, f. 2 (= *postulatus?*).  
**mirabilis** Jord. Nov. Zool. I, 1894, p. 159. Westafrika  
**postulatus** Thoms. Rev. Mag. Zool. (3) VI, 1878, p. 33. „  
**regius** F. Syst. El. II, 1801, p. 269. „  
*Clementsii* Jord. Nov. Zool. I, 1894, p. 158, Sierra Leone  
 t. 9, f. 5.

4

**Bradynemis** Waterh.

- Waterh. Trans. Ent. Soc. Lond. 1877, p. 11.  
**anomala** Waterh. l. c. p. 12. Penang  
**velutina** Waterh. l. c. Penang?

2

**Phylloenema** Thoms.

Thoms. Classif. Ceramb. 1860, p. 171; Syst. Ceramb. 1864, p. 419. — Lacord.  
Gen. Col. IX, 1869, p. 13.

- analis** Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 676. Kibanga
- gloriosa** Péring. Ann. S. Afr. Mus. I, 1899, p. 321, t. 7, f. 1. Zambesi
- Gueinzi** White, Cat. Col. Brit. Mus. VII, 1853, p. 165, t. 4, f. 8. — Thoms. Classif. Ceramb. 1860, p. 171. Natal  
— Dist. Ins. Transv. 1904, p. 118, t. 10, f. 13.
- ab. *rufithorax* Auriv. Ent. Tidskr. VIII, 1887, p. 195. Damara
- janthina** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 59. Dukifluss
- latipes** Degeer, Mém. Ins. VII, 1778, p. 655, t. 49, f. 3. Kapland,  
— Herbst in Füessly, Archiv VII, 1786, p. 169, Südafrika  
t. 45, f. 11. — F. Ent. Syst. I, 2, 1792, p. 254. bis Angola  
— Ol. Ent. IV, 67, 1795, p. 35, t. 16, f. 116. —  
Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 58. — Dist. Ins. Transv. 1904, p. 119, t. 10, f. 16. — Heyne, Exot. Käfer 1906, p. 239, t. 36, f. 9.
- platypus** Gmel. Syst. Nat. IV, 1, 1790, p. 1827.
- Melanianthe** White, Cat. Col. Brit. Mus. VII, 1853, p. 165. Natal
- Raffrayi** Thoms. Rev. Mag. Zool. (3) V, 1877, p. 278; (3) VI, 1878, p. 68. Delagoa,  
Zanzibar
- miriflea** Pasc. Journ. Ent. II, 1864, p. 286, t. 13, f. 4. Natal,  
*Holubi* Dohrn, Stett. Ent. Zeit. XLII, 1881, p. 90. Transvaal  
*pretiosa* Péring. Trans. S. Afr. Phil. Soc. (2) VI, bis Zambesi  
1892, p. 130; Ann. S. Afr. Mus. I, 1899, p. 321.  
— Dist. Ins. Transv. 1904, p. 119, t. 10, f. 17.
- nigricollis** Kolbe, Deutsch-Ostafrika, Col. IV. 1897, p. 301. Brit.-  
Ostafrika
- pedatrix** Kolbe, l. c. Zanzibar
- petalophora** Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, p. 148; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 332. Ostafrika
- remex** Thoms. Syst. Ceramb. 1865, p. 568. Kaffernland
- remipes** Thoms. l. c. p. 569. Südafrika
- semifulva** Bates, Cist. Ent. II, 1879, p. 396. Angola
- semianthina** Fairm. Faune et Flore Comalis, Col. 1882, p. 98. Somali
- speciosa** Péring. Trans. S. Afr. Phil. Soc. (2) VI, 1892, p. 78. Deutsch-Süd-  
westafrika
- triangularis** Auriv. Ent. Tidskr. VIII, 1887, p. 193, fig. Damaraland
- viridicostata** Fairm. Ann. Soc. Ent. Belg. XXVI, 1882, Bull. p. 54. Zanzibar

17

**Phylloenemida** Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 321.

- manicana** Péring. l. c. Manicaland

1

**Mecosaspis** Thoms.

Thoms. Syst. Ceramb. 1864, p. 172. — Jord. Nov. Zool. I, 1894, p. 159.

*Mecospis* Lacord. Gen. Col. IX, 1869, p. 12.

*Mecothyreia* Kolbe, Deutsch-Ost-Afrika, Col. IV, 1897, p. 300.

- atripennis* Hope, Ann. Nat. Hist. XI, 1843, p. 368. Sierra Leone  
*auratipennis* Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 302. Ostafrika  
*Büttneri* Kolbe, Stett. Ent. Zeit. I, 1889, p. 132. Congo  
*chalybeata* White, Cat. Col. Brit. Mus. VII, 1853, p. 159. Westafrika  
*chrycina* Bates, Cist. Ent. II, 1879, p. 397. Sierra Leone  
*chrysogaster* Bates, l. c. p. 398. Kamerun  
*Croesus* Bates, l. c. p. 399. Gabun  
*dives* Pasc. Trans. Ent. Soc. Lond. 1888, p. 495. Delagoa-Bay  
*explanata* Bates, Cist. Ent. II, 1879, p. 399. Kamerun  
*femoralis* Hintz, Deutsche Ent. Zeitschr. 1910, p. 305. Togo  
*femorata* Auriv. Ent. Tidskr. XI, 1890, p. 205. Sierra Leone  
*fuliginosa* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 328. Quango  
*fuscocænea* Bates, Cist. Ent. II, 1879, p. 396. Kamerun  
*glabripennis* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 58; Deutsch-Ostafrika IV, 1897, Col. p. 300. Mpororo  
*laeta* Hope, Ann. Nat. Hist. XI, 1843, p. 368. — Jord. Cap Palmas  
 Nov. Zool. XVI, 1909, p. 311.  
*magnifica* Jord. l. c. I, 1894, p. 160, t. 9, f. 6. Westafrika  
*Mapanjae* Auriv. Ent. Tidskr. XI, 1890, p. 205. Kamerun  
*mina* Gah. Trans. Ent. Soc. Lond. 1890, p. 305. Sierra Leone  
*peregrina* Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 302. Ostafrika  
*plicaticollis* Quedf. l. c. XXVI, 1882, p. 327. Quango  
*plutina* Bates, Cist. Ent. II, 1879, p. 397. Kamerun  
*Peggei* Har. Col. Hefte XVI, 1879, p. 169. Angola  
*rufipes* Jord. Nov. Zool. I, 1894, p. 161. Goldküste  
 var. *chlorina* Auriv. Ent. Tidskr. XXIV, 1903, Kamerun  
 p. 261.  
*rugosa* Jord. Nov. Zool. I, 1894, p. 160. Goldküste  
*setulicollis* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 326. Quango  
 — Bates, Proc. Zool. Soc. Lond. 1890, p. 486.  
*severa* Thoms. Arch. Ent. II, 1858, p. 151. Gabun  
*strigicollis* Kolbe, Ent. Nachr. XXII, 1896, p. 9; Deutsch-Ost-Afrika IV, 1897, Col. p. 300. Usambara  
*subvestita* Bates, Cist. Ent. II, 1879, p. 398; Proc. Zool. Soc. Lond. 1890, p. 486. Angola,  
 Congo  
*tuberculecollis* Quedf. Berl. Ent. Zeitschr. XXXVI, 1891, Deutsch-Ostafrika  
 p. 169. Ostafrika  
*violacea* Thoms. Syst. Ceramb. 1864, p. 172. Großbassam  
*vividis* Jord. Nov. Zool. I, 1894, p. 161. Congo  
*Whytei* Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 742. Zentralafrika  
*Wirtzi* Hintz, Deutsche Ent. Zeitschr. 1910, p. 305. Togo  
*xanthopus* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 328. Westafrika

34

**Cumaltera** Jord.

Jord. Nov. Zool. I, 1894, p. 162.

*robusta* Jord. l. c.

Congo

1

**Dolichaspis** Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 306.

*caesarea* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 11. Congo*scutellata* Gah. Trans. Ent. Soc. Lond. 1890, p. 306. Angola(= *simulatrix?*).*simulatrix* Pasc. Trans. Ent. Soc. Lond. 1888, p. 495. Westafrika*strigosa* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 12. Goldküste

4

**Synaptola** Bates.

Bates, Cist. Ent. II, 1879, p. 400. — Jord. Nov. Zool. I, 1894, p. 162.

<b>armipes</b> Bates, Cist. Ent. II, 1879, p. 400.	Angola
<b>brevicornis</b> Bates, l. c.	Sierra Leone
<b>brevis</b> Jord. Nov. Zool. I, 1894, p. 163.	„
<b>chlorina</b> Bates, Cist. Ent. II, 1879, p. 401.	Kamerun
<b>cinereipes</b> Chev. Rev. Mag. Zool. (2) VIII, 1856, p. 437; Cent. Longic. 1858, nr. 48. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 51.	Altealabar
<b>debilis</b> Kolbe, Stett. Ent. Zeit. LV, 1894, p. 59; Deutsch- Ostafrika IV, 1897, Col. p. 300, t. 4, f. 40.	Britisch- Ostafrika
<b>heterocnemis</b> Gerst. Monatsb. Berlin. Akad. 1855, p. 265; Peters' Reise Mossamb. Ins. 1862, p. 320, t. 19, f. 3.	Mossambik
<b>minor</b> Jord. Nov. Zool. I, 1894, p. 163.	Goldküste
<b>mutica</b> Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 62.	Togo
<b>obtusa</b> Bates, Cist. Ent. II, 1879, p. 401.	Gabun
<b>orientalis</b> Auriv. Arkiv f. Zool. III, 18, 1907, p. 10.	Ostafrika
<b>pubiventris</b> Jord. Nov. Zool. I, 1894, p. 163.	Kuulu
<b>rugulosa</b> Bates, Cist. Ent. II, 1879, p. 401.	Kamerun
<b>violacea</b> Auriv. Arkiv f. Zool. III, 18, 1907, p. 10.	Deutsch- Ostafrika

14

**Hypatium** Thoms.

Thoms. Syst. Ceramb. 1864, p. 172. — Lacord. Gen. Col. IX, 1869, p. 13.

<b>coeruleans</b> Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, p. 148; Ann. Soc. Ent. Fr. (6) VII. 1887, p. 331.	Ostafrika
<b>eupreum</b> Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 58. — Dist. Ins. Transv. 1904, p. 119, t. 10, f. 19.	Natal
<b>Friesi</b> Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 58. — Dist. Ins. Transv. 1904, p. 120, t. 13, f. 7. — Auriv. Denkschr. Med.-Nat. Ges. Jena XIII, 1908, p. 431.	Natal, Transvaal, Damara- land
<b>opulentum</b> Klug, Doubl.-Verz. Seneg. Ins. 1842, p. 10. <i>nitidicolle</i> Guér. Icon. règne anim. Ins. 1844, p. 222. — Thoms. Syst. Ceramb. 1864, p. 172.	Senegal
<b>resplendens</b> Lansb. Notes Leyden Mus. VIII, 1836, p. 119.	Congo
<b>semiopaenum</b> Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 151.	Somali
<b>splendidum</b> Gah. Trans. Ent. Soc. Lond. 1890, p. 306.	Deutsch- Ostafrika
<b>suturale</b> Auriv. Deutsche Ent. Zeitschr. 1908, p. 211, t. 3, f. 2.	Benguela

8

**Mattania** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 147.

<b>maelicollis</b> Fairm. l. c.	Madagascar
---------------------------------	------------

I

**Philematium** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 171. — Lacord. Gen. Col. IX, 1869, p. 16.  
— Jord. Nov. Zool. I, 1894, p. 164.
- astaborieum** Thoms. Classif. Ceramb. 1860, p. 173. Weisser Nil  
**calcaratum** Chev. Rev. Mag. Zool. (2) VIII, 1856, p. 341; Altcalabar  
Centurie de Long. 1858, nr. 45. — Murr. Ann.  
Mag. Nat. Hist. (4) VI, 1870, p. 47.
- Currori** White, Cat. Col. Brit. Mus. VII, 1853, p. 155. Congo  
**dives** Har. Col. Hefte XVI, 1879, p. 168. Angola  
**femorale** Ol. Enc. méth. V, 1790, p. 297; Ent. IV, 67, Maskarenen  
1795, p. 29, t. 7, f. 45. — Cast. Hist. Nat. II,  
1840, p. 436. — Thoms. Syst. Ceramb. 1864,  
p. 171. — Künckel in Grandid. Hist. Madag. Col.  
1890, t. 48, f. 11.
- albitarsum* F. Syst. El. II, 1801, p. 267.  
*albotarsum* Weber, Obs. Ent. 1801, p. 86.  
*leucodactylum* Chev. Ann. Soc. Ent. Fr. (4) Cuba  
II, 1862, p. 25.
- festivum** F. Syst. Ent. 1775, p. 166. — Ol. Ent. IV, 67, Sierra Leone,  
1795, p. 30, t. 7, f. 44; t. 18, f. 44 b. Guadeloupe  
*festum* Gmel. Syst. Nat. I, 4, 1790, p. 1823.
- Greeffi** Karsch, Sitzb. Ges. Nat. Fr. Berlin 1881, p. 62. Insel  
S. Thomé  
Gabun  
Sierra Leone  
Kuilu  
Natal
- imperator** Thoms. Archiv. Ent. II, 1858, p. 153.  
**longiceps** Jord. Nov. Zool. I, 1894, p. 165.  
**Mocquerysi** Jord. l. c. p. 164.  
**natalense** Bates, Cist. Ent. II, 1879, p. 402.  
*albitarse* Fährs. Öfvers. Vet. Akad. Förh. XXIX,  
I, 1872, p. 59.
- nitidipenne** Gah. Trans. Ent. Soc. Lond. 1890, p. 307. Nyassa  
**sansibaricum** Gerst. Archiv Naturgesch. XXXVII, 1871, Ostafrika  
I, p. 77; Decken's Reise III, 2, 1873, p. 255,  
t. 12, f. 4.  
var. *transversale* Kolbe, Berl. Ent. Zeitschr. Mhonda  
XLV, 1900, p. 303.
- virens** L. Syst. Nat. ed. 10, 1758, p. 391; Mus. Lud. Ulr. Afrika?  
1764, p. 73.

14

**Otaromia** Auriv.

Auriv. Arkiv f. Zool. VII, 19, 1910, p. 2.

lugubris Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, Shoa  
p. 40.

1

**Aromia** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 559. — Muls. Col. Fr. Long. 1839,  
p. 36; ed. 2, 1863, p. 75. — Cast. Hist. Nat. II, 1840, p. 436. — Redt. Gatt.  
deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 843;  
ed. 3, II, 1874, p. 398. — Bach, Käferfauna III, 1856, p. 10. — Thoms.  
Syst. Ceramb. 1864, p. 419. — Lacord. Gen. Col. IX, 1869, p. 14. — Cox,  
Handb. Col. II, 1874, p. 311. — Ganglb. Best.-Tab. VII, 1881, p. 10 (688).  
— Bedel, Faune Col. Seine V, 1889, p. 6 (27). — Fowl. Col. Brit. Isl. IV,  
1889, p. 220. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181. — Stierl.

Col. Helv. II, 1898, p. 461. — Everts, Col. Neerl. II, I, 1901, p. 366, f. 104, I. — Csiki, Rov. Lapok XI, 1904, p. 36. — Houlb. Faune Armor. Ceramb. 1904, p. 51. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 275, 303 (Revision).

*Callichroma* Latr. Nouv. Dict. d'Hist. Nat. Deterv. ed. 2, V, 1816, p. 24 (ex parte); in Cuv. Règne anim. III, 1817, p. 341 (ex parte). — Schiödte, Nat. Tidskr. (3) II, 1864, p. 524. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 139. — Thoms. Skand. Col. VIII, 1866, p. 13.

*Cerambyx* Lam. Syst. Anim. sans Vert. 1801, p. 234.

*Cerambyx* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 229.

- basifemoralis** Pic, Longic. IV, 1, 1902, p. 29. China  
var. *distinctipes* Pic, l. c. V, I, 1904, p. 11; „  
VIII, 1, 1911, p. 19.
- ✓ **Bungi** Fald. Mém. Acad. Petersb. II, 1835, p. 433, t. 5, f. 5. — Lacord. Gen. Col. IX, 1869, p. 15 nota. Mongolei,  
— L. Heyd. Deutsche Ent. Zeitschr. XXX, 1886, Nordchina  
p. 288. — Reitter, Revis. p. 276.
- coreana** Fairm. Notes Leyd. Mus. XIX, 1897, p. 232. Korea
- ✓ **cyanicornis** Guér. Icon. règne anim. Ins. 1844, p. 222. Nordchina  
— Ganglb. Horae Soc. Ent. Ross. XXIV, 1890,  
p. 75. — Reitter, Revis. p. 276, nota 1.  
var. *ruficollis* Redt. Reise Novara, Col. 1868, Hongkong  
p. 194.
- Faldermanni** Saund. Trans. Ent. Soc. Lond. (2) II, 1850, Ostsibirien,  
p. 111, t. 4, f. 7. — Reitter, Revis. p. 277. Mongolei,  
China
- ✓ **moschata** L. Syst. Nat. ed. 10, 1758, p. 391: Fauna Suec. Europa  
ed. 2, 1761, p. 188. — Poda, Mus. Graec. 1761,  
p. 32. — Scop. Ent. Carn. 1763, p. 51, f. 165.  
— F. Syst. Ent. 1775, p. 165. — Bergstr. Nomencl.  
I, 1778, p. 13, t. 2, f. 2. — Leske, Naturg. I,  
1779, p. 428. — Barbut, Gen. Ins. Linn. 1781,  
p. 54, t. 5, f. 22. — Schrank, Enum. Ins. 1781,  
p. 131; Fauna Boica I, 2, 1798, p. 655. — Herbst  
in Borowsky, Naturg. VI, 1784, p. 126. — Laich.  
Verz. Tyrol. Ins. II, 1784, p. 10. — Rossi, Fauna  
Etr. I, 1790, p. 140. — Ol. Enc. méth. Ins. V,  
1790, p. 295; Ent. IV, 67, 1795, p. 23, t. 2, f. 7.  
— Martyn, Engl. Ent. 1792, t. 24, f. 7. —  
Donov. Brit. Ins. III, 1794, p. 60, t. 94, f. 2.  
— Donndorff, Europ. Fauna VIII, 1799, p. 548.  
— Payk. Fauna Suec. III, 1800, p. 53. — Marsh.  
Ent. Brit. I, 1802, p. 327. — Bechst. & Scharfenb.  
Forstins. I, 1804, p. 189. — Fischer, Entomogr.  
Ross. II, 1824, p. 236, t. 48, f. 1. — Gyllenh.  
Ins. Suec. I, 4, 1827, p. 47. — Steph. Ill. Brit.  
Ent. Mand. IV, 1831, p. 229; Man. 1839, p. 270.  
— Blanch. in Cuv. Règne anim. ed. Masson  
1832, t. 65, f. 8. — Curt. Brit. Ent. XVI, 1839,  
t. 738. — Muls. Col. Fr. Long. 1839, p. 37; ed. 2,  
1862, p. 76. — Shuck. Brit. Col. 1840, p. 65, t. 74,  
f. 4. — Cast. Hist. Nat. II, 1840, p. 436, t. 31,  
f. 3. — Redt. Fauna Austr. 1849, p. 480; ed. 2,  
1858, p. 843; ed. 3, II, 1874, p. 398. — Costa,  
Fauna Napoli, Col. II, 1855, Longic. p. 24. —  
Bach, Käferfauna III, 1856, p. 11. — Schiödte,  
Nat. Tidskr. (3) II, 1864, p. 524. — C. G. Thoms.  
Skand. Col. VIII, 1866, p. 14. — Cox, Handb.

- Col. II, 1874, p. 317. — Canglb. Best.-Tab. VII, 1882, p. 46 (724). — Bedel, Faune Col. Seine V, 1889, p. 28, 78. — Fowler, Col. Brit. Isl. IV, 1889, p. 221, t. 120, f. 2. — Scidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Stierl. Col. Helvet. II, 1898, p. 462. — Everts, Col. Neerl. II, 1, 1901 p. 367. — Csiki, Rov. Lapok XI, 1904, p. 123. — Houlb. Faune Armor. Ceramb. 1904, p. 51, f. 99. — Reitter, Revis. p. 275. — Jacobs. Käfer Russl. 1910, t. 68, f. 9.
- alata* Costa, Fauna Regn. di Napoli, Col. II, 1855, Longic. p. 25, t. 31, f. 5.
- chlorophana* Fischer, Entomogr. Ross. II, 1824, p. 237, t. 48, f. 5. — Motsch. Bull. Mosc. XVIII, 1845, p. 88, t. 3, f. 4.
- citrina* Voet, Cat. Col. II, 1778, p. 8, t. 6, f. 14.
- odorata* Degeer, Mém. Ins. V, 1775, p. 64.
- Biologie: Westw. Introd. Classif. Ins. I, 1839, p. 364, f. 44, 5—10. — Lefroy, Science Goss. 1873, p. 266, f. 170—171. — Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 266, f. 427, 428 (sep. p. 426). — Judeich, Forstins. II, 1, 1889, p. 579. — Planct, Natural. XII, 1899, p. 97, fig. — Xamb. Moeurs & Métam. VIII, 1902, p. 59.
- var. *ambrosiaca* Stev. Mém. Moscou II, 1809, p. 49. — Fischer, Entomogr. Ross. II, 1824, p. 236, t. 48, f. 2. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 190. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 226. — Matsum. Thous. Ins. Japan III, 1908, nr. 702, t. 53, f. 1. — Reitter, Revis. p. 276.
- rosarum* Costa, Fauna Napoli, Col. II, 1855, Longic. p. 26, t. 31, f. 4.
- ab. *auctumnalis* Westh. Käfer Westf. 1881, p. 241. — Everts, Deutsche Ent. Zeitschr. 1910, p. 537.
- ab. *binaeva* Reitter, Revis. p. 276.
- ab. *cuprata* Reitter, l. c. p. 275. — Pic, Longic. VIII, 1, 1911, p. 5.
- ab. *laevicollis* Reitter, Wien. Ent. Zeit. XXVI, 1907, p. 115.
- var. *melancholica* Reitter, l. c. XIV, 1895, p. 210; Revis. p. 276.
- ab. *nigra* Schilsky, Deutsche Ent. Zeitschr. 1889, p. 356. — Reitter, Revis. p. 275.
- ab. *nigrocyanea* Reitter, Revis. p. 275.
- ab. *picipes* Reitter l. c.
- var. *thoracica* Fischer, Entomogr. Ross. II, 1824, p. 236, t. 48, f. 3, 4. — Reitter, Revis. p. 276.
- ambrosiaca* Germ. Fauna Ins. Eur. V, 1822, t. 8. — Muls. Col. Fr. Long. 1839, p. 37. — Jacobs. Käfer Russl. 1910, t. 68, f. 10.
- rosarum* Lucas, Explor. Algér. Col. 1849, p. 488, t. 41, f. 9.
- pruinosa* Reitter, Wien. Ent. Zeit. XXII, 1903, p. 233; XXV, 1906, p. 276.
- Thea* Reitter, l. c. XIII, 1894, p. 306; XXV, 1906, p. 275.

Spanien,  
Kaukasus,  
Sibirien,  
Japan

Neapel.  
Sicilien  
Deutschland

Türkei  
Mähren.  
Bulgarien,  
Ural

Talysch

Ungarn

Südfrankreich

Mähren  
Südrußland,  
Kaukasus,  
Talysch

Algier

Kuldja

Azoren

**Callichroma** Latr.

Latr. Nouv. Diet. d'Hist. Nat. de Deterville ed. 2, V, 1816, p. 24; in Cuv. Règne anim. III, 1817, p. 341 (ex parte). — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 556. — Cast. Hist. Ins. II, 1840, p. 436. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 37. — Thoms. Classif. Ceramb. 1860, p. 168 (ex parte); Syst. Ceramb. 1864, p. 170, 419. — Lacord. Gen. Col. IX, 1869, p. 15. — Leng, Ent. Amer. II, 1886, p. 60, 61. — Jord. Nov. Zool. I, 1894, p. 165. — Ross, Internat. Ent. Zeitschr. IV, 1910, p. 59 (Katalog).

## Äthiopische Arten.

- adelpha** Thoms. Arch. Ent. II, 1858, p. 152. Gabun  
**afrum** L. Mant. Plant. 1771, p. 532. — Drury, Ill. Exot. Sierra Leone,  
 Ins. I, p. 88, t. 39, f. 4; Index 1773; ed. Westw. Goldküste,  
 I, 1837, p. 84, t. 39, f. 4. — F. Syst. Ent. 1775, Kamerun  
 p. 166. — Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 150.  
*assimile* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367.  
*atrum* F. Syst. El. II, 1801, p. 268.  
 var. *obsoletum* Jord. Nov. Zool. I, 1894, p. 165.  
**aureovittis** Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 250; Usambara  
 Deutsch-Ost-Afrika IV, 1897, Col. p. 302.  
**barbiventre** Bates, Proc. Zool. Soc. Lond. 1890, p. 486. Zentralafrika  
**basale** White, Cat. Col. Brit. Mus. VII, 1853, p. 157. Ashanti  
**Behanzini** Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 41. Assinien  
**calceatum** Auriv. Ent. Tidskr. XXIV, 1903, p. 262. Kamerun  
**chrysoaspis** Bates, Cist. Ent. II, 1879, p. 405. Gabun  
**chrysogrammum** Chev. Rev. Mag. Zool. (2) VII, 1855, Altcalabar  
 p. 514; Cent. Longic. 1858, nr. 33. — Thoms. Arch. Ent. II, 1858, p. 150. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 50.  
**collare** Jord. Nov. Zool. I, 1894, p. 167, t. 9, f. 7. Kuilu  
**coloratum** Jord. l. c. p. 169. „  
**concentricale** Jord. l. c. p. 166. „  
**conforme** Har. Col. Hefte XVI, 1879, p. 170. Angola  
**Conradsii** Auriv. Arkiv f. Zool. III, 18, 1907, p. 9. Victoria-  
 Nyansa  
 Congo  
**Cranchi** White, Cat. Col. Brit. Mus. VII, 1853, p. 156.  
 — Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 336.  
*carinicolle* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 198.  
**cyaneodorsis** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 61. Togo  
**cylindricum** White, Cat. Col. Brit. Mus. VII, 1853, p. 167. Sierra Leone  
**discoideale** Bates, Cist. Ent. II, 1879, p. 406. Loango  
**edentulum** Jord. Nov. Zool. I, 1894, p. 170, t. 9, f. 8. Kuilu  
**Emini** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 57; Deutsch-Ost-Afrika IV, Col. 1897, p. 302. Ituri  
**episcopale** Chev. Rev. Mag. Zool. (2) VIII, 1856, p. 436; Altcalabar  
 Cent. Longic. 1858, nr. 47. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 50.  
**fastuosum** Goldf. Enum. Ins. 1805, p. 43, t. 1, f. 7. Kapland  
**fragrans** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Sierra Leone  
 p. 150. — Bates, Proc. Zool. Soc. Lond. 1890, p. 485.

- fuligineum** Gah. Trans. Ent. Soc. Lond. 1890, p. 308. — Lesne in Duchesne, Mission Ethiopie II, 1909, p. 104, t. 11, f. 2. — *nigrans* Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 40; XXXVIII, 1894, p. 395. Abessinien
- fucosum** Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 134, t. 1, f. 3. Chunchoxo
- gabonicum** Thoms. Arch. Ent. II, 1858, p. 158; Classif. Ceramb. 1860, p. 172 (Genus?). Gabun
- igneicolle** Hope. Ann. Mag. Nat. Hist. XI, 1843, p. 368. — Jord. Nov. Zool. XVI, 1909, p. 311. Ashanti  
— *imitator* Jord. l. c. I, 1894, p. 168.
- ituriicum** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 57; Deutsch-Ost-Afrika IV, Col. 1897, p. 302. Ituri
- lamproderum** Bates, Cist. Ent. II, 1879, p. 405. Lagos
- leucoraphis** Gerst. Monatsb. Berlin. Akad. 1855, p. 265; Peters' Reise Mossamb. Ins. 1862, p. 320, t. 19, f. 4. Mossambik,
- longinum** Har. Col. Hefte XVI, 1879, p. 170. Angola
- longissimum** Bates, Cist. Ent. II, 1879, p. 406. Kamerun
- micans** F. Syst. El. II, 1801, p. 267. — Lacord. Gen. Col. IX, 1869, p. 16, nota 3.
- mucheia** Thoms. Arch. Ent. II, 1858, p. 151. Gabun
- nyassae** Bates, Trans. Ent. Soc. Lond. 1878, p. 191. — Dist. Ins. Transv. 1904, p. 119, t. 10, f. 18. Nyassaland,  
Angola
- obseuricorne** Chevr. Rev. Mag. Zool. (2) X, 1858, p. 52; Cent. Longic. 1858, nr. 80. — Thoms. Arch. Ent. II, 1858, p. 151. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 49. Transvaal
- parallelipenne** Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 200. Altcalabar
- piliventre** Bates, Cist. Ent. II, 1879, p. 405; Proc. Zool. Soc. Lond. 1890, p. 486. Zentralafrika
- prolixum** Bates, Cist. Ent. II, 1879, p. 406. Gabun
- rhodoseelis** Jord. Nov. Zool. X, 1903, p. 193. Angola  
Insel
- rufipes** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 62. St. Thomé
- rugosum** nov. nom. Togo
- *rugicolle* Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 199. " Zentralafrika
- Schubotzi** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afr.-Exped. III, 1911, p. 430. Ituri
- semiigneum** Auriv. Arkiv f. Zool. III, 18, 1907, p. 9. Ostafrika
- simulatum** Chevr. Rev. Mag. Zool. (2) VIII, 1856, p. 342; Cent. Longic. 1858, nr. 46. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 48. Altcalabar
- sinuatocolle** Thoms. Arch. Ent. II, 1858, p. 155. Gabun
- Sjöstedti** Auriv. Ent. Tidskr. XXIV, 1903, p. 263. Kamerun
- socium** Jord. Nov. Zool. I, 1894, p. 166. "
- speciosum** Gory in Guér. Icon. règne anim. Ins. 1844, p. 220, t. 43, f. 6. Kapland
- *capense* Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 178.
- Goryi* White, Cat. Col. Brit. Mus. VII, 1853, p. 166.
- hottentottum* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 221. — Bates, Cist. Ent. II, 1879, p. 419. — Péring. Ann. S. Afr. Mus. III, 1904, p. 297.
- subbasale** Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 62. Togo
- suleatulum** White, Cat. Col. Brit. Mus. VII, 1853, p. 155. Sierra Leone

- tricolor** Jord. Nov. Zool. I, 1894, p. 169. Congo  
**Venus** Thoms. Arch. Ent. II, 1858, p. 152. Gabun  
**Vethi** Lansb. Notes Leyd. Mus. VIII, 1886, p. 117. Ostafrika  
**virescens** Jord. Nov. Zool. I, 1894, p. 167. Goldküste

## Amerikanische Arten.

- aureotinetum** Bates, Trans. Ent. Soc. Lond. 1870, p. 335; Biol. C.-Amer. Col. V, 1880, p. 46; 1885, p. 292. Santarem  
✓ **auricomum** L. Syst. Nat. ed. 12, 1767, p. 629. — Voet, Cayenne,  
Cat. Col. II, 1778, p. 13, t. 10, f. 42, 43; ed. Panzer Surinam,  
III, 1794, p. 31. — Gronov. Zoophyl. p. 161, Amazon.  
nr. 534, t. 16, f. 1; Index 1781.  
*saturale* F. Spec. Ins. I, 1781, p. 212. — Ol. Ent. IV, 67, p. 25, t. 6, f. 40. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Cast. Hist. Nat. II, 1840, p. 436. — Bates, Trans. Ent. Soc. Lond. 1870, p. 333.  
✓ **Batesi** Gah. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 118. Costa Rica  
*cosmicum* Bates, Trans. Ent. Soc. Lond. 1872, p. 186.  
**Bouvieri** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 72. Goyaz  
**brachiale** Bates, l. c. 1870, p. 334. Amazon.  
**Buckleyi** Bates, Cist. Ent. II, 1879, p. 405. Ecuador  
**buprestoides** Bates, Biol. C.-Amer. Col. V, 1885, p. 293. Mexico  
**chilense** Blanch. in Gay, Hist. Chile, Zool. V, 1851, Chile  
p. 465, t. 29, f. 2. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 487.  
✓ **chiriquinum** Bates, Cist. Ent. II, 1879, p. 402. Chiriqui  
**Chloe** Goun. Bull. Soc. Ent. Fr. 1911, p. 167. Bahia  
✓ **chloropus** Bates, l. c. p. 404. Venezuela  
**cobaltinum** J. Lee. Smiths. Misc. Coll. XI, 264, 1873, p. 195. Californien  
— Leng, Ent. Amer. II, 1886, p. 61.  
**coeruleum** Achard, Bull. Soc. Ent. Fr. 1910, p. 280. Guyana  
**corvinum** Burm. Stett. Ent. Zeit. XVI, 1865, p. 169; XL, Argentina  
1879, p. 199.  
**cosmicum** White, Cat. Col. Brit. Mus. VII, 1853, p. 158. — Honduras  
Bates, Biol. C.-Amer. Col. V, 1880, p. 46, t. 5, f. 8.  
✓ **cyanomelas** White, Cat. Col. Brit. Mus. VII, 1853, p. 164. Guatemala,  
— Bates, Biol. C.-Amer. Col. V, 1880, p. 46, t. 5, Nicaragua  
f. 10.  
**distinguendum** Goun. Bull. Soc. Ent. Fr. 1911, p. 165. Südbrasilien  
**elegans** Ol. Enc. méth. Ins. V, 1790, p. 298; Ent. IV, 67, Insel Grenada  
1795, p. 26, t. 5, f. 35. — F. Ent. Syst. I, 2, 1792, p. 254. — Gah. Trans. Ent. Soc. Lond. 1895, p. 113.  
var. *Gahani* nov. var.  
*elegans* var. Gah. l. c.  
**equestre** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 68. Insel  
var. *aterrimum* Goun. l. c. p. 70 nota. Dominica  
var. *subnitescens* Goun. l. c. p. 69 nota. Südbrasilien  
Sao Paulo  
**Euthalia** Bates, Cist. Ent. II, 1879, p. 403. Venezuela  
**Gounellei** Achard, Bull. Soc. Ent. Fr. 1910, p. 279. Guyana  
**gracilipes** Bates, Cist. Ent. II, 1879, p. 404. — Goun. Ann. Paran  
Soc. Ent. Fr. LXXX, 1911, p. 75.  
**holochlorum** Bates, Trans. Ent. Soc. Lond. 1872, p. 185; Guatemala,  
Biol. C.-Amer. Col. V, 1880, p. 46, t. 5, f. 9. Nicaragua,  
Costa Rica

- Iris** Taschenb. Zeitschr. ges. Naturw. I, 1870, p. 194.  
*purpuratum* Lameere, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 106. — Bates, Biol. C.-Amer. Col. V, 1885, p. 292. Ecuador  
 Venezuela,  
 Columbia,  
 Panama
- melancholicum** Bates, Trans. Ent. Soc. Lond. 1872, p. 186  
 nota; Biol. C.-Amer. Col. V, 1885, p. 292. — Leng,  
 Ent. Amer. II, 1886, p. 61. Mexico,  
 Honduras
- ab. *rufovarium* nov. ab. Guatemala
- melancholicum* var. Bates, Biol. C.-Amer. Col. V,  
 1885, p. 292.
- neglectum** Goun. Ann. Soc. Ent. Fr. LXXX, 1911,  
 p. 70 fig. Goyaz
- nigricans** Auriv. Arkiv f. Zool. V, 1, 1909, p. 2.
- novella** Bates, Biol. C.-Amer. Col. V, 1885, p. 293. Bolivien
- oereatum** Bates, Trans. Ent. Soc. Lond. 1870, p. 335. Nicaragua  
 Amazon.,  
 Pebas
- opiparum** Bates, l. c. 1874, p. 222. Nicaragua
- phyllopus** Buq. in Guér. Icon. règne anim. Ins. 1844,  
 p. 220. Brasilien
- plicatum** J. Lec. Proc. Acad. Philad. VI, 1853, p. 233. —  
 Leng, Ent. Amer. II, 1886, p. 61. Texas
- porphyrogenitum** Bates, Trans. Ent. Soc. Lond. 1870,  
 p. 333. Amazon.
- rufescens** Gah. l. c. 1895, p. 113. Guadeloupe,  
*aureotinctum* ab. Bates, Biol. C.-Amer. Col. V,  
 1885, p. 292. Insel  
 St. Lucia,  
 Mexico
- sapphirum** Bates, Cist. Ent. II, 1879, p. 402; Biol. C.-  
 Amer. Col. V, 1885, p. 291. Mexico
- plicatum* Bates, Biol. C.-Amer. Col. V, 1880, p. 45.
- sericeum** F. Ent. Syst. I, 2, 1792, p. 253. — Ol. Ent. IV,  
 67, 1792, p. 25, t. 5, f. 37. — Latr. Gen. Crust. et  
 Ins. III, 1807, p. 38. Brasilien
- spectabile** Voet, Cat. Col. II, 1778, p. 12, t. 10, f. 40;  
 ed. Panzer III, 1794, p. 30, t. 10, f. 40. Westindien
- suaveolens** L. Syst. Nat. ed. 12, III, 1768, p. 224. Carolina  
*elegans* Hald. Trans. Amer. Philos. Soc. (2) X,  
 1847, p. 31. und übrige  
 Südstaaten  
 Nord-  
 amerikas
- splendidum* J. Lec. Journ. Acad. Philad. (2) II,  
 1850, p. 37. — Leng, Ent. Amer. II, 1886, p. 61,  
 t. 2, f. 4. — Hamilt. Canad. Ent. XXIV, 1892,  
 p. 38.
- ab. *virescens* Leng, Ent. Amer. II, 1886, p. 61.
- trilineatum** Bates, Cist. Ent. II, 1879, p. 403. Brasilien
- sericeum* Heyne, Exot. Käfer 1906, p. 240, t. 36,  
 f. 10.
- uniforme** Goun. Bull. Soc. Ent. Fr. 1911, p. 169. Südbrasilien
- velutinum** F. Syst. Ent. 1775, p. 167. — Ol. Ent. IV,  
 67, p. 24, t. 6, f. 41. Südamerika
- virens** Drury. Ill. Exot. Ins. I, p. 89, t. 40, f. 1; Index  
 1773. — F. Syst. Ent. 1775, p. 166 (ex parte).  
 — Ol. Ent. IV, 67, 1795, p. 29, t. 11, f. 78; t. 18,  
 f. 138. — Latr. Gen. Crust. et Ins. III, 1807,  
 p. 38. Jamaica,  
 Cuba,  
 Haiti
- columbinum* Guér. Rev. Zool. 1838, p. 282. —  
 Jacq. du Val in Sagra, Hist. Cuba VII, 1857,  
 p. 262, t. 10, f. 3.
- viridipes** Bates, Cist. Ent. II, 1879, p. 404. Neugranada

- ✓ **vittatum** F. Syst. Ent. 1775, p. 166. — Ol. Ent. IV, 67, 1795, p. 32, t. 2, f. 10. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Bates, Trans. Ent. Soc. Lond. 1870, p. 334 nota. — Gah. l. c. 1895, p. 112. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 74.
- assimilatum* White, Cat. Col. Brit. Mus. VII, 1853, p. 158.
- aureum* Gmel. Syst. Nat. I, 4, 1790, p. 1877.
- ochropus* Voet, Cat. Col. II, 1778, p. 12, t. 10, f. 41; ed. Panzer III, 1794, p. 30, t. 10, f. 41.
- rugicolle* Guér. Icon. règne anim. Ins. 1844, p. 220.
- scitulum* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 292.
- viridiaureum* Degger, Mém. Ins. V, 1775, p. 145, t. 15, f. 1.
- var. *electrinum* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 74 nota.
- xanthogastrum** Bates, Biol. C.-Amer. Col. V, 1880, p. 45, t. 5, f. 11.
- columbinum* Bates, Trans. Ent. Soc. Lond. 1872, p. 186.

Zentral-  
amerika,  
Haiti,  
Süd-  
amerika  
bis  
Brasilien

Argentina

Nicaragua

#### Indo-malayische Arten\*).

- ✓ **bimaculatum** White, Cat. Col. Brit. Mus. VII, 1853, p. 165. — Lacord. Gen. Col. IX, 1869, p. 9, nota 2.
- var. *Davidis* Deyr. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 132, t. 3, f. 8. — Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 60.
- distinctum** Nonfr. Deutsche Ent. Zeitschr. 1891, p. 275.
- Provosti** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, Bull. p. 54; Rev. d'Ent. VI, 1887, p. 328.
- testaceipenne** Rits. Notes Leyd. Mus. III, 1881, p. 153; Midden-Sumatra IV, 6, 1887, p. 131, t. 3, f. 3.

China

Coehinchina  
Peking

Sumatra

104

### **Metallichroma** Auriv.

Auriv. Ent. Tidskr. XXIV, 1903, p. 263.

**excellens** Auriv. l. c.

Kamerun

I

### **Cloniophorus** Quedf.

Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 332. — Jord. Nov. Zool. I, 1894, p. 170.

**auricollis** Thoms. Classif. Ceramb. 1860, p. 175.

**aurifer** Jord. l. c. p. 171, t. 9, f. 10.

**curvatoplicatus** Jord. l. c. p. 172.

**Mechowi** Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 333, t. 6, f. 1.

Natal  
Kuilu  
Congo  
Quango

\*) Diese Arten gehören wahrscheinlich nicht zu *Calliechroma*.

- parvus** Jord. Nov. Zool. I, 1894, p. 173 (= *Callichr. gabonicum* Thoms.). Kuilu  
**plicatus** Jord. l. c. p. 172. ”  
**tricolor** Jord. l. c. p. 171, t. 9, f. 9. ”

7

### Chloridolum Thoms.

Thoms. Syst. Ceramb. 1864, p. 174, 420. — Lacord. Gen. Col. IX, 1869, p. 18. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 583. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 190, 198. — Reitter, Wien. Ent. Zeit. XXV, 1906, p. 303.

- ✓ **accensum** Newm. Entomol. I, 1842, p. 246. Philippinen  
 ✓ **addictum** Newm. l. c. p. 245. ”  
 ✓ **Alemene** Thoms. Syst. Ceramb. 1865, p. 568. — Gah. Assam,  
 Fauna Brit. India, Col. I, 1906, p. 199. Birma  
 Biologie: Maxw.-Lefr. Agric. Journ. India I, Andamanen  
 1906, p. 129, fig.; Ind. Ins. Life 1909, p. 374,  
 f. 253.  
**Bangi** Reitter, Wien. Ent. Zeit. XIV, 1895, p. 209. Korea  
**batchianum** Thoms. Syst. Ceramb. 1865, p. 569. Batjan  
**bivittatum** White, Cat. Col. Brit. Mus. VII, 1853, p. 162. Butan,  
 — Thoms. Syst. Ceramb. 1864, p. 175. — Gah. Assam,  
 Fauna Brit. India, Col. I, 1906, p. 198. Manipur  
**borneense** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 13. Borneo  
 ✓ **eeycinum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Singapur  
 p. 587.  
**einderellum** White, Cat. Col. Brit. Mus. VII, 1853, Neuholland  
 p. 156.  
 ✓ **cinnyris** Pasc. Proc. Zool. Soc. Lond. 1866, p. 518; Trans. Penang,  
 Ent. Soc. Lond. (3) III, 1869, p. 587. — Gah. Birma,  
 Fauna Brit. India, Col. I, 1906, p. 200. Java,  
Borneo  
**collare** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 589. Malacca  
**collinum** Pasc. l. c. p. 585. ”  
**concinatum** Pasc. l. c. p. 588. Batjan,  
Amboina  
 ✓ **cyanipes** Thoms. Syst. Ceramb. 1865, p. 569. Java  
 ✓ **distinctum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Saylee  
 p. 594.  
 ✓ **doryceum** Boisd. Voy. Astrol. Ins. II, 1835, p. 519, t. 8, Neuguinea:  
 f. 4. — Pasc. Trans. Ent. Soc. Lond. (3) III, Dorey  
 1869, p. 590.  
**ducale** Newm. Charlesw. Mag. Nat. Hist. (2) IV, 1840, ”  
 p. 367.  
 ✓ **eupodium** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Ceram  
 p. 593.  
**Everetti** Bates, Cist. Ent. II, 1879, p. 408. Philippinen  
**factiosum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Amboina  
 p. 584.  
**japonicum** Har. Stett. Ent. Zeit. XI, 1879, p. 335. Japan  
 ab. *Achardi* Pic, Longic. VIII, 1, 1911, p. 19. Tsingtau  
 ✓ **Klaësii** Rits. Notes Leyd. Mus. IX, 1887, p. 127; XI, Sumatra  
 1889, p. 242.  
 ✓ **litopoides** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Insel Kaica  
 p. 594.  
**melanaspis** Pasc. l. c. p. 593. Buru

- ✓ **nympha** White, Cat. Col. Brit. Mus. VII, 1853, p. 161. — Gah. Fauna Brit. India, Col. I, 1906, p. 201, f. 77.  
**obscuripenne** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 592.  
**orientale** Guér. Icon. règne anim. Ins. 1844, p. 220.  
*principale* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 583.
- ✓ **perlaetum** White, Cat. Col. Brit. Mus. VII, 1853, p. 161. — Gah. Fauna Brit. India, Col. I, 1906, p. 201.
- ✓ **phaëthusa** White, Cat. Col. Brit. Mus. VII, 1853, p. 160.  
**praetorium** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 591.  
**promissum** Pasc. l. c. p. 592.  
**radiatum** Pasc. l. c. p. 586.
- rufescens** Pasc. l. c. p. 590.  
**rugatum** Newm. Entomol. I, 1842, p. 246.  
**scytallicum** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 584.  
**Sieversi** Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 135.  
**superbum** Auriv. Deutsche Ent. Zeitschr. 1908, p. 212.  
**thaliodes** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 226. — Matsum. Thous. Ins. Jap. III, 1908, nr. 696, t. 52, f. 12 (non „11“).
- ✓ **Thomsoni** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 24: (3) III, 1869, p. 586. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 46.
- ✓ **trogoninum** Pasc. l. c. (2) V, 1859, p. 24. — Gah. Fauna Brit. India, Col. I, 1906, p. 199.
- ✓ **viridipenne** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 588.
- vittigerum** Bates, Cist. Ent. V, 1879, p. 407.  
 sp. Shelf. Proc. Zool. Soc. Lond. 1902, 2, p. 282, t. 20, f. 45.

42

### Leontium Thoms.

Thoms. Syst. Ceramb. 1864, p. 175, 420. — Gah. Fauna Brit. India, Col. I, 1906, p. 211.

- coeruleipenne** Thoms. Syst. Ceramb. 1865, p. 569.  
**Lameeri** Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 18.  
**plicatulum** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 13.  
**tenuipes** Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 64.  
**thalassinum** Thoms. Syst. Ceramb. 1865, p. 569.
- ✓ **viride** Thoms. l. c. 1864, p. 175.  
*tenuatum* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 197. — Mats. Thous. Ins. Jap. III, 1908, nr. 735, t. 55, f. 9.

6

### Amblyontium Bates.

Bates, Cist. Ent. II, 1879, p. 409.

- inermis** Bates, l. c. p. 410.

1

**Chelidonium** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 175, 420. — Gah. Fauna Brit. India, Col. I, 1906, p. 210.
- Leontium* Lacord. Gen. Col. IX, 1869, p. 19. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 595.
- argentatum** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 151. — Thoms. Syst. Ceramb. 1864, p. 176. — Gah. Fauna Brit. India, Col. I, 1906, p. 211. China, Assam, Südindien
- binotatum** Brongn. Nouv. Arch. Mus. Paris (3) III, 1892, p. 245, t. 10, f. 9. Siam
- cinctum** Guér. Icon. règne anim. Ins. 1844, p. 220. — Gah. Fauna Brit. India, Col. I, 1906, p. 212. Südindien
- flavofasciatum** Blanch. in D'Orbigny, Diet. d'Hist. Nat. Atlas, Col. 1849, t. 12, f. 4 (= *cinctum*?). Patria?
- Gahani** Achard, Bull. Soc. Ent. Fr. 1911, p. 280. Sumatra
- gibbicolle** White, Cat. Col. Brit. Mus. VII, 1853, p. 160. Assam, China
- Gah. Fauna Brit. India, Col. I, 1906, p. 213, f. 80.
- optimum** Bates, Cist. Ent. II, 1879, p. 409. Laos
- pedestre** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 596. Ceram
- punctigerum** Pasc. l. c. p. 595. Singapur
- quadricolle** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 226. Japan
- sinense** Hope, Proc. Ent. Soc. Lond. 1842, p. 63; Ann. Mag. Nat. Hist. XI, 1843, p. 66; Trans. Ent. Soc. Lond. IV, 1845, p. 17. — Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 17; Fauna Brit. India, Col. I, 1906, p. 212. China, Birma, Sikkim
- sinicum** White, Cat. Col. Brit. Mus. VII, 1853, p. 159. Nordchina
- venereum** Thoms. Syst. Ceramb. 1865, p. 568. Cambodja

13

**Polyzonus** Cast.

- Cast. Hist. Nat. II, 1840, p. 438. — Thoms. Classif. Ceramb. 1860, p. 168; Syst. Ceramb. 1864, p. 420. — Lacord. Gen. Col. IX, 1869, p. 21. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 213.
- bizonatus** White, Cat. Col. Brit. Mus. VII, 1853, p. 171. Sikkim, Birma, Tenasserim, Siam
- Gah. Fauna Brit. Ind. Col. I, 1906, p. 216, f. 81.
- brevipes** Gah. l. c. p. 217. Sikkim, Birma
- cuprarius** Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 132. Yunnan
- democraticus** Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 211. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 220. Ostindien: Kunbir
- Dohertyi** Jord. Nov. Zool. I, 1894, p. 114, t. 8, f. 4. Timor
- fasciatus** F. Spec. Ins. I, 1781, p. 232. — Ol. Ent. IV, 68, 1795, p. 40, t. 3, f. 24. — Cast. Hist. Nat. II, 1840, p. 438. — Blessig, Horac. Soc. Ent. Ross. IX, 1872, p. 177. Sibirien
- bicinctus* Ol. Ent. IV, 67, 1795, p. 46, t. 21, f. 166.
- sibiricus* Gmel. Syst. Nat. I, 4, 1790, p. 1840. — Pallas, Icones Ins. III, 1793, t. F, f. 12.

- ✓ **flavocinctus** Gah. Ann. Mus. Genova XXXIV, 1895, p. 17; Fauna Brit. Ind. Col. I, 1906, p. 216. Birma, Tenasserim
- Laurae** Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 132. Yunnan
- meridionalis** Bates, Cist. Ent. II, 1879, p. 413. Hongkong
- ✓ **obtusus** Bates, l. c. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 218. Saigun
- ✓ **prasinus** White, Cat. Col. Brit. Mus. VII, 1853, p. 170. Südindien, Assam  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 219.  
*polyzonoides* Thoms. Syst. Ceramb. 1865, p. 568.
- ✓ **saigonensis** Bates, Cist. Ent. II, 1879, p. 413. — Gah. Saigun  
Fauna Brit. Ind. Col. I, 1906, p. 214.
- subtruncatus** Bates, Cist. Ent. II, 1879, p. 408. Hongkong
- ✓ **tetraspilus** Hope in Silberm. Rev. Ent. III, 1835, p. 71, t. 32. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 214. Assam, Manipur
- ✓ **quadrimaculatus** White, Cat. Col. Brit. Mus. VII, 1853, p. 170.
- ab. *macrospilus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 216. Birma
- ab. *megaspilus* Gah. l. c. p. 215. Südindien
- ab. *microspilus* Gah. l. c. Assam
- Watsoni** Gah. l. c. p. 218. Birma

15

**Anubis** Thoms.

Thoms. Syst. Ceramb. 1864, p. 177, 420. — Lacord. Gen. Col. IX. 1869, p. 25. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 220.

## Indomalayische Arten.

- bifasciatus** Newm. Entomol. I, 1842, p. 246. Philippinen  
*manillarum* Chevr. Rev. Zool. 1838, p. 288.
- ✓ **bipustulatus** Thoms. Syst. Ceramb. 1865, p. 569. — Sikkim,  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 221. Birma, Siam, Malacca
- fimbriatus** Bates, Cist. Ent. II, 1879, p. 412. — Gah. Sikkim,  
Fauna Brit. Ind. Col. I, 1906, p. 222. Birma, Cochinchina, Malacca
- ✓ **inermis** White, Cat. Col. Brit. Mus. VII, 1853, p. 171. Sikkim,  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 220, f. 82. Birma, Siam, Malacca, Südechina
- ✓ **rostratus** Bates, Cist. Ent. II, 1879, p. 412. — Gah. Birma,  
Fauna Brit. Ind. Col. I, 1906, p. 221. Cochinchina
- unifasciatus** Bates, Cist. Ent. II, 1879, p. 412. Birma, Cochinchina

## Afrikanische Arten.

- Bohemani** Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 744. Südafrika
- ✓ **clavicornis** F. Syst. Ent. 1775, p. 824. — Ol. Ent. IV, 68, 1795, p. 38, t. 3, f. 30. — Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 744. — Dist. Ins. Kapland, Natal, Transvaal

- Transv. 1904, p. 120, t. 10, f. 25. — Heync, Exot. Käfer 1906, p. 240, t. 36, f. 16.  
*grossicornis* Degeer, Mém. Ins. VII, 1778, p. 656, t. 49, f. 5. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 63.  
*sermaculatus* White, Cat. Col. Brit. Mus. VII, 1853, p. 172.  
*sexnotatus* Thunb. Mus. Nat. Acad. Upsal. IV, 1787, p. 57, t., f. 2. — Thoms. Syst. Ceramb. 1864, p. 177.
- dissitus* Bates, Cist. Ent. II, 1879, p. 412. Kaffernland  
*flavipennis* Péring. Trans. S. Afr. Philos. Soc. IV, 1888, Zululand  
p. 179.  
*frontalis* Gah. Proc. Zool. Soc. Lond. 1893 (1894), p. 743. Zentralafrika  
*hexastictus* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 327. Deutsch-  
Ostafrika  
Gallaland
- immaculatus* Gestro, Ann. Mus. Genova XXXV, 1895, p. 418.  
*Mellyi* White, Cat. Col. Brit. Mus. VII, 1853, p. 172. Natal,  
— Dist. Ins. Transv. 1904, p. 120, t. 11, f. 2. Transvaal  
*pubicollis* Pasc. Journ. Ent. II, 1863, p. 52. Natal  
*sealaris* Pasc. l. c. p. 53. — Waterh. Aid identif. Ins. II, Kapland,  
1890, t. 189, f. 7. — Gah. Proc. Zool. Soc. Lond. Natal.  
1893 (1894), p. 744. — Dist. Ins. Transv. 1904, Transvaal  
p. 121, t. 11, f. 4.

16

### Oxyprosopus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 177, 421. — Lacord. Gen. Col. IX, 1869, p. 20. — Jord. Nov. Zool. I, 1894, p. 175.
- angulicollis* Bates, Cist. Ent. II, 1879, p. 411. Kamerun  
*brevis* Jord. Nov. Zool. I, 1894, p. 177. Congo  
*chloreus* Bates, Cist. Ent. II, 1879, p. 410. Sierra Leone  
*coeruleus* Ol. Enc. méth. V, 1790, p. 299; Ent. IV, 67, Senegal  
1795, p. 33, t. 18, f. 140.  
*jucundus* Guér. Rev. Zool. 1840, p. 108. — Thoms. Syst. Ceramb. 1864, p. 178.
- comis* Bates, Cist. Ent. II, 1879, p. 411. Kamerun  
*cylindricus* Bates, l. c. p. 410. "  
*Delagoae* Dist. Ann. Mag. Nat. Hist. (7) III, 1899, p. 178. Delagoa  
*Fabricii* Schönh. & Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 152. Sierra Leone
- filiformis* Har. Col. Hefte XVI, 1879, p. 172. Angola  
*glaber* Jord. Nov. Zool. I, 1894, p. 176. Loanda  
*Junodi* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 380. Delagoa  
*latus* Quef. Berl. Ent. Zeitschr. XXVI, 1882, p. 329. Angola  
*lutulentus* Har. Col. Hefte XVI, 1879, p. 172. "  
*myrtaceus* Jord. Nov. Zool. I, 1894, p. 176. Loanda  
*protractus* Bates, Cist. Ent. II, 1879, p. 411. Mossambik  
*speciosus* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Sierra Leone  
p. 153.  
*carbonarius* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368.
- viola* Jord. Nov. Zool. I, 1894, p. 175. Goldküste

17

**Rhopalizida** Jord.

Jord. Nov. Zool. I, 1894, p. 177.

*viridana* Jord. l. c. t. 9, f. 11.

Kuilu

1

**Rhopaligus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 179, 421. — Lacord. Gen. Col. IX, 1869, p. 17. — Jord. Nov. Zool. I, 1894, p. 178.

*aureolineatus* Jord. l. c.

Gabun

*Buchneri* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 143, t. 1, f. 9.

Lunda

*chlorolineatus* Quedf. l. c. XXVI, 1882, p. 330.

Quango

*cinctus* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 59.

Kaffernland

*coloratus* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 329.

Quango

*euporidus* Jord. Nov. Zool. I, 1894, p. 178.

Kuilu

*laetus* Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 41.

Goldküste

*nigripes* Chev. Arch. Ent. II, 1858, p. 241, t. 14, f. 1.

Gr. Bassam

*nitens* F. Spec. Ins. I, 1781, p. 211. — Ol. Ent. IV, 67, 1795, p. 31, t. 15, f. 107. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Bates, Cist. Ent. II, 1879, p. 419.

Westafrika

*afjer* Voet, Cat. Col. II, 1778, p. 9 (ex parte), t. 6, f. 15.*Chevroleti* Thoms. Arch. Ent. II, 1858, p. 153;

Syst. Ceramb. 1864, p. 179.

*clavipes* White, Cat. Col. Brit. Mus. VII, 1853, p. 152.*punctulatus* Thoms. Arch. Ent. II, 1858, p. 154.

Gabun

*viridescens* Thoms. l. c.

„

11

**Closteropus** Guér.

Guér. Icon. règne anim. Ins. 1844, p. 222. — Thoms. Syst. Ceramb. 1864, p. 169, 418. — Lacord. Gen. Col. IX, 1869, p. 18. — Bates, Cist. Ent. II, 1879, p. 419.

*argentatus* Bates, l. c. p. 418.

Venezuela

*blandus* Guér. Icon. règne anim. Ins. 1844, p. 223. — Thoms. Syst. Ceramb. 1864, p. 169.

Brasilien

*speciosus* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 457, t. 43, f. 12.

„

3

**Euporus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 20. — Cast. Hist. Nat. II, 1840, p. 440. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. IX, 1869, p. 28. — Jord. Nov. Zool. I, 1894, p. 179.

*Phrosyne* Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 162.*albierus* Auriv. Deutsche Ent. Zeitschr. 1907, p. 77.

Kamerun

*amabilis* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368. — Jord. Nov. Zool. XVI, 1909, p. 311.

Cap Palmas

- amethystinus* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 332. Quango
- brevicornis* F. Syst. Ent. 1775, p. 169. — Ol. Enc. méth. V, 1790, p. 368; Ent. IV, 70, 1795, p. 24, t. 2, f. 22. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 162. — Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 331. Sierra Leone, Altecalabar, Kamerun, Gabun, Congo
- cyanicornis* F. Ent. Syst. Suppl. 1798, p. 142.
- disparilis* Chevr. Rev. Mag. Zool. (2) VIII, 1856, p. 571; Cent. Longie. 1858, nr. 64. — Thoms. Arch. Ent. II, 1858, p. 157.
- callichromoides* Pasc. Journ. Ent. II, 1864, p. 288. Natal
- conrattiellus* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 252. Usambara
- gracilipes* Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 155. Sierra Leone
- ignicolis* Pasc. Journ. Ent. II, 1864, p. 287. — Waterh. Aid identif. Ins. II, 1890, t. 180, f. 6. Natal
- illaesiocolis* Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 143. Lunda
- itimbirensis* Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 388; XXXVI, 1892, p. 337. Congo
- liobasis* Bates, Cist. Ent. II, 1879, p. 417. Sierra Leone
- melasomus* Thoms. Arch. Ent. II, 1858, p. 159. Gabun
- nasutus* Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 331. Quango
- partitus* Gerst. Jahrb. Hamb. Wiss. Anst. I, 1884, p. 60. Pangani
- plagiatus* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 154. — Lacord. Gen. Col. IX, 1869, p. 29 nota. Sierra Leone
- poriferus* Bates, Cist. Ent. II, 1879, p. 417. Ogowe
- similis* Jord. Nov. Zool. I, 1894, p. 180. Kuilu
- simplex* Har. Col. Hefte XVI, 1879, p. 173. Angola
- singularis* Jord. Nov. Zool. I, 1894, p. 179. Congo
- strangulatus* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 21. — Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 331. — Jord. Nov. Zool. I, 1894, p. 179; XVI, 1909, p. 311. Kamerun, Gabun, Congo, Angola
- chrysocollis* Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 368.
- resplendens* Newm. Entomol. Mag. V, 1838, p. 496.
- tricolor* Har. Col. Hefte XVI, 1879, p. 171. — Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 252. Zentralafrika
- ab. *purpureipes* Bates, Proc. Zool. Soc. Lond. 1890, p. 487.
- tenellus* Bates, Cist. Ent. II, 1879, p. 418. Lagos
- torquatus* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 153. Sierra Leone
- viridis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 21. — Lacord. Gen. Col. IX, 1869, p. 29 nota. Madagascar, Deutsch-Ostafrika

**Eulitopus** Bates.

- Bates, Cist. Ent. II, 1879, p. 407. — Jord. Nov. Zool. I, 1894, p. 174.
- debilis* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 430. Ruwenzori
- glabricollis* Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 52. — Jord. Nov. Zool. I, 1894, p. 174. Altecalabar
- ab. *gracilis* Jord. l. c. Kuilu

- seminitidus** Quedf. Berl. Ent. Zeitschr. XXVII, 1883, p. 135. — Jord. Nov. Zool. I, 1894, p. 174.      Kuilu,  
Loanda
- sphinx** Dohrn, Stett. Ent. Zeit. XXXVII, 1876, p. 126.      Liberia  
— Quedf. Berl. Ent. Zeitschr. XXVII, 1883,  
p. 136.
- tenuis** Jord. Nov. Zool. I, 1894, p. 174.      Kuilu

6

**Nothopygus** Lacord.

Lacord. Gen. Col. IX, 1869, p. 22.

- Mniszechi** Lacord. l. c. nota 3.      Sierra Leone
- speciosus** Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 334:      Quango  
XXVII, 1883, t. 1, f. 11.

2

**Litopus** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 563. — Cast. Hist. Nat. II, 1840,  
p. 437. — Thoms. Classif. Ceramb. 1860, p. 167, 170; Syst. Ceramb. 1864,  
p. 421. — Lacord. Gen. Col. IX, 1869, p. 23. — Jord. Nov. Zool. I, 1894,  
p. 180.

- aequabilis** Kolbe, Berl. Ent. Zeitschr. XLV, 1900, p. 300.      Ostafrika
- atrovirens** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append.      Afrika  
p. 151.
- azurescens** Gestro, Ann. Mus. Genova XXXV, 1895,      Britisch-  
p. 420.      Ostafrika
- caffer** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872,      Kaffernland  
p. 60.
- damarensis** Auriv. Arkiv f. Zool. III, 18, 1907, p. 11.      Damaraland
- dispar** Thoms. Classif. Ceramb. 1860, p. 171. — Chev.      Natal,  
Journ. Ent. I, 1861, p. 246. — Dist. Ins. Transv.      Transvaal  
1904, p. 120, 160, t. 10, f. 23.
- elegans** Gestro, Ann. Mus. Genova XXXV, 1895, p. 419.      Gallaland
- ianthincornis** Kolbe, Berl. Ent. Zeitschr. XLV, 1900,      Deutsch-  
p. 299.      Ostafrika
- impressicollis** Lansb. Notes Leyd. Mus. VIII, 1886, p. 118.      Westafrika
- laevicollis** Auriv. Arkiv f. Zool. III, 18, 1907, p. 12.      Deutsch-  
Ostafrika
- latipes** F. Mant. Ins. I, 1787, p. 148. — Gmel. Syst. Nat.      Kapland  
I, 4, 1790, p. 1840.  
*ater* Ol. Enc. méth. Ins. V. 1790, p. 309; Ent.  
IV, 70, 1795, p. 8, t. 2, f. 25; t. 3, f. 32. — F.  
Ent. Syst. I, 2, 1792, p. 256. — [Zchach, Mus.  
Lesk. 1788, p. 25, t. 1, f. 554.]
- longitarsis** Auriv. Arkiv f. Zool. III, 18, 1907, p. 11.      Deutsch-  
Ostafrika
- patricius** Gerst. Jahrb. Hamb. Wiss. Anst. I, 1884, p. 60.      Pangani
- semiopaecus** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887,      Tanganjika  
p. 331.
- superbus** Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 41.      Assinie
- saturalis** Péring. Trans. S. Afr. Philos. Soc. (2) VI, 1892,      Kapland,  
p. 131.      Natal
- violaceus** Serv. Ann. Soc. Ent. Fr. II, 1833, p. 563.      Kapland
- virens** Jord. Nov. Zool. I, 1894, p. 180.      Kuilu

18

**Eximia** Jord.

Jord. Nov. Zool. I, 1894, p. 181.

*tricolor* Jord. l. c. t. 9, f. 13.

Congo

1

**Hospes** Jord.

Jord. Nov. Zool. I, 1894, p. 182.

*gracilis* Jord. l. c. p. 183.

Kuilu

*hypocritidus* Jord. l. c. p. 184.

Congo

*nitidicollis* Jord. l. c. p. 182, t. 9, f. 12.

Kuilu

*punctatus* Jord. l. c. p. 183.

”

4

**Mombasius** Bates.

Bates, Cist. Ent. II, 1879, p. 417. — Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 250.

*frontalis* Bates, Cist. Ent. II, 1879, p. 417.

Mombassa

*gracilentus* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 251.

Usambara

2

**Philomeces** Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 251.

*integricollis* Kolbe, l. c.

Usambara

1

**Promecidus** Fährs.

Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 62.

*chalybeatus* White, Cat. Col. Brit. Mus. VII, 1853, p. 169.

Kapland,

— Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 62.

Natal

1

**Promeces** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 27. — Cast. Hist. Nat. II, 1840, p. 437. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 421. — Lacord. Gen. Col. IX, 1869, p. 24.

*auratus* Pasc. Trans. Ent. Soc. Lond. 1888. p. 495.

Kapland

*austerus* Pasc. l. c. p. 496.

Natal

*linearis* L. Syst. Nat. ed. 10, 1758, p. 399.

Kapland

*fusiformis* Degeer, Mém. Ins. VII, 1778, p. 657, t. 49, f. 7.*longipes* F. Syst. Ent. 1775, p. 824. — Ol. Ent. IV, 70, 1795, p. 28, t. 1, f. 3. — Cast. Hist. Nat. II, 1840, p. 437.*virescens* Gmel. Syst. Nat. I, 4, 1790, p. 1858.*viridis* Schaller, Abh. Nat. Ges. Halle I, 1783, p. 295.

- purpuratus** White, Cat. Col. Brit. Mus. VII, 1853, p. 170. Südafrika  
 — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1,  
 1872, p. 60.  
*iris* Pasc. Journ. Ent. II, 1864, p. 288.  
**velox** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, Kaffernland  
 p. 61.  
 5

### Litomeces Murr.

Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 53.

- splendidus** Chevr. Arch. Ent. II, 1858, p. 243, t. 14, Altcabar  
 f. 2. — Murr. Ann. Mag. Nat. Hist. (4) VI, 1870,  
 p. 53.  
 1

### Closteromerus Thoms.

Thoms. Classif. Ceramb. 1860, p. 169; Syst. Ceramb. 1864, p. 421. —  
 Gah. in Dist. Ins. Transv. 1904, p. 122.

*Hypocrites* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872,  
 p. 62. — Bates, Cist. Ent. II, 1879, p. 414.

- alveolatus** Bates, Cist. Ent. II, 1879, p. 416. Kapland  
**ambiguus** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Kaffernland  
 1872, p. 63. — Bates, Cist. Ent. II, 1879, p. 414.  
**aureovittatus** Auriv. Arkiv f. Zool. I, 1904, p. 316. Usambara  
**claviger** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. Kapland,  
 p. 155. Natal,  
*viridis* Pasc. Journ. Ent. II, 1863, p. 53. — Lacord. Transvaal,  
 Gen. Col. IX, 1869, p. 24, nota 2. — Waterh. Matabele-  
 Aid identif. Ins. II, 1890, p. 180, f. 5. — Dist. land,  
 Ins. Transv. 1904, p. 121, t. 11, f. 1. Mashuna-  
 land  
**consimilis** Gah. Bull. Mus. Paris XV, 1909, p. 72. Brit.-  
 Ostafrika  
**crassicornis** Gestro, Ann. Mus. Civ. Genova (2) XII, 1892, Somaliland  
 p. 785.  
**cyanellus** Bates, Cist. Ent. II, 1879, p. 416. — Gah. Natal  
 Bull. Mus. Paris XV, 1909, p. 73.  
*longicollis* Pasc. Trans. Ent. Soc. Lond. 1888,  
 p. 496.  
**Dejeani** Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 370: Kapland,  
 Ins. Transv. 1904, p. 121, t. 11, f. 3. Transvaal  
**dilaticornis** Auriv. in Sjöstedt, Kilimandj. Exped. VII, Meruberg  
 Col. 1908, p. 144, f. 3c.  
**discors** Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 150. Ostafrika  
**discretus** Auriv. in Sjöstedt, Kilimandj. Exped. VII, Col. Kilimandjaro  
 1908, p. 143, f. 3a.  
**fulvipes** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, Natal,  
 p. 61. — Dist. Ins. Transv. 1904, p. 121, t. 11, f. 6. Transvaal  
**geniculatus** Har. Monatsb. Akad. Wiss. Berlin 1880, Brit.-  
 p. 266. — Fairm. Ann. Soc. Ent. Fr. (6) VII, Ostafrika  
 1887, p. 330.  
**gracilis** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, Südafrika  
 p. 63.  
**imperialis** White, Cat. Col. Brit. Mus. VII, 1853, p. 168. Natal

- janthinicornis* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 329. Deutsch-Ostafrika
- Kraussi* White, Cat. Col. Brit. Mus. VII, 1853, p. 169. Natal
- laevipes* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 329. Somaliland
- Leprieuri* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 222. Senegal
- longicollis* Har. Monatsb. Akad. Wiss. Berlin 1888, p. 266. Brit.-
- Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 330. Ostafrika
- manicatus* Bates, Cist. Ent. II, 1879, p. 415. Natal
- matabeleus* Péring. Ann. S. Afr. Mus. I, 1899, p. 322. Zambezi
- mendax* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 62. Südafrika
- nitens* Jord. in Dist. Ins. Transv. 1906, p. 161, t. 16, f. 12. Transvaal
- obtusipennis* Bates, Cist. Ent. II, 1879, p. 415. Delagoa
- pauper* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 61. — Bates, Cist. Ent. II, 1879, p. 414. Südafrika
- porphyrio* Bates, l. c.
- pretiosus* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 328. Limpopo
- puncticollis* Gestro. Ann. Mus. Genova XXXV, 1895, p. 421. Deutsch-Ostafrika
- regalis* Dist. Ins. Transvaal. 1904, p. 121, t. 11, f. 7. Gallaland
- scabriusculus* Thoms. Classif. Ceramb. 1860, p. 170. — Gah. in Dist. Ins. Transvaal. 1904, p. 122. Transvaal
- sericeus* Auriv. in Sjöst. Kilimandj. Exped. VII, Col. 1908, p. 144, f. 3b. Kapland
- suturalis* Har. Monatsb. Akad. Wiss. Berlin 1878, p. 221. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 330. Kilimandjaro
- tenuis* Bates, Cist. Ent. II, 1879, p. 416. Deutsch-Ostafrika
- thomensis* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 14. Natal
- Insel  
S. Thomé

35

### Helymaeus Thoms.

- Thoms. Syst. Ceramb. 1864, p. 179, 421. — Lacord. Gen. Col. IX, 1869, p. 26. — Jord. Nov. Zool. I, 1894, p. 185.
- abilateris* Har. Monatsb. Akad. Wiss. Berlin 1880, p. 265. Brit.-Ostafrika
- anamibilis* Péring. Trans. S. Afr. Philos. Soc. VI, 1892, p. 78. Deutsch-Südwestafrika
- argyrothorax* Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, Bull. p. 77: Ann. Soc. Ent. Fr. (6) VII, 1887, p. 333.
- glabripennis* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 64. Natal
- albicornis* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 381: Ins. Transv. 1904, p. 123, t. 11, f. 9. Transvaal, Delagoa-bay
- insignis* Gerst. Monatsb. Akad. Wiss. Berlin 1855, p. 265: Peters' Reise Mossambik Ins. 1862, p. 321, t. 19, f. 6. Mossambik
- notaticollis* Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 365. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 64. — Dist. Ins. Transv. 1904, p. 122, t. 11, f. 10. Natal, Transvaal, Matabeleland,
- cyanipennis* Thoms. Syst. Ceramb. 1864, p. 180. Damara-land
- pallidiventris* Jord. Nov. Zool. I, 1894, p. 185. Kaffernland

- pedestris** Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 370. Arabien:  
Yemen
- Raffrayi** Fairm. Natural. II, 1882, p. 48; Ann. Soc. Ent. Fr. (6) III, 1883, p. 110. Abessinien
- reticollis** Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 200. Zentralafrika
- rufipes** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 64. Natal
- signaticollis** Pasc. Ann. Mag. Nat. Hist. (5) II, 1878, p. 370. Arabien:  
Yemen
- testaceiventris** Fairm. in Revoil, Faune et Flore Somalis, Col. 1882, p. 98. Somaliland
- violaceipennis** Quedf. Journ. Scienc. Lisboa XL, 1885, p. 242. Angola
- vitticollis** Auriv. Arkiv f. Zool. IV, 17, 1908, p. 2. Deutsch-Ostafrika

15

**Griphapex** Jord.

Jord. Nov. Zool. I, 1894, p. 184.

- scutellaris** Jord. l. c. p. 185. Kamerun

1

**Oligosmerus** Kolbe.

Kolbe, Stett. Ent. Zeit. LV, 1894, p. 40: Deutsch-Ostafrika IV, Col. 1897, p. 304.

- aureovittis** Kolbe, l. c. p. 41. Suakim
- limbalis** Har. Monatsb. Akad. Wiss. Berlin 1880, p. 266. Brit.- und  
— Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, Deutsch-Ostafrika  
p. 328.
- montanus** Hintz, Deutsche Ent. Zeitschr. 1910, p. 575. Deutsch-Ostafrika
- saturatus** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 41: Deutsch-Ostafrika IV, Col. 1897, p. 304. Albert-Edward-See

4

**Hylomela** Gah.

Gah. in Dist. Ins. Transvaal. 1904, p. 122.

*Closteromerus* Lacord. Gen. Col. IX, 1869, p. 26.

- sexpunctata** F. Ent. Syst. I, 2, 1792, p. 312. Kapland

1

**Agaleptus** Gah.

Gah. in Dist. Ins. Transvaal. 1904, p. 122.

- quadrinotatus** Péring. Trans. S. Afr. Philos. Soc. II, 1888, p. 179, t. 3, f. 15. — Dist. Ins. Transvaal. Zambezi,  
1904, p. 122, t. 11, f. 5. Transvaal.  
Delagoa

1

**Guitelia** R. Oberth.

R. Oberth. Insecta I, 1911, p. 183.

**Vuilleti** R. Oberth. l. c. p. 184, f. 1.

Senegal

1

**Gauresthes** Bates.

Bates, Proc. Zool. Soc. Lond. 1889, p. 392.

**rufipes** Bates, l. c. — Whitehead, Explor. Kina Balu Borneo  
1893, p. 295.

1

**Ipothalia** Pasc.Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 314. — Lacord. Gen. Col.  
IX, 1869, p. 27. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 222.**esmeralda** Bates, Cist. Ent. II, 1879, p. 418.

Borneo

**femorata** Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867,  
p. 314.

Philippinen

**pyrrha** Pasc. l. c. — Gah. Fauna Brit. Ind. Col. I, 1906,  
p. 223, f. 83.

Pegu

2

**Osphranteria** Redt.Redt. Denkschr. Wien. Akad. I, 1850, p. 50. — Lacord. Gen. Col. IX, 1869,  
p. 29.**coeruleus** Redt. l. c.

Südpersien

**suaveolens** Redt. l. c.

”

2

**LXVI. Compsocerini.**

Thoms. Syst. Ceramb. 1864, p. 260. — Lacord. Gen. Col. IX, 1869, p. 30.

*Rosaliinae* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 310. —J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 295. — Gah. Fauna  
Brit. Ind. Col. I, 1906, p. 91, 175.**Mausaridaeus** Pic.

Pic, Longic. IV, 2, 1903, p. 29.

**argenteofasciatus** Pic, l. c. p. 30.

Tonkin

**diversinotatus** Pic, l. c.

”

2

**Acrocyrtidus** Jord.

Jord. Nov. Zool. I, 1894, p. 499.

**fasciatus** Jord. l. c. t. 13, f. 10.

Siam

1

**Callichromopsis** Chevr.

Chevr. Mém. Soc. R. Sc. Liège XVIII, 1863, p. 255. — Thoms. Syst. Ceramb. 1864, p. 423. — Lacord. Gen. Col. IX, 1869, p. 31. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 180.

telephoroides Westw. Cab. Orient. Ent. 1848, p. 59, Ceylon  
t. 29, f. 1. — Chevr. Mém. Soc. R. Sc. Liège  
XVIII, 1863, p. 255. — Gah. Fauna Brit. Ind.  
Col. I, 1906, p. 181, f. 71.

1

**Rosalia** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 561. — Lameere, Ann. Soc. Ent. Belg. XXXI, 1887, p. 159 (Monogr.). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 176. — Boppe, Bull. Soc.; Ent. Fr. 1911, p. 105 (Synopsis). — Vuillet, Insecta I, 1911 p. 87, 216 (Liste); p. 250 (Synopsis).

Subgen. *Eurybatodes* A. Semen. Rev. Russe d'Ent. XI, 1911, p. 121.  
Subgen. *Eurybatus* Thoms. Classif. Ceramb. 1860, p. 250; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 32. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 597.

Subgen. *Rosalia* Muls. Col. Fr. Long. 1839, p. 35; ed. 2, 1862, p. 73. — Cast. Hist. Nat. II, 1840, p. 432. — Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Bach, Käferfauna III, 1856, p. 10. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 460. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 137. — C. G. Thoms. Skand. Col. VIII, 1866, p. 14. — Ganglb. Best.-Tab. VII, 1881, p. 11 (689). — Bedel, Faune Col. Seine V, 1889, p. 8. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181. — Stierl. Col. Helv. II, 1898, p. 461. — Houlb. Faune Armor. Ceramb. 1904, p. 17.

Subgen. **Rosalia** Serv. s. str.

**alpina** L. Syst. Nat. ed. 10, 1758, p. 392; Fauna Suec. ed. 2, 1761, p. 189. — Sulzer, Kennz. Ins. 1761. Taf.-Erkl. p. 11, t. 4, f. d. — Scop. Ent. Carn. 1763, p. 52. — Drury, Ill. Exot. Ins. II, 1773, p. 57, t. 31, f. 5; ed. Westw. 1837, p. 61, t. 31, f. 5. — F. Syst. Ent. 1775, p. 168. — Voet, Cat. Col. II, 1778, p. 12, t. 9, f. 35; ed. Panzer III, 1794, p. 29, t. 9, f. 38. — Schrank, Enum. Ins. 1781, p. 131. — Laich. Tyrol. Ins. II, 1784, p. 88. — Geoffr. in Fourer. Entomol. Paris. I, 1785, p. 74. — Ol. Enc. méth. Ins. V, 1790, p. 300; Ent. IV, 67, 1795, p. 22, t. 9, f. 58. — Sturm, Ins.-Cabinet II, 1791, t. 20. — Panzer, Fauna Ins. Germ. II, 1793, t. 22. — Payk. Fauna Suec. III, 1800, p. 54. — Latr. Gen. Crust. et Ins. III, 1807, p. 38. — Fisch.-Waldh. Entomogr. Ross. II. 1824, p. 237, t. 48, f. 6. — Gyllenh. Ins. Suec. I, 4, 1827, p. 48. — Muls. Col. Fr. Long. 1839, p. 35; ed. 2, 1862, p. 74. — Blanch. in Cuv. Règne anim. Ins. ed. Masson, 1832, t. 66, f. 2. — Cast. Hist. Nat. II, 1840, p. 432. — Redt. Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Costa, Fauna Napoli, Col. II, 1854, Longic.

Südschweden,  
Mittel-  
europa,  
Südeuropa

- p. 23. — Bach, Käferfauna III, 1856, p. 10.  
 — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 189. — C. G. Thoms. Skand. Col. VIII, 1866, p. 15. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746).  
 — Lameere. Monogr. p. 162. — Bedel, Faune Col. Seine V, 1889, p. 27, 75. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Stierl. Col. Helv. II, 1898, p. 462.  
 — Th. Pic, Ent. Nachr. XXVI, 1900, p. 11.  
 — Reitter, Wien. Ent. Zeit. XIX, 1900, p. 130.  
 — Csiki, Rov. Lapok VII, 1900, p. 100, fig.  
 — Pic, Echange XVI, 1900, p. 58; Longic. VII, 1, 1908 p. 18. — Csiki, Rov. Lapok XI, 1904, p. 122. — Houlb. Faune Armor. Ceramb. 1904, p. 51, f. 98. — Fiori. Natural. Sicil. XVIII, 1905, p. 7. — Germ. Feuille jeun. Natural. XXXV, 1905, p. 188. — Jacobs. Käfer Russl. 1910, t. 68, f. 4. — Boppe, Synops. p. 106.  
 — Vuillet, Synops. p. 250.
- pilosa* Poda, Ins. Mus. Graec. 1761, p. 32.
- Biologie: Mayet in Bedel, Faune Col. Seine V, 1890, p. 75. — Xambeu. Moeurs & Métam. VIII, 1902, p. 61.
- ab. *bifasciata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Pic, Longic. VII, 1, 1908, p. 21. Bukowina
- ab. *Brancsiki* Laczo, Rov. Lapok XVII, 1910, p. 12. — Pic, Longic. VIII, 1, 1911, p. 5. Ungarn
- ab. *confluens* Csiki, Rov. Lapok VII, 1900, p. 102, f. 6; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21. „
- ab. *connexa* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 21. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1900, p. 20. Krain
- ab. *Croissandau* Pic, Longic. I, 1891, p. 22. Sicilien?
- Croissandau* Th. Pic, Ent. Nachr. XXVI, 1900, p. 11. — Pic, Echange XVI, 1900, p. 58, 59; Longic. VII, 1, 1908, p. 19.
- Kautzi* Ganglb. Ann. Hofmus. Wien XIV, 1899, p. 62, fig.
- ab. *Gelineki* Zoufal, Wien. Ent. Zeit. XXV, 1906, p. 264. — Pic, Longic. VII, 1, 1908, p. 21. Herzegowina
- ab. *geminata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 132. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21. — Csiki, Rov. Lapok VII, 1900, p. 102, f. 9; XI, 1904, p. 123. Ungarn
- ab. *hamata* Brancsik. Jahresh. Naturw. Ver. Trencs. Comit. XXXI—XXXIII, 1910, p. 189, t. 1, f. 11. „
- ab. *interrupta* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21. „
- ab. *Kyselji* Zoufal, Wien. Ent. Zeit. XXV, 1906, p. 264. — Pic, Longic. VII, 1, 1908, p. 20. „
- ab. *latemaculata* Th. Pic, Echange XXIV, 1908, p. 33. — Pic, Longic. VII, 1, 1908, p. 21. Österreich
- ab. *multimaculata* Th. Pic, Ent. Nachr. XXVI, 1900, p. 12. — Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Csiki, Rov. Lapok VII, 1900, p. 100, fig. Französ. Alpen. Krain

- p. 101, f. 5; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 21.
- ab. *obliterata* Th. Pic, Ent. Nachr. XXVI, 1900, p. 12. — Reitter, Wien. Ent. Zeit. XIX, 1900, p. 132. — Pic, Echange XVI, 1900, p. 59; Longic. VII, 1, 1908, p. 20. — Csiki, Rov. Lapok VII, 1900, p. 102, f. 8; XI, 1904, p. 123. Deutschland, Krain, Ungarn
- ab. *parvonotata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 132. — Csiki, Rov. Lapok VII, 1900, p. 102, f. 7; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 58; Longic. VII, 1, 1908, p. 19. Bukowina
- ab. *pausa* Brancsik, Jahresh. Naturw. Ver. Trencs. Comit. XXXI—XXXIII, 1910, p. 189, t. 1, f. 12. Ungarn
- ab. *Pici* Csiki, Rov. Lapok VII, 1900, p. 101, f. 3; XI, 1904, p. 123. — Pic, Longic. VII, 1, 1900, p. 19. „
- ab. *prolongata* Reitter, Wien. Ent. Zeit. XIX, 1900, p. 131. — Csiki, Rov. Lapok VII, 1900, p. 101, f. 2; XI, 1904, p. 123. — Pic, Echange XVI, 1900, p. 58; Longic. VII, 1, 1908, p. 19. Siebenbürgen, Bukowina
- ab. *quadrinaculata* Ragusa, Natural. Sicil. XVIII, 1905, p. 8. — Pic, Longic. VII, 1, 1908, p. 19. Sicilien
- ab. *quadripunctata* Reitter, Wien. Ent. Zeit. XX, 1901, p. 202. — Csiki, Rov. Lapok XI, 1904, p. 123. — Pic, Longic. VII, 1, 1908, p. 19. Ungarn
- var. *Reichei* nov. Sicilien
- alpina* var. Reiche, Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 18. — Lameere, Ann. Soc. Ent. Belg. XXXI, 1887, p. 163.
- ab. *Reitteri* Csiki, Rov. Lapok VII, 1900, p. 101, f. 4; XI, 1904, p. 123. — Pic, Longic. VII, 1, 1908, p. 21. Ungarn
- ab. *sexmaculata* Leoni, Riv. Col. Ital. IV, 1906, p. 109. — Pic, Longic. VII, 1, 1908, p. 21. Italien
- alpina* Cast. Hist. Nat. II, 1840, t. 50, f. 2.
- var. *syriaca* Pic, Bull. Soc. Ent. Fr. 1894, p. 275; Echange XVI, 1900, p. 60; Longic. VII, 1, 1908, p. 22. — Th. Pic, Ent. Nachr. XXVI, 1900, p. 12. Syrien
- ab. *transylvanica* Csiki, Rov. Lapok VII, 1900, p. 102, f. 10; XI, 1904, p. 123. — Pic, Longic. VII, 1, 1908, p. 20. Siebenbürgen
- ab. *V-notata* Th. Pic, Echange XXIV, 1908, p. 33. — Pic, Longic. VII, 1, 1908, p. 21. Französ. Alpen
- ab. *Batesi* Har. Berl. Ent. Zeitschr. XXI, 1877, p. 360. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 227. — Lameere, Monogr. p. 163, t. 3, f. 1. — Matsum. Thous. Ins. Japan III, 1908, nr. 705, t. 53, f. 4. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 250. Japan
- ab. *mediointerrupta* Pic, Echange XVI, 1900, p. 60. „
- ab. *posticeconnexa* Pic, l. c. „
- ab. *scutellata* Pic, l. c. „
- coelestis* A. Semen. Rev. Russe d'Ent. XI, 1911, p. 118, f. 1. Ussuri

- lunebris** Motsch. Bull. Moscou XVIII, 1, 1845, p. 87, t. 2, f. 8. — J. Lec. Entom. Report 1857, p. 61, t. 2, f. 11. — Leng, Ent. Amer. II, 1886, p. 32, t. 2, f. 3. — Lameere, Monogr. p. 164, t. 3, f. 2. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 250.  
*alpina* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 177.
- Houlberti** Vuillet, Insecta I, 1911, p. 215, f. 1; p. 250.
- Lameeri** Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 121.; Le Natural. XII, 1890, p. 153, fig.; Nouv. Archives Mus. Paris (3) III, 1892, p. 243, t. 10, f. 7, 8. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 177, f. 70. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 250.  
ab. *semireducta* Pic, Echange XXVI, 1910, p. 30.
- Westküste Nord-amerikas bis Sitka  
Thibet Birma, Siam  
Yunnan

Subgen. **Eurybatus** Thoms.

- borneensis** Rothsch. & Jord. Ann. Mag. Nat. Hist. (6) XII, 1893, p. 455; Nov. Zool. I, 1894, t. 13, f. 15. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 251.
- decempunctata** Westw. Cabin. Or. Ent. 1848, p. 59, t. 29, f. 2. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 597. — Lameere, Monogr. p. 167, t. 3, f. 6. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 179. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 251.
- Dejeani** Vuillet, Insecta I, 1911, p. 247, f. 1; p. 251.
- Ferriei** Vuillet, l. c. p. 79, fig.; p. 251.
- formosa** Saund. Trans. Ent. Soc. Lond. II, 1839, p. 178, t. 16, f. 4. — Lameere, Monogr. p. 170, t. 3, f. 9. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 180. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 252.
- gravida** Lameere, Monogr. p. 166, t. 3, f. 4. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 178. — Boppe, Synops. p. 106. — Vuillet, Insecta I, 1911, p. 111, f. 1—4; p. 251.
- hariola** Thoms. Classif. Ceramb. 1860, p. 250. — Lameere, Monogr. p. 166, t. 3, f. 5. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 178. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 251.
- inexpectata** Rits. Notes Leyd. Mus. XII, 1890, p. 135; XIII, 1891, t. 10, f. 4. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 252.
- laeta** Lameere, Monogr. p. 168, t. 3, f. 7. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 179. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 251.
- lateritia** Hope in Gray, Zool. Misc. 1831, p. 27. — Lameere, Monogr. p. 165, t. 3, f. 3. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 177. — Boppe, Synops. p. 106. — Vuillet, Synops. p. 251.
- Lesnei** Boppe, Bull. Soc. Ent. Fr. 1911, p. 103, f. 1. 2; p. 106. — Vuillet, Synops. p. 251.
- nigroapicalis** Pic, Echange XXVI, 1910, p. 36; Bull. Soc. Ent. Fr. 1911, p. 177, Longic. VIII, 1, 1911, p. 20. — Vuillet, Synops. p. 252.
- Borneo  
Nordindien, Assam, Borneo, Java  
China Oshima  
Sikkim, Assam  
Sikkim  
Sikkim, Calcutta  
Java  
Tenasserim, Java  
Himalaya, Birma, Indochina  
Formosa  
Südchina

- ✓ *novempunctata* Westw. Cabin. Or. Ent. 1848, p. 59, t. 29, f. 3. — Lameerc, Monogr. p. 169, t. 3, f. 8. — Boppe, Synops. p. 107. — Vuillet, Synops. p. 252. *formosa* Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 26.
- Oberthüri** Vuillet, Insecta I, 1911, p. 248, f. 2, 3: p. 252. Borneo
- Subgen. **Eurybatodes** A. Semen.
- Bouvieri** Boppe, Bull. Soc. Ent. Fr. 1910, p. 235; Synops. p. 106. — Vuillet, Synops. p. 252. Yunnan
- 21

### **Evgenius** Fähr.

- Fähr. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 65.
- Afrocomis* Kolbe, Deutsch-Ostafrika IV, Col. 1897, p. 352.
- plumatus** Fähr. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 65. Kaffernland
- annulatus* Quedf. Journ. Scienc. Lisboa XL, 1885, p. 242.
- Bennigseni* Kolbe, Deutsch-Ostafrika IV, Col. 1897, p. 352.
- 1

### **Ideratus** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 183.
- cyanipennis** Thoms. l. c. Columbien
- 1

### **Hylorus** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 261. — Lacord. Gen. Col. IX, 1869, p. 34.
- armatus** Chabrill. in Thoms. Archives Ent. 1, 1857, p. 199. — Thoms. Syst. Ceramb. 1864, p. 262. Brasilien
- hamaticornis* Chev. Rev. Mag. Zool. (2) XI, 1859, p. 28.
- 1

### **Chloethe** Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 24; Trans. Ent. Soc. Lond. 1870, p. 394. — Lacord. Gen. Col. VIII, 1869, p. 398.
- ingae** Bates, Ent. Month. Mag. IV, 1867, p. 24; Trans. Ent. Soc. Lond. 1870, p. 394. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 78. Ega
- 1

### **Orthoschema** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 253; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 35. — Auriv. Arkiv f. Zool. VII, 3, 1910, p. 15 (Synopsis).
- Orthostoma* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 61. — Cast. Hist. Nat. II, 1840, p. 432. — Bruch, Rev. Mus. J.a Plata XV, 1908, p. 210.
- Subgen. *Orthopraxis* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 17.

Subgen. **Orthoschema** Thoms. s. str.

- albicornis** F. Syst. El. II, 1801, p. 269. — Bates, Trans. Ent. Soc. Lond. 1870, p. 391. — Auriv. Synops. p. 16. Brasilien
- lineare* var. L. Mus. Lud. Ur. 1764, p. 77.
- cardinale** Bates, Trans. Ent. Soc. Lond. 1870, p. 393. Ega
- concolor** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 75. Coyaz
- cyaneum** Pasc. Journ. Entomol. I, 1860, p. 62. — Bates, Trans. Ent. Soc. Lond. 1870, p. 392. — Auriv. Synops. p. 16. Ega
- erythrogaster** White. Cat. Col. Brit. Mus. VII, 1853, p. 146. Brasilien
- haemorrhoidale** Germ. Ins. spec. nov. 1824, p. 496. — Auriv. Synops. p. 15. „
- nigricornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 393 nota. — Auriv. Synops. p. 16. Südbrasilien
- prasinipennis** Lucas in Voy. Castelnau, Ins. 1859, p. 185, t. 12, f. 2. — Auriv. Synops. p. 16. Brasilien
- ab. *viridipennis* Thoms. Classif. Ceramb. 1860, p. 254. — Auriv. Synops. p. 16. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 77.
- prasiniventris** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 76 nota. Bahia, Esperitu Santo
- ruficeps** Bates, Trans. Ent. Soc. Lond. 1870, p. 393 nota. — Auriv. Synops. p. 16. Südbrasilien
- rufiventris** Germ. Ins. spec. nov. 1824, p. 495. — Lameere, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 90. — Auriv. Synops. p. 15. Brasilien
- superbum** Auriv. Ent. Tidskr. XVIII, 1897, p. 245, t. 3, f. 4. „
- Tarnieri** Bates, Trans. Ent. Soc. Lond. 1870, p. 392. — Auriv. Synops. p. 16. Pará
- ventralis** Germ. Ins. spec. nov. 1824, p. 494. — Auriv. Synops. p. 15. Brasilien
- abdominale* Cast. Hist. Nat. II, 1840, p. 433. — Lacord. Gen. Col. IX, 1869, p. 35, nota 3.
- violaceipennis** Auriv. Ent. Tidskr. XVIII, 1897, p. 244; Synops. p. 16. „

Subgen. **Orthoprasis** Auriv.

- abdominale** Gyllenh. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 157. — Auriv. Synops. p. 17. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 78. Brasilien
- chryseis** Bates, Trans. Ent. Soc. Lond. 1870, p. 393. — Auriv. Synops. p. 17. Pará
- tenuicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 392. — Auriv. Synops. p. 17. Ega
- vittatum** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 14. Venezuela

19

**Compsocerus** Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 62. — Thoms. Classif. Ceramb. 1860, p. 234; Syst. Ceramb. 1864, p. 262. — Goun. Bull. Soc. Ent. Fr. 1910, p. 136.

*Orthostomidius* Bruch, Rev. Mus. La Plata XV, 1908, p. 210, f. 1.

- ✓ **Chevrolati** Goun. Bull. Soc. Ent. Fr. 1910, p. 141, 142. Südbrasilien
- ✓ **equestris** Guér. Icon. règne anim. Ins. 1844, p. 231. — Südbrasilien,  
Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 79. Uruguay,  
*aulicus* Thoms. Classif. Ceramb. 1860, p. 253. — Paraguay,  
Berg, An. Soc. Scient. Argent. XXI, 1886, p. 235. Nord-  
— Goun. Bull. Soc. Ent. Fr. 1910, p. 140, 142. Argentina
- thyrsochorus* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 169; XL. 1879, p. 200. Brasilien
- ab. *igneus* White, Cat. Col. Brit. Mus. VII, 1853, p. 147.
- ab. *violaceus* White, l. c.
- opacipennis** Goun. l. c. p. 140, 142. „
- barbicornis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 63 (n. descr.). — Thoms. Classif. Ceramb. 1860, p. 253. „
- parviscopus** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 169. Argentina
- Berg, An. Soc. Scient. Argent. XXI, 1886, p. 237. — Goun. Bull. Soc. Ent. Fr. 1910, p. 140, 142.

4

**Compsoceridius** Bruch.

Bruch, Rev. Mus. La Plata XV, 1908, p. 207, 211.

- Gounellei** Bruch, l. c. p. 208, fig. La Plata

1

**Paromœocerus** Goun.

Goun. Bull. Soc. Ent. Fr. 1910, p. 439. /

*Compsocerus* Cast. Hist. Nat. II, 1840, p. 435. — Lacord. Gen. Col. IX, 1869, p. 36. — Bruch, Rev. Mus. La Plata XV, 1908, p. 210, f. 2

- ✓ **barbicornis** Cast. Hist. Nat. II, 1840, p. 435. — Goun. Brasilien  
Bull. Soc. Ent. Fr. 1910, p. 136.
- ? *barbicornis* F. Ent. Syst. I, 2, 1792, p. 311.
- equestris* Guér. Icon. règne anim. Ins. 1844, p. 231.
- Burm. Stett. Ent. Zeit. XXVI, 1865, p. 170. —
- Berg, An. Soc. Scient. Argent. XXI, 1886, p. 237.
- Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 21.
- ? *plumiger* Ol. Ent. IV, 68, 1795, p. 13, t. 1, f. 2.
- vestitus** Goun. Bull. Soc. Ent. Fr. 1910, p. 139; Ann. Soc. „  
Ent. Fr. LXXX, 1911, p. 80.

2

**Unxia** Thoms.

Thoms. Classif. Ceramb. 1860, p. 234, 252; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 37.

- ✓ **gracilior** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 171. Montevideo
- insignis** Guér. Icon. règne anim. Ins. 1844, p. 232. Brasilien
- ✓ **laeta** Guér. l. c. „
- barbicornis* Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 19.
- insignis* Thoms. Classif. Ceramb. 1860, p. 252.

- scopifer** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1855, p. 461, t. 43, f. 11. Brasilien  
**simplex** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 2. „  
 5

### **Euryprosopus** White.

White, Cat. Col. Brit. Mus. VII, 1853, p. 136. — Buq. Rev. Mag. Zool. (2) V, 1853, p. 256; (2) IX, 1857, p. 409 (Monogr.). — Thoms. Classif. Ceramb. 1860, p. 234; Syst. Ceramb. 1864, p. 461. — Lacord. Gen. Col. IX, 1869, p. 38.

- alexianus** Buq. Monogr. p. 257, t. 8, f. 1. Rio Janeiro  
**angustissimus** Buq. l. c. p. 412. Brasilien  
**apicalis** Buq. l. c. p. 259, t. 8, f. 4. „  
**Chabrillaei** Buq. l. c. p. 411. „  
**elavipes** White, Cat. Col. Brit. Mus. VII, 1853, p. 137, t. 4. „  
 f. 2. — Buq. Monogr. p. 258.  
**eyanipennis** Buq. l. c. p. 260, t. 8, f. 6. Rio Janeiro  
**dardanus** Buq. l. c. p. 258, t. 8, f. 2; p. 410. Brasilien  
**nigripennis** Buq. l. c. p. 260, t. 8, f. 5. „  
 8

### **Ethemon** Thoms.

Thoms. Syst. Ceramb. 1860, p. 262, 460. — Lacord. Gen. Col. IX, 1869, p. 39.

- basale** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 170. — Paraná,  
 Lacord. Gen. Col. IX, 1869, p. 39, nota 3. — Argentina  
 Bruch. Rev. Mus. La Plata XV, 1908, p. 212.  
 var. *diversipenne* Burm. Stett. Ent. Zeit. XXVI,  
 1865, p. 170. — Bruch. Rev. Mus. La Plata XV,  
 1908, p. 212.  
**lepidum** Thoms. Syst. Ceramb. 1860, p. 262. — Bates. Brasilien  
 Biol. C. Amer. Col. V, 1882, p. 47.  
 2

### **Chariergus** Thoms.

Thoms. Classif. Ceramb. 1860, p. 369; Syst. Ceramb. 1864, p. 460. — Lacord. Gen. Col. IX, 1869, p. 39.

- quadripunctatus** Lucas, Voy. Castelneau, Ins. 1859, p. 188, Brasilien  
 t. 12, f. 4 a.  
**signaticornis** Lucas, l. c. p. 188, t. 12, f. 3. — Goun. Ann. Minas Geraes  
 Soc. Ent. Fr. LXXX, 1911, p. 150.  
 ? *tabidus* White. Cat. Col. Brit. Mus. VIII, 1855,  
 p. 216.  
**tabidus** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, Brasilien  
 p. 461, t. 43, f. 4. — Chevr. Journ. Ent. I, 1861,  
 p. 253.  
 3

### **Chenoderus** Fairm. & Germain.

Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 532. — Thoms. Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869, p. 40.

- bicolor** Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 107. Chile  
**octomaculatus** Fairm. l. c. „

- quadrinaculatus** Germain, Acta Soc. Chile II, 1894, p. 166. Chile  
**testaceus** Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 479, „  
 t. 28, f. 8.  
**tricolor** Fairm. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 502. — „  
 Waterh. Aid identif. Ins. I, 1880, t. 4.  
**venustus** Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 107. „  
 6

**Acoremia** Kolbe.

Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 252.

- flavomaculata** Kolbe, l. c. p. 253. Usambara  
 1

**Coremia** Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 22. — Thoms. Classif. Ceramb. 1860,  
 p. 177; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. IX, 1869, p. 42. —  
 Gounelle, Bull. Soc. Ent. Fr. 1905, p. 228 (Synopsis).  
 Subgen. *Thalusia* Thoms. Syst. Ceramb. 1864, p. 168, 418. — Lacord.  
 Gen. Col. IX, 1869, p. 43.

Subgen. **Coremia** s. str.

- ✓ **plumipes** Pallas, Spicileg. Zoolog. I, 9, 1772, p. 5, t. 1, f. 2. Brasilien.  
 — Panz. in Voet. Cat. Col. III, 1794, p. 68, t. 24, Cayenne,  
 f. 133. — Voet, Cat. Col. II, 1804—06, p. 28, Nicaragua  
 t. 24, f. 133.  
*hirtipes* Ol. Ent. IV, 68, 1795, p. 14, t. 1, f. 8. —  
 Guér. Icon. règne anim. Ins. 1844, p. 232, t. 44,  
 f. 3. — White, Cat. Col. Brit. Mus. VIII, 1855,  
 p. 204. — Bates, Trans. Ent. Soc. Lond. 1870,  
 p. 394. — Goun. Synops. p. 228.  
**signaticollis** Buq. in Guér. Icon. règne anim. Ins. 1844, Brasilien  
 p. 232. — White, Cat. Col. Brit. Mus. VIII,  
 1855, p. 205.  
**simplexipes** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
 p. 81, fig.

Subgen. **Thalusia** Thoms.

- Bruchi** Goun. Bull. Soc. Ent. Fr. 1905, p. 227. Argentina  
**erythromera** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 23. — Brasilien  
 White, Cat. Col. Brit. Mus. VIII, 1855, p. 204. —  
 Thoms. Syst. Ceramb. 1864, p. 169.  
**ferruginea** Bruch, Rev. Mus. La Plata XV, 1908, p. 213. Argentina  
 6

**Pachymerola** Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 161.

- vitticollis** Bates, l. c. p. 161, t. 6, f. 11. Mexico  
 1

## LXVII. Callidiini.

Thoms. Classif. Ceramb. 1860, p. 257 (ex parte); Syst. Ceramb. 1864, p. 263 (ex parte). — Fairm. Gen. Col. d'Eur. IV, 1864, p. 131. — Lacord. Gen. Col. IX, 1869, p. 43. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 295. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 280. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

### Gonocallus J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 171. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

*collaris* Kirby, Fauna Bor.-Amer. IV, 1837, p. 141. — Canada,  
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — Lake  
White, Cat. Col. Brit. Mus. VIII, 1855, p. 321. — Superior  
Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97;  
Ent. Amer. I, 1885, p. 35, t. 1, f. 4. — Wickh.  
Canad. Ent. XXIX, 1897, p. 106.

*lepidus* J. Lec. Journ. Acad. Philad. (2) II, 1850,  
p. 34.

1

### Physocnenum Hald.

Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 38. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31; Smiths. Misc. Coll. XI, 265, 1873, p. 296. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 97.

*Dularius* Thoms. Classif. Ceramb. 1860, p. 258, 377; Syst. Ceramb. 1864, p. 461. — Lacord. Gen. Col. IX, 1869, p. 49. — Prov. Faune Ent. Canada, Col. 1877, p. 586.

*Andreae* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 36. Georgian  
— J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 32.  
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97;  
Ent. Amer. I, 1885, p. 35, t. 1, f. 6.

*luscum* Thoms. Classif. Ceramb. 1860, p. 259.  
*brevilineum* Say, Journ. Acad. Philad. III, 1823, p. 413. Pennsylvanien bis  
— Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Kansas,  
p. 38. — Thoms. Classif. Ceramb. 1860, p. 258. — Canada  
Prov. Faune Ent. Canada, Col. 1877, p. 586.  
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97;  
Ent. Amer. I, 1885, p. 35, t. 1, f. 5. — Wickh.  
Canad. Ent. XXIX, 1897, p. 106.

Biologie: Pack. Ins. inj. Trees 1881, p. 60, f. 19;  
ed. 2, 1890, p. 228, f. 73. — Felt, Ins. affect. Trees  
1906, p. 462, f. 114.

*violaceipenne* Hamilt. Ent. News VII, 1896, p. 286. Pennsylvanien

3

### Ropalopus Muls.

Muls. Col. Fr. Longic. 1839, p. 39, 40. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 29. — Thoms. Classif. Ceramb. 1860, p. 258.

*Euryoptera* Horn, Proc. Acad. Philad. 1860, p. 571.

*Rhopalopus* Redt. Gatt. deutsch. Käferfauna 1845, p. 110; Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 399. —

Muls. Col. Fr. Long. ed. 2, 1862, p. 80. — Thoms. Syst. Ceramb. 1864, p. 461. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 135. — Lacord. Gen. Col. IX, 1869, p. 50. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Ganglb. Best.-Tab. VII, 1881, p. 11 (689). — J. Lec. & Horn, Classif. N. Amer. Col. 1883, p. 281. — Bedel, Faune Col. Seine V, 1889, p. 8, 25. — Seidl. Fauna Balt. ed. 2, 1891, p. 737. — Stierl. Col. Helv. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1901, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 17, 50. — Pic, Longic. VI, 2, 1907, p. 25 (Synopsis).

**brevicollis** Gebl. Bull. Moscou VI, 1833, p. 302.

*sibiricus* Gebl. l. c. XXI, 1, 1848, p. 391.

**clavipes** F. Syst. Ent. 1775, p. 188. — Herbst in Füessly, Archiv V, 1784, p. 95, f. 26, f. 9. — Gmel. Syst. Nat. I, 4, 1790, p. 1856. — Rossi, Mant. Faun. Etrusc. I, 1792, p. 52. — Panzer in Voet, Besch. hartsch. Ins. III, 1794, p. 64, t. 22, f. 115. — Ol. Ent. IV, 70, 1795, p. 43, t. 3, f. 33. — Schrank, Fauna Boica I. 2, 1798, p. 673. — Donnd. Europ. Fauna VIII, 1799, p. 590. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 3. — Payk. Fauna Suec. III, 1800, p. 81. — Muls. Col. Fr. Longic. 1839, p. 41: ed. 2, 1862, p. 81. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 399. — Bach, Käferfauna III, 1856, p. 16. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 25, 73. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Trans. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Longic. II, 1898, p. 9. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 50, f. 97. — Pic, Synops. p. 27. — Jacobs. Käfer Russl. 1910, t. 66, f. 12.

Biologie: Perris, Larves Col. 1877, p. 437. — Xamheu, Moeurs et Métam. VIII, 1902, p. 70. *morio* Voet, Cat. Col. II, 1804—06, p. 25, t. 22, f. 115.

*nigricans* Gmel. Syst. Nat. I, 4, 1790, p. 1857. *nigroplanus* Degeer, Mém. Ins. V, 1775, p. 88. *viduus* Geoffr. in Fourer. Faune Paris. I, 1785, p. 82.

var. *caucasicus* Desbr. Ann. Soc. Ent. Fr. (5) III, 1873, Bull. p. 137. — Pic, Synops. p. 27.

**femoratus** L. Syst. Nat. ed. 10, 1758, p. 395. — Degeer, Mém. Ins. V, 1775, p. 93. — Schrank, Enum. Ins. 1781, p. 147; Fauna Boica I, 2, 1798, p. 676. — F. Spec. Ins. I, 1781, p. 237. — Gmel. Syst. Nat. I, 4, 1790, p. 1847. — Ol. Ent. IV, 70, 1795, p. 22, t. 7, f. 77. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 5. — Gyllenh. Ins. Suec. I, 4, 1827, p. 75. — Muls. Col. Fr. Long. 1839, p. 41: ed. 2, 1862, p. 83. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 399. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 31, t. 32, f. 2. — Bach, Käferfauna III, 1856, p. 16. — C. G. Thoms. Skand. Col. VIII, 1866, p. 29. — Ganglb. Best.-Tab. VII, 1881, p. 69

Sibirien

Mitteleuropa

Kaukasus

Südschweden,  
Mittel- und  
Südeuropa  
(fehlt in  
England)

- (747). — Bedel, Faune Col. Seine V, 1889, p. 25, 73. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Longic. II, 1898, p. 9. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 50. — Pic, Synops. p. 27. — Jacobs. Käfer Russl. 1910, t. 66, f. 9.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1876, p. 274, f. 439—442; Larves Col. 1877, p. 435, f. 439—442. — Decaux, Feuille jeun. Nat. XIII, 1882, p. 52—54. — Mayet, Ins. de la Vigne 1890, p. 335 nota. — Xambcu, Moeurs & Métam. VIII, 1902, p. 68.
- punctatus* F. Syst. El. II, 1801, p. 336.
- punctuosus* Geoffr. in Fourcr. Entomol. Paris. I, 1785, p. 83.
- insubricus** Germ. Ins. spec. nov. 1824, p. 514. — Guér. Icon. règne anim. Ins. 1829—44, t. 44, f. 4. — Muls. Col. Fr. Long. 1839, p. 40 (ex parte). — Redt. Fauna Austr. 1849, p. 484; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 399 (ex parte). — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 29. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 186. — Ganglb. Best.-Tab. VII, 1882, p. 68 (746). — Pic, Synops. p. 27, 28. — Hubenthal, Deutsche Ent. Nat.-Bibl. II, 1911, p. 80.
- Biologie: Altum in Dankelm. Zeitschr. f. Forst- und Jagdwesen VII, 1875, p. 129—134, fig.
- var. *annulus* Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 30, t. 32, f. 1.
- ab. *Vogti* Guerry, Echange XXVII, 1911, p. 99. — Pic, Longic. VIII. 1. 1911, p. 5.
- Ledereri** Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 269. — Pic, Synops. p. 26, nota 2.
- Lederi** Ganglb. Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 747; Best.-Tab. VII, 1881, p. 69. — Pic, Synops. p. 26.
- maeropus** Germ. Ins. spec. nov. 1824, p. 514. — Krynicky. Bull. Moscou V, 1832, p. 161. — Muls. Col. Fr. Long. ed. 2, 1862, p. 82. — Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 140. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Longic. II, 1898, p. 19; Synops. p. 27, 28.
- clavipes* Gyllenh. Ins. Suec. I, 4, 1827, p. 75. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 536.
- pilicollis* C. G. Thoms. Skand. Col. VIII, 1866, p. 29.
- Nadari** Pic, Mém. Soc. Zool. Fr. VII, 1894, p. 207; Synops. p. 27.
- sanguinicollis** Horn, Proc. Acad. Philad. XII, 1860, p. 571, t. 8, f. 3. — Prov. Pet. Faune Ent. Canada, Col. 1877, p. 587. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 97; Ent. Amer. I, 1885, p. 35, t. 1, f. 7. — Wickh. Canad. Ent. XXIX, 1897, p. 106.
- Kroatien,  
Illyrien,  
Italien
- Südditalien
- Südfrank-  
reich
- Kleinasien
- Kaukasus
- Südschweden,  
Mittel- und  
Südeuropa
- Turkestan
- New York,  
Canada

- siculus** Stierl. Berl. Ent. Zeitschr. VIII, 1864, p. 152. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Pic, Echange XI, 1895, p. 76; Synops. p. 26.
- signaticollis** Solsky, Horae Soc. Ent. Ross. IX, 1872, p. 177. — Pic, Synops. p. 26.
- spinicornis** Abeille, Petites Nouv. Ent. I, 1869, p. 42; Ann. Soc. Ent. Fr. (4) X, 1870, p. 85; Abeille VII, 1871, p. LXXIX. — Ganglb. Best.-Tab. VII, 1881, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 25, 73. — Pic, Synops. p. 27, 28. — *Varini* Bedel, Abeille VII, 1870, p. 94.
- ungaricus** Herbst in Füessly, Archiv V, 1784, p. 96, t. 26, f. 11.
- cognatus** Laich. Verz. Tyrol. Ins. II, 1784, p. 58. — Townson, Travels in Hongrie 1797, p. 188, t. 12, f. 15.
- Fischeri** Krynicky, Bull. Moscou I, 1829, p. 197. — Fischer, l. c. IV, 1832, p. 438, t. 6, f. 6. — Pic, Synops. p. 27.
- hungaricus** F. Ent. Syst. Suppl. 1798, p. 149. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 7. — Muls. Col. Fr. Long. ed. 2, 1862, p. 80. — Ganglb. Best.-Tab. VII, 1881, p. 68 (746). — Seidl. Fauna Transs. 1891, p. 830. — Stierl. Col. Helv. II, 1898, p. 465. — Pic, Synops. p. 26, 28. — Hubenthal, Deutsche Ent. Nat.-Bibl. II, 1911, p. 80.
- pannonicus** Gmel. Syst. Nat. I, 4, 1790, p. 1856. Biologie: Xambeu, Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 45; Moeurs & Métam. VII, 1899, p. 85.

13

### Hylotrupes Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 77. — Muls. Col. Fr. Long. 1839, p. 55; ed. 2, 1862, p. 104. — Redt. Gatt. deutsch. Käferf. 1845, p. 110; Fauna Austr. 1849, p. 486; ed. 2, 1858, p. 846; ed. 3, II, 1874, p. 402. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 36. — Bach, Käferfauna III, 1856, p. 13. — Woll. Cat. Col. Ins. Madera 1857, p. 124. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 136. — C. G. Thoms. Skand. Col. VIII, 1866, p. 26. — Lacord. Gen. Col. IX, 1869, p. 45. — Cox, Handb. Col. II, 1874, p. 310. — Ganglb. Best.-Tab. VII, 1881, p. 11 (689). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 98. — Bedel, Faune Col. Seine V, 1889, p. 8. — Fowler, Col. Brit. Isl. IV, 1890, p. 220, 222. — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181. — Stierl. Col. Helv. II, 1898, p. 463. — Everts, Col. Neerl. II, 1, 1902, p. 366. — Houlb. Faune Armor. Ceramb. 1904, p. 18, 49.

- amethystinus** J. Lec. Proc. Acad. Philad. VI, 1853, p. 234. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 98.
- bajulus** L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 193. — Sulz. Kennz. Ins. 1761, t. 4, f. 29. — Poda, Mus. Graec. 1761, p. 36. — Scop. Ent. Carn. 1763, p. 48. — Müller, Fauna Ins. Fridr. 1764, p. 13; Zool. Dan. Prodr. 1776,

- p. 91. — F. Syst. Ent. 1775, p. 187. — Leske, Naturg. I, 1779, p. 429. — Schrank, Enum. Ins. 1781, p. 149; Fauna Boica I, 2, 1798, p. 674. — Ström, Danske Vid. Selsk. Skrift. (2) II, 1783, p. 59, t., f. 6. — Herbst in Borowsky, Naturg. VI, 1784, p. 129. — Laich. Verz. Tyrol. Ins. II, 1784, p. 65. — Villers, Linn. Ent. I, 1789, p. 249. — Rossi, Fauna Etr. I, 1790, p. 153. — Ol. Enc. méth. Ins. V, 1790, p. 250, t. 216, f. 3; Ent. IV, 70, 1795, p. 7, t. 3, f. 30. — Martyn, Engl. Ent. 1792, t. 24, f. 1—5. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 1. — Donnd. Eur. Fauna VIII, 1799, p. 580. — Payk. Fauna Suec. III, 1800, p. 85. — Marsh. Ent. Brit. I, 1802, p. 334. — Bechst. & Scharfenb. Forstins. I, 1804, p. 208. — Samouelle, Ent. Comp. 1819, p. 450, t. 12, f. 2; Ent. Cabin. I, 1832, t. 40. — Gyllenh. Ins. Suec. I, 4, 1827, p. 70. — Zett. Fauna Ins. Lapp. I, 1828, p. 370. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 246; Man. 1839, p. 274. — Ratzeb. Forstins. I, 1837, p. 237, t. 17, f. 4. — Muls. Col. Fr. Long. 1839, p. 55; ed. 2, 1862, p. 105. — Cast. Hist. Nat. II, 1840, p. 454. — Spry & Shuck. Brit. Col. 1840, p. 65, t. 75, f. 1. — Redt. Fauna Austr. 1839, p. 486; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 402. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31. — Costa, Fauna Regn. Napoli Col. II, 1855, Ceramb. p. 36, t. 32, f. 5, 6. — Bach, Käferfauna III, 1856, p. 13. — Woll. Cat. Col. Ins. Madera 1857, p. 125. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 188. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 532. — C. G. Thoms. Skand. Col. VIII, 1866, p. 26. — Cox, Handb. Col. II, 1874, p. 316. — Prov. Pet. Faune Ent. Canada, Col. 1877, p. 588. — Ganglb. Best.-Tab. VII, 1881, p. 73 (751). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 98. — Bedel, Faune Col. Seine V, 1889, p. 26, 74. — Fowler, Col. Brit. Isl. IV, 1890, p. 222, t. 120, f. 4. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Wickh. Canad. Ent. XXIX, 1897, p. 108. — Stierl. Col. Helv. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 366. — Houlb. Faune Armor. Ceramb. 1904, p. 49, f. 95. — Jacobs. Käfer Russl. 1910, t. 66, f. 13.
- ♂ *affinis* Saven. in Hummel, Essais IV, 1825, p. 63. — Gyllenh. Ins. Suec. I, 4, 1827, p. 71. — C. G. Thoms. Skand. Col. VIII, 1866, p. 27.
- caudatus* Degeer, Mém. Ins. V, 1775, p. 86.
- didymus* Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 112; ed. Panzer III, 1794, p. 63.
- latithorax* Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 111; ed. Panzer III, 1794, p. 63.
- Linneianus* Laich. Verz. Tyrol. Ins. II, 1784, p. 69.
- quadripunctatus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 82.
- similis* Marsh., Ent. Brit. I, 1802, p. 335.

- Biologie: Nördl. Stett. Ent. Zeit. IX, 1848, p. 256. — Perris, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 454, t. 6, f. 369—375. — Schiödte, Nat. Tidskr. (3) X, 1875, p. 417, t. 15, f. 13. — Bouthery, Ann. Soc. Ent. Fr. (5) IX, 1879, Bull. p. 152. — Girard, l. c. (6) I, 1881, Bull. p. 127. — Nördl. Lebensweise von Forstkerfen, ed. 2, 1880, p. 41. — Altum in Dankelm. Zeitschr. f. Forst- und Jagdw. XVIII, 1886, p. 95. — Judeich, Forstins. II, 1, 1889, p. 585. — Xambeu, Moeurs & Métam. VIII, 1902, p. 83. — Henry, Bull. Soc. Sc. Nancy X, 1909, p. 139.
- var. *bullatus* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 36. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 31. New York
- ab. *puellus* Villa, Col. Eur. Dupl. Suppl. 1833, p. 36. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 37. Italien, Korsika
- Koziorowiczi* Desbr. Ann. Soc. Ent. Fr. (5) II, 1872, p. 429; Bull. p. 77.
- ab. *scutifer* Voet, Cat. Col. II, 1778, p. 24, t. 21, f. 109; ed. Panzer III, 1794, p. 62, t. 21, f. 109.
- lividus* Muls. Col. Fr. Long. 1839, p. 56. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 37. Europa
- ab. *syriacus* Théry, Bull. Soc. Ent. Fr. 1896, p. 110. Syrien
- bifasciatus** Motsch. Bull. Moscou XLIX, 1, 1875, p. 148. China
- 3

### Semanotus Muls.

Muls. Col. Fr. Long. 1839, p. 54; ed. 2, 1862, p. 100. — Redt. Gatt. deutsch. Käferf. 1845, p. 110; Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 401. — Bach, Käferf. III, 1856, p. 16. — Thoms. Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 136. — C. G. Thoms. Skand. Col. VIII, 1866, p. 27. — Lacord. Gen. Col. IX, 1869, p. 47. — Ganglb. Best.-Tab. VII, 1882, p. 11 (689). — Bedel, Faune Col. Seine V, 1889, p. 8, 26. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 366.

*Sympiezocera* Lucas, Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 106; Rev. Mag. Zool. (2) V, 1853, p. 27. — Fairm. Gen. Col. d'Eur. IV, 1866, p. 190. — Lacord. Gen. Col. IX, 1869, p. 46.

*Xenodorum* Mars. Rev. Mag. Zool. (2) VIII, 1856, p. 48.

- ✓ *japonicus* Lacord. Gen. Col. IX, 1869, p. 47, nota 2. Japan  
 — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 227. — Matsum. Thous. Ins. Japan III, 1908, nr. 715, t. 54, f. 2.
- Laurasi** Lucas, Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 107; Rev. Mag. Zool. (2) V, 1853, p. 29, t. 1, f. 1—5. — Fairm. Gen. Col. d'Eur. IV, 1866, t. 59, f. 281. — Ganglb. Best.-Tab. VII, 1882, p. 73 (751). — Bedel, Faune Col. Seine V, 1889, p. 26, 74. Frankreich, Spanien, Korsika, Algier
- Biologie: Léveillé, Ann. Soc. Ent. Fr. (5) II, 1872, Bull. p. 35, 52, 67. — Perris, Ann. Soc.

- Linn. Lyon (2) XXIII, 1876, p. 283; Larves Col. 1877, p. 443. — Martin, An. Soc. Esp. Hist. Nat. VIII, 1878, Actas p. 44. — Lucas, Ann. Soc. Ent. Fr. (6) IV, 1884, p. 41. — Léveillé, l. c. (6) VI, 1886, Bull. p. 46. — Chéron, Le Coléoptér. 1890, p. 24. — Xambou, Rev. d'Ent. XIX, 1900, p. 40; Moeurs & Métam. VIII, 1902, p. 80; IX, 1901, p. 103; XI, 3, 1902, p. 49 (Ann. Soc. Linn. Lyon (2) XLIX, 1902, p. 143).  
*Bonvouloiri* Mars. Rev. Mag. Zool. (2) VIII, 1856, p. 48.  
*Verneti* Pellet, Pet. Nouv. Ent. I, 1871, p. 164.  
 var. *corsicus* Croiss. Le Coléoptér. 1890, p. 38. Korsika
- ligneus** F. Mant. Ins. I, 1787, p. 153. — Ol. Enc. méth. Nordamerika  
 Ins. V, 1790, p. 260; Ent. IV, 70, 1795, p. 23, 71, t. 7, f. 79. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 32. — Prov. Pet. Faune Ent. Canada, Col. 1877, p. 588. — Leng. Bull. Brookl. Ent. Soc. VII, 1884, p. 98; Ent. Amer. I, 1885, p. 35, t. 1, f. 9. — Wickh. Canad. Ent. XXIX, 1897, p. 108.  
 Biologie: Felt, Ins. affect. Trees 1907, p. 675.  
*Nicolas* White, Cat. Col. Brit. Mus. VIII, 1855, p. 321. — Horn, Trans. Amer. Ent. Soc. X, 1882, p. 289.  
*russicus* Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 248, t. 22, f. 2.
- litigiosus** Casey, Ann. N. York Acad. VI, 1892, p. 25. Kalifornien  
**pallidus** Zoubk. Bull. Moseou VI, 1833, p. 336. Turkmenien
- russicus** F. Gen. Ins. 1776, p. 232. — Ol. Enc. méth. Südrussland,  
 Ins. V, 1790, p. 260; Ent. IV, 70, 1795, p. 54, t. 4, f. 49. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 850; ed. 3, II, 1874, p. 401. — Bach, Käferfauna III, 1856, p. 17. — Muls. Österreich,  
 Col. Fr. Long. ed. 2, 1863, p. 104. — Ganglb. Dalmatien  
 Best.-Tab. VII, 1882, p. 73 (751). — Seidl. Fauna Transs. 1891, p. 831.  
 Biologie: Kollar, Verh. zool.-bot. Ges. Wien VII, 1857, p. 185. — Assm. Wien. Ent. Monatsschr. II, 1858, p. 181. — Xambou, Moeurs & Métam. VIII, 1902, p. 83.
- var. *algiricus* Pic, Echange XXI, 1905, p. 99. Algier  
 var. *persicus* Solsky, Horae Soc. Ent. Ross. Persien  
 XI, 1876, p. 296. — Ganglb. l. c. XXII, 1888, p. 197.
- sinensis** Gah. Ann. Mag. Nat. Hist. (6) II, 1888, p. 61. China  
**undatus** L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. Europa  
 ed. 2, 1761, p. 194. — Poda, Mus. Graec. 1761, p. 280. — F. Syst. Ent. 1775, p. 191. — Degeer. Mém. Ins. V, 1775, p. 91. — Müller, Zool. Dan. Prodr. 1776, p. 95. — Schrank, Enum. Ins. 1781, p. 151. — Laich. Verz. Tyrol. Ins. II, 1784, p. 86. — Ol. Enc. méth. Ins. V, 1790, p. 259; Ent. IV, 70, 1795, p. 12, t. 3, f. 36. — Panzer, Fauna Ins. Germ. LXX, 1799, t. 15. — Payk. Fauna Suec. III, 1800, p. 92. — Gyllenh. Ins. Suec. I, 4, 1827, p. 86. — Zett. Fauna Ins. Lapp. I, 1828, p. 371. — Muls.

- Col. Fr. Long. 1839, p. 54; ed. 2. 1862, p. 103.  
 — Redt. Fauna Austr. 1849, p. 483; ed. 2. 1858,  
 p. 850; ed. 3, II, 1874, p. 401 — Bach, Käfer-  
 fauna III, 1856, p. 16. — Schiödte, Nat. Tidskr.  
 (3) II, 1864, p. 532. — C. G. Thoms. Skand.  
 Col. VIII, 1866, p. 28. — Ganglb. Best.-Tab.  
 VII, 1882, p. 73 (751). — Bedel, Faune Col.  
 Seine V, 1889, p. 26. — Seidl. Fauna Balt. ed. 2,  
 1891, p. 738; Fauna Transs. 1891, p. 831. —  
 Stierl. Col. Helv. II, 1898, p. 466. — Everts,  
 Col. Neerl. II, 1, 1902, p. 366.  
*sulphuratus* Voet, Cat. Col. II, 1778, p. 20,  
 t. 19, f. 87; ed. Panzer III, 1794, p. 52, t. 19, f. 87.

8

### **Calydon** Thoms.

Thoms. Syst. Ceramb. 1864, p. 263. — Lacord. Gen. Col. IX, 1869, p. 48.

- Skottsbergi** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 3. Südchile  
**submetallicum** Blanch. in Gay, Hist. Chile, Zool. V, Chile  
 1851, p. 497, t. 29, f. 8. — Thoms. Syst. Ceramb.  
 1864, p. 264.

2

### **Merium** (Kirby) J. Lec.

- Kirby, Fauna Bor.-Amer. IV, 1837, p. 172, t. 5, f. 5 (ex parte). — J. Lec.  
 Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Prov. Pet. Faune Ent. Canada,  
 Col. 1877, p. 589. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281.  
 — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61.

- Proteus** Kirby, Fauna Bor.-Amer. IV, 1839, p. 172, Colorado,  
 t. 5, f. 5. — Mannerh. Bull. Moscou XXVI, 1853, Canada  
 p. 247. — J. Lec. Journ. Acad. Philad. (2) II,  
 1850, p. 32. — Prov. Pet. Faune Ent. Canada,  
 Col. 1877, p. 589. — Leng, Bull. Brookl. Ent.  
 Soc. VII, 1884, p. 101; Ent. Amer. I, 1885,  
 p. 35, t. 1, f. 15. — Wiekh. Canad. Ent. XXIX,  
 1897, p. 108.

- simile** Kirby, Fauna Bor.-Amer. IV, 1837, p. 173. — Nordamerika  
 J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 32.

2

### **Callidium** F.

- F. Syst. Ent. 1775, p. 187. — Laich. Verz. Tyrol. Ins. II, 1784, p. 56. —  
 Payk. Fauna Suec. III, 1800, p. 80. — Lam. Syst. Anim. sans Vertè-  
 bres 1801, p. 234 (ex parte). — Latr. Hist. Nat. Crust. Ins. XI, 1804,  
 p. 286. — Gyllenh. Ins. Suec. I, 4, 1827, p. 69. — Steph. III. Brit. Ent.  
 Mand. IV, 1831, p. 245. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 74.  
 — Muls. Col. Fr. Long. 1839, p. 42; ed. 2. 1863, p. 84. — Cast. Hist.  
 Nat. II, 1840, p. 454. — Redt. Gatt. deutsch. Käferf. 1845, p. 110; Fauna  
 Austr. 1849, p. 482; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 399. — Bach,  
 Käferfauna III, 1856, p. 14. — Thoms. Classif. Ceramb. 1860, p. 258;  
 Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 135.  
 — C. G. Thoms. Skand. Col. VIII, 1866, p. 27. — Lacord. Gen. Col. IX,

1869, p. 52. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Cox, Handb. Col. II, 1874, p. 311. — Ganglb. Best.-Tab. VII, 1882, p. 11 (689). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 112. — Bedel, Faune Col. Seine V, 1889, p. 8, 23. — Fowler, Col. Brit. Isl. IV, 1890, p. 222. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 465. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 18.

*Meridion* Des Gozis, Recherche de l'espèce typ. 1886, p. 32.  
*Oupyrhidium* Pic, Cat. Longic. 1900, p. 50.

- aceneum** Degeer, Mém. Ins. V, 1775, p. 89. — Herbst Nord- und  
 in Füssly, Archiv V, 1784, p. 96, t. 26, f. 12. Mittel-  
 — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — europä-  
 — Seidl. Fauna Balt. ed. 2, 1891, p. 378; Fauna Sibirien  
 Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 467.
- aurichalceum* Gmel. Syst. Nat. I, 4, 1790, p. 1857.  
*cognatum* β Laich. Verz. Tyrol. Ins. II, 1784, p. 59.  
*dilatatum* Payk. Fauna Suec. III, 1800, p. 91.  
 — Gyllenh. Ins. Succ. I, 4, 1827, p. 78. — Zett.  
 Fauna Ins. Lapp. I, 1828, p. 370. — Muls. Col.  
 Fr. Longic. 1839, p. 43; ed. 2, 1862, p. 84. —  
 Cast. Hist. Nat. II, 1840, p. 456. — Redt. Fauna  
 Austr. 1849, p. 482; ed. 2, 1858, p. 849; ed. 3.  
 II, 1874, p. 400. — Bach, Käferfauna III, 1856,  
 p. 14. — C. G. Thoms. Skand. Col. VIII, 1866,  
 p. 32.
- variabile* F. Syst. Ent. 1775, p. 188. — Ol. Enc.  
 méth. Ins. V, 1790, p. 256; Ent. IV, 70, 1795,  
 p. 15, t. 6, f. 65. — Rossi, Mant. Ins. I, 1792,  
 p. 52. — Panz. Fauna Ins. Germ. LXX, 1799, t. 6.  
*venosum* Eschsch. Mém. Acad. St. Pétersb. VI,  
 1818, p. 483.
- viridans* Gmel. Syst. Nat. I. 4. 1790, p. 1846.  
*viride* Schönh. Syn. Ins. I, 3, 1817, p. 459.  
 Biologie: Heeger, Sitzber. Akad. Wiss. Wien XI,  
 1853, p. 935, t. 4. — Xamb. Moeurs & Métam.  
 VIII, 1902, p. 73.
- var. *syriacum* Pic, Bull. Soc. Ent. Fr. 1892, p. 111. Syrien  
*orientale* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 417;  
 Echange XI, 1895, p. 120, nota 1.
- aereum** Newm. Ent. Mag. V, 1838, p. 393. — J. Lec. Oststaaten  
 Journ. Acad. Philad. (2) II, 1850, p. 33. — Leng, Nord-  
 Bull. Brookl. Ent. Soc. VII, 1884, p. 112, 113. amerikas.  
 — Wickh. Canad. Ent. XXIX, 1897, p. 107. Canada
- pallipes* Hald. Trans. Amer. Philos. Soc. (2) X,  
 1847, p. 37.  
 Biologie: Felt, Ins. affect. Trees 1907, p. 450.
- antennatum** Newm. Ent. Mag. V, 1838, p. 393. — J. Lec. Nordamerika  
 Journ. Acad. Philad. (2) II, 1850, p. 34. — Leng,  
 Bull. Brookl. Ent. Soc. VII, 1884, p. 112; Ent.  
 Amer. I, 1885, p. 35, t. 1, f. 16. — Wickh. Canad.  
 Ent. XXIX, 1897, p. 107.  
 Biologie: Pack. Ins. inj. Trees 1881, p. 159, 246.  
 — Felt, Ins. affect. Trees 1907, p. 660, f. 189.
- chlorizans** Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 384; Sibirien  
 IX, 1872, p. 181.

- cicatricosum* Mannerh. Bull. Moscou XXVI, 1853, p. 246.  
— Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113.
- cinabarinum* Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 179.
- coriaceum* Payk. Fauna Suec. III, 1800, p. 91. — Gyllenh. Ins. Suec. I, 4, p. 79. — Zett. Fauna Ins. Lapp. I, 1823, p. 371. — Muls. Col. Fr. Sulcic. & Sécurip. 1846, Suppl.; Longic. ed. 2, 1862, p. 100. — Bach, Käferfauna III, 1856, p. 15. — Redt. Fauna Austr. ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — C. G. Thoms. Skand. Col. VIII, 1866, p. 30. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 466.
- var. *aeneipenne* Muls. Voy. en Allem. 1862, p. 107; Col. Fr. Long. ed. 2, 1862, p. 102. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 187.
- capripenne* Kriechb. Stett. Ent. Zeit. XXIII, 1862, p. 208, t. 1, f. 4a.
- Hauseri* Pic. Longic. VI, 2, 1907, p. 9.
- hirtellum* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 172. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 112, 113.
- janthinum* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 34. — Prov. Pet. Faune Ent. Canada, Col. 1877, p. 591. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113. — Wickh. Canad. Ent. XXIX, 1897, p. 107.
- rufipenne* Motsch. Etud. Ent. IX, 1860, p. 19. — Pic, Longic. VI, I, 1906, p. 9.  
ab. *bicoloratum* Pic, l. c. p. 10.  
ab. *metallipenne* Pic, l. c.
- sinense* Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 17.
- vile* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 172. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 112, 113.
- violaceum* L. Syst. Nat. ed. 10, 1758, p. 395; Fauna Suec. ed. 2, 1761, p. 192. — Poda, Mus. Graec. 1761, p. 36. — Müller, Fauna Fridr. 1764, p. 13; Zool. Dan. Prodr. 1776, p. 94. — Scop. Annus Hist. Nat. V, 1772, p. 96. — Degeer, Mém. Ins. V, 1775, p. 88. — F. Syst. Ent. 1775, p. 188. — Schrank, Enum. Ins. 1781, p. 147; Fauna Boica I, 2, 1798, p. 673. — Herbst in Füessly, Archiv V, 1874, p. 95, t. 26, f. 10. — Laich. Verz. Tyrol. Ins. II, 1784, p. 72. — Roemer, Gen. Ins. 1789, p. 9, 47, tab. front. f. 2. — Villers, Linn. Entomol. I, 1789, p. 247. — Rossi, Fauna Etr. I, 1790, p. 154. — Ol. Enc. méth. Ins. V, 1790, p. 254; Ent. IV, 70, 1795, p. 16, t. 1, f. 2. — Martyn, Engl. Ent. 1792, t. 25, f. 15. — Donovan, Brit. Ins. II, 1793, p. 73, t. 61, f. 1. — Panz. in Voet, Beschr. hartsch. Ins. III, 1794, p. 66, t. 23, f. 123. — Donndorff, Eur. Fauna VIII, 1799, p. 576. — Panz. Fauna Ins. Germ. LXX, 1799, t. 4. — Payk. Fauna Suec. III, 1800, p. 90. — Marsh. Ent. Brit. I, 1802, p. 333. —
- Kenai,  
Colorado  
Ostsibirien
- Nordeuropa,  
Alpen
- Deutschland,  
Österreich
- Turkestan  
Colorado,  
Kalifornien
- New York,  
Canada
- Japan  
(Frankreich)
- Shanghai  
Kalifornien
- Europa,  
Sibirien

- Bechst. & Scharfenb. Forstins. I, 1804, p. 206. — Gyllenh. Ins. Suec. I, 4, 1827, p. 77. — Zett. Fauna Ins. Lapp. I, 1828, p. 370. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 247; Man. 1839, p. 274. — Muls. Col. Fr. Long. 1839, p. 42; ed. 2, 1862, p. 85. — Shuck. Brit. Col. 1840, p. 65, t. 75, f. 2. — Cast. Hist. Nat. II, 1840, p. 456. — Labr. u. Imh. Ins. Schweiz III, 1842, t. 15. — Redt. Fauna Austr. 1849, p. 482; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — Bach. Käferfauna III, 1856, p. 14. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 534. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 184. — C. G. Thoms. Skand. Col. VIII, 1866, p. 32. — Cox, Handb. Col. II, 1874, p. 316. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 24, 72. — Fowler, Col. Brit. Isl. IV, 1890, p. 223, t. 120, f. 5. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. 1898, p. 467. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Reitter, Wien. Ent. Zeit. XXII, p. 31. — Houlb. Faune Armor. Ceramb. 1904, p. 49, f. 94. — ? Matsum. Thous. Ins. Japan III, 1908, nr. 710, t. 53, f. 9. — Jacobs. Käfer Russl. 1910, t. 66, f. 6.
- Biologie: Kirby, Trans. Linn. Soc. Lond. V, 1809, p. 246, t. 1, f. 1—14. — Westw. Introd. I, 1839, p. 366. — Xamheu. Moeurs & Métam. VIII, 1902, p. 74. — Shoebbotham, Journ. Econ. Biol. IV, 1909, p. 114.
- episcopopus* Voet, Cat. Col. II. 1804—06, p. 26, t. 23, f. 123.
- ab. *virescens* Stierl. Col. Helvet. II, 1898, p. 467.
- viridescens** Motsch. Bull. Moscou XLIX, 1, 1875, p. 148.
- villosulum** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1900, p. 639.
- Sibirien  
China

16

### Pyrrhidium Fairm.

- Fairm. Gen. Col. d'Eur. IV, 1864, p. 133. — Lacord. Gen. Col. IX, 1869, p. 55. — Ganglb. Best.-Tab. VII, 1882, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 24. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 464. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 18.
- saugineum** L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 194. — Poda, Mus. Graec. 1761, p. 36. — F. Syst. Ent. 1775, p. 190. — Degeer, Mém. Ins. V, 1775, p. 92. — Müller. Zool. Dan. Prodr. 1776, p. 92. — Fischer, Naturg. von Livl. 1778, p. 135. — Scharf, Enum. Ins. 1781, p. 151; Fauna Boica I, 2, 1798, p. 674. — Laich. Verz. Tyrol. Ins. II, 1784, p. 59. — Villers. Linn. Ent. I. 1789, p. 252. — Rossi. Fauna Etr. I. 1790, p. 155. — Ol. Enc. méth. Ins. V, 1790, p. 256; Ent. IV. 70, 1795, p. 14, t. 1, f. 1. — Panz. in Voet, Besch. hartsch. Ins. III, 1794, p. 66, t. 23, f. 122; Fauna Ins. Germ. LXX.
- Europa

1799, t. 9. — Borkenh. Synops. I, 1795, p. 101. — Donndorff, Eur. Fauna VIII, 1799, p. 589. — Payk. Fauna Suec. III, 1800, p. 89. — Marsh. Ent. Brit. I, 1802, p. 336. — Bechst. & Scharfenb. Forstins. I, 1804, p. 210. — Donov. Brit. Ins. XVI, 1813, p. 33, t. 553, f. 1. — Gyllenh. Ins. Suec. I, 4, 1827, p. 76. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 247; Man. 1839, p. 274. — Blanch. Règne anim. Ins. ed. Mass. 1832, t. 66, f. 6. — Muls. Col. Fr. Long. 1839, p. 44; ed. 2, 1862, p. 86. — Cast. Hist. Nat. II, 1840, p. 456. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — Bach, Käferfauna III, 1856, p. 15. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 534. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 182. — C. G. Thoms. Skand. Col. VIII, 1866, p. 33. — Cox, Handb. Col. II, 1874, p. 316. — Ganglb. Best.-Tab. VII, 1882, p. 69 (747). — Bedel, Faune Col. Seine V, 1889, p. 24, 72. — Fowler, Col. Brit. Isl. IV, 1890, p. 224, t. 120, f. 6. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 466. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 48, f. 92, 93. — Jacobs. Käfer Russl. 1910, t. 66, f. 7.

*cardinalis* ♂ Voet, Cat. Col. II, 1804—06, p. 26, t. 23, f. 122.

Biologie: Goureau, Ann. Soc. Ent. Fr. (2) I, 1843, p. 99, t. 4, IV, f. 1—4; (2) II, 1844, p. 437, t. 10, f. 13—17; Stett. Ent. Zeit. VI, 1845, p. 70. — Perris, Larves Col. 1877, p. 429. — Judeich. Forstins. II, 1, 1889, p. 584. — Xambou, Moeurs & Métam. VIII, 1902, p. 75.

1

### Phymatodes Muls.

Muls. Col. Fr. Long. 1839, p. 47; ed. 2, 1862, p. 92. — Redt. Gatt. deutsch. Käferfauna 1845, p. 110; Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 399. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 33. — Bach, Käferfauna III, 1856, p. 15. — Thoms. Classif. Ceramb. 1860, p. 258; Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 133. — C. G. Thoms. Skand. Col. VIII, 1866, p. 30. — Lacord. Gen. Col. IX, 1869, p. 53. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng. Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 98. — Bedel, Faune Col. Seine V, 1889, p. 24. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 465. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 18.

Subgen. *Leioderus* Redt. Gatt. deutsch. Käferf. 1845, p. 110.

*Leioderes* Redt. Fauna Austr. 1849, p. 482; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 401. — Bach, Käferfauna III, 1856, p. 14. — Muls. Col. Fr. Long. ed. 2, 1862, p. 99. — Thoms. Syst. Ceramb. 1864, p. 462. — Seidl. Fauna Transs. 1891, p. 830.

*Leioderes* Ganglb. Best.-Tab. VII, 1882, p. 72 (750).

- Subgen. *Lioderina* Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 517.
- Subgen. *Poecilium* Fairm. Gen. Col. d'Eur. IV, 1864, p. 134. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 25. — Seidl. Fauna Balt. ed. 2, 1891, p. 738; Fauna Transs. 1891, p. 830. — Stierl. Col. Helvet. II, 1898, p. 465. — Everts, Col. Neerl. II, 1, 1902, p. 364.
- Subgen. *Protocallidium* Csiki, Rov. Lapok XI, 1904, p. 99.
- Subgen. *Pseudophymatodes* Pic, Echange XVII, 1901, p. 12.
- aeneus** J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Entomol. Report 1857, p. 60. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100. Oregon
- albofasciatus** Motsch. Bull. Moscou XXXIX, 1, 1866, p. 174. Japan
- albicinctus* Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 198; Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 228. — Matsum. Thous. Ins. Japan III, 1908, t. 55, f. 4.
- alni** L. Syst. Nat. ed. 12, 1767, p. 639. — F. Syst. Ent. 1775, p. 195. — Herbst in Füessly, Archiv V, 1784, p. 99, t. 26, f. 21. — Petagna, Spec. Ins. Calabr. 1787, p. 19. — Scop. Delic. Faunae et Fl. Insubr. II, 1787, p. 42, t. 20, f. 3. — Villers, Linn. Ent. I, 1789, p. 268. — Rossi, Fauna Etr. I, 1790, p. 158. — Ol. Enc. méth. Ins. V, 1790, p. 269; Ent. IV, 70, 1795, p. 53, t. 3, f. 37. — Martyn, Engl. Entomol. 1792, t. 28, f. 14. — Panz. Fauna Ins. Germ. LXX, 1799, t. 20. — Payk. Fauna Suec. III, 1800, p. 100. — Marsh. Ent. Brit. I, 1802, p. 338. — Gyllenh. Ins. Suec. I, 4, 1827, p. 85. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 249; Man. 1839, p. 275. — Muls. Col. Fr. Long. 1839, p. 45; ed. 2, 1862, p. 89. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 32, t. 22, f. 4. — Bach, Käferfauna III. 1856, p. 15. — Schiödt. Nat. Tidskr. (3) II, 1864, p. 533. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 183. — C. G. Thoms. Skand. Col. VIII, 1866, p. 33. — Cox. Handb. Col. II, 1874, p. 316. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 25, 70. — Fowler, Col. Brit. Isl. IV, 1890, p. 224, t. 120, f. 7. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II, 1, 1902, p. 364. — Csiki, Rov. Lapok XI, 1904, p. 101. — Houlb. Faune Armor. Ceramb. 1904, p. 48, f. 91. — Jacobs. Käfer Russl. 1910, t. 66, f. 8.
- Biologie: Perris, Larves Col. 1877, p. 440, f. 449; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 280, f. 449. — Xamheu, Moeurs et Métam. VIII, 1902, p. 72.
- hiarcuatus* Piller und Mitterp. Iter per Poscg. 1783, p. 112.
- globiferus* Voet, Cat. Col. II, 1778, p. 19, t. 18, f. 80; ed. Panz. III, 1794, p. 48, t. 18, f. 80.

- pedisequa* Voet, Cat. Col. II, 1804—06, p. 25, t. 22, f. 116.
- turcicus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 83.
- var. *infuscatum* Chevr. Rev. Mag. Zool. (2) XVIII, 1866, p. 107. — Csiki, Rov. Lapok XI, 1904, p. 101.
- nitidus* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.
- var. *Pici* n.
- alni* var. Pic, Longic. II, 1898, p. 19.
- altaiensis* Pic, Echange XVII, 1901, p. 12.
- amoenus* Say, Journ. Acad. Philad. III, 1823, p. 413. — J. Lec. l. c. (2) II, 1850, p. 33. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 100. — Wickh. Canad. Ent. XXIX, 1897, p. 107.
- angustus* Kriechb. Übers. Ceramb. Münchens 1844, p. 8; Stett. Ent. Zeit. VII, 1846, p. 111. — Küster, Käfer Eur. XX, 1850, p. 91. — Bach, Käferfauna III, 1856, p. 14. — Redt. Fauna Austr. ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 401. — Muls. Col. Fr. Long. ed. 2, 1862, p. 91. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Csiki, Rov. Lapok XI, 1904, p. 99; Deutsches Resumé p. 9.
- ater* J. Lec. Trans. Amer. Ent. Soc. XII, 1885, p. 22. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100.
- blandus* J. Lec. Proc. Acad. Philad. 1859, p. 79. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100.
- Bodemeyeri* Reitter, Wien. Ent. Zeit. XXII, 1903, p. 46. — Pic, Bull. Soc. Ent. Fr. 1903, p. 128.
- decussatus* J. Lec. Ent. Report 1857, p. 61. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101; Ent. Amer. I, 1885, p. 35, t. 1, f. 14.
- fasciatus* Villers, Linn. Ent. I, 1789, p. 257. — Bedel, Faune Col. Seine V, 1889, p. 25. — Müller, Wien. Ent. Zeit. XXV, 1906, p. 223. — Csiki, Rov. Lapok XI, 1904, p. 101.
- unifasciatus* Ol. Enc. méth. Ins. V, 1790, p. 269; Ent. IV, 70, 1795, p. 56, t. 1, f. 12. — Rossi, Fauna Etr. II, 1790, p. 343; Mant. Ins. II, 1794, t. 7, f. M. — F. Ent. Syst. I, 2, 1792, p. 338. — Herrich-Schaeffer, Fauna ins. Germ. CXIX, 1837, t. 23. — Muls. Col. Fr. Long. 1839, p. 45; ed. 2, 1862, p. 88. — Cast. Hist. Nat. II, 1840, p. 455. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 32, t. 32, f. 3. — Bach, Käferfauna III, 1856, p. 15. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 40, f. 185. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748).
- Biologie: Perris, Larves Col. 1877, p. 437, f. 443—448; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 277, f. 443—448. — Xambou, Moeurs et Métam. VIII, 1902, p. 70.
- femoralis* Ménétr. Cat. Rais. 1832, p. 228. — Fald. Fauna Ent. Transcauc. II, 1837, p. 267. — Faust, Horae

Spanien

Tiflis

Sibirien

New York,

Pennsyl-

vanien

Süddeutsch-

land

New York

Kalifornien

Kleinasien

Kalifornien

Südeuropa

Kaukasus

- Soc. Ent. Ross. XIV, 1878, p. 119. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749).  
 var. *utschderensis* Starck, Wien. Ent. Zeit. VIII, 1889, p. 312. **Kaukasus**
- glabratus** Charp. Horae Ent. 1825, p. 225. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 24, 71. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1898, p. 466. — Csiki, Rov. Lapok XI, 1904, p. 100. **Mittel- und Südeuropa**
- castaneus* Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Muls. Col. Fr. Long. ed. 2, 1862, p. 87.
- Deltili* Chev. Rev. Mag. Zool. (2) VIII, 1856, p. 435. — Reiche, Ann. Soc. Ent. Fr. (4) VIII, 1868, Bull. p. 49.
- Biologie: Marmottan, l. c.
- juglandis** Leng, Ent. Amer. VI, 1890, p. 214. **Kalifornien**
- Kalmi** Schönh. Syn. Ins. I, 3, 1817, p. 442. **Canada**
- bajulus* L. Mus. Lud. Ulr. 1764, p. 76. **Nordamerika**
- var. *dimidiatus* Kirby, Fauna Bor.-Amer. IV, 1837, p. 173. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — Prov. Pet. Faune Ent. Canada I, 1877, p. 589. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100; Ent. Amer. I, 1885, p. 35, t. 1, f. 11. — Wickh. Canad. Ent. XXIX, 1897, p. 107.
- palliatius* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 41.
- Biologie: Felt, Ins. affect. Trees 1907, p. 669, f. 197.
- var. *Mannerheimi* J. Lec. Entom. Report 1857, p. 60. **Kalifornien**
- dimidiatus* Mannerh. Bull. Moscou XIX, 1846, p. 515.
- Kollari** Redt. Fauna Austr. 1849, p. 482; ed. 2, 1858, p. 847; ed. 3, II, 1874, p. 402. — Bach, Käferfauna III, 1856, p. 14. — Muls. Col. Fr. Long. ed. 2, 1862, p. 100. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 39, f. 180. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Transs. 1891, p. 830. — Pic, Bull. Soc. Ent. Fr. 1903, p. 128. — Csiki, Rov. Lapok XI, 1904, p. 99. **Österreich, Ungarn**
- var. *nigripes* Pic, Echange VII, 1891, p. 102; XI, 1895, p. 120. nota 1; Bull. Soc. Ent. Fr. 1903, p. 128.
- atripes* Pic, Ann. Soc. Ent. Fr. LXI, 1892, p. 417.
- ab. *amasinus* Pic, Bull. Soc. Ent. Fr. 1903, p. 128.
- linearis** Hampe, Berl. Ent. Zeitschr. XIV, 1870, p. 335. **Bosnien, Türkei, Corfu**
- Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 517. — Csiki, Rov. Lapok XI, 1904, p. 99.
- Henschi* Pat. Rev. d'Ent. VII, 1888, p. 23.
- lividus** Rossi, Mant. Ins. II, 1794, Append. p. 98. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749). — Bedel, Faune Col. Seine V, 1889, p. 24, 71. — Pic, Longic. I, 1891, p. 20. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Houlb. Faune Armor. Ceramb. 1904, p. 47. — Csiki, Rov. Lapok XI, 1904, p. 101. **Mittel- und Südeuropa, Nordafrika**

- brevicollis* Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 191. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 35, t. 33, f. 5.
- melancholicus* Küster, Käfer Eur. V, 1846, p. 78. — Muls. Col. Fr. Long. ed. 2, 1862, p. 95. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 39, f. 181. — Redt. Fauna Austr. ed. 3, II, 1874, p. 401.
- thoracicus* Comolli, Col. Nov. Novoc. 1837, p. 41. — Muls. Col. Fr. Long. 1839, p. 51.
- Biologie: Perris, Larves Col. 1877, p. 430, f. 430—436; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 270, f. 430—436. — Judeich, Forstins. II, 1, 1889, p. 586. — Xambeu, Mœurs et Métam. VIII, 1902, p. 78.
- ab. *asperipennis* Fairm. Rev. Mag. Zool. (3) VII, 1883, p. 217.
- ab. *melancholicus* F. Ent. Syst. Suppl. 1798, p. 151.
- tristis* Pic, Longic. I, 1891, p. 20.
- Maaki** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 106. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 228. — Matsum. Thous. Ins. Japan III, 1908, nr. 719, t. 54, f. 6.
- alni?* Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 182.
- maculicollis** J. Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 614. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100. — Wickh. Canad. Ent. XXIX, 1897, p. 107.
- nitidus** J. Lec. Trans. Amer. Ent. Soc. V, 1874, p. 66. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101.
- obliquus** Casey, Ann. N. York Acad. VI, 1891, p. 26.
- obscurus** J. Lec. Proc. Acad. Philad. 1859, p. 79. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 100.
- puncticollis** Muls. Col. Fr. Long. ed. 2, 1862, p. 99. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 467. — Csiki, Rov. Lapok XI, 1904, p. 101.
- ab. *macedonicus* Pic, Echange XXV, 1909, p. 130; Longic. VII, 2, 1910, p. 3.
- pusillus** F. Mant. Ins. II, 1787, p. 155. — Rossi, Mant. Ins. I, 1792, p. 53. — Panz. Fauna Ins. Germ. LXXXII, 1801, p. 6. — Bedel, Faune Col. Seine V, 1889, p. 25, 72. — Stierl. Col. Helvet. II, 1898, p. 468. — Csiki, Rov. Lapok XI, 1904, p. 100.
- abdominalis* Bon. Mem. Soc. Agr. Torino IX, 1812, p. 180, t. 6, f. 28. — Redt. Fauna Austr. ed. 3, II, 1874, p. 401. — Ganglb. Best.-Tab. VII, 1882, p. 72 (750). — Seidl. Fauna Transs. 1891, p. 832. — Pic, Longic. I, 1891, p. 20.
- humeralis* Comolli, Col. Nov. Novoc. 1837, p. 44. — Muls. Col. Fr. Long. 1839, p. 53, t. 3, f. 1; ed. 2, 1862, p. 97.
- luridus* Ol. Ent. IV, 70, 1795, p. 23, t. 1, f. 7; t. 7, f. 78.
- Amur,  
Japan
- Lake  
Superior,  
Canada
- Kalifornien,  
Nevada
- Kalifornien  
"
- Ungarn,  
Süd-  
russland,  
Schweiz?
- Macedonien
- Mittel- und  
Südeuropa

- ab. *barbipes* Küster, Käfer Eur. VIII, 1847, p. 78.  
*humeralis* Pic, Longic. I, 1891, p. 20.  
*humeralis* var.  $\beta$  Muls. Col. Fr. Long. ed. 2, 1862, p. 98.
- ab. *rufipennis* Starck, Wien. Ent. Zeit. VIII, 1889, p. 312. — Pic, Longic. I, 1891, p. 20.
- rufipes** F. Gen. Ins. 1776, p. 232. — Ol. Enc. méth. Ins. V, 1790, p. 268; Ent. IV, 70, 1795, p. 21, t. 6, f. 66. — Muls. Col. Fr. Long. 1839, p. 46; ed. 2, 1862, p. 90. — Redt. Fauna Austr. 1849, p. 483; ed. 2, 1858, p. 848; ed. 3, II, 1874, p. 400. — Bach, Käferfauna III, 1856, p. 15. — Ganglb. Best.-Tab. VII, 1882, p. 70 (748). — Bedel, Faune Col. Seine V, 1889, p. 24, 70. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 831. — Stierl. Col. Helvet. II, 1798, p. 466. — Everts, Col. Neerl. II, 1, 1901, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 47, 48. — Csiki, Rov. Lapok XI, 1904, p. 100.
- amethystinus* F. Ent. Syst. I, 2, 1792, p. 321.  
*coeruleus* Goeze, Ent. Beytr. I, 1777, p. 507.  
*cyaneus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 82.  
*cyanochrysos* Gmel. Syst. Nat. I, 4, 1790, p. 1846.  
*erythropus* Gmel. l. c. p. 1847.  
*gallicus* Gmel. l. c. p. 1877.  
*spinosa* Schrank, Enum. Ins. 1781, p. 165; Fauna Boica I, 2, 1798, p. 696. — Brahm, Ins.-Kal. I, 1790, p. 174. — Bechst. & Scharfenb. Forstins. I, 1804, p. 216.
- Biologie: Laboulb. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 841. — Xambeu, Moeurs & Métam. VIII, 1902, p. 76.
- var. *syriacus* Pic, Echange VII, 1891, p. 118.
- semicircularis** Bland, Proc. Ent. Soc. Philad. I, 1862, p. 275, f. 4.
- testaceus** L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 193. — Degeer, Mém. Ins. V, 1775, p. 93. — F. Syst. Ent. 1775, p. 190. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 83. — Villers, Linn. Ent. I, 1789, p. 249. — Rossi. Fauna Etr. I, 1790, p. 155. — Ol. Enc. méth. Ins. V, 1790, p. 255; Ent. IV, 70, 1795, p. 15, t. 1, f. 11. — Martyn, Engl. Ent. 1792, t. 26, f. 23. — Marsh. Ent. Brit. I, 1802, p. 334. — Bechst. & Scharfenb. Forstins. I, 1804, p. 208. — Muls. Col. Fr. Long. 1839, p. 50. — Cast. Hist. Nat. II, 1840, p. 455. — Woll. Ins. Mad. 1854, p. 425. — Costa, Fauna Regn. Napoli, Col. II, 1855. Ceramb. p. 34, t. 33, f. 4. — Bach, Käferfauna III, 1856, p. 16. — Ganglb. Best.-Tab. VII, 1882, p. 71 (749). — Bedel, Faune Col. Seine V, 1889, p. 24, 74. — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna Transs. 1891, p. 832. — Pic, Longic. I, 1891, p. 20. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II, 1, 1901, p. 364. — Houlb. Faune Armor. Ceramb. 1904, p. 48, f. 90. — Csiki, Rov. Lapok XI, 1904, p. 100. — Jacobs, Käfer Russl. 1910, t. 66, f. 10.

Kaukasus

Mittel- und  
SüdeuropaSyrien  
Pennsyl-  
vanien  
Europa,  
Nordafrika,  
Nord-  
amerika

- similaris* Küster, Käfer Eur. I, 1844, p. 54  
var. *a*.
- variabilis* var.  $\beta$  ♀ Payk. Fauna Suec. III, 1800, p. 88. — var.  $\epsilon$  Schönh. Synon. Ins. I, 3, 1817, p. 443. — var.  $f$  Gyllenh. Ins. Suec. I, 4, 1827, p. 73. — var.  $\epsilon$  Muls. Col. Fr. ed. 2, 1862, p. 94. — var.  $f$  C. G. Thoms. Skand. Col. VIII, 1866, p. 31. — Fowler, Col. Brit. Isl. IV, 1890, t. 120, f. 8.
- ab. *Cameranoi* Beffa, Rivista Col. Ital. VII, 1909, p. 200. Italien
- ab. *fennicus* L. Syst. Nat. ed. 10, 1758, p. 396; Fauna Suec. ed. 2, 1761, p. 194. — Müller, Zool. Dan. Prodr. 1776, p. 95. — Laich. Verz. Tyrol. Ins. II, 1784, p. 150. — Villers, Linn. Ent. I, 1789, p. 250. — Ol. Ent. IV, 70, 1795, p. 20, t. 1, f. 9. — Townson, Travels in Hongr. 1797, p. 470. — Zinke, Nadelholz-Ins. 1798, p. 46. — Bechstein & Scharfenb. Forstins. I, 1804, p. 209. — Stierl. Col. Helvet. II, 1798, p. 467. — Csiki, Rov. Lapok. XI, 1904, p. 100.
- carniolicus* Gmel. Syst. Nat. I, 4, 1790, p. 1858.
- fenicus* Scop. Annus Hist. Nat. V, 1772, p. 98.
- nigrinus* Muls. Col. Fr. Long. 1839, p. 47. — Bach, Käferfauna III, 1856, p. 15. — Pic. Longic. I, 1891, p. 21. — Everts, Col. Neerl. II, 1, 1902, p. 365.
- variabilis* var.  $\delta$ ,  $\epsilon$  Laich. Verz. Tyrol. Ins. II, 1784, p. 81. — ♂ Payk. Fauna Suec. III, 1800, p. 87. — var.  $\beta$  Schönh. Synon. Ins. I, 3, 1817, p. 442. — var.  $b$ ,  $c$  Gyllenh. Ins. Suec. I, 4, 1827, p. 72. — var.  $a$  Muls. Col. Fr. Long. ed. 2, 1862, p. 93. — var.  $b$ ,  $c$  C. G. Thoms. Skand. Col. VIII, 1866, p. 31.
- ab. *fulvipennis* Reitter, Wien. Ent. Zeit. XX, 1901, p. 101.
- ab. *infuscatus* J. Lec. Proc. Acad. Philad. 1859, p. 285. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99. Kalifornien
- ab. *luridus* Payk. Fauna Suec. III, 1800, p. 87. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 34, t. 33, f. 3.
- analis* Redt. Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400. — Pic. Longic. I, 1891, p. 20. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II. 1, 1902, p. 365.
- nigricollis* Muls. Col. Fr. Longic. 1839, p. 49. — Bach, Käferfauna III, 1856, p. 16. — Everts, Col. Neerl. II, 1, 1902, p. 364.
- variabilis* var.  $\eta$  Schönh. Synon. Ins. I, 3, 1817, p. 444. — var.  $h$  Gyllenh. Ins. Suec. I, 4, 1827, p. 73. — var.  $\delta$  Muls. Col. Fr. Long. ed. 2, 1862, p. 94. — var.  $h$  C. G. Thoms. Skand. Col. VIII, 1866, p. 32.
- ab. *melanocephalus* Ponza, Mem. Accad. Torino XIV, 1805, p. 71. — Pic. Longic. I, 1891, p. 20. — Csiki, Rov. Lapok XI, 1904, p. 100.

- ? *luridus* Ol. Ent. IV, 70, 1795, p. 23 (ex parte), t. 1, f. 7.
- Sellae* Kraatz, Berl. Ent. Zeitschr. XII, 1868, p. 338.
- ? *tricolor* Dalla Torre, Jahresber. Ver. Nat. Linz XI, 1880, p. 54.
- ab. *praeustus* F. Spec. Ins. II, 1781, p. 500. — Rossi, Mant. Ins. II, 1794, p. 98. — Muls. Col. Fr. Long. 1839, p. 49. — Cast. Hist. Nat. II, 1840, p. 455. — Bach, Käferfauna III, 1856, p. 16. — Gangl. Best.-Tab. VII, 1882, p. 71 (749). — Pic, Longic. I, 1891, p. 21. — Stierl. Col. Helvet. II, 1898, p. 467. — Everts, Col. Neerl. II, 1, 1902, p. 365. — Csiki, Rov. Lapok XI, 1904, p. 100.
- deustus* Gmel. Syst. Nat. I, 4, 1790, p. 1850.
- dimidiatipennis* Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.
- jennicus* ♀ Schrank, Enum. Ins. 1781, p. 150.
- variabilis* ♀ Payk. Fauna Suec. III, 1800, p. 87. var. γ, δ Schönh. Syn. Ins. I, 3, 1817, p. 443. — var. d, e Gyllenh. Ins. Succ. I, 4, 1827, p. 72. 73. — var. γ Muls. Col. Fr. Long. ed. 2, 1862, p. 93. — var. d, e C. G. Thoms. Skand. Col. VIII, 1866, p. 31.
- ab. *similaris* Küster, Käfer Eur. I, 1844, p. 54.
- ? *bicolor* Dalla Torre, Jahresber. Ver. Nat. Linz XI, 1880, p. 54.
- rufipes* Costa, Fauna Règn. Napoli, Col. II, 1855, Ceramb. p. 34, t. 33, f. 2. — Pic, Longic. I, 1891, p. 21. — Csiki, Rov. Lapok XI, 1904, p. 100.
- ab. *variabilis* L. Fauna Suec. ed. 2, 1761, p. 192. — Müller, Zool. Don. Prodr. 1776, p. 94. — Villers, Linn. Entomol. I, 1789, p. 248. — var. γ Schrank, Fauna Boica I, 2, 1798, p. 675. — Zinke, Nadelholz-Ins. 1798, p. 45. — Donndorff, Europ. Fauna VIII, 1799, p. 577 (ex parte). — Bechstein & Scharfenb. Forstins. I, 1804, p. 206. — var. α Schönh. Syn. Ins. I, 3, 1817, p. 442. — var. α Gyllenh. Ent. Succ. I, 4, 1827, p. 72. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 248 (ex parte); Man. 1839, p. 274 (ex parte). — Ratzeb. Forstins. I, 1837, p. 237, t. 17, f. 1. — Cast. Hist. Nat. II, 1840, p. 455 (ex parte). — Redt. Fauna Austr. 1849, p. 481; ed. 2, 1858, p. 849; ed. 3, II, 1874, p. 400 (ex parte). — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — var. β Muls. Col. Fr. Long. ed. 2, 1862, p. 93. — Schiödte, Nat. Tidkr. (3) II, 1864, p. 535. — var. α C. G. Thoms. Skand. Col. VIII, 1866, p. 31. — Cox, Handb. Col. II, 1874, p. 316 (ex parte). — Ganglb. Best.-Tab. VII, 1882, p. 71 (749) (ex parte). — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99 (ex parte). — Fowler, Col. Brit. Isl. IV, 1890, p. 223 (ex parte). — Seidl. Fauna Balt. ed. 2, 1891, p. 739; Fauna

- Transs. 1891, p. 832. — Stierl. Col. Helvet. II, 1898, p. 467. — Csiki, Rov. Lapok XI, 1904, p. 100.
- crassipes* Goeze, Ent. Beytr. I, 1777, p. 507. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 84. — Gmel. Syst. Nat. I, 4, 1790, p. 1877.
- jallax* Villers, Linn. Entomol. I, 1789, p. 276.
- jaennicus* Martyn, Engl. Entomol. 1792, t. 25, f. 16.
- memoratus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 83.
- fennicus* F. Syst. Ent. 1775, p. 188. — Herbst in Füessly, Arch. V, 1784, p. 95, t. 26, f. 8. — Rossi, Fauna Etr. I, 1790, p. 154. — Panz. Fauna Ins. Germ. LXX, 1799, t. 2. — Marsh. Ent. Brit. I, 1802, p. 336. — Muls. Col. Fr. Long. 1839, p. 48. — Costa, Fauna Règn. Napoli, Col. II, 1855, Ceramb. p. 54, t. 33, f. 1. — Bach, Käferfauna III, 1856, p. 15. — Pic, Longic. I, 1891, p. 21. — Everts, Col. Neerl. II, I, 1901, p. 365.
- rubricollis* Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 97; cd. Panzer III, 1794, p. 57, t. 20, f. 97.
- testaceus* Jacobs. Käfer Russl. 1910, t. 66, f. 11.
- ? *unicolor* D. Torre, Jahresb. Ver. Naturk. Linz XI, 1880, p. 54.
- ab. *ventralis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 37.
- Biologie: Schiödte, Nat. Tidskr. (3) X, 1875, p. 416, t. 15, f. 13—21. — Perris, Larves Col. 1877, p. 433, f. 437, 438; Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 273, f. 437, 438. — Nördl. Lebensweise von Forstkerfen 1880, p. 41. — Savard, Bull. Insectol. Agr. IX, 1884, p. 129. — Judeich, Forstins. II, 1, 1889, p. 583, f. 183. — Planet, Le Natural. XV, 1893, p. 242, fig. — Xambeu, Moeurs & Métam. VIII, 1902, p. 77.
- Türki** Ganglb. Verh. zool.-bot. Ges. Wien XXXV, 1885, p. 517. Taurus
- ab. *karsantianus* Pic, Longic. VII, 2, 1910, p. 2. ,,
- varius* F. Gen. Ins. 1776, p. 232. — Ol. Enc. méth. Ins. V, 1790, p. 260; Ent. IV, 70, 1795, p. 54, t. 5, f. 55. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 33. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101; Ent. Amer. I, 1885, p. 35, t. 1, f. 13. — Wickh. Canad. Ent. XXIX, 1897, p. 107, f. 17. Vereinigte Staaten Nord-amerikas
- versicolor* Gmel. Syst. Nat. I, 4, 1790, p. 1852.
- ab. *albofasciatus* Bland, Proc. Ent. Soc. Philad. I, 1862, p. 274. Pennsylvanien
- ab. *subfasciellus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 322. — Horn, Trans. Amer. Ent. Soc. X, 1882, p. 289.
- vulneratus* J. Lec. Entomol. Report 1857, p. 60. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 99, 101; Ent. Amer. I, 1885, p. 35, t. 1, f. 12. Kalifornien

**Xylocrius** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 296. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 281. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 61, 113.

**Agassizi** J. Lec. Proc. Acad. Philad. 1861, p. 357. — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113. Kalifornien  
**eribratus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 172. Nevada  
 — Leng, Bull. Brookl. Ent. Soc. VII, 1884, p. 113, 114; Ent. Amer. I, 1885, p. 35, t. 1, f. 18.

2

**Pronocera** Motsch.

Motsch. Bull. Moscou XLIX, 1, 1875, p. 149.

**daurica** Motsch. Bull. Moscou XXXII, 2, 1859, p. 494; Amur,  
 XLIX, 1, 1875, p. 149. Daurien  
**pilosa** Reitter, Deutsche Ent. Zeitschr. 1891, p. 33. Taschkent  
**seabra** Kraatz, l. c. XXVI, 1882, p. 115. Turkestan  
 var. *simplicaria* Heyd. l. c. XXIX, 1885, p. 296. „

3

**Anisarthron** Redt.

Redt. Gatt. deutsch. Käferfauna 1845, p. 109; Fauna Austr. 1849, p. 489; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 410. — Bach, Käferfauna III, 1856, p. 23. — Muls. Col. Fr. Long. ed. 2, 1862, p. 121. — Thoms. Syst. Ceramb. 1864, p. 462. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 124. — Lacord. Gen. Col. IX, 1869, p. 55. — Ganglb. Best.-Tab. VII, 1882, p. 12 (690). — Seidl. Fauna Balt. ed. 2, 1891, Gatt. p. 181; Fauna Transs. 1891, Gatt. p. 181. — Stierl. Col. Helvet. II, 1898, p. 463. — Csiki, Rov. Lapok XI, 1904, p. 37.

**barbipes** Schrank, Enum. Ins. 1781, p. 148. — Charpent. Mittel-  
 Horae Ent. 1825, p. 226. — Küster, Käfer Eur. europa,  
 II, 1844, p. 54. — Redt. Fauna Austr. 1849, p. 489. Ober-  
 ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 410. — italien  
 Bach, Käferfauna III, 1856, p. 23. — Muls. Col.  
 Fr. Long. ed. 2, 1862, p. 121. — Fairm. Gen. Col.  
 d'Eur. IV, 1864, t. 37, f. 170. — Ganglb. Best.-  
 Tab. VII, 1882, p. 74 (752). — Seidl. Fauna Transs.  
 1891, p. 832. — Stierl. Col. Helvet. II, 1898,  
 p. 468. — Csiki, Rov. Lapok XI, 1904, p. 83. —  
 Jacobs. Käfer Russl. 1910, t. 66, f. 5.  
 Biologie: Schmitt, Stett. Ent. Zeit. IV, 1843,  
 p. 107. — Heller, Verh. zool.-bot. Ges. Wien  
 XXXIV, 1884, p. 119, fig. — Xamheu, Ann. Soc.  
 Linn. Lyon (2) XLV, 1898, p. 47; Moeurs &  
 Métam. VII, 1899, p. 87. — Holik, Acta Soc. Ent.  
 Bohemiae VII, 1910, p. 21.

1

**Idiocalla** Jord.

Jord. Nov. Zool. X, 1903, p. 139.

**ferruginea** Jord. l. c. I, 1894, p. 185; X, 1903, p. 139. Kuilu  
**postica** Jord. l. c. X, 1903, p. 139. Usambara

2

**Agada** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXI, 1892, Bull. p. 171.

**clavicornis** Fairm. l. c. p. 172.

Madagascar

1

**Dolomius** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 250.

**Perrieri** Fairm. l. c.

Madagascar

1

**Isotrium** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 375.

**lutosum** Fairm. l. c.

Madagascar

1

**Prionopsis** Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 85.

**metallicolor** Fairm. l. c.

Madagascar

1

**Teorotrium** Fairm.

Fairm. Revue d'Ent. XX, 1901, p. 206.

**brevipeune** Fairm. l. c. p. 207.

Madagascar

1

**Genus ? \*)****aeneum** F. Mant. Ins. I, 1787, p. 151. — Ol. Ent. IV, 70, 1795, p. 13, t. 4, f. 46.

Afrika

**affine** Montrz. Ann. Soc. Agr. Lyon VII, 1857, p. 58.

Insel

Woodlark

**angolense** Er. Archiv für Naturgesch. IX, 1843, I, p. 261.

Angola

**asaemoides** Pascoe Trans. Ent. Soc. Lond. (3) I, 1863, p. 563.

Adelaide

**bifasciatum** F. Mant. Ins. I, 1787, p. 152. — Ol. Ent. IV, 70, 1795, p. 31, t. 4, f. 42.

Westamerika

*occidentale* Gmel. Syst. Nat. I, 4, 1790, p. 1847.**biguttatum** Sallé, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 688, t. 20, I, f. 2. — Gah. Trans. Ent. Soc. Lond. 1895, p. 120.

Haiti

**depressum** Klug in Erman's Reise, Atlas V, 1835, p. 44, t. 16, f. 3.

Prinzeninsel

**duodecimsignatum** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 385; Mélanges Ent. III, 1855, p. 65.

Brasilien

**erosum** M'Leay in King's Narrative Survey, Append. II, 1827, p. 450.

Neuholland

**faber** Newm. Ann. Nat. Hist. V, 1840, p. 18.

..

\*) Als *Callidium* beschriebene Arten, deren generische oder sogar systematische Stellung unsicher ist.

- longicolle** Guér. Rev. Zool. 1840, p. 109.  
**morosum** Boisd. Voy. Astrol. Ins. II, 1835, p. 480.  
**pubescens** Ol. Enc. méth. Ins. V, 1790, p. 256; Ent. IV, 70, 1795, p. 18, t. 6, f. 75. — F. Ent. Syst. I, 2, 1792, p. 324.  
**punctatum** Montrz. Ann. Soc. Agr. Lyon VII, 1857, p. 57.  
**scutellare** Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 387.  
**subcoastatum** Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 57.  
**vexatum** Newm. Zoolog. V, 1847, p. 1676.  
**vittigerum** Newm. l. c. p. 1677.
- Senegal  
 Neuholland  
 Capland  
 Insel  
 Woodlark  
 Madagascar  
 „  
 Neuholland  
 „
- 18

## LXVIII. Oedenoderini.

### Oedenoderus Chevr.

- Chevr. Archives Ent. II, 1858, p. 245. — Thoms. Classif. Ceramb. 1860, p. 233; Syst. Ceramb. 1864, p. 427. — Lacord. Gen. Col. IX, 1869, p. 61.  
*Oedaenoderus* Gemm. & Har. Cat. Col. IX, 1873, p. 2922.  
**pupa** Chevr. Archives Ent. II, 1858, p. 246. Grand Bassam  
**sphaericollis** Chevr. Revue Mag. Zool. (2) VII, 1855, p. 283; Cent. Longic. 1858, nr. 18. — Murray, Ann. Mag. Nat. Hist. (4) VI, 1870, p. 170. Altecalabar
- 2

## LXIX. Clytini.

Muls. Col. Fr. Long. 1839, p. 70; ed. 2, 1862, p. 135. — Costa, Fauna Règn. Napoli, Col. II, 1855, Ceramb. p. 44. — Thoms. Classif. Ceramb. 1860, p. 214, Syst. Ceramb. 1864, p. 184. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 143. — C. G. Thoms. Skand. Col. VIII, 1866, p. 34. — Dunning, Trans. Ent. Soc. Lond. 1868, p. 127. — Lacord. Gen. Col. IX, 1869, p. 57. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 597. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 317. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 302. — Leng, Ent. Amer. II, 1887, p. 194. — Gah. Fauna Brit. India, Col. I, 1906, p. 239.

*Anaglyptinae* Lacord. Gen. Col. IX, 1869, p. 84.

Monographie: Cast. & Gory, Monographie des Clytus, 1835.

### Faunen:

- Afrika: Jord. Nov. Zool. X, 1903, p. 141—145.  
 Antillen: Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 528—532.  
 Argentina: Chevr. l. c. p. 527.  
 Asien: Chevr. Mém. Soc. R. Sc. Liège XVIII, 1863, p. 253—350.  
 Australien: Pase. Journ. Ent. II, 1864, p. 245—246.  
 Bolivien: Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 524—527.  
 Brasilien: Chevr. l. c. p. 49—67.  
 Chile: Chevr. l. c. p. 524—527.  
 Columbien: Chevr. l. c. (4) I, 1861, p. 377—388.  
 Europa: Ganglb. Best.-Tab. VII, 1882, p. 46—60 (724—738).

- Guayana: Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 517—524.  
 Hawaii: Sharp, Fauna Hawaiens. II, 1900, p. 98—113.  
 Mexico: Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 451—504.  
 Nordamerika: Leng, Entomol. Amer. II, 1887, p. 194—200; III,  
 1887, p. 4—8, 23—24, 44.  
 Oceanien: Chevr. Mém. Soc. R. Sc. Liège XVIII, 1863, p. 253—350.  
 Ostindien: Gah. Fauna Brit. Ind. Col. I, 1906, p. 239—304.  
 Peru: Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 524—527.

### Xylotrechus Chev.

- Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 456. — Muls. Col. Fr. Long. ed. 2, 1862, p. 143. — Thoms. Syst. Ceramb. 1864, p. 424. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 143. — Lacord. Gen. Col. IX, 1869, p. 77. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 606. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 319. — Prov. Pet. Faune Ent. Canada I, 1877, p. 598. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 304. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727). — Leng, Ent. Amer. II, 1887, p. 195. — Bedel, Faune Col. Seine V, 1889, p. 30. — Scidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 825. — Stierl. Col. Helv. II, 1898, p. 455. — Everts, Col. Neerl. II, 1, 1901, p. 369. — Pic, Bull. Soc. Ent. Fr. 1902, p. 92. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 140. — Gah. Fauna Brit. India, Col. I, 1906, p. 241.

### Paläarktische und japanische Arten.

Pic, Longic. IV, 1, 1902, p. 12—20 (Synopsis).

- adpersus** Gebl. Ledeb. Reise II, 3, 1830, p. 181; Bull. Sibirien  
 Moscou XXI, 1848, p. 392. — Kraatz, Deutsche  
 Ent. Zeitschr. XXIII, 1879, p. 89, nota 4. —  
 Bergr. Ent. Nachr. XIX, 1893, p. 349. — Pic,  
 Longic. IV, 1, 1902, p. 16. — Semen. Rev. Russe  
 d'Ent. IV, 1904, p. 315.
- ✓ **albifilis** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, Japan,  
 1884, p. 232. — Pic, Longic. IV, 1, 1902, p. 16 Amur  
 (= *cuneipennis*?)
- ✓ *? pallidipennis* Matsum. Thous. Ins. Japan III,  
 1908, nr. 725, t. 54, f. 12.
- altaicus** Gebl. Bull. Mosc. IX, 1836, p. 342; XXI, 1, Sibirien  
 1848, p. 392. — White, Cat. Col. Brit. Mus. VIII,  
 1855, p. 265. — Chevr. Mém. Soc. R. Sc. Liège  
 XVIII, 1863, p. 313 (61). — Pic, Longic. IV, 1,  
 1902, p. 16.
- Popovi* Mannerh. Bull. Moscou XXII, 1, 1849,  
 p. 241. — White, Cat. Col. Brit. Mus. VIII, 1855,  
 p. 265. — Blessig, Horae Soc. Ent. Ross. IX,  
 1872, p. 187.
- ✓ **antilope** Schönh. Syn. Ins. I, 3, 1817, p. 465. — Zett. Europa  
 Vetensk. Akad. Handl. 1818, p. 257. — Gyllenh.  
 Ins. Suec. I, 4, 1827, p. 98. — Herrich-Schaeffer,  
 Fauna Ins. Germ. CXII, 1829—3?, t. 3. —  
 Muls. Col. Fr. Long. 1839, p. 79; ed. 2, 1862,  
 p. 152. — Cast. Hist. Nat. II, 1840, p. 449. —  
 Cast. & Gory, Monogr. p. 60, t. 12, f. 69. —  
 Küster, Käfer Eur. X, 1847, p. 90. — White,  
 Cat. Col. Brit. Mus. VIII, 1855, p. 269. — Bach,  
 Käferfauna III, 1856, p. 20. — C. G. Thoms.



- ✓ *chinensis* Chevr. Rev. Mag. Zool. (2) IV, 1852, p. 416; Mém. Soc. Sc. Liège XVIII, 1863, p. 311, 313 (59, 61). — White, Cat. Col. Brit. Mus. VIII, 1855, p. 263. — Fairm. Rev. d'Ent. VII, 1888, p. 141. — Matsum. Thous. Ins. Japan 1908, nr. 714, t. 54, f. 1.  
Biologie: Lewis, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 231.
- clarinus* Bates, l. c. p. 231. Japan
- dominula* White, Cat. Col. Brit. Mus. VIII, 1855, p. 261. — Waterh. Proc. Ent. Soc. Lond. 1874, p. 29. Nordchina
- ✓ *emaciatius* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 231. Japan
- Grayi* White, Cat. Col. Brit. Mus. VIII, 1855, p. 261, t. 6, f. 4. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 325 (73). „
- Grumi* Semen. Horae Soc. Ent. Ross. XXIII, 1889, p. 402; XXVII, 1903, p. 502. — Pic, Longic. IV, 1, 1902, p. 17, 19. Transcaspien, Turkestan
- namaganensis* Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 128.
- hircus* Gebl. in Hummel, Ess. Ent. IV, 1825, p. 54; Ledeb. Reise II, 3, 1830, p. 183; Mém. Soc. Nat. Moscou VIII, 1832, p. 65; Bull. Moscou XXI, 1, 1848, p. 395 (300). — Cast. & Gory, Monogr. p. 60, t. 12, f. 70. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 270. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 325 (73). — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 89. — Pic, Longic. IV, 1, 1902, p. 16, 18. Sibirien
- var. *cuneipennis* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 110, t. 1, f. 5. Amur
- decolor* Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 101. — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 336.
- ibex* Gebl. in Hummel, Ess. Ent. IV, 1825, p. 53; Ledeb. Reise II, 3, 1830, p. 183; Bull. Moscou XXI, 1, 1848, p. 369 (sep. p. 301.) — White, Cat. Col. Brit. Mus. VIII, 1855, p. 269. — Muls. Col. Fr. Long. ed. 2, 1862, p. 151. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 324 (72). — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 188. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 90, nota 1. — Ganglb. Best.-Tab. VII, 1882, p. 50 (728). — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Pic, Longic. IV, 1, 1902, p. 17, 19. Sibirien, Nordost-deutschland
- angulosus* Motsch. Bull. Moscou XLIX, 1, 1875, p. 150.
- var. *fugitivus* Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 100. — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 336. Sibirien
- namaganensis* Heyd. Deutsche Ent. Zeitschr. XXIX, 1885, p. 297. — Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 503. — Pic, Longic. IV, 1, 1902, p. 17, 19. Turkestan
- var. *bucharensis* Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 500, 501. — Pic, Longic. IV, 1, 1902, p. 17, 19. Buchara

- pantherinus** Savenius in Hummel, Ess. Ent. IV, 1825, p. 66. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 324 (72). — Ganglb. Wien. Ent. Zeit. I, 1882, p. 138. — J. Sahlb. Meddel. Soc. Fauna et Flora Fenn. IX, 1883, p. 87. — Heyden, Wien. Ent. Zeit. X, 1891, p. 181. — Mühl, l. c. p. 185. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1892, p. 826. — Pic, Longic. IV, 1, 1902, p. 16, 18. — Semen. Rev. Russ. d'Ent. IV, 1904, p. 307.
- Moei* C. G. Thoms. Opusc. Ent. VI, 1874, p. 552; Skand. Ins. I, 1885, p. 154. — J. Sahlb. Meddel. Soc. Fauna et Flora Fenn. IX, 1883, p. 87.
- ab. *apicenotatus* Pic, Longic. IV, 1, 1902, p. 16.
- ab. *Jakowlewii* Semen. Bull. Moscou (n. s.) XIII, 1899, p. 134. — Pic, Longic. IV, 1, 1902, p. 16.
- pyrrhoderus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 200; Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 233. Japan
- rectangulus** Motsch. Bull. Moscou XLIX, 1, 1875, p. 149. — Pic, Longic. IV, 1, 1902, p. 17, 19. Sibirien, Japan
- rufillus** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 233. — Matsum. Thous. Ins. Japan III, 1906, nr. 723, t. 54, f. 10. Japan
- ✓ **rusticus** L. Syst. Nat. ed. 10, 1758, p. 398; Fauna Suec. ed. 2, 1761, p. 198. — Redt. Fauna Austr. ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 408. — C. G. Thoms. Skand. Col. VIII, 1866, p. 37. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727). — Bedel, Faune Col. Seine V, 1889, p. 30, 79. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 457. — Everts, Col. Neerl. II, 1, 1901, p. 369. — Pic, Longic. IV, 1, 1902, p. 15. — Houlb. Faune Armor. Ceramb. p. 53, f. 103. Europa (fehlt in Britannien)
- hafniensis* F. Syst. Ent. 1775, p. 190. — Hoppe, Ent. Taschenb. 1796, p. 133. — Panz. Fauna Ins. Germ. LXX, 1799, t. 12. — Payk. Fauna Suec. III, 1800, p. 93.
- liciatius* L. Syst. Nat. ed. 12, 1767, p. 636. — Panz. Naturf. XXIV, 1789, p. 28, t. 1, f. 38. — Ol. Ent. IV, 70, p. 33, t. 1, f. 8, t. 3, f. 35. — Gyllenh. Ins. Suec. I, 4, 1827, p. 93. — Cast. & Gory, Monogr. p. 36, t. 8, f. 45. — Muls. Col. Fr. Long. 1839, p. 78; ed. 2, 1862, p. 147; Mém. Acad. Sc. Lyon (2) I, 1851, p. 123. — Cast. Hist. Nat. II, 1840, p. 450. — Redt. Fauna Austr. 1849, p. 488. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 260. — Bach, Käferfauna III, 1856, p. 22. — Schiödte, Nat. Tidsskr. (3) II, 1864, p. 525. — Pic, Longic. I, 1891, p. 25; IV, 1, 1902, p. 18.
- longipes* Villers, Linn. Ent. I, 1789, p. 256, t. 1, f. 29.
- signatus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 81.
- ab. *confusus* Herbst in Füessly, Archiv V, 1784, p. 98, t. 26, f. 18. — Gmel. Syst. Nat. I, 4, 1790, p. 1857. — Schrank, Fauna Boica I, 2, 1798, p. 681.

- atomarius* F. Ent. Syst. I, 2, 1792, p. 332. —  
Muls. Col. Fr. Long. 1839, p. 78. — Pic, Longic.  
IV, 1, 1902, p. 15.
- maculatus* Gmel. Syst. Nat. I, 4, 1790, p. 1877.
- octonotatus* Gmel. l. c. p. 1846.
- omega* Rossi, Fauna Etr. I, 1790, p. 154.
- variegatus* Geoffr. in Fourcr. Ent. Paris. I, 1785,  
p. 79.
- var. *villosiflavomaculatus* Goeze, Ent. Beytr.  
I, 1777, p. 507.
- heros* Ganglb. Wien. Ent. Zeit. I, 1882, p. 138.  
— Pic, Longic. IV, 1, 1902, p. 15.
- ab. *oo* Schrank, Enum. Ins. 1781, p. 162.
- ab. *subuniformis* Pic, Longic. IV, 1, 1902, p. 15.
- Biologie: Ratzeb. Forstins. Nachtr. der 2. Ausg.  
1839, p. 53. — Kaltenb. Pflanzenf. 1874, p. 625.  
— Xambeu, Ann. Soc. Linn. Lyon (2) XLV,  
1898, p. 53; Moeurs & Métam. VII, 1899, p. 93.
- Sieversi** Ganglb. Horae Soc. Ent. Ross. XXV, 1890, p. 429. Armenien,  
— Pic, Longic. IV, 1, 1902, p. 17, 19. Syrien
- ab. *akbesianus* Pic, l. c. p. 17.
- ab. *Deyrollei* Pic, Bull. Soc. Ent. Fr. 1897, p. 219;  
Longic. IV, 1, 1902, p. 17, 19.
- suberucifer** Pic, Longic. IV, 2, 1903, p. 4. Buchara
- Villoni** Villard, Bull. Soc. Ent. Fr. 1892, p. 51. Japan

### Nearktische und mexikanische Arten.

- Leng, Ent. Amer. II, 1887, p. 198—200; III, 1887, p. 4 (Synopsis).
- annosus** Say, Journ. Acad. Philad. V, 2, 1827, p. 277. Missouri,  
— Leng, Synops. p. 199, 4. Californien,  
Montana,  
Texas,  
Maine,  
N. Hamp-  
shire
- colonus** F. Syst. Ent. 1775, p. 191. — Gmel. Syst. Nat.  
I, 4, 1790, p. 1852. — Ol. Enc. méth. Ins. V,  
1790, p. 259; Ent. IV, 70, 1795, p. 31, t. 6, f. 67. —  
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 28.  
— Prov. Pet. Faune Ent. Canada I, 1877, p. 599.  
— Leng, Synops. p. 199, 200. — Wickh. Canad.  
Ent. XXIX, 1897, p. 151, f. 25.
- campestris* Ol. Ent. IV, 70, 1795, p. 65, t. 8,  
f. 95. — J. Lec. Journ. Acad. Philad. (2) II,  
1850, p. 27.
- coloreus* F. Syst. El. II, 1802, p. 345.
- terminans* F. Ent. Syst. Suppl. 1798, p. 151. —  
Cast. & Gory, Monogr. p. 83, t. 15, f. 96. —  
White, Cat. Col. Brit. Mus. VIII, 1855, p. 277.
- upsilon* Steph. Ill. Brit. Ent. Mand. IV, 1831,  
p. 244.
- Biologie: Paek. Ins. inj. Trees 1881, p. 27; Rep.  
Ent. Commiss. III, 1883, p. 259, t. 12, f. 3. —  
Felt, Ins. affect. Trees 1907, p. 259, f. 44.
- ab. *agrestis* J. Lec. Journ. Acad. Philad. (2) II, Georgia  
1850, p. 28.

- ab. *villicus* Ol. Ent. IV, 70, 1795, p. 64, t. 8, f. 94. — Steph. Man. 1839, p. 276. Nordamerika
- convergens** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 198. — Leng, Synops. p. 198, 199. Ohio, Iowa
- Biologie: Meyers, Amer. Natural. XV, 1881, p. 151.
- gemellus** Casey, Ann. N. York Acad. VII, 1893, p. 590. — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 172. Indiana
- insignis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 199. — Casey, Ann. N. York Acad. VI, 1892, p. 35. Colorado, Californien
- obliteratus* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 199. — Leng, Synops. p. 199.
- Lengi** Schaeff. Bull. Brookl. Inst. I, 1908, p. 340. Oregon
- mormonus** J. Lec. Proc. Acad. Philad. 1861, p. 357. — Leng, Synops. p. 199, 200. Utah, Wisconsin
- nauticus** Mannerh. Bull. Moscou XVI, 1843, p. 305. — Leng, Synops. p. 198, 4. Californien, Montana, Oregon, Washington-Terr.
- gramineus* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 40. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 27.
- Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XL, 1893, p. 150 (sep. p. 222).
- nitidus** Horn, Proc. Acad. Philad. 1860, p. 572, t. 8, f. 2. — Leng, Synops. p. 198, 199. Pennsylvania, N. York, Texas
- quadrinaculatus** Hald. Trans. Amer. Ent. Soc. (2) X, 1847, p. 41. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29. — Prov. Pet. Faune Ent. Canada I, 1877, p. 600. — Leng, Synops. p. 198, 199. — Wickh. Canad. Ent. XXIX, 1897, p. 150. Canada, Vereinigte Staaten Nord-amerikas
- quereus** Schaeff. Bull. Brookl. Inst. I, 1905, p. 163. Arizona
- sagittatus** Germ. Magaz. Ent. IV, 1821, p. 171. — Cast. & Gory, Monogr. p. 82, t. 15, f. 95. — J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 177. — Prov. Pet. Faune Ent. Canada I, 1877, p. 599. — Leng, Synops. p. 198, 200. — Wickh. Canad. Ent. XXIX, 1897, p. 150. Massachusetts, Pennsylvania, Georgia, Florida, Michigan, Arizona
- pubescens* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 40. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 28.
- Biologie: Felt, Ins. affect. Trees 1907, p. 663, f. 191.
- Sartorii** Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 492, t. 9, f. 7. Mexiko
- undulatus** Say, Long's Exped. II, 1824, p. 291; Amer. Ent. III, 1828, t. 53. — Cast. & Gory, Monogr. p. 57, t. 11, f. 66. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 27. — Prov. Pet. Faune Ent. Canada I, 1877, p. 600. — Leng, Synops. p. 199, 200, 4. — Wickh. Canad. Ent. XXIX, 1897, p. 151. Nordamerika
- undatus* Kirby, Fauna Bor.-Amer. IV, 1837, p. 175, t. 7, f. 5.
- ab. *fuscus* Kirby, l. c. p. 176. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 27. — Leng, Synops. p. 4.

- ab. *integer* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 41.
  - ab. *interruptus* Cast. & Gory, Monogr. p. 57. t. 11, f. 67. — Leng, Synops. p. 4.
  - ab. *lunulatus* Kirby, Fauna Bor.-Amer. IV, 1837, p. 175. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 41.
  - ab. *Sayi* Cast. & Gory, Monogr. p. 55, t. 11, f. 64. — Hald. Proc. Amer. Philos. Soc. IV, 1847, p. 372.
- Biologie: Felt, Ins. affect. Trees 1907, p. 671, f. 198.

### Indomalayische Arten.

- |  |   |
|--|---|
| <p><b>affinis</b> Gah. Journ. Mal. States Mus. I, 1906, p. 111, t. 6, f. 1.</p>  | <p>Malacca<br/>China</p>                                  |
| <p><b>brevicellus</b> Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 323 (71).</p>   | <p>China</p>  |
| <p><b>brevicornis</b> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 608.</p>  | <p>Borneo</p>   |
| <p>✓ <b>Buqueti</b> Cast. &amp; Gory, Monogr. p. 86, t. 16, f. 99. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 323 (71). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 243.</p>            | <p>Ostindien,<br/>Andama-<br/>nen,<br/>Siam,<br/>Java</p> |
| <p><i>Phidias</i> Gah. Ann. Mus. Genova XXXIV, 1894, p. 21.</p>  | <p></p>   |
| <p><i>siamensis</i> Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 318.</p>  | <p></p>   |
| <p><b>carenofrons</b> Cast. &amp; Gory, Monogr. p. 65, t. 12, f. 75.</p>   | <p>Ceylon</p>   |
| <p><i>carinifrons</i> Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 316 (64). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 243.</p>   | <p></p>   |
| <p><b>carinicollis</b> Jord. Stett. Ent. Zeit. LVI, 1895, p. 269. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 248.</p>  | <p>Assam</p>  |
| <p>✓ <b>consocius</b> Gah. Journ. Mal. States Mus. I, 1906, p. 111, t. 6, f. 3.</p>  | <p>Malacca</p>  |
| <p><b>contortus</b> Gah. Fauna Brit. Ind. Col. I, 1906, p. 249.</p>  | <p>Sikkim,<br/>Bhutan</p>                                 |
| <p>✓ <b>decoratus</b> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 611. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 41.</p>   | <p>Borneo</p>   |
| <p><b>deletus</b> Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 282.</p>  | <p>China</p>  |
| <p><b>demonacius</b> Gah. Ann. Mus. Genova (3) III, 1907, p. 74.</p>   | <p>Sumatra</p>  |
| <p><b>discors</b> Gah. Journ. Mal. States Mus. I, 1906, p. 112, t. 1, f. 2; Ann. Mus. Genova (3) III, 1907, p. 73.</p>   | <p>Malacca,<br/>Sumatra</p>                               |
| <p><b>diversesignatus</b> Pic, Longic. VII, 1, 1908, p. 15.</p>  | <p>Yunnan</p>   |
| <p>✓ <b>famelicus</b> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 612.</p>  | <p>Borneo</p>   |
| <p><b>Gestroi</b> Gah. Ann. Mus. Genova XXXIV, 1894, p. 19, t. 1, f. 4; Fauna Brit. Ind. Col. I, 1906, p. 246.</p>   | <p>Birma</p>  |
| <p><b>Hampsoni</b> Gah. Ann. Mag. Nat. Hist. (6) V, 1890, p. 54, t. 7, f. 1; Fauna Brit. Ind. Col. I, 1906, p. 247.</p>  | <p>Ostindien,<br/>Assam,<br/>Birma</p>                    |
| <p>✓ <b>javanicus</b> Cast. &amp; Gory, Monogr. p. 87, t. 16, f. 100. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 316 (64). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 610.</p> | <p>Singapur.<br/>Java,<br/>Borneo</p>                     |
| <p><i>Sappho</i> Pasc. l. c. (2) IV, 1858, p. 239.</p>   | <p></p>   |

- idoneus** Gah. Ann. Mus. Genova (3) III, 1907, p. 72. Sumatra
- imperfectus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Borneo  
p. 313 (61).
- incurvatus** Chevr. l. c. p. 331 (79). — Gah. Fauna Brit. Ostindien,  
Ind. Col. I, 1906, p. 248. Südchina
- insipiens** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 321 Ceylon  
(69) (= *subscutellatus*?).
- lateralis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 244. Birma
- lyratus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 610. Borneo
- maculicollis** Dalm. in Schönh. Syn. Ins. I, 3, 1817, Ostindien  
Append. p. 195. — Cast. & Gory, Monogr. p. 115.
- magnicollis** Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, China  
p. 34.
- var. **arithorax** Pic, Echange XXVI, 1910, p. 30. Formosa
- multiimpressus** Pic, Longic. VIII, 1, 1911, p. 19. Yunnan
- multinotatus** Pic, Longic. V, 1, 1905, p. 11. „
- ocellatus** Cast. & Gory, Monogr. p. 64, t. 12, f. 74. — Ostindien  
White, Cat. Col. Brit. Mus. VIII, 1855, p. 270.  
— Chevr. Mém. Soc. Sc. Liège XVIII, 1863,  
p. 320 (68).
- ✓ **pedestris** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Borneo  
p. 608. — Shelf. Proc. Zool. Soc. Lond. 1902,  
2, t. 20, f. 29.
- ✓ **Phidias** Newm. Entomol. I, 1842, p. 246. — White, Philippinen  
Cat. Col. Brit. Mus. VIII, 1855, p. 284. —  
Waterh. Proc. Ent. Soc. Lond. 1874, p. 29.  
— Auriv. Ent. Tidskr. XIV, 1893, p. 163.
- polyzonus** Fairm. Rev. d'Ent. VII, 1888, p. 143. China
- pulcher** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 3. Java
- ✓ **quadripes** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Ostindien,  
p. 315 (63). — Dunning, Trans. Ent. Soc. Lond. Birma,  
1868, p. 126, fig. — Gah. Fauna Brit. India, Siam,  
Col. I, 1906, p. 245, f. 90. — Maxw.-Lefr. Ind. Tonkin  
Ins. Life 1909, p. 374, f. 254.
- coffeophagus** Richter, Proc. Agri-Hort. Soc. Madras 1867.  
Biologie: Taylor, The White Borer, Madras 1868. — Dunning, Trans. Ent. Soc. Lond. 1868,  
p. 105—126. — Bidie, Report on the Ravages  
of the Borer, Madras 1869. — Boutan, C. R.  
Acad. Scienc. Paris CXL, 1905, p. 1654.
- ✓ **scenicus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 611. Borneo
- ✓ **Smei** Cast. & Gory, Monogr. p. 37, t. 8, f. 46. — Chevr. Ostindien  
Mém. Soc. Liège XVIII, 1863, p. 317 (65).  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 241.
- Smei* White, Cat. Col. Brit. Mus. VIII, 1855,  
p. 262.
- ab. *vicinus* Cast. & Gory, Monogr. p. 38, t. 8, „  
f. 47. — White, Cat. Col. Brit. Mus. VIII, 1855,  
p. 262. — Chevr. Mém. Soc. Sc. Liège XVIII,  
1863, p. 316 (64).
- Stebbingi** Gah. Fauna Brit. Ind. Col. I, 1906, p. 244. Himalaya,  
Tibet
- subdepressus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Sikkim,  
p. 329 (77). — Gah. Fauna Brit. Ind. Col. I, Assam  
1906, p. 249.
- subditus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 314 Kaschmir  
(62). — Gah. Fauna Brit. Ind. Col. I, 1906,  
p. 246.

- subscutellatus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 317 (65). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 242. Ostindien,  
Ceylon
- ab. **Putzeyssi** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 320 (68). Ceylon

## Indoaustralische Arten.

- ✓ **australis** Cast. & Gory, Monogr. p. 99, t. 19, f. 118. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 319 (67). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 607 (ex parte). — Auriv. Ent. Tidskr. XIV, 1893, p. 163. Neuguinea
- crucicollis** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 319 (67). Molukken
- hypoleucus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 609. Aru
- iteratus** Pasc. l. c. p. 609. Celebes
- regina** Pasc. l. c. p. 613, t. 22, f. 9. Nord-  
molukken
- reginae** Auriv. Ent. Tidskr. XIV, 1893, p. 163. Queensland
- varlicollis** Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 52. Insel Duke  
of York
- velutinus** M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 202. Neuguinea

## Äthiopische Arten.

Jordan, Nov. Zool. X, 1903, p. 143 (Katalog).

- aedon** Jord. Nov. Zool. X, 1903, p. 193. Insel  
S. Thomé
- angulifer** Jord. l. c. I, 1894, p. 186. Kulu
- Annobonae** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 18. Annobon
- Coquereli** Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 58. Madagascar
- fragilis** Jord. Nov. Zool. X, 1903, p. 143. Kamerun
- Gahani** Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, Bull. p. 379; XXXVI, 1892, p. 339. Congo
- Jordani** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 431. „
- oculicollis** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 334. Deutsch-  
Ostafrika
- prolixus** Fairm. l. c. (5) I, 1871, p. 59. Madagascar
- sellatus** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 431, t. 7, f. 9. Ruanda
- socius** Jord. Nov. Zool. I, 1894, p. 187. Kulu,  
Kamerun

95

**Carinoclytus** nov. gen.

Gen. nov.? Jord. Nov. Zool. X, 1903, p. 143.

- Reichenowi** Quedenf. Berl. Ent. Zeitschr. XXVII, 1883, p. 137, t. 1, f. 4. Chinchoxo
- semiruber** Quedenf. l. c. XXVI, 1882, p. 335. — Wellm. Ent. News XIX, 1908, p. 228. Angola
- Thomsoni** Har. Monatsb. Akad. Wiss. Berlin 1880, p. 266. British-  
Ostafrika

**Thranodes** Pasc.

Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 315. — Lacord. Gen. Col. IX, 1869, p. 79. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 613.

**pictiventris** Pasc. l. c. p. 614.

**stenothyreus** Pasc. Journ. Ent. I, 1862, p. 359; Trans. Ent. Soc. Lond. (3) III, 1869, p. 614.

*fuscipennis* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 325 (73).

2

Celebes  
Batjan,  
Morty

**Clytus** Laich.

Laich. Verz. Tyrol. Ins. II, 1784, p. 88 (ex parte). — F. Syst. El. II, 1802, p. 345 (ex parte). — Gyllenh. Ins. Suec. I, 4, 1827, p. 93 (ex parte). — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 242; Man. 1839, p. 270 (ex parte). — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 83 (ex parte). — Muls. Col. Fr. Long. 1839, p. 74 (ex parte); ed. 2, 1862, p. 154. — Cast. & Gory, Monogr. p. 1 (ex parte). — Cast. Hist. Nat. II, 1840, p. 447. — Redt. Gatt. deutsch. Käferf. 1845, p. 109; Fauna Austr. 1849, p. 486; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 406 (ex parte). — Bach, Käferf. II, 1856, p. 18. — Thoms. Syst. Ceramb. 1864, p. 424. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 144 (ex parte). — Lacord. Gen. Col. IX, 1869, p. 67. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 598. — Cox, Handb. Col. II, 1874, p. 310 (ex parte). — Bedel, Faune Col. Seine V, 1889, p. 30. — Fowler, Col. Brit. Isl. IV, 1889, p. 224 (ex parte). — Everts, Col. Neerl. II, 1, 1901, p. 369. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 240, 250.

*Clytumnus* Thoms. Classif. Ceramb. 1860, Errata p. 404.

*Europa* Thoms. l. c. p. 221.

*Platynotus* C. G. Thoms. Skand. Col. VIII, 1866, p. 36.

*Sphagesthes* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 333 (81). — Ganglb. Best.-Tab. VII, 1882, p. 50 (728). — Seidl.

Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 826.

— Stierl. Col. Helvet. II, 1898, p. 457.

*Stenocorus* Scop. Annus Hist. Nat. V, 1772, p. 94 (ex parte).

## Paläarktische Arten.

Pic, Longic. III, 1, 1900, p. 8—11 (Synopsis).

**ambigenus** Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.

— Bedel, l. c. (6) VII, 1887, p. 202. — Pic,

Synops. p. 10.

ab. *bianterruptus* Pic, Longic. II, 1898, p. 11.

✓ **arietis** L. Syst. Nat. ed. 10, 1758, p. 399; Fauna Succ.

ed. 2, 1761, p. 199. — Poda, Ins. Mus. Gracc.

1761, p. 39. — Müller, Fauna Ins. Fridrichsd.

1764, p. 14; Zool. Dan. Prodr. 1776, p. 92.

— Ström, Thronhj. Selsk. Skrifter III, 1765,

p. 394, t. 6, f. 4. — Houttuyn, Naturl. Hist.

I, 9, 1766, p. 590, t. 76, f. 6. — Scop. Annus

Hist. Nat. V, 1772, p. 96. — Müller, Naturs.

V, 1, 1774, p. 290, t. 6, f. 6. — Fischer, Naturg.

Livl. 1778, p. 135. — Schrank, Enum. Ins.

1781, p. 163; Fauna Boica I, 2, 1798, p. 677.

— Herbst in Fiessly, Archiv. V, 1784, p. 97

(ex parte), t. 26, f. 15?. — Laich. Tyrol. Ins.

Algerien,  
Tunis

Europa

- II, 1784, p. 92. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 80. — Petagna, Spcc. Ins. Calabr. 1787, p. 18. — Villers, Linn. Ent. I, 1789, p. 270. — Ol. Enc. méth. V, 1790, p. 263; Ent. IV, 70, p. 36, t. 2, f. 20. — Rossi, Fauna Etr. 1790, p. 157. — Sturm, Ins. Cabin. III, 1792, t. 8. — Martyn, Engl. Ent. 1792, t. 27, f. 4. — Donovan. Brit. Ins. I, 1792, p. 59, t. 27. — Panz. Fauna Ins. Germ. IV, 1793, t. 15. — Donndorff, Eur. Fauna VIII, 1799, p. 584. — Payk. Fauna Suec. III, 1800, p. 96. — Marsh. Ent. Brit. I, 1802, p. 339. — Bechst. & Scharfenb. Forstins. I, 1804, p. 218. — Shaw, Gen. Zoolog. VI, 1806, p. 74, t. 26. — Gyllenh. Ins. Suec. I, 4, 1827, p. 96. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 243; Man. 1839, p. 276. — Cast. & Gory, Monogr. p. 58, t. 11, f. 68. — Blanch. in Cuvier, Règne anim. ed. Masson 1832, t. 66, f. 5. — Muls. Col. Fr. Long. 1839, p. 81; ed. 2, 1862, p. 161. — Spry & Shuck. Brit. Col. 1840, p. 65, t. 75, f. 6. — Cast. Hist. Nat. II, 1840, p. 449. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — Wollaston. Ins. Mader. 1854, p. 429. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 268. — Costa, Fauna Regn. Nap. Col. II, 1855, Longic. p. 50. — Bach, Käferfauna III, 1856, p. 20. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 528. — C. G. Thoms. Skand. Col. VIII, 1866, p. 37. — Cox, Handb. Col. II, 1874, p. 315. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730). — Bedel, Faune Col. Seine V, 1889, p. 31, 81. — Fowler, Col. Brit. Isl. IV, 1889, p. 225, t. 121, f. 1. — Pic, Longic. I, 1891, p. 26. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 327. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 11. — Everts, Col. Neerl. II, 1, 1901, p. 370. — Houlb. Faune Armor. Ceramb. 1904, p. 55, f. 104. — Csiki, Rov. Lapok XI, 1904, p. 142. — Jacobs. Käfer Russl. 1910, t. 66, f. 16.
- arcuatus* Sulzer, Kennz. Ins. 1761, p. 12, t. 5, f. 31.  
*dasyptus* Voet, Cat. Col. II, 1778, p. 20, t. 19, f. 88; ed. Panzer III, 1794, p. 52, t. 19, f. 88.  
*gazella* F. Ent. Syst. I, 2, 1792, p. 333. — Redt. Fauna Austr. 1849, p. 488.  
*quadri-fasciatus* Degeer, Mém. Ins. V, 1775, p. 81.
- Biologie: Perris, Ann. Soc. Ent. Fr. (2) V, 1847, p. 547, t. 9, II, f. 1—4; Larves Col. 1877, p. 453. — Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 584, t. 8, f. 8. — Döbner, Stett. Ent. Zeit. XI, 1850, p. 23. — Denny, Ent. Mag. II, 1833, p. 114; Ent. Monthly Mag. V, 1868, p. 123. — Rye, l. c. — Smith, l. c. p. 286; Proc. Ent. Soc. Lond. 1868, p. 14, 19, 28. — Nördlinger, Lebensweise von Forstkerf. 1880, p. 42. — Xamben, Moeurs & Métam. II, 1892, p. 23; VIII, 1902, p. 95.

- ab. *Bourdilloni* Muls. Col. Fr. Long. 1839, p. 81. — Costa, Fauna Regn. Napoli, Col. II, 1855. Longic. p. 51, t. 35, f. 3. — Bedel, Faune Col. Seine V, 1890, p. 81. — Pic, Longic. I, 1891, p. 26.
- (*triangulimacula*) A. Costa, Atti d. Sa Reun. degli Sc. Ital. 1847, p. 479.
- ab. *Cloueti* Théry, Bull. Soc. Ent. Fr. 1892, p. 213. — Pic, Longic. II, 1898, p. 11; Synops. p. 11.
- ab. *Lederi* Ganglb. Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 730; Best.-Tab. VII, 1882, p. 52. — Pic, Longic. I, 1891, p. 26; Synops. p. 11.
- var. *sibiricus* Pic, Synopsis p. 11.
- arietoides** Reitter, Deutsche Ent. Zeitschr. 1899, p. 281 (Febr. 1900). — Pic, Longic. III, 1, 1900, p. 10.
- auripilis** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 230.
- brunnescens** Pic, Natural. XIX, 1897, p. 262; Longic. II, 1898, p. 20; III, 1, 1900, p. 9.
- ciliciensis** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 334 (82). — Pic, Longic. I, 1891, p. 27; III, 1, 1900, p. 9.
- bifarius* Heyden, Deutsche Ent. Zeitschr. XXXIII, 1889, p. 329.
- Reitteri* Théry, Bull. Soc. Ent. Fr. 1892, p. 96. — Heyden, l. c. p. 131. — Pic, l. c. p. 147.
- ab. *griseofasciatus* Pic, Longic. VII, 1, 1908, p. 3.
- cinereus** Cast. & Gory, Monogr. p. 68, t. 13, f. 79. — Muls. Col. Fr. Long. ed. 2, 1862, p. 154. — Ganglb. Best.-Tab. VII, 1882, p. 51 (729). — Bedel, Faune Col. Seine V, 1889, p. 31, 80. — Pic, Synops. p. 8.
- Auboueri* Desbr. Ann. Soc. Ent. Fr. (5) II, 1872, p. 429. — Bedel, Ann. Soc. Ent. Fr. (5) III, 1873, Bull. p. 88, 217. — Desbr. l. c. p. 216. — E. Oliv. l. c. p. 227.
- Daponti* Muls. Col. Fr. Long. 1839, p. 84.
- Sterni* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 219, t. 3, f. 1. — Redt. Fauna Austr. ed. 3, II, 1874, p. 409.
- circassicus** Pic, Longic. V, 2, 1905, p. 10.
- clavicornis** Reiche, Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 734. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 199. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730). — Pic, Synops. p. 10.
- crassicornis* Muls. Col. Fr. Longic. ed. 2, 1862, p. 159.
- fuliginosus** Fairm. Rev. d'Ent. VII, 1888, p. 145.
- fulvohirsutus** Pic, Echange XX, 1904, p. 18; Longic. V, 1, 1904, p. 15.
- gulekanus** Pic, Echange XX, 1904, p. 65; Longic. V, 2, 1905, p. 9.
- inapicalis** Pic, Echange XI, 1895, p. 38; Synops. p. 9.
- insignitus** Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 269.
- signifer* Mars. Abeille XII, 1875, p. 396. — Pic, Synops. p. 11.
- Süd-frankreich, Italien
- Frankreich
- Kaukasus
- Sibirien  
Ostsibirien
- Japan
- Tiflis
- Caramanien,  
Syrien,  
Cypren
- Kleinasien  
Frankreich.  
Deutschland.  
Kaukasus
- Circassien  
Sicilien
- China:  
Peking  
Sibirien
- Taurus
- Erzerum  
Kleinasien

- ✓ **lama** Muls. Mém. Acad. Sc. Lyon II, 1847, p. 421; Opusc. Ent. XI, 1860, p. 110; Col. Fr. Long. ed. 2, 1862, p. 160. — Redt. Fauna Austr. ed. 3, II, 1874, p. 409. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730); Rev. d'Ent. III, 1884, p. 195. — Bedel, Faune Col. Seine V, 1889, p. 31. — Seidl. Fauna Balt. 1891, p. 735; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 10. — Csiki, Rov. Lapok XI, 1904, p. 143. Mitteleuropa
- ab. *vesubiensis* Pic, Bull. Soc. Ent. Fr. 1900, p. 110. Südalpen
- Mayeti** Théry, Bull. Soc. Ent. Fr. 1892, p. 96. — Pic, Echange VIII, 1892, p. 141; Longie. III, 1, 1900, p. 9. Sibirien
- melaenus** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 230. Pic 1916. Bull. Soc. Ent. Fr. (Paris) p. 151. (separate in Pic) --- China Japan
- nigritulus** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 109. — Pic, Synops. p. 9. Amur
- Peyroni** Pic, Bull. Soc. Ent. Fr. 1899, p. 209; Synops. p. 9. Libanon
- quadraticollis** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 66. — Pic, Longie. III, 1900, p. 11. Mongolei
- raddensis** Pic, Echange XX, 1904, p. 18; Longie. V, 1, 1904, p. 16. Sibirien
- ✓ **rhamni** Germ. Reise Dalmat. 1817, p. 223, t. 9, f. 5. — Küster, Käfer Eur. VI, 1846, p. 71. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 270. — Bach, Käferfauna III, 1856, p. 20. — Muls. Col. Fr. Longie. ed. 2, 1862, p. 163. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731); Rev. d'Ent. III, 1884, p. 195. — Bedel, Faune Col. Seine V, 1889, p. 31, 82. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 10. — Everts, Col. Neerl. II, 1, 1901, p. 370. — Houlb. Faune Armor. Ceramb. 1904, p. 56. — Csiki, Rov. Lapok XI, 1904, p. 142. Mittel- und Südeuropa
- Bellieri* Gautier, Ann. Soc. Ent. Fr. (4) II, 1862, p. 77. — Desbr. l. c. (5) II, 1872, Bull. p. 75.
- gazella* Ol. Ent. IV, 70, 1795, p. 66, t. 8, f. 97. — Cast. & Gory, Monogr. p. 62, t. 12, f. 72. — Muls. Col. Fr. Long. 1839, p. 82. — Cast. Hist. Nat. II, 1840, p. 449. — Küster, Käfer Eur. X, 1847, p. 91. — Costa, Fauna Regni Napoli, Col. II, 1855, Longie. p. 52.
- Biologie: Perris, Larves Col. 1877, p. 457. — Xamheu, Moeurs et Métam. VIII, 1902, p. 99.
- ab. *bifasciatus* Nicolas, Echange XVII, 1901, p. 29. — Pic, Longie. IV, 1, 1902, p. 9. Frankreich
- var. *ferruginipes* Pic, Longie. I, 1891, p. 26. Türkei
- var. *longicollis* Reitter, Wien. Ent. Zeit. XXIII, 1904, p. 82. Dobrudscha
- ab. *temesiensis* Germ. Ins. spec. nov. 1824, p. 519. — Küster, Käfer Eur. X, 1847, p. 70. — Pic, Longie. I, 1891, p. 26. — Csiki, Rov. Lapok XI, 1904, p. 142.

Biologie: Krausse, Zeitschr. wiss. Ins.-Biol. VI, 1910, p. 301.

- Schneideri** Kiesenw. Verh. Naturf. Ver. Brünn XVII, 1879, p. 57; in Schneider & Leder, Beitr. z. Kenntn. kaukas. Käferfauna 1879, p. 313. — Ganglb. Best.-Tab. VII, 1882, p. 52 (730). — Pic, Synops. p. 9. Kaukasus,  
Kleinasien
- tropicus** Panz. Deutschl. Insectenf. 1795, p. 265; Fauna Ins. Germ. CXV, 1837, t. 5. — Hoppe, Taschenb. 1796, p. 182. — Muls. Col. Fr. Long. 1839, p. 75; ed. 2, 1862, p. 156. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 266. — Bach, Käferfauna III, 1856, p. 19. — Redt. Fauna Austr. ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 407. — Ganglb. Best.-Tab. VII, 1882, p. 51 (729); Rev. d'Ent. III, 1884, p. 194. — Bedel, Faune Col. Seine V, 1889, p. 31, 81. — Seidl. Fauna Balt. ed. 2, 1891, p. 735; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 458. — Pic, Synops. p. 8. — Everts, Col. Neerl. II, 1, 1901, p. 370. — Houlb. Faune Armor. Ceramb. 1904, p. 55. — Csiki, Rov. Lapok XI, 1904, p. 142. Mittel- und  
Südeuropa
- mucronatus** Cast. & Gory, Monogr. p. 52, t. 10, f. 61. — Redt. Fauna Austr. 1849, p. 487.
- Biologie: Decaux, Feuille jeun. Natural. XIII, 1882, p. 53; l. c. XXI, 1891, p. 35; Bull. Soc. Ent. Fr. 1890, p. 135; 1892, p. 166; 1893, p. 222; 1896, p. 286. — Eichhoff in Dankelm. Zeitschr. f. Forst- und Jagdw. XV, 1883, p. 221. — Fabre, Souven. Entomol. IV, 1891, p. 316. — Xambeu, Moeurs & Métam. VIII, 1902, p. 100.
- ab. *Kelchi* Bach, Käferfauna III, 1856, p. 19. — Kraatz, Stett. Ent. Zeit. XVII, 1856, p. 180.
- vesparum** Reitter, Deutsche Ent. Zeitschr. XXXIII, 1889, p. 375. — Pic, Synops. p. 10. Kaukasus

### Orientalische Arten.

- callizonus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 251, f. 91. Birma
- monticola** Gah. l. c. Kaschmir,  
Tibet
- paulonotatus** Pic, Longic. IV, 1, 1902, p. 30. China
- ventripennis** Pic, Echange XXIV, 1908, p. 61. Yunnan

### Nearktische und mexikanische Arten.

- Leng, Ent. Amer. II, 1887, p. 198 (Synopsis).
- ✓ **dimidiaticornis** Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 487. — Bates, Biol. Centr.-Amer. Col. V, 1885, p. 299. Mexico
- lanifer** Lec. Smiths. Misc. Coll. XI, 264. 1873. p. 198. Californien,  
Arizona
- Leng, Synops. p. 198.
- marginicollis** Cast. & Gory, Monogr. p. 41, t. 9, f. 50. Massachu-  
setts,  
Pennsyl-  
vanien,  
Georgia,  
Nevada
- Lec. Journ. Acad. Philad. (2) II, 1850, p. 26.
- White, Cat. Col. Brit. Mus. VIII, 1855, p. 263.
- Leng, Synops. p. 198.
- respoides** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 40.

- Montesuma** Cast. & Gory, Monogr. p. 42, t. 9, f. 51. — Mexico  
Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 487.  
*Montezuma* White, Cat. Col. Brit. Mus. VIII, 1855,  
p. 264.
- planifrons** Lec. Trans. Amer. Ent. Soc. V, 1874, p. 67. Californien,  
— Leng, Synops. p. 198. Nevada
- 
- annulatus\***) Hope in Gray, Zool. Misc. 1831, p. 28. Nepaul  
**annulus** F. Syst. El. II, 1802, p. 352. — Cast. & Gory, Kapland  
Monogr. p. 111.
- Davidis** Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 132. China  
— Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 18.
- diadema** Motsch. Etud. Ent. II, 1853, p. 48. Peking  
**hottentottus** Ol. Enc. méth. V, 1790, p. 266; Ent. IV, Kapland  
70, 1795, p. 38, f. 28, 29.
- hottentottus** Cast. & Gory, Monogr. p. 51, t. 10, f. 60. „  
**ineanus** Newm. Entomol. I, 1842, p. 246. Philippinen  
**minutissimus** Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, Ostindien:  
p. 339; in Gah. Fauna Brit. Ind. Col. I, 1906, Manipur  
p. 253.
- montanus** Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1898, „  
p. 337; in Gah. Fauna Brit. Ind. Col. I, 1906, p. 253.
- rugulosus** Broun, Man. New Zeal. Col. I, 1880, p. 588. Neuseeland  
**sexmaculatus** Donovan, Epitome Ins. N. Holl. 1805, t. 5, Neuholland  
f. 5. — Boisd. Voy. Astrol. Ins. II, 1835, p. 482.
- simulator** Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, Ostindien:  
p. 340; in Gah. Fauna Brit. Ind. Col. I, 1906, Manipur  
p. 252.
- solitarius** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, Singapur  
p. 599.
- validus** Fairm. Notes Leyd. Mus. XVIII, 1896, p. 128. Tibet  
**virens** F. Ent. Syst. I, 2, 1792, p. 338. Nordafrika

49

### Cyrtoclytus Ganglb.

Ganglb. Best.-Tab. VII, 1882, p. 10 (688); Rev. d'Ent. III, 1884, p. 167.  
— Seidl. Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455.  
— Csiki, Rov. Lapok XI, 1906, p. 141.

- ✓ **capra** Germ. Ins. spec. nov. 1824, p. 518. — Cast. & Gory, Sibirien,  
Monogr. p. 61, t. 12, f. 71. — Gebl. Bull. Moscou Alpen  
XXI, 1, 1848, p. 393 (sep. p. 298). — White,  
Cat. Col. Brit. Mus. VIII, 1855, p. 269. — Muls.  
Col. Fr. Long. ed. 2, 1862, p. 158. — Redt.  
Fauna Austr. ed. 3, II, 1874, p. 409. — Ganglb.  
Best.-Tab. VII, 1882, p. 58 (736); Rev. d'Ent.  
III, 1884, p. 198. — Seidl. Fauna Transs. 1891,  
p. 828. — Stierl. Col. Helvet. II, 1898, p. 460.  
— Csiki, Rov. Lapok XI, 1906, p. 141.
- ✓ **caproides** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, Japan  
p. 200. — Matsum. Thous. Ins. Japan III, 1908,  
nr. 722, t. 54, f. 9.
- yunamensis** Pic, Longic. VI, 1, 1906, p. 18. Südchina

3

\*) Die systematische Stellung dieser und der folgenden, als *Clytus* beschriebenen Arten ist unsicher.

**Brachyclytus** Kraatz.

Kraatz. Deutsche Ent. Zeitschr. XXIII, 1879, p. 107.

*singularis* Kraatz, l. c. p. 107, t. 1, f. 6. — Bates, Journ. Sibirien,  
Linn. Soc. Lond. Zool. XVIII, 1884, p. 234. Japan

1

**Calanthemis** Thoms.

Thoms. Syst. Ceramb. 1864, p. 194. — Lacord. Gen. Col. IX, 1869, p. 80.  
— Jordan, Nov. Zool. X. 1903, p. 142.

*Pedoclytus* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 254.

*aureseus* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Congo  
Exped. III, 1911, p. 432.

*Conradti* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 254. Usambara  
*gabonius* Thoms. Archives Ent. II, 1858, p. 162. — Gabun,  
Jord. Nov. Zool. X. 1903, p. 142. Kuiu

*x-maculatus* Jord. l. c. I, 1894, p. 187, t. 9, f. 14.

*Hauseri* Jord. l. c. XI, 1904, p. 364. Brit.-  
Ostafrika  
Kuiu,

*Moquerysi* Jord. l. c. I, 1894, p. 187, t. 9, f. 15.

*myops* Thoms. Syst. Ceramb. 1864, p. 194.

*rufovittatus* Auriv. Deutsche Ent. Zeitschr. 1907, p. 78. Kamerun  
*saltator* Kolbe, Stett. Ent. Zeit. LIV, 1894, p. 254. Kapland,  
*spiloderes* Jord. Nov. Zool. X, 1903, p. 142. Natal

*suberueiatus* White, Cat. Col. Brit. Mus. VIII, 1855, p. 281. Usambara  
Natal,  
Delagoa

*femera* Jord. Nov. Zool. X, 1903, p. 142. Kamerun

*tenuis* Jord. l. c. Natal

*thomensis* Auriv. Arkiv f. Zool. VII. 3. 1910, p. 19. Insel St.  
Thomé

*trifasciatus* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Ruwenzori  
Exped. III, 1911, p. 431.

*viridipennis* Lameere. Ann. Soc. Ent. Fr. LXII, 1893. Assinie  
p. 42. — Jord. Nov. Zool. X, 1903, p. 142.

*vittatus* Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika- Ruanda  
Exped. III, 1911, p. 431, t. 7, f. 10.

16

**Ischnodora** Chev.

Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 332 (80). — Lacord. Gen. Col.  
IX, 1869, p. 72. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 259.

*macra* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 332 Assam  
(80). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 259.

1

**Perissus** Chev.

Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 262 (10). — Lacord. Gen.  
Col. IX, 1869, p. 79. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 615.  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 254.

*Amauraesthes* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 327  
(75) (ex parte). — Lacord. Gen. Col. IX, 1869, p. 73 (ex parte).

- ✓ *aemulus* Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 618. Borneo
- Andreae* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 266 (14). „
- antennatus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 616. Amboina, Aru, Neuguinea
- aper* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 326. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 257. Südostindien
- ✓ *Dohertyi* Gah. l. c. p. 258. Manipur
- ✓ *fluctuosus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 617. Borneo
- fuliginosus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 328. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 254. Nordostindien, Tibet
- glaucinus* Boisd. Voy. Astrol. II, 1835, p. 483, t. 9, f. 22. — Cast. & Gory, Monogr. p. 98, t. 18, f. 117. Molukken, Waigiu, Neuguinea
- White, Cat. Col. Brit. Mus. VIII, 1855, p. 282.
- Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 265 (13). — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 615.
- femorialis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 264 (13).
- grallarius* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 617. Ceram
- laetus* Lamcere, Ann. Soc. Ent. Fr. LXII, 1893, p. 283. Assam, Tenasserim, Siam, Cambodja
- Gah. Fauna Brit. Ind. Col. I, 1906, p. 255.
- proprius* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 21. Birma, Java
- var. *adhaerens* Gah. Fauna Brit. Ind. Col. I, 1906, p. 255.
- mutabilis* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 23; Fauna Brit. Ind. Col. I, 1906, p. 256. Sikkim, Birma, Tenasserim, Siam
- myops* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 267 (15). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 258. Ceylon
- nilgiriensis* Gah. l. c. p. 256. Südostindien
- parvulus* Gah. l. c. p. 257. Ceylon
- persimilis* Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 23; Fauna Brit. Ind. Col. I, 1906, p. 256. Tenasserim
- ✓ *scutellatus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 267 (15). Philippinen: Maldonado
- trizonatus* Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 270, t. 16, f. 7. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 265 (13). Neuguinea
- Wollastoni* Gah. Trans. Zool. Soc. Lond. XIX, 1909, p. 209, t. 6, f. 7. Ruwenzori
- x-littera* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 263 (11). Aru

### Plagionotus Muls.

Muls. Col. Fr. Lamell. 1842, Rectif. et Addit. Long. (p. 1). — Redt. Fauna Austr. 1849, p. 487; ed. 3, II, 1874, p. 407. — Costa, Fauna Regn. Napoli. Col. II, 1855, Ceramb. p. 44. — Bach, Käferfauna III. 1856, p. 18. — Muls. Col. Fr. Long. ed. 2, 1862, p. 137. — Ganglb. Best.-Tab. VII, 1882,

p. 46 (724); Rev. d'Ent. III, 1884, p. 191. — Bedel, Faune Col. Seine V, 1889, p. 30. — Scidl. Fauna Balt. ed. 2, 1891, p. 733; Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455. — Everts, Col. Neerl. II, 1, 1901, p. 368. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki. Rov. Lapok XI, 1904, p. 137.

*Callidium* Lam. Anim. sans Vert. 1801, p. 234.

*Clytus* Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 378.

*Echinocerus* Muls. Col. Fr. Long. ed. 2, 1863, p. 143.

*Plagiogonus* Fairm. Gen. Col. d'Eur. IV, 1864, p. 144.

*Plagyonotus* Thoms. Classif. Ceramb. 1860, p. 220; Syst. Ceramb. 1864, p. 424.

*Platynotus* Muls. Col. Fr. Long. 1839, p. 71. — Redt. Fauna Austr. ed. 2, 1858, p. 851. — C. G. Thoms. Skand. Col. VIII, 1866, p. 36.

### Paläarktische Arten.

Reitter, Wien. Ent. Zeit. IX. 1890, p. 212—213 (Synopsis).

- ✓ *arcuatus* L. Syst. Nat. ed. 10, 1758, p. 399; Fauna Suec. Europa  
ed. 2, 1761, p. 199. — Houttuyn, Naturl. Hist.  
I, 9, 1766, p. 589, t. 76, f. 5. — Müller, Naturs.  
V, I, 1774, p. 289, t. 6, f. 5. — F. Syst. Ent.  
1775, p. 192. — Müller, Zool. Dan. Prodr. 1776,  
p. 94. — Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 89;  
ed. Panzer III, 1794, p. 53, t. 19, f. 89. — Fischer.  
Naturg. Livl. 1778, p. 135. — Herbst in Füessly,  
Archiv V, 1784, p. 96, t. 26, f. 14. — Laich.  
Verz. Tyrol. Ins. II, 1784, p. 95. — Herbst in  
Borowsky, Naturg. VI, 1784, p. 133, t. 17, f. 5.  
— Geoffr. in Fourer. Entomol. Paris. I, 1785,  
p. 80. — Villers, Linn. Entomol. I, 1789, p. 269.  
— Ol. Enc. méth. Ins. V, 1790, p. 262; Ent.  
IV, 70, 1795, p. 35, t. 2, f. 16 b. — Rossi, Fauna  
Etr. I, 1790, p. 156. — Sturm, Ins.-Cabin. III,  
1792, t. 7. — Martyn, Engl. Entomol. 1792,  
t. 27, f. 2, 3. — Panzer, Faun. Ins. Germ. IV,  
1793, t. 14; Deutschl. Ins.-Fauna 1795, p. 265.  
— Donov. Brit. Ins. III, 1794, p. 29, t. 84, f. 1.  
— Dunker, Ent. Bilderb. 1795, p. 18, t. 1, f. 15.  
— Donndorff, Eur. Fauna VIII, 1799, p. 582.  
— Payk. Fauna Suec. III, 1800, p. 95. — Walek.  
Faune Paris. I, 1802, p. 215. — Marsh. Ent.  
Brit. I, 1802, p. 338. — Bechst. & Scharfenb.  
Forstins. I, 1804, p. 217. — Latr. Hist. Nat.  
Crust. Ins. XI, 1804, p. 296, t. 92, f. 8. — Sa-  
mouelle, Ent. Compend. 1819, p. 55, t. 2, f. 25.  
— Gyllenh. Ins. Succ. I, 4, 1827, p. 96. —  
Steph. III. Brit. Ent. Mand. IV, 1831, p. 243;  
Man. 1839, p. 276. — Cast. & Gory. Monogr.  
p. 42, t. 9, f. 52. — Labr. & Imh. Ins. Schweiz  
II, 1838, t. 19. — Muls. Col. Fr. Long. 1839,  
p. 73; ed. 2, 1862, p. 140. — Cast. Hist. Nat.  
II, 1840, p. 450. — Redt. Fauna Austr. 1849,  
p. 487; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 407.  
— Küster, Käfer Eur. XII, 1848, p. 95. —  
White, Cat. Col. Brit. Mus. VIII, 1855, p. 264.  
— Costa, Fauna Regn. Napoli, Col. II, 1855,  
Ceramb. p. 46, t. 34, f. 6. — Bach, Käferfauna

III, 1856, p. 18. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 526. — C. G. Thoms. Skand. Col. VIII, 1866, p. 38. — Cox, Handb. Col. II, 1874, p. 315. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725); Rev. d'Ent. III, 1884, p. 192. — Bedel, Faune Col. Seine V, 1889, p. 30, 79. — Fowler, Col. Brit. Isl. IV, 1889, p. 225, t. 120, f. 9. — Reitter, Synops. p. 213. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 456. — Everts, Col. Neerl. II, 1, 1901, p. 368. — Houlb. Faune Armor. Ceramb. 1904, p. 53, f. 102. — Csiki, Rov. Lapok XI, 1904, p. 138. — Jacobs. Käfer Russl. 1910, t. 66, f. 15.

*detritus* Voet, Cat. Col. II, 1778, p. 21, t. 19. f. 92; ed. Panzer III, 1794, p. 55, t. 19. f. 92.

*lunatus* F. Spec. Ins. II, 1781, p. 500. — Gmel. Syst. Nat. I, 4, 1790, p. 1852.

*salicis* Schrank, Fauna Boica I, 2, 1798, p. 677.

Biologie: Bond, Entomol. Mag. I, 1833, p. 212; IV, 1837, p. 222. — Goureau. Ann. Soc. Ent. Fr. XI, 1842, p. 176. — Chap. & Cand. Mém. Soc. Sc. Liège VIII, 1853, t. 8, f. 7. — Schiödte, Naturh. Tidskr. (3) X, 1875, p. 413. — Perris, Larves Col. 1877, p. 450. — Xambeu, Moeurs & Métam. VIII, 1902, p. 92. — Noel, Le Natural. XXXI, 1909, p. 191.

ab. *apicalis* Hampe, Wien. Ent. Monatschr. VII, 1863, p. 289. — Friv. Kir. Magyar. Termezs. Tars. Kösl. V, 1865, p. 220, t. 12, f. 11. —

Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 406, t. 3, f. 2. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Csiki, Rov. Lapok XI, 1904, p. 139.

ab. *Colbeaui* Mors, Ann. Soc. Ent. Belg. VII, 1863, p. 132, t. 3, f. 9. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Pic, Longic. I, 1891, p. 25.

ab. *connatus* Mors, Ann. Soc. Ent. Belg. VII, 1863, p. 132. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Pic, Longic. I, 1891, p. 25. — Csiki, Rov. Lapok XI, 1904, p. 139.

ab. *Reichei* Thoms. Classif. Ceramb. 1860, p. 220. — Pic, Longic. I, 1891, p. 25. — Csiki, Rov. Lapok XI, 1904, p. 139.

*interruptus* Mors, Ann. Soc. Ent. Belg. VII, 1863, p. 132. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725).

**Christophi** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 108, t. 1, f. 4. — Reitter, Synops. p. 212.

✓ **detritus** L. Syst. Nat. ed. 10, 1758, p. 399; Fauna Suec. ed. 2, 1761, p. 198. — F. Syst. Ent. 1775, p. 194. — Müller, Zool. Dan. Prodr. 1776, p. 93. —

Laich. Verz. Tyrol. Ins. II, 1784, p. 99. — Ol. Ene. méth. V, 1790, p. 262; Ent. IV, 70, 1795, p. 34, t. 2, f. 17. — Panzer, Deutschl. Insectenf. 1795, p. 266. — Schrank, Fauna Boica I, 2, 1798, p. 676. — Panzer, Voets Beschr. Abbild. hartsch. Ins. IV, 1798, p. 8, t. 26, f. 10.

Mehadia

Belgien

..

Belgien,  
Algier

Amur

Europa,  
Syrien

— Payk. Fauna Succ. III, 1800, p. 94. — Walck. Faune Paris. I, 1802, p. 215. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 297. — Panzer. Fauna Ins. Germ. XCIV, 1805, t. 5. — Gyllenh. Ins. Succ. I, 4, 1827, p. 95. — Cast. & Gory, Monogr. p. 40, t. 8, f. 49. — Muls. Col. Fr. Long. 1839, p. 71; ed. 2, 1862, p. 138. — Cast. Hist. Nat. II, 1840, p. 450, t. 50, f. 7. — Küster, Käfer Eur. XII, 1848, p. 94. — Redt. Fauna Austr. 1849, p. 487; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 407. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 262. — Costa, Fauna Regn. Napoli. Col. II, 1855, Ceramb. p. 45, t. 34, f. 5. — Baeh, Käferfauna III, 1856, p. 18. — Schiödte, Nat. Tidskr. (3) II, 1864, p. 527. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 197. — C. G. Thoms. Skand. Col. VIII, 1866, p. 38. — Ganglb. Best.-Tab. VII, 1882, p. 46 (724); Rev. d'Ent. III, 1884, p. 192. — Bedel, Faune Col. Seine V, 1889, p. 79. — Reitter, Synops. p. 212. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 456. — Everts, Col. Neerl. II, I, 1901, p. 369. — Houlb. Faune Armor. Ceramb. 1904, p. 52, f. 101. — Csiki, Rov. Lapok XI, 1904, p. 138. — Jacobs. Käfer Russl. 1910, t. 66, f. 14.

*brabantinus* Voet. Cat. Col. II, 1804—06, p. 30, t. 26, f. 10.

*Convertini* L. Petagna, Atti Accad. Sc. Napoli I, 1819, p. 38, t. 4, f. 2.

Biologie: Perris, Larves Col. 1877, p. 451, f. 454—460. — Xamheu, Moeurs & Métam. VIII, 1902, p. 92.

ab. *rufescens* Pic. Longic. I, 1891, p. 24.

- ✓ *floralis* Pall. Reisen Prov. Russ. Reiches II, 1773, p. 724. — F. Spec. Ins. I, 1781, p. 241. — Rossi, Fauna Etr. I, 1790, p. 156. — Ol. Enc. méth. Ins. V, 1790, p. 263; Ent. IV, 70, 1795, p. 47, t. 5, f. 53. — Panzer. Deutschl. Insectenf. 1795, p. 264; Fauna Ins. Germ. LXX, 1799, t. 16. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 299. — Cast. & Gory, Monogr. p. 47, t. 10, f. 56. — Muls. Col. Fr. Long. 1839, p. 74; ed. 2, 1862, p. 143. — Cast. Hist. Nat. II, 1840, p. 449, t. 31, f. 6. — Gebler, Bull. Moscou XXI, I, 1848, p. 394 (299). — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 265. — Costa, Fauna Regn. Napoli. Col. II, 1855, Ceramb. p. 48, t. 35, f. 2. — Baeh, Käferf. III, 1856, p. 21. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 198. — Ganglb. Best.-Tab. VII, 1882, p. 49 (727); Rev. d'Ent. III, 1884, p. 192. — Reitter, Synops. p. 213. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 826. — Stierl. Col. Helvet. II, 1898, p. 456. — Csiki, Rov. Lapok XI, 1904, p. 138. — Jacobs. Käfer Russl. 1910, t. 66, f. 19.

Mittel- und  
Südeuropa,  
Sibirien,  
Kleinasien,  
Syrien

- arcuatus* Scop. Annus Hist. Nat. V, 1772, p. 97.  
 — Schrank, Enum. Ins. Austr. 1781, p. 164.
- aulicus* Laich. Verz. Tyrol. Ins. II, 1784, p. 103.
- controversus* Schrank, Fauna Boica I, 2, 1798, p. 679.
- fasciatus* Herbst in Füessly, Archiv V, 1784, p. 98, t. 26, f. 17.
- indicus* Gmel. Syst. Nat. I, 4, 1790, p. 1856.
- nigrofasciatus* Voet. Cat. Col. II, 1778, p. 21, t. 19, f. 93; ed. Panzer III, 1794, p. 55, t. 19, f. 93.
- ? *trilineatus* Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 90; ed. Panzer, III, 1794, p. 54, t. 19, f. 90.
- ab. *abruptus* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 408, t. 3, f. 3. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). Südrußland
- zebra* Cast. & Gory, Monogr. p. 94, t. 10, f. 59. Patria?  
 — Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 408. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726).
- ab. *araratensis* Pic. Longic. III, 3, 1901, p. 11. Ararat
- ab. *armeniacus* Reitter, Synops. p. 213.
- ab. *aulicus* Laich. Verz. Tyrol. Ins. II, 1784, p. 103. — Schrank, Fauna Boica I, 2, 1798, p. 679. Tabelle. Mitteleuropa
- basicornis* Reitter, Synops. p. 213.
- ab. *pilifer* Reitter. l. c. Kleinasien
- ab. *pruinus* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 409. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). Sarepta
- ab. *variabilis* Motsch. Etud. Ent. VIII, 1859, p. 144; Bull. Acad. Petersb. I, 1860, p. 311; Mélang. Biol. III, 1860, p. 305. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). Rußland, Sibirien
- ab. *zebra* Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 194.
- lugubris** Ménétr. Cat. Rais. 1832, p. 229. — Falderm. Fauna Transcauc. II, 1837, p. 268, t. 8, f. 2. — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 120. — Ganglb. Best.-Tab. VII, 1882, p. 47 (725). — Reitter, Synops. p. 213. Kaukasus
- ab. *flavicornis* Pic. Longic. II, 1898, p. 19. Lenkoran
- pulcher** Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 184, t. 8, f. 2. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 89. — Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 228. — Reitter, Synops. p. 212. Ostsibirien, Amur, Japan
- Grayi* Matsum. Thous. Ins. Japan III, 1908, nr. 718, t. 54, f. 5.
- lignatorum* Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 100. — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 336.
- scalaris** Brullé, Expéd. Morée III, 1832, p. 254, t. 43, f. 10. — Cast. & Gory, Monogr. p. 47, t. 9, f. 55. — Muls. Col. Fr. Long. ed. 2, 1862, p. 142. — Perrin, Abeille VII, 1870, Nouv. nr. 15, p. 59. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). — Reitter, Synops. p. 213. — Pic. Bull. Soc. Ent. Fr. 1900, p. 110. Süditalien, Griechenland, Algier, Kleinasien

- ab. *Andrezi* Fuente, Bol. Soc. Aragon. VII, 1908, p. 21.
- ab. *siculus* Cast. & Gory, Monogr. p. 46, t. 9, f. 54. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 47, t. 35, f. 1. Sicilien
- speciosus* Adams, Mém. Moscou V, 1817, p. 309. — Mannerh. Bull. Moscou XI, 1838, p. 73. — Muls. Col. Fr. Long. ed. 2, 1862, p. 141. Griechenland, Kaukasus, Syrien
- Bobelayi* Brullé, Expéd. Morée III, 1832, p. 253, t. 43, f. 12. — Cast. & Gory, Monogr. p. 45, t. 9, f. 53. — Ganglb. Best.-Tab. VII, 1882, p. 48 (726). — Reitter, Synops. p. 213. — Pic. Bull. Soc. Ent. Fr. 1900, p. 110.
- ab. *luristanicus* Pic, Longic. VIII, 1, 1911, p. 6. Persien
- ab. *Mouzafferi* Pic, Echange XXI, 1905, p. 114; Longic. VIII, 1, 1911, p. 6. ..

### Neotropische Arten.

- astecus\**) Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 489. Mexico
- Latreillei* Cast. & Gory, Monogr. p. 91, t. 17, f. 106. Brasilien
- White, Cat. Col. Brit. Mus. VIII, 1855, p. 279. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58.
- regalis\**) Chevr. l. c. (3) VIII, 1860, p. 488, t. 9, f. 5. Mexico
- 11

### Dexitheia Thoms.

- Thoms. Syst. Ceramb. 1864, p. 185. — Lacord. Gen. Col. IX, 1869, p. 65.
- Fabricii* Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 490, t. 9, f. 6. Mexico
- Klugi* Cast. & Gory, Monogr. p. 51, t. 10, f. 59. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 266. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 490. — Thoms. Syst. Ceramb. 1864, p. 185. „
- Spixi* Cast. & Gory, Monogr. p. 92, t. 17, f. 107. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 279. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. — Burm. Stett. Ent. Zeit. XL, 1879, p. 202. Brasilien

3

### Glycobius J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 319. — Prov. Pet. Faune Ent. Canada I, 1877, p. 594.
- Arhopalus* Lacord. Gen. Col. IX, 1869, p. 64.
- Plagionotus* J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 304. — Leng, Ent. Amer. II, 1887, p. 195.
- speciosus* Say, Amer. Entomol. III, 1828, t. 53. — Cast. & Gory, Monogr. p. 39, t. 8, f. 48. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17. — Prov. Pet. Faune Ent. Canada I, 1877, p. 595, f. 46. — Bethaune, Canad. Ent. IX, 1897, p. 222, Canada, Weststaaten Nord-amerikas

\*) Gehört vielleicht zu *Glycobius*.

tab., f. 2. — Leng, Ent. Amer. II, 1887, p. 197.  
 — Wickh. Canad. Ent. XXIX, 1897, p. 150, f. 24.  
*Hayi* Gray in Griffith, Anim. Kingd. II, 1832,  
 p. 118, t. 65, f. 6; t. 73, f. 6.  
 Biologie: Harris, Ins. of Massach. 1842, p. 84.  
 — Rogers, Rep. Ent. Soc. Ontario XI, 1880,  
 p. 31, f. 13. — Lintner, Report N. York Mus.  
 XL, 1886, p. 103. — Pack, Ins. inj. Trees 1890,  
 p. 374, f. 137—140. — Felt, Ins. affect. Trees  
 1907, p. 51, t. 2, f. 1—6.

1

**Calloides** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 319. — Prov. Pet. Faune Ent.  
 Canada I, 1877, p. 595. — J. Lec. & Horn, Classif. Col. N. Amer. 1883,  
 p. 304. — Leng, Ent. Amer. II, 1887, p. 195.

**Lorquini** Bug. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 629. Californien  
 — Leng, Ent. Amer. II, 1887, p. 197.  
**nobilis** Harris, Trans. Hartf. Nat. Hist. Soc. I, 1836, p. 84, Nordamerika  
 t. 1, f. 7. — J. Lec. Journ. Acad. Philad. (2) II,  
 1850, p. 18. — Prov. Pet. Faune Ent. Canada  
 I, 1877, p. 596. — Leng, Ent. Amer. II, 1887,  
 p. 197. — Wickh. Canad. Ent. XXIX, 1897,  
 p. 150.

Biologie: Pack, Ins. inj. Trees 1890, p. 344. —  
 Felt, Ins. aff. Trees 1907, p. 443.  
 var. *mormonus* Schaeffer, Journ. N. York Ent. Utah  
 Soc. XIX, 1911, p. 124.

2

**Arhopalus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 77 (ex parte). — J. Lec. Journ.  
 Acad. Philad. (2) II, 1850, p. 16 (ex parte); Smiths. Misc. Coll. XI, 264,  
 1873, p. 319. — Prov. Pet. Faune Ent. Canada I, 1877, p. 596. — J. Lec.  
 & Horn, Classif. Col. N. Amer. 1883, p. 304. — Leng, Ent. Amer. II, 1887,  
 p. 197.

*Sarosesthes* Thoms. Syst. Ceramb. 1864, p. 185. — Lacord. Gen.  
 Col. IX, 1869, p. 63.

**fulminans** F. Syst. Ent. 1775, p. 192. — Ol. Enc. méth. Nordamerika  
 Ins. V, 1790, p. 264; Ent. IV, 70, 1795, p. 32,  
 t. 5, f. 63. — Palis. Ins. Afr. et Amer. 1821,  
 p. 248, Col. t. 37, f. 4. — Cast. & Gory, Monogr.  
 p. 35, t. 8, f. 44. — Shuek. Brit. Col. 1840, p. 76,  
 Suppl. t. 8, f. 4. — J. Lec. Journ. Acad. Philad.  
 (2) II, 1850, p. 18. — Thoms. Syst. Ceramb.  
 1864, p. 185. — Prov. Pet. Faune Ent. Canada  
 I, 1877, p. 597. — Leng, Ent. Emer. II, 1887,  
 p. 197. — Wickh. Canad. Ent. XXIX, 1897,  
 p. 150.

Biologie: Pack, Ins. inj. Trees 1881, p. 90, f. 40;  
 ed. 2, 1890, p. 343, f. 129. — Felt, Ins. aff.  
 Trees 1907, p. 444.

1

**Trichoxys** Chevr.

Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 454. — Thoms. Classif. Ceramb. 1860, p. 215. 219; Syst. Ceramb. 1864, p. 423. — Lacord. Gen. Col. IX, 1869, p. 63. — Bates, Biol. C.-Amer. Col. V, 1880, p. 48. — Leng, Ent. Amer. II, 1887, p. 194.

- abbreviatus** Bates, Biol. C.-Amer. Col. V, 1880, p. 50. Guatemala  
**Apelles** Newm. Entomol. Mag. V, 1838, p. 394. — White, Mexico  
 Cat. Col. Brit. Mus. VIII, 1855, p. 253. —  
 Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 464.  
**atripes** Chevr. l. c. p. 469. "  
**bilineatus** Chevr. l. c. p. 461, t. 9, f. 1. "  
**cinereolus** Bates, Trans. Ent. Soc. Lond. 1892, p. 162. "  
**fortunatus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, "  
 p. 465, t. 9, f. 3. "  
**Hartwegi** White, Cat. Col. Brit. Mus. VIII, 1855, p. 252, "  
 t. 6, f. 8. — Lucas, Ann. Soc. Ent. Fr. (3) V, Arizona  
 1857, Bull. p. 48. — Chevr. l. c. (3) VIII, 1860,  
 p. 466. — Leng, Ent. Amer. II, 1887, p. 197.  
**hirtellus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 467. Californien,  
 Mexico  
**labyrinthicus** Chevr. l. c. p. 463, t. 9, f. 2. Mexico  
**melanotelus** White, Cat. Col. Brit. Mus. VIII, 1855, "  
 p. 273. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, "  
 1860, p. 468. — Waterh. Trans. Ent. Soc. Lond. "  
 1874, Proc. p. 28.  
*flexus* Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860,  
 p. 468.  
**pellitus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 462. — "  
 Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 462. "  
**rubripes** White, Cat. Col. Brit. Mus. VIII, 1855, p. 273. — "  
 Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 482. "  
**sulphurifer** Chevr. l. c. p. 470, t. 9, f. 4. "  
**viridicollis** Chevr. l. c. p. 464. Mexico,  
 Guatemala  
**vitticollis** Cast. & Gory, Monogr. p. 7, t. 2, f. 5. — Chevr. Mexico  
 Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 465.  
**Westwoodi** Chevr. l. c. p. 471. "

16

**Cyllene** Newm.

Newm. Entomol. I, 1840, p. 7. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 453. — Thoms. Classif. Ceramb. 1860, p. 215, 217; Syst. Ceramb. 1864, p. 184, 423. — Lacord. Gen. Col. IX, 1869, p. 62. — J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 318. — Prov. Pet. Faune Ent. Canada I, 1877, p. 593. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134. — J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 304. — Leng, Ent. Amer. II, 1887, p. 194.

*Clytus* Thoms. Classif. Ceramb. 1860, p. 215. 217.

- aenta** Germ. Mag. Ent. IV, 1821, p. 170. — White, Cat. Südbrasilien,  
 Col. Brit. Mus. VIII, 1855, p. 250. — Chevr. Argentina,  
 Ann. Soc. Ent. Fr. (4) II, 1862, p. 51. Patagonien  
*exsanguis* Chevr. l. c. p. 527. — Berg. Ann. Soc.  
 Ent. Fr. (6) V, 1885, Bull. p. 105.  
 ab. *consimilis* Chevr. Ann. Soc. Ent. Fr. (4) Südbrasilien  
 II, 1862, p. 52. — Goun. l. c. LXXX. 1911, p. 83.

- amazonica** Bates, Trans. Ent. Soc. Lond. 1870, p. 395.
- anaecantha** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 52.
- antennata** White, Cat. Col. Brit. Mus. VIII, 1855, p. 252.  
— Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134. — Leng, Ent. Amer. II, 1887, p. 195.
- curystetha** J. Lec. Proc. Acad. Philad. 1858, p. 82; in Thoms. Arcana Naturae 1859, p. 127, t. 13, f. 9.
- boliviana** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 525.
- Bonplandi** Goun. l. c. LXXX. 1911, p. 83 nota.
- Boryi** Cast. & Gory, Monogr. p. 12, t. 3, f. 13. — Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 485, t. 29, f. 5. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 253. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 504. — Chevr. l. c. (4) II, 1862, p. 525.
- caracasensis** Chevr. l. c. (4) I, 1861, p. 380.
- caryae** Gah. Ann. Mag. Nat. Hist. (8) I, 1908, p. 141.  
*picta* Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134, 135, t. 2, f. 8 g; Canad. Ent. XIV, 1882, p. 240. — Moffat, l. c. p. 200. — Paek. Guide to the study of Ins. 1883, p. 497, f. 485. — Leng, Ent. Amer. II, 1887, p. 196. — Wickh. Canad. Ent. XXIX, 1897, p. 149.  
Biologie: Paek. Ins. inj. Trees 1890, p. 287, f. 112. — Lintn. Report State Ent. N. York VIII, 1893, p. 175. — Felt, Ins. aff. Trees 1907, p. 264, t. 15, f. 7—12.
- castanea** Cast. & Gory, Monogr. p. 10, t. 3, f. 10. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 52. — Burm. Stett. Ent. Zeit. XL, 1879, p. 200.
- cayennensis** Cast. & Gory, Monogr. p. 10, t. 3, f. 9. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 517. — Bates, Biol. C.-Amer. Col. V, 1880, p. 48 (= *zizac* Voet?).
- chalybeata** White, Cat. Col. Brit. Mus. VIII, 1855, p. 250. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 54.
- chiliensis** Cast. & Gory, Monogr. p. 11, t. 3, f. 12. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 252. — Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 524.
- chilensis** Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 486. — Fairm. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 504.
- congener** Cast. & Gory, Monogr. p. 8, t. 3, f. 7. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 50.
- costaricensis** Thoms. Classif. Ceramb. 1860, p. 218.
- crinicornis** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 460. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134, 135, t. 2, f. 8 c. — Bates, Biol. C.-Amer. Col. V, 1885, p. 294. — Leng, Ent. Amer. II, 1887, p. 196.
- Amazon.  
Südbrasilien  
Mexico,  
Arizona,  
Sonora,  
Californien,  
Bolivien  
Argentinien  
Chile  
Venezuela  
Nordamerika  
Brasilien  
Cayenne,  
Nicaragua  
Brasilien  
Chile  
Brasilien  
Costa Rica  
Arizona,  
Californien,  
Louisiana,  
Texas,  
Mexico,  
Honduras,  
Panama,  
Sandwich  
Inseln

- ab. *sanguinipes* Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 460.
- var. ? *similiguttata* Chevr. l. c. (4) I, 1861, p. 380.
- decora** Ol. Ent. IV, 70, 1795, p. 63, t. 8, f. 92. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136, t. 2, f. 8 g. — Leng, Ent. Amer. II, 1887, p. 196.
- infausta* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136, t. 2, f. 8 a.
- ab. *brevipennis* J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 197. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136.
- ab. *Castelnaui* n. nom.
- decora* Cast. & Gory, Monogr. p. 14, t. 4, f. 15. — Horn, Trans. Amer. Ent. Soc. VIII, 1887, t. 2, f. 8 c.
- ab. *charus* Say, Journ. Boston Nat. Hist. Soc. I, 1835, p. 193. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17; Col. of Kansas 1859, p. 20, t. 1, f. 16.
- ab. *Horni* n. nom.
- decora* var. Horn, Trans. Amer. Ent. Soc. VIII, 1880, t. 2, f. 8 b.
- ab. *mediana* n. nom.
- decora* var. Horn, Trans. Amer. Ent. Soc. VIII, 1880, t. 2, f. 8 d. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 18.
- ab. *lutosa* J. Lec. Proc. Acad. Philad. 1861, p. 356. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 136. — Leng, Ent. Amer. II, 1887, p. 197.
- designata** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 50.
- difficilis** Chevr. l. c. p. 263, 528.
- erythropus** Chevr. Col. Mex. Cent. I, Fasc. 4, 1835, nr. 70. — Cast. & Gory, Monogr. p. 4, t. 2, f. 1. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 249. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 458. — Bates, Biol. C.-Amer. Col. V, 1885, p. 294.
- mexicanus* Cast. & Gory, Monogr. p. 6, t. 2, f. 3. Biologie: Dugès, Ann. Soc. Ent. Belg. XXIX, 1885, p. 40, t. 3, f. 1—12.
- ab. *variegata* Cast. & Gory, Monogr. p. 6, t. 2, f. 4. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 458.
- falsa** Chevr. l. c. (4) II, 1862, p. 51.
- acuta* Cast. & Gory, Monogr. p. 9, t. 3, f. 8.
- guttata** Chevr. l. c. (3) VIII, 1860, p. 459. — Bates, Biol. C.-Amer. Col. V, 1885, p. 294.
- Hoffmanni** Cast. & Gory, Monogr. p. 13, t. 6, f. 13 bis. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 253. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 55.
- insignita** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 388; Mélanges Ent. III, 1855, p. 68. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 53.
- Mexico
- Venezuela
- Südstaaten
- Nord-amerikas,
- Kansas,
- Colorado,
- Montana,
- Illinois,
- Indiana,
- Iowa,
- Missouri
- Utah
- Brasilien
- Cuba
- Mexico,
- Guatemala
- Brasilien
- Mexico
- Brasilien

- menalaspis** Chevr. l. c. (4) I, 1861, p. 378.
- ✓ **Mellyi** Chevr. l. c. (4) II, 1862, p. 54.
- ✓ **minuta** Chevr. l. c. p. 62.
- ✓ **murina** Burm. Stett. Ent. Zeit. XL, 1879, p. 201.
- panamensis** Bates, Biol. C.-Amer. Col. V, 1885, p. 295.
- patruelis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 53.
- ✓ **proxima** Cast. & Gory, Monogr. p. 5, t. 2, f. 2. — White, Cat. Col. Brit. Mus. VIII, 1853, p. 249. — Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 50.
- elongata* Chevr. l. c. (2) I, 1861, p. 379.
- var. *multiguttata* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 176; XL, 1879, p. 200. — Berg, Ann. Soc. Ent. Fr. (6) V, 1885, Bull. p. 105.
- robiniae** Forst. Nov. spec. Ins. 1771, p. 43. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 17. — Bethune, Canad. Ent. IX, 1877, p. 223, tab. f. 4. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 134, 136, t. 2, f. 8 f.; Canad. Ent. XIV, 1882, p. 240. — Moffat, l. c. p. 200. — Leng, Ent. Amer. II, 1887, p. 196. — Pack. Psyche V, 1889, p. 225. — Wickh. Canad. Ent. XXIX, 1897, p. 149. — Gah. Ann. Mag. Nat. Hist. (S) I, 1908, p. 141.
- angulata* F. Syst. Ent. 1775, p. 192.
- flexuosa* F. Syst. Ent. 1775, p. 191. — Drury, Ill. Exot. Ins. ed. Panzer 1788, p. 153, t. 41, f. 2. — Ol. Enc. méth. Ins. V, 1790, p. 262; Ent. IV, 70, 1795, p. 34, t. 6, f. 76. — Cast. & Gory, Monogr. p. 13, t. 1, f. a; t. 4, f. 14.
- picta* Drury, Ill. Exot. Ins. I, p. 91, t. 41, f. 2, Index 1773; ed. Westw. I, 1837, p. 87, t. 41, f. 2. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 177. — Walsh, Proc. Ent. Soc. Philad. III, 1864, p. 420. — Prov. Pet. Faune Ent. Canada I, 1877, p. 594.
- Biologie: Harris, Ins. of Massach. 1841, p. 85. — Osten-Sacken, Proc. Ent. Soc. Philad. I, 1862, p. 121, t. 1, f. 7. — Walsh, Proc. Ent. Soc. Philad. V, 1865, p. 204. — Bethune, Canad. Ent. IX, 1877, p. 223. — Pack. Ins. inj. Trees 1890, p. 355. — Felt, Ins. aff. Trees 1905, p. 93, t. 3, f. 1—3. — Hopkins, Bull. U. S. Dept. Agric. XVIII, 1906.
- ✓ **rufipes** Cast. & Gory, Monogr. p. 8, t. 2, f. 6. — White, Cat. Col. Brit. Mus. VIII, 1853, p. 251. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 50.
- ✓ **spinifera** Newm. Entomol. I, 1840, p. 7. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 527.
- nebulosa* Cast. & Gory, Monogr. p. 11, t. 3, f. 11. — Blanch. in Gay, Hist. Chile. Zool. V, 1851, p. 486. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 251.
- ziezac** Voet, Cat. Col. II, 1778, p. 21, t. 19, f. 91; ed. Panzer III, 1794, p. 54, t. 19, f. 91.
- Neugranada  
Brasilien
- ”  
Paraguay  
Panama  
Brasilien  
Brasilien,  
Venezuela
- Südbrasilien,  
Argen-  
tinien,  
Paraguay  
Canada,  
Vereinigte  
Staaten
- Brasilien
- Argentinien,  
Chile
- „Amerika“

**Ochraethes** Chevr.

- Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 454.  
*Ochraethes* Thoms. Classif. Ceramb. 1860, p. 216, 219; Syst. Ceramb. 1864, p. 424.  
*Ochrestes* Lacord. Gen. Col. IX, 1869, p. 65.  
*Ochresthes* Bates, Biol. C.-Amer. Col. V, 1880, p. 50.  
*Ochroesthes* Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 472.
- brevicornis** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, Mexico  
p. 480.  
**circulifer** Chevr. l. c. p. 472. „  
**eitrinus** Chevr. l. c. p. 474. — Bates, Biol. C.-Amer. „  
Col. V, 1885, p. 297.  
**clerinus** Bates, Trans. Ent. Soc. Lond. 1892, p. 162, t. 6, „  
f. 13.  
**Christofori** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, „  
p. 477.  
**litura** Bates, Biol. C.-Amer. Col. V, 1885, p. 298. Guatemala  
**nigrinus** Bates, Trans. Ent. Soc. 1892, p. 162, t. 6, f. 10. Mexico  
**obliquus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 473. „  
— Bates, Biol. C.-Amer. Col. V, 1885, p. 296,  
t. 21, f. 2.  
**obscuricornis** Bates, Trans. Ent. Soc. Lond. 1892, p. 163. „  
**Palmeri** Bates, Biol. C.-Amer. Col. V, 1880, p. 52. „  
**picthicornis** Bates, l. c. Guatemala  
**pollinosus** Chevr. Col. Mex. I, 4, 1835, nr. 71. — Cast. & Mexico,  
Gory, Monogr. p. 73, t. 14, f. 84. — White, Cat. Guatemala,  
Col. Brit. Mus. VIII, 1855, p. 273. — Chevr. Costa Rica,  
Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 476. — Panama  
— Bates, Biol. C.-Amer. Col. V, 1880, p. 51.  
**sigmoideus** Bates, l. c. 1885, p. 298, t. 21, f. 4. Mexico  
**Sommeri** Chevr. Col. Mex. I, 4, 1835, nr. 72. — Cast. & „  
Gory, Monogr. p. 72, t. 14, f. 83. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 273. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 474.  
**tomentosus** Chevr. l. c. p. 479. „  
**tulensis** Bates, Trans. Ent. Soc. London 1892, p. 163, „  
t. 6, f. 12.  
**umbratilis** Bates, Biol. C.-Amer. Col. V, 1885, p. 297, Guatemala  
t. 21, f. 3.  
**virescens** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 481. Mexico  
**viridiventris** Chevr. l. c. p. 479. — Bates, Biol. C. Amer. „  
Col. V, 1885, p. 297, t. 21, f. 5.  
**zebratus** Bates, l. c. p. 298, t. 21, f. 1. Guatemala  
**z-littera** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 476. Mexico

21

**Anthoboscus** Chevr.

- Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 455. — Thoms. Classif. Ceramb. 1860, p. 219 (Typus: *tricolor* Chevr.).  
*Clytanthus* Thoms. Syst. Ceramb. 1864, p. 190, 424 (Typus: *tricolor* Chevr.). — Bates, Biol. C.-Amer. Col. V, 1885, p. 299.
- anthophilus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, Mexico  
p. 485.  
**clathratus** Chevr. l. c. p. 483. „  
**hololeucus** Bates, Trans. Ent. Soc. Lond. 1892, p. 163. „

- nigropunctatus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 486. Mexico  
**ochrozona** Bates, Biol. C.-Amer. Col. V, 1885, p. 299, t. 21, f. 6. Guatemala  
**tricolor** Chevr. Col. Mex. I, 4, 1835, nr. 75. — Cast. & Gory, Monogr. p. 89, t. 16, f. 103. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. — Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 483. Mexico  
**Truquii** Chevr. l. c. p. 484. „  
 7

**Plagithmysus** Motsch.

Motsch. Bull. Mosc. XVIII, 2, 1845, p. 369. — Thoms. Syst. Ceramb. 1864, p. 427. — Lacord. Gen. Col. IX, 1869, p. 82. — Sharp, Ann. Soc. Ent. Belg. XXIX, 1885, Bull. p. 74; Ent. Month. Mag. XXXIII, 1896, p. 237, 238.

*Callithmysus* Sharp, Ent. Month. Mag. XXXII 1896, p. 238.

*Clytarlus* Sharp, Trans. Ent. Soc. Lond. 1878, p. 206, 208 (Typus: *pulverulentus* Motsch.); 1879, p. 102; Ent. Month. Mag. XXXII, 1896, p. 238 (Typus: *fragilis* Sharp!).

*Plagithmysides* Sharp, l. c. p. 238; Fauna Hawaiensis II, 1900, p. 98. — Sharp, l. c. II, 1900, p. 98—116; III, 1910, p. 645—650 (Revision).

- abnormis** Sharp, Revis. II, 1900, p. 102. Hawaii  
**aequalis** Sharp, Ent. Month. Mag. XXXII, 1896, p. 273; Revis. II, 1900, p. 112. Kauai  
**aestivus** Sharp, Ent. Month. Mag. XXXII, 1896, p. 272; Revis. II, 1900, p. 111. Molokai  
**Albertisi** Sharp, Ent. Month. Mag. XXXIII, 1897, p. 12; Revis. II, 1900, p. 110, t. 6, f. 18. Oahu  
**annectens** Sharp, l. c. II, 1900, p. 104. Kauai  
**arachnipes** Sharp, Ent. Month. Mag. XXXII, 1896, p. 274; Revis. II, 1900, p. 112, t. 6, f. 20. „  
**attenuatus** Boisd. Voy. Astrol. Ins. II, 1835, p. 485. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 256 (4). — Sharp, Ann. Soc. Ent. Belg. XXIX, 1885, Bull. p. 75; Ent. Month. Mag. XXXII, 1896, p. 238; Revis. II, 1900, p. 115. Oahu  
*cristatus* Sharp, Trans. Ent. Soc. Lond. 1878, p. 207; Ent. Month. Mag. XXXII, 1896, p. 274; Revis. II, 1900, p. 113, t. 6, f. 21; III, 1910, p. 650.  
**bilineatus** Sharp, Ent. Month. Mag. XXXII, 1896, p. 243; Revis. II, 1900, p. 108, t. 6, f. 14. Hawaii  
**Bishopi** Sharp, Ent. Month. Mag. XXXII, 1896, p. 242; Revis. II, 1900, p. 108, t. 6, f. 12. „  
**Blackburni** Sharp, Trans. R. Dublin Soc. (2) III, 1885, p. 195, t. 5, f. 47; Ent. Month. Mag. XXXII, 1896, p. 271; Revis. II, 1900, p. 111. „  
**claviger** Sharp, l. c. p. 101. „  
**collaris** Sharp, l. c. p. 107, t. 6, f. 13. Maui  
**concolor** Sharp, Ent. Month. Mag. XXXII, 1896, p. 241; Revis. II, 1900, p. 106, t. 6, f. 8. Kauai  
**euneatus** Sharp, Ent. Month. Mag. XXXII, 1896, p. 241; Revis. II, 1900, p. 106, t. 6, f. 9. Oahu

- darwinianus** Sharp, Ent. Month. Mag. XXXII, 1896, p. 271; Revis. II, 1900, p. 109, t. 6, f. 16. Hawaii
- debilis** Sharp, l. c. p. 99. "
- Diana** Sharp, l. c. p. 107, t. 6, f. 11. Kauai
- elegans** Sharp, l. c. III, 1910, p. 648. Hawaii
- filipes** Sharp, Trans. R. Dublin Soc. (2) III, 1885, p. 196, t. 6, f. 1a. "
- Finschi** Har. Mitth. Münch. Ent. Ver. IV, 1880, p. 166. Maui  
— Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 8, t. 1, f. 13. — Sharp, Ent. Month. Mag. XXXII, 1896, p. 242; Revis. II, 1900, p. 106.
- fractus** Sharp, l. c. III, 1910, p. 646. Molokai
- fragilis** Sharp, l. c. II, 1900, p. 99; III, 1910, p. 645. Oahu
- funebri** Sharp, Ent. Month. Mag. XXXII, 1896, p. 273; Revis. II, 1900, p. 106, t. 6, f. 10. Maui
- Giffardi** Perkins, Proc. Hawaiian Ent. Soc. I, 1907, p. 96 nota. — Sharp, Revis. III, 1910, p. 646. Hawaii
- immundus** Sharp, l. c. "
- Koebele** Perkins, Proc. Hawaiian Ent. Soc. I, 1908, p. 210, fig. — Sharp, Revis. III, 1910, p. 649. Oahu
- lamarekianus** Sharp, l. c. II, 1900, p. 110. Hawaii
- varians* var.  $\gamma$  Sharp, Ent. Month. Mag. XXXII, 1896, p. 245.
- lanaiensis** Sharp, l. c. p. 244; Revis. II, 1900, p. 108. Lanai
- laticollis** Sharp, l. c. p. 101. Maui
- longipes** Sharp, l. c. p. 103, t. 6, f. 4. Kauai
- mediocris** Sharp, l. c. p. 99, t. 6, f. 1, 1b. Maui
- microgaster** Sharp, Trans. Ent. Soc. Lond. 1879, p. 103; Trans. R. Dublin Soc. (2) III, 1885, t. 5, f. 46; Revis. II, 1900, p. 113; III, 1910, p. 649. Oahu
- var. *hirtipes* Sharp, l. c. II, 1900, p. 113. "
- modestus** Sharp, Trans. Ent. Soc. Lond. 1879, p. 104; Revis. II, 1900, p. 101. Maui
- Munroi** Sharp, l. c. p. 112, t. 6, f. 19. Kauai
- Newelli** Sharp, Ent. Month. Mag. XXXII, 1906, p. 240; Revis. II, 1900, p. 105, t. 6, f. 7. Maui
- nodifer** Sharp, l. c. p. 102. Hawaii
- obscurus** Sharp, l. c. p. 100. Kauai
- pennatus** Sharp, Trans. Ent. Soc. Lond. 1881, p. 532; Revis. II, 1900, p. 102, t. 6, f. 2, 3. Maui
- Perkinsi** Sharp, Ent. Month. Mag. XXXII, 1896, p. 244; Revis. II, 1900, p. 109, t. 6, f. 15. Hawaii
- Biologie: Giffard, Proc. Hawaiian Ent. Soc. II, 1909, p. 87.
- permundus** Sharp, Revis. II, 1900, p. 105, t. 6, f. 6. Kauai
- pulverulentus** Motsch. Bull. Moscou XVIII, 1, 1845, p. 85, t. 1, f. 12; XVIII, 2, 1845, p. 370, t. 7, f. 7. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 105. — Sharp, Ann. Soc. Ent. Belg. XXIX, 1885, p. 75; Ent. Month. Mag. XXXII, 1896, p. 242; Revis. II, 1900, p. 107. Oahu
- robustus* Sharp, Trans. Ent. Soc. Lond. 1878, p. 206.
- pulvillatus** Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 9, t. 1, f. 14. — Sharp, Revis. II, 1900, p. 111. Maui
- simplicicollis** Sharp, l. c. III, 1910, p. 648. Hawaii
- solitarius** Sharp, Ent. Month. Mag. XXXII, 1896, p. 241; Revis. II, 1900, p. 106; III, 1910, p. 647. Oahu

- speculifer** Sharp, Ent. Month. Mag. XXXII, 1896, p. 272; Maui  
Revis. II, 1900, p. 111.
- sulphurescens** Sharp, Ent. Month. Mag. XXXII, 1896, Hawaii  
p. 271; Revis. II, 1900, p. 111, t. 6, f. 17.
- ultimus** Sharp, l. c. III, 1910, p. 645. Oahu
- varians** Sharp, Ent. Month. Mag. XXXII, 1896, p. 245; Hawaii  
Revis. II, 1910, p. 109.
- vicinus** Sharp, Ent. Month. Mag. XXXII, 1896, p. 243; „  
Revis. II, 1900, p. 108.
- vitticollis** Sharp, Ent. Month. Mag. XXXII, 1896, p. 240; „  
Revis. II, 1900, p. 105, t. 6, f. 5.
- var. *longulus* Sharp, Ent. Month. Mag. XXXII, „  
1896, p. 240; Revis. II, 1900, p. 105.

50

### Euryscelis Chev.

- Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 530. — Thoms. Syst. Ceramb.  
1864, p. 426. — Lacord. Gen. Col. IX, 1869, p. 75. — Leng. Ent. Amer.  
II, 1887, p. 195.

- Dejeani Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 530. Haiti
- suturalis** Ol. Ent. IV, 70, 1795, p. 62, t. 7, f. 91. — Cast. & „  
Gory, Monogr. p. 15, t. 4, f. 16. — White, Cat.  
Col. Brit. Mus. VIII, 1855, p. 254. — Chev.  
Ann. Soc. Ent. Fr. (4) II, 1862, p. 529. — Leng,  
Ent. Amer. III, 1887, p. 8.

2

### Rhopalopachys Chev.

- Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 457. — Thoms. Syst. Ceramb.  
1864, p. 427. — Lacord. Gen. Col. IX, 1869, p. 74.

- ✓ **irroratus** J. Lec. Journ. Acad. Philad. (2) IV, 1858, p. 26. Texas,  
— Leng, Ent. Amer. III, 1887, p. 6. Mexico
- morosus** Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860,  
p. 501.

1

### Neoclytus Thoms.

- Thoms. Musée scient. 1860, p. 67; Classif. Ceramb. 1860, p. 216; Syst.  
Ceramb. 1864, p. 426. — Lacord. Gen. Col. IX, 1869, p. 75 (ex parte). —  
J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 319. — Prov. Pct. Faune Ent.  
Canada I, 1877, p. 601. — Ganglb. Best.-Tab. VIII, 1882, p. 10 (688).  
— Leng, Ent. Amer. II, 1887, p. 195; III, 1887, p. 4 (Synopsis). — Seidl.  
Fauna Transs. 1891, p. 825. — Csiki, Rov. Lapok XI, 1904, p. 37.

*Plagithmysus* J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 304.

*Rhopalomerus* Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 457.

- abbreviatus** Schaeffer, Bull. Brookl. Instit. I, 1908, p. 340. Texas
- acuminatus** F. Syst. Ent. 1775, p. 194. Canada,  
*americanus* Gmel. Syst. Nat. I, 4, 1790, p. 1854. Vereinigte  
*aspericollis* Germ. Ins. spec. nov. 1824, p. 517. Staaten  
*erythrocephalus* F. Mant. Ins. I, 1787, p. 156. Nord-  
— Ol. Enc. méth. Ins. V, 1790, p. 265; Ent. amerikas

- IV, 70, p. 47, 71, t. 5, f. 60; t. 7, f. 60b. — Palis. Ins. Afr. et Amer. 1821, p. 248, Col. t. 37, f. 5. — Cast. & Gory, Monogr. p. 20, t. 5, f. 23. — Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 39. — Küster, Käfer Eur. XXII, 1850, p. 92. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26. — Rye, Ent. Month. Mag. IX, 1873, p. 215. — Doubl. l. c. p. 268. — Prov. Pet. Faune Ent. Canada I, 1877, p. 602. — Ganglb. Best.-Tab. VII, 1882, p. 57 (735). — Leng. Synops. p. 5, 6. — Csiki, Rov. Lapok XI, 1904, p. 166. Biologie: Webster, Ent. News V, 1894, p. 140. — Felt. Ins. aff. Trees 1905, p. 71.
- Acteon** Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 499, t. 9, f. 11. Mexico
- approximatus** J. Lec. Proc. Acad. Philad. 1862, p. 42. — Leng. Synops. p. 5. Kansas
- araueiformis** Ol. Ent. IV, 70, 1795, p. 61, t. 7, f. 90. — Cast. & Gory, Monogr. p. 28, t. 6, f. 33. — White. Cat. Col. Brit. Mus. VIII, 1855, p. 257. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531. — Bland, Proc. Ent. Soc. Philad. I, 1862, p. 273, f. 3. Haiti, Porto Rico, Guadeloupe
- Koehlini* Hagenb. Symb. Faunae Ins. Helv. 1822, p. 12, f. 5. — Ganglb. Best.-Tab. VII, 1882, p. 58 (736). (Schweiz eingeschleppt)
- ascendens** J. Lec. Bull. U. S. Geol. Geogr. Surv. IV, 1878, p. 462. — Leng. Synops. p. 5, 7. Colorado
- Augusti** Chev. Col. Mex. I, 4, 1835, nr. 73. — Cast. & Gory, Monogr. p. 30, t. 7, f. 37. — White. Cat. Col. Brit. Mus. VIII, 1855, p. 258. — Chev. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 495. Mexico
- ab. *dubius* Chev. Col. Mex. I, 4, 1835, nr. 74.
- Aulai** Bruch, Rev. Mus. La Plata XVIII, 1911, p. 168, fig. 1. Cháco, Santa Fé
- balteatus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 201. — Leng. Synops. p. 5, 7. Oregon
- basalis** Chev. Ann. Soc. Ent. Fr. (4) I, 1861, p. 384. Caracas
- beltianus** Bates, Biol. C.-Amer. Col. V, 1885, p. 301, t. 21, f. 10. Nicaragua
- Lebasi* Bates, Trans. Ent. Soc. Lond. 1872, p. 186; Biol. C.-Amer. Col. V, 1880, p. 58.
- Burmeisteri** Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. Brasilien
- cacicus** Chev. l. c. (3) VIII, 1860, p. 493, t. 9, f. 8. — Bates, Biol. C.-Amer. Col. V, 1880, p. 57. Mexico, Nicaragua, Honduras, Guatemala, Panama
- caprea** Say, Journ. Acad. Philad. III, 1823, p. 424; Amer. Ent. III, 1828, t. 53. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26. — Leng. Synops. p. 5, 7. — Wickh. Canad. Ent. XXIX, 1897, p. 151. Vereinigte Staaten Nord-amerikas, Nord-mexico
- elevatus* Cast. & Gory, Monogr. p. 32, t. 7, f. 40.  
*gibbicollis* Cast. & Gory, l. c. p. 24, t. 6, f. 28. Biologie: Felt, Ins. aff. Trees 1905, p. 279.
- carinatus** Cast. & Gory, Monogr. p. 19, t. 5, f. 22. „Nord-amerika“

- carus** Fall, Journ. N. York Ent. Soc. XV, 1907, p. 81. Californien
- centurio** Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. Brasilien  
 — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 87.
- accensus** Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 59.
- Championi** Bates, Biol. C.-Amer. Col. V, 1885, p. 302, t. 21, f. 8 (Genus?). Guatcmala
- ✓ **Chevrolati** Cast. & Gory, Monogr. p. 26, t. 6, f. 31. — Cuba  
 Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264, 531.
- clavatus** Chev. l. c. (4) I, 1861, p. 386. Caracas
- clavipes** Chev. l. c. (3) VIII, 1860, p. 495. — Bates, Guatcmala  
 Biol. C.-Amer. Col. V, 1880, p. 57.
- conjunctus** J. Lec. Ent. Report 1857, p. 61. — Leng, Californien,  
 Synops. p. 5, 7. Oregon
- cordifer** Klug, Preisverz. Ins.-Doubl. 1829, p. 13. Cuba,  
*devastator* Cast. & Gory, Monogr. p. 17, t. 4, Florida  
 f. 18 bis. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 255. — Jacq. du Val in Sagra, Hist. Cuba III, 1857, p. 268. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531. — Leng, Synops. p. 5, 6.
- rufescens* Cast. & Gory, Monogr. p. 16, t. 4, f. 18.
- eristatus** Chev. Ann. Soc. Ent. Fr. (4) I, 1861, p. 384. Neugranada
- ertulus** Chev. l. c. (3) VIII, 1860, p. 497. Mexico
- ✓ **curvatus** Germ. Mag. Ent. IV, 1821, p. 171. — Cast. Brasilien  
 & Gory, Monogr. p. 25, t. 6, f. 29. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 56.
- delicatus** Goun. l. c. LXXX, 1911, p. 86, fig. Goyaz
- distortus** Chev. l. c. (3) VIII, 1860, p. 500. — Bates, Mexico  
 Biol. C.-Amer. Col. V, 1885, p. 302 (Genus?).
- dorsalis** Cast. & Gory, Monogr. p. 23, t. 5, f. 27. — Goun. Brasilien  
 Ann. Soc. Ent. Fr. LXXX, 1911, p. 84.
- famelicus** Burm. Stett. Ent. Zeit. XXVI, 1865, p. 176. Argentinien  
 — Berg, Ann. Soc. Ent. Fr. (6) V, 1885, Bull. p. 105.
- guyanensis** Cast. & Gory, Monogr. p. 22, t. 5, f. 26. — Guyana,  
 Burm. Stett. Ent. Zeit. XL, 1879, p. 202. Paraguay
- ✓ **Hoegi** Bates, Biol. C.-Amer. Col. V, 1880, p. 56. Mexico
- horridus** J. Lec. Proc. Acad. Philad. 1862, p. 42. Nordamerika
- ietericus** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 85, fig. Goyaz
- Jekeli** White, Cat. Col. Brit. Mus. VIII, 1855, p. 254. — Chile  
 Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 504. — Chev. l. c. (4) II, 1862, p. 526.
- longipes* Cast. & Gory, Monogr. p. 16, t. 4, f. 17. — Blanch. in Gay, Hist. Chile, Zool. V. 1851, p. 485.
- ✓ **impar** Germ. Ins. spec. nov. 1824, p. 517. — Cast. & Brasilien  
 Gory, Monogr. p. 21, t. 5, f. 24. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 56.
- interruptus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
 p. 201. — Leng, Synops. p. 5, 7.
- Jouteli** Davis, Ent. News XV, 1904, p. 34, t. 6. New Jersey
- Justini** Chev. Ann. Soc. Ent. Fr. (4) I, 1861, p. 382. Neugranada

- Kirbyi** nov. nom.  
*longipes* Kirby, Fauna Bor.-Amer. IV, 1837, p. 176. — Leng, Synops. p. 5, 8. — Wickh. Canad. Ent. XXIX, 1897, p. 152. Canada, Virginia, Texas
- Lebasi** Chev. Ann. Soc. Ent. Fr. (4) I, 1861, p. 381. — Bates, Biol. C.-Amer. Col. V, 1885, p. 302. Venezuela, Neugranada, Panama
- longipes** Drury, Ill. Exot. Ins. I, 1770, p. 84, t. 37, f. 4, Index. 1773; ed. Westw. I, 1837, p. 79, t. 37, f. 4. Jamaica, Cuba, Georgia, New York  
*angulatus* F. Ent. Syst. I, 2, 1792, p. 335. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 255. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531. — Leng, Synops. p. 5.  
*Druryi* F. Syst. Ent. 1775, p. 408. — Panz. in Drury, Ill. Exot. Ins. ed. Panzer I, 1785, p. 142.  
*Hopei* Cast. & Gory, Monogr. p. 18, t. 5, f. 20. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 28.  
*lunulatus* Goeze, Ent. Beytr. I, 1777, p. 477. — Gmel. Syst. Nat. I, 4, 1790, p. 1864.  
*rhombifer* Ol. Ent. IV, 70, 1795, p. 46, t. 4, f. 51 a, b. — Cast. & Gory, Monogr. p. 17, t. 4, f. 19. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26.
- magicus** Perty, Del. Anim. Artic. 1830, p. 93, t. 18, f. 16. — Cast. & Gory, Monogr. p. 25, t. 1, f. b; t. 6, f. 30. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 56. Brasilien
- magnus** Schaeffer, Journ. N. York Ent. Soc. XII, 1904, p. 224. Californien
- modestus** Fall, l. c. XV, 1907, p. 81. Süd-californien
- Moritzi** Thoms. Classif. Ceramb. 1860, p. 265. — Chev. Ann. Soc. Ent. Fr. (4) I, 1861, p. 383. Venezuela
- mucronatus** F. Syst. Ent. 1775, p. 193. — Ol. Enc. méth. Ins. V, 1790, p. 266; Ent. IV, 70, 1795, p. 38, t. 3, f. 34. Canada, Vereinigte Staaten  
*humeralis* Newm. Ent. Mag. V, 1838, p. 394. Nord-amerikas  
*fuscus* F. Ent. Syst. Suppl. 1798, p. 152. — Cast. & Gory, Monogr. p. 27, t. 6, f. 32. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 26. — Leng, Synops. p. 5, 6. — Wickh. Canad. Ent. XXIX, 1897, p. 151.
- maculosus** Gmel. Syst. Nat. I, 4, 1790, p. 1854. Nordamerika
- muricatulus** Kirby, Fauna Bor.-Amer. IV, 1837, p. 177. — Leng, Synops. p. 5, 8. — Wickh. Canad. Ent. XXIX, 1897, p. 152.  
*leucozonus* Cast. & Gory, Monogr. p. 90, t. 17, f. 105.  
*muricatus* Prov. Pet. Faune Ent. Canada I, 1877, p. 601.
- olivaceus** Cast. & Gory, Monogr. p. 30, t. 7, f. 36. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 258. — Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. Brasilien
- peninsularis** Schaeffer, Bull. Brookl. Instit. I, 1905, p. 133. Californien  
**podagricus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 254. Haiti  
— Chev. Ann. Soc. Ent. Fr. (4) II, 1862, p. 530.  
— Waterh. Aid identif. Ins. II, 1884, t. 149, f. 4.

- purus** Bates, Biol. C.-Amer. Col. V, 1885, p. 302, t. 29, f. 1. Mexico,  
Guatemala  
Brasilien
- pusillus** Cast. & Gory, Monogr. p. 22, t. 5, f. 25. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 256. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 56. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 84.
- regularis** Chevr. l. c. (4) I, 1861, p. 385.
- rufitarsis** Chevr. l. c. (3) VIII, 1860, p. 494.
- ✓ **rufus** Ol. Ent. IV, 70, 1795, p. 28, t. 7, f. 81. — Cast. & Gory, Monogr. p. 19, t. 5, f. 21. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 255. — Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 381.
- scenicus** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 294. Neugranada  
t. 20, f. 7.
- scutellaris** Ol. Enc. méth. Ins. V, 1790, p. 266; Ent. IV, 70, 1795, p. 51, t. 5, f. 52. — Cast. & Gory, Monogr. p. 53, t. 11, f. 62. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 25. — Leng. Synops. p. 5, 6. New York,  
Pennsylvanien,  
Virginia,  
Nordcarolina,  
Georgia,  
Ohio,  
Kansas,  
Texas,  
Louisiana,  
Nebraska
- elegans* Hald. Trans. Amer. Phil. Soc. (2) X, 1847, p. 40.
- senilis** F. Ent. Syst. Suppl. 1798, p. 152.
- Smithi** Bates, Trans. Ent. Soc. Lond. 1892, p. 164, t. 6, f. 9. Cayenne  
Mexico
- ✓ **sobrinus** Cast. & Gory, Monogr. p. 29, t. 6, f. 35. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 257. — Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 56. — Burm. Stett. Ent. Zeit. XL, 1879, p. 201. Brasilien,  
Argentinien
- stillatus** Auriv. Arkiv f. Zool. V, 1, 1908, p. 4. Bolivien
- tapajonus** Bates, Trans. Ent. Soc. Lond. 1870, p. 395. Tapajos
- tenuiscriptus** Fall. Journ. N. York Ent. Soc. XV, 1907, p. 82. Südcalifornien
- torquatus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 200. — Leng. Synops. p. 5, 8. Texas
- ✓ **unicolor** Cast. & Gory, Monogr. p. 34, t. 8, f. 43. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. Peru  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 526.
- ypsilon** Chevr. l. c. p. 63. Brasilien

67

### Mecometopus Thoms.

Thoms. Classif. Ceramb. 1860, p. 216, 222; Syst. Ceramb. 1864, p. 427.  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 518. — Bates, Trans. Ent. Soc. Lond. 1870, p. 396; Biol. C.-Amer. Col. V, 1880, p. 55.

*Neoclytus* Lacord. Gen. Col. IX, 1869, p. 75 (ex parte).

- aecentifer** Goun. Bull. Mus. Paris XIII, 1910, p. 15. Ecuador
- Aesopus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 502. Mexico.  
— Bates, Biol. C.-Amer. Col. V, 1880, p. 55. Nicaragua
- amabilis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 521. Cayenne
- amaryllis** Chevr. l. c. (4) I, 1861, p. 387. Neugranada

- Batesi** White, Cat. Col. Brit. Mus. VIII, 1855, p. 257. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 57. — Bates, Trans. Ent. Soc. Lond. 1870, p. 396. Santarem
- bolivianus** Belon, Bull. Soc. Ent. Fr. 1899, p. 156. Bolivien
- consanguineus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 523. Cayenne
- crassicornis** Chevr. l. c. p. 519. "
- curtus** Cast. & Gory, Monogr. p. 34, t. 8, f. 42. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520. Guyana
- festivus** F. Syst. El. II, 1802, p. 348. — Cast. & Gory, Monogr. p. 85, t. 16, f. 98. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520. — Bates, Trans. Ent. Soc. Lond. 1870, p. 396. Guyana, Amazon.
- Flavius** Bates, Trans. Ent. Soc. Lond. 1870, p. 399. Santarem
- funereus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 523. Cayenne
- globicollis** Cast. & Gory, Monogr. p. 32, t. 7, f. 39. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 258. — Bates, Trans. Ent. Soc. Lond. 1870, p. 400. Pará
- globulicollis* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520.
- Jansoni** Bates, Trans. Ent. Soc. Lond. 1870, p. 399 nota: Biol. C.-Amer. Col. V, 1880, p. 55, t. 5, f. 14. Nicaragua, Panama
- insignis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 65. Brasilien
- ion** Chevr. l. c. (3) VIII, 1860, p. 496, t. 9, f. 9. — Bates, Biol. C.-Amer. Col. V, 1880, p. 56. Mexico, Honduras
- var. *ionides* Bates, l. c. p. 300. Nicaragua
- ion* Bates, Trans. Ent. Soc. Lond. 1872, p. 186.
- laetus** F. Syst. El. II, 1802, p. 348. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 60. — Bates, Trans. Ent. Soc. Lond. 1870, p. 397. Pará
- latecinctus** Bates, Trans. Ent. Soc. Lond. 1870, p. 398. Amazon., S. Paulo
- Leprieuri** Cast. & Gory, Monogr. p. 29, t. 6, f. 34. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 260. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 522. Cayenne
- macilentus** Bates, Trans. Ent. Soc. Lond. 1872, p. 187; Biol. C.-Amer. Col. V, 1880, p. 56 (Genus?). Nicaragua, Panama
- maronensis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 522. Cayenne
- melanion** Bates, Biol. C.-Amer. Col. V, 1885, p. 300. Mexico
- Mniszechi** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 64. Brasilien
- mundus** Chevr. l. c. (3) VIII, 1860, p. 498, t. 9, f. 10. — Bates, Biol. C.-Amer. Col. V, 1885, p. 301. Guatemala
- palmatius** Ol. Ent. IV, 70, 1795, p. 29, t. 7, f. 82. — Cast. & Gory, Monogr. p. 84, t. 16, f. 97. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 260. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. Brasilien
- patagonicus** Bruch, Rev. Mus. La Plata XVIII, 1911, p. 169, fig. Patagonien: Chubut
- placens** Chevr. l. c. (4) II, 1862, p. 64. Brasilien
- polygenus** Thoms. Classif. Ceramb. 1860, p. 223. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. — Bates, Trans. Ent. Soc. Lond. 1870, p. 400. Amazon.
- purus** Bates, l. c. p. 398. Ega
- quadrifasciatus** Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 386. Columbien

- remipes** Bates, Biol. C.-Amer. Col. V, 1885, p. 300, t. 21, f. 7. Panama
- Riveti** Goun. Bull. Mus. Paris XVI, 1910, p. 16. Ecuador  
var. *pilosus* Goun. l. c. nota. Columbia  
Cayenne
- rhinotragoides** Thoms. Classif. Ceramb. 1860, p. 224.  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 521.
- rubefactus** Bates, Trans. Ent. Soc. Lond. 1870, p. 398. Ega
- Simoni** Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 274. Venezuela
- solidicornis** Bates, Biol. C.-Amer. Col. V, 1885, p. 300. Panama
- triangularis** Cast. & Gory, Monogr. p. 31, t. 7, f. 38. Cayenne  
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 258.  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 519.  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 397.
- troglydites** Cast. & Gory, Monogr. p. 33, t. 7, f. 41. —  
White, Cat. Col. Brit. Mus. VIII, 1855, p. 258. „  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 520.  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 399.
- tumulifer** Auriv. Arkiv f. Zool. V, 1, 1908, p. 3. Peru
- Wallacei** White, Cat. Col. Brit. Mus. VIII, 1855, p. 259. Ega  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862,  
p. 60. — Bates, Trans. Ent. Soc. Lond. 1870,  
p. 397.

40

### Chlorophorus Chev.

- Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 290 (38) (Typus: *annularis*).
- Anthoboscus* Muls. Col. Fr. Long. ed. 2, 1863, p. 166. — Seidl. Fauna Balt. ed. 2. 1891, p. 733; Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455.
- Caloclytus* Gah. Fauna Brit. Ind. Col. I, 1906, p. 260.
- Clytanthus* Lacord. Gen. Col. IX, 1869, p. 68. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731). — Bedel, Faune Col. Seine V, 1889, p. 30. — Everts, Col. Neerl. II, 1, 1901, p. 369. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 141.
- Clytus* C. G. Thoms. Skand. Col. VIII, 1866, p. 39.

### Paläarktische Arten.

- aegyptiacus** F. Syst. Ent. 1775, p. 194. Ägypten
- artemisiae** Fairm. Rev. d'Ent. VII, 1888, p. 143. Nordchina  
*herzianus* var. Ganglb. Horae Soc. Ent. Ross. XXI, 1887, p. 21; XXIV, 1890, p. 70.
- asellus** Thieme, Berl. Ent. Zeitschr. XXV, 1881, p. 99. Turkestan
- diminutus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 199. — Pic. Rev. d'Ent. X, 1891, p. 146. Japan,  
Amur
- Favieri** Fairm. Rev. Mag. Zool. (3) I, 1873, p. 351. Marokko
- figuratus** Scop. Ent. Carn. 1763, p. 55, f. 176. — Schrank, Enum. Ins. 1781, p. 163. — Ganglb. Best.-Tab. VII, 1882, p. 56 (734); Rev. d'Ent. III, 1884, p. 198. — Bedel, Faune Col. Seine V, 1889, p. 31, 82. — Seidl. Fauna Balt. ed. 2. 1891, p. 736; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 460. — Everts, Col. Neerl. II, 1, 1901, p. 371. — Houlb. Faune Armor. Ceramb. 1904, p. 58, f. 110. — Csiki, Rov. Lapok XI, 1904, p. 144. — Jacobs. Käfer Russl. 1910, t. 68, f. 1. Mittel- und  
Südeuropa,  
Sibirien

- arietis* Voet, Cat. Col. II, 1778, p. 22, t. 19, f. 94;  
ed. Panzer III, 1794, p. 56, t. 19, f. 94.
- cordiger* Aragona, De quibusd. Ins. Italiae 1830,  
p. 26. — Gené, Ins. Sard. I, 1836, p. 26.
- junebris* Latich. Verz. Tyrol. Ins. II, 1784, p. 111.  
— Schrank, Fauna Boica I, 2, 1798, p. 680.
- lambda* Schrank, Beitr. z. Naturg. 1776, p. 67,  
t. 3, f. 13.
- leucozonias* Gmel. Syst. Nat. I, 4, 1790, p. 1846.
- plebejus* F. Spec. Ins. 1781, p. 243 (ex parte)?;  
Ent. Syst. I, 2, 1792, p. 334. — Herbst in Füessly,  
Archiv V, 1784, p. 98. — Petagna, Spec. Ins.  
Calabr. 1787, p. 18. — Ol. Enc. méth. Ins. V,  
1790, p. 266; Ent. IV, 70, 1795, p. 49, t. 6, f. 72.  
— Rossi, Fauna Etr. I, 1790, p. 159. — Panzer,  
Deutschl. Insektenf. 1795, p. 266; Fauna Ins.  
Germ. LXXXII, 1801, t. 7. — Payk. Fauna  
Succ. III, 1800, p. 99. — Latr. Hist. Nat. Crust.  
Ins. XI, 1804, p. 299. — Gyllenh. Ins. Succ. 1,  
4, 1827, p. 99. — Cast. & Cory, Monogr. p. 99,  
t. 19, f. 119. — Muls. Col. Fr. Long. 1839, p. 85;  
ed. 2, 1863, p. 175. — Redt. Fauna Austr. 1849,  
p. 489; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 408.  
— Costa, Fauna Regn. Napoli. Col. II, 1855,  
Longic. p. 53. — White, Cat. Col. Brit. Mus.  
VIII, 1855, p. 282. — Bach, Käferfauna III,  
1856, p. 22. — Fairm. Gen. Col. d'Eur. IV, 1864,  
t. 43, f. 200. — C. G. Thoms. Skand. Col. VIII,  
1866, p. 40. — Pic, Rev. d'Ent. X, 1891, p. 147.
- rusticus* Müller, Zool. Dan. Prodr. 1776, p. 93.  
— Razoum. Hist. Nat. Jorat. 1789, p. 155.
- ab. *conglobatus* Füg. Deutsche Ent. Zeitschr.  
1891, p. 201. — Pic, Longic. II, 1898, p. 12.
- var. *latifasciatus* Fisch. Bull. Moseou IV, 1832,  
p. 493, t. 6, f. 8. — Mannerh. l. c. XI, 1838,  
p. 75. — Blessig, Horae Soc. Ent. Ross. IX,  
1872, p. 190. — Bates, Journ. Linn. Soc. Lond.  
Zool. XVIII, 1884, p. 228.
- gracilipes** Fald. Mém. Acad. St. Petersb. II, 1835, p. 436  
(100). — Gebler, Bull. Moscou XXI, 1, 1848,  
p. 395 (300). — Blessig, Horae Soc. Ent. Ross.  
IX, 1872, p. 191. — Kraatz, Deutsche Ent.  
Zeitschr. XXIII, 1879, p. 91, t. 1, f. 2. — Pic,  
Rev. d'Ent. X, 1891, p. 147.
- angusticollis* Muls. Mém. Acad. Sc. Lyon (2) 1,  
1851, p. 123; Opusc. Ent. II, 1853, p. 106; Col.  
Fr. Long. ed. 2, 1862, p. 176. — Ganglb. Best.-  
Tab. VII, 1882, p. 56 (734).
- tenuicornis* Fairm. Rev. d'Ent. VII, 1888, p. 142.  
— Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 19.
- gratiosus** Mars. Abeille V, 1868, p. 203. — Pic, Rev.  
d'Ent. X, 1891, p. 145.
- ab. *sparsus* Reitter, Deutsche Ent. Zeitschr. XXX,  
1886, p. 66. — Pic, Rev. d'Ent. X, 1891, p. 145.
- Herbsti** Brahm, Ins.-Kalend. I, 1790, p. 148. — Bechst.  
Naturgesch. I, 2, 1793, p. 861. — Bedel, Faune  
Col. Seine V, 1889, p. 32, 83. — Houlb. Faune  
Armor. Ceramb. 1904, p. 57, f. 106. — Csiki,

Deutschland

Sibirien,  
JapanSibirien,  
China,  
Spanien?

Syrien

Kleinasien

Mittel- und  
Südeuropa

- Rov. Lapok XI, 1904, p. 143. — Jacobs. Käfer Russl. 1910, t. 66, f. 20.
- sulfureus* Muls. Col. Fr. Long. ed. 2, 1862, p. 170.
- sulphureus* Schaum, Cat. Col. Eur. 1862, p. 103.
- verbasci* F. Syst. Ent. 1775, p. 194 (?). — Herbst in Füessly, Archiv V, 1784, p. 99, t. 26, f. 19. — Rossi, Fauna Etr. I, 1790, p. 175. — Ol. Enc. méth. Ins. V, 1790, p. 262 (ex parte); Ent. IV, 70, 1795, p. 40, t. 1, f. 15. — F. Ent. Syst. I, 2, 1792, p. 336. — Thunb. Nova Acta R. Soc. Uppsal. V, 1792, p. 97. — Panz. Deutschl. Fauna 1795, p. 267; Fauna Ins. Germ. LXX, 1799, t. 17. — Hoppe, Tasehenb. 1796, p. 134. — Donndorff, Eur. Fauna VIII, 1799, p. 586. — Payk. Fauna Suec. III, 1800, p. 97. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 298. — Gyllenh. Ins. Suec. I, 4, 1827, p. 100. — Cast. & Gory, Monogr. p. 78, t. 15, f. 90. — Muls. Col. Fr. Long. 1839, p. 90. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275. — Bach, Käferfauna III, 1856, p. 22. — C. G. Thoms. Skand. Col. VIII, 1866, p. 40. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731); Rev. d'Ent. III, 1884, p. 196. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 459.
- var. *caucasicus* Pic, Le Natural. XIX, 1897, p. 262; Longic. II, 1898, p. 20. Kaukasus
- var. *Faldermanni* Fald. Fauna Transc. II, 1837, p. 269, t. 8, f. 3. — Muls. Col. Fr. Longic. ed. 2, 1862, p. 172. — Ganglb. Best.-Tab. VII, 1882, p. 54 (732). Persien,  
Sibirien
- var. *punctomaculatus* Pic, Echange IX, 1893, p. 26. Turkestan
- ab. *quinquemaculatus* Gebl. Bull. Acad. St. Petersb. III, 1845, p. 104; Bull. Moscou XXXIII, 2, 1860, p. 29. Sibirien
- herzianus** Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 134; XXIV, 1890, p. 69. Korea,  
Mongolei,  
Ostsibirien
- latofasciatus* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 90; 1888, p. 203.
- aegyptiacus* Redt. Fauna Austr. ed. 3, II, 1874, p. 407.
- hungaricus** Seidl. Fauna Transs. 1891, p. 828. — Csiki, Rov. Lapok XI, 1904, p. 144. Österreich,  
Ungarn,  
Dalmatien
- egyptiacus* Cast. & Gory, Monogr. p. 6, t. 13, f. 76.
- nigripes* Küster, Käfer Eur. XV, 1848, p. 75. — Ganglb. Best.-Tab. VII, 1882, p. 54 (372).
- japonicus** Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 298 (46). Japan
- Madoni** Pic, Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 211; Rev. d'Ent. X, 1891, p. 144. Palästina,  
Cypern
- misellus** Bates, Journ. Linn. Soc. Zool. XVIII, 1884, p. 228. Japan
- mixtornatus** Fleischer, Wien. Ent. Zeit. XXVII, 1908, p. 211. Taurus
- Motschulskyi** Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 135. Amur,  
Korea

- latofasciatus* Motsch. Etud. Ent. IX, 1860, p. 41.  
— Kolbe, Archiv f. Naturg. LII, 1886, I, p. 220.
- muscosus** Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 198. Japan
- nigripes** Brullé, Expéd. Morée, Ins. 1832, p. 255, t. 43, f. 11. — Cast. & Gory, Monogr. p. 68, t. 13, f. 78. — Küster, Käfer Eur. XV, 1848, p. 75. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 271. — Muls. Col. Fr. Long. ed. 2, 1862, p. 164. — Ganglb. Deutsche Ent. Zeitschr. XXX, 1886, p. 88. — Seidl. Fauna Transs. 1891, p. 828.  
ab. *Magdalenae* Théry, Bull. Soc. Ent. Fr. 1894, p. 266. — Pic. Longic. II, 1898, p. 20. Griechenland Parnass
- nigrosignatus** Fairm. Rev. Mag. Zool. (2) VIII, 1856, p. 531. — Pic. Longic. II, 1898, p. 12. Marocco
- nivipictus** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 91, nota 1, t. 1, f. 3. — Pic. Rev. d'Ent. X, 1891, p. 146; Longic. II, 1898, p. 20. Syrien  
*cinctiventris* Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58. — Pic. l. c. LXI, 1892, Bull. p. 77.  
ab. *Splíchali* Fleischer, Wien. Ent. Zeit. XXVII, 1908, p. 211. — Pic. Longic. VII, 2, 1910, p. 3.
- notabilis** Pasc. Journ. of Ent. I, 1862, p. 360. Japan  
*alphanumericus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 398 (56).  
var. *obliteratus* Pic. Longic. IV, 1, 1902, p. 31.
- obliteratus** Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 70. China Mongolei
- Otti** Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 306 (54). Kleinasien
- Pelletieri** Cast. & Gory, Monogr. p. 93, t. 17, f. 109. Algier,  
*Pelletieri* Pic. Rev. d'Ent. X, 1891, p. 145. Spanien,  
*Pelletieri* Walk. Cat. Col. Brit. Mus. VIII, 1855, Süd-  
p. 279. — Muls. Col. Fr. Long. ed. 2, 1863, p. 179. frankreich  
— Ganglb. Best.-Tab. VII, 1882, p. 55 (733);  
Rev. d'Ent. III, 1884, p. 197.  
*Pelteri* Muls. Col. Fr. Long. Suppl. 1846.
- pilosus** Forster, Nov. spec. Ins. 1771, p. 44. — L. Heyd. Spanien,  
Deutsche Ent. Zeitschr. XXI, 1877, p. 419. — Nordafrika  
— Bedel, Faune Col. Seine V, 1889, p. 52, 84.  
*glaucus* F. Spec. Ins. I, 1781, p. 243. — Ol. Enc. méth. Ins. V, 1790, p. 264; Ent. IV, 70, 1795, p. 42, t. 6, f. 68. — ? Cast. & Gory, Monogr. p. 81, t. 15, f. 93. — Lucas, Explor. d'Algérie, Col. 1849, p. 493, t. 42, f. 1.  
*griseus* Cast. & Gory, Monogr. p. 80, t. 15, f. 92 bis. — Brullé in Webb & Berthel. Ins. Canar. 1838, p. 63.  
*indus* Gmel. Syst. Nat. I, 4, 1790, p. 1854.  
*lugens* Küster. Käfer Eur. XV, 1848, p. 76. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275.  
*quadripunctatus* var.  $\beta$  Schönh. Syn. Ins. I, 3, 1817, p. 470.  
ab. *consobrinus* Lucas, Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 31. — Pic. Longic. II, 1898, p. 11. Algier
- var. *glabromaculatus* Goetze, Ent. Beitr. I, 1777, p. 507. — Ganglb. Best.-Tab. VII, 1882, p. 54 (732); Rev. d'Ent. III, 1884, p. 196. — Stierl. Südeuropa

Col. Helvet. II, 1898, p. 459. — Everts, Col. Neerl. II, 1, 1901, p. 371. — Houlb. Faune Armor. Ceramb. 1904, p. 57, f. 107. — Csiki, Rov. Lapok XI, 1904, p. 143.

*naevius* Gmel. Syst. Nat. I, 4, 1790, p. 1877.

*quadripunctatus* F. Ent. Syst. I, 2, 1792, p. 337. — Ol. Ent. IV, 70, 1795, p. 41, t. 2, f. 19. — Panzer, Deutschl. Insektenfauna 1795, p. 267; Fauna Ins. Germ. LXX, 1799, t. 19. — Walek. Faune Paris. I, 1802, p. 216. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 298. — Curtis, Brit. Entomol. V, 1828, p. 199. — Steph. III. Brit. Ent. Mand. IV, 1831, p. 244; Man. 1839, p. 276. — Cast. & Gory, Monogr. p. 79, t. 15, f. 91. — Muls. Col. Fr. Long. 1839, p. 91; ed. 2, 1862, p. 173. — Cast. Hist. Nat. II, 1840, p. 448. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 276. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 55. — Bach, Käferfauna III, 1856, p. 22.

*sexpunctatus* Ol. Enc. méth. V, 1790, p. 264.

*villosus* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 80. — Villers, Linn. Entomol. I, 1789, p. 272, t. 1, f. 31. — Rossi, Fauna Etr. I, 1790, p. 162.

Biologie: Waterh. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 235. — Perris, Larves Col. 1877, p. 455, f. 463—464. — Carpentier, Bull. Soc. Linn. N. Fr. IV, 1878, p. 178. — Xambeau, Moeurs & Métam. VIII, 1902, p. 95.

ab. *Guillemoti* Desbr. Frelon IV, 1895, p. 131. — Pic, Longic. II, 1898, p. 11.

Frankreich

ab. *quinquepunctatus* Lucas, Ann. Soc. Ent. Fr. (2) VI, 1848, Bull. p. 48; Explor. d'Algér. Col. 1849, p. 562.

Algier

ab. *unifasciatus* Pic, Longic. II, 1898, p. 11.  
var. *Webbi* Brullé in Webb & Berthel. Ins. Canar. 1838, p. 63. — Cast. & Gory, Monogr. p. 80, t. 15, f. 92. — Wollast. Col. Atlant. 1865, p. 346.

Kabylien  
Teneriffa

✓ *quinquefasciatus* Cast. & Gory, Monogr. p. 161, t. 19, f. 120.

Japan

*ruficornis* Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV, 70, 1795, p. 53, t. 6, f. 73. — Cast. & Gory, Monogr. p. 67, t. 17, f. 77. — Muls. Col. Fr. Long. 1839, p. 86; ed. 2, 1862, p. 177. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 271. — Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Rev. d'Ent. III, 1884, p. 197.

Süd-  
frankreich,  
Piemont

Biologie: Chobaut, Bull. Soc. Ent. Fr. 1893, p. 265.

ab. *Feneoni* Chob. Bull. Soc. Ent. Fr. 1895, p. 346. — Pic, Longic. II, 1898, p. 12.

✓ *sartor* Müller, Mélang. Soc. R. Turin III, 1766, p. 188. — Bedel, Faune Col. Seine V, 1890, p. 82. — Csiki, Rov. Lapok XI, 1904, p. 144. — Houlb. Faune Armor. Ceramb. 1904, p. 57, f. 109.

Mittel und  
Südeuropa

*achilleae* Brahm, Ins.-Kalend. I, 1790, p. 141.

- corsicus* Chev. Ann. Soc. Ent. Fr. (6) II, 1882, p. 58.
- lineola* Scop. Delic. Faunae et Florae Insubr. II, 1787, p. 44, t. 20, f. 4.
- massiliensis* L. Syst. Nat. ed. 12, 1767, p. 1067. — Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV, 70, 1795, p. 55, t. 6, f. 70. — F. Ent. Syst. I, 2, 1792, p. 334. — Panzer, Deutschl. Insektenf. 1795, p. 266; Fauna Ins. Germ. LXXXII, 1801, t. 8. — Walek. Faune Paris. I, 1802, p. 215. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 301. — Cast. & Gory. Monogr. p. 94, t. 1, f. d.; t. 17, f. 110. — Muls. Col. Fr. Long. 1839. p. 83; ed. 2, 1862, p. 180. — Cast. Hist. Nat. II, 1840, p. 448. — Redt. Fauna Austr. 1849, p. 489; ed. 2, 1858, p. 853; ed. 3. II, 1874, p. 409. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 279. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 52. — Bach, Käferfauna III, 1856, p. 23. — Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Rev. d'Ent. III, 1884, p. 197. — Bedel, Faune Col. Seine V, 1889, p. 32. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 828. — Pic. Rev. d'Ent. X, 1891, p. 146. — Stierl. Col. Helvet. II, 1898, p. 460. — Everts, Col. Neerl. II, 1, 1901, p. 371. — Jacobs. Käfer Russl. 1910, t. 68, f. 3.
- rusticus* Geoffr. in Fourer. Entomol. Paris. I, 1785, p. 81.
- Biologie: Perris. Larves Col. 1877, p. 456. — Xamheu, Moeurs & Métam. VIII, 1902, p. 98. — Krausse, Zeitschr. wiss. Ins.-Biol. VI, 1910, p. 301.
- ab. *fulvicollis* Muls. Col. Fr. Long. ed. 2, 1862, p. 181. — Perrin, Abeille VII, 1870. Nouv. p. 59. — Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Rev. d'Ent. III, 1884, p. 197. — Pic, l. c. X, 1891, p. 146.
- ruficollis* Bedel, Faune Col. Seine V, 1889, p. 32.
- ab. *griseus* Gabr. Deutsche Ent. Zeitschr. 1910, p. 556. — Pic, Longic. VIII, 1, 1911, p. 6.
- var. *spinosulus* Muls. Col. Fr. Long. ed. 2, 1862, p. 182.
- sexguttatus* Lucas, Explor. d'Algérie, Col. 1849, p. 493, t. 42, f. 2. — Muls. Col. Fr. Long. ed. 2, 1862, p. 164.
- sexmaculatus* Motsch. Bull. Moscou XXXII, 2, 1859, p. 494. — Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 386. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 70.
- duodecimmaculatus* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 91.
- simillimus* Kraatz, l. c.
- signaticollis* Cast. & Gory, Monogr. p. 103, t. 19, f. 122. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 283. — Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 303 (51).
- oppositus* Chev. l. c. p. 304 (52).

Schlesien

Korsika

Algier

Amur,  
Mongolei

Nordchina

- taurusiensis** Pic, Echange XIX, 1903, p. 139.
- tredecimmaculatus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 305 (53).
- ✓ **trifasciatus** F. Spec. Ins. I, 1781, p. 244. — Petagna, Spec. Ins. Calabr. 1787, p. 18, t. 1, f. 32. — Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV, 70, p. 52, t. 5, f. 59. — Rossi, Fauna Etr. I, 1790, p. 158. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 300. — Herrich-Schaeffer, Fauna Ins. Germ. CXII, 1830, t. 2. — Cast. & Gory, Monogr. p. 63, t. 12, f. 73. — Muls. Col. Fr. Long. 1839, p. 87; ed. 2, 1862, p. 166. — Cast. Hist. Nat. II, 1840, p. 448. — Küster, Käfer Eur. X, 1847, p. 92. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 270 (ex parte). — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 54, t. 35, f. 4. — Redt. Fauna Austr. ed. 3, II, 1874, p. 407. — Ganglb. Deutsche Ent. Zeitschr. XXX, 1886, p. 88. — Bedel, Faune Col. Seine V, 1889, p. 31, 82. — Seidl, Fauna Transs. 1891, p. 828. — Stierl. Col. Helvet. II, 1898, p. 459. — Csiki, Rov. Lapok XI, 1904, p. 144 (= *aegyptiacus* F.?).
- aegyptiacus* Ganglb. Best.-Tab. VII, 1882, p. 55 (733); Rev. d'Ent. III, 1884, p. 197.
- portugallus* Gmel. Syst. Nat. I, 4, 1790, p. 1854. Biologie: Xamheu, Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 77; Moeurs & Métam. VII, 1899, p. 117.
- ab. *balearicus* Pic, Echange XXIV, 1908, p. 91; Longic. VII, 2, 1910, p. 3.
- ab. *dispar* Pic, Longic. I, 1891, p. 28.
- ab. *ferrugineus* Muls. Col. Fr. Long. 1839, p. 87. — Pic, Longic. I, 1891, p. 27.
- ab. *intrifasciatus* Pic, Longic. IV, 1, 1902, p. 9.
- ab. *robustior* Pic, Longic. III, 1, 1900, p. 11.
- ✓ **varius** Müller, Melang. Soc. R. Turin III, 1766, p. 188. — Bedel, Faune Col. Seine V, 1890, p. 83. — Houlb. Faune Armor. Ceramb. 1904, p. 56, f. 105. — Csiki, Rov. Lapok XI, 1904, p. 143.
- c-duplex* Scop. Delic. Faunae et Florae Insubr. II, 1787, p. 46, t. 20, f. 5.
- gammoïdes* Geoffr. in Fourer. Entomol. Paris. I, 1785, p. 81.
- nigrofasciatus* Goeze, Ent. Beytr. I, 1777, p. 507.
- ornatus* Herbst in Füessly. Archiv V, 1784, p. 98, t. 26, f. 16. — Rossi, Fauna Etr. I, 1790, p. 157. — F. Ent. Syst. I, 2, 1792, p. 336. — Ol. Ent. IV, 70, 1795, p. 40, t. 6, f. 15 b. — Panz. Deutschl. Fauna 1795, p. 267; Fauna Ins. Germ. LXX, 1799, t. 18. — Hoppe, Taschenb. 1796, p. 134 nota. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 297. — Gyllenh. Ins. Suec. I, 4, 1827, p. 101. — Cast. & Gory, Monogr. p. 76, t. 14, f. 88. — Muls. Col. Fr. Long. 1839, p. 89. — Cast. Hist. Nat. II, 1840, p. 448. — Redt. Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 852; ed. 3, II, 1874, p. 408. — White, Cat.

Syrien  
Nordchina

Südeuropa,  
Nordafrika

Algier  
Süd-  
frankreich

Kleinasien  
Europa,  
Sibirien

- Col. Brit. Mus. VIII, 1855, p. 275. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 55. — Bach, Käferfauna III, 1856, p. 21. — C. G. Thoms. Skand. Col. VIII, 1866, p. 40. — Ganglb. Best.-Tab. VII, 1882, p. 53 (731); Rev. d'Ent. III, 1884, p. 196. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 827. — Stierl. Col. Helvet. II, 1898, p. 459. — Everts, Col. Neerl. II, 1, 1901, p. 371.
- strigosus* Gmel. Syst. Nat. I, 4, 1790, p. 1877.
- venustus* Gmel. l. c. p. 1856.
- verbasci* L. Syst. Nat. ed. 12, 1767, p. 640. — Sulzer, Gesch. Ins. 1776, p. 47, t. 5, f. 12. — Schrank, Enum. Ins. 1781, p. 164. — Laich. Verz. Tyrol. Ins. II, 1784, p. 105. — Villers, Linn. Entomol. I, 1789, p. 270. — Brahm, Ins.-Kal. I, 1790, p. 148. — Ol. Enc. méth. Ins. V, 1790, p. 265. — Muls. Col. Fr. Long. ed. 2, 1862, p. 168. — Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 409, t. 3, f. 46. — Reitter, Wien. Ent. Zeit. V, 1886, p. 99. — Bedel, Faune Col. Seine V, 1889, p. 32. — Guillebeau, Ann. Soc. Ent. Fr. (6) IX, 1889, Bull. p. 19. — Jacobs. Käfer Russl. 1910, t. 68, f. 2.
- Biologie: Perris, Larves Col. 1877, p. 454, f. 461, 462. — Mayet, Ins. de la vigne 1889, p. 348. — Nambu, Ann. Soc. Linn. Lyon (2) XLV, 1898, p. 14; Moeurs & Métam. VII, 1898, p. 54; VIII, 1902, p. 97.
- var. *damascenus* Chev. Rev. Mag. Zool. (2) VI, 1854, p. 483, t. 7, f. 3. Syrien
- ab. *viridicollis* Kraatz, Berl. Ent. Zeitschr. XIV, 1870, p. 410, t. 3, f. 4 a. Griechenland
- xenicus** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 229. Japan

### Indo-malayische Arten.

- agnatus** Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 292 (40). — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 262. Südostindien
- alboscutellatus** Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 307 (55). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 265. „
- annularis** F. Mant. Ins. I, 1787, p. 156. — Ol. Enc. méth. Ins. V, 1790, p. 267; Ent. IV, 70, 1795, p. 48, t. 6, f. 74. — Boisd. Voy. Astrolabe, Ent. II, 1835, p. 484. — Cast. & Gory, Monogr. p. 102, t. 19, f. 121. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 283. — Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 290 (38). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 601. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 31. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 261. Ostindien,  
Assam,  
Birma,  
Siam,  
China,  
Japan,  
Malacca,  
Java,  
Timor,  
Molukken,  
Aru, Neu-  
guinea
- bidens* Weber, Obs. Entomol. 1801, p. 90. — F. Syst. El. II, 1802, p. 351.
- Biologie: Maxw.-Lefr. Ind. Ins. Life 1909, p. 375.

- arciferus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 330 (78). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 263. Darjeeling, Bhutan
- assimilis** Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 269. Nepal
- castaneorufus** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 181. Tonkin
- cingaleusis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 268. Ceylon
- cuneatus** Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 35. China
- disconotatus** Pic, Longic. VII, 1, 1908, p. 15. Yunnan
- ✓ **distinguendus** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 331; Mélang. Ent. III, 1855, p. 11. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 282 (30). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 264. Südostindien
- ab. *russicollis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 282 (30). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 264. „
- ✓ **Dohertyi** Gah. l. c. p. 267. Birma
- Donoi** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 294 (42). Cochinchina
- ✓ **duo** Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 33. China
- ✓ **eleodes** Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 65. Thibet
- eximius** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 5, f. 49. Borneo
- Guerryi** Pic, Longic. IV, 1, 1902, p. 30. China, Tonkin
- ignobilis** Bates, Proc. Zool. Soc. Lond. 1878, p. 721; Sec. Yarkand Miss. Col. 1890, p. 22, t. 1, f. 20. Nordwestindien: Murree
- Gah. Fauna Brit. Ind. Col. I, 1906, p. 270. Ostindien (Spanien?)
- incertus** Pic, Feuille jeun. Natural. XXI, 1891, p. 237; Longic. III, 1, 1900, p. 6. China
- insignifer** Pic, l. c. IV, 1, 1902, p. 31. Südostindien
- jucundus** Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 329; Mélang. Ent. III, 1855, p. 9. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 262, f. 92.
- ab. *cognatus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 291 (39).
- ab. *nepos* Chevr. l. c. p. 293 (41). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 263.
- kinganus** Pic, Echange XVIII, 1903, p. 105; Long. IV, 2, 1903, p. 21. China
- lituratus** Cast. & Gory, Monogr. p. 77, t. 14, f. 89. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 301 (49). „Ostindien“
- ludens** Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 25, t. 1, f. 5; Fauna Brit. Ind. Col. I, 1906, p. 269. Tenasserim
- ✓ **macaunensis** Chevr. Revue Zool. 1845, p. 98. China: Macao
- ab. *macaonensis* Dunning, Trans. Ent. Soc. Lond. 1868, p. 128.
- ab. *macausnensis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 297 (45).
- ✓ **Manillae** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 6. Luzon
- melancholicus** Chevr. l. c. p. 299 (47). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 267. Ceylon
- moestus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 300 (48). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 266. Ceylon. Südostindien
- Moultoni** Auriv. Arkiv f. Zool. VII, 19, 1911, p. 6, f. 50. Borneo

- moupinensis* Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 33. China
- nigerrimus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 302 (50). Philippinen:  
Maldonado
- ovicollis* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 183. Tonkin
- parens* Allard, Le Natural. (2) VIII, 1894, p. 189. — Südostindien  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 270.
- patricius* Gah. l. c. p. 268. Ostindien:  
Belgaum
- quatuordecimmaculatus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 295 (43). — Gah. Fauna Brit. Südostindien  
Ind. Col. I, 1906, p. 266.
- rubricollis* Cast. & Gory, Monogr. p. 88, t. 16, f. 102. Java,  
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 278. Malacca,  
— Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 308 (56). — Pasc. Trans. Ent. Soc. Lond. (3) Birma  
III, 1869, p. 605. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 265.
- var. *andamanicus* Gah. l. c.
- sagittarius* Gah. l. c. p. 261. Andamanen  
Ceylon
- seclusus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 603. Sarawak
- semiformosus* Pic, Longic. VII, 1, 1908, p. 14. Yunnan
- ✓ *signatipennis* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 74. Sumatra,
- socius* Gah. Fauna Brit. Ind. Col. I, 1906, p. 264. Darjeeling
- ✓ *sumatrensis* Cast. & Gory, Monogr. p. 96, t. 18, f. 114. Sumatra  
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 280. Java,  
— Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 302 (50). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 602. — Shelf. Proc. Zool. Soc. Borneo,  
Lond. 1902, 2, t. 20, f. 37. („Klein-  
asien“?)
- Theryi* Pic, Ann. Soc. Ent. Belg. XLIV, 1900, p. 18. China
- Tixieri* Pic, Longic. IV, 1, 1902, p. 31. „
- tonkineus* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 182. Tonkin
- ✓ *torquilla* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 603. Singapur,  
Sarawak,  
Makassar
- tristiculus* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 182. Tonkin
- tsitoensis* Fairm. Rev. d'Ent. VII, 1888, p. 144. China

## Australo-papuanische Arten.

- angustulus* M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1886, p. 203. Neuguinea
- aurantiaeus* Auriv. Arkiv f. Zool. VII, 19, 1911, p. 5. „
- austerus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 297 (45). Neuguinea,  
Aru,
- leucothyreus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 601. — Waterh. Proc. Ent. Soc. Waigiu  
Lond. 1874, p. 28.
- ✓ *Curtisi* Cast. & Gory, Monogr. p. 49, t. 10, f. 56 bis. — Queensland  
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 266.  
— Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 305 (53).
- ab. *Fristedti* Auriv. Ent. Tidskr. XIV, 1893, p. 162, f. 3. „

<b>Durvillei</b> Cast. & Gory, Monogr. p. 95, t. 17, f. 111.	Neuholland
<b>fulvicollis</b> Auriv. Deutsche Ent. Zeitschr. 1908, p. 214.	Neupommern
<b>luxatus</b> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 602.	Saylee
<b>marginalis</b> Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 296.	Batjan
<i>figuratus</i> Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 600.	
<b>oriolinus</b> Pasc. l. c.	Salwatty
<b>perornatus</b> Jord. Nov. Zool. I, 1894, p. 115.	Timor
<b>pileatus</b> Jord. l. c. p. 115, t. 8, f. 5.	"
<b>Salomonum</b> Auriv. Deutsche Ent. Zeitschr. 1908, p. 213, t. 3, f. 9.	Salomonen
<b>Sumbavae</b> Auriv. Arkiv f. Zool. VII, 19, 1911, p. 7, f. 51.	Sumbava
<b>T-nigrum</b> Jord. Nov. Zool. I, 1894, p. 116, t. 8, f. 6.	Timor

### Äthiopische Arten.

Jordan, Nov. Zool. X, 1903, p. 144 (Revision).

<b>abyssinicus</b> Auriv. Arkiv f. Zool. VII, 19, 1911, p. 4.	Abessinien
<b>amoenus</b> Cast. & Gory, Monogr. p. 88, t. 16, f. 101. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 278 (Genus?).	Senegal
<b>ancora</b> Jord. Revis. p. 144.	Deutsch-Ostafrika
<b>basispilus</b> Jord. l. c.	"
<b>capensis</b> Cast. & Gory, Monogr. p. 90, t. 16, f. 104. — Dist. Ins. Transv. 1904, p. 123, t. 11, f. 18. <i>caffer</i> Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1871, p. 66.	Südafrika
<b>deterrens</b> Pasc. Journ. Ent. I, 1862, p. 359.	N'Gami-See
<b>Dodsi</b> Péring. Ann. S. Afr. Mus. V, 1908, p. 329.	Rhodesia
<b>Krantzi</b> Gah. in Dist. Ins. Transvaal. 1904, p. 123, t. 11, f. 19.	Transvaal
<b>scriptus</b> Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 195.	Sierra Leone

### Nearktische Arten.

Leng, Entomol. Amer. III, 1887, p. 8, 23 (Synopsis).

<b>albofasciatus</b> Cast. & Gory, Monogr. p. 96, t. 18, f. 113. — Leng, Synops. p. 23.	Pennsylvanien, Ohio
<b>uricola</b> Ol. Ent. IV, 70, 1795, p. 65, t. 8, f. 96. — Cast. & Gory, Monogr. p. 56, t. 11, f. 65. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 27. — Prov. Pet. Faune Ent. Canada I, 1877, p. 602. — Leng, Synops. p. 8, 23. — Wickh. Canad. Ent. XXIX, 1897, p. 152.	Canada bis Virginien und Illinois

107

### Plagionotulus Jord.

Jord. Nov. Zool. I, 1894, p. 188; X, 1903, p. 145.

<b>dimidiatus</b> Quedf. Berl. Ent. Zeitschr. XXVI, 1882, p. 335.	Quango,
<i>contractifrons</i> Bates, Proc. Zool. Soc. Lond. 1890, p. 487.	Kulu,
<i>lyricen</i> Jord. Nov. Zool. I, 1894, p. 188, t. 9, f. 16; X, 1903, p. 145.	Kamerun

- dubius** Auriv. Arkiv f. Zool. III, 18, 1907, p. 12, f. 36. Deutsch-Ostafrika  
**senegalensis** Cast. & Gory, Monogr. p. 92, t. 17, f. 108. Senegal  
 — Jord. Nov. Zool. I, 1894, p. 189; X, 1903, p. 145.  
**sylvaticus** Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped. III, 1911, p. 432. Ruwenzori  
**Westringi** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Südafrika  
 1891, p. 66. — Dist. Ins. Transvaal. 1904, p. 124, t. 11, f. 14.  
*cinereus* Jord. Nov. Zool. I, 1894, p. 189; X, 1903, p. 145.  
 5

### Isotomus Muls.

- Muls. Col. Fr. Long. ed. 2, 1863, p. 143, 183.  
*Caloclytus* Fairm. Gen. Col. d'Eur. IV, 1864, p. 145. — Ganglb. Best.-Tab. VII, 1882, p. 56 (734); Rev. d'Ent. III, 1884, p. 198. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 825. — Csiki, Rov. Lapok XI, 1904, p. 139.  
**Bartholomaei** Motsch. Etud. Ent. VIII, 1859, p. 142. Kaukasus  
 — Faust, Horae Soc. Ent. Ross. XIV, 1879, p. 119. — Ganglb. Best.-Tab. VII, 1882, p. 57 (735).  
*admirabilis* L. Heyd. Verh. Nat. Ver. Brünn XVII, 1879, p. 58, t. 6, f. 52; in Schneid. & Leder, Beitr. Kauk. Käferf. 1879, p. 314, t. 6, f. 52. — Faust, Deutsche Ent. Zeitschr. XXIII, 1879, p. 414.  
 ✓ **comptus** Mannerh. in Hummel, Essais IV, 1825, p. 36; Südrußland, Kaukasus  
 Bull. Moscou XI, 1838, p. 74. — Muls. Col. Fr. Long. ed. 2, 1863, p. 183. — Ganglb. Best.-Tab. VII, 1882, p. 57 (735).  
*insularis* Cast. & Gory, Monogr. p. 74, t. 14, f. 86. Haiti (eingeschleppt?)  
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 275.  
 — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 531.  
 — Gah. Trans. Ent. Soc. Lond. 1895, p. 114.  
*perspicillus* Fischer, Bull. Moscou IV, 1832, p. 438, t. 6, f. 7. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 274.  
*pubicollis* Cast. & Gory, Monogr. p. 73, t. 14, f. 85. Kaukasus  
 var. *gilanus* Pic, Longic. VIII, 1, 1911, p. 6. Schweiz  
 var. *Stierlini* Tourn. Rev. Mag. Zool. (2) XXIII, 1878, p. 276 nota.  
 ✓ **speciosus** Schneider in Fiessly, Neu. Mag. Ent. III, 2, Schweiz.  
 1787, p. 125. — Panzer, Deutschl. Insektenf. Süd-  
 1795, p. 266. — Ganglb. Best.-Tab. VII, 1882, deutsch-  
 p. 57 (735); Rev. d'Ent. III, 1884, p. 198. — land,  
 — Seidl. Fauna Transs. 1891, p. 828. — Stierl. Col. Österreich  
 Helvet. II, 1898, p. 460. — Csiki, Rov. Lapok XI, 1904, p. 139. — Jacobs, Käfer Russl. 1910, t. 66, f. 17.  
*figuratus* Harrer, Beschreib. 1784, p. 213.  
*semipunctatus* F. Ent. Syst. Suppl. 1798, p. 151.  
 — Panz. Fauna Ins. Germ. XCIV, 1805, t. 4.  
 — Cast. & Gory, Monogr. p. 75, t. 14, f. 87. —  
 Küster, Käfer Eur. XV. 1848, p. 74. — Redt.

- Fauna Austr. 1849, p. 488; ed. 2, 1858, p. 853; ed. 3, II, 1874, p. 408. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 274. — Bach, Käferfauna III, 1856, p. 22. — Muls. Col. Fr. Long. ed. 2, 1862, p. 183. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 43, f. 201.
- ab. *Ganglbaueri* Pic, Cat. Longic. 1900, p. 64 nota. — Csiki, Rov. Lapok XI, 1904, p. 139.
- syriacus** Pic, Echange XVIII, 1902, p. 25 bis.
- Theresae** Pic, Bull. Soc. Ent. Fr. 1897, p. 222; Longic. II, 1898, p. 16.

Ungaru

Syrien

Nordafrika

5

**Clytocera** Gah.

Gahan, Fauna Brit. Ind. Col. I, 1906, p. 279.

**chionospila** Gah. l. c. p. 280.

Südostindien

1

**Rhaphuma** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 240. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 275 (23). — Lacord. Gen. Col. IX, 1869, p. 72.

— Gahan, Fauna Brit. Ind. Col. I, 1906, p. 271.

*Arcyophorus* Gemm. & Har. Cat. Col. IX, 1873, p. 2938.*Arcyphorus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 287 (35).

— Lacord. Gen. Col. IX, 1869, p. 71.

*Raphuma* Thoms. Classif. Ceramb. 1860, p. 221; Syst. Ceramb. 1864, p. 426.**acutivittis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 111, t. 1, f. 1.

Amur

var. *inscriptus* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 229.

Japan

**conformis** Gah. Journ. Mal. Stat. Mus. I, 1906, p. 112, t. 6, f. 5.

Malacca

**Diana** Gah. Fauna Brit. Ind. Col. I, 1906, p. 271.

Birma

**elegantula** Gah. l. c. p. 279.

Nilgiri

**fallax** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 276 (24). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 276.

Bengalen

**fulgurata** Gah. l. c. p. 274.

Sikkim

**histrion** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 288 (36).

Java

✓ **Horsfieldi** White, Cat. Col. Brit. Mus. VIII, 1855, p. 272.

Darjeeling,

— Gah. Fauna Brit. Ind. Col. I, 1906, p. 272.

Birma,

Java?

**manipurensis** Gah. l. c. p. 274.

Manipur

**nigripes** Jord. Nov. Zool. I, 1894, p. 116.

Timor

**patkaina** Gah. Fauna Brit. Ind. Col. I, 1906, p. 272.

Assam

**phiale** Gah. l. c. p. 273.

Birma

**placida** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 240: (3) III, 1869, p. 606. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 277 (25). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 275.

Darjeeling,

Birma,

Celebes

**praeusta** Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 212. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 276, f. 93.

Ostindien

- quadricolor* Cast. & Gory, Monogr. p. 104, t. 19, f. 123. Philippinen  
 — Thoms. Classif. Ceramb. 1860, p. 222. — Chevr.  
 Mém. Soc. Sc. Liège XVIII, 1863, p. 276 (24).  
*quinquenotata* Chevr. l. c. p. 278 (26). — Gah. Fauna Südostindien  
 Brit. Ind. Col. I, 1906, p. 277.  
*reticulata* Jord. Nov. Zool. I, 1894, p. 499. Borneo:  
 Kina Balu  
*rhea* Gah. Fauna Brit. Ind. Col. I, 1906, p. 276. Südostindien  
*semiclastrata* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Philippinen  
 p. 289 (37).  
*sexnotata* Chevr. l. c. p. 279 (27). — Gah. Fauna Brit. Ostindien  
 Ind. Col. I, 1906, p. 275.  
*signata* Gah. Ann. Mus. Genova (3) III, 1907, p. 75. Sumatra  
*suturalis* Gah. Fauna Brit. Ind. Col. I, 1906, p. 278. Südostindien  
*trimaiculata* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, „  
 p. 281 (29). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 277.  
*trinalba* Gah. l. c. p. 278.  
*vittata* Gah. Ann. Mus. Genova (3) III, 1907, p. 76. Sumatra  
*Wiedemanni* Cast. & Gory, Monogr. p. 82, t. 15, f. 94. Ostindien  
 — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 282 (30) (Genus?).

26

**Psilomerus** Chevr.

- Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 257 (5). — Lacord. Gen. Col. IX, 1869, p. 70. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 299.  
*angustus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 257 Südostindien  
 (5). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 300, f. 96.  
*limaculatus* Gah. l. c.  
 ✓ *brachialis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Philippinen:  
 p. 258 (6). Maldonado  
*gracilis* Gah. Journ. Mal. States Mus. I, 1906, p. 112, Selangor  
 t. 6, f. 4.  
*Hampsoni* Gah. Fauna Brit. Ind. Col. I, 1906, p. 301. Südostindien

5

**Clytosaurus** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 190, 424. — Lacord. Gen. Col. IX, 1869, p. 70.  
*Priapus* Thoms. Syst. Ceramb. 1864, p. 190. Malacca  
*siamensis* Jord. Nov. Zool. I, 1894, p. 497, t. 13, f. 9, Siam

2

**Demonax** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 226. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 268 (16). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 619. —  
 (Gah. Fauna Brit. Ind. Col. I, 1906, p. 280).  
*Elezira* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 637.  
*Grammographus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 285 (33). — Thoms. Syst. Ceramb. 1864, p. 425. — Lacord. Gen. Col. IX, 1869, p. 71.  
*acanthocerus* Ganglb. Horae Soc. Ent. Ross. XXIV, Ganssu  
 1889, p. 68.

- albicinctus** Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 296.  
*filiiformis* Cast. & Gory, Monogr. p. 95, t. 18, f. 112. Nepal
- albomaculatus** Allard, Le Natural. (2) VIII, 1894, p. 162. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 295. Südostindien
- albosignatus** Gah. l. c. p. 283. Birma
- alceillus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 631. Borneo:  
Sarawak
- algebraicus** Pasc. l. c. p. 629. "
- andamanicus** Gah. Fauna Brit. Ind. Col. I. 1906, p. 290. Andamanen
- annulicornis** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 259 (7). Aru
- apicalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 627. "
- ascendens** Pasc. l. c. (2) V, 1859, p. 27. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 296. Ostindien
- geniculatus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 280 (28). Ceylon
- aureicollis** Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 269, t. 16, f. 6. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 285. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 272 (20). — Auriv. Deutsche Ent. Zeitschr. 1908, p. 213 (Genus?). Insel Tulagi (S. Georg)
- Balyi** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 27: (3) III, 1869, p. 637. Südostindien
- ✓ **bicinctus** Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 294. Nepal
- Bowringi** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 28. Hongkong
- brahminus** Cast. & Gory, Monogr. p. 97, t. 18, f. 115. Ostindien
- ✓ **chrysoderes** White, Cat. Col. Brit. Mus. VIII, 1855, p. 285. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 272 (20). Neuholland:  
Queensland
- collaris** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 636. Ceram
- culicinus** Pasc. l. c. p. 633. Waigin
- cumulosus** Pasc. l. c. p. 627. Singapur
- damalis** Pasc. l. c. p. 632. Borneo:  
Sarawak
- decens** Gah. Fauna Brit. Ind. Col. I. 1906, p. 288, f. 95. Südostindien
- decipiens** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 78. Sumatra
- decorus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 288. Südostindien
- delectus** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 78. Sumatra
- Delesserti** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 273 (21). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 298. Südostindien
- ✓ **detortus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 624. Borneo:  
Sarawak
- dignus** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 26; Fauna Brit. Ind. Col. I, 1906, p. 286. Birma
- dimidiatus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 79 (27). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 294. Südostindien
- divisus** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 271 (19). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 295. "
- Dohertyi** Gah. l. c. p. 291. Manipur
- ✓ **elongatulus** Cast. & Gory, Monogr. p. 97, t. 18, f. 116. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 281. — Chevr. Mém. Soc. Sc. Liège XVIII, 1869, p. 271 (19). Java

- ephippiatus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 631. Batjan
- erythromerus* Pasc. l. c. p. 628.
- erythropros* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 261 (9). Amboina  
Borneo
- exilis* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 636, t. 22, f. 7. Java
- formicoides* Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 22. — Gah. Fauna Brit. Ind. Col. I, 1906 p. 297. Ostindien
- fryanus* Gah. l. c. p. 293. Birma
- funebri* Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 222. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 299. Ostindien
- gregalis* Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 77. Sumatra
- interruptus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 636. Mysol
- langsonius* Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 181. Tonkin
- leucoscutellatus* Hope in Gray, Zool. Misc. 1831, p. 28. Nepal,  
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 286. Sikkim,  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 286. Assam  
*semiscutellatus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 282 (30).
- lineatus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 286 (34). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 281, f. 94. Ostindien
- lineola* Chev. l. c. p. 274 (22). Manila
- lineolatus* Redt. Reise Novara, Col. 1868, p. 196. Java
- literatus* Gah. Ann. Mus. Genova XXXIV, 1895, p. 27, t. 1, f. 6; Fauna Brit. Ind. Col. I, 1906, p. 284. Birma
- var. *nansenensis* Pic, Longic. IV, 2, 1903, p. 21. China
- luridicornis* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 270. Hongkong
- macilentus* Chev. Rev. Mag. Zool. (2) X, 1858, p. 82; in Thoms. Archives Ent. I, 1858, p. 417; Mém. Soc. Sc. Liège XVIII, 1863, p. 260. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 623. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 291. Singapur,  
Malacca,  
Birma
- maculicollis* Gah. l. c. p. 297. Südostindien
- martes* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 622. Borneo:  
Sarawak
- melanurus* Pasc. l. c. p. 638. Batjan
- mongtsenensis* Pic, Longic. V, 1, 1905, p. 12. Yunnan
- monticola* Gah. Fauna Brit. Ind. Col. I, 1906, p. 282. Assam
- mullo* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 635. Borneo:  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 292. Sarawak,  
Assam,  
Malacca
- musivus* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 630. Sumatra
- mustela* Pasc. l. c. (2) IV, 1858, p. 239; (3) III, 1869, p. 622. — Shelf. Proc. Zool. Soc. Lond. 1902, 2, t. 20, f. 39. Borneo:  
Sarawak
- mustelinus* Chev. Mém. Soc. Sc. Liège XVIII, 1863, p. 269 (17). Batjan
- nigrofasciatus* Thoms. Classif. Ceramb. 1860, p. 227. ..  
— Chev. Mém. Soc. Sc. Liège XVIII, 1863,

*innumeralis* Pic, 1916.  
Boll. Mus. Nat. Hist. Nat. Paris (P.F.)  
— separate in P.C.)

p. 269 (17). — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 620.

*patronus* Pasc. Journ. of Ent. I, 1862, p. 358.

**nigromaculatus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 284.

**notator** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 630.

**oblongomaculatus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 283.

**ocularis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 634.

**ordinatus** Pasc. l. c. p. 623.

**palliatus** Pasc. l. c. p. 638, t. 22, f. 8.

**persimilis** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 275 (23). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 298.

**planatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 626.

**polyzonus** Pasc. l. c. p. 637.

**praecursor** Pasc. l. c. p. 620.

✓ **protogenes** Newm. Entomol. I, 1842, p. 246. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 284. — Waterh. Aid identif. Ins. II, 1884, t. 149, f. 5.

**pudicus** Newm. Entomol. I, 1842, p. 246. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 631.

**pullastra** Pasc. l. c. p. 634.

**quadricollis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 293.

**quadricolor** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 101; Fauna Brit. Ind. Col. I, 1906, p. 292.

✓ **reticollis** Gah. Ann. Mus. Civ. Genova XXXIV, 1895, p. 28, t. 1, f. 7; Fauna Brit. Ind. Col. I, 1906, p. 289.

**reticulatus** Jord. Nov. Zool. I, 1894, p. 498.

**salutarius** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 625.

**semilinctuosus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 283. — Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 260 (8). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 285.

*Mouhoti* Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 604.

*praecana* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 277 (25).

✓ **sospitalis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 625.

**spineicornis** Newm. Zoolog. VIII, 1850, Append. p. 119. — Broun, Man. N. Zeal. Col. I, 1880, p. 587.

**strangalioides** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 621, t. 22, f. 6.

**tenuispinosus** Pasc. l. c. p. 628.

**testaceus** Hope in Gray, Zool. Misc. 1831, p. 28. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 287.

✓ **tipularius** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 632.

**transilis** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 229.

**transversalis** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 19.

**ventralis** Gah. Journ. Mal. States Mus. I, 1906, p. 113.

Sikkim

Aru

Assam,

Birma

Celebes

Singapur

Halmahera

Südostindien

Saylee

Borneo:

Sarawak

Ceram

Philippinen

„

Amboina,

Ceram

Birma

Tenasserim

Birma

Borneo:

Kina Balu

Ceram,

Singapur

Tenasserim,

Cochin-

china,

Malacca

Neuguinea:

Dorey

Neuseeland

Ceram

Celebes:

Tondano

Nepal

Borneo:

Sarawak

Japan

Borneo

Malacca

- Vethi** Rits. Notes Leyd. Mus. VI, 1884, p. 181: Midd. Sumatra  
Sumatra IV, Anhang, 1892, p. 11.
- viverra** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858, p. 240: Singapur.  
(3) III, 1869, p. 626. — Shelf. Proc. Zool. Soc. Borneo.  
Lond. 1902, 2, t. 20, f. 35. Molukken,  
Waigiu
- Walkeri** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 27. Ceylon  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 289.

89

**Acrocyrta** Pasc.

- Pasc. Trans. Ent. Soc. Lond. (2) IV, 1856, p. 44. — Thom. Syst. Ceramb. 1864, p. 425. — Pasc. Proc. Zool. Soc. 1866, p. 521: Trans. Ent. Soc. Lond. (3) III, 1869, p. 639.
- elytoides** Pasc. l. c. (2) IV, 1856, p. 44, t. 16, f. 1: (2) Borneo  
III, 1869, p. 639.
- rufofemorata** Auriv. Arkiv f. Zool. VII. 3, 1910, p. 20. „  
2

**Clostrocera** Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 82. — Cast. Hist. Nat. II, 1840, p. 446.
- Closterocera* Gemm. & Har. Cat. Col. IX, 1873, p. 2839.
- Banoni** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 83. — Cast. Patria?  
Hist. Nat. II, 1840, p. 446.

1

**Denticerus** Jord.

- Jordan, Nov. Zool. I, 1894, p. 189; X, 1903, p. 145.  
(= *Clostrocera* Serv.?)
- reticulatus** Jord. Nov. Zool. I, 1894, p. 189. Kuilu,  
Kamerun

1

**Anaglyptus** Muls.

- Muls. Col. Fr. Long. 1839, p. 91; ed. 2, 1863, p. 184. — Costa, Fauna Regn. Napoli. Col. II, 1855, Ceramb. p. 56. — Bach, Käferfauna III, 1856, p. 18. — Thoms. Classif. Ceramb. 1860, p. 216, 222; Syst. Ceramb. 1864, p. 427. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 145. — C. G. Thoms. Skand. Col. VIII, 1866, p. 35. — Lacord. Gen. Col. IX, 1869, p. 84. — Ganglb. Best.-Tab. VII, 1882, p. 10 (688); Rev. d'Ent. III, 1884, p. 167. — Bedel, Faune Col. Seine V, 1889, p. 29. — Seidl. Fauna Balt. ed. 2, 1891, p. 734; Fauna Transs. 1891, p. 825. — Stierl. Col. Helvet. II, 1898, p. 455. — Everts, Col. Neerl. II, 1, 1901, p. 371. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 36.
- Cyrtophorus* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29. — Thoms. Syst. Ceramb. 1864, p. 427. — Lacord. Gen. Col. IX, 1869, p. 86. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 320. — Prov. Pet. Faune Ent. Canada I, 1877, p. 603. — J. Lec. &

Horn, *Classif. Col. N. Amer.* 1883, p. 305. — Leng, *Ent. Amer.* II, 1887, p. 195.

*Microclytus* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 320. — J. Lec. & Horn, *Classif. Col. N. Amer.* 1883, p. 305. — Leng, *Ent. Amer.* II, 1887, p. 195.

### Paläarktische Arten.

Reitter, *Wien. Ent. Zeit.* XXV, 1906, p. 297—298 (Revision). — Pic, *Longic.* VIII, 1, 1911, p. 10—15 (Revision).

- abshasicus** Pic, *Revis.* p. 12. Kaukasus
- arabicus** Küster, *Käfer Eur.* X, 1847, p. 95. — Ganglb. *Best.-Tab.* VII, 1882, p. 60 (738). — Reitter, *Revis.* p. 298. — Pic, *Revis.* p. 14. Kleinasien,  
Türkei
- var. *Deyrollei* Tourn. *Rev. Mag. Zool.* (2) XXIII, 1872, p. 277. — Reitter, *Revis.* p. 208. — Pic, *Revis.* p. 14. Kaukasus
- bicallosus** Kraatz, *Deutsche Ent. Zeitschr.* XXVI, 1882, p. 335. — Pic, *Revis.* p. 15. Turkestan
- Ganglbaueri** Reitter, l. c. XXX, 1886, p. 67. — Pic, *Longic.* III, 3, 1901, p. 8. — Reitter, *Revis.* p. 298. — Pic, *Revis.* p. 14. Lenkoran
- gibbosus** F. Mant. *Ins.* I, 1887, p. 156. — *Ol. Enc. méth.* *Ins.* V, 1790, p. 266; *Ent.* IV, 70, 1795, p. 57, t. 4, f. 43. — Rossi, *Mant. Ins.* I, 1792, p. 53, t. 5, f. B. — Cast. & Gory, *Monogr.* p. 105, t. 20, f. 124. — Muls. *Col. Fr. Long.* 1839, p. 92; ed. 2, 1863, p. 185. — White, *Cat. Col. Brit. Mus.* VIII, 1855, p. 286. — Costa, *Fauna Regn. Napoli*, Col. II, 1855, *Longic.* p. 56. — Redt. *Fauna Austr.* ed. 3, II, 1874, p. 409. — Ganglb. *Best.-Tab.* VII, 1882, p. 60 (738); *Rev. d'Ent.* III, 1884, p. 199. — Stierl. *Col. Helvet.* II, 1898, p. 461. — Reitter, *Revis.* p. 297. — Pic, *Revis.* p. 12. Schweiz,  
Süd-  
frankreich,  
Italien,  
Istrien,  
Dalmatien
- ab. *immaturus* Pic, *Feuille jeun. Natural.* XIV, 1893, p. 15; Pic, *Longic.* I, 1891, p. 28; II, 1898, p. 12; *Revis.* p. 12. Algier
- ab. *obscuricornis* Pic, l. c. II, 1898, p. 12; *Revis.* p. 12. „
- ab. *scriptus* Muls. *Col. Fr. Long.* 1839, p. 92. — Costa, *Fauna Regn. Napoli*, Col. II, 1855, *Longic.* p. 56, t. 35, f. 5. — Pic, *Longic.* I, 1891, p. 28; VIII, 1, 1911, p. 12.
- kanssuensis** Ganglb. *Horae Soc. Ent. Ross.* XXIV, 1889, p. 71. China
- mysticoides** Reitter, *Wien. Ent. Zeit.* XIII, 1894, p. 128; *Revis.* p. 298. — Pic, *Revis.* p. 14. Kaukasus
- ab. *amasinus* Pic, *Echange* XXVI, 1910, p. 10. Amasia
- amasinus** Pic, *Revis.* p. 13.
- mysticus** L. *Syst. Nat.* ed. 10, 1758, p. 398; *Fauna Suec.* ed. 2, 1761, p. 198. — F. *Syst. Ent.* 1775, p. 194. — Müller, *Zool. Dan. Prodr.* 1776, p. 93. — Leske, *Naturg.* 1779, p. 429. — Schrank, *Enum. Ins. Austr.* 1781, p. 161; *Fauna Boica* I, 2, 1798, p. 680. — Ström, *Danske Vid. Selsk. Skrift.* (2) II, 1783, p. 60. — Laich. *Verz. Tyrol. Ins.* II, 1784, p. 107. — Herbst in Borowsky, *Naturg.*

VI, 1784, p. 133, t. 17, f. 4. — Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 81. — Villers, Linn. Ent. I, 1789, p. 267. — Razoum. Hist. Nat. Jorat I, 1789, p. 155. — Ol. Ene. méth. Ins. V, 1790, p. 268; Ent. IV, 70, p. 50, t. 1, f. 14. — Brahm, Ins.-Kal. I, 1790, p. 198. — Petagna, Inst. Ent. I, 1792, p. 243, t. 2, f. 11. — Sturm, Ins.-Kabin. IV, 1792, t. 21. — Donov. Brit. Ins. III, 1794, p. 30, t. 84, f. 2. — Panz. Insektenf. Deutschl. 1795, p. 267; Fauna Ins. Germ. LXXXII, 1801, t. 9. — Townson, Trav. in Hongrie 1797, p. 471. — Panz. in Voet, Cat. Col. Deutsche Uebers. IV, 1798, p. 7, t. 26, f. 8. — Donndorff, Eur. Fauna VIII, 1799, p. 588. — Payk. Fauna Suec. III, 1800, p. 98. — Walek. Faune Paris. I, 1802, p. 216. — Marsh. Ins. Brit. I, 1802, p. 337. — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 300. — Wood, Ill. Linn. Gen. Ins. I, 1821, p. 47, t. 17. — Gyllenh. Ins. Suec. I, 4, 1827, p. 102. — Steph. Ill. Brit. Ent. Mand. IV, 1831, p. 242; Man. 1839, p. 275. — Cast. & Gory, Monogr. p. 69, t. 13, f. 80. — Muls. Col. Fr. Long. 1839, p. 93; ed. 2, 1863, p. 187. — Cast. Hist. Nat. II, 1840, p. 448. — Redt. Fauna Austr. 1849, p. 487; ed. 2, 1858, p. 851; ed. 3, II, 1874, p. 407. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 271. — Costa, Fauna Regn. Napoli, Col. II, 1855, Ceramb. p. 58. — Bach, Käferf. III, 1856, p. 18. — Schiödte, Nat. Tidkr. (3) II, 1864, p. 529. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 44, f. 202. — C. G. Thoms. Skand. Col. VIII, 1866, p. 36. — Cox, Handb. Col. II, 1874, p. 315. — Ganglb. Best.-Tab. VII, 1882, p. 60 (738); Rev. d'Ent. III, 1884, p. 199. — Bedel, Faune Col. Seine V, 1889, p. 29, 84. — Fowler, Col. Brit. Isl. IV, 1890, p. 226, t. 121, f. 2. — Seidl. Fauna Balt. ed. 2, 1891, p. 736; Fauna Transs. 1891, p. 828. — Stierl. Col. Helvet. II, 1898, p. 461. — Everts, Col. Neerl. II, 1, 1901, p. 372. — Houlb. Faune Armor. Ceramb. 1904, p. 58, f. 111. — Csiki, Rov. Lapok XI, 1904, p. 166. — Reitter, Revis. p. 297. — Jacobs, Käfer Russl. 1910, t. 66, f. 18. — Pic, Revis. p. 14.

*albofasciatus* var. Degeer, Mém. Ins. V, 1775, p. 83.

*Germaniae* Voet, Cat. Col. II, 1804, p. 30, t. 26, f. 8.

*quadricolor* Scop. Ent. Carn. 1763, p. 56.

Biologie: Frauenf. Verh. zool.-bot. Ges. Wien XXII, 1872, p. 395. — Schiödte, Nat. Tidkr. (3) X, 1875, p. 411, 445, t. 14, f. 22—25. —

Nambeu, Moeurs & Métam. VIII, 1902, p. 100.  
*ab. albofasciatus* Degeer, Mém. Ins. V, 1775, p. 82.

Europa

*hieroglyphicus* Herbst in Füessly, Archiv V, 1784, p. 99, t. 26, f. 20. — Muls. Col. Fr. Long. 1839, p. 93; ed. 2, 1863, p. 189. — Costa, Fauna Regn. Napoli, Col. II, 1855, Longic. p. 58, t. 35, f. 6. — Ganglb. Best.-Tab. VII, 1882, p. 59 (737);

- Rev. d'Ent. III, 1884, p. 199. — Stierl. Col. Helvet. II, 1898, p. 461. — Everts, Col. Neerl. II, 1, 1901, p. 372. — Pic, Longic. III, 3, 1901, p. 9. — Csiki, Rov. Lapok XI, 1904, p. 167. — Pic, Revis. p. 13.
- litteratus* Gmel. Syst. Nat. I, 4, 1790, p. 1857.
- rusticus* Schrank, Enum. Ins. Austr. 1781, p. 161; Fauna Boica I, 2, 1798, p. 680. — Scop. Delic. Faunae et Florae Insubr. II, 1887, p. 47, t. 20, f. 6.
- ab. *Bequaerti* Roubal, Deutsche Ent. Zeitschr. 1909, p. 562. — Pic, Longic. VII, 2, 1910, p. 3; Revis. p. 14, nota 1. Belgien
- ab. *inscriptus* Pic, Longic. I, 1891, p. 28. — Reitter, Revis. p. 297. — Pic, Revis. p. 14. Frankreich
- ab. *monachus* Dalla Torre, Jahresh. Ver. Naturk. Linz XI, 1880, p. 55. Österreich
- ab. *ruficornis* Pic, Echange XXIV, 1908, p. 35; Longic. VII, 1, 1908, p. 4; Revis. p. 13. Frankreich
- ab. *subapicalis* Pic, Echange XXVI, 1910, p. 10. Abchasia
- niponensis** Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 234. Japan
- obscurissimus** Pic, Echange XVII, 1901, p. 59; Longic. III, 3, 1901, p. 8, 9; Revis. p. 13. Kleinasien:  
Tokat
- persicus** Pic, Longic. VI, 1, 1906, p. 10. — Reitter, Revis. p. 298. — Pic, Longic. VI, 2, 1907, p. 7; Revis. p. 14. Kaukasus,  
Persien
- simplicicornis** Reitter, Revis. p. 298. — Pic, Longic. VI, 2, 1907, p. 7; Revis. p. 12. Südrussland
- ab. *prolongatus* Pic, Revis. p. 12.
- subfasciatus** Pic, Longic. VI, 1, 1906, p. 17. Japan
- subimpressus** Pic, Longic. III, 3, 1901, p. 9; Revis. p. 13. Kleinasien:  
Trapezunt

## Amerikanische Arten.

- compressicollis** Cast. & Gory, Monogr. p. 106, t. 20, f. 125. Canada,  
Vereinigte Staaten
- gazellula* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 42; Proc. Amer. Philos. Soc. IV, 1847, p. 372. — Leng, Ent. Amer. III, 1887, p. 23. — Wickh. Canad. Ent. XXIX, 1897, p. 153. Nord-amerikas
- gibbulus* J. Lec. in Agass. Lake Super. 1850, p. 234.
- ♂ *insinuans* Casey, Ann. N. York Acad. VII, 1893, p. 591. — Wickh. Canad. Ent. XXIX, 1897, p. 153.
- niger* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29.
- Hilari** Cast. & Gory, Monogr. p. 71, t. 13, f. 81. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 272. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 58. Brasilien
- verrucosus** Ol. Ent. IV, 70, 1795, p. 67, t. 8, f. 98. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 29. — Prov. Pet. Faune Ent. Canada I, 1877, p. 603. — Leng, Ent. Amer. III, 1887, p. 23. — Wickh. Canad. Ent. XXIX, 1897, p. 153. Canada,  
Vereinigtes  
Staaten  
Nord-amerikas

**Paraelytus** Bates.

- Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 234. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1890, p. 71 nota. — Pic, Longie. VIII, 1, 1911, p. 10—II (Synopsis).
- exeultus* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 234, t. 1, f. 11. — Matsum. Thous. Ins. Japan III, 1908, nr. 724, t. 54, f. 11. — Pic, Longie. VI, 2, 1907, p. 21. Japan
- luteofasciatus* Pic, Echange XXI, 1905, p. 153; Longie. VII, 1, 1906, p. 10; VIII, 1, 1911, p. 11. Griechenland
- Raddei* Ganglb. Best.-Tab. VII, 1882, p. 59 (737); in Radde, Fauna und Flora S. W. Caspigeb. 1886, p. 232, t. 1, f. 1. — Pic, Synops. p. 11. Kaukasus
- Reitteri* Ganglb. l. c.; l. c. p. 233. — Pic, Synops. p. 11. „
- Rosti* Pic, Longie. VIII, 1, 1911, p. 15. Japan: Jesso
- sexguttatus* Adams, Mém. Moscou V, 1817, p. 308. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1890, p. 71 nota. — Pic, Synops. p. 11. Kaukasus
- Brucki* Kraatz, Berl. Ent. Zeitschr. VIII, 1864, p. 389, t. 4, f. 1.
- caucasicus* Motsch. Bull. Moscou XII, 1839, p. 54, t. 1, f. G. — Ganglb. Best.-Tab. VII, 1882, p. 59 (737).
- ab. disjuncta* Pic, Echange XXV, 1909, p. 123; Longie. VII, 2, 1910, p. 4; VIII, 1, 1911, p. 11. „

6

**Oligoenoplus** Chevr.

- Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 337 (85). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 301.
- ✓ *murinus* Allard, Le Natural. (2) VIII, 1894, p. 162. — Südostindien  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 302.
- ventralis* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 337 (85). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 302, f. 97. „

2

**Aglaophis** Thoms.

- Thoms. Archiv. Ent. I, 1857, p. 315; Syst. Ceramb. 1864, p. 413. — Lacord. Gen. Col. IX, 1869, p. 86. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 303.
- Epodus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 335 (83). — Lacord. Gen. Col. IX, 1869, p. 85.
- colobothoides* Bates, Journ. Linn. Soc. Lond. Zool. XVIII, 1884, p. 235, t. 1, f. 12. — Matsum. Thous. Ins. Japan III, 1908, nr. 720, t. 54, f. 7. Japan
- angustifasciatus* L. Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 297; XXXI, 1887, p. 295.
- fasciatus* Thoms. Archiv. Ent. I, 1857, p. 316. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 304. Sikkim
- humerosus* Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 336 (84). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 303, f. 98. Ostindien
- Watsoni* Gah. l. c. p. 304. Birma

4

**Mygalobas** Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 66. — Lacord. Gen. Col. IX, 1869, p. 87.

**ferrugineus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 66. Brasilien  
1

**Sclethrus** Newm.

Newm. Entomol. I, 1842, p. 247. — Thoms. Syst. Ceramb. 1864, p. 426.  
— Lacord. Gen. Col. IX, 1869, p. 426. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 618.

- ✓ **amoenus** Gory, Magas. Zool. III, 1833, Ins. t. 58. — Singapur,  
Newm. Entomol. I, 1842, p. 247. — White, Cat. Sumatra,  
Col. Brit. Mus. VIII, 1855, p. 242. — Chevr. Borneo,  
Mém. Soc. Sc. Liège XVIII, 1863, p. 284 (32). Philippin-  
— Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, nen  
p. 619. — Shelf. Proc. Zool. Soc. Lond. 1902, 2,  
p. 248, t. 19, f. 11.
- ✓ **Newmani** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, Philippinen  
p. 284 (32).
- stenocylindrus** Fairm. Ann. Soc. Ent. Belg. XXXIX, Tonkin  
1895, p. 184.  
3

**Cremys** Pasc.

Pasc. Journ. Ent. II, 1864, p. 246; Ann. Mag. Nat. Hist. (3) XIX, 1867,  
p. 316. — Lacord. Gen. Col. IX, 1869, p. 81.

**diophthalmus** Pasc. Journ. Ent. I, 1862, p. 358; Ann. Queensland  
Mag. Nat. Hist. (3) XIX, 1867, p. 316. — Lacord.  
Gen. Col. IX, 1869, p. 82, t. 92, f. 3.

1

**Miroclytus** Auriv.

Auriv. Arkiv f. Zool. VII, 3, 1910, p. 17.

**brunneipennis** Auriv. l. c. p. 18, f. 48. Madagascar  
1

**LXX. Chlidonini.**

Waterh. Trans. Ent. Soc. Lond. 1879, p. 320.

**Chlidones** Waterh.

Waterh. Trans. Ent. Soc. Lond. 1879, p. 320.

**albostrigatus** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, Madagascar  
p. 396.

**apicalis** Fairm. Le Natural. XXIV, 1902, p. 287. ”

**hova** Nonfr. Berl. Ent. Zeitschr. XL, 1895, p. 312. ”

27

- insignicollis** Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 396; Madagascar  
 XLIX, 1905, p. 135.  
**lineolatus** Waterh. Trans. Ent. Soc. Lond. 1879, p. 321; „  
 Aid identif. Ins. II, 1889, t. 180, f. 4.  
**rufovarius** Fairm. Notes Leyden Mus. XXIII, 1901, p. 80. „  
 6

### **Derbidia** Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 220.

- perelegans** Fairm. l. c. Madagascar  
 1

## LXXI. Michthysomini.

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 332. — J. Lec. & Horn, Classif. N. Amer. Col. 1883, p. 317. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 103.

### **Michthysoma** J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 30. — Leng & Hamilton, Trans. Amer. Ent. Soc. XXIII, 1896, p. 103.

*Mychthisoma* Gemm. & Har. Cat. Col. X, 1873, p. 2998.

- heterodoxum** J. Lec. Journ. Acad. Philad. (2) II, 1850, Georgia,  
 p. 30. — Leng & Hamilton, Trans. Amer. Ent. Nord-  
 Soc. XXIII, 1896, p. 103. — Beutenm. Bull. carolina,  
 Amer. Mus. Nat. Hist. XIX, 1903, p. 519, t. 49, Virginia  
 f. 12.

1.

## LXXII. Tillomorphini.

Lacordaire, Gen. Col. IX, 1869, p. 88. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 640.

*Epipedocerini* Gahan, Fauna Brit. Ind. Col. I, 1906, p. 305.

### **Pentanodes** Schaeffer.

Schaeffer, Journ. N. York Ent. Soc. XII, 1904, p. 222.

- Dietzi** Schaeffer, l. c. Texas  
 1

### **Tetranodus** Linell.

Linell, Proc. U. S. Nat. Mus. XIX, 1896, p. 396.

*Tetranodes* Schaeffer, Journ. N. Y. Ent. Soc. XII, 1904, p. 223.

- niveicollis** Linell, Proc. U. S. Nat. Mus. XIX, 1896, Texas  
 p. 396. — Schaeffer, Journ. N. York Ent. Soc.  
 XII, 1904, p. 223.

1

**Euderces J. Lec.**

- J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 30. — Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 428. — Lacord. Gen. Col. IX, 1869, p. 89. — J. Lec. Smiths. Misc. Col. XI, 265, 1873, p. 325. — Prov. Pet. Faune Ent. Canada I, 1877, p. 604. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 305. — Leng, Ent. Amer. II, 1887, p. 195.
- acutipennis** Bates, Biol. C.-Amer. Col. V, 1885, p. 305, Guatemala  
t. 21, f. 15.
- cribratus** Bates, l. c. p. 304.
- cribripennis** Bates, Trans. Ent. Soc. Lond. 1892, p. 165, Mexico  
t. 6, f. 14.
- laevicauda** Bates, Biol. C.-Amer. Col. V, 1905, p. 304. Guatemala
- ✓ **parallelus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
p. 202. — Leng, Ent. Amer. III, 1887, p. 24.
- ✓ **picipes** F. Mant. Ins. I, 1787, p. 157. — Ol. Enc. méth. Canada,  
Ins. V, 1790, p. 269; Ent. IV, 70, 1795, p. 57, Vereinigte  
t. 4, f. 43. — Cast. & Gory, Monogr. Clytus Staaten  
1835, p. 107, t. 20, f. 127. — J. Lec. Journ. Acad. Nord-  
Philad. (2) II, 1850, p. 30. — Prov. Pet. Faune amerikas  
Ent. Canada I, 1877, p. 604. — Leng, Ent.  
Amer. III, 1887, p. 24. — Wickh. Canad. Ent.  
XXIX, 1897, p. 152.
- ✓ **pini** Ol. Ent. IV, 70, 1795, p. 71, t. 8, f. 105. — J. Lec. Canada,  
Journ. Acad. Philad. (2) II, 1852, p. 158; Smiths. New York  
Misc. Coll. XI, 264, 1873, p. 202. — Leng, Kansas,  
Ent. Amer. III, 1887, p. 24, 44. — Wickh. Canad. Georgia,  
Ent. XXIX, 1897, p. 152. Texas,  
*piniadea* F. Syst. El. II, 1802, p. 353. — Cast. Louisiana,  
& Gory, Monogr. Clytus 1835, p. 109, t. 20, Carolina  
f. 129. — Hald. Trans. Amer. Philos. Soc. (2)  
X, 1847, p. 41. — White, Cat. Col. Brit. Mus.  
VIII, 1855, p. 289.
- ab. *testaceipes* Hald. l. c.
- ✓ **Reichei** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 202. Texas,  
— Leng, Ent. Amer. III, 1887, p. 24, 44. Illinois  
**reticeps** Bates, Biol. C.-Amer. Col. V, 1880, p. 59. Guatemala

9

**Cleroclytus Kraatz.**

Kraatz, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 226. — Jakowl. Horae Soc. Ent. Ross. XIX, 1885, p. 291. — Jakowl. l. c. XXXIV, 1900, p. 656—665 (Revision).

*Euderces* Ganglb. l. c. XXIV, 1889, p. 72 nota.

- Banghaasi** Reitter, Wien. Ent. Zeit. XIV, 1895, p. 159. Buchhara,  
— Jakowl. Revis. p. 662, f. 8. Kulab
- collaris** Jakowl. Horae Soc. Ent. Ross. XIX, 1885, Kuldja  
p. 290; Revis. p. 664, f. 4.
- gracilis** Jakowl. Revis. p. 665, f. 2. Zeravschan
- manifestus** Jakowl. Revis. p. 664, f. 1. — Jacobson, Turkestan  
Käfer Russl. 1910, t. 67, f. 26.
- Semenowi** Jakowl. Revis. p. 663, f. 6. Buchara
- semirufus** Kraatz, Deutsche Ent. Zeitschr. XXVIII, Turkestan  
1884, p. 225. — L. Heyd. l. c. XXXII, 1888,  
p. 41. — Jakowl. Revis. p. 665, f. 7.
- strigieollis** Jakowl. Revis. p. 663, f. 5. Kuldja
- vestitus** Jakowl. Revis. p. 664, f. 3. Ferghana

8

**Apelocera** Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) 2, 1862, p. 61. — Thoms. Syst. Ceramb. 1864, p. 428.

*Apilocera* Chevr. l. c. p. 535. — Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 295. — Bates, Biol. C.-Amer. Col. V, 1880, p. 60.

*Epilophorus* Chevr. Journ. Ent. I, 1861, p. 248 (descriptus?).

- ✓ **Boucardi** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 535. Guatemala,  
Honduras
- breviformis** Bates, Trans. Ent. Soc. Lond. 1892, p. 165, Mexico  
t. 6, f. 15.
- ✓ **cleriformis** Bates, Biol. C.-Amer. Col. V, 1885, p. 306. Panama
- cribellata** Bates, l. c.
- ✓ **exilis** Casey, Ann. N. York Acad. VII, 1893, p. 592. Texas
- ✓ **Guerini** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 535. Neugranada
- Högei** Bates, Biol. C.-Amer. Col. V, 1885, p. 305. Mexico
- magna** Bates, l. c. p. 305, t. 21, f. 13. Guatemala
- postica** Pascoe, Trans. Ent. Soc. Lond. (3) V, 1866, p. 295, Neugranada  
t. 20, f. 4.
- reticulata** Bates, Biol. C.-Amer. Col. V, 1885, p. 306. Guatemala
- rubella** Bates, l. c. p. 307, t. 21, f. 1+.
- sculpticollis** Bates, l. c. p. 306.
- ✓ **spiniornis** Chevr. Col. Mex. I, 4, 1835, nr. 76 index. Mexico,  
— Cast. & Gory, Monogr. Clytus 1835, p. 108. Guatemala  
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 290.  
— Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860,  
p. 504.
- elegans** Cast. & Gory, Monogr. Clytus 1835,  
t. 20, f. 128.
- spinipennis** Chevr. Col. Mex. I, 4, 1835, nr. 76  
(error typogr.!).
- Walili** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 62. Brasilien
- yucateca** Bates, Trans. Ent. Soc. Lond. 1892, p. 165, Mexico  
t. 6, f. 16.

15

**Cleozona** Bates.

Bates, Trans. Ent. Soc. Lond. 1874, p. 223.

- ✓ **pulchra** Bates, l. c.; Biol. C.-Amer. Col. V, 1880, p. 60, Nicaragua  
t. 6, f. 10.
- ✓ var. **rufipes** Bates, l. c. 1885, p. 307. Mexico

1

**Pempteurys** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 304.

- sericans** Bates, l. c. p. 304, t. 21, f. 12. Guatemala

1

**Tilloclytus** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 303.

*Tillomorpha* Lacord. Gen. Col. IX, 1869, p. 90. — J. Lec. Smiths.  
Misc. Coll. XI, 265, 1873, p. 320. — J. Lec. & Horn, Classif.

N. Amer. Col. 1883, p. 305. — Bates, Biol. C.-Amer. Col. V, 1880, p. 59. — Leng, Ent. Amer. II, 1887, p. 195.

- balteatus** Chevr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 503. Mexico  
 — Bates, Biol. C.-Amer. Col. V, 1885, p. 303.
- clavipes** Bates, l. c. p. 304, t. 21, f. 11. Guatemala
- cleroides** White, Cat. Col. Brit. Mus. VIII, 1855, p. 290. Columbien  
 — Chevr. Ann. Soc. Ent. Fr. (4) I, 1861, p. 388.
- Conradti** Bates, Trans. Ent. Soc. Lond. 1892, p. 164. Guatemala
- ✓ **geminatus** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, Massachusetts,  
 p. 42. — Leng, Ent. Amer. III, 1887, p. 24. New York,  
*duplicatus* J. Lec. Journ. Acad. Philad. (2) II, New Jersey,  
 1850, p. 29. Pennsylvania,  
 Georgia
- haematocephalus** Chevr. Ann. Soc. Ent. Fr. (4) II, Mexico  
 1862, p. 534. — Bates, Biol. C.-Amer. Col. V,  
 1885, p. 303.
- ✓ **nivicinctus** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264, Cuba  
 532.

7

**Tillomorpha** Blanch.

Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 482.

- castanea** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 88. Goyaz
- ✓ **cortielna** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 60. Brasilien
- ✓ **lineoligera** Blanch. in Gay, Hist. Chile, Zool. V, 1851, Chile  
 p. 483, Col. t. 29, f. 4. — White, Cat. Col. Brit.  
 Mus. VIII, 1855, p. 290. — Fairm. & Germain,  
 Ann. Soc. Ent. Fr. (3) VII, 1859, p. 503. —  
 Chevr. l. c. (4) II, 1862, p. 526.
- myrmicaria** Fairm. & Germain, Ann. Soc. Ent. Fr. (3) „  
 VII, 1859, p. 503. — Chevr. l. c. (4) II, 1862,  
 p. 526.
- testaceicornis** Fairm. & Germain, l. c. (3) VII, 1859, „  
 p. 505. — Chevr. l. c. (4) II, 1862, p. 526.

- moestula** White, Cat. Col. Brit. Mus. VIII, 1855, p. 290. Queensland  
 — Lacord. Gen. Col. IX, 1869, p. 91 nota  
 (Genus?).

6

**Diphyrama** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 187; Biol. C.-Amer. Col. V, 1880,  
 p. 60.

- ✓ **singularis** Bates, Trans. Ent. Soc. Lond. 1872, p. 188; Nicaragua,  
 Biol. C.-Amer. Col. V, 1880, p. 61, 307, t. 5, f. 12. Panama

1

**Aphysotes** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 307.

- tubericollis** Bates, l. c. p. 308, t. 21, f. 16. Panama

1

**Ochyra** Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 273.

**coaretata** Pasc. l. c. p. 274, t. 13, f. 3.

Tasmanien

**nana** Poll, Tijdschr. Ent. XXXIV, 1892, p. 224, t. 13, f. 7.

Neusüdwaless

2

**Homaemota** Pasc.

Pasc. Journ. Ent. II, 1865, p. 371. — Lacord. Gen. Col. IX, 1869, p. 90.

**basalis** Pasc. Journ. Ent. II, 1865, p. 372.West-  
australien**Duboulayi** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,  
p. 103. — Lacord. Gen. Col. IX, 1869, p. 90.

„

**Walkeri** Gah. Trans. Ent. Soc. Lond. 1893, p. 186.

Tasmanien

3

**Ipomoria** Pasc.

Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866, p. 104. — Lacord. Gen. Col. IX, 1869, p. 92.

**tillides** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1866,  
p. 104, t. 4, f. 1. — Lacord. Gen. Col. IX, 1869,  
p. 92.

Südaustralien

1

**Acrogenius** Blackb.

Blackb. Trans. R. Soc. S. Austr. XX, 1896, p. 38.

**tinctus** Blackb. l. c.Nordqueens-  
land

1

**Pseudomyrmecion** Bedel.Bedel, Ann. Soc. Ent. Fr. (6) V, 1885, Bull. p. 132; LXX, 1901, p. 358.  
— Lameere, l. c. LXX, 1901, p. 294. — Pic, Bull. Soc. Ent. Fr. 1902, p. 28.**ramalium** Bedel, Ann. Soc. Ent. Fr. (6) V, 1885, Bull.  
p. 132.

Algier

1

**Epipedocera** Chevr.Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 339 (87). — Lacord. Gen. Col. IX, 1869, p. 93. — Pascoc, Trans. Ent. Soc. Lond. (3) III, 1869, p. 640.  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 305.**abdominalis** Bates, Trans. Ent. Soc. Lond. (3) III, 1869,  
p. 640.Malacca,  
Sumatra  
Südostindien**affinis** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 341  
(89). — Gah. Fauna Brit. Ind. Col. I, 1906, p. 307.**cruentata** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1858,  
p. 239; (3) III, 1869, p. 641. — Lacord. Gen. Col. IX, 1869, t. 92, f. 4.

Malacca

- Guerryi** Pic, Echange XVIII, 1903, p. 105; Longic. IV, 2, 1903, p. 20. China
- laticollis** Gah. Fauna Brit. Ind. Col. I, 1906, p. 307. Birma
- ✓ **leucaspis** Pasc. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 241. Borneo:  
Sarawak
- ✓ **lunata** Newm. Entomol. I, 1842, p. 247. Philippinen
- perelegans** Vollenh. Tijdschr. Ent. XIV, 1871, p. 104, t. 4, f. 4. Timor
- ✓ **Rollei** Pic, Echange XXVI, 1910, p. 30. Formosa
- undulata** Hope in Gray, Zool. Misc. 1831, p. 28. — Nepal,  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 307. Darjeeling  
*Hardwicki* White, Cat. Col. Brit. Mus. VIII, 1855, p. 288.
- ✓ **zona** Chevr. Mém. Soc. Sc. Liège XVIII, 1863, p. 340. Nepal,  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 306, f. 99. Sikkim

11

**Centrotoelytus** Motsch.

- Motsch. Bull. Moscou XXXVI, 1, 1863, p. 496. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 308.
- Plangone* Thoms. Syst. Ceramb. 1864, p. 154. — Lacord. Gen. Col. VIII, 1869, p. 537.
- carinatus** Gah. Fauna Brit. Ind. Col. I, 1906, p. 309, f. 100. Andamanen
- quadridens** Motsch. Bull. Moscou XXXIV, 1, 1861, t. 9, f. 31; XXXVI, 1, 1863, p. 496. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 308. Ceylon
- biseburata* Thoms. Syst. Ceramb. 1864, p. 155.
- setulosa* Chevr. Mém. Soc. Liège XVIII, 1863, p. 342 (90).

1

**Bicon** Pasc.

- Pascoe, Proc. Zool. Soc. Lond. 1866, p. 522. — Lacord. Gen. Col. VIII, 1869, p. 536. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 310.
- bimaculatus** Gah. l. c. Ostindien:  
Canara
- sanguineus** Pasc. Proc. Zool. Soc. Lond. 1866, p. 522, t. 41, f. 8. Penang

2

**Halme** Pasc.

- Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 641. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 311.
- cinctella** Gah. l. c. f. 101. Ceylon
- ✓ **cleriformis** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 642, t. 21, f. 8. Borneo:  
Sarawak,  
Mysol
- coerulescens** Gah. Fauna Brit. Ind. Col. I, 1906, p. 312. Andamanen
- viridana** Gah. Ann. Mus. Civ. Genova (3) III, 1907, p. 79. Sumatra

4

**Clytellus** Westw.

Westw. Trans. Ent. Soc. Lond. (2) II, 1853, p. 240. — Lacord. Gen. Col. IX, 1869, p. 94. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 312.

- methocoides** Westw. Trans. Ent. Soc. Lond. (2) II, 1853, Hongkong  
p. 240, t. 12, f. 6. — Lacord. Gen. Col. IX,  
1869, t. 92, f. 5.  
**olesteroides** Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, Andamanen  
p. 56. — Gah. Fauna Brit. Ind. Col. I, 1906,  
p. 313, f. 102.  
**selebensis** Gestro, Ann. Mus. Civ. Genova X, 1877, p. 56. Celebes  
**Westwoodi** Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, Borneo  
p. 97; (3) III, 1869, p. 634. — Lacord. Gen.  
Col. IX, 1869, p. 95, nota 2.

4

**Myrmecoclytus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 454.

- Raffrayi** Fairm. l. c. Madagascar

1

**LXXIII. Sestyrini.**

Lacord. Gen. Col. IX, 1869, p. 95. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 643.

**Collyrodes** Pasc.

Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 25; (3) III, 1869, p. 644. — Lacord. Gen. Col. IX, 1869, p. 95.

- Lacordairei** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, Malacca  
p. 25, t. 2, f. 4; (3) III, 1869, p. 644.

1

**Sestyra** Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 513. — Lacord. Gen. Col. IX, 1869, p. 96.

- cephalotes** Pasc. Proc. Zool. Soc. Lond. 1866, p. 513, Penang  
t. 41, f. 3.

1

**LXXIV. Cleomenini.**

Lacord. Gen. Col. IX, 1869, p. 97. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 645. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 92, 313.

**Hexarrhopala** Gah.

Gah. Trans. Ent. Soc. Lond. 1890, p. 308.

- apicalis** Gah. l. c. p. 309, t. 9, f. 3. Nyassaland

1

**Apiogaster** Perroud.

Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, p. 393; Mélang. Ent. III, 1855, p. 73. — Thoms. Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. IX, 1869, p. 98.

*Paecnia* Thoms. Classif. Ceramb. 1860, p. 168.

- collaris* Jord. Nov. Zool. X, 1903, p. 140. — Dist. Ins. Natal,  
Transvaal. 1906, p. 162, t. 16, f. 8. Transvaal
- Conradti* Auriv. Deutsche Ent. Zeitschr. 1907, p. 78. Kamerun
- mahota* Dist. Ann. Mag. Nat. Hist. (7) I, 1898, p. 381. Delagoa
- minor* Jord. Nov. Zool. I, 1894, p. 190. Gabun
- opacus* Jord. l. c. X, 1903, p. 141. Abessinien
- posticus* Jord. l. c. Deutsch-  
Ostafrika
- rufiventris* Perroud, Ann. Soc. Linn. Lyon (2) II, 1855, Gabun  
p. 395; Mélang. Ent. III, 1855, p. 75.
- cylindricollis* Thoms. Archives Ent. II, 1857,  
p. 158; Classif. Ceramb. 1860, p. 168.
- similis* Gah. Trans. Ent. Soc. Lond. 1890, p. 310. Nyassaland
- tricolor* Guér. Rev. Zool. 1840, p. 108. — Jord. Nov. Senegal  
Zool. X, 1903, p. 141.
- xanthomelas* Jord. in Dist. Ins. Transvaal. 1906, p. 161, Transvaal  
t. 16, f. 9.

10

**Artimpanza** Thoms.

Thoms. Syst. Ceramb. 1864, p. 160. — Lacord. Gen. Col. IX, 1869, p. 99.  
— Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 645. — Gah. Fauna  
Brit. Ind. Col. I, 1906, p. 314.

- bicolor* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 56. Andamanen  
— Gah. Fauna Brit. Ind. Col. I, 1906, p. 314,  
f. 103.
- formosa* Pasc. Ann. Mag. Nat. Hist. (5) XV, 1885, p. 55. Bornco
- odontoceroides* Thoms. Syst. Ceramb. 1864, p. 161. — Sumatra  
Lacord. Gen. Col. IX, 1869, p. 99. — Pasc.  
Trans. Ent. Soc. Lond. (3) III, 1869, p. 646.

3

**Eodalis** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 648.

- lepidus* Pasc. l. c. p. 648, t. 21, f. 5. Borneo:  
Sarawak

1

**Mydasta** Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 512. — Lacord. Gen. Col. IX, 1869,  
p. 100.

- discoidea* Pasc. Proc. Zool. Soc. Lond. 1866, p. 512, t. 41, Penang  
f. 4. — Lacord. Gen. Col. IX, 1869, p. 100.

1

**Dere White.**

White, Cat. Col. Brit. Mus. VIII, 1855, p. 248. — Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 422. — Lacord. Gen. Col. IX, 1869, p. 100. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 315.

- affinis** Gah. l. c. p. 316, f. 104. Nordostindien  
**apicalis** Gah. l. c. p. 316. Ceylon  
**fulvipennis** Gah. l. c. Südostindien  
**marginata** Pasc. Proc. Zool. Soc. Lond. 1866, p. 522. Penang  
**nigrita** Gah. in Dist. Ins. Transvaal. 1904, p. 124, t. 11, f. 22. Transvaal  
✓ **thoracica** White, Cat. Col. Brit. Mus. VIII, 1855, p. 249, t. 8, f. 1. — Matsum. Thous. Ins. Japan III, 1908, nr. 691, t. 52, f. 6. Nordchina, Japan

6

**Zoocosmius Fährs.**

Fährs. in Har. Col. Hefte X, 1872, p. 194.

*Cosmius* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 67.  
*Syndere* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 55.

- apicalis** Gah. Ann. Mag. Nat. Hist. (7) II, 1898, p. 44. Ostafrika  
**bicolor** Kolbe, Stett. Ent. Zeit. LV, 1894, p. 55. Albert-See  
**lagria** Jord. Nov. Zool. X, 1903, p. 140; in Dist. Ins. Transvaal, Deutsch-Transvaal. 1906, p. 162, t. 16, f. 10. Ostafrika  
**leptis** Jord. Nov. Zool. X, 1903, p. 140. Kamerun  
**niger** Auriv. Deutsche Ent. Zeitschr. 1907, p. 78. „  
**viridicinctus** Auriv. l. c. p. 79. Dahomey  
**vittatus** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 67. Kaffernland

7

**Cleomenes Thoms.**

Thoms. Syst. Ceramb. 1864, p. 161. — Lacord. Gen. Col. IX, 1869, p. 101.  
 — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 646. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 316.

- chryseus** Gah. l. c. p. 317, f. 105. Birma  
 ✓ **dihanumaphoroides** Thoms. Syst. Ceramb. 1864, p. 161. Philippinen,  
 — Lacord. Gen. Col. IX, 1869, p. 102. — Pasc. Borneo,  
 Trans. Ent. Soc. Lond. (3) III, 1869, p. 647. Sumatra,  
 Malacca  
 ✓ **nigricollis** Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 184. Tonkin  
**vittatus** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 647, t. 21, f. 3. Java

4

**Epianthe Pasc.**

Pasc. Proc. Zool. Soc. Lond. 1866, p. 511. — Lacord. Gen. Col. IX, 1869, p. 102. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 649.

- funesta** Pasc. l. c. Singapur  
 ✓ **viridis** Pasc. Proc. Zool. Soc. Lond. 1866, p. 511, t. 41, f. 5. Penang

2

**Mimistena** Pasc.

Pasc. Proc. Zool. Soc. Lond. 1866, p. 513. — Lacord. Gen. Col. IX, 1869, p. 102.

**biplagiata** Gah. Journ. Malay. States Mus. I, 1906, p. 113, Malacca  
t. 6, f. 7.

**femorata** Pasc. Proc. Zool. Soc. Lond. 1866, p. 514, Penang  
t. 41, f. 6.

2

**Sophron** Newm.

Newm. Entomol. I, 1842, p. 354. — Lacord. Gen. Col. IX, 1869, p. 103.

*Claeadne* Pasc. Trans. Ent. Soc. Lond. (3) I, 1863, p. 560.

**inornatus** Newm. Entomol. I, 1842, p. 354. Australien,

*melanarius* Pasc. Trans. Ent. Soc. Lond. (3) I, Neusüd-  
1863, p. 561, t. 23, f. 5. wales

1

**Nida** Pasc.

Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 312. — Lacord. Gen. Col. IX, 1869, p. 104. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 318.

**andamanica** Gah. l. c. p. 319. Andamanen

**flavovittata** Pasc. Ann. Mag. Nat. Hist. (3) XIX, 1867, Birma,  
p. 312. — Gah. Fauna Brit. Ind. Col. I, 1906, Siam  
p. 318, f. 106.

2

**Brachysarthron** Thoms.

Thoms. Syst. Ceramb. 1864, p. 180.

*Brachyarthron* Lacord. Gen. Col. IX, 1869, p. 98, 105.

**antennatum** Thoms. Syst. Ceramb. 1864, p. 180. — Lacord. Senegambien  
Gen. Col. IX, 1869, p. 105.

1

**Zosterius** Thoms.

Thoms. Syst. Ceramb. 1864, p. 181. — Lacord. Gen. Col. IX, 1869, p. 105.

*Agnoristus* Fährs. in Har. Col. Hefte X, 1872, p. 194.

*Eutactus* Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 68.

**laetus** Thoms. Syst. Ceramb. 1864, p. 181. — Dist. Ins. Südafrika  
Transvaal. 1904, p. 125, t. 11, f. 17; 1906,  
p. 160.

*lineatus* Fährs. Öfvers. Vet. Akad. Förh. XXIX,  
1, 1872, p. 68.

1

**Ochimus** Thoms.

Thoms. Classif. Ceramb. 1860, p. 370; Syst. Ceramb. 1864, p. 421. — Lacord. Gen. Col. IX, 1869, p. 106.

*Cheridamus* Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 93.  
*Stenogaster* Blanch. Hist. Ins. II, 1845, p. 149.

*argentatus* Thoms. Classif. Ceramb. 1860, p. 370. — Lacord. Gen. Col. IX, 1869, p. 107. Kapland, Madagascar?  
*hypargyreus* Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Bull. p. 93. — Künck. in Grandid. Hist. Madag. XXII, 1890, t. 48, f. 9.  
*laetipennis* White, Cat. Brit. Mus. VII, 1853, p. 173. Transvaal, Natal, Zululand.  
— Dist. Ins. Transvaal. 1904, p. 125, t. 11, f. 23.

2

**Euclimus** Fairm.

Fairm. Revue d'Ent. XX, 1901, p. 222.

*insignicornis* Fairm. l. c. Madagascar  
1

**Damiria** Fairm.

Fairm. Bull. Soc. Ent. Fr. 1900, p. 89.

*Perrieri* Fairm. l. c. Madagascar  
1

**Pandrosos** Bates.

Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans. Ent. Soc. Lond. 1870, p. 332. — Lacord. Gen. Col. VIII, 1869, p. 510. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 89.

*Leptorrhopala* Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 253.

*phthisicus* Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 460, t. 43, f. 5. — Lacord. Gen. Col. IX, 1869, p. 40, nota 1. — Kolbe, Stett. Ent. Zeit. LIV, 1893, p. 253. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 89. Bahia, Amazon.  
*exilis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 201. — Bates, Trans. Ent. Soc. Lond. 1870, p. 333.  
1

**Eupempelus** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 401.

*olivaceus* Bates, l. c. Amazon.: Ega  
1

**Fregolia** Goun.

Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 90.

*listropteroides* Goun. l. c. fig. Goyaz  
1

**Listroptera** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 71. — Cast. Hist. Nat. II, 1840, p. 439. — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 419. — Lacord. Gen. Col. IX, 1869, p. 107.

- ✓ **aterrima** Germ. Ins. spec. nov. 1824, p. 497. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 207. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402.  
*tenebrosa* var. a Cast. Hist. Nat. II, 1840, p. 439. Mexico, Guatemala, Nicaragua, Panama, Brasilien, Peru
- carbonaria** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 178. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 209. Venezuela  
*Germari* White, l. c.
- collaris** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 459, t. 43, f. 8. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 209. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402. Pará
- ✓ **tenebricosa** Ol. Enc. méth. Ins. V, 1790, p. 309; Ent. IV, 67, 1795, p. 34, t. 18, f. 139. Cayenne, Brasilien  
*tenebrosa* F. Ent. Syst. I, 2, 1792, p. 322. — Cast. Hist. Nat. II, 1840, p. 439. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 207. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402.  
 var. *angulata* White, Cat. Col. Brit. Mus. VIII, 1855, p. 208. — Bates, Trans. Ent. Soc. Lond. 1870, p. 402.

4

**Dihammaphora** Chevr.

Chevr. Arcana Nat. 1859, p. 50 (Monographie). — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. IX, 1869, p. 108.

*Dihammaphora* Chevr. Arcana Nat. 1859, p. 50 (err. typ.).

*Diammatophora* Gemm. & Har. Cat. Col. IX, 1873, p. 2947. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 92.

*Dihammaphora* Bates, Trans. Ent. Soc. Lond. 1870, p. 403; Biol. C.-Amer. Col. V, 1880, p. 61. — Schaeffer, Bull. Brookl. Instit. I, 1908, p. 339.

- aepytus** Chevr. Monogr. p. 54. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 96, f. 2. Buenos Aires
- atra** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 180. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 207. Brasilien
- auratopilosa** Bruch, Rev. Mus. La Plata XV, 1908, p. 214, fig. Argentinien
- aurovittata** Bates, Biol. C.-Amer. Col. V, 1880, p. 61. Guatemala
- binodula** Chevr. Monogr. p. 54. Maldonado
- bivittata** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 95, fig. Goyaz
- brevis** Chevr. Monogr. p. 54. Südamerika
- chontalensis** Bates, Trans. Ent. Soc. Lond. 1872, p. 188; Biol. C.-Amer. Col. V, 1880, p. 61, t. 5, f. 13. Nicaragua
- dispar** Chevr. Monogr. p. 52. — Schaeffer, Bull. Brookl. Instit. I, 1908, p. 338. Mexico, Texas
- glabripennis** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 94. Goyaz

- gracilicollis* Chevr. Monogr. p. 53. Bolivien  
*hispidata* Bates, Biol. C.-Amer. Col. V, 1885, p. 308. Mexico  
*lineigera* Chevr. Monogr. p. 53. Neugranada  
*marginicollis* Chevr. l. c. p. 51, t. 5, f. 5. Brasilien  
*minuta* Chevr. l. c. p. 53. Neugranada  
*nigrita* Chevr. l. c. p. 52. Brasilien  
*nitidicollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 403. Amazon.:  
 S. Paulo  
 Argentinien  
*parana* Gemm. Col. Hefte XI, 1873, p. 146.  
*perforata* Burm. Stett. Ent. Zeit. XXVI, 1865,  
 p. 173. — Gerst. l. c. nota.  
*perforata* Klug, Nova Acta Acad. Nat. Cur. XII, 2,  
 1825, p. 459, t. 43, f. 7. — White, Cat. Col.  
 Brit. Mus. VIII, 1855, p. 210. — Chevr. Monogr.  
 p. 52. Amazon.:  
 Cameté  
*pilosifrons* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
 p. 93, fig.  
*pusilla* Bates, Trans. Ent. Soc. Lond. 1870, p. 403. Amazon.:  
 Villa Nova  
 Brasilien  
*ruficollis* Chevr. Monogr. p. 52. Brasilien  
*seutata* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 97, fig. Goyaz  
*signaticollis* Chevr. Monogr. p. 51. — Goun. Ann. Soc. Brasilien  
 Ent. Fr. LXXX, 1911, p. 92, f. 1.  
 ab. *basinotata* Goun. l. c. p. 93, f. 6. Goyaz  
 ab. *bœsipunctata* Goun. l. c. f. 5. ”  
 ab. *furcata* Goun. l. c. f. 7. Minas Geraes  
 ab. *intermedia* Goun. l. c. f. 3. Goyaz  
 ab. *interrupta* Goun. l. c. f. 2. ”  
 ab. *punctata* Goun. l. c. f. 4. ”  
 ab. *sejuncta* Goun. l. c. f. 8. ”  
*thoracica* Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 179. Venezuela  
 — White, Cat. Col. Brit. Mus. VIII, 1855,  
 p. 209.  
*vittatithorax* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
 p. 96, fig.  
 26

## LXXV. Rhopalophorini.

Lacordaire, Gen. Col. IX, 1869, p. 109. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 307. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 292.

### Rhopalophora Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 100. — Chevr. Arcana Nat. 1859, p. 57 (Monographie). — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. IX, 1869, p. 110. — Leng, Ent. Amer. II, 1886, p. 30. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 99.

*Tinopus* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 19.

Subgen. *Ischionodonta* Chevr. Arcana Nat. 1859, p. 58. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 98.

*Brachyrhopala* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 171. — Lacord. Gen. Col. IX, 1869, p. 41. — Berg, An. Soc. Cient. Argent. XXI, 1886, p. 239.

Subgen. **Rhopalophora** s. str.

- angustata** Schaeffer, Bull. Brookl. Inst. I, 1905, p. 162. Texas
- atramentaria** White, Cat. Col. Brit. Mus. VIII, 1855, p. 208. — Bates, Trans. Ent. Soc. Lond. 1870, p. 403. Tapajos  
*vidua* Chevr. Monogr. p. 59.
- axillaris** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 458, t. 43, f. 9. — Cast. Hist. Nat. II, 1840, p. 439. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 205. Brasilien
- ab. violaceomaculata** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 98. Goyaz
- bicincta** Horn, Proc. Calif. Acad. (2) V, 1895, p. 245 (Genus?). Californien
- collaris** Germ. Ins. spec. nov. 1824, p. 498. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 205. Brasilien  
*bicolor* Guér. Rev. Zool. 1839, p. 330.  
*sanguinicollis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 101. — Cast. Hist. Nat. II, 1840, p. 439.
- cupricollis** Guér. Icon. règne anim. Ins. 1844, p. 235. Mexico,  
— White, Cat. Col. Brit. Mus. VIII, 1855, Nicaragua  
p. 205. — Bates, Biol. C.-Amer. Col. V, 1880—85, p. 62, 309.
- discicollis** Chevr. Monogr. p. 60. Brasilien
- eximia** Bates, Trans. Ent. Soc. Lond. 1892, p. 166, t. 7, f. 1. Mexico
- incrustata** Chevr. Monogr. p. 62.
- laevicollis** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 193. — Leng, Ent. Amer. II, 1886, p. 31. Texas,  
Neumexico
- lineicollis** Chevr. Monogr. p. 60. Brasilien
- longipes** Say, Journ. Acad. Philad. III, 1823, p. 426. Pennsylvanien,  
— J. Lec. l. c. (2) II, 1850, p. 20; Proc. Acad. Kansas,  
Philad. VII, 1854, p. 218. — Leng, Ent. Amer. II, 1886, p. 30, 31, t. 2, f. 28. — Hamilton, Missouri,  
Canad. Ent. XXIV, 1892, p. 159. Nebraska
- porosa** White, Cat. Col. Brit. Mus. VIII, 1855, p. 206.  
var. *Meeskei* Casey, Ann. N. York Acad. VI, 1892, p. 30. — Hamilton, Trans. Amer. Ent. Soc. XXIII, p. 168. Neumexico
- miniatocollis** Chevr. Monogr. p. 61. — Bates, Biol. C.-Amer. Col. V, 1885, p. 310. Mexico
- nigriventris** Bates, Biol. C.-Amer. Col. V, 1885, p. 310. Guatemala
- occipitalis** Chevr. Monogr. p. 59. Brasilien
- pulverulenta** Guér. Icon. règne anim. Ins. 1844, p. 235 („335“). — White, Cat. Col. Brit. Mus. VIII, 1855, p. 206. Columbien
- rubecula** Bates, Biol. C.-Amer. Col. V, 1880, p. 62. Guatemala,  
Nicaragua,  
Costarica
- rugicollis** J. Lec. Proc. Acad. Philad. 1858, p. 83. — Leng, Ent. Amer. II, 1886, p. 31. Texas
- tenuis** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 181; Monogr. p. 61. — Bates, Biol. C.-Amer. Col. V, 1885, p. 310. Mexico
- tristis** Chevr. Monogr. p. 58. Brasilien
- venezuelensis** Chevr. Monogr. p. 60. Caracas

Subgen. **Ischionodonta** Chevr.

- aenescens* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 172.      Montevideo  
*amazona* Chevr. Monogr. p. 63.      Brasilien  
*brasiliensis* Chevr. Monogr. p. 62.      „  
*dimidiata* Chevr. Monogr. p. 63.      Neugranada  
*iridipennis* Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 26.      Argentinien  
— Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 99.  
*aurivitta* Burm. Stett. Ent. Zeit. XXVI, 1865,  
p. 172.  
*Lansbergi* Lameere, Ann. Soc. Ent. Belg. XXVIII,  
1885, p. 107.      Venezuela  
*platensis* Chevr. Monogr. p. 63.      Montevideo  
*pustulosa* White, Cat. Col. Brit. Mus. VIII, 1855, p. 206.      Venezuela  
*serripes* Bates, Trans. Ent. Soc. Lond. 1872, p. 188.      Nicaragua  
*torquata* Chevr. Monogr. p. 63.      Chile  
*versicolor* Chevr. Arcana Nat. 1859, p. 62. — Bates,  
Biol. C.-Amer. Col. V, 1880, p. 63, t. 5, f. 15.      Nicaragua,  
— Berg, An. Soc. Cient. Argent. XXI, 1886,      Süd-  
p. 239.      amerika  
*semirubra* Burm. Stett. Ent. Zeit. XXVI, 1865,  
p. 172.      bis Argen-  
tinien

## Subgen. ?.

- infincta* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 291.      Neugranada  
*moestula* Pasc. l. c. p. 292.      „  
34

**Cynoderus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 101. — Thoms. Classif. Ceramb. 1860, p. 188; Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869, p. 112. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 99.

Subgen. *Ulododerus* Goun. l. c. p. 101.

Subgen. **Cynoderus** s. str.

- chlorizans* Chevr. Arcana Nat. 1859, p. 56.      Brasilien  
var. *concolor* Goun. Ann. Soc. Ent. Fr. LXXX,  
1911, p. 100.      Goyaz  
var. *semirufus* Goun. l. c.  
*expeditus* Chevr. Arcana Nat. 1859, p. 55.      „  
*tenuatus* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 102. —      Neugranada  
Cast. Hist. Nat. II, 1840, p. 438. — White,      Brasilien  
Cat. Col. Brit. Mus. VIII, 1855, p. 213.

Subgen. **Ulododerus** Goun.

- barbatus* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 101, fig.      Goyaz  
*dispar* Goun. l. c. p. 103 nota.      Bahia

5

**Cosmisoma** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 19. — Cast. Hist. Nat. II, 1840, p. 434. — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418. — Lacord. Gen. Col. IX, 1869, p. 112.

*Callimoxys* Muls. Col. Fr. Lengic. ed. 2, 1863, p. 215.

*Cosmius* Perty, Del. Anim. Artic. 1836—34, p. 89.

*Cosmosoma* Gemm. & Har. Cat. Col. IX, 1873, p. 2948.

- aeneicolle** Er. Schomb. Reise III, 1848, p. 572. — Bates, Trans. Ent. Soc. Lond. 1870, p. 407. Guyana, Amazon.  
*semicapreum* Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 28.  
*subvirescens* White, Cat. Col. Brit. Mus. VIII, 1855, p. 214, t. 5, f. 7.
- ammiralis** L. Syst. Nat. ed. 12, p. 625. — Er. Schomb. Reise III, 1848, p. 572. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 215. Surinam, Bolivien  
*formosum* Blanch. Voy. d'Orb. Ins. 1843, p. 209, t. 22, f. 5.  
*plumiferum* Voet, Cat. Col. II, 1804—06, p. 26, t. 23, f. 125.
- argyreum** Bates, Trans. Ent. Soc. Lond. 1870, p. 405. Amazon.  
**Brullei** Muls. Col. Fr. Long. ed. 2, 1863, p. 215. — Lacord. Südbrasilien, Gen. Col. IX, 1869, p. 489, nota 2. — Gah. & Uruguay, Goun. Bull. Soc. Ent. Fr. 1910, p. 237. Nord-argentinien  
*nodicolle* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 171.
- compsceroïdes** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 103. Goyaz
- cyaneum** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 105, fig. „
- Diana** Bates, Trans. Ent. Soc. Lond. 1870, p. 404. Amazon.: Ega
- fasciculatum** Ol. Ent. IV, 68, 1795, p. 14, t. 1, f. 3. — Bates, Trans. Ent. Soc. Lond. 1870, p. 404. Cayenne, Amazon.  
*Leprieuri* Buq. in Guér. Icon. règne anim. Ins. 1844, p. 231.
- humerale** Bates, Trans. Ent. Soc. Lond. 1870, p. 407, nota. Brasilien
- lineatum** Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, p. 285. Peru
- lineellum** Bates, Trans. Ent. Soc. Lond. 1870, p. 405. Amazon.  
**Martyr** Thoms. Classif. Ceramb. 1860, p. 180. — Bates, Trans. Ent. Soc. Lond. 1872, p. 189; Biol. C.-Amer. Col. V, 1880, p. 63, t. 5, f. 16. Guatemala, Nicaragua, Costarica
- nudicorne** Bates, Trans. Ent. Soc. Lond. 1892, p. 166, t. 7, f. 2. Panama
- ochraceum** Perty, Del. Anim. Art. 1830—34, p. 89, t. 18, f. 4. Brasilien
- persimile** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 107, fig. Goyaz
- plumicorne** Drury, Ill. Exot. Ins. III, 1782, p. 74, t. 49, f. 3; ed. Westw. III, 1837, p. 76, t. 49, f. 3. — Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 291. Honduras, Costarica, Panama, Neu-granada  
— Bates, Biol. C.-Amer. Col. V, 1880, p. 63.
- puleherrimum** Bates, Trans. Ent. Soc. Lond. 1870, p. 406. S. Paulo
- reticulatum** Bates, Biol. C.-Amer. Col. V, 1885, p. 311. Mexico
- scopipes** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 457, t. 43, f. 10. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 215. Brasilien
- scopulicorne** Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 442. — Cast. Hist. Nat. II, 1840, p. 435. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 214. — Bates, Trans. Ent. Soc. Lond. 1870, p. 406. Amazon.

- ✓ *speculiferum* Gory in Guér. Icon. règne anim. Ins. 1844, Cayenne  
p. 231, t. 44, f. 2 a. — White, Cat. Col. Brit.  
Mus. VIII, 1855, p. 215. — Bates, Trans. Ent.  
Soc. Lond. 1870, p. 405.
- ✓ *Titania* Bates, l. c. p. 407 nota; Biol. C.-Amer. Col. V, Nicaragua  
1880, p. 63, t. 5, f. 17.

22

**Disaulax** Serv.

Serv. Ann. Soc. Ent. Fr. II, 1833, p. 562. — Cast. Hist. Nat. II, 1840,  
p. 434. — Thoms. Classif. Ceramb. 1860, p. 177; Syst. Ceramb. 1864, p. 418.  
— Lacord. Gen. Col. IX, 1869, p. 113.

- ✓ *hirsuticornis* Kirby, Trans. Linn. Soc. Lond. XII, 1818, Brasilien  
p. 442. — Cast. Hist. Nat. II, 1840, p. 434.  
— Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 20.  
*plumicornis* Drapiez, Ann. Sc. Phys. Brux. III,  
1819, p. 190, t. 39, f. 5.

1

**Amphirhoë** Newm.

Newm. Entomol. I, 1840, p. 24. — Thoms. Classif. Ceramb. 1860, p. 177;  
Syst. Ceramb. 1864, p. 448. — Lacord. Gen. Col. IX, 1869, p. 113.

- decora* Newm. Entomol. I, 1840, p. 24, fig. — Lacord. Tasmanien  
Gen. Col. IX, 1869, p. 114, t. 93, f. 1.
- ✓ *Sloanei* Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, Victoria  
p. 453.

2

**Elaphopsis** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 101. — Thoms. Classif. Ceramb.  
1860, p. 188; Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869,  
p. 114.

- rubida* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 101. — Brasilien  
White, Cat. Col. Brit. Mus. VIII, 1855, p. 207.

1

**Pelossus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 222. — Lacord. Gen. Col. IX, 1869, p. 115.

- ✓ *ruber* Thoms. Archiv. Ent. II, 1858, p. 161; Syst. Ceramb. Gabun  
1864, p. 222. — Lacord. Gen. Col. IX, 1869,  
p. 116.

1

**Parozodes** Auriv.

Auriv. Ent. Tidskr. XVIII, 1897, p. 245.

- erythrocephalus* Auriv. l. c. p. 246. Bahia

1



**Glaucytes** Thoms.

Thoms. Archiv. Ent. I, 1858, p. 423; Classif. Ceramb. 1860, p. 351; Syst. Ceramb. 1864, p. 360. — Lacord. Gen. Col. IX, 1869, p. 119. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 650.

*Iresioides*\*) Thoms. Archiv. Ent. I, 1857, p. 291. — Lacord. Gen. Col. IX, 1869, p. 120. — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 319.

*Leptocera* Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 121. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 109. — Desjardins in Charlesw. Mag. Nat. Hist. (2) II, 1838, p. 468—472 (Monographie). — Cast. Hist. Nat. II, 1840, p. 490.

- aeneola** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 118. Madagascar  
**albocincta** Chevr. Rev. Mag. Zool. (2) X, 1858, p. 82; Neu-  
 Archiv. Ent. I, 1858, p. 415. caledonien,  
*Ballardi* Montrouze. Ann. Soc. Ent. Fr. (4) I, Insel Lifu  
 1861, p. 294.  
**aldabrensis** Linell, Proc. U. S. Nat. Mus. XIX, 1897, Aldabra  
 p. 701.  
**basalis** Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 462. Madagascar  
**Beaumonti** Desjard. Monogr. p. 470. Bourbon  
**brunnea** Thoms. Syst. Ceramb. 1865, p. 547. — Gah. Ceylon  
 Fauna Brit. Ind. Col. I, 1906, p. 320.  
**coadnata** Fairm. Ann. Soc. Ent. Belg. XXXIII, 1889, Madagascar  
 Bull. p. 93.  
*coadunata* Fairm. Ann. Soc. Ent. Belg. XXXVIII,  
 1894, p. 152. — Künekel in Grandid. Hist.  
 Mad. Col. 1890, t. 47, f. 3.  
**coeruleata** Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, „  
 p. 119.  
**cyanipennis** Fairm. Le Natural. XXV, 1903, p. 36. „  
**ferox** Thoms. Archiv. Ent. I, 1858, p. 423. — Fairm. „  
 Ann. Soc. Ent. Fr. (5) I, 1871, p. 63.  
**flavovittata** Waterh. Trans. Ent. Soc. Lond. 1880, p. 61. „  
 — Künekel in Grandid. Hist. Madag. Col. 1890,  
 t. 52, f. 3.  
**graphica** Boisd. Voy. Astrol. Ins. II, 1835, p. 511, t. 9, Neue  
 f. 17. — Desjard. Monogr. p. 471. — White, Hebriden  
 Cat. Col. Brit. Mus. VIII, 1855, p. 342.  
**Helena** White, l. c. p. 342, t. 8, f. 8. „  
**humeralis** Cast. Hist. Nat. II, 1840, p. 490. — Buq. Madagascar  
 in Guér. Icon. règne anim. Ins. 1844, p. 251.  
 — Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 62.  
**interrupta** Ol. Enc. méth. Ins. VII, 1792, p. 468. Mauritius  
*caelata* Ol. Ent. IV, 67, 1795, p. 99, t. 11, f. 79;  
 t. 12, f. 79.  
*scripta* F. Ent. Syst. Suppl. 1798, p. 143. —  
 Desjard. Monogr. p. 468. — Cast. Hist. Nat.  
 II, 1840, p. 490. — White, Cat. Col. Brit. Mus.  
 VIII, 1855, p. 342.  
**Kraatzii** Thoms. Syst. Ceramb. 1865, p. 547. — Gah. Ceylon  
 Fauna Brit. Ind. Col. I, 1906, p. 321.  
**lineatocollis** Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, Madagascar  
 p. 62. — Künekel in Grandid. Hist. Madag.  
 Col. 1890, t. 51, f. 1.

\*) Hat die Priorität, ist aber wahrscheinlich eine besondere Gattung.





- lineatopunctata** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 419. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 52, f. 1. Madagascar
- longipennis** Fairm. Notes Leyd. Mus. XXIII, 1901, p. 79. „
- metallica** Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 381. „
- Mezierei** Desjard. Monogr. p. 470. Bourbon
- moesta** Pasc. Trans. Ent. Soc. Lond. (2) V, 1859, p. 26. Ceylon
- Gah. Fauna Brit. Ind. Col. I, 1906, p. 320, f. 107.
- Perrieri** Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 549. Madagascar
- pulehra** Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 327. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 52, f. 4. „
- rufofemorata** Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 327. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 52, f. 2. „
- scapularis** Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 374. „
- seitula** Pasc. Ann. Mag. Nat. Hist. (3) V, 1860, p. 120; Trans. Ent. Soc. Lond. (3) III, 1869, p. 651. Batjan
- ✓ **sericeovittata** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 215. — Künckel in Grandid. Hist. Madag. Col. 1890, t. 47, f. 4. Madagascar
- suturalis** Pasc. Journ. Linn. Soc. Lond. Zool. IX, 1867, p. 308. Cape York
- vittifera** Buq. in Guér. Icon. règne anim. Ins. 1844, p. 250. Neuholland
- 30

### **Pachycytes** Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 252.

- rufovestita** Fairm. l. c. p. 253. Madagascar
- 1

### **Polyphida** Pasc.

Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 652. — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 321.

- argenteofasciata** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 21. Borneo
- ✓ **clytoides** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 652, t. 22, f. 3. „
- metallica** Nonfr. Berl. Ent. Zeitschr. XXXVIII, 1893, p. 338. — Gah. Fauna Brit. Ind. Col. I, 1906, p. 321. Manipur, Birma
- Feae** Gah. Ann. Mus. Civ. Genova XXXIV, 1894, p. 29, t. 1, f. 8.
- modesta** Gah. Journ. Malay. Stat. Mus. I, 1906, p. 113, t. 6, f. 6. Malacca
- 4

### **Cleonice** Thoms.

Thoms. Syst. Ceramb. 1864, p. 333. — Gah. Ann. Mag. Nat. Hist. (6) VI, 1890, p. 247.

- Seuthes** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 651.
- bivittata** Gah. Ann. Mag. Nat. Hist. (6) XI, 1893, p. 379. Borneo
- vestita** Thoms. Syst. Ceramb. 1864, p. 333. Morty
- sericata** Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 652, t. 22, f. 5.
- 2

**Thaumasocerus** Fairm.

Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 61.

**diversicornis** Fairm. Ann. Soc. Ent. Belg. LXIII, 1899, Madagascar  
p. 549.**platycerus** Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 61. ,,  
2**Dilachnus** Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 375.

**partiticornis** Fairm. l. c. p. 376. Madagascar  
1**LXXVII. Heteropsini.**

Lacord. Gen. Col. IX, 1869, p. 121.

**Aridaeus** Thoms.Thoms. Classif. Ceramb. 1860, p. 227; Syst. Ceramb. 1864, p. 425. —  
Lacord. Gen. Col. IX, 1869, p. 122.**heros** Pascoe, Journ. Linn. Soc. Lond. Zool. IX, 1867, Australien:  
p. 103. Port**thoracicus** Donovan, Ins. N. Holl. 1805, t. 5, f. 4. — Cast. Neusüdwailes  
& Gory, Monogr. of Clytus 1835, p. 50, t. 10,  
f. 58. — Boisd. Voy. Astrol. Ent. II, 1835, p. 482.  
— White, Cat. Col. Brit. Mus. VII, 1855,  
p. 266. — Thoms. Classif. Ceramb. 1860, p. 228.  
— Lacord. Gen. Col. IX, 1869, p. 123, t. 93, f. 2.**timoriensis** Jord. Nov. Zool. I, 1894, p. 116, t. 8, f. 7. Timor  
2**Mallosoma** Serv.Serv. Ann. Soc. Ent. Fr. III, 1834, p. 68. — Cast. Hist. Nat. II, 1840, p. 451.  
— Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 430. —  
Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 751—752 (Monogr.). — Lacord.  
Gen. Col. IX, 1869, p. 123.*Homogenes* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 751, 752.**albolineatum** Buq. in Guér. Icon. règne anim. Ins. Brésilien  
1844, p. 226. — Chevr. Monogr. p. 752.**bicolor** Sallé, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 687, Haiti  
t. 20, 1, f. 1. — Lacord. Gen. Col. IX, 1869,  
p. 127, nota I.**globithorax** Fairm. & Germ. Ann. Soc. Ent. Fr. (4) I, Chile  
1861, p. 108.**Leprieuri** Buq. in Guér. Icon. règne anim. Ins. 1844, Guyana  
p. 226. — Chevr. Monogr. p. 752.**rubricolle** Bates, Trans. Ent. Soc. Lond. 1870, p. 410. Tapajos  
**scutellare** White, Cat. Col. Brit. Mus. VII, 1853, p. 110. Pará— Chevr. Monogr. p. 751. — Bates, Trans.  
Ent. Soc. Lond. 1870, p. 410.

- transversale** Chevr. Monogr. p. 752. — Lacord. Gen. Col. IX, 1869, p. 124, nota 3. Guyana  
**tricolor** Perty, Del. Anim. Art. 1830, p. 91, t. 18, f. 9. Brasilien  
**zonatum** Sahlb. Peric. Ent. 1823, p. 52, t. 3, f. 1. — „  
 Chevr. Monogr. p. 751.  
*elegans* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 69.  
 — Cast. Hist. Nat. II, 1840, p. 451.  
*vinculatum* Germ. Ins. spec. nov. 1824, p. 501.  
 var. *fuligineum* Newm. Entomol. I, 1840, p. 7. „  
 — Chevr. Monogr. p. 751.  
*thoracicum* White, Cat. Col. Brit. Mus. VII, 1853, p. 111.  
 9

### Alloesia Chevr.

- Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 761. — Thoms. Syst. Ceramb. 1864, p. 461. — Lacord. Gen. Col. IX, 1869, p. 124.  
**bicolor** Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 488. Chiguinda  
**bivittata** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 763. Venezuela  
**chlorophana** Chevr. l. c. p. 762. Neugranada  
 var. *aeneipennis* Chevr. l. c. „  
 var. *hilaris* Chevr. l. c. „  
 var. *nitidipennis* Chevr. l. c. „  
**vittata** F. Syst. El. II, 1801, p. 309. „Brasilien“  
 4

### Stratone Thoms.

Thoms. Syst. Ceramb. 1864, p. 335.

- rufotestacea** Thoms. l. c. p. 336. Cayenne  
 1

### Chrysoprasis Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 5. — Cast. Hist. Nat. II, 1840, p. 433.  
 — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 422. —  
 Lacord. Gen. Col. IX, 1869, p. 125. — Bates, Biol. C.-Amer. Col. V, 1880,  
 p. 64. — Auriv. Arkiv f. Zool. VII, 3, 1901, p. 23—30 (Revision).  
**aeneiventris** Bates, Trans. Ent. Soc. Lond. 1870, p. 416 Brasilien  
 nota. — Auriv. Revis. p. 27.  
**atrata** Bates, Trans. Ent. Soc. Lond. 1872, p. 190 nota. Venezuela  
 — Auriv. Revis. p. 25.  
**aurata** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 22, 24. Brasilien  
**aureicollis** White, Cat. Col. Brit. Mus. VII, 1853, p. 149. Amazon.  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 415.  
 — Auriv. Revis. p. 26.  
**auricollis** Dalm. in Schönh. Syn. Ins. III, 1817, Append. Brasilien  
 p. 156. — Auriv. Revis. p. 30.  
*nigriventris* Bates, Trans. Ent. Soc. Lond. 1870,  
 p. 413.  
 var. *ignea* Bates, l. c. p. 413. — Auriv. Revis. p. 30. Cayenne  
**aurigena** Germ. Ins. spec. nov. 1824, p. 496. — Perty, Brasilien  
 Del. Anim. Art. 1830, p. 89, t. 18, f. 2. — Auriv.  
 Revis. p. 24.

- auripes** Bates, Trans. Ent. Soc. Lond. 1870, p. 413. — Amazon.,  
Auriv. Revis. p. 30. — Goun. Ann. Soc. Ent. Fr. Goyaz  
LXXX, 1911, p. 114.
- auriventris** Redt. Reise Novara, Col. 1868, p. 195. — Rio Janeiro,  
Auriv. Revis. p. 24. Süd-  
*chrysoastra* Bates, Trans. Ent. Soc. Lond. 1870, brasilien  
p. 416 nota.  
var. *chlorota* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz  
1911, p. 112.  
var. *longipes* Auriv. Arkiv f. Zool. VII, 3, 1910, Bahía,  
p. 21, 24. — Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz  
1911, p. 112.
- auronitens** Bates, Trans. Ent. Soc. Lond. 1870, p. 411. Pará  
— Auriv. Revis. p. 28.
- Belti** Bates, Trans. Ent. Soc. Lond. 1872, p. 190; Biol. Nicaragua  
C.-Amer. Col. V, 1880, p. 64, t. 6, f. 2. — Auriv.  
Revis. p. 30.
- Bouchardi** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Neugranada  
p. 292. — Auriv. Revis. p. 24.
- brevicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 415. Amazon.  
— Auriv. Revis. p. 26.
- chalybea** Redt. Reise Novara, Col. 1868, p. 195. — Auriv. Rio Janeiro  
Revis. p. 25.
- Chevolati** Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, Columbien  
p. 108. — Auriv. Revis. p. 24.
- chlogogaster** Auriv. Arkiv f. Zool. VII, 3, 1910, p. 23, 30. Brasilien?
- concolor** Redt. Reise Novara, Col. 1868, p. 194. — Auriv. Brasilien  
Revis. p. 25.
- Dutreuxi** Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, Venezuela  
p. 108. — Auriv. Revis. p. 24.
- festiva** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 7. — Cast. Cayenne  
Hist. Nat. II, 1840, p. 433. — Auriv. Revis. p. 28.  
ab. *caerulescens* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz  
1911, p. 113.
- floralis** Bates, Trans. Ent. Soc. Lond. 1870, p. 415. — Amazon.  
— Auriv. Revis. p. 25.
- frontalis** Kirsch, Deutsche Ent. Zeitschr. XIX, 1875, Peru  
p. 286. — Auriv. Revis. p. 30.
- guerrerensis** Bates, Trans. Ent. Soc. Lond. 1892, p. 167, Mexico  
t. 7, f. 3. — Auriv. Revis. p. 28.
- hirtula** White, Cat. Col. Brit. Mus. VII, 1853, p. 150. Venezuela
- hispidula** Bates, Trans. Ent. Soc. Lond. 1870, p. 416. — Amazon.  
— Auriv. Revis. p. 27.
- hypoerita** Er. Archiv für Naturgesch. XIII, 1, 1847, p. 142. Peru,  
— Auriv. Revis. p. 28. Amazon.,  
*sthenias* Bates, Trans. Ent. Soc. Lond. 1870, p. 411; Nicaragua  
Biol. C.-Amer. Col. V, 1880, p. 64.  
var. *leptosthenias* Bates, Trans. Ent. Soc. Lond. Mexico  
1892, p. 167.
- jacintha** Bates, Biol. C.-Amer. Col. V, 1880, p. 65. — Nicaragua  
— Auriv. Revis. p. 25.
- ignicollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 417 nota. Cayenne  
— Auriv. Revis. p. 28.
- linearis** Bates, Trans. Ent. Soc. Lond. 1870, p. 417 nota. Südbrasilien  
— Auriv. Revis. p. 27. — Goun. Ann. Soc. Ent.  
Fr. LXXX, 1911, p. 112.
- longicornis** Bates, Trans. Ent. Soc. Lond. 1870, p. 412. Amazon.  
— Auriv. Revis. p. 30.

- melanostetha* Bates, Trans. Ent. Soc. Lond. 1870, p. 414. Amazon.  
— Auriv. Revis. p. 29.
- moereus* White, Cat. Col. Brit. Mus. VII, 1853, p. 150. Pará  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 414. —  
Auriv. Revis. p. 28.
- nana* Bates, Trans. Ent. Soc. Lond. 1870, p. 414. — Auriv. Tapajos  
Revis. p. 26.
- nigrina* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 nota. Südbrasilien  
— Auriv. Revis. p. 25.
- nymphula* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 „  
nota. — Auriv. Revis. p. 29.
- punctiventris* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 „  
nota. — Auriv. Revis. p. 25. — Goun. Ann. Soc.  
Ent. Fr. LXXX, 1911, p. 112.
- punctulata* Bates, Trans. Ent. Soc. Lond. 1870, p. 413. Amazon.  
— Auriv. Revis. p. 26.
- rotundicollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 411. Tapajos  
— Auriv. Revis. p. 29.
- ruficoxis* Bates, Trans. Ent. Soc. Lond. 1870, p. 412. — Amazon.  
Auriv. Revis. p. 30.
- rugulicollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 417 Südbrasilien  
nota. — Auriv. Revis. p. 27.
- sapphirina* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 112. Goyaz
- sefieornis* Bates, Biol. C.-Amer. Col. V, 1880, p. 65. — Nicaragua  
Auriv. Revis. p. 27.
- sobrina* Bates, Trans. Ent. Soc. Lond. 1870, p. 415. — Amazon.  
Auriv. Revis. p. 26.
- suturalis* Lameere, Ann. Soc. Ent. Belg. XXVIII, 1885, Columbien  
p. 107. — Auriv. Revis. p. 29.
- suturella* White, Cat. Col. Brit. Mus. VII, 1853, p. 149. „
- valida* Bates, Trans. Ent. Soc. Lond. 1870, p. 416 nota. Südbrasilien  
— Auriv. Revis. p. 27.
- vittata* Auriv. Arkiv f. Zool. VII, 3, 1910, p. 22, 29. Venezuela
- 
- basalis* Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 27. — Brasilien  
Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 114.
- collaris* Chevr. Rev. Mag. Zool. (2) XI, 1859, p. 27 (Genus?). „

47

**Zenochloris** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 311.

- barbicauda* Bates, Trans. Ent. Soc. Lond. 1892, p. 168, Mexico  
t. 7, f. 4.
- paradoxa* Bates, Biol. C.-Amer. Col. V, 1885, p. 312, Panama  
t. 21, f. 19.

2

**Trichrous** Chevr.Chevr. Rev. Mag. Zool. (2) X, 1858, p. 210. — Thoms. Syst. Ceramb. 1864,  
p. 431. — Lacord. Gen. Col. IX, 1869, p. 126.

- basalis* White, Cat. Col. Brit. Mus. VII, 1853, p. 122. Jamaica
- dimidiatipennis* Chevr. Rev. Zool. 1838, p. 282; Rev. Cuba  
Mag. Zool. (2) X, 1858, p. 210; Ann. Soc. Ent.  
Fr. (4) II, 1862, p. 262. — Jacq. du Val in Sagra,  
Hist. Cuba, Ins. 1857, p. 264, t. 10, f. 5.

- divisus** Chevr. Rev. Mag. Zool. (2) X, 1858, p. 210; Ann. Soc. Ent. Fr. (4) II, 1862, p. 262. Cuba
- Jaegeri** Chevr. Rev. Mag. Zool. (2) X, 1858, p. 211. Haiti
- jamaicensis** Chevr. l. c. Jamaica
- irroratus** Ol. Ent. IV, 70, 1795, p. 70, t. 8, f. 104. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 294. Haiti
- lineolatus** White, Cat. Col. Brit. Mus. VII, 1853, p. 122. Jamaica
- leucogrammus* White, l. c. p. 294.
- major** Gah. Trans. Ent. Soc. Lond. 1895, p. 117. „
- pilipennis** Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 262. Cuba
- terminalis** White, Cat. Col. Brit. Mus. VII, 1853, p. 123. Jamaica

10

**Heterops** Blanch.

- Blanch. Ann. Soc. Ent. Fr. XI, 1842, p. 51. — Thoms. Syst. Ceramb. 1864, p. 431. — Lacord. Gen. Col. IX, 1869, p. 127.
- bipartita** Lacord. l. c. p. 128, nota 1. Cuba
- dimidiata** Chevr. Rev. Zool. 1838, p. 283; Ann. Soc. Ent. Fr. (4) II, 1862, p. 264. „
- ♀ *subangulata* Chevr. Rev. Zool. 1838, p. 283.
- Lanieri** Chevr. l. c. — Jacq. du Val in Sagra, Hist. Cuba, Ins. 1857, p. 263, t. 10, f. 4. — Lacord. Gen. Col. IX, 1869, p. 128, t. 93, f. 3. „
- Lasnieri* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 264.
- Loreyi** Duponch. Ann. Soc. Ent. Fr. VI, 1837, p. 309, t. 12, f. 4. — Blanch. l. c. XI, 1842, p. 49. — Lacord. Gen. Col. IX, 1869, p. 128 nota. „

4

**Pronuba** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 241; Syst. Ceramb. 1864, p. 431. — Lacord. Gen. Col. IX, 1869, p. 128.
- decora** Thoms. Classif. Ceramb. 1860, p. 241. — Lacord. Brasilien Gen. Col. IX, 1869, p. 129.

1

**Microspiloma** Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 25; Trans. Ent. Soc. Lond. 1870, p. 418. — Lacord. Gen. Col. IX, 1869, p. 129.
- dorilis** Bates, Ent. Month. Mag. IV, 1867, p. 25; Trans. Ent. Soc. Lond. 1870, p. 148. Amazon.

1

**Eburiola** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 203. — Lacord. Gen. Col. IX, 1869, p. 129.
- geminata** F. Mant. Ins. I, 1787, p. 144. Jamaica
- erythrocephala* Thoms. Syst. Ceramb. 1864, p. 203.
- maculosa* Ol. Enc. méth. Ins. V, 1790, p. 305; Ent. IV, 67, 1795, p. 46, t. 21, f. 165. — F. Ent.

Syst. I, 2, 1792, p. 296. — Latr. Gen. Crust. Ins. III, 1807, p. 39. — White, Cat. Col. Brit. Mus. VII, 1853, p. 98. — Lacord. Gen. Col. IX, 1869, p. 129.

1

### Stenosphenus Hald.

Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 39. — Thoms. Classif. Ceramb. 1860, p. 372; Syst. Ceramb. 1864, p. 433. — Lacord. Gen. Col. IX, 1869, p. 130. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 177. — Leng, Ent. Amer. II, 1887, p. 193.

- amabilis** Newm. Entomol. I, 1841, p. 112. Mexico
- ✓ **Beyeri** Schaeffer, Bull. Brookl. Inst. I, 1905, p. 163; Arizona  
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ **comus** Bates, Trans. Ent. Soc. Lond. 1892, p. 169. Mexico
- ✓ **cribripennis** Thoms. Classif. Ceramb. 1860, p. 372. Mexico,  
Guatemala
- ✓ **debilis** Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 179. Utah  
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer,  
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ **dolosus** Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 179. Texas  
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer,  
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ **ebenus** Bates, Trans. Ent. Soc. Lond. 1872, p. 234; Nicaragua,  
Biol. C.-Amer. Col. V, 1880, p. 66, t. 6, f. 5. Costarica
- erythroderus** Bates, l. c. 1885, p. 313. Mexico
- Gaumeri** Bates, Trans. Ent. Soc. Lond. 1892, p. 169. "
- languroides** Bates, Biol. C.-Amer. Col. V, 1885, p. 313. Guatemala
- lepidus** Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 179. Arizona,  
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer, Texas  
Journ. N. York Ent. Soc. XIX, 1911, p. 124.
- longicollis* Casey, Ann. N. York Acad. VI, 1892, p. 34.
- lineatus** Bates, Biol. C.-Amer. Col. V, 1885, p. 313. Guatemala
- ✓ **lugens** J. Lec. Proc. Acad. Philad. 1862, p. 41. — Horn, Texas,  
Trans. Amer. Ent. Soc. XII, 1885, p. 178; XIII, Mexico  
1886, Proc. p. 12. — Leng, Ent. Amer. II, 1887,  
p. 193. — Schaeffer, Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- hirsutipennis* Bates, Trans. Ent. Soc. Lond. 1872, p. 191 nota.
- ✓ **notatus** Ol. Ent. IV, 70, 1795, p. 61, t. 7, f. 89. — Hald. Oststaaten  
Trans. Amer. Philos. Soc. (2) X, 1847, p. 39. — Nord-  
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 12. amerikas  
— Horn, Trans. Amer. Ent. Soc. XII, 1885,  
p. 178. — Leng, Ent. Amer. II, 1887, p. 193.  
— Hamilton, Canad. Ent. XX, 1888, p. 66. —  
Wickh. l. c. XXIX, 1897, p. 149.
- deflendus* Newm. Entomol. I, 1840, p. 6, 30.
- ✓ **novatus** Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 178. Unter-  
— Leng, Ent. Amer. II, 1887, p. 193. — Schaeffer, californien  
Journ. N. York Ent. Soc. XIX, 1911, p. 125.
- ✓ **ochraceus** Bates, Trans. Ent. Soc. Lond. 1872, p. 190; Nicaragua  
Biol. C.-Amer. Col. V, 1880, p. 67, t. 6, f. 6.
- protensus** Bates, l. c. p. 66. Guatemala
- rufipes** Bates, Trans. Ent. Soc. Lond. 1872, p. 191 nota. Mexico

<i>sexlineatus</i> Bates, l. c. 1892, p. 169, t. 7, f. 5.	Mexico
<i>sobrius</i> Newm. Entomol. I, 1840, p. 30. — J. Lec. Journ. Acad. Philad. (2) 2, 1850, p. 15. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 180. — Bates, Biol. C.-Amer. Col. V, 1885, p. 312.	„
<i>sublaevicollis</i> Bates, Trans. Ent. Soc. Lond. 1892, p. 168.	„
<i>subtilis</i> Bates, Biol. C.-Amer. Col. V, 1880, p. 66.	Guatemala
<i>suturalis</i> Bates, Trans. Ent. Soc. Lond. 1872, p. 191 nota.	Mexico
<i>trispinosus</i> Bates, l. c.	„
<i>vitticollis</i> Bates, l. c. 1892, p. 169, t. 7, f. 6.	„

25

**Callideriphus** Blanch.

Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 487. — Thoms. Syst. Ceramb. 1864, p. 430. — Lacord. Gen. Col. IX, 1869, p. 131.	
<i>bicolor</i> F. Ent. Syst. I, 2, 1792, p. 329. — Ol. Ent. IV, 70, 1795, p. 20, t. 1, f. 4.	Südamerika
<i>bipunctatus</i> Perty, Del. Anim. Art. 1830, p. 91, t. 18, f. 10.	Brasilien
<i>clathratus</i> Fairm. & Germain, Col. Chile I, 1860, p. 5; II, 1861, p. 8.	Chile
<i>collaris</i> Philippi, Stett. Ent. Zeit. XXV, 1864, p. 382.	„
<i>grossipes</i> Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 487. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 295. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 505.	„
<i>laetus</i> Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 488, t. 29, f. 6. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 295. — Fairm. & Germ. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 505.	„
<i>niger</i> Philippi, Stett. Ent. Zeit. XXV, 1864, p. 383.	„
<i>picicollis</i> Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 114.	Goyaz
<i>tenuis</i> Blanch. in Gay, Hist. Chile, Zool. V, 1851, p. 489. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 296. — Fairm. & Germain, Ann. Soc. Ent. Fr. (3) VII, 1859, p. 506.	Chile
<i>transversalis</i> Rev. Mag. Zool. (2) XVI, 1864, p. 389.	„

10

**Poeciloderma** Thoms.

Thoms. Classif. Ceramb. 1860, p. 374; Syst. Ceramb. 1864, p. 431. — Lacord. Gen. Col. IX, 1869, p. 132.	
<i>lepturoides</i> Jacq. in Sagra, Hist. Cuba, Ins. 1857, p. 267, t. 10, f. 8. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 256. — Lacord. Gen. Col. IX, 1869, p. 133, t. 93, f. 4.	Cuba, Haiti

1

**Olbius** Thoms.

Thoms. Syst. Ceramb. 1864, p. 204, 431. — Gahan, Trans. Ent. Soc. Lond. 1895, p. 119.	
<i>sexfasciatus</i> Ol. Enc. méth. Ins. V, 1792, p. 265; Ent. IV, 70, 1795, p. 39, t. 4, f. 47. — F. Ent. Syst. I, 2, 1792, p. 336. — Thoms. Syst. Ceramb. 1864, p. 204.	Jamaica
<i>quadrifasciatus</i> Schönh. Syn. Ins. I, 3, 1817, p. 460.	

1

**Plectrocerum** Lacord.

Lacord. Gen. Col. IX, 1869, p. 135.

- cribratum** Sallé, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 689, Haiti  
t. 20, 1, f. 3.
- spinicorne** Ol. Ent. IV, 70, 1795, p. 68, t. 8, f. 100. „  
2

**LXXVIII. Agallissini.**

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 321. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 306. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 114.

**Agallissus** Dalm.

Dalm. Anal. Ent. 1823, p. 66. — Thoms. Classif. Ceramb. 1860, p. 209; Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 133.

*Aplectrus* Chevr. in D'Orbigny, Dict. Hist. Nat. II, 1849, p. 12.  
*Cryptopteura* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 6. — Hald. Proc. Acad. Philad. VI, 1853, p. 363.

**chamaeropis** Horn, Trans. Amer. Ent. Soc. XX, 1893, Florida  
p. 138.

**lepturoides** Chevr. in D'Orbigny, Dict. Hist. Nat. II, Mexico,  
1849, p. 12. Texas

*clytoides* Lacord. Gen. Col. IX, 1869, p. 134,  
nota 1 (vix descr.). — Bates, Biol. C.-Amer.  
Col. V, 1880, p. 68, 314.

*gratus* Hald. Proc. Acad. Philad. VI, 1853, p. 363.  
— J. Lec. Smiths. Misc. Coll. XI, 265, 1873,  
p. 321. — J. Lec. & Horn, Classif. Col. N. Amer.  
1883, p. 306. — Leng, Ent. Amer. VI, 1890, p. 9.

**melanioides** Dalm. Anal. Ent. 1823, p. 66. — Bates, Mexico  
Biol. C.-Amer. Col. V, 1880—85, p. 67, 314.

var. *concolor* Bates, l. c. p. 67.

var. *quadrinaculatus* White, Cat. Col. Brit. Honduras  
Mus. VII, 1853, p. 61, t. 3, f. 2. — Bates, Biol. „  
C.-Amer. Col. V, 1885, p. 314.

var. *trifasciatus* Bates, l. c. p. 67. „

3

**Zagymnus** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 203.

**lelinus** J. Lec. l. c. XI, 265, 1873, p. 321. — Lec. & Florida  
Horn, Classif. Col. N. Amer. 1883, p. 306. —  
Leng, Ent. Amer. VI, 1890, p. 9.

1

**LXXIX. Ancylocerini.**

Lacord. Gen. Col. IX, 1869, p. 135. — J. Lec. Smiths. Misc. Coll. XI, 265,  
p. 308. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 293. — Leng,  
Bull. Brookl. Ent. Soc. VII, 1885, p. 114.

**Callanicyla** n. nom.

*Callopisma* Thoms. Syst. Ceramb. 1864, p. 212. — Lacord. Gen. Col. IX, 1869, p. 137.

- bimaculata* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 119. Goyaz  
*cribellum* Bates, Biol. C.-Amer. Col. V, 1885, p. 315, Panama  
 t. 21, f. 21.  
*curvicollis* Buq. Archiv. Ent. I, 1857, p. 138. — Thoms. Brasilien  
 Syst. Ceramb. 1864, p. 212.  
*ruficollis* Bates, Trans. Ent. Soc. Lond. 1870, p. 419. Pará

4

**Ancylocera** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 107. — Blanch. Hist. Nat. II, 1840, p. 438. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 19. — Buq. Rev. Mag. Zool. (2) VI, 1854, p. 343. — Thoms. Syst. Ceramb. 1864, p. 437. — Lacord. Gen. Col. IX, 1869, p. 136. — Leng, Ent. Amer. II, 1886, p. 31. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 115.

- bicolor* Ol. Ent. IV, 68, 1795, p. 32, t. 3, f. 25. — Cast. Südstaaten  
 Hist. Nat. II, 1840, p. 438. — Leng, Ent. Amer. Nord-  
 II, 1886, p. 31; I. 1885, t. 3, f. 22. — Wickh. amerik.,  
 Canad. Ent. XXIX, 1897, p. 148. Canada?  
*rugicollis* F. Syst. El. II, 1801, p. 31. — Ill. Mag. Insektenk. IV, 1805, p. 114. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 19. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 210. — Lacord. Gen. Col. IX, 1869, p. 136, t. 93, f. 5.  
 ab. *lividipennis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 44. „  
*cardinalis* Dalm. Anal. Ent. 1823, p. 67. — Cast. Hist. Brasilien  
 Nat. II, 1840, p. 438. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 211.  
*purpurea* Perty, Del. Anim. Art. 1830, p. 93, t. 18, f. 15.  
*cribricollis* Bates, Biol. C.-Amer. Col. V, 1885, p. 314. Mexico  
*foveicollis* Buq. Rev. Mag. Zool. (2) VI, 1854, p. 345. Columbien  
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 211.  
 — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 116, f. 1.  
 ab. *nigricornis* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 115.  
*fulvicornis* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 172. Argentinien  
*macrotela* Bates, Biol. C.-Amer. Col. V, 1880, p. 68. Guatemala  
*militaris* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 116, Goyaz  
 f. 2.  
*rubella* Bates, Trans. Ent. Soc. Lond. 1892, p. 170, Mexico  
 t. 7, f. 8.  
*Sallei* Buq. Archiv. Ent. I, 1858, p. 332. — Bates, Biol. C.-Amer. Col. V, 1880, p. 69. „  
*seticornis* Bates, Trans. Ent. Soc. Lond. 1870, p. 418. Santarem  
*terminata* Buq. Rev. Mag. Zool. (2) VI, 1854, p. 344. Brasilien  
 — White, Cat. Col. Brit. Mus. VIII, 1855, p. 211.  
 ab. *nigricollis* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz  
 1911, p. 116.  
*Waterhousei* White, Cat. Col. Brit. Mus. VIII, 1855, Tapajos  
 p. 211. — Bates, Trans. Ent. Soc. Lond. 1870, p. 418.

**Championa** Bates.

Bates, Biol. C.-Amer. Col. V, 1880, p. 69.

**aurata** Bates, l. c.

Guatemala

**Badeni** Bates, Trans. Ent. Soc. Lond. 1892, p. 170.

Mexico

✓ **ctenostomoides** Bates, Biol. C.-Amer. Col. V, 1885,  
p. 315, t. 21, f. 17.

,,

3

**Ischnotes** Newm.Newm. Ann. Mag. Nat. Hist. V, 1840, p. 18. — Thoms. Syst. Ceramb.  
1864, p. 437.**Bakewellei** Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, Melbourne  
p. 56.✓ **cylindracea** Newm. Ann. Mag. Nat. Hist. V, 1840, p. 18. Adelaide  
— White, Cat. Col. Brit. Mus. VIII, 1855, p. 212,  
t. 7, f. 1.

2

**Cercoptera** Spin.

Spinola, Mag. Zool. 1839, Ins. p. 2. — Lacord. Gen. Col. IX, 1869, p. 137.

**Banoni** Spinola, Mag. Zool. 1839, Ins. p. 2, t. 12. — Venezuela,  
Thoms. Syst. Ceramb. 1864, p. 495. — Lacord. Cayenne?  
Gen. Col. IX, 1869, p. 138, nota 1.var. *sanguinicollis* Goun. Ann. Soc. Ent. Fr. Goyaz  
LXXX, 1911, p. 117.

1

**LXXX. Platyarthrini.**

Bates, Trans. Ent. Soc. Lond. 1870, p. 419.

*Coelarthrinae* Lacord. Gen. Col. IX, 1869, p. 138.**Ptycholaemus** Chevr.Chevr. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 322. — Thoms. Classif. Ceramb.  
1860, p. 185; Syst. Ceramb. 1864, p. 445. — Lacord. Gen. Col. IX, 1869,  
p. 139.**maulipes** Thoms. Archiv. Ent. II, 1858, p. 149. — Gabun,  
? Hintz, Wiss. Ergebn. Deutschen Zentr.-Afrika-  
Exped. III, 1911, p. 432. Ituri✓ **lativittis** Har. Mitth. Münch. Ent. Ver. II, 1878, p. 109; Angola  
Col. Hefte XVI, 1879, p. 174.✓ **signaticollis** Hope, Ann. Mag. Nat. Hist. XI, 1843, Cap Palmas  
p. 367. — Jord. Nov. Zool. XVI, 1909, p. 310.✓ **simplicicollis** Thoms. Archiv. Ent. II, 1858, p. 149, Gabun  
t. 5, f. 1.✓ **Troberti** Chevr. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 324, Guinea  
t. 8, f. 5. — Duviv. Ann. Soc. Ent. Belg. XXXVI,  
1892, p. 338.

5

**Stenygra** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 95. — Cast. Hist. Nat. II, 1840, p. 444. — Thoms. Classif. Ceramb. 1860, p. 188; Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 140. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 120.

**apicalis** Goun. l. c. p. 123.

**angustata** Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. IV, 70, 1795, p. 32, t. 6, f. 71. — Cast. Hist. Nat. II, 1840, p. 444. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 220. — Bates, Trans. Ent. Soc. Lond. 1870, p. 419.

Südbrasilien  
Cayenne,  
Amazon.

*coarctata* F. Syst. El. II, 1801, p. 349.

**conspicua** Perty, Del. Anim. Artic. 1830, p. 19, t. 18, f. 11. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 221. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 121, fig.

*tricolor* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 97. — Cast. Hist. Nat. II, 1840, p. 445.

**contracta** Pascoe, Journ. Ent. I, 1862, p. 355. — Bates, Trans. Ent. Soc. Lond. 1870, p. 420.

Amazon.

**cosmocera** White, Cat. Col. Brit. Mus. VIII, 1855, p. 221. — Bates, Trans. Ent. Soc. Lond. 1870, p. 420. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 122.

Pará

**globieollis** Kirsch, Abh. Zool. Mus. Dresden (2) II, 4, 1889, p. 38, t. 4, f. 72.

Ecuador

**histrío** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 97. — Cast. Hist. Nat. II, 1840, p. 445. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 221.

Mexico,  
Guatemala,  
Nicaragua

**Holmgreni** Auriv. Arkiv f. Zool. V, 1, 1909, p. 5.

Peru

**setigera** Germ. Ins. spec. nov. 1824, p. 516. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 221. — Heyne, Exot. Käfer 1906, t. 36, f. 15. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 120, fig.

Südbrasilien

9

**Platyarthron** Guér.

Guér. Icon. règne anim. Ins. 1844, p. 230. — Bates, Biol. C.-Amer. Col. V, 1880, p. 70.

*Coelarthron* Lacord. Gen. Col. IX, 1869, p. 142.

*Coelomarthron* Thoms. Classif. Ceramb. 1860, p. 199; Syst. Ceramb. 1864, p. 436.

**bilineatum** Guér. Icon. règne anim. Ins. 1844, p. 230.

Mexico

**chilense** Thoms. Classif. Long. 1860, p. 200.

(Chile?)

*quadrinotatum* Bates, Trans. Ent. Soc. Lond. 1869, p. 385; Biol. C.-Amer. Col. V, 1880, p. 70, t. 6, f. 1.

Nicaragua

**laterale** Bates, l. c. 1885, p. 316.

„

**nanum** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 124.

Goyaz

**rectilineum** Bates, Biol. C.-Amer. Col. V, 1880, p. 70.

Guatemala

**semivittatum** Bates, l. c. 1885, p. 316, t. 21, f. 22.

Panama

**sexlineatum** Buq. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 624.

Columbien

7

**Phimosia** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 420.

**ebenina** Bates, l. c. p. 421.

Pará

1

**Trachelissa** n. nom.*Trachelia* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 25. — Cast. Hist. Nat. II, 1840, p. 430. — Thoms. Classif. Ceramb. 1860, p. 188; Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 143.**eburioides** White, Cat. Col. Brit. Mus. VII, 1853, p. 61. Neugranada  
**maculicollis** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 26. Brasilien

— Cast. Hist. Nat. II, 1840, p. 430.

var. *rufiventris* Goun. Ann. Soc. Ent. Fr. LXXX, Goyaz  
1911, p. 125.**pustulata** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 25. Brasilien  
— Cast. Hist. Nat. II, 1840, p. 430.♂ *octolineata* Serv. Ann. Soc. Ent. Fr. III, 1834,  
p. 26.**rugosipennis** Goun. Ann. Soc. Ent. Fr. LXXX, 1911, Goyaz  
p. 126.

4

**LXXXI. Atimini.**

J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 322. — J. Lec. &amp; Horn, Classif. Col. N. Amer. 1883, p. 307. — Leng. Bull. Brookl. Ent. Soc. VII, 1885, p. 61.

**Atimia** Hald.

Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 56; Proc. Amer. Philos. Soc. IV, 1847, p. 373. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 25. — Thoms. Syst. Ceramb. 1864, p. 441. — Lacord. Gen. Col. IX, 1869, p. 144. — Gahan, Ann. Mag. Nat. Hist. (8) I, 1908, p. 144.

**confusa** Say, Journ. Acad. Philad. V, 2, 1827, p. 276. — Mittelstaaten  
Hald. Proc. Amer. Phil. Soc. IV, 1847, p. 373. — Nord-  
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 25. amerikas  
— Leng. Ent. Amer. VI, 1890, p. 10. — Wickh. bis Canada  
Canad. Ent. XXIX, 1897, p. 169.*tristis* Hald. Trans. Amer. Philos. Soc. (2) X, 1847,  
p. 56.**dorsalis** J. Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 385. Vancouver,  
— Leng. Ent. Amer. VI, 1890, p. 10. Californien

2

**LXXXII. Poecilopeplini.**

Lacord. Gen. Col. IX, 1869, p. 147.

**Poecilopeplus** Thoms.Thoms. Classif. Ceramb. 1860, p. 205; Syst. Ceramb. 1864, p. 459. —  
Lacord. Gen. Col. IX, 1869, p. 147.**Batesi** White, Cat. Col. Brit. Mus. VII, 1853, p. 56, t. 3, Santarem  
f. 1. — Bates, Trans. Ent. Soc. Lond. 1870, p. 422.

- corallifer** Sturm, Catal. 1826, p. 79, t. 4, f. 35. — Thoms. Classif. Ceramb. 1860, p. 206. — Haase, Bibl. Zoolog. VIII, 1893, t. 14, f. 123. — *versicolor* Cast. Hist. Nat. II, 1840, p. 412. — Blanch. in D'Orbigny, Dict. Hist. Nat. 1849, Col. t. 12, f. 1. Brasilien
- flavescens** Rosenb. Nov. Zool. V, 1898, p. 92. Ecuador
- haemopterus** Lucas, Voy. Castelnau 1859, p. 178, t. 11, f. 5. Goyaz
- intricatus** Blanch. Voyag. D'Orb. Ins. 1843, p. 207, t. 28, f. 8. Bolivien
- martialis** Rosenb. Nov. Zool. V, 1898, p. 92. Costarica
- Tardiffi** Michard, Rev. d'Ent. VI, 1887, p. 139. Columbien

7

**Georgiana** n. nom.

*Georgia* Thoms. Archiv. Ent. I, 1857, p. 21. — Lacord. Gen. Col. IX, 1869, p. 148.

- xanthomelaena** White, Proc. Zool. Soc. Lond. 1856, p. 408, t. 40, f. 11. — Bates, Trans. Ent. Soc. Lond. 1870, p. 423. Amazon.,  
Cayenne
- citrina* Thoms. Archiv. Ent. I, 1857, p. 21, t. 9, f. 1, 2.

1

**LXXXIII. Tropidosomatini.**

Lacord. Gen. Col. IX, 1869, p. 149.

**Tropidosoma** Perty.

Perty, Del. Anim. Art. 1830, p. 85. — Thoms. Classif. Ceramb. 1860, p. 377; Syst. Ceramb. 1864, p. 457. — Lacord. Gen. Col. IX, 1869, p. 150.

*Allocerus* Serv. Ann. Soc. Ent. Fr. I, 1832, p. 180. — Cast. Hist. Nat. II, 1840, p. 409.

- dilatatorne** Gory, Ann. Soc. Ent. Fr. I, 1832, p. 384, t. 12 B, f. 1. Cayenne
- penniferum** Bates, Trans. Ent. Soc. Lond. 1870, p. 423. Amazon.:  
Ega
- Spencei** Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 438, t. 22, f. 13. — Perty, Del. Anim. Art. 1830, p. 85, t. 17, f. 2. — Serv. Ann. Soc. Ent. Fr. I, 1832, p. 181. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 129. Brasilien
- Spenceaei* Cast. Hist. Nat. II, 1840, p. 410.

3

**Ctenodes** Ol.

Ol. Ent. VI, 95 bis, 1807, p. 779. — Latr. in Cuv. Règne anim. ed. Masson 1832, p. 475. — Thoms. Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 151.

- geniculata** Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 456, t. 42, f. 3. — Latr. in Cuv. Règne anim. Ins. ed. Masson 1832, t. 65, f. 6. Brasilien

- var. *thoracica* Redt. Reise Novara, Col. 1868, p. 201. — Goun. Ann. Soc. Ent. Fr. LXXV, 1906, p. 19. Brasilien
- decemmaculata* Ol. Ent. VI, 95 bis, 1807, p. 781, t. 1, f. 1. — Latr. Gen. Crust. Ins. IV, 1809, p. 382. „
- isabellina* Bates, Trans. Ent. Soc. Lond. 1870, p. 424. Amazon.:  
Ega
- miniata* Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 455, t. 42, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 425. — Haase, Bibl. Zool. VIII, 1893, t. 14, f. 121. Pará
- zonata* Klug, Nova Acta Acad. Nat. Cur. XII, 2, 1825, p. 454, t. 42, f. 1. — Bates, Trans. Ent. Soc. Lond. 1870, p. 425. „
- 5

### **Pteracantha** Newm.

- Newm. Entomol. Mag. V, 1838, p. 392. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 152.
- Amallocerus* Guér. Icon. règne anim. Ins. 1844, p. 218.
- fasciata* Newm. Entomol. Mag. V, 1838, p. 393. — Lacord. Gen. Col. IX, 1869, p. 153, t. 94, f. 1. Brasilien
- spinosa* Guér. Icon. règne anim. Ins. 1844, p. 218.
- 1

### **Streptolabis** Bates.

- Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans. Ent. Soc. Lond. 1870, p. 421. — Lacord. Gen. Col. IX, 1869, p. 153.
- hispidoides* Bates, Ent. Month. Mag. IV, 1867, p. 23; Trans. Ent. Soc. Lond. 1870, p. 422. Amazon.:  
Ega
- 1

## **LXXXIV. Sternacanthini.**

Lacord. Gen. Col. IX, 1869, p. 154.

### **Sternacanthus** Serv.

- Serv. Ann. Soc. Ent. Fr. I, 1832, p. 172. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 154.
- Allstoni* Bates, Trans. Ent. Soc. Lond. 1870, p. 426. Pará
- Batesi* Pascoe, Journ. Ent. I, 1862, p. 355. — Bates, Trans. Ent. Soc. Lond. 1870, p. 425. „
- picicornis* Thoms. Classif. Ceramb. 1860, p. 209. Peru
- ✓ *picicornis* Pascoe, Trans. Ent. Soc. Lond. (2) IV, 1857, p. 95. — Bates, l. c. 1870, p. 426. Amazon.:  
Ega
- sexmaculatus* Bates, l. c. Tapajos
- ✓ *undatus* Ol. Ent. IV, 66, 1795, p. 32, t. 13, f. 53. — Cast. Hist. Nat. II, 1840, p. 412. Surinam

**Cryptobias** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 35. — Cast. Hist. Nat. II, 1840, p. 419. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 155.

*Nosophloeus* Dup. Mag. Zool. 1836, Ins. p. 15.

*coccineus* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 36. — Brasilien  
Dup. Mag. Zool. 1836, Ins. t. 147.  
*concinuus* Dup. l. c. p. 16.

*ocellatus* Dohrn, Stett. Ent. Zeit. XL, 1879, p. 459. „

2

**Batus** Thunb.

Thunberg, Mém. Acad. Petersb. VIII, 1822, p. 307.

*Lophonocerus* Latr. Crust. Arachn. Ins. II, 1829, p. 112. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 33. — Latr. in Cuv. Règne anim. ed. Masson 1832, p. 474, t. 65, f. 5. — Cast. Hist. Nat. Ins. II, 1840, p. 421. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 156.

*barbicornis* L. Mus. Lud. Ulricae 1764, p. 88; Syst. Nat. Cayenne,  
ed. 12, 1767, p. 625. — F. Syst. Ent. 1775, Amazon.  
p. 168. — Ol. Enc. méth. Ins. V, 1790, p. 299;  
Ent. IV, 67, 1795, p. 8. — Gray in Griffith,  
Anim. Kingd. Ins. II, 1832, p. 102, t. 88, f. 5.  
— Cast. Hist. Nat. II, 1840, p. 421. — Bates,  
Trans. Ent. Soc. Lond. 1870, p. 426.

*gianus* Goeze, Ent. Beytr. I, 1777, p. 464.

*hirticornis* Blanch. in D'Orbigny, Diet. Hist. Nat. 1849, Col. t. 12, f. 3.

*speciosus* Voet, Cat. Col. II, 1778, p. 12, t. 9, f. 37; ed. Panzer III, 1794, p. 28, t. 9, f. 37.

*hirticornis* Gyllh. in Schönh. Syn. Ins. I, 3, 1817, Append. Brasilien  
p. 176. — Kirby, Trans. Linn. Soc. Lond. XII,  
1818, p. 441. — Heyne, Exot. Käfer 1906, p. 240,  
t. 36, f. 27. — Goun. Ann. Soc. Ent. Fr. LXXX,  
1911, p. 130.

*Latreillei* White, Cat. Col. Brit. Mus. VII, 1853, p. 83. „

*barbicornis* Ol. Ent. IV, 67, 1795, t. 7, f. 48. „

*tuberculicollis* Chabrill. Archiv. Ent. I, 1857, p. 198. „

4

**Cosmocerus** Guér.

Guér. Icon. règne anim. Ins. 1844, p. 219. — Thoms. Syst. Ceramb. 1864, p. 260, 459. — Lacord. Gen. Col. IX, 1869, p. 157.

*strigosus* Guér. Icon. règne anim. Ins. 1844, p. 219. — Brasilien  
Thoms. Syst. Ceramb. 1864, p. 260. — Lacord.  
Gen. Col. IX, 1869, p. 158.

1

**Ceragenia** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 32. — Cast. Hist. Nat. II, 1840, p. 421. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 459. — Lacord. Gen. Col. IX, 1869, p. 158.

*Ceragenia* Gemm. & Har. Cat. Col. IX, 1873, p. 2964.

- amazonica** Thoms. Classif. Ceramb. 1860, p. 210. Amazon.  
**bicornis** F. Syst. El. II, 1801, p. 274: — Cast. Hist. Surinam,  
 Nat. II, 1840, p. 421. — Bates, Trans. Ent. Soc. Amazon.  
 Lond. 1870, p. 427.  
*"luteus occidentalis reverberans"* Voet, Cat.  
 Col. II, 1778, p. 8, t. 6, f. 11.  
*striata* Ol. Ent. IV, 67, 1795, p. 27 (ex parte),  
 t. 5, f. 31.
- ✓ **Leprieuri** Guér. Icon. règne anim. Ins. 1844, p. 219. Cayenne,  
 Panama
- ✓ **spinipennis** Bates, Trans. Ent. Soc. Lond. 1870, p. 427. Amazon.:  
 Ega
- 4

### Phyllarthrius Hope.

- Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 366. — Jordan, Nov. Zool. XVI,  
 1909, p. 309.
- africanus** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 366. Sierra Leone  
 — Jord. Nov. Zool. XVI, 1909, p. 309.  
 var. *benitensis* Jord. l. c. p. 310. Benito
- unicolor** Hope, Ann. Mag. Nat. Hist. XI, 1843, p. 367. Ashanti  
 — Jord. Nov. Zool. XVI, 1909, p. 310.
- 2

### LXXXV. Pteróplatini.

Thoms. Syst. Ceramb. 1864, p. 256.

- Paristemiinae* Lacord. Gen. Col. IX, 1869, p. 159. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 309. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 294. — Leng, Bull. Brookl. Ent. Soc. VII, 1885, p. 114; Ent. Amer. II, 1886, p. 31.

### Athetesis Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 428.

- convergens** Bates, Trans. Ent. Soc. Lond. 1892, p. 171, Mexico  
 t. 7, f. 10.
- prolixa** Bates, l. c. 1870, p. 428. Amazon.,  
 S. Paulo
- 2

### Parevander n. nom.

*Evander* Lacord. Gen. Col. IX, 1869, p. 160 (non Thoms.).

- ✓ **Nietii** Guér. Rev. Zool. 1844, p. 257; Mag. Zool. XIV, 1844, Mexico,  
 Ins. p. 2, t. 146. — Lacord. Gen. Col. IX, 1869, Guatemala  
 p. 161, t. 94, f. 2.  
*Nietoi* Gemm. & Har. Cat. Col. IX, 1873, p. 2964.
- nobilis** Bates, Trans. Ent. Soc. Lond. 1872, p. 192; Biol. Nicaragua  
 C.-Amer. Col. V, 1880, p. 71, t. 6, f. 11.
- ✓ **unicolor** Bates, l. c. t. 6, f. 12. Costarica
- ✓ **xanthomelas** Guér. Rev. Zool. 1844, p. 258; Mag. Zool. Mexico,  
 XIV, 1844, Ins. t. 146, p. 3. Guatemala
- 4

**Amphidesmus** Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 65. — Cast. Hist. Nat. II, 1840, p. 421. — Guér. Mag. Zool. XIV, 1844, Ins. nr. 146, p. I (ex parte).  
*Evander* Thoms. Classif. Ceramb. 1860, p. 377; Syst. Ceramb. 1864, p. 257, 458.  
*Paristemia* Westw. Ann. Mag. Nat. Hist. VIII, 1842, p. 124; Arcana Ent. II, 1845, p. 57. — Thoms. Classif. Ceramb. 1860, p. 255; Syst. Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 161.
- analis** Ol. Ent. IV, 67, 1795, p. 37, t. 19, f. 144. — Südafrika,  
 Guér. Rev. Zool. 1844, p. 258. — Dist. Ins. Trans- Abessinien  
 vaal. 1904, p. 125, t. 11, f. 20.  
*pellurus* Weber, Obs. Ent. 1801, p. 87. — Licht.  
 Cat. Mus. Hamb. 1796, p. 47.  
*quadridens* F. Syst. El. II, 1801, p. 274. — Serv.  
 Ann. Soc. Ent. Fr. III, 1834, p. 66. — Cast.  
 Hist. Nat. II, 1840, p. 421.
- apicalis** Westw. Arcana Ent. II, 1843, p. 57, t. 64, f. 2. — Westafrika  
 Murr. Ann. Mag. Nat. Hist. (4) VI, 1870, p. 46.  
*Westermanni* Guér. Mag. Zool. XIV, 1844, Ins.  
 t. 146, p. 4.
- calabarius** Bates, Proc. Zool. Soc. Lond. 1890, p. 488. Altcalabar  
**platypterus** Westw. Ann. Mag. Nat. Hist. VIII, 1842, Westafrika  
 p. 124; Arcana Ent. II, p. 57, t. 64, f. 1. —  
 Thoms. Archiv. Ent. II, 1858, p. 146. — Hintz,  
 Wiss. Ergebn. Deutschen Zentr.-Afrika-Exped.  
 III, 1911, p. 430.
- Theorini** Auriv. Ent. Tidskr. VII, 1886, p. 91. — Gabun,  
 Proc. Zool. Soc. Lond. 1890, p. 487. — Duviv. Congo  
 Ann. Soc. Ent. Belg. XXXVI, 1892, p. 340.
- 5

**Diastellopterus** Thoms.

- Thoms. Archiv. Ent. II, 1858, p. 146; Classif. Ceramb. 1860, p. 255; Syst.  
 Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 162.
- clavatus** Chevr. Rev. Mag. Zool. (2) VII, 1855, p. 513; Gabun  
 Cent. Longic. 1858, nr. 32. — Lacord. Gen. Col.  
 IX, 1869, p. 162. — Murr. Ann. Mag. Nat. Hist.  
 (4) VI, 1870, p. 46.  
*volitans* Thoms. Archiv. Ent. II, 1858, p. 147,  
 t. 4, f. 8.

1

**Thelgetra** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 258. — Lacord. Gen. Col. IX, 1869, p. 163.
- latipennis** Thoms. Syst. Ceramb. 1864, p. 258. — Goun. Brasilien  
 Ann. Soc. Ent. Fr. LXXX, 1911, p. 130.

1

**Deltosoma** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 258. — Lacord. Gen. Col. IX, 1869, p. 163.  
 — Bates, Biol. C.-Amer. Col. V, 1880, p. 72.
- guatemalense** Bates, Biol. C.-Amer. Col. V, 1880, p. 72. Guatemala  
**Lacordairei** Thoms. Syst. Ceramb. 1864, p. 258. Cayenne

2

**Cosmoplatus** Auriv.

Auriv. Ent. Tidskr. XII, 1891, p. 101.

*peruvianus* Auriv. l. c. p. 102, f. 2.

Peru

1

**Cosmoplatidius** Goun.

Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 131.

*annulipes* Blanch. Voy. d'Orbigny, Ins. 1843, p. 207, t. 21, f. 1. Bolivien*mandibularis* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 132. Goyaz

2

**Pteroplatus** Buq.

Buq. Ann. Soc. Ent. Fr. IX, 1840, p. "385." — Thoms. Classif. Ceramb. 1860, p. 255; Syst. Ceramb. 1864, p. 458. — Lacord. Gen. Col. IX, 1869, p. 164.

- ✓ *adustus* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 165. Argentinien
- ancora* Belon, Rev. d'Ent. XXII, 1903, p. 52. Bolivien
- arrogans* Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. Fr. IX, 1840, p. "390". Columbien
- atroviolaceus* Kirsch, Abh. Zool. Mus. Dresden (2) II, 4, 1889, p. 39, t. 4, f. 73. „
- bilineatus* Buq. Rev. Zool. 1841, p. 207. „
- dimidiatipennis* Buq. l. c. „
- elegans* Buq. l. c. p. 206. „
- fasciatus* Buq. l. c.; Ann. Soc. Ent. Fr. X, 1841, p. 151. „
- gracilis* Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. Fr. IX, 1840, p. "388". „
- lycoides* Guér. Icon. règne anim. Ins. 1844, p. 233. Brasiliën
- nigriventris* Brème, Ann. Soc. Ent. Fr. (2) II, 1844, p. 310, t. 9, f. 4. Columbien
- pulcher* Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. Fr. IX, 1840, p. "386". „
- quadriscopulatus* Bates, Biol. C.-Amer. Col. V, 1880, p. 73, 317. Mexico, Guatemala
- ✓ *radiatus* Haase, Bibl. Zool. VIII, 1892, t. 13, f. 104. Brasiliën
- Rostainei* Buq. Rev. Zool. 1840, p. 227; Ann. Soc. Ent. Fr. IX, 1840, p. "389". Columbien
- ✓ *sellatus* White, Cat. Col. Brit. Mus. VII, 1853, p. 82, t. 3, f. 3. Mexico, Honduras, Nicaragua
- simulans* Bates, Trans. Ent. Soc. Lond. 1870, p. 428. Amazon.: Ega
- suturalis* Buq. Rev. Zool. 1840, p. 287; Ann. Soc. Ent. Fr. IX, 1840, p. "387". Columbien
- transversalis* Brème, l. c. (2) II, 1844, p. 309, t. 9, f. 3. „
- variabilis* Sallé, l. c. (2) VII, 1849, p. 430, t. 13, f. 2. Venezuela

20

**Elytroleptus** Dugès.

Dugès, La Natureza Mexic. IV, 1879, p. 182. — Bates, Biol. C.-Amer. Col. V, 1885, p. 317. — Leng, Ent. Amer. II, 1886, p. 31.

*Pteroplatus* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 310. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 295.

- ✓ *apicalis* J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 24. Arizona, Mexico
- Leng, Ent. Amer. II, 1886, p. 32.

- divisus** J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 23. Texas,  
— Leng, Ent. Amer. II, 1886, p. 32. Florida  
♀ *brevicornis* Casey, Ann. N. York Acad. VII,  
1893, p. 586. — Hamilton, Trans. Amer. Ent.  
Soc. XXIII, 1896, p. 169.
- Eros** Bates, Biol. C.-Amer. Col. V, 1885, p. 318, t. 21, Mexico  
f. 23.
- floridanus** J. Lec. Proc. Acad. Philad. 1862, p. 42. — Florida  
Leng, Ent. Amer. II, 1886, p. 31, t. 2, f. 1.
- ignitus** J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 24. Arizona,  
— Leng, Ent. Amer. II, 1886, p. 32. Mexico
- longipennis** Bates, Biol. C.-Amer. Col. V, 1885, p. 318. „  
**luteus** Dugès, Natureza Mexic. IV, 1879, p. 185, „  
t. 6, f. 10.
- metallicus** Nonfr. Ent. Nachr. XX, 1894, p. 140. Honduras
- nigripennis** Bates, Biol. C.-Amer. Col. V, 1885, p. 318. Mexico
- octocostatus** Bates, l. c. 1880, p. 73, 317. „
- pallidus** Thoms. Classif. Ceramb. 1860, p. 255. „  
*Alfredi* Dugès, Natureza Mexic. IV, 1879, p. 185,  
t. 6, f. 9.
- rufipennis** J. Lec. Trans. Amer. Ent. Soc. XII, 1884, Arizona,  
p. 23. — Leng, Ent. Amer. II, 1886, p. 31, 32. Neumexico
- seabricollis** Bates, Trans. Ent. Soc. Lond. 1892, p. 172, Mexico  
t. 7, f. 7.

13

**Holopleura** J. Lec.

- J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 193; XI, 265, 1873, p. 310.  
— J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 295. — Leng, Ent. Amer.  
II, 1886, p. 31.

- marginata** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Californien  
p. 194. — Leng, Ent. Amer. II, 1886, p. 32,  
t. 3, f. 2.  
♀ *Helena* J. Lec. Smiths. Misc. Coll. XI, 264,  
1873, p. 194.

1

**Aphylax** Lacord.

Lacord. Gen. Col. IX, 1869, p. 165.

- lyciformis** Germ. Ins. spec. nov. 1824, p. 502. — Thoms. Brasilien  
Syst. Ceramb. 1864, p. 167 nota. — Goun. Ann.  
Soc. Ent. Fr. LXXX, 1911, p. 134.  
*mentiens* Lacord. Gen. Col. IX, 1869, p. 165,  
nota 2.

1

**Corynellus** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 318.

- mimulus** Bates, l. c. p. 319. Mexico  
**ochraceus** Bates, l. c. t. 21, f. 20. Panama

2

**Prodontia** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 64. — Cast. Hist. Nat. II, 1840, p. 422. — Thoms. Classif. Ceramb. 1860, p. 234; Syst. Ceramb. 1864, p. 461.  
— Lacord. Gen. Col. IX, 1869, p. 165.

**dimidiata** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 65. — Brasilien  
Lacord. Gen. Col. IX, 1869, p. 166.

**plagiata** Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 622. „  
2

**Pseuderos** Lameere.

Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 42. — Auriv. Arkiv f. Zool. III, 18, 1907, p. 14.

*Antennica* Jord. Nov. Zool. I, 1894, p. 154: X, 1903, p. 138.

**clypealis** Auriv. Arkiv f. Zool. III, 18, 1907, p. 13. Kamerun

**exul** Lameere, Ann. Soc. Ent. Fr. LXII, 1893, p. 43. — Assinie  
Jord. Nov. Zool. X, 1903, p. 138.

**lutea** Jord. l. c. I, 1894, p. 155. Kuilu

**nigripes** Jord. l. c. p. 154, t. 9, f. 4. „  
4

**LXXXVI. Stenaspini.**

Lacordaire, Gen. Col. IX, 1869, p. 166. — Pascoc, Trans. Ent. Soc. Lond. (3) III, 1869, p. 553, 563.

*Purpuriceninae* Gahan, Fauna Brit. Ind. Col. I, 1906, p. 183.

*Stenaspes* + *Tyloses* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 313—315. — J. Lee. & Horn, Classif. Col. N. Amer. 1883, p. 298—300.

**Crioprosopus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 53. — Dup. Mag. Zool. VIII, 1838, Cl. IX, p. 53, t. 224, f. 15. — Thoms. Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 170. — J. Lee. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Bates, Biol. C.-Amer. Col. V, 1885, p. 319. — Leng, Ent. Amer. II, 1886, p. 60, 62.

*Callona* Westw. Trans. Ent. Soc. Lond. II, 1840, p. 228. — Thoms. Syst. Ceramb. 1864, p. 434.

**amoenus** Jord. Ann. Mag. Nat. Hist. (6) XV, 1895, p. 220. Costarica

✓ **basileus** Bates, Biol. C.-Amer. Col. V, 1880, p. 75, 320. Mexico

✓ **cacicus** Bates, l. c. 1885, p. 319 nota. Columbien

**Championi** Bates, l. c. p. 320. Guatemala

*iridescens* ♀ Bates, l. c. 1880, p. 74.

**divisus** Bates, l. c. 1885, p. 320. Mexico

**Gaumeri** Bates, Trans. Ent. Soc. Lond. 1892, p. 172. „

**iridescens** White, Cat. Col. Brit. Mus. VII, 1853, p. 80. — Guatemala

♂ Bates, Biol. C.-Amer. Col. V, 1880—85, p. 74, 320.

✓ **lampros** Bates, l. c. p. 321. Panama

*tricolor* Bates, l. c. p. 75.

- lateralis* J. Lec. Trans. Amer. Ent. Soc. XII, 1884, p. 22. Texas  
 — Leng. Ent. Amer. II, 1886, p. 62.  
*magnificus* J. Lec. Trans. Amer. Ent. Soc. V, 1875, p. 173. Arizona  
 — Leng. Ent. Amer. II, 1886, p. 62.  
*Nieti* Chevr. Rev. Mag. Zool. (2) IX, 1857, p. 103, t. 6, f. 1. Mexico  
*Nietoï* Bates, Biol. C.-Amer. Col. V, 1880, p. 74.  
*rimosus* Buq. Rev. Zool. 1840, p. 142; Mag. Zool. XI, 1841, Texas  
 Ins. t. 66.  
*splendens* J. Lec. Proc. Acad. Philad. VI, 1853, p. 441; Arcana Nat. 1859, p. 127, t. 12, f. 9. —  
 Leng. Ent. Amer. II, 1886, p. 62, t. 3, f. 9.  
*rutilans* Bates, Trans. Ent. Soc. Lond. 1869, p. 384; Biol. Nicaragua  
 C.-Amer. Col. V, 1880, p. 75, t. 6, f. 3.  
*Saundersi* White, Cat. Col. Brit. Mus. VII, 1853, p. 79. Mexico  
*Servillei* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 54. —  
 Dupont, Mag. Zol. VIII, 1838, Cl. IX, p. 53, t. 217. „  
*thoracicus* White, Cat. Col. Brit. Mus. VII, 1853, p. 78. Honduras  
*tricolor* Waterh. Trans. Ent. Soc. Lond. II, 1840, p. 228. — Venezuela  
 Bates, Biol. C.-Amer. Col. V, 1885, p. 321.  
*viridipennis* Latr. in Humb. Voy. I, 1811, p. 163, t. 16, Neugranada  
 f. 8. — Dupont, Mag. Zool. VIII, 1838, Cl. IX, p. 54, t. 218.

18

### Stenaspis Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 51. — Dupont, Mag. Zool. VIII, 1838, Cl. IX, p. 50, t. 224, f. 14. — Cast. Hist. Nat. II, 1840, p. 419. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 171. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng. Ent. Amer. II, 1886, p. 60.

*Smileceras* J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 8.

- castaneipennis* Dupont, Mag. Zool. VIII, 1838, Cl. IX, Mexico  
 p. 52, t. 216, f. 2.  
*pilosella* Bates, Trans. Ent. Soc. Lond. 1892, p. 173, t. 7, „  
 f. 11.  
*plagiata* Waterh. l. c. 1877, p. 12; Aid identif. Ins. II, Guatemala  
 1886, t. 171, f. 6.  
*solitaria* Say, Journ. Acad. Philad. III, 1823, p. 410. — Kansas,  
 — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9; Arkansas,  
 Proc. Acad. Philad. VI, 1853, p. 441; Col. Kansas Colorado,  
 1859, p. 20, t. 2, f. 14. — Bates, Biol. C.-Amer. Col. Arizona,  
 V, 1885, p. 321. — Leng. Ent. Amer. II, 1886, Neumexico,  
 p. 62, t. 3, f. 8. Mexico  
*unicolor* Dupont, Mag. Zool. X, 1840, Ins. p. 11, t. 38.  
*superba* Auriv. Arkiv f. Zool. V, 1, 1909, p. 5, f. 1. Bolivien  
*verticalis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 52. — Texas,  
 Cast. Hist. Nat. II, 1840, p. 419. — Dupont, Mag. Arizona,  
 Zool. VIII, 1838, Cl. IX, p. 57, t. 216, f. 1. — Mexico  
 Bates, Biol. C.-Amer. Col. V, 1885, p. 321. —  
 Leng. Ent. Amer. II, 1886, p. 62.  
*superba* Newm. Entomol. Mag. V, 1838, p. 493.

6

### Deltaspis Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 7. — Thoms. Classif. Ceramb. 1860, p. 208. — Chevr. Journ. Ent. I, 1861, p. 247. — Lacord. Gen. Col. IX, 1869, p. 172. — Bates, Biol. C.-Amer. Col. V, 1880, p. 76, 322.

*Eudoxilus* Lacord. Gen. Col. IX, 1869, p. 172.

**alutacea** Bates, Biol. C.-Amer. Col. V, 1885, p. 323. Mexico

**auromarginata** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 8. — Lacord. Gen. Col. IX, 1869, p. 172. „

var. *cyanipes* Bates, Biol. C.-Amer. Col. V, 1885, p. 322. „

**disparilis** Bates, Ent. Month. Mag. (2) II, 1891, p. 160. „

**fulva** Bates, Trans. Ent. Soc. Lond. 1892, p. 174. „

**marginella** Bates, Ent. Month. Mag. (2) II, 1891, p. 160. „

**moesta** Bates, Biol. C.-Amer. Col. V, 1885, p. 323. „

**nigripennis** Bates, l. c. 1880, p. 77, 322. „

**rubens** Bates, l. c. 1885, p. 323. „

**rubriventris** Bates, l. c. 1880, p. 77. „

**rufostigma** Bates, Trans. Ent. Soc. Lond. 1892, p. 173. „

**thoracica** White, Cat. Col. Brit. Mus. VII, 1853, p. 148. „

**tuberculicollis** Bates, Trans. Ent. Soc. Lond. 1892, p. 175. „

**variabilis** Bates, Ent. Month. Mag. (2) II, 1891, p. 161. „

**virens** Bates, Biol. C.-Amer. Col. V, 1885, p. 323. „

14

### Tragidion Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 89. — Cast. Hist. Nat. II, 1840, p. 452. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 429. — Lacord. Gen. Col. IX, 1869, p. 173. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng. Ent. Amer. II, 1886, p. 60, 81. — Casey, Ann. N. York Acad. VII, 1893, p. 586; Trans. Amer. Ent. Soc. XXIII, 1896, p. 169 (Revision).

*Trichoscelis* Bates, Biol. C.-Amer. Col. V, 1885, p. 324.

**annulatum** J. Lec. Proc. Acad. Philad. 1858, p. 83. — Arizona, Leng. Ent. Amer. II, 1886, p. 81, t. 3, f. 10. — Californien, Casey, Revis. p. 586; p. 169. Neumexico

var. *auripenne* Casey, Ann. N. York Acad. VII, 1893, p. 586, 587; Trans. Amer. Ent. Soc. XXIII, 1896, p. 169. Texas, Mexico

var. *peninsulare* Schaeffer, Bull. Brookl. Inst. I, 1908, p. 339. Untercalifornien

**armatum** J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, p. 25. — Californien, Lacord. Gen. Col. IX, 1869, p. 174 nota. Texas, — Leng, Ent. Amer. II, 1886, p. 81. — Casey, Revis. p. 586; p. 169.

**bicolor** Bates, Biol. C.-Amer. Col. V, 1885, p. 324. Mexico

**carinatum** Thoms. Classif. Ceramb. 1860, p. 204. „

**coquus** L. Syst. Nat. ed. 10, 1758, p. 393. — F. Syst. Ent. 1775, p. 176. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. — Leng, Ent. Amer. II, 1886, p. 81. — Casey, Revis. p. 586; p. 169. Nordamerika

*lynceum* F. Syst. Ent. 1775, p. 191. — Ol. Enc. méth. Ins. V, 1790, p. 307; Ent. IV, 67, 1795, p. 37, t. 14, f. 97. — Cast. Hist. Nat. II, 1840, p. 452.

*Melsheimeri* Germ. Ins. spec. nov. 1824, p. 502.

**fulvipenne** Say, Journ. Acad. Philad. III, 1823, p. 414. —  
J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. —  
Leng. Ent. Amer. II, 1886, p. 81. — Casey, Revis.  
p. 586; p. 169.

Biologie: Riley, Amer. Entomol. III, 1880, p. 239.  
— Popenoe, Ins. Life II, 1889, p. 192; Trans.  
Kansas Acad. XII, 1890, p. 15. — Pack. Ins. inj.  
Trees 1890, p. 91, f. 33.

6

### **Phoenicus** Lacord.

Lacord. Gen. Col. IX, 1869, p. 174.

**sanguinipennis** Lacord. l. c. — Dohrn, Stett. Ent. Zeit.  
XXXIII, 1872, p. 161; XLIV, 1883, p. 397.  
Biologie: Schiödte, Nat. Tidskr. (3) X, 1877,  
p. 410, t. 14, f. 12—21.

Zentral-  
amerika?  
Montevideo?

1

### **Scythroleus** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 324.

**picticornis** Bates, l. c. p. 325.

Mexico

1

### **Pavieia** Brongn.

Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull. p. 184; Nouv. Archiv. Mus.  
Paris (3) III, 1892, p. 241.

**superba** Brongn. Ann. Soc. Ent. Fr. (6) X, 1890, Bull.  
p. 185; Nouv. Archiv. Mus. Paris (3) III, 1892,  
p. 243, t. 10, f. 6.

Siam

1

### **Diclosternus** Gah.

Gahan, Ann. Mag. Nat. Hist. (8) V, 1900, p. 309.

✓ **corallinus** Gah. l. c.

Formosa

1

### **Euryphagus** Thoms.

Thoms. Syst. Ceramb. 1864, p. 196. — Lacord. Gen. Col. IX, 1869, p. 174. —  
Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 653. — Gahan, Fauna Brit.  
Ind. Col. I, 1906, p. 187.

*Eurycephalus* Cast. Hist. Nat. II, 1840, p. 430. — Thoms. Classif.  
Ceramb. 1860, p. 207.

✓ **Lundi** F. Ent. Syst. I, 2, 1792, p. 268. — Shelf. Proc. Zool.  
Soc. Lond. 1902, 2, t. 23, f. 13. — Gah. Fauna  
Brit. Ind. Col. I, 1906, p. 188, f. 74. — Heyne,  
Exot. Käfer 1906, p. 240, t. 36, f. 23.

Assam,  
Birma,  
Malacca,  
Sumatra,  
Java,  
Borneo

*maxillosus* Pasc. Trans. Ent. Soc. Lond. (3) III,  
1869, p. 645 (ex parte).

*nigripes* Ol. Ent. IV, 67, 1795, p. 52, t. 20, f. 149.  
— Westw. Proc. Zool. Soc. 1837, p. 129.

- ✓ **pictus** Voet, Cat. Col. II, 1778, p. 11, t. 9, f. 35; ed. Panzer III, 1794, p. 27, t. 9, f. 35. Java,  
Philip-  
pinen,  
Nord-  
molukken
- bipunctatus* Schönh. Syn. Ins. I, 3, 1817, p. 459.
- maxillosus* Ol. Ent. IV, 67, 1795, p. 52, t. 20, f. 147. — Cast. Hist. Nat. II, 1840, p. 430. — Pasc. Trans. Ent. Soc. Lond. (3) III, 1869, p. 654 (ex parte). — Rits. Notes Leyd. Mus. VII, 1885, p. 128.
- ♂ *quadrimaculata* Voet, Cat. Col. II, 1804—06, p. 26, t. 23, f. 124.
- ♀ *variabilis* Pasc. Ann. Mag. Nat. Hist. (3) V, 1860, p. 120; Trans. Ent. Soc. Lond. (3) III, 1869, p. 654.
- 2

### **Eurycelelia** n. nom.

*Eurycelea* Thoms. Syst. Ceramb. 1864, p. 196. — Lacord. Gen. Col. IX, 1869, p. 176. — Pascoe, Trans. Ent. Soc. Lond. (3) III, 1869, p. 655.

- ✓ **cardinalis** Thoms. Classif. Ceramb. 1860, p. 211; Syst. Ceramb. 1864, p. 196. — Pasc. Proc. Zool. Soc. Lond. 1866, p. 533; Trans. Ent. Soc. Lond. (3) III, 1869, p. 655. Malacca,  
Borneo
- 1

### **Zonotylus** Gah.

Gahan, Trans. R. Soc. Edinb. XXXIX, 1898, p. 9.

- interruptus** Ol. Enc. méth. Ins. V, 1790, p. 307; Ent. IV, 67, 1795, p. 35, t. 17, f. 133. — F. Ent. Syst. I, 2, 1792, p. 255. — Grimshaw, Trans. R. Soc. Edinb. XXXIX, 1898, p. 9, t. 1, f. 8. Patria?
- 1

### **Purpuricenus** Germ.

Fischer, Entomogr. Ross. II, 1823—24, p. 237 (nom. nud.). — Germ. Ins. spec. nov. 1824, p. 500. — Serv. Ann. Soc. Ent. Fr. II, 1833, p. 568. — Muls. Col. Fr. Long. 1839, p. 32; ed. 2, 1863, p. 68. — Cast. Hist. Nat. II, 1840, p. 431. — Redt. Gatt. deutsch. Käferf. 1845, p. 108; Fauna Austr. 1848, p. 44; ed. 2, 1858, p. CXXVII; ed. 3, II, 1874, p. CXLII. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 10. — Bach, Käferf. III, 1856, p. 9. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 429. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 142. — Lacord. Gen. Col. IX, 1869, p. 177. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — Ganglb. Best.-Tab. VII, 1881, p. 10 (668); Rev. d'Ent. III, 1884, p. 167. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Bedel, Faune Col. Seine V, 1889, p. 9, 28. — Seidl. Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Stierl. Col. Helv. II, 1898, p. 462. — Everts, Col. Neerl. II, 1, 1901, p. 367. — Houlb. Faune Armor. Ceramb. 1904, p. 17. — Csiki, Rov. Lapok XI, 1904, p. 36. — Gahan, Fauna Brit. Ind. Col. I, 1906, p. 184.

*Acanthoptera* Latr. Crust. Ins. II, 1829, p. 114.

*Acanthopterus* Guér. Icon. règne anim. Ins. 1844, p. 223.

*Cyclodera* White, Stokes Voy. I, 1846, p. 510.

*Philagathes* Thoms. Syst. Ceramb. 1864, p. 196. — Lacord. Gen. Col. IX, 1869, p. 176.

## Paläarktische und japanische Arten.

- barbarus** Lucas, Explor. Algér. Col. 1849, p. 487, t. 41, f. 8; Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 10. — Pic, Longic. I, 1891, p. 23. Algier, Tunis
- ♀ *Dumerili* Lucas, Explor. Algér. Col. 1849, p. 487, t. 41, f. 7; Ann. Soc. Ent. Fr. (2) IX, 1851, Bull. p. 10. — Cotty, Mém. Soc. Linn. Nord de Fr. I, 1869, p. 176.
- ab. *interruptus* Pic, Longic. I, 1891, p. 23. Algier
- ab. *limbatus* Pic, l. c. ”
- ✓ **budensis** Götz, Naturf. XIX, 1783, p. 70, t. 4, f. 3. — Panz. Deutschl. Ins.-Fauna 1795, p. 248. — Muls. Col. Fr. Long. 1839, p. 32; ed. 2, 1863, p. 68. — Ganglb. Best.-Tab. VII, 1881, p. 62 (740); Rev. d'Ent. III, 1884, p. 200. — Bedel, Faune Col. Seine V, 1889, p. 28. — Pic, Longic. I, 1891, p. 23. — Seidl. Fauna Transs. 1891, p. 829. — Csiki, Rov. Lapok XI 1904, p. 136. Biologie: Xamheu, Le Natural. XV, 1893, p. 66. ab. *affinis* Brullé, Expéd. Morée III, 1832, p. 251. — Csiki, Rov. Lapok XI, 1904, p. 136. Ungarn, Griechenland
- budensis* ab. Götz, Naturf. XIX, 1783, p. 70, t. 4, f. 1.
- budensis* var. A Muls. Col. Fr. Long. 1839, p. 32.
- Kaehleri* var. Ol. Ent. IV, 67, 1795, p. 93, t. 3, f. 13 c.
- ab. *caucasicus* Pic, Echange XVIII, 1902, p. 27. Kaukasus
- var. *humeralis* Pic, Longic. I, 1891, p. 23; II, 1898, p. 10. Syrien
- ab. *nigronotatus* Pic, Echange XXIII, 1907, p. 169.
- ab. *punctiger* Apfelb. Glasn. Zem. Muz. Bosn. Herzeg. II, 1891, p. 401. — Pic, Longic. II, 1898, p. 10.
- budensis* Cast. Hist. Nat. II, 1840, p. 431.
- budensis* var. B Muls. Col. Fr. Long. 1839, p. 32.
- ab. *ungaricus* Herbst in Füessly, Archiv V, 1784, p. 90, t. 25, f. 6.
- budensis* var. Götz, Naturf. XIX, 1783, p. 70, t. 4, f. 2, 4.
- hungaricus* Csiki, Rov. Lapok XI, 1904, p. 136.
- var. *Wredii* Fischer, Entomogr. Ross. II, 1824, p. 238, t. 49, f. 2. Kaukasus
- dalmatinus** Sturm, Catal. 1843, p. 353, t. 6, f. 2. — Muls. Col. Fr. Long. ed. 2, 1863, p. 72. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 42, f. 194. — Ganglb. Best.-Tab. VII, 1881, p. 61 (739). — Csiki, Rov. Lapok XI, 1904, p. 136. Dalmatien, Griechenland, Kleinasien, Syrien
- ab. *apicalis* Pic, Echange XXI, 1905, p. 163.
- ab. *biinterruptus* Pic, Longic. III, 3, 1901, p. 11.
- var. *Fellowsi* White, Ann. Mag. Nat. Hist. XV, 1845, p. 111, t. 8, f. 4. Griechenland, Griechenland, Kleinasien, Syrien
- var. *nicoctes* Schauf. Nunq. otios. I, 1871, p. 209. Cypern
- Desfontainii** F. Ent. Syst. I, 2, 1792, p. 258. — Ol. Ent. IV, 67, 1795, p. 128, t. 23, f. 183. — Muls. Col. Fr. Long. ed. 2, 1863, p. 72. — Fairm. Gen. Süd-griechenland,

Col. d'Eur. IV, 1864, t. 42, f. 195. — Ganglb. Best.-Tab. VII, 1881, p. 62 (740). — Pic, Longic. I, 1891, p. 24; II, 1898, p. 9.

ab. *inhumeralis* Pic, Longic. I, 1891, p. 24; II, 1898, p. 10.

ab. *nigricollis* Pic, Echange VIII, 1892, p. 114; Long. II, 1898, p. 9.

✓ **Deyrollei** Thoms. Physis I, 1867, p. 164. — Ganglb. Best.-Tab. VII, 1881, p. 61 (739).

*Ledereri* Ferrari, Verh. zool.-bot. Ges. Wien XIX, 1869, p. 199; Abeille VII, 1870, p. 159.

var. *talyschensis* Reitter, Wien. Ent. Zeit. X, 1891, p. 240.

✓ **ferrugineus** Fairm. Rev. Mag. Zool. (2) III, 1851, p. 528; Ann. Soc. Ent. Fr. (2) X, 1852, p. 91. — Muls. Col. Fr. Long. ed. 2, 1863, p. 71. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741).

ab. *Fettingi* Schauf. Nunquam otios. I, 1871, p. 209.

ab. *hispanicus* Daniel, Col.-Stud. II, 1898, p. 88.

✓ **globulicollis** Muls. Col. Fr. Long. 1839, p. 34; ed. 2, 1863, p. 71. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741); Rev. d'Ent. III, 1884, p. 200. — Pic, Longic. I, 1891, p. 23. — Csiki, Rov. Lapok XI, 1904, p. 137.

✓ **Kaehleri** L. Syst. Nat. ed. 10, 1758, p. 393. — F. Spec. Ins. I, 1781, p. 219. — Laich. Verz. Tyrol. Ins. II, 1784, p. 12. — Petagna, Ins. Ult. Calabr. 1787, p. 16. — Villers, Linn. Entomol. I, 1789, p. 235. — Rossi, Fauna Etr. I, 1790, p. 145. — Ol. Enc. méth. Ins. V, 1790, p. 307; Ent. IV, 67, 1795, p. 92. — Panzer, Voets Hartsch. Ins. III, 1794, Vorberichd. p. (3); Titelpl. f. 4, 5. — Panz. Deutschl. Ins.-Faune 1795, p. 248. — Hoppe, Ent. Taschenb. 1797, p. 223. — Muls. Col. Fr. Long. 1839, p. 33; — Costa, Fauna Regn. Napoli, Col. II, 1854, Long. p. 21. — Ganglb. Rev. d'Ent. III, 1884, p. 200. — Seidl, Fauna Balt. ed. 2, 1891, p. 737; Fauna Transs. 1891, p. 829. — Csiki, Rov. Lapok XI, 1904, p. 137. — Jacobs. Käfer Russl. 1910, t. 68, f. 5.

*Kaeleri* Cast. Hist. Nat. II, 1840, p. 431.

*Koehleri* Scop. Annus Hist. Nat. V, 1772, p. 96. — Fischer, Entomogr. Ross. II, 1824, p. 237, t. 49, f. 1. — Shuck. Brit. Col. 1840, p. 75, Suppl. t. 7, f. 1. — Labr. & Imh. Ins. Schweiz III, 1842, t. 14. — Redt. Fauna Austr. 1849, p. 480; ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 397. — Bach, Käferf. III, 1856, p. 10. — Muls. Col. Fr. Long. ed. 2, 1863, p. 70. — Bedel, Faune Col. Seine V, 1889, p. 29, 78. — Houlb. Faune Ent. Armor. Ceramb. 1904, p. 52, f. 100.

*Köhleri* Ganglb. Best.-Tab. VII, 1881, p. 62 (740). — Stierl. Col. Helvet. II, 1898, p. 463. — Everts, Col. Neerl. II, 1, 1902, p. 368.

*melanocephalus* Voet, Cat. Col. II, 1778, p. 13, t. 11, f. 48; ed. Panzer III, 1794, p. 33, t. 11, f. 48.

Syrien,  
Nord-  
afrika  
Syrien,  
Griechen-  
land  
Algier

Persien,  
Kaukasus,  
Syrien

Lenkoran

Spanien

Portugal

Spanien  
Südfrank-  
reich,  
Dalmatien,  
Ungarn

Mittel- und  
Südeuropa

- Menetriesi* Motsch. Bull. Moscou XVIII, 1, 1845, p. 87.
- Biologie: Perris, Ann. Soc. Linn. Lyon (2) XXIII, 1877, p. 263, f. 421—426; Larves Col. 1877, p. 423, f. 421—426. — Müller, Mitth. Schweiz. Ent. Ges. V, 1878, p. 383. — Mayet in Bedel, Faune Col. Seine V, 1890, p. 76, nota 1. — Xambeau, Moeurs & Métam. VIII, 1902, p. 62.
- ab. *aetnensis* Bassi, Ann. Soc. Ent. Fr. III, 1834, p. 471, t. 11, f. 7. — Pic, Longic. I, 1891, p. 23. Sicilien
- ab. *bipunctatus* Villa, Col. Eur. Dupl. 1833, p. 36. — Pic, Longic. I, 1891, p. 23. Italien
- bilineatus* Muls. Col. Fr. Long. 1839, p. 34.
- ab. *carbonarius* Reitter, Wien. Ent. Zeit. XX, 1901, p. 101. Dalmatien
- ab. *cinctus* Villa, Col. Eur. Dupl. 1833, p. 36. — Muls. Col. Fr. Long. 1839, p. 34. — Pic, Longic. I, 1891, p. 23.
- Boryi* Brullé, Expéd. Morée III, 1832, p. 251, t. 43, f. 1.
- ab. *ruber* Geoffr. in Fourcr. Ent. Paris. I, 1785, p. 75. — Pic, Longic. I, 1891, p. 23.
- Kaehleri* F. Syst. Ent. 1775, p. 173. — Panzer, Voets Hartsch. Ins. III, 1794, Vorbericht, p. (3), Titelp. f. 6. — Ol. Ent. IV, 67, 1795, p. 92, t. 3, f. 13 b.
- Servillei* Serv. Ann. Soc. Ent. Fr. II, 1833, p. 569. — Muls. Col. Fr. Long. 1839, p. 34. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. 1832, t. 66, f. 1. — Cast. Hist. Nat. II, 1840, p. 431, t. 50, f. 1.
- lituratus* Ganglb. Horae Soc. Ent. Ross. XX, 1886, p. 136. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 260. Korea
- var. *Komarovi* A. Sem. I. c.
- nanus* A. Sem. I. c. VI, 1907, p. 254. „ Persien
- robusticollis* Pic, Longic. V, 2, 1905, p. 9; Echange XXIII, 1907, p. 185. „
- Wachauri* Levrat, Ann. Soc. Linn. Lyon (2) V, 1858, p. 261; Etudes Ent. I, 1859, p. 37. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). — Heyd. Deutsche Ent. Zeitschr. 1890, p. 70. Türkei, Kleinasien, Syrien, Persien
- Haussknechti* Witte, Berl. Ent. Zeitschr. XV, 1871, p. 207.
- ab. *aleppensis* Witte, I. c. p. 208. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). Syrien
- ab. *bilunatus* Schauf. Nunquam otios. I, 1871, p. 210. — Heyd. Deutsche Ent. Zeitschr. 1890, p. 79. Cypern
- ab. *Schönfeldti* Heyd. Deutsche Ent. Zeitschr. 1890, p. 79. Persien
- zarudnianus* A. Sem. Rev. Russe d'Ent. III, 1903, p. 358; VII, 1908, p. 260. „
- ab. *bicoloriceps* A. Sem. I. c. III, 1903, p. 359.
- ab. *nigriventris* A. Sem. I. c.

### Indo-malayische und indo-australische Arten.

- Angasi* White in Angas, S. Austral. Ill. 1847, t. 50, f. 17; Cat. Col. Brit. Mus. VII, 1853, p. 140. Südaustralien

- carinifer** Pic, Longic. VII, 2, 1910, p. 24; VIII, 1, 1911, p. 21. Tonkin
- einctus** Lameere, Ann. Soc. Ent. Belg. XXXIV, 1890, Bull. p. 213. Thibet
- globiger** Fairm. Rev. d'Ent. VII, 1888, p. 139. China
- indus** A. Sem. Rev. Russe d'Ent. VII, 1908, p. 261. Kaschmir  
*Haussknechti* Gah. Fauna Brit. Ind. Col. I, 1906, p. 186.
- innotatus** Pic, Longic. VII, 2, 1910, p. 24. Yunnan
- malaccensis** Lacord. Gen. Col. IX, 1869, p. 176, nota 2. — Assam,  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 185. — A. Birma,  
*fasciatus* Brongn. Nouv. Archiv. Mus. Paris. (3) Siam,  
III, 1891, p. 241, t. 10, f. 5. Malacca,  
Sumatra,  
Java
- miniatus** Fairm. Mission Pavie III, 1904, p. 145. Tonkin
- montanus** White, Cat. Col. Brit. Mus. VII, 1853, p. 138. — Kaschmir,  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 186. — A. Himalaya,  
Sem. Rev. Russe d'Ent. VII, 1908, p. 261. Thibet  
ab. *kashmirensis* Pic, Longic. VI, 1, 1906, p. 10; Kaschmir  
Bull. Soc. Ent. Fr. 1910, p. 156; Longic. VIII,  
1, 1911, p. 5.
- petasifer** Fairm. Rev. d'Ent. VII, 1888, p. 140. China
- quadrinotatus** White in Stokes, Discov. I, 1846, p. 510, t. 2, f. 6. Australien
- australicus* Thoms. Classif. Ceramb. 1860, p. 203.
- ✓ **sanguinolentus** Ol. Ent. IV, 67, 1795, p. 93, t. 20, f. 155. Ostindien,  
— Lacord. Gen. Col. IX, 1869, p. 177 nota. — Ceylon  
Rits. Notes Leyden Mus. VII, 1885, p. 128. —  
Gah. Fauna Brit. Ind. Col. I, 1906, p. 184, f. 73 ♂♀.
- sideriger** Fairm. Rev. d'Ent. VII, 1888, p. 139; Ann. Soc. China  
Ent. Fr. (6) VIII, 1888, Bull. p. 155.  
*Pratti* Gahan, Ann. Mag. Nat. Hist. (6) II, 1888,  
p. 61.
- ✗ **subnotatus** Pic, Longic. VII, 2, 1910, p. 24. Yunnan
- variabilis** Montrouz. Ann. Soc. Agr. Lyon VII, 1857, p. 60. Ins. Wood-  
lark
- Wieneckei** Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 105, Timor  
t. 4, f. 5. — Rits. Notes Leyden Mus. VII, 1885,  
p. 128.

### Äthiopische Arten.

- bipartitus** Jord. in Smith, Through unkn. Afr. Countr. Somali  
1897, p. 452.
- decorus** Ol. Ent. IV, 67, 1795, p. 128, t. 5, f. 38. — Senegal  
Gory in Guér. Icon. règne anim. Ins. 1844, p. 223.  
♀ *tripunctatus* Gory, l. c. t. 43, f. 7.
- Duchaussayi** Théry, Ann. Soc. Ent. Fr. LXII, 1893, Bull. Sudan  
p. 177.
- laetus** Thoms. Syst. Ceramb. 1864, p. 197. — Oliveira, Südafrika,  
Jorn. Sc. Lisboa X, 1884, p. 109. — Dist. Ins. Uganda  
Transvaal. 1904, p. 126, t. 11, f. 25.
- var. *congoanus* Auriv. Arkiv f. Zool. VII, 3, 1910, Congo  
p. 200.
- Wahlbergi** Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, Kaffernland  
1872, p. 68.

## Nordamerikanische Arten.

- axillaris** Hald. Trans. Amer. Philos. Soc. (2) X, 1847, p. 31. — J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 11. — Leng, Ent. Amer. II, 1886, p. 82. — Hamilt. Canad. Ent. XXII, 1890, p. 238. Massachu-  
setts,  
New York,  
Pennsyl-  
vanien,  
Texas
- dimidiatus** J. Lec. Trans. Amer. Ent. Soc. XII, 1885, p. 23. — Leng, Ent. Amer. II, 1886, p. 82. Californien
- humeralis** F. Ent. Syst. Suppl. 1798, p. 143. — Bland, Proc. Ent. Soc. Philad. I, 1862, p. 276. — Leng, Ent. Amer. II, 1886, p. 82, t. 2, f. 11. — Wickh. Canad. Ent. XXIX, 1897, p. 149. Weststaaten  
Nordame-  
rikas,  
Canada

37

сераз, *Pyreninobos nigra*  
*sercoufi*, sp. *Pyreninobos*  
 and *Sig. occident* (South Africa)  
 Soc. Ent. de 1920, p. 22, fig. 2

**Calchaenesthes** Kraatz.

Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 97. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 141. — Thoms. Syst. Ceramb. 1864, p. 423. — Lacord. Gen. Col. IX, 1869, p. 182. — Redt. Fauna Austr. ed. 3, II, 1874, p. 397. — Ganglb. Best.-Tab. VII, 1881, p. 10 (688). — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 262.

- oblongomaculata** Guér. Icon. règne anim. Ins. 1844, p. 234. — Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 91. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 42, f. 193. — Redt. Fauna Austr. ed. 3, II, 1874, p. 398. — Ganglb. Best.-Tab. VII, 1881, p. 64 (742). Türkei,  
Griechen-  
land,  
Kleinasien,  
Syrien,  
Nordafrika,  
Spanien
- Nogeli* Friv. A Kiral. Magy. termész. társ. evkön. I, 1845, p. 183, t. 2, f. 4; Wien. Ent. Monatschr. IV, 1860, p. 149. — Kraatz, Berl. Ent. Zeitschr. VII, 1863, p. 97, t. 4, f. 3—6.
- quadrinaculata* Pic, Rev. Sc. Bourb. 1896, p. 103. — Pic, Longic. II, 1898, p. 10.
- ab. *sexmaculata* Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 91. — Pic, Longic. I, 1891, p. 24; II, 1898, p. 10.

1

**Sternoplistes** Guér.

Guér. Icon. règne anim. Ins. 1844, p. 224. — Thoms. Syst. Ceramb. 1864, p. 429. — Lacord. Gen. Col. IX, 1869, p. 179. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263.

- Schaiblei** Nonfr. Ent. Nachr. XVIII, 1892, p. 92. Südchina
- ✓ **spectabilis** Motsch. Études Ent. VI, 1857, p. 36. Japan
- Temmincki* Matsum. Thous. Ins. Japan III, 1908, nr. 697, t. 52, f. 11 (non „12“).
- **Temmincki** Guér. Icon. règne anim. Ins. 1844, p. 224. — Lacord. Gen. Col. IX, 1869, p. 179, t. 94, f. 3. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263. Japan,  
China
- japanus* Motsch. Études Ent. VI, 1857, p. 37.
- sinensis* White, Cat. Col. Brit. Mus. VII, 1853, p. 139.

3

**Asiates A. Sem.**

A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263.

*Anoplistes* Serv. Ann. Soc. Ent. Fr. II, 1833, p. 570. — Cast. Hist. Nat. II, 1840, p. 431. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 429. — Muls. Col. Fr. Long. ed. 2, 1863, p. 72. — Fairm. Gen. Col. d'Eur. IV, 1864, p. 141. — Lacord. Gen. Col. IX, 1869, p. 180. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741).

- ✓ *altajensis* Laxm. Nov. Comment. Acad. Petrop. XIV, 1, 1770, p. 597, t. 24, f. 7. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 174. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). — Pic, Longic. VI, 1, 1906, p. 10. Südrussland, Sibirien
- ephippium* Fischer, Entomogr. Ross. II, 1824, p. 238, t. 49, f. 3, 4.
- sellatus* Germ. Ins. spec. nov. 1824, p. 498. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Muls. Col. Fr. Long. ed. 2, 1863, p. 73.
- ab. *affinis* Motsch. Etudes Ent. I, 1852, p. 79; Bull. Moscou XLIX, 1, 1875, p. 147. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 174. Sibirien
- ab. *basilaris* Pic, Longic. VI, 1, 1906, p. 10. Sibirien
- amoenus* Reitter, Wien. Ent. Zeit. XVII, 1898, p. 126. Mongolei
- degener* A. Sem. Rev. Russe d'Ent. VI, 1907, p. 255. Tsaidam
- ✓ *ephippium* Stev. & Dalm. in Schönh. Syn. Ins. I, 3, 1817, Append. p. 157. — Cast. Hist. Nat. II, 1840, p. 431. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Muls. Col. Fr. Long. ed. 2, 1863, p. 73. — Fairm. Gen. Col. d'Eur. IV, 1864, t. 41, f. 192. — Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 77 nota. — Jacobs. Käfer Russl. 1910, t. 68, f. 6. Südrussland, Sibirien
- elaeagni* Fischer, Entomogr. Ross. II, 1824, p. 238.
- halodendri* Fischer, l. c. t. 49, f. 7, 8.
- halodendri* var. Gebl. Ledeb. Reise II, 3, 1830, p. 181. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 173. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741).
- humeralis* Ol. Ent. IV, 67, 1795, t. 19, f. 141 a (nicht p. 38).
- forticornis* Reitter, Deutsche Ent. Zeitsehr. 1901, p. 84. Turkestan
- ✓ *halodendri* Pallas, Reisen Russ. Reich II, 1776, p. 724; Icones Ins. III, 1798, t. F, f. 15. — Fischer, Entomogr. Ross. II, 1824, p. 238. — Redt. Fauna Austr. ed. 2, 1858, p. 842; ed. 3, II, 1874, p. 398. — Muls. Col. Fr. Long. ed. 2, 1863, p. 73. — Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 173. — Ganglb. Best.-Tab. VII, 1881, p. 63 (741). Südrussland, Sibirien
- elaeagri* Fischer, Entomogr. Ross. II, 1824, f. 49, f. 5, 6.
- humeralis* Ol. Ent. IV, 67, 1795, p. 38, t. 19, f. 141 b.
- Jacobsoni* Baeckm. Rev. Russe d'Ent. IV, 1904, p. 312. Syr-Darja
- Pic, Longic. VII, 2, 1910, p. 3.

<b>minutus</b>	Hammarstr. Öfvers. Finska Vet. Soc. Förh. XXXIV, 1893, p. 191. — Eaeckm. Rev. Russe d'Ent. IV, 1904, p. 312. — A. Sem. l. c. VI, 1907, p. 255.	Sibirien
<b>mongolicus</b>	Ganglb. Horae Soc. Ent. Ross. XXIV, 1889, p. 75.	Mongolei
<b>procerus</b>	A. Sem. Rev. Russe d'Ent. VI, 1907, p. 256; IX, 1909, p. 27.	Turkestan
✓ <b>sanguinipennis</b>	Blessig, Horae Soc. Ent. Ross. IX, 1872, p. 175. — A. Sem. Rev. Russe d'Ent. VII, 1908, p. 263.	Amur
<b>suturalis</b>	Pic, Longic. VI, 1, 1906, p. 16.	China

12

**Brototyche** Pasc.

Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 317. — Lacord. Gen. Col. IX, 1869, p. 181.

**Adamsi** Pascoe, Ann. Mag. Nat. Hist. (3) XIX, 1867, p. 318. Insel Chosan

1

**Amarysius** Fairm.

Fairm. Rev. d'Ent. VII, 1888, p. 140.

**dilatatus** Fairm. l. c. p. 141. Peking

1

**Eleanor** Thoms.

Thoms. Syst. Ceramb. 1864, p. 197. — Lacord. Gen. Col. IX, 1869, p. 178.

<b>Dohrni</b>	Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 69. — Dist. Ins. Transvaal. 1904, p. 126, t. 11, f. 24.	Transvaal, Delagoa- bay
<b>Mediei</b>	Bertol. Nov. Comment. Acad. Bonon. X, 1849, p. 401, t. 8, f. 8; sep. Ill. Rer. Nat. Mozamb. I, 1849, p. 23, t. 1, f. 8. — Lacord. Gen. Col. IX, 1869, p. 178, nota 3.	Mossambik, Matabele- land, Transvaal, Senegal

*tragocephaloides* Thoms. Syst. Ceramb. 1864, p. 198. — Fährs. Öfvers. Vet. Akad. Förh. XXIX, 1, 1872, p. 69. — Westw. in Oates, Matabele Land, ed. 2, 1889, p. 380, t. 8, f. 2. — Dist. Ins. Transvaal. 1904, p. 126, t. 13, f. 4.

2

**Metaleptus** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 192. — J. Lec. Trans. Amer. Ent. Soc. XII, 1885, p. 174, 175. — Leng, Ent. Amer. II, 1886, p. 60, 82.

<b>angulatus</b>	Chevr. Col. Mex. Cent. I, 4, 1834, nr. 67. — Bates, Biol. C.-Amer. Col. V, 1880, p. 78. — Leng, Ent. Amer. II, 1886, p. 82.	Mexico, Süd- californien,
<i>marginellus</i>	Bates, Trans. Ent. Soc. Lond. 1872, p. 193; Biol. C.-Am. Col. V, 1880, t. 6, f. 8.	Nicaragua
✓ <b>Batesi</b>	Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 174. — Leng, Ent. Amer. II, 1886, p. 82.	Arizona

- ✓ **binoeculus** Bates, Trans. Ent. Soc. Lond. 1872, p. 193  
nota; Biol. C.-Amer. Col. V, 1880, p. 78, t. 6, f. 7. Mexico,  
Nicagarua
- ✓ **brasilienis** Schauf. Nunquam otios. I, 1871, p. 210. Brasilien
- ✓ **coccinatus** Bates, Trans. Ent. Soc. Lond. 1872, p. 193;  
Biol. C.-Am. Col. V, 1880, p. 79. Nicaragua
- ✓ **comis** Bates, Trans. Ent. Soc. Lond. 1892, p. 175, t. 7, f. 9. Mexico
- ✓ **femoratus** Schaeffer, Bull. Brookl. Inst. I, 1909, p. 384;  
Journ. N. York Ent. Soc. XIX, 1911, p. 124. Arizona
- gracilior* Fall, Canad. Ent. XLI, 1909, p. 164.
- Hondurae** Nonfr. Ent. Nachr. XX, 1894, p. 138. Honduras
- pyrrhulus** Bates, Biol. C.-Am. Col. V, 1880, p. 79. Guatemala

9

**Triacetelus** Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 176.

- sericatus** Bates, l. c. Mexico

1

**Aëthecerus** Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 532. — Thoms. Syst. Ceramb. 1864, p. 424. — Lacord. Gen. Col. IX, 1869, p. 183. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 133 (Synopsis). — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng, Ent. Amer. II, 1886, p. 60. — Leng, Ent. Amer. II, 1886, p. 82 (Synopsis).

- Horni** Lacord. Gen. Col. IX, 1869, p. 184 nota. — Horn, Florida  
Synops. p. 133. — Leng, Synops. p. 82.
- latecinctus** Horn, Trans. Amer. Ent. Soc. VIII, 1880, Arizona  
p. 134. — Leng, Synops. p. 82.
- Wilsoni** Horn, Proc. Acad. Philad. 1860, p. 570, t. 8, f. 4. Arizona,  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 533. Texas,  
— Lacord. Gen. Col. IX, 1869, p. 183, nota 2, Mexico  
t. 94, f. 5. — Horn, Synops. p. 133. — Leng,  
Synops. p. 82.

3

**Oxoplus** J. Lec.

J. Lec. Proc. Acad. Philad. XIV, 1862, p. 41. — Lacord. Gen. Col. IX, 1869, p. 179. — J. Lec. Smiths. Misc. Coll. XI, 265; 1873, p. 315. — Bates, Biol. C.-Am. Col. V, 1880, p. 80. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 175 (Synopsis). — Leng, Ent. Amer. II, 1886, p. 60, 102 (Synopsis). — Casey, Ann. N. York Acad. VII, 1893, p. 588.

- coccineus** Casey, Ann. N. York Acad. VII, 1893, p. 588. Utah  
— Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 170.
- corallinus** J. Lec. Proc. Acad. Philad. XIV, 1862, p. 42. Wyoming,  
— Horn, Synops. p. 175. — Leng, Synops. p. 102. Utah,  
t. 3, f. 16. Neumexico
- eruentus** J. Lec. Proc. Acad. Philad. XIV, 1862, p. 42. — Under-  
Horn, Synops. p. 175. — Leng, Synops. p. 102. californien
- jocosus** Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 175. Colorado,  
— Leng, Synops. p. 103. Arizona

- marginatus** J. Lec. Proc. Acad. Philad. XIV, 1862, p. 42; Trans. Amer. Ent. Soc. XII, 1885, p. 23. — Horn, Synops. p. 175. — Leng, Synops. p. 102. Unter-californien
- ornaticollis** Lacord. Gen. Col. IX, 1869, p. 180, nota 1, t. 94, f. 4. Mexico
- poecilus** Bates, Biol. C.-Am. Col. V, 1880, p. 80. „

7

**Schizax** J. Lec.

J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 195; XI, 265, 1873, p. 315. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 60.

- senex** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, p. 196. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 118, t. 2, f. 17. Arizona

1

**Hoega** Bates.

Bates, Biol. C.-Amer. Col. V, 1885, p. 326.

- distigma** Bates, l. c. p. 327, t. 21, f. 25. Mexico

1

**Tylosis** J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9; Smiths. Misc. Coll. XI, 265, 1873, p. 316. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 430. — Lacord. Gen. Col. IX, 1869, p. 181. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 60.

- dimidiata** Bates, Trans. Ent. Soc. Lond. 1892, p. 177, t. 7, f. 13. Mexico
- ✓ **Jimenezi** Dugès, La Natural. Mex. IV, 1879, p. 186, t. 6, f. 11. — Bates, Biol. C.-Amer. Col. V, 1885, p. 326. „
- maculata** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9; Col. of Kans. 1859, p. 20, t. 2, f. 15. — Leng, Ent. Amer. II, 1886, p. 118, t. 2, f. 18. Texas, Arizona
- ab. *sellata* J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, p. 25. — Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 176. Neumexico
- ✓ **oculata** J. Lec. Journ. Acad. Philad. (2) II, 1850, p. 9. — Leng, Ent. Amer. II, 1886, p. 118. Mexico
- ✓ **puncticollis** Bates, Biol. C.-Amer. Col. V, 1885, p. 325. — Schaeffer, Bull. Brookl. Inst. I, 1908, p. 340. Mexico, Arizona
- maculata** Bates, Biol. C.-Amer. Col. V, 1880, p. 81. var. *angusticollis* Bates, l. c. p. 325; Trans. Ent. Soc. Lond. 1892, p. 177. Mexico
- ✓ **suturalis** White, Cat. Col. Brit. Mus. VII, 1853, p. 141, t. 4, f. 5. — Bates, Biol. C.-Amer. Col. V, 1885, p. 326. Mexico

6

**Crossidius J. Lec.**

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 102; Smiths. Misc. Coll. XI, 264, 1873, p. 196 (Synopsis); XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 60, 118 (Syn.). — Casey, Ann. N. York Acad. VI, 1892, p. 31 (Synopsis). — Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896, p. 171 (Synopsis).

Variation: Wickham, Canad. Ent. XXV, 1893, p. 189—194, tab.

- aegrotus** Bates, Trans. Ent. Soc. Lond. 1892, p. 178. Mexico
- Allgewahri** J. Lec. Bull. U. S. Geol. Survey IV, 2, 1878, Idaho  
p. 461; N. Amer. Entomol. I, 1879, p. 1, t. 1,  
f. 1. — Leng, Synops. p. 119.
- ater** J. Lec. Proc. Acad. Philad. 1861, p. 356. — J. Lec. Utah,  
Synops. p. 196. — Leng, Synops. p. 118. Californien
- Blandi** Casey, Ann. N. York Acad. VII, 1893, p. 589. — Utah  
Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896,  
p. 170.
- crassipes** Casey, Ann. N. York Acad. VI, 1892, p. 32. Washington  
— Hamilt. Trans. Amer. Ent. Soc. XXIII, 1896,  
p. 170, 171.
- ✓ **discoideus** Say, Journ. Acad. Philad. III, 1823, p. 411. Idaho,  
— J. Lec. Synops. p. 197. — Leng, Synops. Colorado,  
p. 119, t. 2, f. 19. — Wickham, Canad. Ent. Arizona,  
XXV, 1893, p. 191, tab., fig. o, p. Montana,  
*pulchrior* Bland, Proc. Ent. Soc. Philad. I, 1862, Nebraska,  
p. 272, f. 2. Neumexico
- hirtipes** J. Lec. Proc. Acad. Philad. VII, 1854, p. 18; Californien,  
Ent. Report 1857, p. 61; Synops. p. 196. — Oregon,  
Leng, Synops. p. 118. — Casey, Synops. p. 31. Washing-  
— Hamilt. Synops. p. 171. ton-Terr.,  
Utah
- humeralis** J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, Texas,  
p. 25; Synops. p. 197. — Leng, Synops. p. 119. Neumexico
- intermedius** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Arizona,  
p. 196. — Ulke in Wheeler, Report Geogr. Neumexico  
Explor. V, 1876, p. 813, t. 12, f. 1: Bull. Brookl.  
Ent. Soc. IV, 1882, p. 42. — Leng, Synops.  
p. 118, t. 3, f. 20. — Casey, Synops. p. 31. —  
Wickham, Canad. Ent. XXV, 1893, p. 191,  
tab., fig. l. — Hamilt. Synops. p. 171.
- longipennis** Casey, Ann. N. York Acad. VI, 1892, p. 31. Neumexico  
— Wickham, Canad. Ent. XXV, 1893, p. 191,  
tab., fig. k. — Hamilt. Synops. p. 170, 171.
- militaris** Bates, Trans. Ent. Soc. Lond. 1892, p. 177, Mexico  
t. 7, f. 14.
- nitidicollis** Casey, Ann. N. York Acad. VI, 1892, p. 33. Arizona  
— Wickham, Canad. Ent. XXV, 1893, p. 191,  
tab., fig. m, n. — Hamilt. Synops. p. 170, 171.
- ✓ **Palmeri** Bates, Biol. C.-Amer. Col. V, 1880, p. 81; Trans. Mexico  
Ent. Soc. Lond. 1892, p. 177.
- pulchellus** J. Lec. Proc. Acad. Philad. 1861, p. 356; Californien,  
Synops. p. 196. — Leng, Synops. p. 118. — Casey, Colorado,  
Synops. p. 31. — Wickham, Canad. Ent. XXV, Neumexico,  
1893, p. 190, 193, tab., fig. a—j, q—t. — Hamilt. Utah  
Synops. p. 171.
- punctatus** J. Lec. Smiths. Misc. Coll. XI, 264, 1873, Oregon,  
p. 196, 197. — Leng, Synops. p. 118. — Casey, Californien  
Synops. p. 31. — Hamilt. Synops. p. 171.

- suturalis* J. Lec. Proc. Acad. Philad. 1858, p. 83. Mexico  
*testaceus* J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 102; Californien,  
 Synops. p. 196. — Leng, Synops. p. 118. — Casey, Colorado  
 Synops. p. 31. — Hamilt. Synops. p. 171.  
*trivittatus* Bates, Biol. C.-Amer. Col. V, 1880—85, Mexico  
 p. 82, 327.  
 18

### Sphaenothecus Dupont.

- Dupont, Mag. Zool. VIII, 1838, Cl. IX, Monogr. Trachyd. II, p. 55, t. 224,  
 f. 16. — Thoms. Classif. Ceramb. 1860, p. 209; Syst. Ceramb. 1864, p. 432.  
 — Lacord. Gen. Col. IX, 1869, p. 184. — J. Lec. Smiths. Misc. Coll. XI,  
 265, 1873, p. 316. — J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 301.  
 — Leng, Ent. Amer. II, 1886, p. 60.  
*Ischnocnemis* J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 316.  
 — J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 301. — Leng,  
 Ent. Amer. II, 1886, p. 61.  
*Sphenothecus* Gemm. & Har. Cat. Col. IX, 1873, p. 2972. —  
 Bates, Biol. C.-Amer. Col. V, 1880, p. 84.  
*argenteus* Bates, Biol. C.-Amer. Col. V, 1880, p. 84. Guatemala  
*basalis* Horn, Bull. Calif. Acad. (2) IV, 1894, p. 401. Unter-  
 californien  
*bivittatus* Dupont, Monogr. Trachyd. II, 1838, p. 58, Mexico,  
 t. 220, f. 1. — Guér. Icon. règne anim. Ins. 1844, Texas,  
 p. 250. — Leng, Ent. Amer. II, 1887, p. 193. Arizona  
*bilineatus* Gory in Guér. Icon. règne. anim. Ins.  
 1837, t. 45, f. 9. — Gray in Griffith, Anim.  
 Kindl. Ins. 1832, t. 95, f. 9. — Cast. Hist. Nat.  
 II, 1840, p. 490, t. 34, f. 4.  
*eribellatus* Bates, Trans. Ent. Soc. Lond. 1892, p. 179. Mexico  
*eribricollis* Bates, l. c. „  
*eyanicollis* Dupont, Monogr. Trachyd. II, 1838, p. 59, Mexico,  
 t. 220, f. 2. — Lacord. Gen. Col. IX, 1869, p. 184, Texas,  
 nota 3. — Leng, Ent. Amer. II, 1886, p. 83. Arizona  
*funebriis* Bates, Biol. C.-Amer. Col. V, 1880, p. 85. Guatemala  
*luteicollis* Bates, l. c. 1885, p. 329. Mexico  
*pallidus* Schaeffer, Bull. Brookl. Inst. I, 1905, p. 132. Unter-  
 californien  
*pieticornis* Bates, Biol. C.-Amer. Col. V, 1880, p. 84. Mexico  
*quadrivittatus* Bates, Trans. Ent. Soc. Lond. 1892, „  
 p. 179.  
*suturalis* J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, Texas,  
 p. 25. — Leng, Ent. Amer. II, 1886, p. 119, Arizona,  
 t. 2, f. 21. Neumexico,  
 Californien  
 var. *rubens* Casey, Ann. N. York Acad. VI, 1892, Arizona  
 p. 34. — Hamilt. Trans. Amer. Ent. Soc. XXIII,  
 1896, p. 171.  
*tomentosus* Dupont, Monogr. Trachyd. II, 1838, p. 56, Mexico  
 t. 219, f. 1. — Bates, Biol. C.-Amer. Col. V,  
 1885, p. 328.  
*trilineatus* Dupont, Monogr. Trachyd. II, 1838, p. 57, „  
 t. 219, f. 2. — Bates, Biol. C.-Amer. Col. V,  
 1885, p. 329.

**Perarthrus** J. Lec.

J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 101. — Thoms. Classif. Ceramb. 1860, p. 190; Syst. Ceramb. 1864, p. 430. — Lacord. Gen. Col. IX, 1869, p. 191. — J. Lec. Smiths. Misc. Col. XI, 265, 1873, p. 316. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 301. — Leng, Ent. Amer. II, 1886, p. 61.

✓ **vittatus** J. Lec. Journ. Acad. Philad. (2) II, 1852, p. 102. Californien  
— Leng, Ent. Amer. II, 1886, p. 120.

1

**Ischnocnemis** Thoms.

Thoms. Syst. Ceramb. 1864, p. 199. — Lacord. Gen. Col. IX, 1869, p. 185.  
— Bates, Biol. C.-Amer. Col. V, 1880, p. 83.

✓ **coeruleseens** Bates, l. c. 1885, p. 328. Mexico

**costipennis** Thoms. Syst. Ceramb. 1864, p. 199. — Dohrn, Stett. Ent. Zeit. XXXIII, 1872, p. 162. — Bates, Biol. C.-Amer. Col. V, 1885, p. 327. „

**cyaneus** Bates, Trans. Ent. Soc. Lond. 1892, p. 178. „

**minor** Bates, Biol. C.-Amer. Col. V, 1880, p. 83. „

**sexualis** Bates, l. c. 1885, p. 328. „

5

**Galissus** Dupont.

Dupont, Mag. Zool. X, 1840, Monogr. Trachyd. Suppl. p. 1. — Thoms. Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 186.

**cyanopterus** Dupont, Monogr. Trachyd. Suppl. 1840, Cayenne  
p. 1, t. 28.

1

**Muscidora** Thoms.

Thoms. Syst. Ceramb. 1864, p. 202. — Lacord. Gen. Col. IX, 1869, p. 186.  
— Bates, Biol. C.-Amer. Col. V, 1885, p. 322, 329.

**tricolor** Thoms. Syst. Ceramb. 1864, p. 202. — Lacord. Mexico  
Gen. Col. IX, 1869, p. 187.

1

**Mannophorus** J. Lec.

J. Lec. Proc. Acad. Philad. VI, 1853, p. 442; Smiths. Misc. Coll. XI, 1873, p. 314. — Thoms. Syst. Ceramb. 1864, p. 432. — J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 299. — Leng, Ent. Amer. II, 1886, p. 60.

✓ **ferreus** Bates, Biol. C.-Amer. Col. V, 1880, p. 82. Mexico

✓ **Forreri** Bates, l. c. 1885, p. 327, t. 21, f. 24. „

✓ **laetus** J. Lec. Proc. Acad. Philad. VI, 1853, p. 442. — Mexico,  
Leng, Ent. Amer. II, 1886, p. 83, t. 2, f. 14. Texas

3

**Entomosterna** Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 752. — Thoms. Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 187. — Bates, Biol. C.-Amer. Col. V, 1885, p. 330.

*Dithymia* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 753.

*eruentata* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 753. Mexico  
 — Bates, Biol. C.-Amer. Col. V, 1885, p. 330.  
*eburata* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 755. „  
*miniatocollis* Chevr. l. c. p. 756. „  
*sanguiniventris* Chevr. l. c. p. 754. — Bates, Biol. C.-Amer. Col. V, 1885, p. 330. „  
*trucidata* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 755. Mexico,  
 Nicaragua

5

**Pleuromenus** Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 194.

*baccifer* Bates, l. c.; Biol. C.-Amer. Col. V, 1880—85, Nicaragua  
 p. 330, t. 6, f. 4.  
*semicostatus* Bates, Trans. Ent. Soc. Lond. 1872, p. 195; „  
 Biol. C.-Amer. Col. V, 1885, p. 330.

2

**Cyphosterna** Chevr.

Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 756. — Thoms. Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 188.

*Dioxiotis* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 757.

*Gambria* Chevr. l. c. p. 760. — Thoms. Syst. Ceramb. 1864, p. 432.  
 — Lacord. Gen. Col. IX, 1869, p. 189. — Bates, Biol. C.-Amer. Col. V, 1880, p. 86.

*bicolor* Chevr. Ann. Soc. Ent. Fr. (2) II, 1862, p. 758. Mexico  
*emarginata* Chevr. l. c. Yucatan  
*leucozona* Bates, Biol. C.-Amer. Col. V, 1880, p. 86. Mexico  
*nigripennis* Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 760. Brasilien  
*quadrilineata* Chevr. l. c. p. 757. Yucatan  
*tripunctata* Chevr. l. c. p. 759. — Goun. Ann. Soc. Ent. Bolivien  
 Fr. LXXX, 1911, p. 134.  
*ornaticollis* Chevr. l. c. (4) II, 1862, p. 759.

6

**Amannus** J. Lec.

J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, p. 24. — Thoms. Syst. Ceramb. 1864, p. 432. — Lacord. Gen. Col. IX, 1869, p. 82. — J. Lec. Smiths. Misc. Coll. XI, 1873, p. 314. — J. Lec. & Horn. Classif. Col. N. Amer. 1883, p. 299. — Leng, Ent. Amer. II, 1886, p. 60.

*pectoralis* J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, Californien,  
 p. 25. — Leng, Ent. Amer. II, 1886, p. 83. Colorado  
*vittiger* J. Lec. Journ. Acad. Philad. (2) IV, 1, 1858, p. 24, Texas,  
 — Leng, Ent. Amer. II, 1886, p. 83. Neumexico

2

**Batyle** Thoms.

Thoms. Syst. Ceramb. 1864, p. 201. — Lacord. Gen. Col. IX, 1869, p. 131.  
— J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 314. — J. Lec. & Horn,  
Classif. Col. N. Amer. 1883, p. 299.

- cylindrella* Casey, Ann. N. York Acad. VII, 1893, p. 587. Texas  
— Hamilt. Trans. Amer. Ent. Soc. XXIII,  
1896, p. 169.
- ignicollis* Say, Journ. Acad. Philad. III, 1823, p. 412. Südwest-  
— J. Lec. Journ. Acad. Philad. (2) II, 1850, staaten  
p. 18. — Thoms. Syst. Ceramb. 1864, p. 202. — Nordame-  
Leng. Ent. Amer. II, 1886, p. 102, t. 3, f. 15. rikas,  
— Wickh. Canad. Ent. XXIX, 1897, p. 148. Canada
- coccineicollis* Hald. Trans. Amer. Philos. Soc.  
(2) X, 1847, p. 39.
- sanguinicollis* Germ. Ins. spec. novae 1824,  
p. 515.
- suturalis* Say, Journ. Acad. Philad. III, 1823, p. 411. — Vereinigte  
— J. Lec. Journ. Acad. Philad. (2) II, 1850, Staaten  
p. 18. — Leng. Ent. Amer. II, 1886, p. 102. — Nord-  
Wickh. Canad. Ent. XXIX, 1897, p. 148. amerikas,  
Biologie: Ins. affect. Trees 1907, p. 663, f. 192. Canada
- ab. *miniata* Germ. Ins. spec. novae 1824, p. 515.
- ab. *rubra* J. Lec. Proc. Acad. Philad. X, 1858, p. 82.
- suturalis* White, Cat. Col. Brit. Mus. VIII, 1855,  
p. 294.
- ab. *Pearsalli* Bland, Proc. Ent. Soc. Philad. I, Nebraska  
1862, p. 272.
- ab. *rubra* Newm. Ent. Mag. V, 1838, p. 393. Ohio
- ab. *rutilans* J. Lec. Journ. Acad. Philad. (2) II, Santa Fé  
1850, p. 18.

3

**Axestoleus** Bates.

Bates, Trans. Ent. Soc. Lond. 1892, p. 180.

- meridionalis* Bates, Biol. C.-Amer. Col. V, 1880, p. 87. Mexico
- quinquepunctatus* Bates, Trans. Ent. Soc. Lond. 1892, „  
p. 181, t. 7, f. 16.

2

**Eriphus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 88. — Cast. Hist. Nat. II, 1840,  
p. 451. — Thoms. Classif. Ceramb. 1860, p. 217; Syst. Ceramb. 1864, p. 430.  
— Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 747 (Monographie). — Lacord.  
Gen. Col. IX, 1869, p. 190.

- aeneicollis* Buq. in Guér. Icon. règne anim. Ins. 1844, Cayenne  
p. 226. — Chevr. Monogr. p. 747 (Genus?).
- bahiensis* Chevr. Monogr. p. 749. Bahia
- bipartitus* Buq. in Guér. Icon. règne anim. Ins. 1844, Brasilien  
p. 226. — Chevr. Monogr. p. 747 (Genus?)
- bisignatus* Germ. Ins. spec. novae 1824, p. 516. — Serv. „  
Ann. Soc. Ent. Fr. III, 1834, p. 89. — White, Cat.  
Col. Brit. Mus. VIII, 1855, p. 292. — Chevr. Mo-  
nogr. p. 748.
- collaris* Er. Schomb. Reise III, 1848, p. 572. Guyana
- croceicollis* White, Cat. Col. Brit. Mus. VIII, 1855, p. 292. Pará  
— Bates, Trans. Ent. Soc. Lond. 1870, p. 429.

- dimidiatus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 293, t. 6, f. 7. — Chevr. Monogr. p. 749. Brasilien
- haematoderus** Chevr. Monogr. p. 750. Bolivien
- immaculicollis** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 89. — Cast. Hist. Nat. II, 1840, p. 451. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 292. — Chevr. Monogr. p. 749. Brasilien
- lineatocollis** Chevr. Monogr. p. 750. Cayenne
- luctuosus** Chevr. Monogr. p. 750. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 134. Brasilien
- mexicanus** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 89. — Cast. Hist. Nat. II, 1840, p. 451. — White, Cat. Col. Brit. Mus. VIII, 1855, p. 748. — Chevr. Monogr. p. 748. Mexico
- unipunctatus* Buq. in Guér. Ieon. règne anim. Ins. 1844, p. 226.
- plagiatus** White, Cat. Col. Brit. Mus. VIII, 1855, p. 293. — Chevr. Monogr. p. 748. Brasilien
- prolixus** Bates, Trans. Ent. Soc. Lond. 1872, p. 193; Biol. C.-Amer. Col. V, 1880, p. 88, t. 6, f. 15. Nicaragua
- purpuratus** Chevr. Monogr. p. 748. Brasilien
- sellatus** Buq. in Guér. Ieon. règne anim. Ins. 1844, p. 226. — Chevr. Ann. Soc. Ent. Fr. (4) II, 1862, p. 747 (Genus?). „
- xanthoderus** Bates, Trans. Ent. Soc. Lond. 1870, p. 429. Pará

17

## LXXXVII. Dorcadocerini.

*Dorcacarinae* Lacordaire, Gen. Col. IX, 1869, p. 192.

### Dorcadocerus Germ.

Germar, Ins. spec. novae 1824, p. 501.

*Dorcadocerus* Latr. in Cuv. Règne anim. ed. 2, V, 1829, p. 111. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, p. 474. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 30. — Cast. Hist. Nat. II, 1840, p. 420. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 457. — Lacord. Gen. Col. IX, 1869, p. 193.

- barbatus** Ol. Enc. méth. Ins. V, 1790, p. 300; Ent. IV, 67, 1795, p. 10, t. 13, f. 94. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, t. 65, f. 3. — Cast. Hist. Nat. II, 1840, p. 420. — Bates, Trans. Ent. Soc. Lond. 1870, p. 430. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 29. Brasilien
- auricomus* Germ. Mag. Ent. IV, 1821, p. 168.

1

## LXXXVIII. Trachyderini.

Lacordaire, Gen. Col. IX, 1869, p. 194.

Monographie: Dupont I, 1836, 51 pg., t. 141—164, in Mag. Zool. VI, 1836; II, 1838, XIII + 59 pg., t. 186—200, 204—224, in Mag. Zool. VIII, 1838; Supplement 1840, 16 pg., t. 28—38 in Mag. Zool. X, 1840.

**Desmoderus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 37. — Dupont, Monogr. I, p. 17; II, t. 222, f. 5. — Cast. Hist. Nat. II, 1840, p. 418. — Lacord. Gen. Col. IX, 1869, p. 196.

*Didymaeus* Thoms. Classif. Ceramb. 1860, p. 211; Syst. Ceramb. 1864, p. 435.

✓ *variabilis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 38. — Venezuela, Dupont, Monogr. I, p. 17, t. 148. — Cast. Hist. Brasilien  
Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb. 1860, p. 211.

1

**Aegoidus** Buq.

Buquet, Rev. Zool. 1838, p. 253. — Dupont, Monogr. Suppl. p. 2. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 435.

*Aegoidius* Lacord. Gen. Col. IX, 1869, p. 197.

*calligrammus* Bates, Biol. C.-Amer. Col. V, 1885, p. 331. Panama

✓ *Debauvei* Guér. Rev. Zool. 1838, p. 287. — Dupont, Monogr. Suppl. p. 5, t. 31. — Lacord. Gen. Col. IX, 1869, p. 197, nota 2. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 31. Guyana

*venustus* Newm. Proc. Ent. Soc. Lond. 1840, p. 3; Entomolog. I, 1840, p. 11.

*Earli* Guér. Rev. Zool. 1840, p. 334. Columbien

✓ *peruvianus* Buq. l. c. 1838, p. 254. — Dupont, Monogr. Suppl. p. 2, t. 29. Peru

*peruanus* Er. Archiv für Naturgesch. XIII, 1847, I, p. 139.

4

**Phaedinus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 38. — Dupont, Monogr. I, p. 18; II, t. 222, f. 6; Suppl. p. 3. — Cast. Hist. Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 198.

*corallinus* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 135. Goyaz

*flavipes* Thunb. Mém. Acad. St. Pétersb. VIII, 1822, p. 306, t. 10, f. 3. Brasilien

*microthorax* Perty, Del. Anim. Artic. 1834, p. 88, t. 17, f. 11. — Dupont, Monogr. Suppl. p. 6, t. 32.

*lanio* Guér. Rev. Zool. 1838, p. 287. — Dupont, Monogr. Suppl. p. 4, t. 30. Guyana

*Martii* Perty, Del. Anim. Artic. 1834, p. 86, t. 17, f. 6. — Brasilien

Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 135.

♂ *biplagiatus* Buq. Rev. Zool. 1840, p. 142; Mag. Zool. XI, 1841, p. 3, t. 67.

♂ *moestus* Newm. Ann. Mag. Nat. Hist. IV, 1840, p. 195.

*pictus* White, Cat. Col. Brit. Mus. VII, 1853, p. 65. Venezuela

*tricolor* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 39. — Dupont, Monogr. I, p. 19, t. 149. — Cast. Hist. Nat. Cayenne  
II, 1840, p. 418.

6

**Diastrophosternus** Goun.

Goun. Bull. Soc. Ent. Fr. 1911, p. 233.

**Bruchi** Goun. l. c. p. 234, f. 2.

Argentinien

1

**Basiptera** Thoms.

Thoms. Syst. Ceramb. 1864, p. 204. — Lacord. Gen. Col. IX, 1869, p. 199.

*Anosternus* Burm. Stett. Ent. Zeit. XL, 1879, p. 198.*Baseoptera* Gemm. & Har. Cat. Col. IX, 1873, p. 2976.**castaneipennis** Thoms. Syst. Ceramb. 1864, p. 205. — Argentinien  
Lacord. Gen. Col. IX, 1869, p. 200. (nicht*martialis* Dohrn, Stett. Ent. Zeit. XXXIX, 1878, "Mexico")  
p. 457.*sanguinolentus* Burm. l. c. XXVI, 1865, p. 162.

1

**Dendrobias** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 41. — Dupont, Monogr. I, p. 21; II, t. 222, f. 8. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 200. — Leng, Ent. Amer. II, 1886, p. 60.

**mandibularis** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 42.

Mexico,

— Dupont, Monogr. I, p. 23, t. 151, f. 1. — Cast.  
Hist. Nat. II, 1840, p. 416. — Leng, Ent. Amer.  
II, 1886, p. 61, t. 2, f. 6.Neu-  
mexico,  
Texas,♀ *quadrinaculatus* Dupont, Monogr. I, p. 22,  
t. 151, f. 2.Arizona,  
Californienab. *basalis* Dupont, Monogr. Suppl. p. 6, t. 33.ab. *testaceus* Dupont, l. c. I, p. 24, t. 152, f. 1. —

Lacord. Gen. Col. IX, 1869, p. 201, nota 1.

**maxillosus** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 44. —Martinique,  
NicaraguaDupont, Monogr. I, p. 25, t. 152, f. 2. — Bates,  
Biol. C.-Amer. Col. V, 1880, p. 88.

2

**Trachyderes** Dalm.

Dalm. in Schönh. Syn. Ins. I, 3, 1817, p. 364. — Thunb. Mém. Acad. St. Pétersb. VIII, 1822, p. 303. — Germ. Ins. spec. novae 1824, p. 501. — Latr. in Cuv. Règne anim. ed. 2, Ins. II, 1829, p. 112. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 45. — Dupont, Monogr. I, p. 27; II, t. 223, f. 10. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. I, 1832, p. 474. — Cast. Hist. Nat. II, 1840, p. 415, 416. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 201.

**argentinus** Bruch, Rev. Mus. La Plata XV, 1908, p. 216.Argentinien  
Columbien**badius** Dupont, Monogr. Suppl. p. 9.*spadiceus* Dupont, l. c. t. 36.**bicolor** Voet, Cat. Col. II, 1778, p. 10, t. 8, f. 24; ed. Panzer III, 1794, p. 22, t. 8, f. 24. — F. Mant. Ins.

Cayenne

I, 1787, p. 134. — Gmel. Syst. Nat. I, 4, 1790,

- p. 1823. — Ol. Enc. méth. Ins. V, 1790, p. 302; Ent. IV, 67, 1795, p. 18, t. 9, f. 61. — Dupont, Monogr. I, p. 51, t. 164, f. 2.
- bilineatus** Ol. Ent. IV, 67, 1795, p. 17, t. 21, f. 161. — Dupont, Monogr. II, p. 21, t. 197, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 433. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 137.
- ♀ *Dejeani* Dupont, Monogr. II, p. 15, t. 194, f. 1.
- ♂ *Duponti* Dupont, l. c. p. 17, t. 195, f. 1.
- ♂ *scabricollis* Dalm. Anal. Ent. 1823, p. 64. — Dupont, Monogr. II, p. 19, t. 195, f. 2.
- ♀ *Solieri* Dupont, l. c. p. 16, t. 194, f. 2.
- ab. *puncticollis* Dupont, l. c. p. 20, t. 197, f. 1.
- blandus** Dupont, Monogr. Suppl. p. 8, t. 35.
- Boisduvali** Dupont, Monogr. II, p. 5, t. 188, f. 1.
- Bonplandi** Goun. Bull. Mus. Paris XVI, 1910, p. 17.
- cardinalis** Dupont, Monogr. II, p. 28, t. 204, f. 1.
- cinctus** Dupont, l. c. p. 6, t. 189, f. 1.
- cingulatus** Klug, Nova Acta Acad. Nat. Cur. XII, 1825, p. 456. — Bates, Trans. Ent. Soc. Lond. 1870, p. 431.
- conformis** Dupont, Monogr. I, p. 49, t. 163, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 434.
- costatus** Auriv. Arkiv f. Zool. V, 1, 1909, p. 7 nota.
- cruentatus** Dupont, Monogr. II, p. 26, t. 200, f. 2.
- dimidiatus** F. Mant. Ins. I, 1787, p. 133. — Gmel. Syst. Nat. I, 4, 1790, p. 1823. — Ol. Enc. méth. Ins. V, 1790, p. 301; Ent. IV, 67, 1795, p. 18, t. 14, f. 96. — Dupont, Monogr. I, p. 48, t. 163, f. 1. — Er. Archiv Naturgesch. III, 1837, III, p. 306.
- ab. *notatus* Dupont, Monogr. I, p. 50, t. 164, f. 1.
- ab. *scapularis* Dupont, l. c. p. 47, t. 162, f. 2.
- ab. *taeniatus* Germ. Ins. spec. novae 1824, p. 512. — Dupont, Monogr. I, p. 46, t. 162, f. 1.
- Dorbignyi** Dupont, l. c. II, p. 23, t. 198, f. 2.
- elegans** Dupont, l. c. I, p. 30, t. 154, f. 1. — Bates, Biol. C.-Amer. Col. V, 1885, p. 332.
- ab. *eximius* Bates, l. c.
- Fabricii** Dupont, Monogr. II, p. 1, t. 186, f. 1.
- flaviventris** Auriv. Arkiv f. Zool. V, 1, 1909, p. 6, nota 1.
- Germari** Dupont, Monogr. I, p. 41, t. 160, f. 1.
- globicollis** Bates, Trans. Ent. Soc. Lond. 1870, p. 433.
- hilaris** Bates, Biol. C.-Amer. Col. V, 1880, p. 90, t. 6, f. 13.
- homoplatus** Dupont, Monogr. II, p. 26, t. 200, f. 1.
- humeralis** Auriv. Arkiv f. Zool. V, 1, 1909, p. 7 nota.
- impunctipennis** Bates, Trans. Ent. Soc. 1870, p. 432.
- intermedius** Dupont, Monogr. I, p. 36, t. 157, f. 1.
- interruptus** Dupont, l. c. p. 138, t. 158, f. 2. — Bates, Biol. C.-Amer. Col. V, 1880, p. 90.
- succinctus* var. Latr. in Humb. Voy. Obs. Zool. I, 1811, p. 207, t. 22, f. 5.
- juveneus** Dupont, Monogr. Suppl. p. 7, t. 34.
- Lacordairei** Dupont, Monogr. II, p. 10, t. 191, f. 1.
- Latreillei** Dupont, l. c. p. 11, t. 191, f. 2.
- leptomerus** Auriv. Arkiv f. Zool. V, 1, 1909, p. 6.
- melas** Bates, Trans. Ent. Soc. 1870, p. 432.
- Brasilien
- Cordova
- Columbien
- Brasilien
- Ecuador
- Columbien
- Brasilien
- Pará
- Amazon.,  
Venezuela,
- Argentinien
- Cordova
- Cayenne,  
Brasilien
- Brasilien
- „
- „
- Südbrasilien
- Mexico,  
Guatemala
- Mexico
- Südbrasilien
- Peru
- Brasilien
- Amazon.
- Costarica,  
Ecuador
- Südbrasilien
- Südamerika
- Amazon.:  
Santarem
- Cayenne
- Südbrasilien,  
Ecuador
- Nicaragua
- Columbien
- Cayenne
- Brasilien
- Peru
- Obydos

- nigricornis** Auriv. Arkiv f. Zool. V, 1, 1909; p. 6, nota 1. Brasilien,  
Peru
- nigripennis** Dupont, Monogr. II, p. 24, t. 199, f. 1. Südbrasilien
- nigripes** Dupont, l. c. p. 12, t. 192, f. 1. Cayenne
- octolineatus** Thunb. Mém. Acad. St. Pétersb. VIII, Brasilien  
1822, p. 305, t. 10, f. 2.
- strigatus* Dupont, Monogr. I, p. 42, t. 160, f. 2.
- Olivieri** Dupont, Monogr. II, p. 18, t. 196. Bahia
- pellitus** Kirsch, Abh. Zool. Mus. Dresden (2) II, 4, 1889, Ecuador  
p. 39, t. 4, f. 74.
- politus** Bates, Trans. Ent. Soc. Lond. 1870, p. 432 nota. Venezuela
- Reichei** Dupont, Monogr. I, p. 31, t. 155. — Bates, Trans. Brasilien  
Ent. Soc. 1870, p. 431.
- rhodopus** Bates, l. c.
- Richteri** Bruch, Rev. Mus. La Plata XV, 1908, p. 216. Amazon.:  
Santarem
- rubripes** Dupont, Monogr. I, p. 37, t. 157, f. 2. Buenos  
Aires
- rufipes** F. Mant. Ins. I, 1787, p. 133. — Gmel. Syst. Cayenne  
Nat. I, 4, 1790, p. 1823. — Ol. Enc. méth. Ins. V, Brasilien  
1790, p. 301; Ent. IV, 67, 1795, p. 15, t. 1, f. 3:  
— Dupont, Monogr. II, p. 8, t. 190, f. 1.
- ab. *axillaris* Dupont, l. c. p. 8.
- rufipes* Ol. Ent. IV, 67, 1795, p. 15, t. 13, f. 89.
- ab. *brunnipennis* Dupont, Monogr. II, p. 9.
- ab. *ebeninus* Dupont, l. c. p. 7, t. 189, f. 2.
- ab. *fulvipennis* Dupont, l. c. p. 9, t. 190, f. 2.
- signaticollis** Dupont, l. c. p. 25, t. 199, f. 2. Brasilien
- signatus** Gyllenh. in Schönh. Syn. Ins. I, 3, 1817, Append. „  
p. 177. — Dupont, Monogr. II, p. 14, t. 193.
- simplicipennis** Dupont, l. c. p. 29, t. 204, f. 2. Cayenne
- spiniacollis** Bates, Biol. C.-Amer. Col. V, 1885, p. 332. Mexico
- striatus** F. Mant. Ins. I, 1787, p. 133. — Ol. Enc. méth. Cayenne,  
Ins. V, 1790, p. 302; Ent. IV, 67, 1795, p. 27, Brasilien  
t. 10, f. 71 a, b. — Dupont, Monogr. I, p. 44,  
t. 161, f. 2. — Heyne, Exot. Käfer 1906, p. 240,  
t. 36, f. 30.
- strigosus* Gmel. Syst. Nat. I, 4, 1790, p. 1822.
- ab. *lineolatus* Dupont, Monogr. I, p. 45, t. 161, f. 3. Südbrasilien
- ab. *proximus* Dupont, l. c. p. 43, t. 161, f. 1. Brasilien
- subfasciatus** Dupont, l. c. p. 38, t. 158, f. 1. — Bates, Panama,  
Biol. C.-Amer. Col. V, 1885, p. 332. Venezuela,  
Cayenne
- subpilosus** Bates, l. c. 1880, p. 89. Honduras,  
Guatemala,  
Panama
- succinctus** L. Syst. Nat. ed. 10, 1758, p. 391; Mus. Lud. Panama,  
Ul. 1764, p. 72. — Drury, Ill. Exot. Ins. I, Columbien,  
1770, p. 87, t. 39, f. 2. — Degeer, Mém. Ins. V, Venezuela,  
1775, p. 113, t. 14, f. 5. — F. Syst. Ent. 1775, Guyana,  
p. 168. — Voet, Cat. Col. II, 1778, p. 9, t. 6, Amazon.  
f. 16; ed. Panzer III, 1794, p. 19. — Ol. Enc.  
méth. Ins. V, 1790, p. 301; Ent. IV, 67, p. 20,  
t. 7, f. 43 a, b. — Blanch. in Cuv. Règne anim.  
ed. Masson, Ins. 1832, t. 65, f. 4. — Cast. Hist.  
Nat. II, 1840, p. 417, t. 49, f. 4. — Berge, Käferb.  
1844, p. 125, t. 12, f. 16. — Bates, Trans. Ent.  
Soc. Lond. 1870, p. 430. — Heyne, Exot. Käfer  
1906, p. 240, t. 36, f. 32.

*cayennensis* Dupont, Monogr. I, p. 34, t. 156, f. 1.  
*zonarius* Houttuyn, Natuurl. Hist. I, 9, 1766,  
 p. 566, t. 75, f. 9. — Voet, Cat. Col. II, 1778,  
 p. 9, t. 7, f. 17; ed. Panzer III, 1794, p. 20,  
 t. 7, f. 17.

Biologie: Ihering, Entomol. Brasil. II, 1909,  
 p. 295, fig. A.  
 var. *boliviensis* Auriv. Arkiv f. Zool. V, 1, p. 6,  
 1909.

var. *Duponti* n. nom.

*succinctus* Dupont, Monogr. I, p. 32, t. 154, f. 2.

✓ *sulcatus* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 162. —  
 Dohrn, l. c. XLIV, 1883, p. 495. Argentinien

*testaceus* Dupont, Monogr. II, p. 13, t. 192, f. 2.

✓ *thoracicus* Ol. Enc. méth. Ins. V, 1790, p. 300; Ent. IV,  
 67, 1795, p. 15, t. 12, f. 85. — Dupont, Monogr. I,  
 p. 40, t. 159. Brasilien

*morio* Cast. Hist. Nat. II, 1840, p. 417. — Dohrn,  
 Stett. Ent. Zeit. XL, 1879, p. 461. — Heyne,  
 Exot. Käfer 1906, p. 240, t. 36, f. 25.

*virens* Thunb. Mém. Acad. St. Pétersb. VIII,  
 1822, p. 306, t. 10, f. 4.

*transversalis* Dupont, Monogr. I, p. 35, t. 156, f. 2.

✓ *variegatus* Perty, Del. Anim. Artic. 1830—34, p. 88,  
 t. 17, f. 11. — Dupont, Monogr. II, p. 3, t. 187,  
 f. 1. Cayenne  
 Brasilien,  
 Cordova

var. *Audouini* Dupont, l. c. p. 2, t. 186, f. 2.

var. *gloriosus* Dupont, l. c. p. 4, t. 187, f. 2.

var. *nigrofasciatus* Gory in Guér. Icon. règne  
 anim. Ins. 183?, t. 43, f. 3.

✓ *Vauthieri* Dupont, Monogr. II, p. 22, t. 198, f. 1.

*vermiculatus* Bates in Whymper, Travels Great Andes,  
 Append. 1891, p. 38, fig., p. 6. Brasilien  
 Ecuador

✓ *zonatus* Dalm. Anal. Ent. 1823, p. 63.

*equestris* Dupont, Monogr. II, p. 5, t. 188, f. 2.  
 59 Brasilien

### Dicranoderes Dupont.

Dupont, Monogr. Trachyder. I, 1836, p. 25, t. 223, f. 9, in Mag. Zool. VIII,  
 1836. — Cast. Hist. Nat. II, 1840, p. 416. — Thoms. Classif. Ceramb. 1860,  
 p. 207; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 202.

*annulatus* Dupont, Monogr. I, p. 26, t. 153. — Cast. Brasilien

Hist. Nat. II, 1840, p. 416, t. 49, f. 3. — Berge,  
 Käferb. 1844, p. 125, t. 12, f. 10.

1

### Ancylosternus Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 49. — Dupont, Monogr. II, p. 33,  
 t. 223, f. 12. — Cast. Hist. Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb.  
 1860, p. 208; Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 203.

*albicornis* Er. Archiv für Naturgesch. XIII, 1847, I, Peru

p. 139.

✓ *morio* F. Mant. Ins. I, 1787, p. 133. — Ol. Enc. méth. Cayenne,  
 Ins. V, 1790, p. 301. Venezuela,

- scutellaris* Ol. Ent. IV, 67, 1795, p. 16, t. 21, f. 160. — Dupont, Monogr. II, p. 34, t. 207, f. 1, 2. — Cast. Hist. Nat. II, 1840, p. 418. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 33.

2

Columbien,

**Oxymerus** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 50. — Dupont, Monogr. II, p. 35, t. 224, f. 13. — Cast. Hist. Nat. II, 1840, p. 418. — Thoms. Classif. Ceramb. 1860, p. 207; Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 204.

- abdominalis* Dupont, Monogr. II, p. 37, t. 209, f. 1. Brasilien  
*aculeatus* Dupont, l. c. p. 38, t. 209, f. 2. ”  
*approximatus* Dupont, l. c. p. 44, t. 212, f. 2. Cayenne  
*basalis* Dalm. Anal. Ent. 1823, p. 65. — Dupont, Monogr. II, p. 35, t. 208, f. 1. — Cast. Hist. Nat. II, 1840, p. 418. — Bates, Trans. Ent. Soc. Lond. 1870, p. 435. Brasilien  
*Chevrolati* Dupont, Monogr. II, p. 36, t. 208, f. 2. ”  
*confusus* Dupont, l. c. p. 39, t. 210, f. 1. ”  
*deletus* Dupont, l. c. p. 50, t. 215, f. 2. ”  
*distinguendus* Dupont, l. c. p. 48, t. 214, f. 2. Demerara  
*elongatus* Dupont, l. c. p. 45, t. 213, f. 1. Cayenne  
*flavescens* Thunb. Mém. Acad. St. Petersb. VIII, 1822, p. 304, t. 10, f. 1. Brasilien  
*Klugi* Dupont, Monogr. II, p. 46, t. 213, f. 2. Pará  
*Lebasi* Dupont, l. c. p. 47, t. 214, f. 1. Columbien  
*lateriscriptus* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 164. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 138. Montevideo  
*luteus* Voet, Cat. Col. II, 1778, p. 17, t. 16, f. 68; ed. Panzer III, 1794, p. 43, t. 16, f. 68. Brasilien  
*lineatus* Dupont, Monogr. II, p. 41, t. 211, f. 1.  
*porcatus* Weber, Obs. Ent. 1801, p. 88. — Lichtenst. Cat. Mus. Hamb. III, 1796, p. 48.  
*quadrioculatus* Schaller, Abhandl. Naturf. Ges. Halle I, 1783, p. 289, t. 1, f. 2.  
*rivulosus* Germ. Ins. spec. nov. 1824, p. 512. — Dupont, Monogr. II, p. 42, t. 211, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 435.  
 ab. *pallidus* Dupont, Monogr. II, p. 49, t. 215, f. 1. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 138, fig. Buenos Aires  
*nigricornis* Dupont, Monogr. II, p. 40, t. 210, f. 2. Brasilien  
*nigriventris* Dupont, l. c. p. 43, t. 212, f. 1. Bahia  
*obliquatus* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 163. Argentinien  
*punctatus* Goun. Anim. Soc. Ent. Fr. LXXX, 1911, p. 138, fig. Goyaz  
*Saundersi* C. Waterh. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 500. Argentinien

19

**Xylocaris** Serv.

Serv. Ann. Soc. Ent. Fr. III, 1834, p. 47. — Cast. Hist. Nat. II, 1840, p. 417.

*Xylocharis* Dupont, Monogr. II, p. 29, t. 223, f. 11. — Thoms. Syst. Ceramb. 1864, p. 436. — Lacord. Gen. Col. IX, 1869, p. 205.

- elegantula* Dupont, l. c. p. 31, t. 205, f. 2. Südbrasilien  
*oculata* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 48. — Du- „  
 pont, Monogr. II, p. 30, t. 205, f. 1. — Cast. Argentinien  
 Hist. Nat. II, 1840, p. 417.  
*pumilio* Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 140. Goyaz  
 3

**Eriocharis** n. nom.

*Eriosoma* Lacord. Gen. Col. IX, 1869, p. 206, nota 2.

- costata* Dupont, Monogr. II, p. 33, t. 206, f. 2. Südbrasilien  
*lanaris* Blanch. Voy. d'Orbigny, Ins. 1843, p. 207, t. 21, Bolivia,  
 f. 2. — Lacord. Gen. Col. IX, 1869, p. 206, Argentinien  
 nota 2. — Burm. Stett. Ent. Zeit. XL, 1879,  
 p. 199.  
*aurulenta* Burm. l. c. XXVI, 1865, p. 162.  
*flavocoma* Fairm. Ann. Soc. Ent. Fr. (4) IV,  
 1864, p. 272.  
 ✓ *Richardi* Dupont, Monogr. II, p. 32, t. 206, f. 1. — Burm. Südbrasilien,  
 Stett. Ent. Zeit. XL, 1879, p. 199. Argentinien  
*haematica* Fairm. Ann. Soc. Ent. Fr. (4) IV,  
 1864, p. 271.  
 3

**Ozodera** Dupont.

- Dupont, Monogr. Suppl. p. 10. — Thoms. Classif. Ceramb. 1860, p. 208;  
 Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX, 1869, p. 206.  
*bipartita* Buq. Rev. Zool. 1840, p. 111. Columbien  
 ✓ *callidioides* Dupont, l. c. p. 42. — Lacord. Gen. Col. IX, „  
 1869, p. 207, nota 1. — Auriv. Ent. Tidskr.  
 XII, 1891, p. 102, f. 3.  
*bipartita* var. Guér. Rev. Zool. 1840, p. 142.  
*farinosa* Burm. Stett. Ent. Zeit. XXVI, 1865, p. 161. — Buenos Aires  
 Lacord. Gen. Col. IX, 1869, p. 207, nota 1.  
*xanthospilos* Dupont, Monogr. Suppl. p. 10, t. 37. Columbien  
 4

**Charinotes** Serv.

- Serv. Ann. Soc. Ent. Fr. III, 1834, p. 39. — Dupont, Monogr. I, p. 20,  
 t. 222, f. 7. — Thoms. Syst. Ceramb. 1864, p. 435. — Lacord. Gen. Col. IX,  
 1869, p. 207.  
*fasciatus* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 40. — Südbrasilien  
 — Dupont, Monogr. I, p. 20, t. 150. — Cast.  
 Hist. Nat. II, 1840, p. 417.  
 1

**LXXXIX. Lissonotini.**

- Dupont, Monogr. Trachyder. I, 1836, p. 6—15, t. 122, f. 3, 7 (Monogr.)  
 — Lacordaire, Gen. Col. IX, 1869, p. 208.

**Panchylissus** Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 294.

**cyaneipennis** Waterh. l. c. p. 295.Ecuador:  
Sarayacu

1

**Lissonotus** Dalm.

Dalm. in Schönh. Synon. Ins. I, 3, 1817, p. 364. — Germ. Ins. spec. novae 1824, p. 500. — Latr. in Cuv. Règne anim. Ins. II, 1829, p. 111. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 56. — Dupont, Monogr. I, p. 6, t. 222, f. 2. — Blanch. in Cuv. Règne anim. ed. Masson, Ins. 1832, p. 473. — Cast. Hist. Nat. II, 1840, p. 415. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 433. — Lacord. Gen. Col. IX, 1869, p. 209. — Leng, Ent. Amer. II, 1886, p. 60.

- andalgalensis** Bruch, Rev. Mus. La Plata XV, 1908, p. 218, fig. Argentinien
- biguttatus** Dalm. in Schönh. Synon. Ins. I, 3, 1817, Append. p. 159, t. 6, f. 4. — Dupont, Monogr. p. 13, t. 145, f. 3. — Bates, Trans. Ent. Soc. Lond. 1870, p. 437. Brasilien:  
Pará
- bisignatus** Dupont, Monogr. p. 13, t. 145, f. 2. Brasilien
- clavicornis** Ol. Enc. méth. Ins. V, 1790, p. 258; Ent. IV, 70, p. 17, t. 2, f. 23 (Genus?). Patria?
- corallinus** Dupont, Monogr. p. 11, t. 144, f. 2. Panama,  
Columblen,  
Venezuela
- eruciatus** Dupont, l. c. p. 8, t. 143, f. 1. Cayenne
- ephippiatus** Bates, Trans. Ent. Soc. Lond. 1870, p. 437. Amazon.
- equestris** F. Mant. Ins. I, 1787, p. 153. — Dupont, Monogr. p. 11, t. 144, f. 1. Cayenne
- biserratus* Voet, Cat. Col. II, 1804—06, p. 29, t. 25, f. 137.
- cinctus* Panzer in Voet, Besch. hartsch. Ins. IV, 1798, p. 2, t. 25, f. 136.
- cingulatus* Panzer, l. c. f. 137.
- serratus americanus* Voet, Cat. Col. II, 1804—06, p. 28, t. 25, f. 136.
- unidentatus* Ol. Ent. IV, 67, 1795, p. 20, t. 19, f. 145.
- fallax** Bates, Trans. Ent. Soc. Lond. 1870, p. 436. Amazon.
- flabellicornis** Germ. Ins. spec. novae 1824, p. 504. — Dupont, Monogr. p. 7, t. 142, f. 1. — Cast. Hist. Nat. II, 1840, p. 415. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 244, f. 2. Brasilien
- flavocinctus** Dupont, Monogr. p. 9, t. 143, f. 2. Columbien,  
Mexico,
- var. *multifasciatus* Dupont, l. c. p. 10, t. 143, f. 3. — Bates, Biol. C.-Amer. Col. V, 1880—85, p. 90, 333. Guatemala,  
Nicaragua
- var. *puncticollis* Bates, Biol. C.-Amer. Col. V, 1885, p. 333. Californien,  
Arizona,  
Mexico
- multifasciatus* Leng, Ent. Amer. II, 1886, p. 62.
- princeps** Bates, Trans. Ent. Soc. Lond. 1870, p. 438 nota. Bolivien
- rubidus** White, Cat. Col. Brit. Mus. VII, 1853, p. 63. — Bates, Trans. Ent. Soc. Lond. 1870, p. 437. Pará
- scapularis** Ol. Ent. IV, 67, p. 17, t. 21, f. 162. (Genus?) Patria?

- Shepherdi** Pascoe, Trans. Ent. Soc. Lond. (2) V, 1859, p. 16. — Bates, Trans. Ent. Soc. Lond. 1870, p. 436. Amazon.
- simplex** Bates, l. c. p. 438. „
- spadiceus** Dalm. Anal. Ent. 1823, p. 65. — Dupont, Monogr. p. 7, t. 142, f. 2. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 142, f. 1. Brasilien
- purpuratus** Germ. Ins. spec. novae 1824, p. 503. „
- tetraspilotus** White, Cat. Col. Brit. Mus. VII, 1853, p. 64. „
- unifasciatus** Gory in Guér. Icon. règne anim. Ins. 1829—1844, p. 217, t. 43, f. 1. — Cast. Hist. Nat. II, 1840, p. 415. — Berge, Käferb. 1844, p. 119, t. 10, f. 12. — Bates, Trans. Ent. Soc. Lond. 1870, p. 437. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911, p. 245. „
- abdominalis** Dupont, Monogr. p. 12, t. 145, f. 1. — Cast. Hist. Nat. II, 1840, t. 49, f. 2. „
- 19

### **Lissonotypus** Thoms.

- Thoms. Syst. Ceramb. 1864, p. 211. — Lacord. Gen. Col. IX, 1869, p. 210.
- Lissonotypus* Gemm. & Har. Cat. Col. IX, 1873, p. 2982.
- brasilienis** Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 622. Brasilien
- Thoms. Syst. Ceramb. 1864, p. 211. „
- quadrisignatus** Buq. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 621. „
- 2

### **Phoenidnus** Pasc.

- Pascoe, Trans. Ent. Soc. Lond. (3) V, 1866, p. 293. — Lacord. Gen. Col. IX, 1869, p. 211.
- lissonotoides** Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, p. 293, t. 20, f. 6. — Lacord. Gen. Col. IX, 1869, p. 211. Columbien
- 1

### **Gonyacantha** Thoms.

- Thoms. Archiv. Ent. I, 1857, p. 407; Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 212.
- rubronigra** Thoms. Archiv. Ent. I, 1857, p. 408. — Goun. Brasilien
- Bull. Soc. Ent. Fr. 1908, p. 289.
- Richteri** Fischer, Berl. Ent. Zeitschr. XXXII, 1888, p. 490.
- 1

### **Rachidion** Serv.

- Serv. Ann. Soc. Ent. Fr. III, p. 54. — Dupont, Monogr. I, p. 14, t. 222, f. 3. — Cast. Hist. Nat. II, 1840, p. 415. — Thoms. Classif. Ceramb. 1860, p. 208; Syst. Ceramb. 1864, p. 433. — Lacord. Gen. Col. IX, 1869, p. 212.
- Calodus** Lucas, Voy. Castelnau, Ins. 1857, p. 184. — Thoms. Syst. Ceramb. 1864, p. 434.
- Rhachidion** Gemm. & Har. Cat. Col. IX, 1873, p. 2982.

- gagatinum** Germ. Ins. spec. novae 1824, p. 504. — Lacord. Brasilien  
Gen. Col. IX, 1869, p. 187, nota 2.
- nigritum** Serv. Ann. Soc. Ent. Fr. III, 1834, p. 55. — „  
Dupont, Monogr. p. 15, t. 146. — Cast. Hist. Nat.  
II, 1840, p. 415.
- obesum** Newm. Charlesw. Mag. Nat. Hist. (2) IV, 1840, „  
p. 195. — Lacord. Gen. Col. IX, 1869, p. 213,  
nota 3. — Goun. Ann. Soc. Ent. Fr. LXXX, 1911,  
p. 143.
- ♂ *granulicolle* Chabrill. Archiv. Ent. I, 1857,  
p. 198.
- varians* Lucas, Voy. Castelnau, Ins. 1857, p. 185,  
t. 11, f. 4.
- ramulicorne** Lacord. Gen. Col. IX, 1869, p. 213, nota 3. „  
4

### **Stiphilus** Buq.

- Buq. Rev. Zool. 1840, p. 172; Mag. Zool. XI, 1841, Ins. nr. 63. — Thoms.  
Syst. Ceramb. 1864, p. 434. — Lacord. Gen. Col. IX, 1869, p. 214.

- quadripunctatus** Buq. Rev. Zool. 1840, p. 172; Mag. Zool. Brasilien  
XI, 1841, Ins. t. 63.

1

## **XC. Megaderini.**

- Thoms. Classif. Ceramb. 1860, p. 213. Syst. Ceramb. 1864, p. 206. — Lacord.  
Gen. Col. IX, 1869, p. 215. — J. Lec. Smiths. Misc. Coll. XI, 265, 1873, p. 312.  
— J. Lec. & Horn, Classif. Col. N. Amer. 1883, p. 297.

### **Megaderus** Germ.

- Germ. Ins. spec. novae 1824, p. 501. — Latr. in Cuv. Règne anim. ed. 2,  
1829, p. 111. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 57. — Blanch. in Cuv.  
Règne anim. ed. Masson, Ins. 1832, p. 473. — Dupont, Monogr. Trachyder.  
I, 1836, p. 3, t. 222, f. 1. (Mag. Zool. VI, 1836.) — Cast. Hist. Nat. II, 1840,  
p. 413. — Thoms. Classif. Ceramb. 1860, p. 214; Syst. Ceramb. 1864, p. 433.  
— Lacord. Gen. Col. IX, 1869, p. 216. — Leng, Ent. Amer. II, 1886, p. 60.

- bifasciatus** Dupont, Monogr. I, p. 5, t. 141, f. 2. — J. Lec. Mexico,  
Journ. Acad. Philad. (2) II, 1852, p. 176. — Leng, Texas  
Ent. Amer. II, 1886, p. 61, t. 3, f. 5.
- corallifer* Newm. Charlesw. Mag. Nat. Hist. (2) IV,  
1840, p. 195. — Hald. Stansb. Explor. 1852,  
Append. t. 9, f. 15.
- latifasciatus** Bates, Trans. Ent. Soc. Lond. 1870, p. 438  
nota; Biol. C.-Amer. Col. V, 1880, p. 91, t. 6, f. 9.
- stigma** L. Syst. Nat. ed. 10, 1758, p. 395. — Degeer, Mém.  
Ins. V, 1775, p. 119, t. 14, f. 13. — F. Syst. Ent.  
1775, p. 189. — Herbst in Borowsky, Naturg. VI,  
1784, p. 129, t. 16, f. 3. — Ol. Ene. méth. Ins.  
V, 1790, p. 251; Ent. IV, 70, 1795, p. 7, t. 2, f. 21.  
— Pauzer in Voet, Hartschal. Ins. IV, 1798, p. 1,  
t. 25, f. 134. — Dupont, Monogr. I, p. 3, t. 141, f. 1.  
— Blanch. in Cuv. Règne anim. ed. Masson, Ins.  
1832, t. 65, f. 2. — Cast. Hist. Nat. II, 1840, p. 413.

- Guér. Icon. règne anim. Ins. 1844, p. 217, t. 43, f. 2. — Bates, Trans. Ent. Soc. Lond. 1870, p. 438.  
*jota surinamensis* Voet, Cat. Col. II, 1804—6, p. 28, t. 25, f. 134.  
 ab. (*latidorsum*) *nigrum (surinamense)* Voet, Surinam l. c. t. 25, f. 135.  
*sigma* ♂ Panzer in Voet, Hartschal. Ins. IV, 1798, p. 1, t. 25, f. 135.

3

## XCI. Tragocerini.

Lacordaire, Gen. Col. IX, 1869, p. 217.

### Tragocerus Latr.

Latr. in Cuv. Règne anim. Ins. II, 1829, p. 121. — Serv. Ann. Soc. Ent. Fr. III, 1834, p. 60. — Cast. Hist. Nat. II, 1840, p. 410. — Thoms. Classif. Ceramb. 1860, p. 167; Syst. Ceramb. 1864, p. 416. — Lacord. Gen. Col. IX, 1869, p. 218.

- ✓ *bidentatus* Donovan. Ins. N. Holl. 1805, t. 6, f. 4. — Gray Neuholland in Griffith, Anim. Kingd. XV, 1832, t. 95, f. 8. — Boisd. Voy. Astrol. Ins. II, 1835, p. 466. — Guér. Icon. règne anim. Ins. 1844, p. 250, t. 45, f. 8. — Heyne, Exot. Käfer 1906, p. 240, t. 36, f. 24.  
*australis* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 61. — Cast. Hist. Nat. II, 1840, p. 410.
- ✓ *fasciatus* Donovan. Ins. N. Holl. 1805, t. 6, f. 3 (= *bidentatus*?). „  
*australis* Boisd. Voy. Astrol. Ins. II, 1835, p. 465, t. 8, f. 6.  
 var. *bifasciatus* Guér. Voy. Coquille II, 1830, p. 132, t. 7, f. 3.
- formosus* Pascoe, Ann. Mag. Nat. Hist. (3) IX, 1862, p. 463. Lizardinsel  
*heraldicus* Vollenh. Tijdschr. v. Ent. XIV, 1871, p. 106. Neuguinea  
 t. 4, f. 6.
- lepidopterus* Schreibers, Trans. Linn. Soc. Lond. VI, 1802, Neusüdwaales  
 p. 197, t. 21, f. 7. — Donovan. Ins. N. Holl. 1805, t. 5, f. 3. — Boisd. Voy. Astrol. Ins. II, 1835, p. 466.
- ✓ *Spencei* Hope, Trans. Ent. Soc. Lond. I, 1834, p. 18, t. 2, Victoria  
 f. 4. — Blanch. in Cuv. Règne. anim. ed. Masson, Ins. 1832, t. 66 bis, f. 6.
- ✓ *subfasciatus* Germ. Linnaea Ent. III, 1848, p. 224. Adelaide

7

## XCII. Spintheriini.

Lacordaire, Gen. Col. IX, 1869, p. 219.

### Spintheria Thoms.

Thoms. Classif. Ceramb. 1860, p. 357; Syst. Ceramb. 1864, p. 360. — Lacord. Gen. Col. IX, 1869, p. 220.

- ✓ *Douei* Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 295. Insel Lifu  
 ✓ *gratiosa* Pasc. Trans. Ent. Soc. Lond. (2) IV, 1857, p. 99, Insel Pin  
 t. 22, f. 4. — Thoms. Classif. Ceramb. 1860, p. 357.  
 — Lacord. Gen. Col. IX, 1869, p. 220, t. 95, f. 4.

2

**Anastetha** Pasc.

Pascoe, Trans. Ent. Soc. Lond. (3) V, 1866, Proc. p. 28. — Lacord. Gen. Col. IX, 1869, p. 221.

*raripila* Pasc. Trans. Ent. Soc. Lond. (3) V, 1866, Proc. p. 28. — Waterh. Aid ident. Ins. II, 1890, t. 188, f. 7. Queensland, Fidschi (?)

1

**XCIII. Coptommatini.**

Lacordaire, Gen. Col. IX, 1869, p. 221.

**Coptomma** Newm.

Newm. Ann. Nat. Hist. V, 1840, p. 18. — Lacord. Gen. Col. IX, 1869, p. 222. — Broun, Man. N. Zeal. Col. I, 1880, p. 589.

*Tmesisternus* Serv. Ann. Soc. Ent. Fr. III, 1834, p. 72 (ex parte). — Thoms. Classif. Ceramb. 1860, p. 357; Syst. Ceramb. 1864, p. 360.

✓ *variegatum* F. Syst. Ent. 1775, p. 189. — Gmel. Syst. Nat. I, 4, 1790, p. 1849. — Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. IV, 70, 1795, p. 25, t. 5, f. 58. — White, Voy. Erebus and Terror, Ins. 1846, p. 20. — Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 274, t. 17, f. 1. — Broun, Man. N. Zeal. Col. I, 1880, p. 589. Neuseeland

*virgatum* Newm. Ann. Nat. Hist. V, 1840, p. 18.

1

**XCIV. Navomorphini.**

Lacordaire, Gen. Col. IX, 1869, p. 223.

**Navomorpha** Thoms.

Thoms. Classif. Ceramb. 1860, p. 356; Syst. Ceramb. 1864, p. 360. — Lacord. Gen. Col. IX, 1869, p. 224. — Broun, Man. N. Zeal. Col. I, 1880, p. 589.

*Naomorpha* Gemm. & Har. Cat. Col. IX, 1873, p. 2984.

*Douei* Lucas, Ann. Soc. Ent. Fr. (4) II, 1862, Bull. p. 27; (4) III, 1863, p. 116, t. 2, f. 4. — Lacord. Gen. Col. IX, 1869, p. 225, nota, t. 95, f. 2. Insel Lifu

✓ *lineata* F. Syst. Ent. 1775, p. 189. — Ol. Enc. méth. Ins. V, 1790, p. 252; Ent. IV, 70, 1795, p. 26, t. 4, f. 50. — White, Voy. Erebus and Terror, Ins. 1846, p. 20, t. 4, f. 5. — Thoms. Classif. Ceramb. 1860, p. 356. — Broun, Man. N. Zeal. Col. I, 1880, p. 590. Neuseeland

*australis* Gmel. Syst. Nat. I, 4, 1790, p. 1849.

*neglecta* Broun, Man. N. Zeal. Col. I, 1880, p. 591. „

*stictica* Broun, l. c. V, 1893, p. 1284. „

- ✓ *sulcata* F. Syst. Ent. 1775, p. 189. — Gmel. Syst. Nat. I, 4, 1790, p. 1849. — Ol. Enc. méth. Ins. V, 1790, p. 253; Ent. IV, 70, 1795, p. 26, t. 4, f. 48. — White, Voy. Erebus and Terror, Ins. 1846, p. 20. — Broun, Man. N. Zeal. Col. I, 1880, p. 590.  
*acutipennis* White, Voy. Erebus and Terror, Ins. 1846, p. 20, t. 4, f. 2.
- textoria* Newm. Ann. Nat. Hist. V, 1840, p. 18. — Lacord. Gen. Col. IX, 1869, p. 223, nota 2.

6

### Nicht gedeutete Arten.

(Vergleiche auch Seite 55, 357, 373.)

- albopunctatus* Gronov. Zoophyl. 1774, p. 163. — *Cerambyx*. Patria ?
- bicolor* Ol. Enc. méth. Ins. V, 1790, p. 258; Ent. IV, 70, 1795, p. 20, t. 1, f. 4. — F. Ent. Syst. I, 2, 1792, p. 329. — *Callidium*. Südamerika
- bimaculata* Müller, Zool. Dan. Prodr. 1776, p. 95. — *Leptura*. Dänemark
- calcaratus* Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus*. Kärnthen
- cantharoides* Scop. Ent. Carniol. 1761, p. 49. — *Leptura*. „
- castaneus* Voet, Cat. Col. II, 1778, p. 18, t. 17, f. 75; ed. Panzer III, 1794, p. 46, t. 17, f. 75. — *Cerambyx*. Amerika
- Castiglionei* Scop. Delic. Faunae et Florae Ins. II, 1787, p. 40, t. 20, f. 2. — *Callidium*. Italien
- clavipes* Forst. Novae spec. Ins. 1771, p. 42. — *Cerambyx*. Nordamerika
- collaris* Forst. Novae spec. Ins. 1771, p. 46. — *Necydalis*. „
- concolor* F. Ent. Suppl. 1798, p. 149. — *Callidium*. Patria ?
- connexa* F. Ent. Syst. Suppl. 1798, p. 154. — *Leptura*. Tanger
- cuprea* Weber, Obs. Ent. 1801, p. 90. — *Leptura*. Kaukasus
- dromas* Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 113; ed. Panzer III, 1794, p. 64, t. 22, f. 113. — *Cerambyx*. „Berbisäische Inseln“
- ferrugineus* Goeze, Ent. Beytr. I, 1777, p. 477. — *Cerambyx*. Amerika
- fuliginosus* Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus*. Kärnthen
- fulvicolle* F. Ent. Syst. I, 2, 1792, p. 324. — Ol. Ent. IV, 70, 1795, p. 19, t. 7, f. 80. — *Callidium* (*Eriphus*?). Surinam
- longicornis* Voet, Cat. Col. II, 1778, p. 24, t. 21, f. 110; ed. Panzer III, 1794, p. 62, t. 21, f. 110. — *Cerambyx*. Deutschland
- lucidum* Ol. Ent. IV, 70, 1795, p. 18, t. 1, f. 10. — *Callidium*. Südamerika
- lucidus* Ol. Enc. méth. Ins. V, 1790, p. 309. — *Cerambyx*. „
- lucidus* Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus* (= *Anisarhron barbipes* Schr.?). Kärnthen

- minimus** Goeze, Ent. Beytr. I, 1777, p. 479. — *Cerambyx*. Patria?  
**notatus** Voet, Cat. Col. II, 1778, p. 16, t. 15, f. 61; ed. Amerika  
 Panzer III, 1794, p. 40, t. 15, f. 61. — *Cerambyx*.  
*americanus* Schönh. Syn. Ins. I, 3, 1817, p. 363.  
**pallipes** Ol. Enc. méth. Ins. V, 1790, p. 258. — *Callidium*. Patria?  
**petiolatus** Voet, Cat. Col. II, 1778, p. 24, t. 22, f. 114; Deutschland,  
 ed. Panzer III, 1794, p. 64, t. 22, f. 114. — Holland  
*Cerambyx*.  
**plebejus** F. Ent. Syst. Suppl. 1798, p. 147. — *Stenocorus*. Amerika  
**praepes** Voet, Cat. Col. II, 1778, p. 22, t. 20, f. 96; ed. ”  
 Panzer III, 1794, p. 57, t. 20, f. 96. — *Cerambyx*.  
**punctatum** F. Ent. Syst. Suppl. 1798, p. 149. — *Callidium*. Sachsen  
**quadriguttatus** Ol. Ent. IV, 69, 1795, p. 27, t. 1, f. 7. — Honduras  
*Stenochorus*.  
**quadripunctatus** F. Syst. El. II, 1801, p. 278. — *Cerambyx*. Südamerika  
**raueum** F. Spec. Ins. I, 1781, p. 239. — *Callidium*. Afrika  
*vaucum* F. Syst. El. II, 1801, p. 342.  
**rufus** Scop. Annus Hist. Nat. V, 1772, p. 98. — *Stenocorus*. Kärnthen  
**rufus** Voet, Cat. Col. II, 1804—06, p. 25, t. 23, f. 120. — Amerika  
*Cerambyx*.  
**rugieollis** F. Mant. Ins. I, 1787, p. 135. — *Cerambyx*. Tranquebar  
**squallida** Scop. Annus Hist. Nat. V, 1772, p. 102. — Kärnthen  
*Leptura*.  
**striatus** Voet, Cat. Col. II, 1778, p. 17, t. 16, f. 69; ed. Demerary  
 Panzer III, 1794, p. 43, t. 16, f. 69. — *Cerambyx*.  
**surinamensis** Voet, Cat. Col. II, 1778, p. 8, t. 6, f. 10; Surinam  
 ed. Panzer III, 1794, p. 16, t. 6, f. 10. — *Cerambyx*.  
**testacea** Scop. Annus Hist. Nat. V, 1772, p. 100. — Kärnthen  
*Leptura*.  
**tuberculatus** F. Ent. Syst. Suppl. 1798, p. 143. — Cayenne  
*Cerambyx*.  
**umbraeus** Ol. Ent. IV, 67, 1795, p. 129, t. 11, f. 75. — „  
*Cerambyx*.

### Nachträge und Verbesserungen.

- p. 49 **Plocaederus Caroli** Leprieur. — Vuillet, Insecta I, 1911, p. 218, f. 3.  
 „ **Plocaederus denticornis** F. — Aulmann, Fauna deutsch. Kolon. V, 2, 1911, p. 47, f. 29.  
 „ **Plocaederus Jaffeuxi** Vuillet, Insecta I, 1911, Südoran  
 p. 217, f. 2.  
 p. 72 **ambiguum** Newm. streichen. Vergl. p. 123.  
 p. 116 **Didymocantha cognata** Broun, Bull. N. Zeal. Neuseeland  
 Inst. I, 1910, p. 73.  
 p. 117 **Nesoptychias** Kirk. Canad. Ent. XLII, 1910, p. 8;  
 statt *Pteroptychus* Auriv.  
 p. 118 **plagiata** Blackb. streichen. Vergl. p. 94.  
 p. 125 **rufipes** Pasc. streichen. Vergl. p. 124.  
 p. 191 ab. **morio** F. streichen. Vergl. p. 190.  
 p. 229 **atra** Panz. und **hollandica nigra** Voet streichen. Vergl. p. 232.

- p. 252 *Hoplogaster* Kolbe lies *Haplogaster* Kolbe.  
 p. 297 ***Jonthodes formosa*** Serv. — Achard, Bull. Soc. Ent. Fr. 1911, p. 343.  
     var. *amabilis* Hope. — Achard, l. c.  
     var. *intermedia* Achard, l. c. p. 344.  
     var. *melanaria* Achard, l. c.  
 p. 298 ***Nothopeus*** Rits. Notes Leyden Mus. XXXIV, 1911, p. 22. — Biologie, Mimicry, Liste.  
 p. 309 ***Calliechroma collare*** Jord. — Aulmann, Fauna deutsch. Kolon. V, 2, 1911, p. 48, f. 30.  
 p. 330 ***Rosalia (Eurybatus) conviva*** Csiki, Ann. Mus. Hungar. IX, 1911, p. 612. Formosa  
 p. 397 *aegyptiacus* Redt. gehört zu *hungaricus* nicht zu *herzianus*.  
 p. 422 nach *Ipomoria* einzuschalten:

### **Epropetes** Bates.

Bates, Trans. Ent. Soc. Lond. 1870, p. 400.

- latifascia*** White, Cat. Col. Brit. Mus. VIII, 1855, p. 218. Tapajós  
 — Bates, Trans. Ent. Soc. Lond. 1870, p. 401.

1

Nach Lameere (in litt.) gehören die folgenden beiden Gattungen zu den Cerambyceinen und nicht zu den Prioninen:

### **Crinosoma** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 284, 298; Syst. Ceramb. 1864, p. 472. —  
 Lacord. Gen. Col. VIII, 1869, p. 162. — Tribus *Aphanasiini?* *Philini?*  
***maculatum*** Thoms. Classif. Ceramb. 1860, p. 299. Natal

1

### **Acideres** Thoms.

- Thoms. Classif. Ceramb. 1860, p. 310; Syst. Ceramb. 1864, p. 473. — Lacord.  
 Gen. Col. VIII, 1869, p. 169. — Tribus?

*Acidoderes* Gemm. & Har. Cat. Col. IX, 1873, p. 2779.  
*Phyllomorpha* Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861, p. 279.

- Ricaudi** Guér. Rev. Mag. Zool. (2) X, 1858, p. 82. — Neu-  
 Thoms. Classif. Ceramb. 1860, p. 310. — Fauv. caledonien  
 Bull. Soc. Linn. Normand. VII, 1862, p. 162,  
 t. 10 bis, f. 61.  
*Rigaudi* Montrouz. Ann. Soc. Ent. Fr. (4) I, 1861,  
 p. 279. — Lacord. Gen. Col. VIII, 1869, p. 170,  
 t. 83, f. 3.

6

5784

# Index.

## Tribus, Genera, Subgenera.

- Acanthinomomus* Hope 95  
*Acanthoptera* Latr. 461  
*Acanthopterus* Guér. 461  
*Acanthoptura* Fairm. 188  
*Acartartus* Fahr. 135  
*Achryson* Serv. 39  
**Achrysonini** Lacord. 39  
*Acidoptera* Gemm. & Har. 256  
*Acimerus* Fairm. 182  
*Acmæops* J. Lec. 188, 189  
*Acmæops* C. G. Thoms. 183  
*Acoremia* Kolbe 335  
*Acorethra* Bates 285  
*Acrocyrta* Pasc. 412  
*Acrocyrtilus* Jord. 326  
*Aerogenius* Blackb. 422  
*Acyphoderes* Serv. 281  
*Acyrusa* Pasc. 118  
*Adalbus* Fairm. & Germ. 255  
*Adiaphorus* Fahr. 135  
*Adrium* Pasc. 119  
*Aechmutes* Bates 278  
*Aedocus* Waterh. 171  
*Aegoidius* Lacord. 477  
*Aegoidus* Buq. 477  
*Aemona* Broun 115  
*Aeolesthes* Gah. 46  
*Aesiolyche* Pasc. 72  
*Aethecerus* Chevr. 469  
*Aethiora* Pasc. 148  
*Airocomis* Kolbe 331  
*Agada* Fairm. 357  
*Agaleptus* Gah. 325  
**Agallissini** 445  
*Agallissus* Dalm. 445  
*Aganipus* Fairm. 69  
*Agæone* Pasc. 278, 280  
*Agapanthida* White 141  
*Agapete* Newm. 256  
*Aglaophis* Thoms. 416  
*Agnitosternum* Jord. 121  
*Agnoristus* Fahr. 427  
*Akimerus* Serv. 182  
*Akiptera* Saund. 256  
*Aleyopis* Pasc. 115  
*Aliturus* Fairm. 174  
*Allocerus* Gemm. & Har. 17  
*Allocerus* Serv. 450  
*Alloeme* Lameere 32  
*Alloesia* Chevr. 439  
*Allogaster* Thoms. 41  
*Allophyton* Thoms. 136  
*Allosterna* Stierl. 206  
*Allotisis* Pasc. 92  
*Allotraeus* Bates 96  
*Allorhagium* Kolbe 161  
*Alocerus* Muls. 17  
*Alosterna* Muls. 206  
*Amallocerus* Guér. 451  
*Amannus* J. Lec. 474  
*Amarysius* Fairm. 468  
*Amauraesthes* Chevr. 374  
*Ambagous* Fairm. 131  
*Ambcodontus* Lacord. 141  
*Amblyontium* Bates 315  
*Ametrocephala* Blanch. 155  
*Ametrocephalides* Lacord. 154  
*Amimes* Pasc. 34  
*Amphictetus* Bates 75  
*Amphidesmus* Serv. 454  
*Amphionthe* Bates 297  
*Amphirhoë* Newm. 434  
*Anaglyptinae* 358  
*Anaglyptus* Muls. 412  
*Anastetha* Pasc. 488  
*Anatinomma* Bates 104  
*Anatysis* Pasc. 145  
*Ancylocera* Serv. 446  
**Ancylocerini** 445  
*Ancylodonta* Blanch. 143

- Ancylosternus Serv. 481  
 Androme Auriv. 33  
 Aneflus J. Lec. 85  
 Anenecyrus Sharp 274  
 Anisarhron Redt. 356  
 Anisogaster A. Deyr. 121  
 Anisorus Muls. 179  
 Anobrium Belon 137  
 Anomoderus Fairm. 270  
 Anoplites Serv. 467  
 Anoplium Hald. 126  
 Anoplodera Muls. 207  
 Anoploderomorpha Pic 207, 209  
 Anoplomerus Thoms. 71  
 Anosternus Burm. 478  
 Antennica Jord. 457  
 Antennoeme Hintz 33  
 Anteros Blanch. 256  
 Anthoboscus Chevr. 386  
 Anthoboscus Muls. 395  
 Anthophilax Muls. 183; C. G. Thoms.  
 193; J. Lec. 195.  
 Anthophylax J. Lec. 195  
 Anthophylax Blessig 183  
 Anthribatus Fairm. 122  
 Anthribola Bates 168  
 Antigenes Pasc. 175  
 Antinoe Thoms. 7  
 Anubis Thoms. 317  
 Apatophysides Lacord. 157  
 Apatophysis Chevr. 160  
 Apelocera Chevr. 420  
 Aphanasiini Lacord. 139  
 Aphanasium Thoms. 139  
 Apharsatus Fairm. 10  
 Apathum Bates 109  
 Apheledes Pasc. 175  
 Apheles Blessig 7  
 Aphelogaster Kolbe 252  
 Aphiorrhynchus Lacord. 150  
 Aphneope Pasc. 155  
 Aphneopini Lacord. 155  
 Aphoplistus Murr. 68  
 Aphrodisium Thoms. 301  
 Aphyllax Lacord. 456  
 Aphysotes Bates 421  
 Apilocera Chevr. 420  
 Apiocephalus Gah. 177  
 Apiogaster Perr. 425  
 Aplectrus Chevr. 445  
 Apoeme Auriv. 35  
 Aporus Fahr. 59  
 Aposites Pasc. 139  
 Aposphaerion Bates 99  
 Apostropha Bates 285  
 Appedesis Waterh. 176  
 Appula Thoms. 101  
 Aprosictus Pasc. 144  
 Aquinillum Thoms. 41  
 Araeatis Bates 137  
 Araespor Thoms. 42  
 Arcyophorus Gemm. & Har. 407  
 Arcyphorus Chevr. 407  
 Argaleus J. Lec. 195  
 Argentinoeme Bruch 30  
 Argyrodines Bates 435  
 Arhopalus Serv. 381  
 Arhopalus Lac. 380  
 Ariastes Fairm. 175  
 Aridaeus Thoms. 438  
 Aristobrium Thoms. 136  
 Aristogitus Thoms. 139  
 Armylaena Thoms. 136  
 Aromia Serv. 306  
 Arrhythmus Waterh. 122  
 Artelida Thoms. 171  
 Artimpanza Thoms. 425  
 Asemini Thoms. 15  
 Asemum Eseh. 15  
 Asiates A. Semen. 467  
 Asilaris Pasc. 249  
 Asmedia Pasc. 298  
 Aspitus Koibe 74  
 Astetholea Bates 140  
 Astetholida Broun 140  
 Astrimus Sharp 126  
 Atelopteryx Lacord. 257  
 Atenizus Bates 31  
 Atesta Pasc. 92  
 Atharsus Bates 102  
 Athetesis Bates 453  
 Atimia Hald. 449  
 Atimiini 449  
 Atripatus Fairm. 23  
 Attelabus L. 13  
 Attodera Thoms. 155  
 Atylostagma White 65  
 Auxesis Thoms. 32  
 Axestinus J. Lec. 85  
 Axestoleus Bates 475  
 Axinopalpis Dup. & Chevr. 130  
 Axinopalpus Redt. 130  
 Axinuchus Gemm. & Har. 131  
 Badariottia Giglio 43  
 Bagdatocerambyx Pic 69  
 Bardistus Newm. 140  
 Barossus Fairm. 175  
 Baseoptera Gemm. & Har. 478  
 Basiptera Thoms. 478  
 Batus Thunb. 452  
 Batyle Thoms. 475  
 Bebius Pasc. 146  
 Bellamira J. Lec. 228, 244  
 Bethelium Pasc. 118  
 Bicon Pasc. 423  
 Bimia White 255

- Bimiini** Lacord. 254  
 Bixorestes Pasc. 296  
 Blabinotus Woll. 25  
*Blemmya* Pasc. 292  
 Blosyropus Redt. 176  
 Bolbotritus Bates 45  
 Bomarion Goun. 111  
 Bottegia Gestro 262  
 Brachopsis W. Saund. 154  
*Brachyarthron* Lacord. 427  
 Brachyclytus Kraatz 374  
*Brachypterema* Thoms. 269  
 Brachypteroma L. Heyd. 269  
*Brachypteromma* Fairm. 269  
*Brachyrrhopala* Burm. 430  
 Brachysarthron Thoms. 427  
*Brachyta* Fairm. 185  
 Brachytria Newm. 292  
 Bradynemis Waterh. 302  
 Bromiades Thoms. 282  
 Brothylus J. Lec. 76  
 Brototyche Pasc. 468  
*Brydaeon* Thoms. 111  
 Butherium Bates 64
- Cacodrotus Broun 152  
 Caephrissus Bates 75  
*Caelodon* Thoms. 45  
*Caenoptera* C. G. Thoms. 266  
 Calanthemis Thoms. 374  
 Calchaenesthes Kraatz 466  
 Callancya Auriv. 446  
 Callichroma Latr. 309  
*Callichroma* Latr. 307, 491  
**Callichromini** Lacord. 297  
 Callichromopsis Chevr. 327  
 Callideriphus Blanch. 444  
**Callidiini** 336  
**Callidiopini** Lacord. 115  
 Callidiopis Thoms. 127  
 Callidiopsis Lacord. 127  
 Callidium F. 343  
*Callidium* Lam. 376  
 Callimoxys Kraatz 270  
*Callimoxys* Muls. 432  
 Callimus Muls. 270  
 Calliprason White 152  
 Callirhoë Newm. 93  
 Callisphyrus Newm. 256  
*Callitihmysus* Sharp 387  
 Calloides J. Lec. 381  
*Callysphiris* Thoms. 256  
*Callona* Westw. 457  
*Callopisma* Thoms. 446  
 Calobrium Fairm. 136  
 Calocerambyx Heller 48  
*Caloclytus* Gah. 395; Fairm. 406  
*Calodus* Lucas 485
- Calpazia Pasc. 60  
 Calybistum Thoms. 135  
 Calydon Thoms. 343  
*Capnocalymma* Gemm. & Har. 176  
*Capnocerambyx* Reitter 58  
 Capnolymma Pasc. 176  
 Caraphia Gah. 177  
*Carilia* Muls. 193  
 Carinoclytus Auriv. 367  
 Cartallum Serv. 293  
 Castiale Pasc. 100  
 Cataphrodisium Auriv. 301  
 Catoeme Auriv. 27  
 Catorthontus Waterh. 286  
 Centrocerum Chevr. 89  
*Centrocerum* Thoms. 85  
 Centrodera J. Lec. 167  
 Centrotoclytus Motsch. 423  
*Cephalallus* Sharp 20, 22  
*Cephalocrius* Sharp 20, 22  
 Ceragenia Serv. 452  
 Ceralomus Sharp 153  
*Cerambyx* Lam. 307  
**Cerambycini** Lac. 44  
 Cerambyx L. 51  
*Cerambyx* Steph. 307  
 Cerasphorus Serv. 75; J. Lec. 75  
*Ceratophorus* Gemm. & Har. 75  
 Cercoptera Spin. 447  
*Ceresida* Jord. 32  
 Ceresium Newm. 123  
*Cerogenia* Gemm. & Har. 452  
 Championa Bates 447  
 Chaodalis Pasc. 288  
 Chariergus Thoms. 334  
 Charinotes Serv. 483  
*Charis* Newm. 283  
*Charisia* Champ. 283  
 Chelidonium Thoms. 316  
 Cheloderus Cast. 254  
 Chenoderus Fairm. & Germ. 334  
*Cheridamus* Fairm. 428  
 Chion Newm. 75  
 Chlidones Waterh. 417  
**Chlidonini** 417  
 Chlorethe Bates 331  
 Chlorida Serv. 77  
 Chloridolum Thoms. 314  
 Chlorophorus Chevr. 395  
*Choeropsis* Thoms. 276  
 Chontalia Bates 248  
 Choriolaus Bates 248  
 Chorotyse Pasc. 261  
 Chrotoma Casey 69  
*Chrysaethe* Bates 278  
 Chrysoprasis Serv. 439  
 Cidugala Auriv. 75  
 Cilium Fairm. 114  
 Ciopera Pasc. 28

- Cladopalpus* Lansb. 7  
*Claeadne* Pasc. 427  
*Cleistimum* Thoms. 138  
*Cleomenes* Thoms. 426  
**Cleomenini** 424  
*Cleonice* Thoms. 437  
*Cleozona* Bates 420  
*Cleroclytus* Kraatz 419  
*Cloniophorus* Quedf. 313  
*Closterocera* Gemm. & Har. 412  
*Closteromerus* Lacord. 325  
*Closteromerus* Thoms. 323  
*Closteropus* Guér. 319  
*Clostrocera* Serv. 412  
*Chuvia* Stål 42  
*Clytanthus* Thoms. 386; Lacord. 395  
*Clytarlus* Sharp 387  
*Clytellus* Westw. 424  
**Clytini** 358  
*Clytocera* Gah. 407  
*Clytosaurus* Thoms. 408  
*Clytumnus* Thoms. 368  
*Clytus* Laich. 368  
*Clytus* Chevr. 376; Thoms. 382; C. G. Thoms. 395  
*Coccoederus* Buq. 44  
*Coelarthrinae* Lacord. 447  
*Coelarthron* Lacord. 448  
*Coeleburia* Thoms. 78  
*Coelodon* Serv. 45  
*Coelomarthron* Thoms. 448  
*Coleocoptus* Auriv. 93  
*Coleoxestia* Auriv. 64  
*Collyrodes* Pasc. 424  
*Coloborhombus* Thoms. 298  
*Colobus* Serv. 298  
*Colynthaea* Thoms. 103  
*Cometes* Serv. 11  
*Compsa* Perty 109  
*Compsibidion* Thoms. 109  
*Compsoceridius* Bruch 333  
**Compsocerini** 326  
*Compsocerus* Serv. 332  
*Compsocerus* Cast. 333  
*Compsomera* White 297  
*Comusia* Thoms. 33  
*Conchopterus* Fairm. 267  
*Conioclachnus* Fairm. 61  
*Conopogaster* Fairm. 275  
*Conothorax* Thoms. 55  
*Coptocercus* Hope 93  
*Coptoeme* Auriv. 28  
*Coptomma* Newm. 488  
**Coptommatini** 488  
*Coptopterus* Hope 145  
*Cordylomera* Serv. 95  
*Coremia* Serv. 335  
*Corennyis* Bates 288  
*Corethrogaster* Thoms. 75  
*Cornumutila* Letzn. 202  
*Cortodera* Muls. 196  
*Corymbia* Des Gozis 207  
*Corynellus* Bates 456  
*Coscinedes* Bates 104  
*Cosmisoma* Serv. 432  
*Cosmius* Fahr. 426; Perty 432  
*Cosmocerus* Guér. 452  
*Cosmoplatidius* Goun. 455  
*Cosmoplatus* Auriv. 455  
*Cosmosoma* Gemm. & Har. 432  
*Cremys* Pasc. 417  
*Criocephalum* Schiödde 20  
*Criocephalus* Muls. 20  
*Criocerinus* Fairm. 175  
*Criodion* Serv. 63  
*Criomorphus* Muls. 18  
*Crioprosopus* Serv. 457  
*Crocidastus* Pasc. 97  
*Crossidius* J. Lec. 471  
*Cryptobias* Serv. 452  
*Cryptopteura* J. Lec. 445  
*Ctenodes* Ol. 450  
*Cumaltera* Jord. 304  
*Cupanoscelis* Goun. 81  
**Curilni** J. Lec. 127  
*Curius* Newm. 127  
*Curius* Lacord. 128  
*Curtomerus* Steph. 120  
*Cyamophthalmus* Kraatz 17  
*Cycliopleurus* Hope 85  
*Cyclocranium* Poll 154  
*Cyclodera* White 461  
*Cydnidolon* Thoms. 108  
*Cyenderus* Serv. 432  
*Cylindera* Newm. 120  
*Cylindrodera* Gemm. & Har. 120  
*Cyllene* Newm. 382  
*Cymaterus* Pasc. 289  
*Cyphosterna* Chevr. 474  
*Cyriopalus* Pasc. 47  
*Cyrtocerus* Kraatz 252  
*Cyrtoclytus* Ganglb. 373  
*Cyrtomerus* Gemm. & Har. 120  
*Cyrtonops* White 7  
*Cyrtophorus* J. Lec. 412  
  
*Dalila* Thoms. 291  
*Damiria* Fairm. 428  
*Daramus* Fairm. 23  
*Debilis* Fairm. 274  
*Debilissa* Auriv. 274  
*Dejanira* Thoms. 253  
**Dejanirini** 253  
*Deilosoma* Fairm. 294  
**Deilini** Fairm. 294  
*Deilus* Serv. 294  
*Delagoa* Jord. 123

- Delagrangens Pic 295  
 Deltaspis Serv. 459  
 Deltosoma Thoms. 454  
*Demacidia* Thoms. 141  
 Demelius Waterh. 94  
 Demomisis Pasc. 152  
 Demonax Thoms. 408  
 Dendrobias Serv. 478  
 Denticerus Jord. 412  
 Derbidia Fairm. 418  
 Dere White 426  
*Derecephalides* Muls. 157  
 Derolophodes Brancs. 26  
 Derolus Gah. 58  
*Desmocerini* J. Lec. 251  
 Desmocerus Serv. 253  
 Desmoderus Serv. 477  
*Deuteromma* Pasc. 28  
 Dexitheia Thoms. 380  
 Djabiria Duviv. 59  
 Dialeges Pasc. 60  
*Diammaphora* Chevr. 429  
*Diammatophora* Gemm. & Har. 429  
 Diaspila Jord. 121  
 Diastellopterus Thoms. 454  
 Diastrophosternus Goun. 478  
*Diatomocephala* Blanch. 123  
 Dieclosternus Gah. 460  
 Dientrus J. Lec. 23  
 Dieranoderes Dupont 481  
 Dictamia Pasc. 126  
 Dictator Thoms. 302  
*Didymacantha* Gemm. & Har. 116  
*Didymus* Thoms. 477  
 Didymocantha Newm. 116, 490  
 Digonium Pic 72  
 Dihammaphora Chevr. 429  
*Dihammaphora* Bates 429  
 Dilachnus Fairm. 438  
*Dilus* Gemm. & Har. 294  
*Dinoptera* Muls. 188, 190  
 Diorthrus Gah. 56  
 Diorus White 65  
 Diospides Pasc. 89, 91  
 Diosyris Pasc. 154  
 Diotima Pasc. 141  
*Dioxiotes* Chevr. 474  
*Diozodes* Hald. 132  
 Diphyrama Bates 421  
 Diploschema Thoms. 43  
 Disaulax Serv. 434  
 Disidaema Thoms. 289  
*Dissacantha* Thoms. 78  
*Dissacanthus* Hope 78  
 Dissaporus Auriv. 59  
 Dissopachys Reitter 56  
 Distenia Serv. 7  
**Disteniini** Thoms. 7  
 Distichocera Kirby 287
- Distichocerini** Lacord. 287  
*Dithymia* Chevr. 474  
**Dodecosini** 132  
 Dodecosis Bates 132  
 Doesus Pasc. 156  
 Dokthouroffia Ganglb. 203  
 Dolichaspis Gah. 304  
*Dolocerus* Muls. 269  
 Dolomius Fairm. 357  
*Dorcacerus* Latr. 476  
**Doreadocerini** 476  
 Doreadocerus Germ. 476  
 Doreasomus Serv. 251  
**Dorcasomini** Lacord. 251  
 Dorcianus Fairm. 171  
 Drascalina Fairm. & Germ. 143  
 Drototelus Broun 152  
 Drotus Sharp 152  
*Drymo* Thoms. 78  
*Drymocharis* Muls. 24  
 Dryobius J. Lec. 35  
*Dularius* Thoms. 336  
 Dymasius Thoms. 60  
 Dynamostes Pasc. 7  
 Dysmathosoma Waterh. 170  
 Dysphaga J. Lec. 39
- Earinis Pasc. 274  
 Eburia Serv. 78  
*Eburida* White 116; Broun 117  
*Eburigera* Gemm. & Har. 295  
**Eburini** Lacord. 78  
 Eburilla Auriv. 117  
 Eburiola Thoms. 442  
 Eburodacrys Thoms. 82  
 Eburogutta Gemm. & Har. 82  
 Eburophora White 295  
*Eccrisis* Pasc. 168  
 Echarista Fairm. 176  
 Eehinocerus Muls. 376  
*Eclipta* Bates 278, 279  
 Ectenessa Bates 41  
 Ectenessidia Goun. 41  
 Ectinope Pasc. 117  
 Ectostieta Pasc. 119  
*Edithia* Reitter 295  
 Elaphidion Serv. 85  
 Elaphopsis Serv. 434  
 Eleanor Thoms. 468  
*Elete* Pasc. 94  
*Eleutho* Thoms. 78  
*Elezira* Pasc. 408  
 Eligmoderma Thoms. 114  
**Eligmodermiini** Lacord. 114  
 Elydnus Pasc. 60  
 Elytroleptus Dugès 455  
 Emeneia Pasc. 147  
*Enchapters* Thoms. 153

*Enchapterinae* Thoms. 153  
 Enochoptera W. Saund. 153  
**Encyclopini** 250  
*Encyclops* Newm. 250  
*Engyum* Thoms. 108  
*Enoploderes* Fald. 165  
*Enosmaeus* Thoms. 13  
*Enthymius* Waterh. 170  
*Entomosterna* Chevr. 474  
*Eodalis* Pasc. 425  
*Epania* Pasc. 263  
*Epheus* Broun 142  
*Ephies* Pasc. 249  
*Epianthe* Pasc. 426  
*Epimelitta* Bates 283  
*Epipedocera* Chevr. 422  
*Epipedocerini* Gah. 418  
*Epithora* Pasc. 92  
*Epiphorus* Chevr. 420  
*Epodus* Chevr. 416  
*Epropetes* Bates 491  
*Eriocharis* Auriv. 483  
*Erionispa* Chap. 292  
*Eriosoma* Lacord. 483  
*Eriphus* Serv. 475  
*Erlandia* Auriv. 12  
*Erlandiini* Auriv. 12  
*Eroschema* Pasc. 288  
**Eroschemini** Lacord. 287  
*Erosida* Thoms. 81  
*Erythresthes* Thoms. 290  
*Erythroplatys* White 277  
*Erythrus* White 289  
*Esthesis* Gemm. & Har. 286  
*Ethemon* Thoms. 334  
*Eucharassus* Bates 275  
*Euchitonia* Kolbe 299  
*Euchlanis* Pasc. 264  
*Euchroa* Guér. 299  
*Eucilmus* Fairm. 428  
*Eucrassus* J. Lec. 29  
*Euderees* J. Lec. 419  
*Euderces* Ganglb. 419  
*Eudistenia* Fall 34  
*Eudoxilus* Lacord. 459  
*Eugoa* Fähr. 302  
*Eugoides* Auriv. 302  
*Eulitopus* Bates 320  
*Eumichtus* J. Lec. 138  
*Eupalelius* Fairm. 10  
*Eupempelus* Bates 428  
*Euporus* Serv. 319  
*Euristhea* Lacord. 97  
**Europa** Thoms. 368  
*Euryarthrum* Blanch. 292  
*Eurybatodes* Semen. 327, 331  
*Eurybatus* Thoms. 327, 330  
*Eurycephalus* Cast. 460  
*Euryclea* Thoms. 461

*Euryclelia* Auriv. 461  
*Eurymerus* Serv. 40  
*Euryoptera* Horn 336  
*Euryphagus* Thoms. 460  
*Euryprosopus* White 334  
*Euryptera* Serv. 248  
*Euryscelis* Chevr. 389  
*Eurysthea* Thoms. 97  
*Eusapia* Goun. 72  
*Eustrangalis* Bates 203  
*Eustroma* J. Lec. 84  
*Eustromula* Cocker. 84  
*Eutactus* Fähr. 427  
*Evander* Lacord. 453; Thoms. 454  
*Evgenius* Fähr. 331  
*Evodinus* J. Lec. 185  
*Exaereta* Pasc. 146  
*Examnes* Pasc. 125  
*Exilia* Muls. 128  
*Eximia* Jord. 322  
  
*Fallacia* Muls. & Rey 201  
*Fallacioforma* Pic 203  
*Fallaciomorpha* Pic 203  
*Formicomimus* Auriv. 155  
*Fregolia* Goun. 428

*Gahania* Dist. 252  
*Galissus* Dupont 473  
*Gambria* Chevr. 474  
*Ganimus* J. Lec. 34  
*Ganosomus* Fairm. 114  
*Gastrosorus* Bates 274  
*Gauresthes* Bates 326  
*Gaurotes* J. Lec. 193  
*Gaurotina* Ganglb. 193  
*Gaurotinus* Fairm. 176  
*Gelonaetha* Thoms. 126  
*Georgia* Thoms. 450  
*Georgiana* Auriv. 450  
*Glaphyra* Newm. 266  
*Glaucytes* Thoms. 436  
**Glaucyteni** 435  
*Glycobius* J. Lec. 380  
*Glyptoscapus* Auriv. 106  
*Gnaphalodes* Thoms. 75  
*Gnatholea* Thoms. 74  
*Gnatholeophanes* Kolbe 74  
*Gnomidolon* Thoms. 106  
*Gnomodes* Broun 156  
*Gonocallus* J. Lec. 336  
*Gonyacantha* Thoms. 485  
*Gorybia* Pasc. 103  
*Gracilia* Serv. 129  
**Graciliini** Lacord. 128  
*Grammicosum* Blanch. 71  
*Grammographus* Chevr. 468  
*Grammoptera* Serv. 203

- Grammoptera* Thoms. 200  
*Griphapex* Jord. 325  
*Guerryus* Pic 266  
*Guitelia* R. Oberth. 326  
*Gymnopteron* Schrank 259, 266  
  
*Hadimus* Fairm. 293  
*Halme* Pasc. 423  
*Hamaticherus* Serv. 59; Germ. 51  
*Hammaticherus* Lacord. 50  
*Hammatochaerus* Gemm. & Har. 50  
*Haplidus* J. Lee. 31  
*Haplogaster* Kolbe 252  
*Haplosebium* Auriv. 261  
*Hargium* Samouelle 161, 164  
*Harmius* Fairm. 173  
*Haruspex* Thoms. 163  
*Heliomanes* Newm. 266  
*Helymaeus* Thoms. 324  
*Hemadius* Fairm. 55  
*Hemesthocera* Newm. 296  
*Hemilissa* Pasc. 104  
*Hephaestion* Newm. 257  
*Hereodera* Gah. 96  
*Herouzoum* Thoms. 41  
*Hesperophanes* Muls. 66  
**Hesperophanini** Lacord. 66  
**Hesthesini** Lacord. 286  
*Hesthesis* Newm. 236  
*Heterachtes* Newm. 110  
*Heterachton* Thoms. 110  
*Heterolepis* Lacord. 144  
*Heteropalpus* Buq. 12  
*Heterops* Blanch. 442  
**Heteropsini** 438  
*Hexamitodera* Heller 302  
*Hexarrhopala* Gah. 424  
*Hexoplon* Thoms. 105  
*Hoegea* Bates 470  
*Holangus* Pic 264  
*Hololeprus* Gerst. 68  
*Holopleura* J. Lee. 456  
**Holopterini** Lacord. 148  
*Holopterus* Blanch. 148  
*Holorusius* Fairm. 22  
*Homaemota* Pasc. 422  
*Homalolachmus* Thoms. 61  
*Homalomelas* White 291  
*Homogenes* Chevr. 438  
*Hoplitocera* Gemm. & Har. 37  
*Hoplocerambyx* Thoms. 56  
*Hormathus* Gah. 108  
*Hornibius* Fairm. 251  
*Hornius* Fairm. 251  
*Hospes* Jord. 322  
*Hylodera* J. Lee. 272  
*Hybometopia* Ganglb. 23  
*Hylomela* Gah. 325  
*Hylorus* Thoms. 331  
  
*Hylotrupes* Serv. 339  
*Hypargyra* Gah. 297  
*Hypatium* Thoms. 305  
*Hypermallus* Lacord. 84  
*Hypexilis* Horn 129  
*Hyphus* Lacord. 34  
*Hypocrites* Fahr. 323  
*Hypoeshrus* Thoms. 27  
*Hypomares* Thoms. 33  
*Hypostilbus* Brancs. 22  
  
*Ibidion* Serv. 111  
*Ibidionidum* Gah. 137  
**Ibidionini** Lacord. 105  
*Icariotis* Pasc. 174  
*Icosium* Lucas 42  
*Ideratus* Thoms. 331  
*Idiocalla* Jord. 356  
*Idobrium* Kolbe 131  
*Idoemea* Horn 38  
*Jebusaea* Reiche 61  
*Igenia* Pasc. 117  
*Imbrius* Pasc. 59  
*Imerinus* Gah. 143  
*Ionthodes* Serv. 297, 491  
*Iphra* Pasc. 136  
*Ipomoria* Pasc. 422  
*Ipothalia* Pasc. 326  
*Iresoides* Thoms. 436  
*Ironcus* Bates 102  
*Isalium* Pasc. 145  
*Isarthron* Redt. 18  
*Ischasia* Thoms. 283  
*Ischionodonta* Chevr. 430, 432  
*Ischnocnemis* J. Lee. 472  
*Ischnocnemis* Thoms. 473  
*Ischnodora* Chevr. 374  
*Ischnorrhabda* Ganglb. 131  
*Ischnostrangalis* Ganglb. 228, 241  
*Ischnotes* Newm. 447  
*Isodera* White 115  
*Isotomus* Muls. 406  
*Isotrium* Fairm. 357  
*Isthmiade* Thoms. 283  
  
*Judolia* Muls. 225  
*Julodia* Pic 225  
  
*Kratziellus* Berg 252  
*Kunbir* Lameere 273  
  
*Lachnopterus* Thoms. 51 6  
*Lampracantha* Thoms. 96  
*Lampromerus* Thoms. 120  
*Lampropterus* Muls. 270  
*Laodora* Pasc. 71  
*Laphyra* Newm. 266  
*Lautarus* Germain 254

- Leioderes* Reutt. 347  
*Leioderes* Redt. 347  
*Lemula* Bates 168  
*Leontium* Thoms. 315  
*Leontium* Lacord. 316  
*Lepidisia* White 293  
*Leptacnirus* Bates 142  
*Leptalia* J. Lec. 250  
*Leptidia* Muls. 262  
*Leptocera* Latr. 436  
*Leptoeme* Jord. 27  
*Leptorrhadium* Kraatz 168  
*Leptorrhopa* Kolbe 428  
*Leptoxenus* Bates 114  
*Leptura* L. 207, 211  
*Lepturasta* Fairm. 174  
*Lepturini* Leach 157  
*Letzneria* Kraatz 202  
*Liagrica* Costa 128  
*Lianema* Fall 130  
*Limozota* Pasc. 115  
*Lingoria* Fairm. 175  
*Linomius* Muls. 267  
*Linopodius* Fairm. 132  
*Linopteridius* Fairm. 131  
*Linyra* Fairm. 122  
*Lioderes* Ganglb. 347  
*Lioderina* Ganglb. 348  
*Liogramma* Bates 70  
**Lissonotini** 483  
*Lissonototypus* Gemm. & Har. 485  
*Lissonotus* Dalm. 484  
*Lissonotypus* Thoms. 485  
*Lissozodes* Bates 435  
*Listrocerum* Chev. 32  
*Listroptera* Serv. 429  
*Litomeces* Murr. 323  
*Litopus* Serv. 321  
*Logisticus* Waterh. 172  
*Longipalpus* Montrz. 137  
*Lophonocerus* Latr. 452  
*Lothrocerum* Chev. 32  
*Lucasianus* Pic 25  
*Lycosomus* Auriv. 253  
*Lygesis* Pasc. 146  
*Lygrus* Fahr. 33  
*Lylibaenum* Thoms. 107  
*Lymernaea* Thoms. 137  
*Lyranela* Gah. 26  
*Lysestia* Pasc. 138
- Macrocaulus* Fairm. 23  
*Macroeme* Auriv. 30  
*Macrones* Newm. 153  
*Macronini* Lacord. 153  
*Macropidonia* Pic 200  
*Macropsebium* Bates 262  
*Malacomacrus* White 34  
*Malacopterus* Serv. 34  
*Mallambyx* Bates 46  
*Mallocera* Serv. 100  
*Mallocera* Lacord. 100  
*Mallosoma* Serv. 438  
*Malobidion* Schaeffer 113  
*Maitheba* Pasc. 138  
*Mannophorus* J. Lec. 473  
*Mantitheus* Fairm. 159  
*Margites* Gah. 59  
*Marileus* Germain 22  
*Maripanus* Germain 72  
*Massicus* Pasc. 55  
*Mastododera* Thoms. 169  
*Mastodontodera* Gemm. & Har. 169  
*Mattania* Fairm. 305  
*Maulia* Blackb. 276  
*Mausaridaeus* Pic 326  
*Mecaspis* Lacord. 303  
*Mecometopus* Thoms. 393  
*Mecosaspis* Thoms. 303  
*Mecothyrca* Kolbe 303  
*Mecynopus* Er. 274  
*Megacoelus* Lacord. 252  
**Megaderini** 486  
*Megaderus* Germ. 486  
*Megaprocius* Chev. 252  
*Megasemum* Kraatz 20, 22  
*Megobrium* J. Lec. 272  
*Melathemma* Bates 65  
*Melegena* Pasc. 11  
*Mephritus* Pasc. 98  
*Meridion* Des Gozis 344  
*Merionoeda* Pasc. 272  
*Merionoedopsis* Goun. 272  
*Merium* Kirby 343  
*Meropachys* Hope 144  
*Merostenus* White 120  
*Mesophaea* Pasc. 291  
*Metacopa* Fairm. 122  
*Metaleptus* Bates 468  
*Metallichroma* Auriv. 313  
*Metallyra* Thoms. 26  
*Methia* Newm. 38  
**Methiini** Lacord. 38  
*Metobrium* Gah. 135  
*Metopocoellus* Cast. 44  
*Metopocoelus* Lacord. 44  
**Metopocoellini** Lacord. 44  
*Metopocoilus* Serv. 44  
*Metopotylus* Quedf. 26  
*Michthysoma* J. Lec. 418  
**Michthysonini** 418  
*Micrambyx* Kolbe 59  
*Microclytus* J. Lec. 413  
*Micrometopus* Quedf. 176  
*Microrrhadium* Kraatz 168  
*Microspiloma* Bates 442  
*Miltesthus* Bates 102

Mimistena Pasc. 427  
*Mimoderus* Muls. 179  
 Minutius Fairm. 122  
 Miocris Fairm. 290  
 Miopteryx Lacord. 98  
 Miroclytus Auriv. 417  
**Molorchini** Lacord. 263  
 Molorchus F. 266  
*Molorchus* F. 259  
 Mombasius Bates 322  
 Muscidora Thoms. 473  
 Musius Fairm. 172  
 Myacopterus Fairm. 154  
*Mychthisoma* Gemm. & Har. 418  
 Mydasta Pasc. 425  
 Mygalobas Chev. 417  
 Myiodola Fairm. 169  
 Myrmecoelytus Fairm. 424  
 Myrsinus Gah. 139  
 Myrsus Lacord. 139  
 Mystrosa Pasc. 139  
 Mythodes Thoms. 154  
**Mythodini** Lacord. 154  
 Mythozoum Thoms. 135

*Nacomorpha* Gemm. & Har. 488

*Nathrius* ~~Brethm.~~  
 p. 257

Nastocerus Fairm. 35  
 Navomorpha Thoms. 488  
**Navomorphini** 488  
 Necydalis C. G. Thoms. 256  
 Necydalis L. 259  
*Necydalis* Lam. 264  
**Necydalopsini** Lacord. 275  
 Necydalopsis Blanch. 275  
 Nenenia Pasc. 276  
 Neobethelium Blackb. 119  
 Neocerambyx Thoms. 46  
*Neocerambyx* Pasc. 46  
 Neoclosterus Heller 252  
 Neoclytus Thoms. 389  
*Neoclytus* Lacord. 393  
 Neocorus Thoms. 114  
 Neome Goun. 29  
 Neoleptura Thoms. 247  
 Neomarius Fairm. 35  
 Neomierus Gah. 131  
*Neopachyta* Bedel 183  
 Neopsidium Fairm. 261  
**Neostenini** Lacord. 138  
 Neostenus Pasc. 138  
 Nephalius Newm. 98  
*Nephalius* Thoms. 98: Lacord. 99.  
 Nephitheia Pasc. 262  
 Nericonia Pasc. 11  
 Nesoptylus Kirk. 491  
*Nethinus* Fairm. 10  
 Nida Pasc. 427  
 Niophis Bates 31

Niracus Newm. 299  
 Nisibistum Thoms. 132  
 Nivellia Muls. 202  
 Noemia Pasc. 10  
 Nortia Thoms. 40  
 Noserius Pasc. 27  
 Nosocme Kolbe 27  
*Nosophloeus* Dup. 452  
*Nothopeus* Pasc. 298, 491  
 Nothopygus Lacord. 321  
 Nothorhina Redt. 17  
 Nothrus Hald. 129  
 Notocresium Blackb. 125  
 Nyphasia Pasc. 95  
 Nysina Gah. 94  
 Nyssicus Pasc. 96

*Obriaceum* Thoms. 135  
 Obrida White 293  
**Obrini** Lacord. 132  
 Obrium Curt. 132  
 Ocalemia Pasc. 250  
 Ochimus Phoms. 428  
 Ochraethes Chev. 386  
*Ochrestes* Lacord. 386  
*Ochrestes* Bates 386  
*Ochroesthes* Chev. 386  
 Ochrus Lacord. 34  
 Ochrya Pasc. 422  
 Octavia Thoms. 288  
 Octoplon Thoms. 107  
 Ocytasia Pasc. 274  
 Odontocera Serv. 280  
 Oebarina Pasc. 70  
*Oedecnema* Thoms. 228  
 Oedenoderus Chev. 358  
**Oedonoderini** 358  
 Oeme Newm. 29  
 Oemida Gah. 32  
**Oemini** Lacord. 26  
 Oemodana Gah. 32  
 Oemona Newm. 115  
 Oemospila Gah. 37  
 Oesyophila Bedel 129  
 Olbius Thoms. 444  
 Oligoenoplus Chev. 416  
 Oligosmerus Kolbe 325  
 Ommata White 278, 279  
*Ommatidion* Gemm. & Har. 101  
 Ommidion Newm. 101  
 Omophaena Pasc. 293  
*Omoptycha* Qucdf. 302  
 Omotes Newm. 275  
 Omphalodera Solsky 195  
 Oncoptera Lacord. 83  
 Opades Lacord. 77  
*Ophiostomis* Gemm. & Har. 247  
 Ophistomis Thoms. 247

- Ophryops White 142  
 Oplatocera White 37  
 Opsamates Waterh. 45  
 Opsidota Pasc. 145  
 Opsimus Thoms. 23  
 Oregostoma Serv. 278  
*Oregostoma* Thoms. 278  
 Orion Guér. 83  
 Ornistomus Thoms. 278  
 Ornithia Thoms. 435  
 Oroderes W. Saund. 153  
 Orthocephala Thoms. 155  
*Orthoprasia* Auriv. 331, 332  
 Orthoschema Thoms. 331, 332  
*Orthostoma* Serv. 331  
*Orthostomidius* Bruch 332  
 Osmidus J. Lec. 69  
 Osphranthera Redt. 326  
 Ossibia Pasc. 135  
 Otaromia Auriv. 306  
 Otteissa Pasc. 176  
*Oupyrhidium* Pic 344  
 Oxilus Buq. 138  
 Oxophilus J. Lec. 469  
*Oxycalymma* Gemm. & Har. 277  
 Oxycaula 33  
*Orycoleus* Lacord. 272  
 Oxylymma Pasc. 277  
 Oxymagis Pasc. 146  
 Oxymerus Serv. 482  
*Oxymirus* Muls. 177  
**Oxypellini** 254  
 Oxypellus Blanch. 254  
 Oxypleurus Muls. 25  
 Oxyprosopus Thoms. 318  
 Ozodera Dupont 483  
 Ozodes Serv. 435
- Pachyeytes Fairm. 437  
 Pachydissus Newm. 56  
 Pachylocerus Hope 288  
 Pachymerola Bates 335  
 Pachysticus Fairm. 173  
 Pachyta Zett. 183  
*Pachyta* Muls. 185; Steph. 188  
 Pachyteria Serv. 299  
 Pachyticon Thoms. 159  
*Pachytodes* Pic 225  
*Paecnia* Thoms. 425  
 Panchylissus Waterh. 484  
 Pandrosos Bates 428  
 Pantomallus Lacord. 78  
 Pantonyssus Bates 100  
 Paphora Pasc. 118  
 Paraelytus Bates 416  
 Paradistichocera Poll 287  
 Paraloeus Fairm. 123  
 Paramallocera Auriv. 100
- Parandroeme Auriv. 27  
 Paraphacodes Belon 70  
 Paraphilus Gah. 157  
*Parastrangalis* Ganglb. 228, 241.  
 Paratoxotus Fairm. 173  
 Parevander Auriv. 453  
*Paristemia* Westw. 454  
*Paristemiinae* Lacord. 453  
 Paroeme Auriv. 31  
 Paromoeocerus Coun. 333  
 Parozodes Auriv. 434  
*Pasiphile* Bates 284  
 Pasiphyle Thoms. 284  
*Pasyphile* Lacord. 284  
 Pavieia Brongn. 460  
 Pectoetenus Fairm. 22  
*Pedochlytus* Kolbe 374  
*Pedostrangalia* Sokolow 228, 241  
 Peithona Cal. 159  
 Pelossus Thoms. 434  
 Pempsamaera Newm. 293  
 Pempteurys Bates 420  
 Penichroa Steph. 128  
 Pentanodes Schaeffer 418  
 Penthocaulus Fairm. 175  
 Pentomacrus White 128  
 Perarthrus J. Lec. 473  
 Peribocum Thoms. 98  
 Perilasius Bates 76  
 Perissomerus Coun. 113  
 Perissus Chevr. 374  
*Petalodes* Newm. 145  
 Phacodes Newm. 70  
 Phaedinus Serv. 477  
 Phalota Pasc. 276  
**Phalotini** Lacord. 276  
 Phantazoderus Fairm. & Germ. 255  
 Phelocalocera Blanch. 9  
 Phespia Bates 285  
*Philagathes* Thoms. 461  
 Philematium Thoms. 306  
**Philini** Gah. 156  
 Philus Saund. 156  
 Philomeces Kolbe 322  
 Phimosia Bates 449  
 Phitryonus Fairm. 172  
 Phlyctacnodes Newm. 141  
**Phlyctacnodini** 140  
*Phlyctenodes* Thoms. 141  
 Phoenicocerus Latr. 43  
 Phoenicus Lacord. 460  
 Phoenidnus Pasc. 485  
 Phoenissa Bates 278  
 Phoracantha Newm. 89  
**Phoracanthini** Lacord. 83  
 Phormesium Thoms. 168  
*Phrosyne* Murr. 319  
 Phrynoeris Bates 34  
 Phygopoda Thoms. 284

- Phyllarthrius Hope 453  
 Phyllocnema Thoms. 305  
 Phyllocnemida Péring. 303  
 Phymatechus Belon 33  
 Phymatoderma Blanch. 76  
 Phymatodes Muls. 347  
 Phydexia Pasc. 154  
 Physocnemum Hald. 336  
*Physodroma* Thoms. 149  
*Phyton* Newm. 132  
 Pidonia Muls. 200  
 Piesarthrius Hope 144  
 Piezocera Serv. 104  
**Piezocerini** Lacord. 102  
*Pilema* J. Lec. 270  
 Piodes J. Lec. 196  
*Plagiogorus* Fairm. 376  
 Plagionotulus Jord. 405  
 Plagionotus Muls. 375  
*Plagionotus* J. Lec. 380  
*Plagithmysides* Sharp 387  
*Plagithmysus* Motsch. 387  
*Plagithmysus* J. Lec. 389  
*Plagyonotus* Thoms. 376  
*Plangone* Thoms. 423  
**Platyarthriini** 447  
 Platyarthron Guér. 448  
 Platynocera Blanch. 258  
*Platynotus* C. G. Thoms. 368, Muls.  
 376  
 Plectogaster Waterh. 252  
 Plectrocerum Lacord. 445  
 Plectromerus J. Lec. 128  
 Pleuromenus Bates 474  
 Plocaederus Thoms. 48, 490  
*Ploccderus* Gemm. & Har. 48  
 Plutonesthes Thoms. 290  
 Pneumida Thoms. 123  
*Poecilium* Fairm. 348  
 Poecilobrium Horn 272  
 Poeciloderma Thoms. 444  
 Poecilomallus Bates 89  
**Poecilopeplini** 449  
 Poecilopeplus Thoms. 449  
 Polyphida Pasc. 437  
 Polyschisis Serv. 297  
 Polyzonus Cast. 316  
 Porithea Pasc. 118  
*Porithea* Blackb. 94  
 Porithodes Auriv. 94  
 Praxithea Thoms. 43  
 Prionopsis Fairm. 357  
*Prionus* Scop. 157  
*Procallimus* Pic 270  
 Prodontia Serv. 457  
 Promecops Serv. 322  
 Promecidus Fahr. 322  
 Promocera Motsch. 356  
 Pronuba Thoms. 442  
 Prospilus Thoms. 48  
 Prosype Thoms. 28  
**Protaxini** Gah. 13  
 Protaxis Gah. 13  
 Proteimidium Bates 85  
 Prothema Pasc. 291  
**Prothemini** Lacord. 291  
*Protocallidium* Csiki 348  
 Protosphaerion Goun. 96  
*Psalanta* Pasc. 9  
 Psathyrisa Auriv. 32  
 Psathyrus Thoms. 32  
 Psebena Gah. 261  
*Psebida* Jord. 261  
**Psebiini** Lacord. 261  
 Psebium Pasc. 262  
 Pseuderus Lameere 457  
 Pseudocalliprason Broun 142  
**Pseudocephalini** 154  
 Pseudocephalus Newm. 155  
*Pseudoclerus* Voet 13  
*Pseudodiptera* Pic 188, 191  
 Pseudogenes Fairm. 175  
 Pseudoleptura Thoms. 290  
 Pseudomyrmecion Bédel 422  
 Pseudophilus Gah. 69  
*Pseudophymatodes* Pic 348  
 Pseudopidonia Pic 201  
 Pseudosemnus Broun 142  
 Pseudosieversia Pic 200  
 Psilomerus Chev. 408  
 Psilomorpha W. Saund. 148  
 Psilomorphini Lacord. 148  
 Psilorrhadium Kraatz 168  
 Psygmatoecerus Party 43  
 Psylacrida Thoms. 117  
 Psyraza Pasc. 101  
 Pteracantha Newm. 451  
**Pteroplatini** 453  
 Pteroplatus Bug. 455  
 Pteroptychus Auriv. 117  
*Pterostenus* Lacord. 150  
*Pterosteninae* Lacord. 150  
 Ptycholaemus Chev. 447  
*Ptychopterus* Broun 117  
*Purpuriceninae* Gah. 457  
 Purpuricenus Germ. 461  
 Pyrestes Pasc. 289  
**Pyrestini** Lacord. 288  
*Pyresthes* Thoms. 289  
 Pyrgotes Bates 104  
 Pyrhona Bates 251  
 Pyrocalymma Thoms. 288  
 Pyrotichus J. Lec. 251  
 Pyrrhidium Fairm. 346  
**Pytheini** Thoms. 292  
 Pytheus Newm. 292

Rachidion Serv. 485  
 Ranqueles Goun. 71  
*Raphuma* Thoms. 407  
 Rhachidion Gemm. & Har. 485  
 Rhagiomorpha Newm. 149  
**Rhagiomorphini** Lacord. 149  
 Rhagiops Fairm. 172  
 Rhagium F. 160  
 Rhamnusium Latr. 165  
*Rhaphidera* Ferr. 123  
*Rhaphidodera* Gemm. & Har. 123  
 Rhaphuma Pasc. 407  
 Rhathymoscelis Thoms. 258  
 Rhinophthalmus Thoms. 148  
**Rhinotragini** Lacord. 277  
 Rhinotragus Germ. 277  
 Rhondia Gah. 196  
 Rhopalessa Bates 278, 279  
 Rhopalizida Jord. 319  
 Rhopalizus Thoms. 319  
*Rhopalomerus* Chev. 389  
 Rhopalopachys Chev. 389  
 Rhopalophora Serv. 430  
**Rhopalophorini** 430  
*Rhopalopus* Redt. 336  
 Rhysium Pasc. 115  
 Rhytidodera White 62  
 Romaleum White 84  
 Ropalopus Muls. 336  
*Rosalia* Muls. 327  
 Rosalia Serv. 327, 491

Sachalinobia Jacobs. 193  
 Sagridola Thoms. 169  
*Sakuntala* Lameere 7  
 Salpinia Pasc. 126  
 Saphanidus Jord. 26  
**Saphanini** 23  
 Saphanus Serv. 24  
 Saporaea Thoms. 42  
*Sarosesthes* Thoms. 381  
 Scaphinus J. Lec. 15  
 Scariates Fairm. 174  
 Schizax J. Lec. 470  
 Schizopleurus Lacord. 295  
 Sclethrus Newm. 417  
 Scolocobrotus Hope 146  
 Scopanta Fairm. 174  
 Seythroleus Bates 460  
 Sebasmia Pasc. 61  
*Selenophorus* Muls. 72  
 Semanotus Muls. 341  
 Semiope Pasc. 126  
 Semnus Lacord. 143  
 Sestyra Pasc. 424  
**Sestyrini** 424  
 Seuthes Pasc. 437  
 Sibylla Thoms. 255

Sidis Pasc. 118  
 Sieversia Ganglb. 199  
*Sigeum* Pasc. 291  
 Simocrysa Pasc. 152  
*Singalia* Lacord. 263  
*Sinolus* Muls. 267  
 Sisyrium Pasc. 117  
 Skeletodes Newm. 94  
*Smileceras* J. Lec. 358  
**Smodicini** Lacord. 12  
 Smodicum Hald. 12  
*Solimnia* Pasc. 139  
 Sophron Newm. 427  
 Sotenus Sharp 120  
 Sotira Pasc. 71  
 Spathopygus Lacord. 43  
 Sphaenothecus Dupont 472  
 Sphaerion Serv. 97  
 Sphaerionillum Bates 102  
**Sphaerionini** Lacord. 96  
 Sphagoeme Anriv. 31  
 Sphallenum Bates 64  
*Sphecogaster* Lacord. 282  
 Sphecomorpha Newm. 282  
*Sphegesthes* Chev. 368  
*Sphenalia* Daniel 228, 229  
*Sphenothecus* Gemm. & Har. 472  
 Sphoerion Thoms. 97  
 Spintheria Thoms. 487  
**Spintheriini** Lacord. 487  
**Spondyliini** Serv. 13  
 Spondylis F. 13  
*Spondylus* C. G. Thoms. 13  
**Stenaspini** 457  
 Stenaspis Serv. 458  
*Stencorus* Lam. 161  
 Stenomalus White 136  
 Stenobrium Kolbe 136  
*Stenochorus* Hope 89  
 Stenocorus F. 179  
*Stenocorus* Steph. 85; Gl. 161; Scop. 368  
**Stenoderini** 150  
 Stenoderus Serv. 150  
 Stenodryas Bates 127  
 Stenoeme Goun. 30  
*Stenogaster* Blanch. 428  
*Stenomalus* Gemm. & Har. 136  
 Stenopotes Pasc. 150  
 Stenopseustes Bates 286  
*Stenopteri* J. Lec. 263  
 Stenopterus Illig. 264  
*Stenoptrellus* Bates 272  
*Stenorrhopalus* Blanch. 258  
 Stenosphenus Hald. 443  
 Stenoxotus Fairm. 170  
*Stenura* Ganglb. 228, 231, 242  
 Stenygra Serv. 448  
 Stenygrinum Bates 120

- Stephanops* Shuck. 148  
**Sternacanthini** 451  
*Sternacanthus* Serv. 451  
*Sternangustum* Jord. 121  
*Sternoplistes* Guér. 466  
*Sthelenus* Buq. 275  
*Stiphilus* Buq. 486  
*Stizocera* Serv. 99  
*Strangalia* Serv. 228, 231, 242  
*Strangalia* Lac. 228  
*Strangalina* Auriv. 228, 240, 245  
*Strangalomorpha* Solsky 203  
*Straone* Thoms. 439  
*Streptolabis* Bates 451  
*Stromatiodes* Thoms. 72  
*Stromatium* Serv. 72  
**Strongylurini** Lacord. 144  
*Strongylurus* Hope 145  
*Styliceps* Lacord. 78  
*Stylaxus* J. Lec. 38  
*Styzocera* Thoms. 99  
*Sybilla* Thoms. 255  
*Sydx* Lacord. 108  
*Syllius* Pasc. 151  
*Syllitus* Thoms. 150  
*Sympiezocera* Lucas 341  
*Synaptola* Bates 305  
*Syndere* Kolbe 426  
*Synobrium* Kolbe 136
- Taphos* Pasc. 296  
*Tapinolachus* Thoms. 61  
*Taurotagus* Lacord. 45  
*Teinotus* Branes. 68  
*Teledapus* Pasc. 177  
*Telocera* White 295  
*Temnopis* Serv. 29  
*Teorotrium* Fairm. 357  
*Teraschema* Thoms. 48  
*Terpnissa* Bates 102  
*Tessaromma* Newm. 144  
**Tessarommatini** Lacord. 143  
*Tessaropa* Hald. 39  
*Tessaroptes* Hald. 39  
*Tesseromma* Thoms. 144  
*Tethionea* Pasc. 126  
*Tethlimmena* Bates 287  
*Tetracanthus* Hope 77  
*Tetranodes* Schaeffer 418  
*Tetranodus* Linell 418  
*Tetraommatus* Perr. 28  
*Tetropium* Kirby 17  
*Tetroplon* Auriv. 105  
*Thalusia* Thoms. 335  
*Thaumasocerus* Fairm. 438  
**Thaumasini** Thoms. 6  
*Thaumasus* Reiche 7  
*Thecladoris* Goun. 71
- Thelgetra* Thoms. 454  
*Thelxiope* Thoms. 7  
*Thephantos* Pasc. 120  
*Thersalus* Pasc. 84  
*Thesalia* Casey 250  
*Thia* Newm. 38  
*Thoris* Pasc. 94  
**Thranini** Gah. 263  
*Thranus* Pasc. 263  
*Thranodes* Pasc. 368  
*Tilloclytus* Bates 420  
*Tillomorpha* Blanch. 421  
*Tillomorpha* Lacord. 420  
**Tillomorphini** Lacord. 418  
*Tinopus* J. Lec. 430  
*Titurius* Pasc. 292  
*Tmesisternus* Serv. 488  
*Tomobrachyta* Fairm. 176  
*Tomopterus* Serv. 285  
*Torneutes* Reich. 42  
**Torneutini** Lacord. 42  
*Toxitiades* Fairm. 173  
*Toxotiades* Fairm. 173  
*Toxotinus* Bates 183  
*Toxotinus* Fairm. 173  
*Toxotochorus* Reitter 179  
*Toxotus* Zett. 177  
*Toxotus* J. Lec. 179; Thoms. 182  
*Trachelia* Serv. 449  
*Trachelissa* Auriv. 449  
*Trachelophanes* Murr. 68  
*Trachelorachys* Hope 141  
*Trachyderes* Dalm. 478  
**Trachyderini** Lacord. 476  
*Trachylophus* Gah. 62  
*Tragidion* Serv. 459  
**Tragocerini** Lacord. 487  
*Tragocerus* Latr. 487  
*Triacetelus* Bates 469  
*Tricheops* Newm. 140  
*Trichoferus* Woll. 66  
*Trichomallus* Lacord. 114  
*Trichomesia* Pasc. 276  
**Trichomesiini** 276  
*Trichophorus* Serv. 97  
*Trichoscelis* Bates 459  
*Trichoxys* Chev. 382  
*Trichromia* Fairm. 168  
*Trichroa* Fairm. 168  
*Trichrous* Chev. 441  
*Trigonarthris* Hald. 207  
*Trimeroderus* Fairm. 114  
*Trinophylum* Bates 127  
*Ttirachys* Hope 47  
*Trirrhachis* Gemm. & Har. 47  
*Tristachycera* Bates 29  
*Tritocosmia* Newm. 149  
*Tritomaerus* Newm. 132  
*Tropidion* Thoms. 111

- Tropidosoma* Perty 450  
**Tropidosomatini** Lacord. 450  
*Tropis* Pasc. 150  
*Tropocalymma* Thoms. 150  
**Tropocalymmatini** Lacord. 150  
 Trumais Goun. 41  
*Trypocharia* Pasc. 91  
*Trypogeus* Lacord. 159  
*Turcmenigena* Melgunov 38  
*Tylonotus* Hald. 69  
*Tylosis* J. Lec. 470  
**Typhocesini** Lacord. 296  
*Typhocesis* Pasc. 296  
*Typocerus* J. Lec. 228, 246  
*Typodryas* Thoms. 9  
  
*Ulochaetes* J. Lec. 259  
*Unxia* Thoms. 333  
**Uracanthini** Thoms. 146  
*Uracanthus* Hope 147  
*Uragus* Guér. 44  
*Urocites* Thoms. 137  
*Utopia* Thoms. 48  
  
*Vadonia* Muls. 207, 209  
*Vesperides* Lacord. 157  
*Vesperoctenus* Bates 157  
*Vesperus* Latr. 157  
*Volxemia* Lameere 81  
*Votum* Broun 142  
  
*Westwoodia* Kaup 144  
  
*Xanthopiodus* Fairm. 173  
*Xanthospila* Fairm. 301  
*Xenambyx* Bates 43  
  
*Xenocrasis* Bates 286  
*Xenodorum* Mars. 341  
*Xenophyrama* Bates 165  
*Xestia* Serv. 64  
*Xoanodera* Pasc. 63  
*Xuthodes* Pasc. 77  
*Xylocaris* Serv. 482  
*Xylocharis* Dupont 482  
*Xylocerius* J. Lec. 356  
*Xylosteus* Friv. 167  
*Xylostylon* Reitter 165  
*Xylostrechus* Chevr. 359  
*Xypeta* Pasc. 91  
*Xystocna* Pasc. 276  
*Xystrocera* Serv. 36  
  
*Yorkeica* Blackb. 94  
  
*Zagymnus* J. Lec. 445  
*Zamium* Pasc. 25  
*Zamodes* J. Lec. 69  
*Zarina* Fairm. 122  
*Zathecus* Bates 35  
*Zatrephus* Pasc. 62  
*Zegriades* Pasc. 62  
*Zenochloris* Bates 441  
*Zoedia* Pasc. 155  
*Zonopterus* Hope 299  
*Zonotylus* Gah. 461  
*Zoocosmius* Fahr. 426  
*Zoodes* Pasc. 73  
*Zoolygrus* 33  
*Zorion* Pasc. 156  
*Zosterius* Thoms. 427  
*Zulphidea* Fairm. 11  
*Zulphis* Fairm. 11

## Species, Subspecies, Varietates.

- Aeade* Newm. 284  
*abbreviata* F. (*Necydalis*) 260  
*abbreviata* Fabr. (*Strangalia*) 239  
*abbreviata* Germ. (*Leptura*) 224  
*abbreviata* Motsch. (*Leptura*) 207  
*abbreviata* Muls. (*Leptura*) 219  
*abbreviata* Panz. (*Necydalis*) 260  
*abbreviatus* Bates (*Trichoxys*) 382  
*abbreviatus* F. (*Stenoderus*) 151  
*abbreviatus* Schaeffer (*Neoclyt.*) 389  
*abchastica* Rost 219  
*abdominale* Cast. 332  
*abdominale* Gyllenh. 332  
*abdominalis* Bates (*Epiped.*) 422  
*abdominalis* Bland (*Gaurotes*) 194  
*abdominalis* Bonelli (*Phymat.*) 351  
*abdominalis* Dupont (*Lissonotus*) 485  
*abdominalis* Dupont (*Oxymerus*) 482  
*abdominalis* Hald. (*Strangal.*) 242  
  
*abdominalis* Ol. (*Acyphoderes*) 281  
*abdominalis* Ol. (*Callimus*) 271  
*abdominalis* Pasc. (*Anthrib.*) 168  
*abdominalis* Steph. (*Gramm.*) 205  
*Abeillei* Pic 66  
*aberrans* Newm. 93  
*abnormis* Sharp 387  
*abrupta* Auriv. 36  
*abruptus* Kraatz 379  
*abschasicus* Pic 413  
*abyssinicus* Auriv. (*Chloroph.*) 405  
*abyssinicus* Jord. (*Hypoesch.*) 27  
*acanthocera* Hope 89  
*acanthocerus* Ganglb. 408  
*accensum* Newm. 314  
*accensus* Chevr. 391  
*accentifer* Goun. 393  
*Achardi* Pic 314  
*achilleae* Brahm 399

- Achilles Thoms. 46  
 acicularis Pasc. 153  
 acme Jord. 27  
 Acteon Chevr. 390  
 aculeatum J. Lec. 85  
 aculeatus Dupont (Oxymerus) 482  
 aculeatus Fairm. (Arrhythmus) 122  
 aculeatus Fairm. (Coniolochnus) 61  
 acuminata F. (Cordyl.) 95  
 acuminata Ol. (Strangal.) 245  
*acuminatum* Thoms. 98  
 acuminatus F. (Neoclyt.) 389  
*acuminatus* Motseh. (Ceram.) 53  
 acuta Cast. & Gory (Cyllene) 384  
 acuta Germ. (Cyllene) 382  
 acuta Pasc. (Merion.) 273  
 acutipennis Bates (Euderees) 419  
 acutipennis Bug. (Comet.) 11  
 acutipennis Fairm. (Linopod.) 132  
 acutipennis Pasc. (Hesth.) 286  
 acutipennis Thoms. (Acyph.) 282  
*acutipennis* White (Navomorpha) 489  
 acutivittis Kraatz 407  
 acutus Blackb. 147  
*Adaliae* Reitt. 231  
 Adamsi Pasc. 468  
 addictum Newm. 314  
 adelpha Ganglb. (Gaurotos) 193  
 adelpha Thoms. (Callicir.) 309  
 adelphum Thoms. 107  
*adhaerens* Gah. 375  
*admirabilis* L. Heyd. 406  
 adonorensis Jord. 151  
 Adonis Perrin 271  
 adspersa Blackb. 296  
 adspersus Gebl. 359  
 adumbrata Bates 232  
*adusta* Gmel. (Gramm.) 205  
*adusta* Kraatz (Leptura) 211  
 adustipennis Solsky 232  
 adustus Burm. 455  
 aedon Jord. 367  
 aeger Bates 286  
 aegrota Bates (Eburia) 78  
 aegrota Bates (Didymocantha) 116  
 aegrota Bates (Pseudopidonia) 201  
 aegrota Bates (Ommata) 279  
 aegrotus Bates (Heterachtes) 110  
 aegrotus Bates (Choriolaus) 248  
 aegrotus Bates (Crassidius) 471  
 aegyptiacus F. 395  
*aegyptiacus* Ganglb. 401  
*aegyptiacus* Redt. 397  
 aemula Mannerh. 194  
 aemulus Pasc. 375  
*Aeneas* Pasc. 46  
*Aeneas* Thoms. 46  
 aeneicolle Er. 433  
 aeneicollis Bug. 475  
*aeneipenne* Muls. 345  
*aeneipennis* Chevr. (Alloesia) 439  
 aeneipennis Fairm. (Strang.) 241  
 aeneiventris Bates (Chrysopr.) 439  
 aeneiventris Goun. (Merion.) 272  
 aeneola Fairm. 436  
 aeneolus Bates 110  
 aenescens Auriv. (Hypoescr.) 27  
 aenescens Bates (Strangal.) 203  
 aenescens Burm. (Rhopal.) 432  
 aenescens Fairm. (Anisog.) 121  
 aeneum Degeer (Callid.) 344  
 aeneum F. (Genus?) 357  
 aeneus Bates (Pyrg.) 104  
 aeneus Jord. (Saphan.) 26  
 aeneus J. Lec. (Phymat.) 348  
*acolis* Thoms. 32  
 aepytus Chevr. 429  
 aequabilis Kolbe 321  
 aequalis Sharp 387  
 aereum Newm. 344  
*aesculi* Hald. 182  
 Aesopus Chevr. 393  
 aestiva Fall 38  
 aestivus Sharp 387  
 aestuosa Blackb. 145  
 aethiops Newm. (Ceresium) 123  
 aethiops Poda (Strangalia) 231  
*aetnensis* Bassi 464  
 afer Voet 319  
 affine Montrz. (Genus?) 357  
 affine Pasc. (Eroschema) 288  
 affine Thoms. (Octoplon) 107  
*affinis* Brullé (Purpuric.) 462  
 affinis Gah. (Dere) 426  
 affinis Gah. (Exannes) 125  
 affinis Gah. (Xylotrechus) 365  
 affinis Chevr. (Epiped.) 422  
*affinis* J. Lec. (Molorch.) 269  
*affinis* Lucas (Hesperoph.) 66  
*affinis* Marsh. (Leptura) 214  
*affinis* Motsch. (Asiates) 467  
 affinis Rits. (Paehyteria) 299  
*affinis* Saven. (Hylotrupes) 340  
*affinis* Schilsky (Cortodera) 197  
 africana Dist. (Merion.) 273  
*africana* Voet (Chlorida) 77  
 africanus Hope 453  
 afrum L. 309  
 Agassizi J. Lec. 356  
 Aglaia Newm. 283  
 agnatus Chevr. 402  
 agreste F. 16  
 agrestis Kirby (Crioceph.) 20  
 agrestis J. Lec. (Xylotr.) 363  
 agriloides Bates 8  
 agroides Bates 8  
 akbesianus Pie 226  
 akbesianus Pic (Callimus) 271

- akbesianus* Pic (Xylotrechus) 363  
*alacris* Bates 110  
*alalaisis* Pic 181  
*alata* Costa 308  
 Albardae Rits. 301  
 Albertisi Sharp 387  
*albicans* Klug 280  
*albicinctus* Bates (Phymat.) 348  
*albocinctus* Hope (Demon.) 409  
*albicollis* Pasc. 247  
*albicorne* F. 332  
*albicornis* Dist. (Helym.) 324  
*albicornis* Er. (Ancylost.) 481  
*albicornis* Lacord. (Trypog.) 159  
*albicus* Auriv. 319  
*albifasciatum* Bates 133  
*albifilis* Bates 359  
*albilabris* Har. 324  
*albinum* Bates 108  
*albipenne* Bates 105  
*albipennis* Pasc. 151  
*albipilosa* Pasc. 145  
*albisparsus* Bates 97  
*albitarse* Fährs. 306  
*albitarsis* Klug 284  
*albitarsum* F. 306  
*alboineta* Chev. (Glaucytes) 436  
*alboineta* Thoms. (Compsa) 109  
*alboineta* Blanch. 292  
*albofasciatum* Linell 85  
*albofasciatum* Cast. & Gory (Clor.) 405  
*albofasciatus* Motsch. (Phymat.) 348  
*albofasciatus* Bland (Phymat.) 355  
*albofasciatus* Degeer (Anagl.) 414  
*albolineatum* Buq. 438  
*albomaculatus* Allard (Demon.) 409  
*albomaculatus* Burm. (Trichoph.) 97  
*albopecta* Perty 109  
*albopubens* Fairm. 123  
*albopunctatus* Gronov. 489  
*alboscutatus* Fairm. 174  
*alboscutellatus* Chev. 402  
*albosignatum* Chev. 85  
*albosignatus* Gah. 409  
*albostrigatus* Fairm. 417  
*albotarsum* Weber 306  
*alceilus* Pasc. 409  
 Alcene Thoms. 314  
*aleyonea* Pasc. 37  
*aldabrensis* Linell 436  
*aleppensis* Witte 464  
*alexianus* Buq. 334  
*Alexis* Pasc. 46  
*Alfredi* Duges 456  
*algebraicus* Pasc. 409  
*algericum* Pic 166  
*algyricus* Pic 342  
*aliena* Bates (Leptura) 221  
*aliena* Bates (Tethylimna) 287  
*alienum* J. Lec. (Elaph.) 86  
*alienum* Pasc. (Stromat.) 72  
*allapsus* Newm. 93  
*allecta* Newm. 223  
 Allgewahri J. Lec. 471  
 Allstoni Bates 451  
 alni L. 348  
*alni* Blessig 351  
*alpestris* Pic 189  
*alphabeticus* Chev. 398  
*alpina* L. (Rosalia) 327  
*alpina* Ménétr. (Cortodera) 196  
*alpina* Cast. (Rosalia) 329  
*alpina* J. Lec. (Rosalia) 330  
*alsatica* Pic 235  
*altaica* Gebl. 240  
*altaicus* Gebl. (Xylotr.) 359  
*altaicus* Ganglb. (Evod.) 187  
*altaiensis* Pic (Phymatodes) 349  
*altaiensis* Pic (Evodinus) 187  
*altajensis* Laxm. 467  
*altalea* Gebl. 240  
*alticollis* Kraatz 201  
*alutacea* Bates 459  
*alveolatum* Bates 104  
*alveolatus* Bates 323  
*amabile* Thoms. 112  
*amabilis* Boh. (Eburia) 78  
*amabilis* Broun (Pseudos.) 142  
*amabilis* Chev. (Mecomet.) 393  
*amabilis* Hope (Euporus) 319  
*amabilis* Hope (Jonthodes) 297, 491  
*amabilis* Jord. (Merion.) 273  
*amabilis* J. Lec. (Strang.) 242  
*amabilis* Newm. (Stenosph.) 443  
*amabilis* Péring. (Helym.) 324  
*amaryllis* Chev. 393  
*amasinus* Pic 413  
*amasina* Pic 350  
*amasinus* Pic 413  
*amazona* Chev. 432  
*amazonica* Bates (Cyllene) 383  
*amazonica* Bates (Malloccera) 100  
*amazonica* Thoms. (Ceragenia) 453  
*amazonicus* Bates (Coccoderus) 44  
*amazonicus* White (Hesperoph.) 68  
*amazonicus* Thoms. (Styliceps) 78  
*ambigenus* Chev. 368  
*ambiguus* Fährs. 323  
*ambiguum* Newm. (Ceresium) 123  
*ambiguum* Newm. (Stromat.) 72, 490  
*ambrosiaca* Germ. 308  
*ambrosiaca* Steph. 308  
*ambustum* Heyd. 166  
*amentata* Bates 201  
*americana* Hald. (Necydalis) 261  
*americana* Hald. (Strangalia) 242  
*americanus* Gmel. (Neoclytus) 389  
*americanus* Schönh. (Genus?) 490

- amethystinus J. Lec. (Hylotr.) 339  
 amethystinus Quedf. (Euporus) 320  
*amethystinus* F. (Phymat.) 352  
 amictus Newm. (Nephalius) 98  
 amictus Pasc. (Dymasius) 60  
 amicus White 67  
 ammiralis L. 433  
 amoena Goun. (Ommata) 278  
 amoena Pasc. (Xoanodera) 63  
 amoena Pasc. (Plutonesthes) 290  
 amoenum Say 349  
 amoenus Cast. & Gory (Chlor.) 405  
 amoenus Gory (Selethrus) 417  
 amoenus Jord. (Criopros.) 457  
 amoenus Reitter (Asiates) 467  
 ampliata Gah. 46  
 amurense Kraatz 15  
 amurensis Kraatz (Stenocorus) 179  
 amurensis Kraatz (Evodinus) 185  
 amurensis Pic (Pseudopidonia) 201  
 anacantha Chevr. 383  
 analis Fairm. (Phyllocnema) 303  
 analis Gebl. (Cortodera) 196  
 analis Ol. (Amphidesmus) 454  
 analis Serv. (Rhinotr.) 277  
*analis* Herr.-Schaeffer (Gramm.) 205  
*analis* Redt. (Phymat.) 353  
 anaspidoides Bates 232  
*anatolicum* Pic 167  
*anceps* Newm. 277  
 ancora Belon (Pteropl.) 455  
 ancora Jord. (Chloroph.) 405  
 andalgalensis Bruch 484  
 andamanica Gah. 427  
 andamanicum Gah. 123  
 andamanicus Gah. (Demonax) 409  
*andamanicus* Gah. (Chlorophor.) 404  
 Andreae Chevr. (Perissus) 375  
 Andreae Germ. (Heteractes) 110  
 Andreae Hald. (Physoec.) 336  
*Andrevi* Fuente 380  
 Andrewesi Gah. 273  
 Angasi Pasc. (Atesta) 92  
 Angasi White (Purpuric.) 464  
*anglicum* Gmel. 161  
 angolense Er. 357  
 angolensis Quedf. 73  
 angulare Thoms. 107  
 angulata Pasc. (Hesthesis) 286  
*angulata* F. (Cyllene) 385  
*angulata* White (Listroptera) 429  
 angulatus Chevr. (Metal.) 468  
 angulatus Schrank (Callimus) 271  
*angulatus* F. (Neoclytus) 392  
 angulicollis Bates (Oxypros.) 318  
 angulicollis Fairm. (Dorcianus) 171  
 angulicollis Fairm. (Xanthopod.) 173  
*angulicollis* L. Heyd. (Strang.) 229  
 angulifer Jord. 367  
 angulosum Bates 133  
 angulosus Fairm. (Macrocaulus) 23  
*angulosus* Motsch. (Xylotrechus) 361  
 angustata Bates (Distenia) 8  
 angustata Ol. (Stenygra) 448  
 angustata Pic (Grammoptera) 203  
 angustata Schaeffer (Rhopaloph.) 431  
 angustatum Buq. 63  
 angustatus Waterh. (Logist.) 172  
 angustatus Pasc. (Tetraomm.) 28  
*angustatus* Boisd. (Uraec.) 147  
 angusticeps Kolbe 136  
 angusticolle Goun. 112  
 angusticollis Bates (Paramalloe.) 100  
 angusticollis Buq. (Anopl.) 71  
 angusticollis Gebl. (Aemaeops) 189  
*angusticollis* Bates (Tylosis) 470  
*angusticollis* Muls. (Chloroph.) 396  
 angustifasciatus L. Heyd. 416  
 angustipennis Pasc. 263  
 angustissima Pic 274  
 angustissimus Buq. (Eurypros.) 334  
 angustissimus Pic (Delagr.) 295  
 angustisternis Goun. 248  
 angustulum Gah. (Ceresium) 123  
*angustulum* Fairm. (Araespor.) 42  
 angustulus M'Leay 404  
 angustus Chevr. (Psilom.) 408  
 angustus Kriechb. (Phymat.) 349  
 annectens Sharp 387  
 Annobonae Auriv. 367  
 annosus Say 363  
 annularis F. (Chlorophorus) 402  
*annularis* F. (Strangalia) 232  
 annulata F. Phil. 258  
 annulatum J. Lec. 459  
 annulatus Dupont (Dieranod.) 481  
 annulatus Hope (Clytus) 373  
 annulatus Philippi (Callisphyris) 256  
 annulatus F. Phil. (Hephaestion) 257  
*annulatus* Quedf. (Evgenius) 331  
 annulicorne Germ. (Ceresium) 123  
 annulicorne Pasc. (Obrium) 134  
 annulicornis Buq. (Macroeme) 30  
 annulicornis Chevr. (Demonax) 409  
 annulicornis Fairm. (Cordylomera) 95  
 annulicornis Fairm. (Paralocetus) 123  
 annulicornis F. Phil. (Holopter.) 148  
 annulipes Blanch. (Cosmopl.) 455  
 annulipes Buq. (Coleox.) 64  
 annulipes Chevr. (Paroeme) 31  
 annulus F. (Clytus) 373  
*annulus* Costa (Ropalopus) 338  
 anoguttata Bates 279  
 anomala Bates (Leptura) 221  
 anomala Waterh. (Bradyenemis) 302  
 anormale Thoms. 112  
 Ansonjei Gah. (Compsomera) 297  
 Ansonjei Gah. (Xystrocera) 36

- antarcticus Auriv. 149  
 antennata Schaeff. (Strang.) 244  
 antennata White (Cyllene) 383  
 antennatum Gah. (Cridion) 63  
 antennatum Newm. (Callidium) 344  
 antennatum Thoms. (Brachys.) 427  
 antennatum Thoms. (Octoplon) 107  
 antennatus Chevr. (Perissus) 375  
 antennatus Gyllenh. (Philus) 156  
 anthophilus Chevr. 386  
 anticipes Fairm. (Mastododera) 169  
 anticipes Fairm. (Noemia) 10  
 antilope Schönh. 359  
 anthracina Mannerh. (Acmaeops) 189  
 anthracina J. Lec. (Strang.) 244  
 Apelles Newm. 382  
 aper Chevr. (Perissus) 375  
 aper Germ. (Malacopectus) 34  
 apicale Jord. (Agnit.) 121  
 apicale Gah. (Ceresium) 123  
 apicalis Buq. (Eurypr.) 334  
 apicalis Chevr. (Distenia) 9  
 apicalis Fairm. (Chlidones) 417  
 apicalis Fährs. (Lygrus) 33  
 apicalis Gah. (Dere) 426  
 apicalis Gah. (Hexarrhopala) 424  
 apicalis Gah. (Nyphasia) 95  
 apicalis Gah. (Zoocosmius) 426  
 apicalis Goun. (Stenygra) 448  
 apicalis Guér. (Rhinotr.) 277  
 apicalis Klug. (Odont.) 280  
 apicalis J. Lec. (Elytrol.) 455  
 apicalis Motsch. (Leptura) 211  
 apicalis Pasc. (Aphiorhynchus) 150  
 apicalis Pasc. (Demonax) 409  
 apicalis Pasc. (Hyphus) 34  
 apicalis Poll (Pachyt.) 299  
 apicalis W. Saund. (Enchopt.) 153  
 apicalis Sharp (Xuthodes) 77  
 apicalis Thoms. (Cordylom.) 95  
 apicalis Waterh. (Cometes) 11  
 apicalis Westw. (Amphid.) 454  
 apicalis Bates (Rhinotr.) 277  
 apicalis Curt. (Strang.) 238  
 apicalis Goun. (Haruspex) 103  
 apicalis Hampe (Plagion.) 377  
 apicalis Pic (Purpuric.) 462  
 apicalis Ragusa (Penichroa) 129  
 apicata Steph. 238  
 apicenotatus Pic 362  
 apicepene Fairm. 261  
 apicicornis Fairm. & Germ. (Call.) 256  
 apicicornis Rits. (Noemia) 10  
 apicula Bates 280  
 apiculata Pasc. (Tethionea) 126  
 apiculata Pasc. (Xystrocera) 37  
 apiculatus Pasc. 290  
 approximans Rosenh. 232  
 approximata Fairm. 130  
 approximator Gah. 62  
 approximatum White 103  
 approximatus Dupont (Oxymer.) 482  
 approximatus J. Lec. (Neocl.) 390  
 arabicus Küster 413  
 arachnipes Sharp 387  
 aramis Thoms. 56  
 araneiformis Ol. 390  
 araneipes Fairm. 148  
 araratensis Pic 379  
 arcifera Blanch. (Strang.) 241  
 arcifera Bates (Eburod.) 82  
 arciferum Bates 133  
 arciferus Chevr. (Chloroph.) 403  
 arciferus Gah. (Derolus) 58  
 arcuata Panz. 232  
 arcuata Ol. 246  
 arcuatus L. (Plagion.) 376  
 arcuatus Scop. (Plagion.) 379  
 arcuatus Sulzer (Clytus) 369  
 arcuifera Goun. 109  
 arctum Newm. 87  
 argentata Pasc. 293  
 argentatum Dalm. 316  
 argentatus Bates (Clost.) 319  
 argentatus Thoms. (Ochimus) 428  
 argenteofasciata Auriv. 437  
 argenteofasciatum Thoms. 123  
 argenteofasciatum Pic 326  
 argenteus Auriv. (Margites) 59  
 argenteus Bates (Sphaen.) 472  
 argentifer Pic 58  
 argentinum Bruch (Smød.) 12  
 argentinum Burm. (Centroc.) 89  
 argentinus Bruch 478  
 Argodi Belon (Cometes) 11  
 Argodi Belon (Ectenessa) 41  
 Argodi Belon (Euryptera) 248  
 Argodi Fairm. (Paratoxotus) 173  
 Argodi Thery (Strang.) 241  
 argutulus Buq. 11  
 argyreum Bates 433  
 argyrothorax Fairm. 324  
 Ariadne Daniel 229  
 arietinus Newm. 155  
 arietis L. (Clytus) 368  
 arietis F. (Xylotr.) 360  
 arietis Voet (Chloroph.) 396  
 arietoides Reitter 370  
 arizonense Casey 86  
 arizonica Schaeffer 38  
 Armandinae Chabr. 112  
 armata Goun. (Coleox.) 64  
 armata J. Lec. (Pachyta) 183  
 armata Serv. (Stizoc.) 99  
 armata Fowler (Strang.) 235  
 armata Hald. (Strang.) 244  
 armata Herbst (Strang.) 235  
 armata Preyßler (Strang.) 234

- armatum* Auriv. (Hexoplon) 105  
*armatum* J. Lec. (Tragidion) 459  
*armatus* Chabril. (Hylorus) 331  
*armatus* Goun. (Orniist.) 278  
*armatus* Voet (Elaph.) 88  
*armeniaca* Pic (Leptura) 210  
*armeniaca* Pic (Cortodera) 199  
*armeniacus* Reitter 379  
*armicollis* Fairm. 169  
*armigera* White 99  
*armipes* Bates 305  
*armiventris* Fairm. 169  
*arrogans* Buq. 455  
*artemisiae* Fairm. 395  
*artifex* Newm. 119  
*arvense* Panz. 19  
*arvicola* Ol. 360  
*asaemoides* Pasc. 357  
*ascendens* J. Lec. (Neocl.) 390  
*ascendens* Pasc. (Demon.) 409  
*asellus* Thiemé 395  
*aspera* J. Lec. 221  
*asperata* Thoms. (Xystroc.) 36  
*asperata* Waterh. (Artelida) 171  
*asperatus* J. Lec. 20  
*aspericollis* Fairm. (Pachyd.) 57  
*aspericollis* Germ. (Neocl.) 389  
*aspericornis* Chev. 32  
*asperipennis* Fairm. 351  
*asperiventris* Bates 278  
*aspersum* Hald. 86  
*asperula* Bates (Eburodaerys) 82  
*asperula* Bates (Compsa) 109  
*asperulum* White 73  
*asperum* J. Lec. 15  
*asphaltinus* Fairm. & Germ. 256  
*assimilatum* White 313  
*assimile* Hope 309  
*assimilis* Auriv. (Erythras) 290  
*assimilis* Goun. (Eburod.) 82  
*assimilis* Hope (Chlorophorus) 403  
*assimilis* Hope (Coptocercus) 93  
*astaboricum* Thoms. 306  
*astecus* Chev. 380  
*astrabadensis* Pic 208  
*ater* J. Lec. (Crossidius) 471  
*ater* J. Lec. (Phymatodes) 349  
*ater* L. (Stenopt.) 264  
*ater* Leng (Stenoc.) 182  
*ater* Ol. (Litopus) 321  
*aterrima* Germ. (Listropt.) 429  
*aterrima* Motsch. (Strang.) 231  
*aterrimum* Goun. 311  
*aterrimus* Pasc. 296  
*atomarium* Drury 84  
*atomarius* F. 363  
*atra* Chev. (Dihamm.) 429  
*atra* J. Lec. (Acmacops) 191  
*atra* Goun. (Euryptera) 248  
*atra* Goun. (Ischasia) 283  
*atra* Panzer (Strang.) 229, 491  
*atra* Payk. (Leptura) 208  
*atra* Scop. (Strang.) 231  
*atramentaria* Ganglb. (Lept.) 209  
*atramentaria* White (Rhopal.) 431  
*atrata* Bates (Chrysoprasis) 439  
*atrata* Bates (Ommata) 278  
*atrata* Goun. (Coleox.) 64  
*atrata* J. Lec. (Leptura) 223  
*atrata* Schilsky (Leptura) 208  
*atratus* Hald. 182  
*atricilla* Newm. 149  
*atricolle* Pasc. 288  
*atricollis* Pasc. 290  
*atricornis* Pic 265  
*atripenne* Pasc. (Euryarthr.) 292  
*atripenne* Bedel (Rhamn.) 166  
*atripennis* Bates (Eurypt.) 248  
*atripennis* Fairm. (Harrin.) 173  
*atripennis* Hope (Mecos.) 304  
*atripes* Chev. (Trioxchys) 382  
*atripes* Hintz (Xystroc.) 36  
*atripes* Pic (Phymat.) 350  
*atriphorax* Pic 366  
*atrivertris* Pic 234  
*atroviolaceus* Kirsch 455  
*atrovirens* Dalm. 321  
*atrovittata* Bland. 292  
*atrum* J. Lec. (Asenum) 15  
*atrum* F. (Callichr.) 309  
*attaliensis* Daniel 217  
*attenuata* L. 240  
*attenuata* Ström 235  
*attenuatus* Bois. (Plagith.) 387  
*attenuatus* Chev. (Merost.) 120  
*attenuatus* Hald. (Anthoph.) 195  
*attenuatus* Geoffr. (Stenopt.) 266  
*attenuatus* Weber (Stenod.) 151  
*atticum* Ganglb. 42  
*Auberti* Fairm. 45  
*Auboueri* Desbr. 370  
*Aubreyi* Broun 140  
*audax* Pasc. 7  
*Audouini* Dupont 481  
*anclymnalis* Westh. 308  
*Augusti* Chev. 390  
*Aulai* Bruch 390  
*aulicum* F. 18  
*aulicum* Payk. 19  
*aulicus* Laich. (Plagion.) 379  
*aulicus* Thoms. (Compsoc.) 323  
*auliensis* Pic 234  
*aurantiacus* Auriv. (Chloroph.) 404  
*aurantiacus* Lacord. (Hyphus) 34  
*aurata* Auriv. (Chrysopr.) 439  
*aurata* Bates (Championa) 447  
*aurata* Bates (Ommata) 279

- aurata* Gah. (Prothema) 291  
*aurata* Horn (Leptura) 221  
*auratipennis* Kolbe 304  
*auratopilosa* Bruch 429  
*auratus* Pasc. 322  
*aureicollis* Blanch. (Demonax) 409  
*aureicollis* White (Chrysoprasis) 439  
*aureipennis* Chev. 253  
*aureofasciata* Goun. 285  
*aureolineatus* Jord. 319  
*aureopubens* Pic 181  
*aureopubescentis* Pic 266  
*aureotinctum* Bates 311  
*auredinctum* ab. Bates 312  
*aureovittatus* Auriv. 323  
*aureovittis* Kolbe (Callichroma) 309  
*aureovittis* Kolbe (Oligosmerus) 325  
*aurescens* Hintz 374  
*aureum* Gmel. 313  
*aurichelceum* Gmel. 344  
*auricollis* Chob. (Leptura) 212  
*auricollis* Dalm. (Chrysopr.) 439  
*auricollis* Muls. & Rey (Gramm.) 203  
*auricollis* Thoms. (Clonioph.) 313  
*auricoma* Newm. 286  
*auricomum* L. 311  
*auricomus* Reitter (Stenoc.) 179  
*auricomus* Rits. (Coloborh.) 298  
*auricomus* Germ. (Dorcadoc.) 476  
*aurifaber* White 46  
*aurifer* Jord. 313  
*auriflua* Redt. (Ophistomis) 247  
*auriflua* Redt. (Strangalia) 229  
*aurigena* Germ. 439  
*aurigera* Newm. 227  
*auripenne* Casey 459  
*auripennis* Newm. 61  
*auripennis* Pasc. 61  
*auripes* Bates 440  
*auripile* Bates 18  
*auripilis* Bates (Clytus) 370  
*auripilis* J. Lec. (Leptura) 222  
*auriventris* Redt. (Chrysopr.) 440  
*auriventris* Küster (Stenopt.) 264  
*Aurivillianus* Dist. 57  
*Aurivillii* Goun. (Argyrodines) 435  
*Aurivillii* Goun. (Sphagoeme) 31  
*Aurivillii* Goun. (Tetroplon) 105  
*Aurivillii* Pic (Strangalia) 241  
*aurivitta* Burm. 432  
*aurocincta* Bates 280  
*auromarginata* Serv. 459  
*auronitens* Bates 440  
*aurosericans* Fairm. 241  
*aurosericea* Waterh. 171  
*aurovittata* Bates 429  
*aurulenta* F. (Strang.) 233  
*aurulenta* Kirby (Acyph.) 282  
*aurulenta* Pasc. (Nenenia) 276  
*aurulenta* Burm. (Eriocharis) 483  
*austerus* Chev. (Chlororh.) 404  
*austerus* Pasc. (Promeces) 322  
*Australasiae* Hope (Pachydissus) 56  
*Australasiae* Hope (Xystrocera) 37  
*australe* Boisd. 140  
*australicus* Thoms. 465  
*australis* Cast. & Gory (Xylotr.) 367  
*australis* J. Lec. (Crioceph.) 20  
*australis* Boisd. (Tragocerus) 487  
*australis* Gmel. (Navomorpha) 488  
*australis* Serv. (Tragocerus) 487  
*axillaris* Auriv. (Erythrus) 290  
*axillaris* Hald. (Purpuric.) 466  
*axillaris* Klug (Rhopal.) 431  
*axillaris* Dupont (Trachyd.) 480  
*azurescens* Gestro 321  
*baccifer* Bates 474  
*Badeni* Bates (Championa) 447  
*Badeni* Bates (Xenocrasis) 286  
*Badeni* Chap. (Pytheus) 292  
*badia* Newm. 246  
*badius* Dupont 478  
*Baeckmanniana* A. Sem. 160  
*bahiensis* Chev. 475  
*baicalica* Pic 218  
*baikalensis* Pic 218  
*Bainesi* Bates 45  
*baja* Schrank 181  
*bajulus* L. (Hylotropes) 339  
*bajulus* L. (Phymatodes) 350  
*Bakewellii* Pasc. 447  
*balearicus* Hampe 185  
*balearicus* Pic 401  
*Ballardi* Montr. 436  
*balteata* Horn (Strang.) 246  
*balteata* Pasc. (Atesta) 92  
*balteatus* Chev. (Tillocl.) 421  
*balteatus* Lacord. (Schizopl.) 295  
*balteatus* J. Lec. (Neocl.) 296  
*balteatus* Degeer (Chion) 76  
*Balyi* Pasc. 409  
*Banghaasi* Reitter 419  
*Bangi* Pic (Leptura) 211  
*Bangi* Reitter (Chlorid.) 314  
*Banoni* Serv. (Clostr.) 412  
*Banoni* Spin. (Ceropt.) 447  
*barbara* Lucas 160  
*Barbarae* Rivers 261  
*barbarus* Lucas 462  
*barbatum* F. 73  
*barbatus* Goun. (Cycnod.) 432  
*barbatus* Ol. (Dorcadoc.) 476  
*Barberi* Fall 242  
*barbicauda* Bates 441  
*barbicornis* Cast. (Parom.) 333  
*barbicornis* L. (Batus) 452

- barbicornis* F. (Parom.) 333  
*barbicornis* Heyne ((Unxia) 333  
*barbicornis* Ol. (Batus) 452  
*barbicornis* Serv. (Parom.) 333  
*barbicus* Kirby 284  
*barbipes* Schrank (Anis.) 356  
*barbipes* Küster (Phymat.) 352  
*barbiventris* Bates 309  
*Baroni* Bates 78  
*Barrasi* Pic 205  
*Bartholomaei* Motsch. 406  
*basale* Burm. (Ethemon) 334  
*basale* White (Callichroma) 309  
*basalis* Chevr. (Neoclytus) 390  
*basalis* Chevr. (Chrysoprasis) 441  
*basalis* Dalm. (Oxymerus) 482  
*basalis* Gah. (Glaucytes) 436  
*basalis* Gah. (Plocaederus) 48  
*basalis* Gah. (Tethlimmena) 287  
*basalis* Horn (Sphaen.) 472  
*basalis* J. Lec. (Acmaeops) 191  
*basalis* Pasc. (Homaemota) 422  
*basalis* Pasc. (Thranius) 263  
*basalis* Waterh. (Paehyteria) 300  
*basalis* White (Compsa) 109  
*basalis* White (Hesperophanes) 68  
*basalis* White (Lissozodes) 435  
*basalis* White (Trichorus) 441  
*basalis* Dupont (Dendrobias) 478  
*basicornis* Dohrn (Eburod.) 82  
*basicornis* Gah. (Acol.) 46  
*basicornis* Pasc. (P syr.) 101  
*basicornis* Reitter (Plagion.) 379  
*basifemoralis* Pic 307  
*basilaris* Pic 467  
*basileus* Bates 457  
*basinotata* Goun. 430  
*basipennis* Fairm. (Icariotis) 174  
*basipennis* Fairm. (Scariates) 174  
*basiplicata* Fairm. 241  
*basipunctata* Goun. 430  
*basispilus* Jord. 405  
*batchianum* Thoms. 314  
*Batesi* Auriv. (Gaurotos) 194  
*Batesi* Gah. (Callichroma) 311  
*Batesi* Har. (Rosalia) 329  
*Batesi* Horn (Metaleptus) 468  
*Batesi* Pasc. (Sternacanthus) 451  
*Batesi* Pasc. (Zathecus) 35  
*Batesi* Rits. (Paehyteria) 300  
*Batesi* Sharp (Xuthodes) 77  
*Batesi* White (Mecometopus) 394  
*Batesi* White (Pocillopeplus) 449  
*Batesi* Har. (Aeolesthes) 47  
*Batesi* Sharp (Zorion) 156  
*Batesianum* White 108  
*batus* L. 50  
*Bauri* Linell 78  
*Beaumonti* Desjard. 436  
*Beckeri* Desbr. (Cortodera) 196  
*Beckeri* Gerh. (Strangalia) 232  
*Behanzini* Lameere 309  
*Behrensi* J. Lec. 221  
*belga flava* Voet 216  
*belga major* Voet 238  
*belga minor* Voet 236  
*Bellarmini* Goun. 30  
*bellator* Serv. 51  
*Bellieri* Gautier 371  
*bellus* Blackb. (Phaeodes) 70  
*bellus* Goun. (Heterachtes) 110  
*Belti* Bates (Chrysoprasis) 440  
*Belti* Bates (Ophistomis) 247  
*beltiana* Bates 279  
*beltianus* Bates 390  
*benitensis* Jord. 453  
*Bennigseni* Kolbe (Plocaederus) 49  
*Bennigseni* Kolbe (Eogenius) 331  
*Bequaerti* Roubal 415  
*Besti* Blackb. 153  
*Bewicki* Woll. 25  
*Beyeri* Schaeffer 443  
*biangulatus* Voet 40  
*biapicatus* Gah. 290  
*biapiculata* Auriv. (Dietamn.) 126  
*biapiculata* Pasc. (Dejanira) 253  
*biapiculatus* White 65  
*biarcuatum* White 106  
*biarcuatus* Piller & Millerp. 348  
*bicallosus* Kraatz 413  
*bicarinata* Arnold 210  
*bicincta* Horn 431  
*bicinctus* Hope (Demonax) 409  
*bicinctus* Jord. (Lygrus) 33  
*bicinctus* Thoms. (Ornist.) 278  
*bicinctus* Ol. (Polyzonus) 316  
*bicolor* Bates (Epimelitta) 284  
*bicolor* Bates (Tragidion) 459  
*bicolor* Chevr. (Cyphost.) 474  
*bicolor* Dist. (Zanium) 25  
*bicolor* F. (Callider.) 444  
*bicolor* Fairm. (Chenoderus) 334  
*bicolor* Ganglb. (Sieversia) 199  
*bicolor* Goun. (Euryptera) 248  
*bicolor* L. Heyd. (Pseudosiev.) 200  
*bicolor* Horn (Tessaropa) 39  
*bicolor* Kolbe (Zoocosm.) 426  
*bicolor* Kraatz (Obrium) 133  
*bicolor* Ol. (Aneylocera) 446  
*bicolor* Ol. („Callidium“) 489  
*bicolor* Parry (Paehyteria) 300  
*bicolor* Pasc. (Artimpanza) 425  
*bicolor* F. Phil. (Platyocera) 258  
*bicolor* Redt. (Leptura) 209  
*bicolor* Sallé (Mallosoma) 438  
*bicolor* Schrank (Rhamnus) 166  
*bicolor* Swed. (Strang.) 245

- bicolor* Thoms. (*Distenia*) 8  
*bicolor* Voet (*Trachyd.*) 478  
*bicolor* Waterh. (*Alloesia*) 439  
*bicolor* Westw. (*Erythrus*) 290  
*bicolor* White (*Bimia*) 255  
*bicolor* Dalla Torre (*Phymat.*) 354  
*bicolor* Guér. (*Rhopal.*) 431  
*bicolor* Ol. (*Rhagium*) 161  
*bicoloraticps* Pic 230  
*bicoloratum* Pic 345  
*bicoloriceps* A. Sem. 464  
*bicornis* F. 453  
*bieuneata* Motsch. 183  
*bidens* F. (*Coleoxestia*) 64  
*bidens* F. (*Elaphidion*) 86  
*bidens* Newm. (*Elaphidion*) 87  
*bidens* Ol. (*Elaphidion*) 87  
*bidens* Weber (*Chloroph.*) 402  
*bidentatus* Donovan. 487  
*bifarius* Heyd. 370  
*bifasciata* Müll. (*Strang.*) 233  
*bifasciata* Pasc. (*Atesta*) 92  
*bifasciata* Phil. (*Compsa*) 109  
*bifasciata* Reitter (*Rosalia*) 328  
*bifasciatum* F. (*Genus?*) 357  
*bifasciatum* F. (*Rhagium*) 161  
*bifasciatum* Pasc. (*Euryarthrum*) 292  
*bifasciatum* Schrank (*Rhagium*) 162  
*bifasciatus* Broun (*Cacodrotus*) 152  
*bifasciatus* Dupont (*Megaderus*) 486  
*bifasciatus* Motsch. (*Hylotrupes*) 341  
*bifasciatus* Newm. (*Aumbis*) 317  
*bifasciatus* Ol. (*Evodinus*) 185  
*bifasciatus* Guér. (*Tragocerus*) 487  
*bifasciatus* Nicolas (*Clytus*) 371  
*biforis* Newm. 221  
*biformis* Tourn. 179  
*biguttata* Muls. 209  
*biguttatum* Sallé (*Genus?*) 357  
*biguttatum* Redt. (*Ibidion*) 112  
*biguttatus* Dalm. (*Lissonotus*) 484  
*biguttatus* Donovan. (*Coptocercus*) 93  
*biinterruptus* Pic (*Clytus*) 368  
*biinterruptus* Pic (*Purpuricenus*) 462  
*bijnubatus* Goun. 11  
*bilineata* Rits. 144  
*bilineatum* Guér. 448  
*bilineatus* Bates (*Heterachtes*) 110  
*bilineatus* Buq. (*Pteroplatus*) 455  
*bilineatus* Chevr. (*Trichoxys*) 382  
*bilineatus* Ol. (*Trachyd.*) 479  
*bilineatus* Sharp (*Plagith.*) 387  
*bilineatus* Gory (*Sphaenoth.*) 472  
*bilineatus* Muls. (*Purpuric.*) 464  
*bilineatus* Pic (*Stenoc.*) 180  
*biloculare* Thoms. 136  
*binoculus* Schauf. 464  
*bimaculata* Goun. (*Callanicyla*) 446  
*bimaculata* Müller (*Genus?*) 489  
*bimaculata* Goun. (*Protosphaer.*) 96  
*bimaculata* Pic (*Strang.*) 234  
*bimaculata* Schönh.  
*bimaculata* White (*Pempsam.*) 293  
*bimaculatum* Bates (*Perib.*) 98  
*bimaculatum* F. (*Zamium*) 25  
*bimaculatum* Pasc. (*Rhysium*) 115  
*bimaculatum* White (*Callichr.*) 313  
*bimaculatum* Marsh. (*Rhagium*) 162  
*bimaculatus* Auriv. (*Erythrus*) 290  
*bimaculatus* Gah. (*Bicon*) 423  
*bimaculatus* Gah. (*Psilomerus*) 408  
*bimaculatus* Gah. (*Tetraommat.*) 28  
*bimaculatus* Hald. (*Tylonotus*) 69  
*bimaculatus* Pasc. (*Thranis*) 263  
*bimaculatus* Say (*Molorechus*) 269  
*bimaculatus* Voet (*Eburia*) 78  
*bimaculatus* Billb. (*Hesperoph.*) 67  
*bimaculatus* Goun. (*Perissomer.*) 113  
*bimaculatus* Muls. (*Evodinus*) 186  
*binaeva* Reitter 308  
*binoculus* Bates 469  
*binodosa* Gah. 80  
*binodosum* Bates 108  
*binodasus* Lacord. 141  
*binodula* Chevr. 429  
*binotata* Broun (*Didymoc.*) 116  
*binotata* Lef. (*Leptura*) 209  
*binotata* Muls. (*Strang.*) 235  
*binotatum* Brongn. (*Chelid.*) 316  
*binotatum* Fauv. (*Ceresium*) 123  
*bioculata* Kraatz 187  
*bipartita* Bates (*Onmata*) 278  
*bipartita* Buq. (*Ozodera*) 483  
*bipartita* Lacord. (*Heterops*) 442  
*bipartita* Guér. (*Ozodera*) 483  
*bipartitum* Goun. 106  
*bipartitus* Buq. (*Eriphus*) 475  
*bipartitus* Buq. (*Hamaticherus*) 51  
*bipartitus* Jord. (*Purpuric.*) 465  
*biplagiata* Gah. (*Mimist.*) 427  
*biplagiata* Lacord. (*Sphcecom.*) 283  
*biplagiatum* Redt. 112  
*biplagiatus* Buq. 477  
*bipunctata* F. (*Leptura*) 209  
*bipunctata* White (*Diaspila*) 121  
*bipunctata* Kraatz (*Leptura*) 210  
*bipunctata* Muls. (*Leptura*) 211  
*bipunctata* Zoubk. (*Peniechroa*) 128  
*bipunctatus* Perty (*Callider.*) 444  
*bipunctatus* Waterh. (*Syllitus*) 151  
*bipunctatus* Schönh. (*Euryph.*) 461  
*bipunctatus* Villa (*Purpuric.*) 464  
*bipustulata* Röhrenb. 209  
*bipustulatus* Thoms. 317  
*birmanica* Gah. 289  
*Birnbacheri* Pic 196  
*bisbimaculata* Pic 183  
*bisbioculatus* Pic 185

- bisbigtigma* Pic 225  
*biseburata* Thoms. 423  
*biserratus* Voet 484  
 Bishopi Sharp 387  
*bisignata* Brullé (Leptura) 209  
*bisignata* Ménétr. (Leptura) 219  
*bisignatus* Buq. (Coccod.) 44  
*bisignatus* Dupont (Lisson.) 484  
*bisignatus* Germ. (Eriph.) 475  
*bispeculifer* White 285  
*bispina* Auriv. 31  
*bispinosum* Pasc. 84  
*bispinosus* Gmel. 86  
*bistigmata* Pic 210  
*bisulcata* Bates 280  
*bitincta* Goun. 100  
*bitlisiensis* Chevr. 210  
*bituberculatum* Serv. 112  
*bivitta* Newm. 147  
*bivittata* Bates (Ophist.) 247  
*bivittata* Buq. (Colcox.) 64  
*bivittata* Chevr. (Albesia) 439  
*bivittata* Gah. (Clonice) 437  
*bivittata* Goun. (Dihammaphora) 429  
*bivittata* Say (Aemacops) 191  
*bivittata* Serv. (Pezocera) 104  
*bivittata* Goun. (Protosph.) 96  
*bivittata* Goun. (Protosphæer.) 96  
*bivittatum* White 314  
*bivittatus* Gory (Sphaenoth.) 472  
*bivittatus* Goun. (Glyptosc.) 106  
*bivittis* White (Haruspex) 103  
*bivittis* Motsch. (Alosterna) 206  
*bivulneratum* Thoms. 112  
*bizonata* Newm. 286  
*bizonatus* Blanch. (Phymatiod.) 76  
*bizonatus* Goun. (Rhinotr.) 277  
*bizonatus* White (Polyzon.) 316  
*Blackburni* Gah. (Bethel.) 118  
*Blackburni* Sharp (Plagith.) 387  
*Blancaneaui* Bates 79  
*Blandi* Casey 471  
*blandus* Dupont (Trachyd.) 479  
*blandus* Guér. (Closterop.) 319  
*blandus* J. Lec. (Phymat.) 349  
*blandus* Newm. (Nephal.) 98  
*blandus* F. (Desmoc.) 253  
*Blüthneri* J. Lec. 23  
*Bobelayi* Brullé 380  
*Bodemeyeri* Reitter 349  
*Bohemani* Gah. 317  
*Boisduvali* Dupont 479  
*Bolivari* Paulino d'Oliveira 158  
*boliviana* Chevr. 383  
*bolivianus* Belon 394  
*boliviensis* Auriv. 481  
*bonaërens* Burm. 224  
*bonariense* Bruch 12  
*bonariensis* Thoms. 110  
*Bonplandi* Goun. (Cyllene) 383  
*Bonplandi* Goun. (Trachyderes) 479  
*Bonvouloiri* Mars. 342  
*boops* Blackb. 57  
*borealis* Gyllenh. 185  
*borneense* Auriv. 314  
*borneensis* Rits. (Pachyteria) 300  
*borneensis* Rothsch. & Jord. (Ros.) 330  
*Borni* Ganglb. 187  
*Borrei* Lameere (Ibidion) 112  
*Borrei* Rits. (Pachyteria) 300  
*Boryi* Cast. & Gory (Cyllene) 383  
*Boryi* Brullé (Purpuric.) 464  
*Bosschae* Rits. 299  
*Böttcheri* Pic 226  
*Baucordi* Chevr. 420  
*Bouchanti* Buq. 42  
*Bouchardi* Pasc. 440  
*Bourdillonii* Muls. 370  
*Bourдини* Muls. 271  
*Bouvieri* Boppe (Rosalia) 331  
*Bouvieri* Goun. (Callichroma) 311  
*Bouvieri* Goun. (Neome) 29  
*Bouvieri* Pic (Leptura) 211  
*Bouvieri* Pic (Pseudopidonia) 201  
*Bouvieri* Rits. 300  
*Bowringi* Pasc. (Demonax) 409  
*Bowringi* Pasc. (Erythresthes) 290  
*Bowringi* White (Rhytidodera) 62  
*bubrestoides* Laich. 14  
*bucharensis* Semen. 361  
*Buchneri* Quedf. 319  
*Buckleyi* Bates 311  
*budensis* Götz 462  
*bullatus* Hald. 341  
*Bungi* Fald. 307  
*buprestoide* Saven. 16  
*buprestooides* Bates (Callichr.) 311  
*buprestooides* L. (Spond.) 13  
*Buqueti* Belon (Anoplom.) 71  
*Buqueti* Cast. & Gory (Xylotr.) 365  
*Buqueti* Thoms. (Ibidion) 112  
*Buqueti* Thoms. (Xystocera) 36  
*Burmeisteri* Chevr. 390  
*Büttneri* Kolbe 304  
*brabantinus* Voet 378  
*brachiale* Bates 311  
*brachialis* Bates (Ommata) 279  
*brachialis* Bates (Ophistomis) 247  
*brachialis* Chevr. (Psilomerus) 408  
*brachialis* Ganglb. (Cortodera) 197  
*brachialis* Pasc. (Acypod.) 282  
*brachyptera* Chevr. (Bromiad.) 282  
*brachyptera* Daniel (Aemaeops) 189  
*brachyptera* Fairm. (Myiod.) 169  
*brachyptera* Pasc. (Merion.) 273  
*brachypus* Bates 71  
*braconides* Perty 283  
*braconinus* Bates 275

- brahminus Cast. & Gory 409  
*Brancsiki* Laczó 328  
*brasiliana* Gmel. 81  
*brasiliensis* Buq. (Lissonot.) 485  
*brasiliensis* Chev. (Rhopaloph.) 432  
*brasiliensis* Schaef. (Metal.) 469  
*brasiliensis* G. R. Gray (Metopoc.) 44  
*Brethesi* Bruch 106  
*brevicollis* Chev. 365  
*brevicollis* Bates (Amphionthe) 297  
*brevicollis* Fairm. (Aedocus) 171  
*brevicollis* Gebl. (Ropalopus) 337  
*brevicollis* Graells (Vesperus) 158  
*brevicollis* Pasc. (Didymoc.) 116  
*brevicollis* Dalm. (Phymat.) 351  
*brevicorne* Bates 85  
*brevicornis* Bates (Chrysoprasis) 440  
*brevicornis* Bates (Distenia) 8  
*brevicornis* Bates (Synaptola) 305  
*brevicornis* Broun (Didymoc.) 116  
*brevicornis* Chev. (Ochraeth.) 386  
*brevicornis* F. (Euporus) 320  
*brevicornis* Kolbe (Micramb.) 59  
*brevicornis* J. Lec. (Strang.) 242  
*brevicornis* Pasc. (Xylotr.) 365  
*brevicornis* Casey (Elytrol.) 456  
*brevicornis* Gab. (Pachyd.) 57  
*brevicens* Schaeffer 86  
*breviformis* Bates 420  
*brevilinea* Say 336  
*brevinotata* Pic 201  
*brevinotatus* Pic 188  
*brevipenne* Fairm. (Teorotr.) 357  
*brevipenne* Pasc. (Pseb.) 262  
*brevipennis* Bates (Coleox.) 64  
*brevipennis* Fairm. (Paraloc.) 123  
*brevipennis* Gah. (Psebena) 261  
*brevipennis* Gah. (Taurotagus) 45  
*brevipennis* Muls. (Leptidea) 262  
*brevipennis* Pasc. (Epania) 263  
*brevipennis* J. Lec. (Cyllene) 384  
*brevipes* Gah. (Polyz.) 316  
*brevipes* White (Harusp.) 103  
*brevis* Chev. (Dihamm.) 429  
*brevis* Jord. (Oxyprosopus) 318  
*brevis* Jord. (Synaptola) 305  
*brevis* Kirby (Leptura) 224  
*brevispinus* Bates 79  
*breviusculum* Thoms. 112  
*Bruchi* Goun. (Coremia) 335  
*Bruchi* Goun. (Diastrophosternus) 478  
*Brucki* Kraatz 416  
*Brullei* Muls. 433  
*brunnea* Auriv. (Parandroeme) 27  
*brunnea* Auriv. (Psathyrisa) 32  
*brunnea* Kirsch (Oeme) 29  
*brunnea* Thoms. (Glaucytes) 436  
*brunnea* Tourm. (Penichroa) 129  
*brunneipennis* Auriv. (Microcl.) 417  
*brunneipennis* Gah. (Derol.) 58  
*brunneonotatus* Pic 185  
*brunneorufa* Thoms 8  
*brunneum* F. (Obrium) 133  
*brunneum* Jord. (Sternang.) 121  
*brunneum* Schaeffer (Malobidion) 113  
*brunneum* Thoms. (Pachyticon) 159  
*brunneum* Thoms. (Smodieum) 12  
*brunneum* Schaeffer (Obrium) 133  
*brunnescens* Pic (Clytus) 370  
*brunnescens* Balbi (Strang.) 240  
*brunneus* Fairm. (Anisog.) 121  
*brunneus* Guér. (Orion) 83  
*brunneus* Hintz (Cerasph.) 75  
*brunneus* Pasc. (Thranus) 263  
*brunneus* Thoms. (Hypomares) 33  
*brunneus* Thoms. (Stromatiodes) 72  
*brunneus* Thoms. (Phlyctaenodes) 141  
*brunniceps* Thoms. 112  
*brunnicornis* J. Lec. 246  
*brunnipennis* Dupont 480  
*brunnipes* Muls. 185  
*cacica* Bates 82  
*cacicus* Bates (Criopros.) 457  
*cacicus* Chev. (Neocl.) 390  
*caelatus* Ol. 436  
*caerulescens* Goun. 440  
*caesarea* Auriv. 304  
*cafer* Gmel. 251  
*caffer* Fährs. (Litopus) 321  
*caffer* Fährs. (Chlorophorus) 405  
*calabarius* Bates 454  
*calcarata* Fairm. (Artelida) 171  
*calcarata* Pasc. (Merion.) 273  
*calcarata* F. (Strang.) 235  
*calcarata* Ol. (Strang.) 235  
*calcarata* Panz. (Strang.) 238  
*calcaratum* Chev. 306  
*calcaratus* Pasc. (Tifur.) 292  
*calcaratus* Scop. (Genus?) 489  
*calceata* Fairm. 169  
*calceatum* Auriv. 369  
*Calciop* Thoms. 112  
*californica* Fall (Idom.) 38  
*californica* J. Lec. (Acmaeops) 191  
*californicus* Horn 253  
*caligata* Fairm. 171  
*callichromoides* Pasc. (Euporus) 320  
*callichromoides* Thoms. (Typodr.) 9  
*callidioides* Bates (Nephal.) 98  
*callidioides* Dupont (Ozed.) 483  
*callidioides* Pasc. (Tetraomm.) 28  
*callidioides* Thoms. (Amyl.) 136  
*callidioides* White (Oplat.) 38  
*calligramma* Bates 165  
*calligrammum* Bates 107

- calligrammus* Bates 477  
*callispilum* Bates 107  
*callixantha* Bates 82  
*callizonus* Gah. 372  
*calopoides* Fairm. 69  
*calumniata* Rits. 300  
*calvatus* Horn 85  
*Cameranoi* Beffa 353  
*camerunicus* Auriv. 57  
*campestre* Goun. 107  
*campestris* Fald. (Hesperoph.) 66  
*campestris* Goun. (Eburod.) 82  
*canadensis* Ol. (Xylotr.) 363  
*canadensis* Ol. 221  
*candidum* Bates 107  
*cantharinum* L. 134  
*cantharinus* Herbst 180  
*cantharoides* Scop. 489  
*Cantori* Hope (Aphrodisium) 301  
*Cantori* Hope (Cerambyx) 52  
*capense* Péring. 310  
*capensis* Cast. & Gory 405  
*capitale* Pic 166  
*capitata* Newm. 242  
*capito* Pasc. 153  
*capra* Germ. 373  
*caprea* Say 390  
*capreola* Pasc. 176  
*capricornis* Chev. 360  
*capricornus* Gebl. 360  
*caproides* Bates 373  
*caracasensis* Chev. 333  
*carbonaria* Chev. 429  
*carbonarius* Hope (Oxypr.) 318  
*carbonarius* Reitter (Delagr.) 295  
*carbonarius* Reitter (Purpuric.) 464  
*carbonata* J. Lec. 242  
*cardinale* Bates 332  
*cardinalis* Dalm. (Ancyl.) 446  
*cardinalis* Daniel (Leptura) 211  
*cardinalis* Dupont (Trachyd.) 479  
*cardinalis* Fairm. (Ephies) 249  
*cardinalis* Pasc. (Pyrestes) 289  
*cardinalis* Thoms. (Eurycl.) 461  
*cardinalis* Voet (Pyrrhid.) 347  
*earemfrons* Cast. & Gory 365  
*carinata* Pic 154  
*carinatum* Fauv. (Ceresium) 123  
*carinatum* Pasc. (Euryarthr.) 292  
*carinatum* Thoms. (Tragid.) 459  
*carinatus* Cast. & Gory (Neocl.) 390  
*carinatus* Gah. (Centrotocl.) 423  
*carinatus* Küst. (Ceram.) 52  
*carinicolle* Bates (Ibidion) 112  
*carinicolle* Quedf. (Callichr.) 309  
*carinicollis* Bates (Acyph.) 282  
*carinicollis* Jord. (Xylotr.) 365  
*carinifer* Pic 465  
*carinifrons* Chev. 365  
*carinulatus* Karsch 74  
*carissima* Newm. 256  
*carissimum* White 105  
*carneola* Schrank 191  
*carniolicus* Gmel. 353  
*Caroli* Leprieur 49, 490  
*carolina* Weber (Judolia) 227  
*carolina* Weber (Strangalia) 246  
*carpo* Pic 250  
*cartalloides* Fairm. 293  
*Carthagenae* Gah. 51  
*carus* Fall 391  
*caryae* Gah. 383  
*caspica* A. Sem. 160  
*cassum* Newm. 97  
*castanea* Bates (Ommata) 279  
*castanea* Bates (Psyrrassa) 101  
*castanea* Cast. & Gory (Cyllene) 383  
*castanea* Goun. (Tillom.) 421  
*castaneipennis* Dupont (Stenasp.) 458  
*castaneipennis* Thoms. (Basipt.) 478  
*castaneorufus* Fairm. 403  
*castaneum* L. 18  
*castaneum* Ol. 19  
*castaneus* Goun. (Harusp.) 103  
*castaneus* Voet (Genus?) 489  
*castaneus* Bates (Hamat.) 51  
*castaneus* Redt. (Phymat.) 350  
*castanopterum* Er. 64  
*Castelnaudi* Thoms. 48  
*Castelnaui* Auriv. 384  
*Castiglionei* Scop. 489  
*castum* Broun 156  
*catoxanthum* White 119  
*caucasica* Pic 199  
*causicum* Kraatz (Leptorh.) 168  
*causicum* Reitter (Rhagium) 163  
*causicum* Tourn. (Obriura) 134  
*causicus* Rost (Evod.) 185  
*causicus* Desbr. (Ropal.) 337  
*causicus* Motsch. (Paracl.) 416  
*causicus* Pic (Chlorophorus) 397  
*causicus* Pic (Purpuricenus) 462  
*caudatum* Auriv. 105  
*caudatus* Degeer 340  
*cavicollis* Thoms. 40  
*cavipennis* J. Lec. 261  
*cayennensis* Cast. & Gory (Cyll.) 383  
*cayennensis* Dupont (Trachyd.) 481  
*c-duplex* Scop. 401  
*centralis* Pasc. (Brachytria) 292  
*centralis* A. Sem. (Apatoph.) 160  
*centurio* Chev. (Neocl.) 391  
*centurio* Czwal. (Ceram.) 55  
*cephalotes* Pasc. (Sestyra) 424  
*cephalotes* Voet (Rhagium) 163  
*cephalotes minor* Voet (Rhagium) 164  
*ceramboides* Degeer (Moloreh.) 268  
*ceramboides* Kirby (Stenod.) 151

- ceramboides* Rossi (Deilus) 295  
*cerambyciformis* Schrank 225  
*cerecina* Bates 285  
*cerdo* L. 52  
*cerdo* F. 52  
*cerdo* Poda 54  
*ceresioides* Pasc. (Oebarina) 70  
*ceresioides* Pasc. (Strongylurus) 145  
*cerussatum* Newm. 86  
*cercinus* Walk. 188  
*ceycinum* Pasc. 314  
*Chabrillaci* Buq. (Eurypros.) 334  
*Chabrillaci* Thoms. (Criodion) 63  
*Chabrillaci* Thoms. (Macroeme) 30  
*chalcea* Bates 115  
*chalybaeum* J. Lec. 272  
*chalybaeus* Philippi 257  
*chalybea* Hald. (Strang.) 242  
*chalybea* Newm. (Sphecom.) 282  
*chalybea* Redt. (Chrysopr.) 440  
*chalybeata* Gah. (Xystr.) 36  
*chalybeata* Pasc. (Typodr.) 9  
*chalybeata* White (Cyllene) 383  
*chalybeata* White (Mecosaspis) 304  
*chalybeatus* White 322  
*chalybeella* Bates 204  
*chamaeropsis* Horn 445  
*chamomillae* F. 212  
*Chamouny* Kraatz 187  
*championella* Bates 279  
*Championi* Bates (Criprosupus) 457  
*Championi* Bates (Eburia) 79  
*Championi* Bates (Neoclytus) 391  
*Championi* Bates (Oxylymma) 277  
*Championi* Bates (Perilasius) 76  
*Championi* White (Erythrus) 290  
*chapidensis* Goun. 110  
*charile* Bates 107  
*charus* Say 384  
*Chevrolati* Cast. & Gory (Neocl.) 391  
*Chevrolati* Dupont (Oxym.) 482  
*Chevrolati* Goun. (Compso.) 333  
*Chevrolati* Lameere (Chrysopr.) 440  
*Chevrolati* White (Harusp.) 103  
*Chevrolati* Guér. (Ornithia) 435  
*Chevrolati* Stål (Icosium) 42  
*Chevrolati* Thoms. (Rhopal.) 319  
*Chihuahuae* Bates 248  
*Childreni* Gray 254  
*chilense* Blanch. (Calliehr.) 311  
*chilense* Thoms. (Platharthr.) 448  
*chilensis* Blanch. (Holopterus) 149  
*chilensis* Blanch. (Cyllene) 383  
*chiliensis* Cast. & Gory 383  
*chiloensis* Germain 22  
*chinensis* Chev. 361  
*chionospila* Gah. 407  
*chiriquinum* Bates 311  
*chiriquinus* Bates 110  
*Chloe* Goun. 311  
*chlorata* Goun. 440  
*chloreus* Bates 318  
*chlorina* Bates (Synapt.) 305  
*chlorina* Auriv. (Mecos.) 304  
*chlorizans* Chev. (Cyenod.) 432  
*chlorizans* Solsky (Callid.) 344  
*chlorogaster* Auriv. 440  
*chlorolineatus* Quedf. 319  
*chlorophana* Chev. (Alloesia) 439  
*chlorophana* Fischer (Aromia) 308  
*chloropterus* Chev. 48  
*chloropterus* Murr. 48  
*chloropus* Bates 311  
*chloroticus* Ol. 67  
*chontalense* Bates 40  
*chontalensis* Bates (Dihammaph.) 429  
*chontalensis* Bates (Haruspex) 103  
*Christofori* Chev. 386  
*Christophi* Kraatz 377  
*chrysaspis* Bates (Acroethra) 285  
*chrysaspis* Bates (Callichroma) 309  
*chryseis* Bates 332  
*chryseus* Gah. 426  
*chrycina* Bates 304  
*chrysocollis* Hope 320  
*chrysocoma* Kirby 222  
*chrysoderes* White 409  
*chrysogrammum* Chev. 309  
*chrysogaster* Bates (Mecos.) 304  
*chrysogaster* Rits. (Pachyteria) 300  
*chrysogaster* Schrank (Stenoc.) 180  
*chrysogastra* Bates 440  
*chrysomeloides* Schrank 206  
*chrysothetha* Bates 280  
*chryso stigma* Bates 8  
*chrysothrix* Bates 47  
*chrysothyreas* Schrank 218  
*chrysozone* White 280  
*cibarius* Newm. 140  
*cicatricosum* Goun. (Obrium) 133  
*cicatricosum* Mannerh. (Callid.) 345  
*cicatricosus* Auriv. 106  
*ciliata* Pasc. 118  
*ciliensis* Chev. (Clytus) 370  
*ciliensis* Daniel (Leptura) 210  
*cincta* Guér. (Chlorida) 77  
*cincta* F. (Lept.) 212  
*cincta* Gyllenh. (Lept.) 212  
*cincta* Hald. (Euryptera) 248  
*cincta* Hald. (Strangalia) 243  
*cincta* Panz. (Lept.) 208  
*cinctella* Gah. 423  
*cinctellus* Gah. 108  
*cinctipennis* Goun. 8  
*cinctiventris* Bates (Odontoc.) 280  
*cinctiventris* Chev. (Chloroph.) 398  
*cinctulum* Bates 107  
*cinctum* Guér. 316

- cinctus* Drury (Chion) 75  
*cinctus* Dupont (Trachyd.) 479  
*cinctus* Fährs. (Rhopal.) 319  
*cinctus* Jord. (Derolus) 58  
*cinctus* Laneere (Purpuric.) 465  
*cinctus* F. (Akim.) 183  
*cinctus* Panzer (Lissonot.) 484  
*cinctus* Villa (Purpuric.) 464  
*cinderellum* White 314  
*cineraceus* Fairm. (Barossus) 175  
*cineraceus* Fairm. (Plocaederus) 49  
*cinerarius* Fairm. 121  
*cinerascens* J. Lec. (Anopl.) 126  
*cinerascens* Luc. (Nephal.) 98  
*cineipes* Chev. 305  
*cinereolus* Bates 382  
*cinereum* Ol. (Elaphid.) 87  
*cinereum* Serv. (Coelod.) 45  
*cinereus* Blanch. (Hesperoph.) 68  
*cinereus* Brancs. (Hesperoph.) 68  
*cinereus* Cast. (Clytus) 370  
*cinereus* F. (Diorthr.) 56  
*cinereus* Ol. (Criod.) 63  
*cinereus* Villers (Hesperoph.) 66  
*cinereus* Jord. (Plagionot.) 406  
*cingalensis* Gah. (Capnolymma) 177  
*cingalensis* Gah. (Chlorophorus) 403  
*cingalensis* White (Coloborh.) 298  
*cingulata* Kirby 286  
*cingulatus* Klug (Trachyd.) 479  
*cingulatus* Panzer (Lissonot.) 484  
*cinnabarinum* Blessig 345  
*cinnamomea* Fleut. & Sallé (Eb.) 79  
*cinnamomea* Goun. (Coleox.) 64  
*cinnamoptera* Hald. 222  
*cinnamopterum* Kirby 19  
*cinnamopterus* Rand. 182  
*cinnyris* Pasc. 314  
*circassica* Reitt. (Cortod.) 197  
*circassica* Daniel (Leptura) 215  
*circassicus* Pic 370  
*circulifer* Chev. 386  
*circumcinctum* Auriv. 135  
*circumdata* Ol. 222  
*circumflexum* F. 40  
*citreoguttata* Thoms. 82  
*citrina* Thoms. (Georg.) 450  
*citrina* Voet (Aromia) 308  
*citrinus* Chev. 386  
*clara* Bates (Odontocera) 280  
*clara* Bates (Eburia) 79  
*clarinus* Bates 361  
*clavatus* Chev. (Diastellopterus) 454  
*clavatus* Chev. (Neoclytus) 391  
*clavatus* Pasc. (Thephant.) 120  
*clathratus* Chev. (Anthrob.) 386  
*clathratus* F. (Evod.) 185  
*clathratus* Fairm. (Callider.) 444  
*clathratus* Panz. (Evod.) 186  
*clavicornis* Bates (Ommata) 279  
*clavicornis* F. (Anubis) 317  
*clavicornis* Fairm. (Agada) 357  
*clavicornis* Ol. (Lissonot.) 484  
*clavicornis* Reiche (Clytus) 370  
*claviger* Dalm. (Closterom.) 323  
*claviger* Sharp (Plagith.) 387  
*clavigera* Bates 127  
*clavipes* Bates (Tillocl.) 421  
*clavipes* Broun (Didymoc.) 116  
*clavipes* Chev. (Neocl.) 391  
*clavipes* F. (Ropalopus) 337  
*clavipes* Forst. (Genus?) 489  
*clavipes* Goun. (Cupan.) 81  
*clavipes* Kolbe (Nosoeime) 27  
*clavipes* Lacord. (Merion.) 273  
*clavipes* White (Euryprosopus) 334  
*clavipes* F. (Heteractes) 111  
*clavipes* Geoffr. (Grammopt.) 204  
*clavipes* Gyllenb. (Ropalopus) 338  
*clavipes* White (Rhopaligus) 319  
*Clementsi* Jord. 302  
*cleophile* Thoms. 107  
*cleriformis* Bates (Aploc.) 420  
*cleriformis* Pasc. (Halme) 423  
*clerinus* Bates (Oehraethes) 386  
*clerinus* J. Lec. (Zagymn.) 445  
*clerochroa* Thoms. 109  
*cleroides* Bates (Stenhom.) 136  
*cleroides* White (Ectosticta) 119  
*cleroides* White (Tilloclytus) 421  
*clerulum* Bates 133  
*Cloneti* Théry 370  
*Clymene* Thoms. 106  
*clypealis* Auriv. 457  
*clytina* Gah. 221  
*clytoides* Lacord. (Agall.) 445  
*clytoides* Pasc. (Acrocyrta) 412  
*clytoides* Pasc. (Polyphida) 437  
*coadnata* Fairm. 436  
*coadunata* Fairm. 436  
*coalescens* Bates 82  
*coarctata* Pasc. (Ochya) 422  
*coarctata* F. (Stenygra) 448  
*coarctata* Hald. (Strangalia) 245  
*cobaltinum* J. Lec. 311  
*coccinatus* Bates 469  
*coccinea* Bates (Mastod.) 170  
*coccinea* J. Lec. (Leptura) 216  
*coccineicollis* Hald. 475  
*coccineum* Guér. 278  
*coccineus* Casey (Oxoplus) 469  
*coccineus* Gah. (Ephies) 249  
*coccineus* Gah. (Erythrus) 290  
*coccineus* Serv. (Cryptobias) 452  
*Cockerelli* Fall 222  
*coelestis* A. Semen. 329  
*coemeterii* Thoms. 255

- coeruleans Fairm. 305  
 coerulea Say 250  
 coeruleata Fairm. 436  
 coeruleipenne Thoms. 315  
 coeruleipennis Auriv. (Eugoides) 302  
 coeruleipennis Bates (Stenocorus) 181  
 coeruleocincta Bates 277  
 coerulescens Bates (Ischnocn.) 473  
 coerulescens Gah. (Halme) 423  
 coerulescens Goun. (Distenia) 8  
 coerulescens Redt. (Osphrant.) 326  
 coeruleum Achard 311  
 coeruleus Bates (Cometes) 11  
 coeruleus Ol. (Oxypr.) 318  
 coeruleus Goeze (Phymat.) 352  
 coffeophagus Richter 366  
 cognata Broun 490  
 cognatum Laich. 344  
 cognatus Chevr. (Chloroph.) 403  
 cognatus Laich. (Ropalop.) 339  
 Coindardi Fairm. 10  
 Colbeuvi Mors 377  
 colchica Reitt. 197  
 collare Burm. (Elaph.) 86  
 collare Jord. (Callichr.) 309, 491  
 collare Pasc. (Chlorid.) 314  
 collaris Chevr. (Chrysopr.) 441  
 collaris Er. (Eriphus) 475  
 collaris Forster (Genus?) 489  
 collaris Germ. (Rhopaloph.) 431  
 collaris Jakowl. (Clerocel.) 419  
 collaris Jord. (Apiog.) 425  
 collaris Kirby (Gonoc.) 336  
 collaris Klug (Listropt.) 429  
 collaris L. (Acmaeops) 190  
 collaris Pasc. (Demonax) 409  
 collaris Pasc. (Euchlanis) 264  
 collaris Pasc. (Phalota) 276  
 collaris Philippi (Callider.) 444  
 collaris Serv. (Ommata) 278  
 collaris Sharp (Plagith.) 387  
 collaris Waterh. (Catorth.) 286  
 collaris Harold (Pachyteria) 300  
 collinum Pasc. 314  
 colobothoides Bates 416  
 colon Bates 280  
 colonus F. 363  
 coloratum Jord. 309  
 coloratus Quedf. 319  
 coloreus F. 363  
 columbina Serv. 8  
 columbinum Bates 313  
 columbinum Guér. 312  
 comata Pasc. 293  
 comatum Serv. 112  
 cometes Bates 226  
 comis Bates (Metaleptus) 469  
 comis Bates (Oxyprosopus) 318  
 comosus Solsky 187  
 compressicollis Cast. & Gory 415  
 compressicornis Fairm. & Germ. 149  
 compressipes White 280  
 compressus F. 73  
 compsoceroides Goun. (Cosmis.) 433  
 compsoceroides Lac. (Atelopt.) 257  
 comptus Mannerh. 406  
 comus Bates 443  
 concentricale Jord. 309  
 concinna Pasc. 154  
 concinnatum Pasc. 314  
 concinnatus Hald. 127  
 concinnus F. Phil. (Laut.) 254  
 concinnus Dup. (Cryptob.) 452  
 concolor F. (Genus?) 489  
 concolor Fairm. (Aedocus) 171  
 concolor Fairm. & Germ. (Call.) 257  
 concolor Goun. (Orthoschema) 332  
 concolor M'Leay (Stenod.) 150  
 concolor Nonfr. (Rhytid.) 62  
 concolor J. Lec. (Achrys.) 39  
 concolor Redt. (Chrysopr.) 440  
 concolor W. Saund. (Brachops.) 154  
 concolor Sharp (Plagith.) 387  
 concolor Bates (Agall.) 445  
 concolor Goun. (Cycnoderus) 432  
 concolor Goun. (Eburodaerys) 82  
 concolor Heyne (Rhagiom.) 149  
 condita Pasc. 293  
 conflagrata Motsch. 184  
 confluens Csiki 328  
 confluenta Hald. 245  
 conforme Har. 309  
 conformis Dupont (Trachyd.) 479  
 conformis Gah. (Rhaph.) 407  
 confusa Lacord. (Coleox.) 64  
 confusa Say (Atimia) 449  
 confusa Reitter (Cortod.) 196  
 confusus Dupont (Oxym.) 482  
 confusus Herbst (Xylotr.) 362  
 congener Cast. & Gory 383  
 conglobatus Fugn. 396  
 congoanus Auriv. 465  
 congolensis Hintz 57  
 congruus Pasc. 290  
 conicicollis Fairm. (Vesperus) 158  
 conicicollis Auriv. (Strangalia) 241  
 conjunctus J. Lec. (Neocl.) 391  
 conjunctus Rost (Evodinus) 185  
 conjugatum White 106  
 connatus Mors 377  
 connexa F. (Genus?) 489  
 connexa Reitter (Rosalia) 328  
 Conradsi Auriv. 309  
 Conradti Auriv. (Apiog.) 425  
 Conradti Bates (Tillocl.) 421  
 Conradti Kolbe (Calanthemis) 374  
 Conradti Kolbe (Plocaederus) 49  
 conradiellus Kolbe 320

- consanguineum* Auriv. 105  
*consanguineus* Chevr. (Mecomet.) 394  
*consanguineus* Rits. (Zonopt.) 299  
*consimilis* Gah. (Closterom.) 323  
*consimilis* Chevr. (Cyllene) 382  
*consobrina* Goun. (Stizoc.) 99  
*consobrina* Jaq. du Val (Eburia) 79  
*consobrinus* Gah. (Hamatic.) 51  
*consobrinus* Goun. (Tomopt.) 285  
*consobrinus* Lucas (Chloroph.) 398  
*consocius* Gah. (Xylotr.) 365  
*consocius* Pasc. (Plocaei.) 50  
*conspersa* Horn 79  
*conspersum* Newm. 86  
*conspersus* J. Lec. 76  
*conspicillata* Goun. 99  
*conspicillatus* Er. 96  
*conspicua* Gah. (Pyroc.) 288  
*conspicua* Perty (Stenygra) 448  
*constricticollis* Schaeffer 133  
*constricticollis* Schaeffer 38  
*constrictus* Germ.  
*contortus* Gah. 365  
*contracta* Bates 241  
*contracta* Pasc. 448  
*contractifrons* Bates 405  
*controversus* Schrank 379  
*convergens* Bates (Athet.) 453  
*convergens* J. Lec. (Xylotr.) 364  
*Converlini* L. Petagna 378  
*convexa* J. Lec. 227  
*conviva* Csiki 491  
*copulina* Bates 31  
*Coquereli* Fairm. (Anisogaster) 121  
*Coquereli* Fairm. (Anomoderus) 270  
*Coquereli* Fairm. (Xylotrachus) 367  
*Coquilletti* Linell 227  
*coquus* L. 459  
*corallifer* Sturm (Pocillop.) 450  
*corallifer* White (Erythropl.) 277  
*corallifer* Newm. (Megad.) 486  
*corallinus* Bates (Heteracht.) 110  
*corallinus* Dupont (Lisson.) 484  
*corallinus* Fairm. (Crioc.) 175  
*corallinus* Gah. (Dicelost.) 460  
*corallinus* Goun. (Phaedinus) 477  
*corallinus* Hope (Pachyl.) 288  
*corallinus* J. Lec. (Oxopl.) 469  
*corallipes* Reitt. 210  
*Corbetti* Gah. (Ibidionidum) 137  
*Corbetti* Gah. (Zonopterus) 299  
*cordicollis* Bates 133  
*cordifer* Klug 391  
*cordifera* Ol. 227  
*cordiger* Aragona 396  
*cordigera* Fuessly 211  
*coreana* Fairm. 307  
*coreanus* Sharp 20  
*coriacea* Er. (Haruspex) 103  
*coriacea* J. Lec. (Piodes) 196  
*coriaceum* Payk. 345  
*coriaceus* Motsch. 21  
*corinna* Pasc. 285  
*corni* Hald. 269  
*cornuta* Bates 104  
*cornuta* Lacord. 73  
*coronatum* White 86  
*coronarum* Pasc. 123  
*corralensis* F. Phil. 257  
*corsica* Pic 214  
*corsicus* Chevr. (Chloroph.) 400  
*corsicus* Croiss. (Semanot.) 342  
*corticina* Chevr. 421  
*corvina* Germ. 64  
*corvinum* Burm. 311  
*cosmicum* Bates 311  
*cosmicum* White 311  
*cosmocera* White 448  
*Costai* Goun. 82  
*costaricensis* Thoms. (Cyllene) 383  
*costaricensis* Bates (Anthoph.) 195  
*costata* Dupont (Erioch.) 483  
*costata* J. Lec. (Oeme) 29  
*costata* Serv. (Chlorida) 77  
*costatus* Auriv. (Trachyd.) 479  
*costatus* Gah. (Philus) 157  
*costatus* Hintz (Metopot.) 26  
*costifer* Broun 142  
*costifera* Waterh. 77  
*costipennis* Buq. (Opad.) 77  
*costipennis* Fall (Eudist.) 34  
*costipennis* Thoms. (Ischnoc.) 473  
*costulata* Bates (Eburia) 79  
*costulata* Bates (Euryptera) 248  
*costulipennis* Fairm. 172  
*cothurnatus* Er. 274  
*Cotterilli* Bates 262  
*Cranchi* White 369  
*crassicornis* Chevr. (Mecomet.) 394  
*crassicornis* Fairm. & Germ. (Adalb.) 255  
*crassicornis* Gestro (Closterom.) 323  
*crassicornis* Ol. (Pachyloc.) 288  
*crassicornis* J. Lec. (Leptura) 222  
*crassicornis* Muls. (Clytus) 270  
*crassimana* Goun. 82  
*crassipes* Fairm. (Pachyst.) 173  
*crassipes* J. Lec. (Leptura) 222  
*crassipes* Quedf. (Zoodes) 74  
*crassipes* Goetz (Phymat.) 355  
*crassitarsis* Goun. 283  
*Crawshayi* Sharp 19  
*Cressoni* Bland 194  
*cretatum* White 124  
*creticus* Ganglb. 158  
*cretifer* Hope 145  
*cribellata* Bates (Pyrassa) 101  
*cribellata* Bates (Apelocera) 420

- cribellatus* Bates 472  
*cribellum* Bates 446  
*cribrata* Gah. 177  
*cribratum* Bates (Trinoph.) 127  
*cribratum* Sallé (Plectroc.) 445  
*cribratus* Bates (Euderes) 419  
*cribratus* J. Lec. (Xyloer.) 356  
*cribricolle* Poll 301  
*cribricollis* Bates (Acyphoderes) 282  
*cribricollis* Bates (Ancylocera) 446  
*cribricollis* Bates (Hesperophanes) 68  
*cribricollis* Bates (Sphaenothecus) 472  
*cribricollis* Bates (Stizocera) 99  
*cribricollis* Pic (Leptura) 210  
*cribripenne* Bates 133  
*cribripennis* Bates (Euderes) 419  
*cribripennis* Bates (Heterachtes) 110  
*cribripennis* Bates (Ommata) 279  
*cribripennis* Bates (Paramalloe.) 100  
*cribripennis* Gah. (Hypargyra) 297  
*cribripennis* Gah. (Leptura) 221  
*cribripennis* Horn (Desmoc.) 253  
*cribripennis* Thoms. (Stenosph.) 443  
*cribripennis* Thoms. (Uroceites) 137  
*cribripennis* J. Lec. (Leptura) 222  
*cribristernis* Bates 8  
*cribrithorax* Kolbe 49  
*crinicornis* Chev. 383  
*crinipes* Thoms. 171  
*crinita* Klug (Acyph.) 282  
*crinita* Fahr. (Ossibia) 135  
*crinitus* Hintz 57  
*criocerina* Bates 191  
*cristata* Pasc. 62  
*cristatus* Chev. (Neocl.) 391  
*cristatus* Sharp (Plagith.) 387  
*crocata* Bates (Odontoc.) 280  
*crocata* Pasc. (Pluton.) 290  
*crocatum* Pasc. 25  
*croceicollis* White 475  
*croceicornis* Goun. 279  
*Croesus* Bates 304  
*Croissandani* Pic 328  
*Croissandani* Th. Pic 328  
*cruciata* Ol. 233  
*cruciatum* Auriv. 105  
*cruciatum* Dupont (Lisson.) 484  
*cruciatum* Kraatz (Evod.) 187  
*crucicollis* Chev. 367  
*crucifer* Kraatz 187  
*cruciferum* Bates (Obrium) 133  
*cruciferum* Goun. (Hexopl.) 105  
*crucigera* Hope 89  
*cruentata* Chev. (Entomost.) 474  
*cruentata* Hald. (Strang.) 242  
*cruentata* Pasc. (Epiped.) 422  
*cruentatus* Dupont 479  
*cruentus* J. Lec. (Oxopl.) 469  
*cruentus* Pasc. (Ephies) 249  
*cryptophagus* Olliff 147  
*ctenostomoides* Bates (Champ.) 447  
*ctenostomoides* Thoms. (Hexop.) 105  
*cubanus* Thoms. 113  
*cubitalis* J. Lec. 222  
*cucujides* Newm. 275  
*cucujiforme* Say 12  
*cucujus* White 119  
*cujanus* Burm. 149  
*culicina* Bates 273  
*culicinus* Pasc. 409  
*cumulosus* Pasc. 409  
*cuneatus* Fairm. (Chloroph.) 403  
*cuneatus* Sharp (Plagith.) 387  
*cuneipennis* Kraatz 361  
*cuprarius* Fairm. 316  
*cuprata* Reitter 308  
*cuprea* Weber 489  
*cupreum* Fabr. 305  
*cupricollis* Guér. 431  
*cupripenne* Kricchb. 245  
*curiale* Pauz. 18  
*curialis* Goun. 82  
*Curroi* White 306  
*cursor* L. 177  
*curta* Thoms. 77  
*curticollis* Fairm. 36  
*curtipes* Thoms. 127  
*Curtisi* Cast. & Gory 404  
*curtulus* Chev. 391  
*curtus* Cast. & Gory 394  
*curvatoplicatus* Jord. 313  
*curvatus* Germ. 391  
*curvicollis* Buq. 446  
*curvilineatus* Muls. 186  
*curvipennis* Bates 285  
*curvipes* Heller (Neoclost.) 252  
*curvipes* Hintz (Nosocme) 27  
*cyanea* Bates (Ommata) 279  
*cyanea* Gebl. (Leptura) 209  
*cyanea* Pasc. (Melegena) 11  
*cyanea* Matsum. (Gaurotes) 193  
*cyaneipennis* Waterh. (Panchyl.) 484  
*cyaneipennis* Goun. (Ectenessa) 41  
*cyanelia* Chev. 36  
*cyanelus* Bates 323  
*cyaneodorsis* Kolbe 309  
*cyaneonigra* Fairm. 298  
*cyanesceus* Auriv. 29  
*cyaneum* Goun. (Cosmis.) 433  
*cyaneum* Pasc. (Orthosch.) 332  
*cyaneus* Bates (Ischnoen.) 473  
*cyaneus* Hald. (Anthoph.) 195  
*cyaneus* F. (Callimus) 271  
*cyaneus* F. (Desmocerus) 253  
*cyaneus* Geoffr. (Phymat.) 352  
*cyanicollis* Bates (Chont.) 248  
*cyanicollis* Dupont (Sphaenoth.) 472

- cyanicornis* Guér. (Aromia) 307  
*cyanicornis* F. (Euporus) 320  
*cyanipenne* Serv. (Sphaerion) 97  
*cyanipenne* Thoms. (Aristobr.) 136  
*cyanipennis* Bates (Ommata) 279  
*cyanipennis* Buq. (Eurypr.) 334  
*cyanipennis* Fairm. & Germain (Neyd.) 275  
*cyanipennis* Fairm. (Glaucytes) 436  
*cyanipennis* Fairm. (Phitryonus) 172  
*cyanipennis* J. Lec. (Callimus) 272  
*cyanipennis* Say (Gaurotos) 194  
*cyanipennis* Thoms. (Ideratus) 331  
*cyanipennis* Thoms. (Plocaederus) 48  
*cyanipennis* Thoms. (Helymaeus) 324  
*cyanipes* Thoms. (Chlorid.) 314  
*cyanipes* Bates (Deltaspis) 459  
*cyanocherysos* Gmel. 352  
*cyanomelas* White 311  
*cyanoptera* Pasc. 115  
*cyanopterus* Dupont (Galissus) 473  
*cyanopterus* F. Phil. (Hephaest.) 257  
*cylindracea* Newm. 447  
*cylindraceus* Fairm. 24  
*cylindrella* Casey 475  
*cylindrica* Serv. (Odontoc.) 280  
*cylindrica* Thoms. (Macroeme) 30  
*cylindricollis* Auriv. (Cordylom.) 95  
*cylindricollis* Bates (Anellus) 85  
*cylindricollis* Pasc. (Lygesis) 146  
*cylindricollis* Say (Stenoc.) 182  
*cylindricollis* F. (Heterachtes) 111  
*cylindricollis* Thoms. (Apiog.) 425  
*cylindricum* Thoms. (Ibidion) 112  
*cylindricum* White (Callichr.) 309  
*cylindricus* Bates (Oxypr.) 318  
*cylindricus* Fährs. (Dissap.) 59  
*cylindricus* Germain (Syllitus) 152  
*cylindricus* Thoms. (Aristog.) 139  
*cylindrides* Nowm. 12
- daedaleum* Bates 86  
*daghestanica* Pic 191  
*Dalmani* Fährs. 302  
*dalmatina* Müller 211  
*dalmantius* Sturm 462  
*damalis* Pasc. 409  
*damarensis* Auriv. 321  
*damascenus* Chev. 402  
*Dancoi* Lameere 255  
*darnanus* Buq. 334  
*darwinianus* Sharp 388  
*dasyppus* Voet 369  
*datus* L. 51  
*daurica* Motsch. 356  
*dauricus* Gebl. 185  
*Davidis* Fairm. (Clytus) 373  
*Davidis* Deyr. (Callichroma) 313
- Davidis* Deyr. (Gaurotos) 193  
*Dayremi* Pic 235  
*Debauvei* Guér. 477  
*debile* J. Lec. 89  
*debilis* Blackb. 153  
*debilis* Goun. 284  
*debilis* Hintz 320  
*debilis* Horn (Stenosphenus) 443  
*debilis* Horn (Tessaropa) 39  
*debilis* Kolbe 305  
*debilis* Kraatz 201  
*debilis* J. Lec. 272  
*debilis* Sharp (Oemona) 115  
*debilis* Sharp (Plagithmysus) 388  
*decemmaculata* F. (Eburia) 79  
*decemmaculata* Ol. (Ctenodes) 451  
*decempunctata* Westw. (Rosalia) 330  
*decempunctata* Ol. (Judolia) 225  
*decens* Gah. 409  
*deceptor* Sharp 20  
*decipiens* Bates (Elaphidion) 86  
*decipiens* Bates (Heterachtes) 110  
*decipiens* Bates (Lemula) 168  
*decipiens* Bates (Trichophorus) 97  
*decipiens* Gah. (Demonax) 409  
*decipiens* Goun. (Eburodacrys) 82  
*decolor* Thieme 361  
*decolorata* Harris (Centrodera) 167  
*decolorata* Pasc. (Ciopera) 28  
*decora* Newm. (Amphirhoë) 434  
*decora* Ol. (Cyllene) 384  
*decora* Thoms. (Pronuba) 442  
*decora* Cast. & Gory (Cyllene) 384  
*decorata* Bates (Anthribola) 168  
*decorata* Buq. (Macroeme) 30  
*decoratum* Goun. 107  
*decoratus* Germain (Maripanus) 72  
*decoratus* Pasc. (Xylotrechus) 365  
*decorus* Gah. (Demonax) 409  
*decorus* Ol. (Purpuricenus) 465  
*decorus* Perroud (Coptocercus) 93  
*decorus* Gené (Callimus) 271  
*decussatus* J. Lec. 349  
*deflendus* Newm. 443  
*degener* Fairm. (Imerinus) 143  
*degener* A. Sem. (Asiates) 467  
*dehiscens* J. Lec. 222  
*Dejeani* Chev. (Euryscelis) 389  
*Dejeani* Dist. (Closteromerus) 323  
*Dejeani* Gah. (Criodion) 63  
*Dejeani* Gah. (Eburia) 79  
*Dejeani* Vuillet (Rosalia) 330  
*Dejeani* Dupont (Trachyderes) 479  
*Dejeani* Ganglb. (Leptura) 219  
*Dejeani* Serv. (Psygmatocercus) 43  
*Delagoae* Dist. 318  
*Delagrangi* Pic (Evodinus) 186  
*Delagrangi* Pic (Rhamnusium) 166  
*Delatouchei* Fairm. 301

- Delauneyi Lameere 123  
 delectus Gah. 409  
 Delegorguei Guér. 251  
 Delesserti Chev. 409  
 deleta J. Lec. 242  
 deletus Dupont (Oxymerus) 482  
 deletus Lameere (Xylotrechus) 365  
 Delia Thoms. 81  
 delicata Horn (Acyphoderes) 282  
 delicata J. Lec. (Strangalia) 245  
 delicatus Goun. 391  
 deliciolus Bates 110  
*Deltili* Chev. 350  
*demissus* Pasc. 58  
 democraticus Lameere 316  
 demonacius Gah. 365  
 Denisoni Montrouz. 294  
 dentatipennis Pic 212  
*dentatofasciata* Mannerh. 227  
 dentatus Fauv. (Blosyropus) 176  
 dentatus Newm. (Curius) 127  
 dentatus J. Lec. (Plectomerus) 128  
 denticollis Fauv. (Astetholea) 140  
*denticollis* Fairm. (Zoodes) 74  
 denticorne Bates 106  
 denticornis Bates (Distenia) 8  
 denticornis F. (Plocaederus) 49, 490  
 denticornis Gah. (Coleoxestia) 64  
*denticornis* Ol. (Plocaederus) 49  
*denticornis* Ol. (Prophilus) 48  
 denticulata Buq. 77  
*dentipennis* Hald. 182  
 dentipes Ol. (Plectomerus) 128  
*dentipes* Muls. (Akimerus) 183  
 depressa Blanch. 293  
 depressum Klug (Genus?) 357  
 depressum Thoms. (Smodieum) 12  
*depressus* Motsch. 268  
 Derourei Chabrill. 43  
*Desbrochersi* Pic 210  
 Desfontainei F. 462  
 designata Chev. 384  
 deterrens Pasc. 405  
 detortus Pasc. 409  
 detritus L. (Plagionotus) 377  
*detritus* Lameere (Nephalius) 98  
*detritus* Voet (Plagionotus) 377  
 deustus Newm. (Syllitus) 151  
*dentus* Gmel. (Phymatodes) 354  
*devastator* Cast. & Gory 391  
 devittata Kolbe 36  
 Deyrollei Pic (Cortodera) 197  
 Deyrollei Pic (Leptura) 212  
 Deyrollei Thoms. (Purpuricenus) 463  
*Deyrollei* Pic (Rhagium) 162  
*Deyrollei* Pic (Xylotrechus) 363  
*Deyrollei* Tourn. (Anaglyptus) 413  
 diabolus Lameere 98  
 diadema Motsch. 373  
 Diana Bates (Cosmisoma) 433  
 Diana Gah. (Raphuma) 407  
 Diana Sharp (Plagithmysus) 388  
 dianella Lameere 81  
 Dice Newm. 280  
 dichroa Blanch. 221  
*dichroum* Gmel. 16  
 didelphis Chev. 252  
 didyma Ol. (Eburia) 79  
*didyma* Heyne (Eburia) 79  
*didymus* Voet 340  
 Dietzi Schaeffer 418  
*differens* Pic 197  
 difficilis Chev. 384  
 difformipes Bates 170  
 Digglesi Pasc. 149  
 dignus Gah. 409  
 digrammum Bates 112  
 dihammaphoroides Thoms. 426  
*dilatatum* Payk. 344  
 dilatatus Chev. (Derolus) 58  
 dilatatus Fairm. (Amarysius) 468  
 dilaticorne Gory 450  
 dilaticornis Auriv. (Closterom.) 323  
 dilaticornis Pasc. (Ephies) 249  
 dilectum Bates 112  
 diluta Pasc. 126  
 dimidiata Bates (Tylosis) 470  
 dimidiata Chev. (Heterops) 442  
 dimidiata Chev. (Rhopaloph.) 432  
 dimidiata Guér. (Niracus) 299  
 dimidiata Redt. (Euryptera) 248  
 dimidiata Serv. (Prodontia) 457  
 dimidiata Westw. (Pachyteria) 300  
*dimidiata* Daniel (Leptura) 217  
*dimidiata* Thoms. (Trichomesia) 276  
 dimidiaticornis Chev. 372  
 dimidiatipennis Buq. (Pteropl.) 455  
 dimidiatipennis Chev. (Trichr.) 441  
*dimidiatipennis* Chev. (Phymat.) 354  
*dimidiatipennis* Fairm. & Germain  
 (Adalbus) 255  
 dimidiatipes Fairm. 10  
 dimidiatum Newm. (Tropocal.) 150  
 dimidiatum Thoms. (Ibidion) 112  
 dimidiatus Chev. (Demonax) 409  
 dimidiatus F. (Trachyderes) 479  
 dimidiatus J. Lec. (Purpuricenus) 466  
 dimidiatus Quedf. (Plagionotul.) 405  
 dimidiatus Waterh. (Opsamates) 45  
 dimidiatus White (Eriphus) 476  
*dimidiatus* F. (Molorechus) 268  
*dimidiatus* Kirby (Phymatodes) 350  
*dimidiatus* Mannerh. (Phymat.) 350  
 diminutus Bates 395  
 dimorpha Bates 234  
 Dinellii Bruch 12  
 diophthalmus Pasc. 417  
*directa* Newm. 192

- discedens* Sharp 274  
*disceollis* Chevr. (Rhopalophora) 431  
*disceollis* Gah. (Derolus) 58  
*disceollis* L. Heyd. 267  
*disceollis* Scriba (Strangalia) 230  
*discoideale* Bates 309  
*discoidalis* Pic 201  
*discoidea* Haki. (Aemaeops) 192  
*discoidea* Pasc. (Mydasta) 425  
*discoideum* J. Lee. (Obrium) 133  
*discoideum* Serv. (Oregostoma) 278  
*discoideus* Say (Crossidius) 471  
*discoideus* Reitter (Stenocorus) 181  
*discolor* Fairm. (Cortodera) 197  
*discolor* Goun. (Ommata) 279  
*discolor* Fleisch. (Stenocorus) 181  
*discolor* Pasc. (Epania) 263  
*discolor* Pasc. (Simoerysa) 152  
*disconotata* Pic 235  
*disconotatus* Pic 403  
*discephora* Redt. 247  
*discoirs* Fairm. (Closteromerus) 323  
*discors* Gah. (Xylotrechus) 365  
*discreta* Pasc. 92  
*discretus* Auriv. 323  
*disjunctus* Pic 416  
*dispar* Bates (Eucharassus) 275  
*dispar* Bates (Odontocera) 280  
*dispar* Chevr. (Dihammaphora) 429  
*dispar* Fahr. (Xystroccera) 36  
*dispar* Goun. (Ctenoderus) 432  
*dispar* Sharp (Ophryops) 142  
*dispar* Thoms. (Litopus) 321  
*dispar* Fabr. & Imh. (Stenocorus) 181  
*dispar* Panz. (Stenocorus) 181  
*dispar* Pic (Alosterna) 207  
*dispar* Pic (Chlorophorus) 401  
*dispar* Preyssl. (Leptura) 216  
*dispar* Schönh. (Stenopterns) 266  
*disparilis* Bates (Deltaspis) 459  
*disparilis* Chevr. (Euporus) 320  
*dispersa* Newm. 293  
*dissimilis* Fairm. 221  
*dissitus* Bates 318  
*distans* Germ. 248  
*distenoides* Bates 203  
*distigma* Bates (Hoega) 470  
*distigma* Charp. (Strangalia) 234  
*distigma* Charp. (Strangalia) 232  
*distincta* Fairm. (Myiodola) 169  
*distincta* Hald. (Eburia) 79  
*distincta* Tourn. (Leptura) 212  
*distinctipes* Pic (Calimus) 271  
*distinctipes* Pic (Aromia) 307  
*distinctum* Nonfr. (Callichroma) 313  
*distinctum* Pasc. (Chloridolum) 314  
*distinctus* M. Camer. (Plectrom.) 128  
*distinctus* Newm. (Trichophorus) 97  
*distinctus* Pasc. (Phacodes) 70  
*distingendum* Goun. 311  
*distingendus* Dupont (Oxym.) 482  
*distingendus* Perroud (Chlor.) 403  
*distortus* Chevr. 391  
*ditelus* Bates 110  
*divergens* Broun 77  
*diversenotata* Pic 218  
*diversesignatus* Pic 365  
*diversicornis* White 119  
*diversicornis* Fairm. 438  
*diversinotatus* Pic 326  
*diversipenne* Burm. 334  
*diversipennis* Belon (Neocorus) 114  
*diversipennis* Daniel (Strangalia) 230  
*diversipes* Rits. (Pachyteria) 300  
*diversipes* L. Heyd. (Strangalia) 229  
*diversipes* Pic (Cortodera) 199  
*diversipes* Pic (Molorehus) 269  
*diversitarsis* Fairm. 171  
*diversicentris* Duf. 236  
*diversus* Gah. 299  
*diversum* Pasc. 123  
*dives* Har. (Philematium) 306  
*dives* Pasc. (Mecosaspsi) 304  
*dives* Newm. (Stenocorus) 182  
*divisa* Pasc. 155  
*divisus* Bates (Crioproscopus) 457  
*divisus* Chevr. (Demonax) 409  
*divisus* Chevr. (Trichous) 442  
*divisus* J. Lee. (Elytroleptus) 456  
*divisus* Pasc. (Aphiohynehus) 150  
*doctus* White 296  
*Dodsi* Péring. 405  
*Dohertyi* Gah. (Distenia) 9  
*Dohertyi* Gah. (Chlorophorus) 403  
*Dohertyi* Gah. (Demonax) 409  
*Dohertyi* Gah. (Perissus) 375  
*Dohertyi* Gah. (Pyrestes) 289  
*Dohertyi* Jord. (Polyzonus) 316  
*Dohrn* Fahr. 468  
*dolorosa* J. Lee. 222  
*dolosus* Horn 443  
*dominula* White 361  
*donacioides* Bates (Gaurotus) 194  
*donacioides* Fairm. (Gaurotus) 193  
*donacioides* Kraatz (Gaurotus) 194  
*Dorbigny* Dupont 479  
*doradioides* Pasc. 177  
*dorilis* Bates 442  
*doris* Bates (Amphionthe) 297  
*doris* Bates (Gaurotus) 193  
*Dorme* Goun. 258  
*dorsale* Pasc. (Sisyrium) 117  
*dorsale* Marsh. (Rhagium) 161  
*dorsalis* Cast. & Gory (Neoclyt.) 391  
*dorsalis* J. Lee. (Atimia) 449  
*dorsalis* M'Leay (Epithora) 92  
*dorsalis* Thoms. (Coleoxestia) 64

*dorsalis* Boisd. (Stenoderus) 151  
*dorsalis* J. Lec. (Acmaeops) 192  
*dorsiger* Germ. 277  
*doryceum* Boisd. 314  
*Doueii* Fairm. (Chlorophorus) 403  
*Doueii* Lucas (Navomorpha) 488  
*Doueii* Montrouz. (Spintheria) 487  
*dravidiana* Gah. 9  
*dromas* Voet 489  
*Drurei* Pic 69  
*Druryi* F. 392  
*dubia* F. (Oedecnema) 228  
*dubia* Scop. (Leptura) 212  
*dubia* Ganglb. (Leptura) 212  
*dubia* Reitt. (Leptura) 213  
*dubitata* White 82  
*dubium* Bates 106  
*dubius* Auriv. (Plagionotulus) 406  
*dubius* Jord. (Saphanidus) 26  
*dubius* Waterh. (Enthymius) 170  
*dubius* Chev. (Neoclytus) 390  
*Duboulayi* Pasc. 422  
*ducale* Bates (Sphaerion) 97  
*ducale* Newm. (Chloridolum) 314  
*Duchaussayi* Théry 465  
*Duivenbadei* Kaup 144  
*dulcis* Bates 241  
*Dumerili* Lucas 462  
*dunniana* Casey 69  
*duo* Fairm. 403  
*duodecimguttata* F. 234  
*duodecimmaculatus* F. (Evodinus) 186  
*duodecimmaculatus* Kraatz (Chlorophorus) 400  
*duodecimmaculatus* Solsky (Ev.) 187  
*duodecimsignatus* Ferr. (Genus?) 357  
*duplex* Bates (Ireneus) 102  
*duplex* Gah. (Paraphilus) 157  
*duplicatum* Goun. 112  
*duplicatus* J. Lec. 421  
*Duponti* Auriv. (Trachyderes) 481  
*Duponti* Dupont (Trachyderes) 479  
*Duponti* Muls. (Clytus) 370  
*Duponti* Muls. (Necydalis) 260  
*Durvillei* Cast. & Gory 405  
*Dutreuxi* Lameere 440  
*Durali* Chev. 80  
*dux* Fald. 53  
*Dysoni* White 97  
  
*Earli* Guér. 477  
*ebenina* Bates (Necydalis) 259  
*ebenina* Bates (Phimosia) 449  
*ebenina* Leng (Leptura) 222  
*ebeninum* Bates (Periboeum) 98  
*ebeninum* Chev. (Smodicum) 12  
*ebeninus* Bates (Stenosphenus) 443  
*ebeninus* Dupont (Trachyderes) 480

*ebeninus* Muls. (Evodinus) 186  
*ebenus* Newm. 110  
*ebulinum* L. (Cartallum) 294  
*ebulinum* Bach (Cartallum) 294  
*ebulinus* F. 251  
*eburata* Chev. (Entomosterna) 474  
*eburata* Pasc. (Eburophora) 296  
*eburata* Pasc. (Ectosticta) 119  
*eburifera* Pasc. (Thoris) 94  
*eburifera* Thoms. (Gnatholea) 74  
*eburioides* Blanch. (Spathopygus) 43  
*eburioides* Lacord. (Zoodes) 74  
*eburioides* Serv. (Eurymerus) 40  
*eburioides* Thoms. (Compsa) 109  
*eburioides* White (Eburodacrys) 82  
*eburioides* White (Trachelissa) 449  
*eburnigerum* Auriv. 112  
*Ecoffeti* Muls. 161  
*edentulum* Jord. 309  
*Edmundi* Pic 232  
*Edwardsi* J. Lec. 272  
*efasciata* Csiki 225  
*eganum* Bates 106  
*eganum* Pasc. 292  
*egenus* Pasc. (Dialeges) 60  
*egenus* Pasc. (Margites) 59  
*egregius* Muls. & Rey 271  
*egyptiacus* Cast. & Gory 397  
*Eirene* Newm. 279  
*elaegni* Fischer 467  
*elaagri* Fischer 467  
*elboursensis* Pic 234  
*electricum* Goun. 313  
*electus* Gah. 97  
*elegans* Blackb. (Phoracantha) 90  
*elegans* Buq. (Pteroplatus) 455  
*elegans* Chev. (Elaphidion) 86  
*elegans* Dist. (Cordylomera) 95  
*elegans* Dupont (Trachyderes) 479  
*elegans* Fairm. (Ganosomus) 114  
*elegans* Fairm. (Metobrium) 135  
*elegans* Fald. (Fallacia) 201  
*elegans* Gestro (Litopus) 321  
*elegans* Gory (Coleoxestia) 64  
*elegans* Goun. (Ibidion) 112  
*elegans* Nonfr. (Pachydissus) 57  
*elegans* Ol. (Callichroma) 311  
*elegans* Sharp (Drotus) 152  
*elegans* Sharp (Plagithmysus) 388  
*elegans* White (Ommata) 279  
*elegans* Cast. & Gory (Aptocera) 420  
*elegans* Dohrn (Cerambyx) 54  
*elegans* Guér. (Odontocera) 281  
*elegans* Hald. (Callichroma) 312  
*elegans* Hald. (Neoclytus) 393  
*elegans* Hald. (Strangalia) 244  
*elegans* Herbst (Rhagium) 161  
*elegans* Lacord. (Erosida) 81  
*elegans* Serv. (Mallosoma) 439

- elegans* Waterh. (Zoecia) 155  
*elegantissima* White 298  
*elegantula* Dupont (Xylocaris) 483  
*elegantula* Gah. (Rhapsuma) 407  
*elegantula* Goun. (Eburodaerys) 82  
*elegantula* Kraatz (Alosteria) 206  
*elegantula* Perr. (Castiale) 100  
*elegantulum* Lamecre 106  
*eleodes* Fairm. 403  
*elevatum* Schönh. 87  
*elevatus* Cast. & Gory 390  
*elongata* Boisd. (Epithora) 92  
*elongata* Chevr. (Cyllene) 385  
*elongata* Degeer (Strangalia) 235  
*elongata* Donov. (Strangalia) 236  
*elongata* Thoms. (Strangalia) 235  
*elongaticeps* Blanch. 148  
*elongatulus* Cast. & Gory (Dem.) 409  
*elongatulus* Pic (Hesperophanes) 66  
*elongatus* Dupont (Oxymerus) 482  
*elongatus* Har. (Pachydissus) 57  
*elongatus* Bland (Desmocerus) 253  
*elongatus* Latr. (Spondylis) 14  
*elusus* Pasc. 70  
*emaciata* Bates 247  
*emaciata* Newm. 245  
*emaciatulus* Bates 361  
*emarginata* Chevr. (Cyphostern.) 474  
*emarginata* F. (Strangalia) 243  
*emarginata* Jord. (Xystocera) 36  
*Emini* Kolbe (Aphelogaster) 252  
*Emini* Kolbe (Callichroma) 309  
*Emini* Waterh. (Plocaederus) 49  
*emmipoda* Muls. 229  
*epaphum* Berg 112  
*ephebus* Pasc. 59  
*ephippiatus* Bates (Lissonotus) 484  
*ephippiatus* Pasc. (Demonax) 410  
*ephippiger* Newm. 140  
*ephippium* Stev. & Dalm. (Asiat.) 467  
*ephippium* Fischer (Asiates) 467  
*epibata* Schiödte 20  
*episcopale* Chevr. 309  
*episcopus* Voet 346  
*eques* Thoms. 108  
*equestre* Goun. 311  
*equestris* F. (Lissonotus) 484  
*equestris* Guér. (Compsocerus) 333  
*equestris* Newm. (Pachyteria) 300  
*equestris* Dupont (Trachyderes) 481  
*erato* Newm. 284  
*erebia* Bates 183  
*cremita* Blackb. 92  
*Erichsoni* White 100  
*Erinnys* Daniel 229  
*Eros* Bates 456  
*erosa* Pasc. 36  
*erosicollis* Pasc. 275  
*erosum* M'Leay 357  
*erosus* Gah. 68  
*erratica* Dalm. 226  
*erythrocephala* Thoms. 442  
*erythrocephalum* White 112  
*erythrocephalus* Auriv. (Paraz.) 434  
*erythrocephalus* F. (Neoclytus) 389  
*erythrodera* Bates (Ommata) 279  
*erythrodera* Chob. (Leptura) 213  
*erythroderus* Bates 443  
*erythrogaster* White (Orthosch.) 332  
*erythrogaster* Bates (Leptura) 221  
*erythromera* Serv. 335  
*erythromera* Pasc. 410  
*erythroptus* Chevr. 410  
*erythroptera* Hagenb. (Leptura) 213  
*erythroptera* Germ. (Leptura) 223  
*erythroptera* Kirby (Leptura) 222  
*erythropus* Chevr. (Cyllene) 384  
*erythropus* Lucas (Buttherium) 64  
*erythropus* Nonfr. (Hamaticherus) 51  
*erythropus* Gebl. (Grammoptera) 205  
*erythropus* Gmel. (Phymatodes) 352  
*erythrura* Küster 226  
*Escudei* Lauffer 235  
*esmeralda* Bates 326  
*etruscum* Rossi 166  
*eudesmoides* Thoms. 108  
*Eunomia* Newm. 279  
*euparus* Auriv. 57  
*Eupheme* Lamecre 284  
*Euphrosyne* Newm. 284  
*eupodum* Pasc. 314  
*euporidus* Jord. 319  
*eurystethus* J. Lee. 383  
*Euthalia* Bates 311  
*evanescentus* Thoms. 110  
*Everetti* Bates 314  
*Evertsi* Rits. 300  
*excavata* Bates 209  
*excellens* Auriv. (Metallichroma) 313  
*excellens* Brancs. (Gaurotos) 193  
*excelsa* Costa 217  
*excelsum* Gah. 86  
*excisipes* Daniel 213  
*exclamationis* Thoms. (Ibidion) 112  
*exclamationis* F. (Leptura) 209  
*excultus* Bates 416  
*exigua* Newm. 243  
*exiguum* Gmel. 156  
*exiguus* Gah. 59  
*exile* Gmel. 164  
*exilis* Casey (Apelocera) 420  
*exilis* Newm. (Macrones) 153  
*exilis* Pasc. (Demonax) 410  
*exilis* Pasc. (Rhagiomorpha) 149  
*exilis* White (Pandrosos) 428  
*eximia* Bates (Rhopalophora) 431  
*eximia* Pasc. (Pyrestes) 289  
*eximium* Auriv. (Hexoplon) 105

- eximium* Bates (Elaphidion) 86  
*eximius* Auriv. (Chlorophorus) 403  
*eximius* Bates (Cometes) 11  
*eximius* Bates (Trachyderes) 479  
*exornatum* Newm. 89  
*exoticus* Sharp 20  
*expansitarsis* Fairm. 174  
*expeditus* Chevr. 432  
*explanata* Bates 304  
*exsanguis* Chevr. 382  
 Essingtoni Hope 70  
*extensa* Gebl. 202  
*externepunctata* Muls. 235  
*externus* Pasc. 47  
*exul* Lamcere 457  
*exutum* Newm. 97  
  
*faber* Newm. 357  
*fabricianum* Westw. 156  
*Fabricii* Chevr. (Dexitheia) 380  
*Fabricii* Dupont (Trachyderes) 479  
*Fabricii* Schönh. & Dalm. (Oxy.) 318  
*Fabricii* Serv. (Diploschema) 43  
*factiosum* Pasc. 314  
*faenicus* Martyn 355  
*Fairmairei* Auriv. (Gaurotes) 193  
*Fairmairei* Goun. (Ibidion) 112  
*Fairmairei* Thoms. (Heterachtes) 110  
*Faldermanni* Saund. (Aromia) 307  
*Faldermanni* Fald. (Chlorophor.) 397  
*Falkensteini* Quedf. 302  
*fallaciosus* Fairm. 10  
*fallax* Bates (Lissonotus) 484  
*fallax* Chevr. (Raphuma) 407  
*fallax* Pasc. (Phoracantha) 90  
*fallax* Villers (Phymatodes) 355  
*falsa* Chevr. (Cylene) 384  
*falsa* J. Lec. (Acmacops) 192  
*famelica* Newm. 245  
*famelicus* Burm. (Neoclytus) 391  
*famelicus* Pasc. (Xylotrechus) 365  
*familica* Hald. 245  
*farinosa* Burm. 483  
*farinosus* Fairm. 173  
*fascialis* White 293  
*fasciata* Bates (Chlorida) 77  
*fasciata* F. (Pachytaria) 300  
*fasciata* Gah. (Herocera) 96  
*fasciata* J. Lec. (Gracilia) 129  
*fasciata* Newm. (Pteracantha) 451  
*fasciata* Ol. (Odontocera) 280  
*fasciata* Steph. (Penichroa) 128  
*fasciata* Scop. (Strangalia) 235  
*fasciata* Voet (Pachytaria) 300  
*fasciatipennis* Waterh. 298  
*fasciatum* Pic 162  
*fasciatus* Billb. (Hesperophanes) 68  
*fasciatus* Buq. (Pteroplatus) 455  
  
*fasciatus* Donovan. (Tragocerus) 487  
*fasciatus* F. (Polyzonus) 316  
*fasciatus* Gah. (Pentomaerus) 128  
*fasciatus* Gah. (Phlytaenodes) 141  
*fasciatus* Jord. (Acrocyrtidus) 326  
*fasciatus* Serv. (Charinotes) 483  
*fasciatus* Thoms. (Aglaophis) 416  
*fasciatus* Villers (Phymatodes) 349  
*fasciatus* Brongn. (Purpuricenodus) 465  
*fasciatus* Herbst (Plagionotus) 379  
*fasciculatum* Fald. (Rhagium) 162  
*fasciculatum* Ol. (Cosmisoma) 433  
*fasciculatus* Fald. 66  
*fasciiferum* Berg 107  
*fasciolata* Kryn. 129  
*fasciolatus* Fairm. 121  
*fasciventris* J. Lec. 222  
*fastuosa* Pasc. 8  
*fastuosum* Goldf. 309  
*Favieri* Fairm. 395  
*favosa* Pasc. 72  
*Fava* Gah. 437  
*Feisthameli* Buq. 65  
*felix* Bates 247  
*Fellowsi* White 462  
*femorale* Bates (Sphallenum) 64  
*femorale* Ol. (Philematium) 306  
*femoralis* Auriv. (Noserius) 27  
*femoralis* Fairm. & Germain (Necydalopsis) 275  
*femoralis* Hintz (Mecosaspis) 304  
*femoralis* Ménér. (Phymatodes) 349  
*femoralis* Motsch. (Strangalia) 229  
*femoralis* Thoms. (Saporaea) 42  
*femoralis* Chevr. (Perissus) 375  
*femoralis* Saund. (Bimia) 255  
*femorata* Auriv. (Mecosaspis) 304  
*femorata* Chevr. (Xystrocera) 36  
*femorata* F. (Cortodera) 197  
*femorata* Goun. (Coleoxestia) 64  
*femorata* Klug (Acyphoderes) 282  
*femorata* Pasc. (Ipothalia) 226  
*femorata* Pasc. (Leptura) 221  
*femorata* Pasc. (Mimistena) 427  
*femorata* Waterh. (Anthribola) 169  
*femorata* Muls. (Grammoptera) 502  
*femorata* Cl. (Grammoptera) 204  
*femoratum* Lucas 113  
*femoratus* F. (Pentomaerus) 128  
*femoratus* Germ. (Callimus) 271  
*femoratus* L. (Ropalopus) 337  
*femoratus* Quedf. (Metopotylus) 26  
*femoratus* Schaeffer (Metaleptus) 469  
*femoratus* Geoffr. (Phymatodes) 355  
*femorellus* Chevr. 58  
*Feneoni* Chob. 399  
*fenestrata* Gerst. (Compsomera) 298  
*fenestrata* Jord. (Delagoa) 123  
*fenestrata* Lucas (Ommata) 279

- fenestrata* Reitt. (Strangalia) 234  
*fenestratum* Thoms. 112  
*fenestratus* Belou (Phymatodes) 33  
*fenestratus* Goun. (Eurymerus) 40  
*fenestratus* White (Stenomalus) 136  
*fenestratus* Letzn. (Toxotus) 178  
*fennicus* Scop. 353  
*fennicus* F. (Phymatodes) 355  
*fennicus* L. (Phymatodes) 353  
*fennicus* Schrank (Phymatodes) 354  
*ferox* Thoms. 436  
*Ferrandii* Gestro 45  
*ferreus* Bates 473  
*Ferriei* Vuillet 330  
*ferruginea* Boisd. (Hesthesis) 286  
*ferruginea* Bruch (Coremia) 335  
*ferruginea* Jord. (Idiocalla) 356  
*ferruginea* Guér. (Distichocera) 287  
*ferruginea* Muls. (Strangalia) 231  
*ferrugineum* F. 134  
*ferrugineus* Chevr. (Mygalobas) 417  
*ferrugineus* Fairm. (Purpuricen.) 463  
*ferrugineus* Goeze (Genus?) 489  
*ferrugineus* L. (Plecaederus) 50  
*ferrugineus* Pasc. (Phacodes) 70  
*ferrugineus* Kraatz (Alocerus) 17  
*ferrugineus* Muls. (Chlorophorus) 401  
*ferruginipes* Pic (Clytus) 371  
*ferruginipes* Pic (Strangalia) 233  
*ferus* Muls. 20  
*festiva* L. (Chlorida) 77  
*festiva* Pasc. (Semiopie) 126  
*festiva* Serv. (Chrysoprasis) 440  
*festiva* Thoms. (Xystrocera) 37  
*festivum* F. 306  
*festivus* Bates (Cometes) 11  
*festivus* F. (Mecometopus) 394  
*festivus* Perty (Rhinetragus) 277  
*festum* Gmel. 306  
*Fettingi* Schauf. 463  
*figuratus* Scop. (Chlorophorus) 395  
*figuratus* Harrer (Isotomus) 406  
*figuratus* Pasc. (Chlorophorus) 405  
*filiformis* Buq. (Prosyte) 28  
*filiformis* Har. (Oxyprosopus) 318  
*filiformis* Motsch. (Molorehus) 269  
*filiformis* Pasc. (Bebius) 146  
*filiformis* Perr. (Tetraommatus) 28  
*filiformis* Cast. & Gory (Demon.) 409  
*filipes* Sharp 388  
*filum* Pasc. 152  
*fimbriata* Lac. 8  
*fimbriatus* Bates 317  
*Finschi* Har. 388  
*Fischeri* Krynicki (Ropalopus) 339  
*Fischeri* Zoubk. (Leptura) 209  
*fischitensis* Starck 197  
*fissithorax* Goun. 39  
*flabellicornis* Germ. 484  
*flava* F. (Cylindera) 120  
*flava* Thoms. (Paroeme) 31  
*flaveolum* Bates 105  
*flaveolum* Muls. & Rey 158  
*flavescens* Rosenb. (Poecilopepl.) 450  
*flavescens* Thunb. (Oxymerus) 482  
*flavescens* Letzn. (Commutila) 202  
*flavescens* Pic (Cortodera) 199  
*flavicans* A. Deyr. (Anisogaster) 121  
*flavicans* Fairm. & Germ. (Plat.) 258  
*flavicauda* Bates (Hemilissa) 104  
*flavicauda* Bates (Odontocera) 280  
*flaviceps* Hald. 245  
*flavicollis* Bates (Ommata) 279  
*flavicollis* Waterh. (Sagridola) 169  
*flavicornis* Küster (Stenopterus) 265  
*flavicornis* Pasc. (Noemia) 10  
*flavicornis* F. Phil. (Hephaestion) 257  
*flavicornis* Thoms. (Heterachtes) 111  
*flavicornis* Pic (Plagionotus) 379  
*flavilinea* Newm. 296  
*flavimana* Waltl 197  
*flavipennis* Buq. (Cometes) 11  
*flavipennis* Jord. (Merionoeda) 273  
*flavipennis* Péring. (Anubis) 318  
*flavipennis* Fairm. & Germ. (Ad.) 255  
*flavipennis* Ganglb. (Cortodera) 199  
*flavipennis* Reitt. (Cortodera) 197  
*flavipennis* Thoms. (Diploschema) 43  
*flavipes* F. (Ceresium) 123  
*flavipes* Gah. (Melegena) 11  
*flavipes* Goun. (Nephalus) 98  
*flavipes* Thoms. (Bidion) 112  
*flavipes* Thunb. (Phaedrus) 477  
*flavipes* Pic (Grammoptera) 204  
*flavipes* Pic (Stenopterus) 265  
*flavirostris* Bates 247  
*flavitarsis* Goun. (Ozodes) 435  
*flavitarsis* Hope (Zonopterus) 299  
*flavitarsis* Pasc. (Merionoeda) 273  
*Flavius* Bates 394  
*flaviventris* Auriv. (Trachyderes) 479  
*flaviventris* Schaeff. (Judolia) 227  
*flaviventris* Bates (Omphalodera) 195  
*flavocalecata* Goun. 280  
*flavoiceta* Thoms. 247  
*flavoicetus* Dupent (Lissonot.) 484  
*flavoicetus* Gah. (Polyzonus) 317  
*flavocoma* Fairm. 483  
*flavofasciata* Thoms. 109  
*flavofasciatum* Blanch. (Chelid.) 316  
*flavofasciatum* Blanch. (Gramm.) 71  
*flavolineatus* J. Lec. 182  
*flavomaculata* Kolbe 355  
*flavomaculatum* Blanch. 119  
*flavonitida* Fairm. 109  
*flavonotatus* Muls. 186  
*flavopieta* Pasc. 90

*flavopictum* Perty 107  
*flavoplagiata* Fairm. 301  
*flavopubesces* Kolbe 66  
*flavosignata* Fairm. & Germain 255  
*flavosignatus* White 40  
*flavovariolatus* Pic 264  
*flavovittata* Auriv. (Strangalia) 241  
*flavovittata* Pasc. (Nida) 427  
*flavovittata* Waterh. (Glaucytes) 436  
*flavum* Jord. 261  
*flexilis* Pasc. 138  
*flexuosa* Goun. (Eburodacrys) 82  
*flexuosa* Pasc. (Sotira) 71  
*flexuosa* F. (Cyllene) 385  
*flexus* Chevr. 382  
*floccosa* Poll 296  
*Flohri* Bates 157  
*floralis* Bates (Chrysoprasis) 440  
*floralis* Pall. (Plagionotus) 378  
*floridanus* J. Lec. 456  
*fluctuosus* Pasc. 375  
*Fontenayi* Muls. 213  
*formicides* Newm. 155  
*formicoides* Lameere 410  
*formosa* Blanch. (Erosida) 81  
*formosa* Pasc. (Artimpanza) 425  
*formosa* Saund. (Rosalia) 330  
*formosa* Serv. (Jonthodes) 297, 491  
*formosa* Heyne (Rosalia) 331  
*formosanus* Bates 290  
*formosum* Blanch. 433  
*formosus* Har. (Plocaederus) 48  
*formosus* Pasc. (Tragocerus) 487  
*Forreri* Bates 473  
*forticornis* Reitter 467  
*fortipes* Reitter 165  
*fortunata* Lameere 82  
*fortunatus* Chevr. 382  
*Fortunei* Pasc. (Strangalia) 241  
*Fortunei* White (Erythrus) 290  
*foveicollis* Buq. 446  
*fractus* Sharp 388  
*fragilis* Bates (Araeotis) 137  
*fragilis* Bates (Stizocera) 99  
*fragilis* Jord. (Xylotrechus) 367  
*fragilis* Sharp (Plagithmysus) 388  
*fragrans* Dalm. 309  
*Frainii* Fairm. 241  
*Frankenhäuseri* Mannerh. 251  
*fraternum* Blackb. 117  
*fraternus* Blackb. 93  
*frenatus* Fährs. (Plocaederus) 49  
*frenatus* Fairm. & Germ. (Phant.) 255  
*Frenchi* Blackb. (Distichocera) 287  
*Frenchi* Blackb. (Pachydissus) 57  
*Frenchi* Blackb. (Piesarthrius) 145  
*Frenchi* Blackb. (Tryphocharia) 91  
*Friesi* Fährs. 305  
*Fristedti* Auriv. 404

*Frivaldszkyi* L. Heyd. 199  
*Froggatti* Blackb. 147  
*frontalis* Bates (Mombasius) 322  
*frontalis* Gah. (Anubis) 318  
*frontalis* Kirsch (Chrysoprasis) 440  
*frontalis* Pasc. (Examnes) 125  
*frontalis* Thoms. (Xystrocera) 36  
*Fruhstorferi* Kolbe 301  
*fryana* Gah. 74  
*fryanus* Gah. (Demonax) 410  
*fryanus* Gah. (Thranus) 263  
*fucatus* Thoms. 49  
*Fuehsi* Wickh. 86  
*fucosum* Quedf. 310  
*Fuentei* Pic 158  
*fugax* Ol. (Deilus) 294  
*fugax* Thoms. (Phygopoda) 284  
*fugax* F. (Strangalia) 246  
*fugitivus* Thieme 361  
*fulcratum* F. 18, 19  
*fulgidipennis* Goun. 103  
*fulgurata* Gah. 407  
*fulguratum* Chabril. 63  
*fulguratus* Gah. 74  
*fulginea* Pasc. 148  
*fulgineum* Gah. 310  
*fulgineum* Newm. 439  
*fulgineus* Bates 78  
*fuliginosa* Quedf. (Mecosaspis) 304  
*fuliginosa* Blanch. (Distich.) 287  
*fuliginosa* Weise (Leptura) 212  
*fuliginosum* Thoms. 135  
*fuliginosus* Chevr. (Perissus) 375  
*fuliginosus* Fairm. (Clytus) 370  
*fuliginosus* Ol. (Plocaederus) 50  
*fuliginosus* Scop. (Genus?) 489  
*Fulleri* Horn 38  
*fullonium* Newm. 86  
*fulminans* F. 381  
*fulvella* Bates 248  
*fulveolus* Bates 247  
*fulvescens* Fairm. (Noemia) 10  
*fulvescens* Gah. (Dymasius) 60  
*fulvescens* Gah. (Protaxis) 13  
*fulvicolle* F. 489  
*fulvicollis* Auriv. (Chlorophorus) 405  
*fulvicollis* Lacord. (Ommata) 279  
*fulvicollis* Muls. (Chlorophorus) 400  
*fulvicornis* Bates (Ophistomis) 247  
*fulvicornis* Burm. (Ancylocera) 446  
*fulvicornis* Guér. (Plocaederus) 50  
*fulvicornis* Pasc. (Icariotis) 174  
*fulvidus* Pasc. 59  
*fulvilabris* Muls. 230  
*fulvipenne* Say 460  
*fulvipennis* Bates (Aneflus) 85  
*fulvipennis* Gah. (Dere) 426  
*fulvipennis* Gah. (Syllitus) 151  
*fulvipennis* Nonfr. (Zegriades) 62

- fulvipennis* Pasc. (Ocytasia) 277  
*fulvipennis* Dupont (Trachyd.) 480  
*fulvipennes* Mannerh. (Acmaeops) 189  
*fulvipennis* Newm. (Distichocera) 287  
*fulvipennis* Pic (Cortodera) 199  
*fulvipennis* Reitter (Phymat.) 353  
*fulvipes* Fährs. (Closteromerus) 323  
*fulvipes* Fairm. (Noemia) 10  
*fulvipes* Thoms. (Ibidion) 112  
*fulvipes* Thoms. (Xystrocera) 36  
*fulvipes* Reitt. (Cortodera) 197  
*fulvitaris* Goun. 284  
*fulvohirsutus* Pic 370  
*fulvopieta* Bates 8  
*fulvopilosum* Gah. 63  
*fulvomaculatum* Blanch. 119  
*fulvonotata* Nonfr. 273  
*fulvoterminata* Berg 100  
*fulva* Bates (Deltaspis) 459  
*fulva* Degeer (Leptura) 213  
*fulvum* Villers 73  
*fulvus* Bates (Coloborrhombus) 298  
*fulvus* Jord. (Derolus) 58  
*fulvus* Jord. (Saphanidus) 26  
*fulvus* Muls. (Alocerus) 17  
*fumicolor* Hope 141  
*funcbris* Bates (Sphaenothecus) 472  
*funcbris* Lameere (Demonax) 410  
*funcbris* Motsch. (Rosalia) 330  
*funcbris* Pasc. (Antigenes) 175  
*funcbris* Sharp (Plagithmysus) 388  
*funcbris* Laich. (Chlorophorus) 396  
*funerea* Pasc. (Prothema) 291  
*funerea* Geoffr. (Leptura) 218  
*funereus* Chev. 394  
*funesta* Pasc. 426  
*funestum* Boisdu. 73  
*furcata* Goun. 430  
*furcifer* Jord. 57  
*furcifera* Bates 280  
*furtivum* Pasc. 124  
*furvus* Fährs. 57  
*fusca* Gah. (Oeme) 30  
*fusca* Gmel. (Cortodera) 197  
*fusca* Hald. (Gracilia) 130  
*fusca* J. Lec. (Acmaeops) 191  
*fuscata* Chev. 135  
*fuscescens* F. Phil. 257  
*fusciceps* J. Lec. 191  
*fusicollis* J. Lec. 251  
*fusicorne* Gmel. 134  
*fusicornis* Bates (Odontocera) 281  
*fusicornis* Fairm. (Musius) 172  
*fusicornis* Marsh. (Strangalia) 231  
*fuscipennis* Gah. (Nyphasia) 95  
*fuscipennis* J. Lec. (Callimoxys) 270  
*fuscipennis* Chev. (Thranodes) 368  
*fuscipes* Goun. (Protosphaerion) 96  
*fuscipes* Lacord. (Tennopis) 29  
*fuscipes* Muls. (Leptura) 208  
*fuscipes* Muls. (Leptura) 218  
*fuscipleuris* Fairm. 131  
*fusciventris* Muls. 218  
*fuscoaenea* Bates 304  
*fuscocinerus* White 147  
*fuscopubens* Reitt. 220  
*fuscopunctatus* Fairm. 172  
*fuscosericans* Fairm. 171  
*fuscula* Bates 8  
*fusculus* Fairm. 174  
*fuscum* F. (Tetropium) 19  
*fuscum* Hald. (Asemum) 15  
*fuscum* Ol. (Tetropium) 18  
*fuscus* Nonfr. (Trypogeus) 159  
*fuscus* Pasc. (Phacodes) 70  
*fuscus* Kirby (Xylotrechus) 364  
*fuscus* Voet (Criocephalus) 21  
*fusifera* Serv. 108  
*fusififormis* Degeer 322  
  
*Gabilloti* Pic 230  
*gabonica* Thoms. 32  
*gabonicus* Thoms. 310  
*gabonicus* Gah. (Plocaederus) 49  
*gabonicus* Thoms. (Calanthemis) 374  
*gabonicus* Thoms. (Cerasphorus) 75  
*Gabrieli* Weise 19  
*gagatinum* Germ. 486  
*Gahani* Achard (Chelidonium) 316  
*Gahani* Dist. (Oemida) 32  
*Gahani* Duviv. (Xylotrechus) 367  
*Gahani* Goun. (Criodion) 63  
*Gahani* Goun. (Tethlimmena) 287  
*Gahani* Auriv. (Callichroma) 311  
*galapagoensis* Linell 39  
*gallicus* Gmel. 352  
*gammoides* Geoffr. 401  
*Gandolphei* Fairm. 35  
*Ganglbaueri* Brancs. (Saphanus) 24  
*Ganglbaueri* Reitter (Anaglypt.) 413  
*Ganglbaueri* Ormay (Pidonia) 200  
*Ganglbaueri* Pic (Isotomus) 407  
*garganicus* F. 76  
*Gaumeri* Bates (Compsa) 109  
*Gaumeri* Bates (Crioprosopus) 457  
*Gaumeri* Bates (Stenosphenus) 443  
*gaurotoides* Casey 227  
*gazella* Jord. (Metobrium) 135  
*gazella* F. (Clytus) 369  
*gazella* Ol. (Clytus) 371  
*gazellula* Hald. 415  
*Gebleri* Ganglb. 228  
*Gelincki* Zoufal 328  
*gemellus* Casey 364  
*geminata* F. (Eburiola) 442  
*geminata* Reitter (Rosalia) 328  
*geminatus* Hald. 421

*gemmulatus* J. Lec. 76  
*geniculata* Bates (Distenia) 8  
*geniculata* Buq. (Cordylomera) 95  
*geniculata* Duviv. (Djabiria) 59  
*geniculata* Klug (Ctenodes) 450  
*geniculata* Pasc. (Stizocera) 99  
*geniculata* Thoms. (Allogaster) 41  
*geniculata* Kraatz (Grammoptera) 205  
*geniculatum* Thoms. (Ibidion) 112  
*geniculatum* White (Ceresium) 124  
*geniculatum* Pic (Rhammusium) 167  
*geniculatus* Chev. (Demonax) 409  
*geniculatus* Har. (Closteromerus) 323  
*geniculatus* Waterh. (Aedeus) 171  
*geniculatus* Geoffr. (Stenocorus) 180  
*geniculatus* Kraatz (Stenopterus) 266  
*Genii* Gmel. 206  
*gentilis* Goun. 30  
*geminus* Letzn. 178  
*georgiana* Pic 237  
*Germaniae* Voet 414  
*Germari* Dupont (Trachyderes) 479  
*Germari* White (Listroptera) 429  
*Gestroi* Gah. 365  
*Gianellii* Giglio 43  
*gibbicolle* White 316  
*gibbicollis* Bates (Oxylymma) 277  
*gibbicollis* Blessig (Pseudopidon.) 201  
*gibbicollis* Cast. & Gory (Neocl.) 390  
*gibbosus* F. (Anaglyptus) 413  
*gibbosus* Pasc. (Thranus) 263  
*gibbula* J. Lec. 192  
*gibbulum* Bates 86  
*gibbulus* J. Lec. 415  
*Giffardi* Perkins 388  
*giganteus* Nonfr. 44  
*gigas* Hope (Xypeta) 91  
*gigas* J. Lec. (Strangalia) 243  
*gigas* Ol. (Thaumasus) 7  
*gigas* Thoms. (Neocerambyx) 46  
*gigas* Angas (Phoracantha) 90  
*gigas* F. (Plocaederus) 50  
*gigas* Goun. (Eburodacrys) 82  
*gilanus* Pic 406  
*glaber* Jord. 318  
*glabratus* F. 86  
*glabratus* Charp. (Phymatodes) 350  
*glabratus* Latr. (Stenocorus) 180  
*glabrellum* Bates 15  
*glabricollis* Bates (Hamaticher.) 51  
*glabricollis* Hope (Plocaederus) 49  
*glabricollis* Murr. (Eulitopus) 320  
*glabriolum* Bates 107  
*glabripennis* Bates (Coleoxestia) 64  
*glabripennis* Fährs. (Helymaeus) 324  
*glabripennis* Goun. (Dihamm.) 429  
*glabripennis* Kolbe (Mecosaspis) 304  
*glabriusculum* Bates 86  
*glabromaculatus* Goeze 398

*glabrum* Schaeffer 65  
*glauca* Serv. 100  
*glaucescens* L. 283  
*glaucinus* Boisd. 375  
*glaucopterum* Schaller 166  
*glaucus* F. 398  
*globoicollis* Bates (Trachyderes) 479  
*globoicollis* Cast. & Gory (Mec.) 394  
*globoicollis* Kirsch (Stenygra) 448  
*globoicollis* Desbr. (Leptura) 211  
*globiferus* Voet 348  
*globiger* Fairm. 465  
*globithorax* Fairm. & Germ. 438  
*globosa* Ol. 37  
*globulicollis* Buq. (Anoplomerus) 71  
*globulicollis* Gah. (Coleoxestia) 64  
*globulicollis* Muls. (Purpuricen.) 463  
*globulicollis* Thoms. (Philus) 157  
*globulicollis* Chev. (Meometop.) 394  
*gloriosa* Péring. 303  
*gloriosus* Dupont 481  
*gnathoides* J. Lec. 222  
*gnomoides* Thoms. 112  
*Goryi* White 310  
*Gounellei* Achard (Callichroma) 311  
*Gounellei* Bruch (Compsopterid.) 333  
*Gounellei* Bruch (Cynidolon) 108  
*gracile* Goun. (Xexoplun) 105  
*gracile* Perr. (Ceresium) 124  
*gracile* Kraatz (Leptorhabdium) 168  
*gracilentus* Kolbe 322  
*gracilicollis* Chev. 430  
*gracilicorne* Reitter (Tetropium) 19  
*gracilicorne* Théry (Rhamnus.) 167  
*gracilior* Burm. (Unxia) 333  
*gracilior* Fairm. (Noemia) 10  
*gracilior* Fall (Metaleptus) 469  
*gracilipes* Bates (Callichroma) 311  
*gracilipes* Blanch. (Platynocera) 258  
*gracilipes* Dalm. (Euporus) 320  
*gracilipes* Fairm. (Aliturus) 174  
*gracilipes* Fairm. (Artelida) 171  
*gracilipes* Fairm. (Ceresium) 124  
*gracilipes* Fald. (Chlorophorus) 396  
*gracilipes* Parry (Homalomelas) 291  
*gracilipes* Poll (Zoedia) 155  
*gracilis* Bates (Anoplomerus) 71  
*gracilis* Bates (Coscinedes) 104  
*gracilis* Blackb. (Aposites) 139  
*gracilis* Blanch. (Platynocera) 258  
*gracilis* Blessig (Distenia) 9  
*gracilis* Brullé (Callimoxys) 270  
*gracilis* Buq. (Pteroplatus) 455  
*gracilis* Fährs. (Closteromerus) 323  
*gracilis* Gah. (Psilomerus) 408  
*gracilis* Jakowl. (Cleroclytus) 419  
*gracilis* Jord. (Eulitopus) 320  
*gracilis* Jord. (Hospes) 322

- gracilis* Klug (Odontocera) 281  
*gracilis* Kryn. (Axinopalpis) 131  
*gracilis* J. Lec. (Oeme) 30  
*gracilis* Thoms. (Psylacrida) 117  
*græca* Pic 231  
*græcum* Schauf. 167  
*græcus* Guér. 158  
*grallaria* Pasc. 91  
*grallarius* Pasc. 375  
*grallatrix* Bates 201  
*gramineus* Hald. 364  
*grammicus* Newm. 151  
*grammoderus* Lacord. 34  
*grammopteroides* Pic 214  
*grandiceps* Thoms. 163  
*grandicollis* Muls. 209  
*grandipenne* Fairm. 124  
*grandis* Gah. (Neocerambyx) 46  
*grandis* Thoms. (Rhytidodera) 62  
*grandis* Thoms. (Zonopterus) 299  
*grandis* Poda (Stenocorus) 180  
*granipennis* Goun. 82  
*granulata* Bates (Leptura) 214  
*granulata* Germain (Ancyrodont.) 143  
*granulatus* Auriv. 49  
*granulicolle* Chabril. 486  
*granuliferus* Gah. 143  
*graphica* Boisd. 436  
*graphicum* Thoms. 107  
*graphites* Bates 35  
*gratiosa* Bates (Merionoeda) 273  
*gratiosa* Blanch. (Erosida) 81  
*gratiosa* Lameere (Piezocera) 104  
*gratiosa* Murr. (Cordylomera) 95  
*gratiosa* Pasc. (Spintheria) 487  
*gratiosus* Mars. 396  
*gratus* Hald. 445  
*Gravei* Hubenth. 162  
*gravida* Lameere 330  
*Grayi* Pasc. (Oxymagis) 146  
*Grayi* White (Xylotrechus) 361  
*Grayi* Matsum. (Plagionotus) 379  
*Greeffi* Karsch 306  
*Greenfieldi* Gah. 45  
*gregalis* Gah. 410  
*Griffithi* Hope 301  
*grisea* Auriv. 75  
*griseicolle* Bates 112  
*griseipes* Pic (Cortodera) 197  
*griseipes* Pic (Grammoptera) 206  
*griscofasciatus* Pic 370  
*griseolum* Bates 110  
*griseopubescens* Fairm. 174  
*griscens* Bates (Elaphidion) 86  
*griscens* Pic (Pidonia) 200  
*griseus* Brancs. (Hypsostilbus) 22  
*griseus* F. (Hesperophanes) 66  
*griseus* Guér. (Taurotagus) 45  
*griseus* Cast. & Gory (Chloroph.) 398  
*griseus* Gabr. (Chlorophorus) 400  
*grossa* J. Lec. (Judolia) 227  
*grossa* Thoms. (Colynthæa) 103  
*grossicornis* Degeer 318  
*grossipes* Blanch. 444  
*Grumi* Semen. 361  
*guatemalense* Bates 454  
*guatemalenum* Bates 19  
*Guenzi* White 303  
*Guérini* Chevr. 420  
*guerrerenensis* Bates 440  
*Guerryi* Pic (Chlorophorus) 403  
*Guerryi* Pic (Epipedocera) 423  
*Guerryi* Pic (Holangus) 264  
*Guerryi* Pic (Strangalia) 241  
*Guerryi* Pic (Evodinus) 187  
*quianus* Goeze 452  
*Guillemoti* Desbr. (Chlorophorus) 399  
*Guillemoti* Desbr. (Strangalia) 239  
*gulekanus* Pic 370  
*gulosa* Newm. (Brachytria) 292  
*gulosa* Kirby (Leptura) 224  
*gummosa* Perty 104  
*Gustavi* Dist. 252  
*guttata* Blackb. (Opsidota) 145  
*guttata* Chevr. (Cyllene) 384  
*guttata* Pic (Leptura) 209  
*guttaticolle* Fairm. 125  
*guttatus* J. Lec. 69  
*guttiferum* Thoms. 112  
*guttiger* Lucas 40  
*guttigerum* Westw. 156  
*guttiventre* Chevr. 86  
*guttulata* Motsch. 226  
*guttulatus* Fairm. 175  
*guyanense* White 112  
*guyanensis* Cast. & Gory 391  
*Gyllenhali* Fährs. 58  
*gynandrapsidis* Fairm. 135  
*haematica* Pasc. (Pyrestes) 289  
*haematica* Fairm. (Eriocharis) 483  
*haematites* Newm. 243  
*haematocephalus* Chevr. 421  
*haematoderus* Chevr. 476  
*haemopterus* Lucas 450  
*haemorrhoidale* Germ. 332  
*haemorrhoidalis* F. 197  
*hafniensis* F. 362  
*Hageni* Rits. (Pachyteria) 300  
*Hageni* Lansb. (Cyrtonops) 7  
*Haldemani* Casey (Leptura) 222  
*Haldemani* J. Lec. (Eburia) 79  
*Haldemani* Thoms. (Rhathym.) 258  
*halodendri* Pallas (Asiates) 467  
*halodendri* Fischer (Asiates) 467  
*hamata* Newm. (Tryphocharia) 91  
*hamata* Blackb. (Tryphocharia) 91

- hamata* Brancsik (Rosalia) 328  
*hamaticollis* Guér. 44  
*hamaticornis* Chev. 331  
*hamifer* Bates 49  
*Hammerschmidti* Reiche 61  
*Hampsoni* Gah. (Psilomerus) 408  
*Hampsoni* Gah. (Xylotrechus) 365  
*Hardwicki* White 423  
*hardwickianum* White 301  
*hariola* Thoms. 330  
*Harmandi* Pic (Necydalis) 259  
*Harmandi* Pic (Pseudopidonia) 201  
*Harmandi* Pic (Strangalia) 234  
*Hartwegi* White 382  
*hastata* Sulzer 211  
*Hauseri* Jord. (Calanthemis) 374  
*Hauseri* Heller (Calocerambxy) 48  
*Hauseri* Pic (Callidium) 345  
*Hausknechti* Gah. (Purpuricen) 465  
*Hausknechti* Witte (Purpuricen.) 464  
*havanensis* Chev. 82  
*Hayi* Gray 381  
*Hecate* Reitt. 234  
*hector* Kolbe 57  
*Helena* J. Lec. 456  
*Helena* White 436  
*helveticus* Stierl. 55  
*hemipterus* Ol. 298  
*Henschi* Put. 350  
*hephistionoides* Thoms. 283  
*heraldicus* Vollenh. 487  
*Herbsti* Brahm 396  
*hermione* Thoms. 112  
*heros* Blackb. (Syllitus) 151  
*heros* Pasc. (Aridacus) 438  
*heros* Bergstr. (Cerambyx) 54  
*heras* Ganglb. (Xylotrechus) 363  
*heros* Scop. (Cerambyx) 52  
*herse* Thoms. 112  
*herzianus* Ganglb. 395, 397  
*heterocerus* Ganglb. 179  
*heterodoxum* J. Lec. 418  
*heteroclitia* Goun. 81  
*heteroclitum* Thoms. 112  
*heterocnemis* Gerst. 305  
*hexastictus* Fairm. 318  
*Heydeni* Ganglb. (Leptura) 220  
*Heydeni* Stierl. (Xylotrechus) 360  
*hieroglyphicus* Drapiez (Xylotr.) 360  
*hieroglyphicus* Herbst (Anaglypt.) 414  
*Hilairi* Goun. (Malloecera) 101  
*Hilairi* Goun. (Perissomerus) 113  
*Hilari* Cast. & Gory 415  
*hilaris* Bates (Cometes) 11  
*hilaris* Bates (Odontocera) 281  
*hilaris* Bates (Trachyderes) 479  
*hilaris* Chev. (Alloesia) 439  
*hipposioides* Bates 109  
*hircus* Abeille (Molorchus) 267  
*hircus* Berg (Trichophorus) 97  
*hircus* Gebl. (Xylotrechus) 361  
*hirsuta* Daniel 210  
*hirsuticornis* Kirby 434  
*hirsutipennis* Bates 443  
*hirsutula* Bates 82  
*hirsutulum* Bates 39  
*hirsutum* Bates (Criodion) 63  
*hirsutum* Chev. (Elaphidion) 86  
*hirsutus* Bates (Ophistomis) 247  
*hirsutus* Jord. (Zoodes) 74  
*hirta* F. (Oemona) 115  
*hirta* Fairm. (Gelonaetha) 126  
*hirta* Kirby (Paramallocera) 100  
*hirta* Gebl. (Cortodera) 196  
*hirtella* J. Lec. 222  
*hirtellum* J. Lec. 345  
*hirtellus* Chev. 382  
*hirticornis* Gyllenb. (Batus) 452  
*hirticornis* Serv. (Cerasphorus) 75  
*hirticornis* Serv. (Cometes) 11  
*hirticornis* Blanch. (Batus) 452  
*hirtipes* Klug (Acyphoderes) 282  
*hirtipes* J. Lec. (Crossidius) 471  
*hirtipes* Ol. (Polyschisis) 297  
*hirtipes* Oliv. (Coremia) 335  
*hirtipes* Sharp (Plagithmysus) 388  
*hirtula* White 440  
*hispalensis* Fuente 158  
*hispanica* Pic 219  
*hispanicus* Daniel (Purpuricen) 463  
*hispanicus* Sharp (Criocephalus) 20  
*hispicorne* L. 84  
*hispidula* Bates 430  
*hispidula* Bates 440  
*hispoidea* Bates 451  
*histrion* Bates (Ophistomis) 247  
*histrion* Chev. (Rhaphuma) 407  
*histrion* Serv. (Stenygra) 448  
*histrionica* Bates (Compsa) 109  
*histrionica* Pasc. (Leptura) 221  
*Högei* Bates (Apelocera) 420  
*Högei* Bates (Distenia) 8  
*Hoegi* Bates (Neoclytus) 391  
*Hoffmanni* Cast. & Gory (Cyll.) 384  
*Hofmani* Beutenm. (Anthophyl.) 195  
*hollandica nigra* Voet 229, 232, 491  
*Holmgreni* Auriv. 448  
*holochlorum* Bates 311  
*hololeucus* Bates 336  
*holomelaena* Daniel 229  
*holomelas* F. Phil. 257  
*holomelina* Pool 204  
*holophaeum* Bates 124  
*holosericea* F. (Aeolesthes) 46  
*holosericea* F. (Cortodera) 197  
*holosericea* F. (Strangalia) 230  
*holosericea* Gebl. (Cortodera) 196  
*holosericea* Muls. (Strangalia) 230

- holosericeus* Ol. 56  
*holosericeus* Rossi 66  
*holoxantha* Fairm. 171  
*Holtzi* Pic 269  
*Holubi* Dohrn 303  
*homocerus* Daniel 179  
*homoplatus* Dupont 479  
*Hondurae* Nonfr. 469  
*Hopei* Cast. & Gory 392  
*Horni* Lacord. (Aethecerus) 469  
*Horni* Auriv. (Cyllene) 384  
*horridus* J. Lec. 391  
*Horsfieldi* White 407  
*hospita* Pasc. 90  
*hottentottum* Buq. 310  
*hottentattus* Cast. & Gory 373  
*hottentottus* Ol. 373  
*Houlberti* Vuillet 330  
*hova* Nonfr. 417  
*Huachucae* Schaeff. 248  
*Hügeli* Dist. 300  
*humeralis* Bates (Cosmisoma) 433  
*humeralis* Bates (Gnomidolon) 106  
*humeralis* Bedel (Rhamnusium) 166  
*humeralis* Auriv. (Trachyderes) 479  
*humeralis* Cast. (Glaucytes) 436  
*humeralis* F. (Purpuricenus) 466  
*humeralis* J. Lec. (Crossidius) 471  
*humeralis* Pasc. (Prothema) 291  
*humeralis* W. Saund. (Oroderes) 153  
*humeralis* Schaller (Cortodera) 198  
*humeralis* Ch. Waterh. (Distenia) 8  
*humeralis* White (Plocaederus) 50  
*humeralis* Comolli (Phymatodes) 351  
*humeralis* F. (Stenocorus) 181  
*humeralis* Newm. (Neoclytus) 392  
*humeralis* Ol. (Asiates) 467  
*humeralis* Pic (Phymatodes) 352  
*humeralis* Pic (Purpuricenus) 462  
*humerosus* Chevr. 416  
*humilis* Gah. (Margites) 59  
*humilis* Newm. (Oemona) 116  
*hungaricus* Seidl. 397  
*hungaricus* Csiki (Purpuricenus) 462  
*hungaricus* F. (Ropalopus) 339  
*hybrida* Rey 214  
*hybridula* Reitt. 234  
*hylotrypoides* Fairm. 25  
*hyparygus* Fairm. 428  
*hypocrita* Er. 440  
*hypocritidus* Jord. 322  
*hypoleucus* Pasc. 367  
*hypomelaena* Fairm. 289  
  
*ianthincornis* Kolbe 321  
*ibex* Gebl. 361  
*ibidiiformis* Bates 114  
*ibidiinus* Bates 435  
  
*ibidionoides* Pasc. (Sisyrium) 117  
*ibidionoides* Serv. (Neocorus) 114  
*ibidionoides* Thoms. (Eligmod.) 114  
*ichneumonea* Degeer 260  
*ichneumoneus* Buq. 275  
*ichneumoniformis* Bates 283  
*ictericus* Goun. 391  
*idoneus* Gah. (Xylotr.) 366  
*idoneus* Pasc. (Examnes) 125  
*ignavus* Pasc. 27  
*ignea* Bates 439  
*igneicolle* Hope 310  
*igneus* White 333  
*ignicolis* Bates (Chrysopr.) 440  
*ignicolis* Pasc. (Euporus) 320  
*ignicolis* Say (Batyle) 475  
*ignita* Schaeff. 222  
*ignita* Geoffr. 217  
*ignitus* J. Lec. (Elytrol.) 456  
*ignitus* Pasc. (Erythrus) 290  
*ignobilis* Bates (Chlorophorus) 403  
*ignobilis* Bates (Compsa) 109  
*Iheringi* Goun. (Rhathymoseclis) 285  
*Iheringi* Goun. (Stenoeme) 30  
*Ilinizae* Kirsch 100  
*ilium* Thoms. 107  
*illaesicollis* Quedf. 320  
*illex* Goun. 64  
*illustris* Dalm. 296  
*illyricum* Kraatz 168  
*imbelle* J. Lec. 86  
*imbellis* Newm. 92  
*imberbis* Ménétr. 229  
*imitans* Auriv. 299  
*imitator* Jord. 310  
*imitatrix* Daniel 210  
*immaculata* Pic (Strang.) 233  
*immaculata* Ragusa (Leptura) 212  
*immaculatus* Gestro 318  
*immaculieollis* Serv. 476  
*immaculipenne* Goun. 39  
*immaculipennis* Goun. 277  
*immaturus* Pic 413  
*immite* Newm. 124  
*immundus* Sharp 388  
*impar* Germ. 391  
*impavida* Newm. 90  
*imperator* Thoms. 306  
*imperfecta* Gerh. 241  
*imperfectus* Chevr. 366  
*imperialis* Perroud (Phorac.) 90  
*imperialis* White (Closterom.) 323  
*implicatus* Thoms. 111  
*impressiceps* Blackb. 125  
*impressicolle* Lacord. 12  
*impressicollis* Fairm. (Macro.) 23  
*impressicollis* Lansb. (Litopus) 321  
*impressiusculus* Fairm. 121  
*impressum* Payk.

- impunctata* L. Heyd. (Leptura) 219  
*impunctata* Muls. (Strang.) 235  
*impuncticollis* Fairm. 124  
*impunctipennis* Bates 479  
*impura* J. Lec. 227  
*inaequalis* Sharp 116  
*inaequalithorax* Pic 221  
*inapicale* Pic 166  
*inapicalis* Pic (Clytus) 370  
*inapicalis* Pic (Evodinus) 187  
*inapicalis* Pic (Fallacia) 202  
*inapicalis* Pic (Leptura) 209  
*inbasalis* Pic 360  
*incanus* Newm. 373  
*incerta* Bland 191  
*incertum* Newm. 86  
*incertus* Gestro (Plocaed.) 49  
*incertus* Pic (Chloroph.) 403  
*incisipennis* Reitter 220  
*inclemens* Thoms. 56  
*incolumis* Heyd. 183  
*inconspicuus* Saund. 157  
*inconstans* Goun. 109  
*inerustata* Chevr. 431  
*ineultum* Pasc. 25  
*ineultus* Gerst. 58  
*incurvatus* Chevr. 366  
*indagator* F. 164  
*indagatrix* Latr. 164  
*indecora* Newm. 30  
*indica* Hope 273  
*indicola* Bates 47  
*indicus* Gah. (Hypoeschrus) 27  
*indicus* Gmel. (Plagionotus) 379  
*indirecta* Newm. 243  
*indus* A. Sem. (Purpuric.) 465  
*indus* Gmel. (Chloroph.) 398  
*induta* Newm. 47  
*inermis* Bates (Amblyont.) 315  
*inermis* Montr. (Ceresium) 124  
*inermis* Newm. (Elaphid.) 86  
*inermis* Tourn. (Stromat.) 73  
*inermis* White (Sphaerion) 97  
*inermis* Belon (Haruspex) 103  
*inermis* Daniel (Strang.) 234  
*inermis* Fleut. & Sallé (Pantom.) 78  
*inermis* Jord. (Paoeme) 31  
*inermis* White (Anubis) 317  
*inermis* Bates (Gnaphalodes) 75  
*iners* Fairm. 172  
*inexpectata* Rits. 330  
*inexpectatus* Fairm. 173  
*infasciatum* Pic 162  
*infausta* J. Lec. 384  
*infecta* Pasc. 145  
*infernalis* Pic 239  
*infuscatus* Bates (Ozodes) 435  
*infuscatus* Chevr. (Phymat.) 349  
*infuscatus* J. Lec. (Phymat.) 353  
*ingae* Bates 331  
*ingrica* Baeckm. 204  
*inhastata* Pic 212  
*inhumeralis* Pic (Cortodera) 198  
*inhumeralis* Pic (Purpuricenus) 463  
*innotatus* Pic 465  
*inopinata* Auriv. 12  
*inornatus* Newm. 427  
*inquisitor* L. 164  
*inquisitor* Ol. 163  
*inquistior* Stroem 162  
*inquisitor* v.  $\beta$  L. 163  
*insecta* Pasc. 63  
*inscripta* Germ. 90  
*inscriptum* Pasc. 118  
*inscriptus* Gah. (Haruspex) 103  
*inscriptus* Bates (Rhaphuma) 407  
*inscriptus* Pasc. (Skelet.) 94  
*inscriptus* Pic (Anagl.) 415  
*insectellata* Pic 214  
*insignicollis* Fairm. 418  
*insignicornis* Fairm. 428  
*insignifer* Pic 403  
*insignis* Chevr. (Mecomet.) 394  
*insignis* Fall (Leptura) 222  
*insignis* Gah. (Tetraomm.) 28  
*insignis* Gerst. (Helym.) 324  
*insignis* Guér. (Unxia) 333  
*insignis* J. Lec. (Xylotr.) 364  
*insignis* Auriv. (Compsom.) 298  
*insignis* Thoms. (Unxia) 333  
*insignita* Pasc. (Pachyteria) 300  
*insignita* Perroud (Cyllene) 384  
*insignitus* Fairm. 370  
*insinuans* Casey 415  
*insipida* Thoms. 31  
*insipiens* Chevr. 366  
*insitivus* Germ. 179  
*inspergatus* Fairm. & Germain 68  
*instabilis* Hald. 227  
*instigmata* Pic 210  
*insubricus* Germ. 338  
*insulana* Gah. (Eburia) 79  
*insulana* Gah. (Stizocera) 99  
*insulare* Newm. (Elaphid.) 86  
*insulare* White (Protosphacriion) 96  
*insulare* Gmel. (Elaphid.) 88  
*insularis* White (Molorchus) 269  
*insularis* Cast. & Gory (Isotomus) 406  
*insulicola* Bates 106  
*insuturata* Pic (Pseudopidonia) 201  
*insuturata* Pic (Strangalia) 229  
*integer* Hald. 365  
*integra* Fairm. & Germ. (Sibylla) 255  
*integra* Kolbe (Rhytid.) 62  
*integricollis* Kolbe 322  
*integrifrons* Heller 62  
*integripennis* Bates 111  
*intermedia* Achard (Jonthodes) 491

- intermedia* Chevr. (Strang.) 237  
*intermedia* Goun. (Dihamm.) 430  
*intermedius* Dupont (Trachyd.) 479  
*intermedius* Gah. (Coloborhomb.) 298  
*intermedius* Gah. (Pachydissus) 57  
*intermedius* J. Lec. (Crossid.) 471  
*interrogationis* Blanch. (Trich.) 97  
*interrogationis* L. (Evodinus) 186  
*interrogationis* Thoms. (Compsa) 109  
*interrupta* Jord. (Xystroc.) 36  
*interrupta* Ol. (Glaucytes) 436  
*interrupta* Bates (Eburod.) 82  
*interrupta* Goun. (Dihamm.) 430  
*interrupta* L. Heyd. (Strang.) 239  
*interrupta* Newm. (Strang.) 244  
*interrupta* Reitter (Rosalia) 328  
*interruptum* Pasc. 292  
*interruptus* Dupont (Trachyd.) 479  
*interruptus* J. Lec. (Neoclytus) 391  
*interruptus* Ol. (Zonotylus) 461  
*interruptus* Pasc. (Demonax) 410  
*interruptus* Cast. & Gory (Xyl.) 365  
*interruptus* Mors (Plagion.) 377  
*interruptus* Pic (Purpuric.) 462  
*intincta* Pasc. 432  
*intorta* Newm. 118  
*intricatus* Blackb. (Aprosietus) 144  
*intricatus* Blanch. (Poecilopepl.) 450  
*intricatus* Pasc. (Neocerambxy) 46  
*intricatus* Fairm. (Cerambxy) 53  
*intrifasciatus* Pic 401  
*inustulatus* Pic 265  
*inustus* Goun. 111  
*investigator* Mannerh. 165  
*investigator* Muls. 164  
*involutus* Bates 111  
*iodes* Bates 279  
*ion* Chevr. 394  
*ion* Bates 394  
*ione* Newm. 194  
*ionides* Bates 394  
*iopterus* F. Phil. 257  
*Irene* Goun. 247  
*iridescens* White 457  
*iridescens* Bates 457  
*iridipennis* Chevr. (Rhopaloph.) 432  
*iridipennis* Fairm. & Germain (Necydal.) 275  
*Iris* Taschenb. (Calliehr.) 312  
*iris* Pasc. (Proneces) 323  
*irroratum* L. 86  
*irroratus* J. Lec. (Rhopalop.) 389  
*irroratus* Ol. (Trichrous) 442  
*isabellina* Bates 451  
*italicum* Gmel. 294  
*iteratus* Pasc. 367  
*itimbiensis* Duviv. 320  
*ituricum* Kolbe 310  
*jacintha* Bates 440  
*Jacobsoni* Baeckm. 467  
*Jacqueti* Pic 211  
*Jaegeri* Chevr. (Trichrous) 442  
*Jaegeri* Hummel (Strangalia) 234  
*Jaegeri* Fairm. (Strangalia) 229  
*Jaffeuxi* Vuillet 490  
*Jakowlewi* Semen. 362  
*jamaicensis* Chevr. 442  
*Jansoni* Bates (Mecometopus) 394  
*Jansoni* Bates (Trichophorus) 97  
*Jansoni* Waterh. (Mastododera) 170  
*janthina* Kolbe 303  
*janthincornis* Fairm. 324  
*janthinum* J. Lec. 345  
*japanus* Motsch. 466  
*japonica* Pic (Acmaeops) 191  
*japonica* Bates (Distenia) 9  
*japonicum* Har. (Chloridolum) 314  
*japonicum* Pic (Obrium) 134  
*japonicum* Bates (Rhagium) 165  
*japonicus* Chevr. (Chlorophorus) 397  
*japonicus* Lacord. (Semanotus) 341  
*japonicus* Bates (Mallambyx) 46  
*javana* Bates 300  
*javanicus* Cast. & Gory 365  
*Javeti* Chabrill. 43  
*jejuna* Goun. 279  
*Jekeli* White (Neoclytus) 391  
*Jekeli* Pic (Strangalia) 234  
*Jimenezi* Dugès 470  
*Jo* Thoms. 112  
*jocosum* Chevr. 86  
*jocosus* Horn 469  
*Jordani* Heath 252  
*Jordani* Hintz 367  
*jota surinamensis* Voet 487  
*Jouteli* Davis 391  
*jucunda* Broun 116  
*jucundus* Perroud (Chlorophorus) 403  
*jucundus* Guér. (Oxyprosopus) 318  
*juglandis* Leng (Phymatodes) 350  
*juglandis* Fairm. (Rhamnusium) 167  
*jugosus* Newm. 292  
*Juno* Thoms. 105  
*Jumodi* Dist. 318  
*Justini* Chevr. 391  
*juvencu* Pasc. 36  
*juvencum* Hald. 15  
*juvencus* Dupont 479  
*kabyliana* Pic 214  
*Kaehleri* L. (Purpuricenus) 463  
*Kaehleri* F. (Purpuricenus) 464  
*Kaehleri* Cast. 463  
*kaisanum* Thoms. 132  
*Kalidasae* Lameere 9  
*Kalmi* Schönh. 350

- kansuensis* Ganglb. 413  
*karsantianus* Pic 355  
 Karschi Quedf. 95  
*kashgarica* A. Sem. 160  
*kashmirensis* Pic 465  
*kashmiriana* A. Sem. 160  
 Kassjanowi Sokolow 241  
*Kautzi* Ganglb. 328  
*Kelchi* Bach 372  
*kenteiensis* Pic 220  
 Kerniana Fall 243  
 Kiesenwetteri Muls. & Rey (Molorchus) 267  
 Kiesenwetteri Pic (Cortodera) 198  
 kingana Pic 221  
 kinganus Pic 403  
 Kirby Auriv. (Neoclytus) 392  
 Kirby Newm. (Paradistichoc.) 287  
 Klaesii Rits. 314  
 Klugi Cast. & Gory (Dexitheia) 380  
 Klugi Dupont (Oxymerus) 482  
 Klugi Lacord. (Taurotagus) 45  
 Koebele Perkins 388  
*Koehlini* Hagenb. 390  
*Koehleri* Scop. 463  
*Köhleri* Ganglb. 463  
 Kolbei Hintz 49  
 Kollari Redt. 350  
 Koltzei Heyd. 193  
 Komarowi A. Sem. (Apatophysis) 160  
*Komarovi* A. Sem. (Purpuricenus) 464  
*Korbi* Pic 187  
*Kotschi* Ganglb. 67  
*Koziorowicz* Desbr. 341  
 Kraatzi Jord. (Derolus) 58  
 Kraatzi Pic (Stenopterus) 265  
 Kraatzi Thoms. (Glaucytes) 436  
*Kraatzi* Ganglb. (Evodinus) 187  
*Kraatzi* Lederer (Xylotrechus) 360  
 Krantzi Dist. (Coptoeme) 28  
 Krantzi Gah. (Chlorophorus) 405  
*Kratteri* Hampe 202  
 Kraussi White 324  
 Kreuslerae Pasc. 274  
 Kreusleri Pasc. (Agapete) 256  
 Kreusleri Pasc. (Omophaena) 293  
*Krueperi* Ganglb. 208  
*kubanensis* Rost 219  
*Kyselyi* Zoufal 328
- labiata* Muls. 230  
*labiatus* Pasc. 151  
 labyrinthicus Chevr. 382  
*lacertosus* Pasc. 290  
*Lachesis* Blanch. 83  
*lachrymans* Bates 247  
*lachrymosa* Pasc. 291  
*Lacordairei* Dupont (Trachyd.) 479  
*Lacordairei* Gah. (Hamat.) 51  
*Lacordairei* Lacord. (Paramall.) 100  
*Lacordairei* Pasc. (Collyrodes) 424  
*Lacordairei* Rits. (Orion) 83  
*Lacordairei* Thoms. (Deltosoma) 454  
*Lacordairei* Thoms. (Tapinol.) 61  
*Lacordairei* Pasc. (Toxotus) 178, 180  
*lacustris* Casey 222  
 laesicolle Germ. 107  
 laeta Guér. (Unxia) 333  
 laeta Hope (Mecos.) 304  
 laeta Lameere (Rosalia) 330  
 laeta J. Lec. (Judolia) 227  
 laeta Péring. (Xystroc.) 36  
 laeta Bates (Tylosis) 470  
 laetabile Bates 106  
 laetabilis Blackb. 90  
 laeticolor Bates 251  
*laetifia* Prov. 223  
 laetifica J. Lec. 223  
 laetificus Bates 11  
 laetipennis White 428  
 laetus Blanch. (Callider.) 444  
 laetus F. (Mecomet.) 394  
 laetus Lameere (Perissus) 375  
 laetus Lameere (Rhopalizus) 319  
 laetus J. Lec. (Mannoph.) 473  
 laetus Thoms. (Purpuricenus) 465  
 laetus Thoms. (Zasterius) 427  
*laetus* Motsch. (Callimus) 271  
 laeve White 87  
 laevicauda Bates 419  
 laevicolle Jord. (Zamium) 26  
*laevicolle* Pic (Cartallum) 294  
 laevicollis Auriv. (Litopus) 321  
 laevicollis Bates (Ophist.) 247  
 laevicollis J. Lec. (Necydalis) 261  
 laevicollis J. Lec. (Rhopalophora) 431  
*laevicollis* Reitter (Aromia) 308  
 laevicornis Bates 82  
 laevifemoratus Waterh. 103  
*laevigata* Thoms. 104  
 laevigatum Blackb. 117  
 laevigatus F. Phil. (Holopterus) 149  
*laevigatus* F. Phil. (Lautarus) 254  
 laevipennis Fairm. 174  
 laevipes Fairm. 324  
 laevis Jord. (Xystroc.) 36  
 laevis J. Lec. (Tessaropa) 39  
*laevis* F. (Alosterna) 206  
*laevis* Herbst (Grammopt.) 204  
*laevis* Ol. (Stenoc.) 180  
 lagria Jord. 426  
 lama Muls. 371  
 lamarekianus Sharp 388  
*lambda* Schrank 396  
*Lambi* Pasc. (Acolesthes) 46  
*Lambi* Pasc. (Euryarthrum) 292  
*Lambi* Pasc. (Pachyteria) 300

- lamed L. (*Pachyta*) 184  
*lamed* Geoffr. (*Leptura*) 212  
*Lameeri* Brongn. (*Rosalia*) 330  
*Lameeri* Pic (*Leontium*) 315  
*laminosus* Newm. 145  
*lamproderum* Bates 310  
*lampros* Bates 457  
*lanaiensis* Sharp 388  
*lanaris* Blanch. 483  
*lanaticollis* Blackb. 139  
*lanatum* Chevr. 87  
*lanceolata* Muls. 234  
*Landoisi* Pic 209  
*Landsbergi* Thoms. 107  
*langsonius* Fairm. (*Aeolesthes*) 47  
*langsonius* Fairm. (*Demonax*) 410  
*langurioides* Bates (*Distenia*) 8  
*langurioides* Bates (*Stenosphen.*) 443  
*Lanieri* Chevr. 442  
*lanifer* J. Lec. 372  
*lanigera* Linell 79  
*lanigerum* Fauv. 124  
*lanio* Guér. 477  
*Lansbergei* Thoms. 42  
*Lansbergi* Lameere 432  
*lanuginosa* Bates 279  
*lanuginosum* Bates (*Elaphid.*) 87  
*lanuginosum* Schauf. (*Ceresium*) 124  
*Laportei* Guér. 194  
*larroides* White 285  
*larvatum* Pasc. 124  
*lasiocerus* Gah. 51  
*Lasnieri* Chevr. 442  
*lata* Hope 90  
*latebrosus* Newm. 292  
*latecinctus* Bates (*Mecomet.*) 394  
*latecinctus* Horn (*Aëthec.*) 469  
*latecostata* Fairm. 149  
*latedecorata* Pic 215  
*latefasciatum* Müller 164  
*latefasciatum* Pic 162  
*latemaculata* Pic (*Cataphrod.*) 301  
*latemaculata* Th. Pic (*Rosalia*) 328  
*lateobscurus* Pic 185  
*laterale* Bates 448  
*lateralis* Casey (*Stenoc.*) 182  
*lateralis* Chevr. (*Xystroc.*) 36  
*lateralis* Er. (*Coleox.*) 65  
*lateralis* Gah. (*Xylotr.*) 366  
*lateralis* Guér. (*Mastod.*) 170  
*lateralis* J. Lec. (*Crioprosopus*) 458  
*lateralis* Ol. (*Eurypt.*) 248  
*lateralis* Pasc. (*Stenhom.*) 137  
*lateralis* White (*Appula*) 101  
*lateralis* Estlund (*Acmaeops*) 189  
*lateralis* Hald. (*Strangalia*) 243  
*lateralis* J. Lec. (*Strangalia*) 243  
*latericium* Goun. 98  
*laterimaculata* Motsch. 209  
*lateripicta* Fairm. 241  
*lateriscriptus* Burm. 482  
*lateritia* Hope 330  
*latescens* Bates 248  
*latesellatus* Fairm. 121  
*latesulcatus* Fairm. 172  
*latesuturata* Pic 237  
*latevittatus* Bates 111  
*laticauda* Bates 43  
*laticeps* Bates (*Atenizus*) 31  
*laticeps* J. Lec. (*Spondyl.*) 14  
*laticolle* Pasc. 73  
*laticollis* Bates (*Eburia*) 79  
*laticollis* Gah. (*Epiped.*) 423  
*laticollis* Sharp (*Plagith.*) 388  
*laticorne* Fauv. 135  
*laticornis* Fairm. (*Erythrus*) 290  
*laticornis* Gah. (*Xoanod.*) 63  
*laticornis* Klug (*Tomopt.*) 285  
*latifasciatus* Bates (*Megad.*) 486  
*latifasciatus* Fisch. (*Chloroph.*) 396  
*laticornis* Pic 131  
*latipennis* Serv. (*Eurypt.*) 249  
*latipennis* Thoms. (*Thelg.*) 454  
*latipes* Degger (*Phylloen.*) 303  
*latipes* F. (*Litopus*) 321  
*latipes* Hintz (*Xystroc.*) 36  
*latithorax* Voet 340  
*lativitta* Newm. 55  
*lativittis* Har. 447  
*latofasciatus* Kraatz 397  
*latofasciatus* Motsch. 398  
*Latreillei* Cast. & Gory (*Plagion.*) 380  
*Latreillei* Dupont (*Trachyd.*) 479  
*Latreillei* White (*Batus*) 452  
*Latreillei* Brullé (*Hesperoph.*) 67  
*latus* Quedf. (*Oxypros.*) 318  
*latus* Pic (*Stenoc.*) 179  
*Laurae* Fairm. 317  
*Laurasi* Lucas 341  
*lautus* Broun 274  
*Lavinia* Gah. 221  
*Lebasi* Chevr. (*Neoclytus*) 392  
*Lebasi* Dupont (*Oxymer.*) 482  
*Lebasi* Bates (*Neoclytus*) 390  
*Lecontei* Thoms. 247  
*Ledereri* Fairm. (*Ropalopus*) 338  
*Ledereri* Ferrari (*Purpuric.*) 463  
*Lederi* Ganglb. (*Clytus*) 370  
*Lederi* Ganglb. (*Strangalia*) 239  
*Lederi* Kraatz (*Fallacia*) 202  
*Lederi* Reitter (*Enoplod.*) 165  
*Lefebvrei* Goun. 111  
*Lemairei* Lameere 252  
*Lengi* Schaeffer (*Aneflus*) 85  
*Lengi* Schaeff. (*Xylotrachus*) 364  
*lentiginosum* Berg 97  
*lentiginosus* Broun (*Ophryops*) 142  
*lentiginosus* Newm. (*Phacodes*) 70

- Leonardi* Hald. 195  
*leonina* Goun. 249  
*leoninus* J. Lec. 259  
*Lepelotieri* Pic 398  
*lepida* Pasc. 277  
*lepidopterus* Schreibers 487  
*lepidum* Thoms. 334  
*lepidus* Broun (Xuthodes) 77  
*lepidus* Horn (Stenosph.) 443  
*lepidus* Pasc. (Eodalis) 425  
*lepidus* J. Lec. (Gonocallus) 336  
*Leprieuri* Bates (Ibidion) 112  
*Leprieuri* Buq. (Closteromerus) 324  
*Leprieuri* Buq. (Mallosoma) 438  
*Leprieuri* Cast. & Gory (Mecom.) 394  
*Leprieuri* Guér. (Ceragenia) 453  
*Leprieuri* Buq. (Cosmisoma) 433  
*leprosa* Heyne 298  
*lepta* Gah. 221  
*leptis* Jord. 426  
*leptomerus* Auriv. 479  
*leptopus* Philippi 257  
*leptosthenias* Bates 440  
*lepturoides* Bates (Asteth.) 140  
*lepturoides* Blanch. (Platyn.) 258  
*lepturoides* Boisd. (Rhagiom.) 149  
*lepturoides* Chevr. (Agall.) 445  
*lepturoides* Jacq. du Val (Poecil.) 444  
*lepturoides* Pasc. (Ephies) 249  
*Lesnei* Boppe (Rosalia) 330  
*Lesnei* Pic (Strang.) 238  
*Letzneri* Fabr. 232  
*leucaspis* Chevr. (Prothema) 291  
*leucaspis* Pasc. (Epiped.) 423  
*leucodactylum* Chevr. 306  
*leucogramma* Perty 112  
*leucogrammus* White 442  
*leucoraphis* Gerst. 310  
*leucoscutellatus* Hope 410  
*leucothea* Bates 231  
*leucothyreus* Pasc. 404  
*leucozona* Bates (Cyphosterna) 474  
*leucozona* Bates (Ibidion) 112  
*leucozonias* Gmel. 396  
*leucozonus* Cast. & Gory 392  
*Luthneri* Ganglb. 215  
*Levaillantii* Lucas 25  
*Levettei* Casey 87  
*licheneus* Gah. 177  
*liciatu* L. 362  
*lifuanum* Montrz. 124  
*lifuanus* Montrz. 55  
*ligata* J. Lec. 192  
*lignatorum* Thieme 379  
*ligneus* F. 342  
*ligulatifennis* Goun. 283  
*ligystropteroides* Lansb. 290  
*limbalis* Har. 325  
*limbata* Bates (Distenia) 8  
*limbata* Ganglb. (Cortod.) 197  
*limbata* Laich. (Leptura) 212  
*limbaticollis* Pic 201  
*limbatum* Pic 167  
*limbatus* Pic 462  
*limbipennis* Fairm. 174  
*limbiventris* Reitter 234  
*linum* Newm. 133  
*linearis* Bates (Chrysopr.) 440  
*linearis* Hampe (Phymat.) 350  
*linearis* L. (Promeces) 322  
*linearis* J. Lec. (Aneflus) 85  
*linearis* Harris (Oeme) 30  
*linearis* L. (Orthoschema) 332  
*lineata* F. (Navom.) 488  
*lineata* Letzn. (Cornum.) 202  
*lineatocolle* Thoms. 107  
*lineatocollis* Chevr. (Eriphus) 476  
*lineatocollis* Fairm. (Glaucyct.) 436  
*lineatocollis* Pic (Pseudop.) 201  
*lineatopora* Bates 8  
*lineatopunctata* Waterh. 437  
*lineatum* Goun. (Bomar.) 111  
*lineatum* Kirsch (Cosmis.) 433  
*lineatum* Ol. (Rhagium) 165  
*lineatus* Bates (Stenosph.) 443  
*lineatus* Chevr. (Demonax) 410  
*lineatus* Gah. (Margites) 59  
*lineatus* Pasc. (Imbr.) 60  
*lineatus* Dupont (Oxym.) 482  
*lineatus* Fährs. (Zoster.) 427  
*lineatus* Guér. (Malacoct.) 35  
*lineatus* Letzn. (Toxotus) 178  
*lineellum* Bates 433  
*lineicollis* Chevr. 431  
*lineigera* Chevr. (Dihamm.) 430  
*lineigera* Fairm. (Strang.) 241  
*lineigerum* Pasc. 124  
*lineola* Chevr. (Demonax) 410  
*lineola* F. (Erosida) 81  
*lineola* Say (Strang.) 243  
*lineola* Scop. (Chloroph.) 400  
*lineolatum* Bates (Ibidion) 112  
*lineolatum* Er. (Achryson) 39  
*lineolatus* Bates (Haruspex) 103  
*lineolatus* Redt. (Demonax) 410  
*lineolatus* Waterh. (Chlidones) 418  
*lineolatus* White (Trichrus) 442  
*lineolatus* Dupont (Trachyd.) 480  
*lineoligera* Blanch. 421  
*Linnaei* Fährs. 262  
*Linnei* Laich. 163  
*Linneianus* Laich. 340  
*liobasis* Bates 320  
*lippus* Germ. 97  
*lisa* Casey (Thesalia) 250  
*lisa* Leng (Leptura) 222  
*lisa* Leng (Thesalia) 250

- lissonota Bates 99  
 lissonotoides Pasc. 485  
 listroptera Bates 102  
 listropteroides Goun. 428  
 literatum Gah. 64  
 literatus Gah. 410  
*littigiosa* Muls. 211  
 litigiosus Casey (Semanotus) 342  
*litigiosus* Muls. (Vesperus) 159  
 litopoides Pasc. 314  
*litteratus* Gmel. 415  
*litura* Bates 386  
 lituratum Bates (Obrium) 133  
*litratum* Fugn. (Rhagium) 162  
 lituratus Cast. & Gory (Chlor.) 403  
 lituratus Ganglb. (Purpuric.) 464  
 lituratus Kirby (Evodinus) 188  
 liturifer Walk. 74  
 liturifera Bates 279  
 livida F. (Leptura) 210  
 livida Germain (Compa) 109  
 livida Germain (Sibylla) 255  
*lividipenne* Pic 168  
*lividipennis* Hald. 446  
*lividus* Muls. (Hylotrupes) 341  
 lividus Rossi (Phymat.) 350  
 longevittatus Fairm. 181  
 longiceps Jord. (Philemat.) 306  
*longiceps* Kirby (Acmaeops) 189  
 longicelle Bates (Aposph.) 99  
 longicelle Guér. (Genus?) 358  
 longicelle Jord. (Obrium) 134  
*longicelle* Degeer (Achryson) 40  
 longicollis Bates (Eburia) 79  
 longicollis Bates (Rhinotragus) 277  
 longicollis Fairm. (Linopodius) 132  
 longicollis Fairm. (Paralocus) 123  
 longicollis Har. (Closterom.) 324  
 longicollis J. Lec. (Molorchus) 269  
 longicollis Pasc. (Phacodes) 70  
 longicollis Thoms. (Araespor) 42  
 longicollis Voet (Ceramb.) 55  
*longicollis* Casey (Stenosph.) 443  
*longicollis* Muls. (Fallacia) 202  
*longicollis* Reitter (Clytus) 371  
*longicollis* Pasc. (Closteromerus) 323  
 longicorne Bates (Obrium) 134  
 longicorne Newm. (Stromat.) 73  
 longicorne Pic (Digonius) 72  
 longicornis Bates (Chrysoprasis) 440  
 longicornis Kirby (Acmaeops) 192  
 longicornis Voet (Genus?) 489  
*longicornis* Bates (Toxotinus) 183  
*longicornis* Pasc. (Exannes) 125  
 longilineata White 82  
 longinum Har. 310  
 longipennis Bates (Elytroleptus) 456  
 longipennis Bates (Euryptera) 249  
 longipennis Casey (Crossid.) 471  
 longipennis Fairm. (Glaucytes) 437  
 longipennis Fairm. (Noemia) 10  
 longipennis Gah. (Colcoestia) 65  
 longipennis Gah. (Psathyrus) 32  
 longipennis Hope (Tryphoeh.) 91  
 longipes Drury (Neoclytus) 392  
 longipes Gebl. (Judolia) 226  
 longipes Poll (Zoedia) 155  
 longipes Say (Rhopaloph.) 431  
 longipes Sharp (Plagith.) 388  
*longipes* Auriv. (Chrysopr.) 440  
*longipes* Cast. & Gory (Neoclyt.) 391  
*longipes* F. (Promcees) 322  
*longipes* Kirby (Necelytus) 392  
*longipes* Villers (Xylotr.) 362  
 longipilis Bates (Eburodaerys) 82  
 longipilis Bates (Heterachtes) 111  
 longipilis Pic (Cortodera) 198  
 longispina Auriv. 105  
 longissimum Bates (Callichroma) 310  
 longissimum Bates (Elaphidion) 87  
 longitarsis Auriv. 321  
 longulum Thoms. 41  
 longulus Fairm. (Anisogaster) 121  
*longulus* Sharp (Plagith.) 389  
*Lopez-bayoï* Lauffer 234  
 loreum Goun. 96  
 Loreyi Dup. 442  
 Lorquini Buq. 381  
 lucanus J. Lec. 38  
 Lucasi Brongn. (Cerambyx) 53  
 Lucasi Thoms. (Erythroplatys) 277  
 lucida Broun (Astetholida) 140  
*lucida* Daniel (Strang.) 229  
*lucidipes* Pic 204  
 lucidum Ol. (Elaphidion) 87  
 lucidum Ol. (Callidium) 489  
 lucidum Ol. (Cerambyx) 489  
 lucidus Scop. (Genus?) 489  
 luctifera Fairm. 169  
*luctuosa* Muls. 212  
 luctuosus Chev. (Eriphus) 476  
*luctuosus* Latr. (Toxotus) 178  
 ludens Gah. 403  
 lugens J. Lec. (Stenosphenus) 443  
 lugens Küster (Chloroph.) 398  
 lugens J. Lec. (Acmaeops) 191  
 lugens J. Lec. (Leptura) 223  
*luguber* Voet 53  
 lugubre Voet 64  
 lugubris Fairm. (Otaromia) 306  
 lugubris Goun. (Eburodaerys) 82  
 lugubris Ménér. (Plagionotus) 379  
 lugubris Ol. (Apoeme) 35  
 lugubris Rits. (Pachyteria) 300  
 lugubris Say (Strang.) 246  
*lugubris* Gmel. (Crioceph.) 22  
*lugubris* Ragusa (Penichroa) 129  
*lugubris* Sahlb. (Strang.) 239

Lujac Hintz 36  
 Lumholtzi Auriv. 145  
*lunaris* Hald. 227  
*lunata* Germain (Compsa) 109  
*lunata* Newm. (Epipedocera) 423  
*lunata* F. (Strang.) 246  
*lunatus* F. 377  
 Lundi F. 460  
*lunulata* Swed. 246  
*lunulatus* Goeze (Neoclytus) 392  
*lunulatus* Kirby (Xylotr.) 365  
*lupina* J. Lec. 192  
*lurida* P. 200  
*luridicornis* Chevr. 410  
*luridipennis* Gah. (Hamatich.) 51  
*luridipennis* Hald. (Leptura) 223  
*luridum* Klug (Oregostoma) 278  
*luridum* Bechst. (Tetropium) 18  
*luridum* Gyllen. (Tetropium) 18  
*luridum* L. (Tetropium) 18  
*luridus* Rossi (Vesperus) 158  
*luridus* Ol. (Phymat.) 351, 354  
*luridus* Payk. (Phymat.) 353  
*luristanicus* Pic 380  
*luscum* Thoms. 336  
*luscus* F. 392  
*lursorius* Pasc. 150  
*lutarium* Burm. 39  
*lutea* Jord. (Pseuderis) 457  
*lutea* Steph. (Cylindera) 120  
*luteicollis* Bates 472  
*luteicornis* F. 245  
*luteipes* Muls. 219  
*luteofasciatus* Pic 416  
*luteosparsus* Fairm. 121  
*lutescens* Geoffr. 214  
*luteus* Duges (Elytroleptus) 456  
*luteus* Voet (Oxymerus) 482  
*luteus occidentalis reverberans* Voet  
 453  
*lutosa* J. Lec. 384  
*lutosum* Fairm. 357  
*lutulentus* Har. 318  
*luxatus* Pasc. 405  
*lycoides* Bates (Ornistomus) 278  
*lycoides* Guér. (Pteroplatus) 455  
*lycoris* Thoms. 109  
*lyciformis* Germ. (Aphylax) 456  
*lyciformis* Pasc. (Euryptera) 249  
*lymphatica* Fairm. 122  
*lymphaticus* Lamceere 50  
*lynceum* F. 459  
*lyrata* Redt. 247  
*lyratus* Pasc. 366  
*lyricen* Jord. 405  
  
 Maaki Kraatz 351  
*macaonensis* Dunning 403

*macaumensis* Chevr. 403  
*macaunensis* Chevr. 403  
*macedonica* Pic 351  
*macer* Newm. 258  
*macilenta* Bates (Isthmiade) 283  
*macilenta* Ganglb. (Ischnorhab.) 131  
*macilenta* Mannerh. (Leptalia) 250  
*macilentum* Kraatz 168  
*macilentus* Bates (Mecometopus) 394  
*macilentus* Chevr. (Demonax) 410  
*macilentus* Pasc. (Amimes) 34  
*macilentus* Pasc. (Aposites) 139  
*macilentus* Pasc. (Dymasius) 60  
*Mac Leayi* Hope (Tessaromma) 144  
*Macleayi* Newm. (Distichocera) 287  
*Macleayi* Pasc. (Chaodalis) 288  
*Macleayi* Pasc. (Typhocesis) 296  
*maera* Chevr. (Ischnodora) 374  
*maera* Thoms. (Compsa) 109  
*macropus* Germ. (Ropalopus) 338  
*macropus* Newm. (Callisphyris) 257  
*macrospilus* Gah.  
*macrotaenia* Bates 79  
*macrotela* Bates 446  
*macrus* Bates 51  
*maculata* Brongn. (Nyphasia) 95  
*maculata* J. Lec. (Tylosis) 470  
*maculata* Poda (Strangalia) 234  
*maculata* Bates (Tylosis) 470  
*maculata* Drury (Eburia) 81  
*maculata* Gebl. (Leptura) 208  
*maculata* Houlb. (Strangalia) 236  
*maculata* Pic (Strangalia) 235  
*maculaticolle* Blanch. 124  
*maculatum* Burm. (Achyryson) 39  
*maculatum* Ol. (Obrium) 133  
*maculatum* Goeze (Rhagium) 161  
*maculatus* White (Zoodes) 74  
*maculatus* Gmel. (Xylotrechus) 363  
*maculiceps* Gabr. 216  
*maculicollis* Dalm. (Xylotrechus) 366  
*maculicollis* Fairm. (Mattania) 305  
*maculicollis* Gah. (Demonax) 410  
*maculicollis* Kirby (Distichocera) 287  
*maculicollis* J. Lec. (Phymatodes) 351  
*maculicollis* Serv. (Metopocoilus) 44  
*maculicollis* Serv. (Trachelissa) 449  
*maculicollis* Gabr. (Strangalia) 241  
*maculicorne* Germain 72  
*maculicorne* Goun. (Gnomidolon) 106  
*maculicornis* Bates (Eburia) 79  
*maculicornis* Bates (Haruspex) 103  
*maculicornis* Degeer (Leptura) 214  
*maculicornis* Fairm. (Nastocerus) 35  
*maculicornis* Poll (Bimia) 256  
*maculicornis* W. Saund. (Aphior.) 150  
*maculifera* Heyrovsky 230  
*maculipennis* Fairm. (Anisog.) 121  
*maculipennis* Gah. (Oemospila) 37

- maculipennis* Lacord. (Trichom.) 114  
*maculipes* Thoms. 447  
*maculithorax* Pic 201  
*maculosa* Bates (Gaurotos) 195  
*maculosa* Fairm. (Sagridola) 169  
*maculosa* Guér. (Sagridola) 169  
*maculosa* Ol. (Eburia) 442  
*maculosa* Gmel. (Leptura) 215  
*maculosus* Gmel. (Neoclytus) 392  
 Madoni Pic 397  
*Magdalenae* Pic (Stenocorus) 181  
*Magdalenae* Théry (Chlorophor.) 398  
*magicus* Perty 392  
*magister* Pasc. 62  
*magna* Bates 420  
*magnicollis* Fairm. 366  
*magnifica* Jord. (Mecosaspis) 304  
*magnifica* Pic (Cataphrodisium) 301  
*magnificus* Bates (Zonopterus) 299  
*magnificus* J. Lec. (Crioprosop.) 458  
*magnus* Schaeffer (Neoclytus) 392  
*magnus* Voet (Spondylis) 14  
*mahota* Dist. 425  
 Maia Newm. 279  
 Maindroni Pic 241  
*major* Gah. (Trichrous) 442  
*major* L. (Necydalis) 259  
*major* Guér. (Necydalis) 260  
*major punctata* Voet 184  
*malaccensis* Lacord. 465  
*malachiticus* Hald. 195  
*malthinoides* Bates (Gmmata) 279  
*malthinoides* Bates (Ozodes) 435  
*malthinoides* Kraatz (Pseudop.) 201  
*manca* J. Lec. (Gracilia) 129  
*manca* J. Lec. (Eburia) 79  
*manca* L. W. Schauf. (Strangalia) 235  
*mancula* White 82  
*Manderstjernaе* Muls. 53  
*mandibularis* Gah. (Imbrius) 60  
*mandibularis* Goun. (Cosmoplat.) 455  
*mandibularis* Serv. (Dendrobias) 478  
*manicana* Péring. 303  
*manicatus* Bates 324  
*manifestus* Jakowl. 419  
*Manillae* Auriv. 403  
*manillarum* Chev. 317  
*manipurensis* Gah. (Leptura) 221  
*manipurensis* Gah. (Raphuma) 407  
*Mannerheimi* Motsch. (Evodinus) 187  
*Mannerheimi* J. Lec. (Phymat.) 350  
*Manzonii* Gestro 135  
 Mapanjae Auriv. 304  
*margaritica* F. (Odontocera) 281  
*margaritacea* F. (Epimelitta) 284  
*marginalis* Chev. (Chloroph.) 405  
*marginalis* Godef. (Xystrocera) 36  
*marginalis* Dist. (Xystrocera) 36  
*marginalis* J. Lec. (Acmaeops) 192  
*marginalis* Motsch. (Evodinus) 187  
*marginata* Dist. (Herodera) 96  
*marginata* F. (Acmaeops) 189  
*marginata* J. Lec. (Holopleura) 456  
*marginata* Pasc. (Dere) 426  
*marginata* Naezen (Acmaeops) 190  
*marginatum* White 142  
*marginatus* Bates (Miltesthus) 102  
*marginatus* Fairm. (Aedoeus) 171  
*marginatus* J. Lec. (Oxoplus) 470  
*marginatus* Kraatz (Stenocorus) 181  
*marginatus* Perty (Rhinotragus) 277  
*marginella* Bates 459  
*marginellus* Hope (Picsarthrius) 145  
*marginellus* Hope (Uracanthus) 147  
*marginellus* Bates (Metaleptus) 468  
*marginellus* F. (Evodinus) 187  
*marginicollis* Cast. & Gory (Clyt.) 372  
*marginicollis* Chev. (Dihamm.) 430  
*marginiipennis* Fairm. (Rhinoph.) 148  
*marginiipennis* Murr. (Xystrocera) 36  
*Mariae* Thoms. 47  
*marilandicum* Hald. 84  
*marmoratus* Blackb. 70  
*marmorea* Blackb. 94  
*Marmattani* Brisout 267  
*maroccana* L. Heyd. 219  
*maronensis* Chev. 394  
*maronicum* Thoms. 112  
*martes* Pasc. (Demonax) 410  
*martes* Pasc. (Gorybia) 103  
*martialis* Dohrn (Basiptera) 478  
*martialis* Rosenb. (Pocillopepl.) 450  
*Martii* Perty 477  
*Martyr* Thoms. 433  
*marylandicum* F. 84  
*massiliensis* L. 400  
*Mastersi* Pasc. 91  
*matabelenus* Péring. 324  
*Matthewsi* J. Lec. 227  
*Matthieseni* Reitter 56  
*mauritanicus* Buq. (Derolus). 58  
*mauritanicus* Lucas (Stenopter.) 265  
*maurus* Newm. 83  
*mausonensis* Pic 241  
*maxillosus* Serv. (Dendrobias) 478  
*maxillosus* Degeer (Spondylis) 14  
*maxillosus* Ol. (Euryphagus) 461  
*maxillosus* Pasc. (Euryphagus) 460  
*Mayeti* Théry 371  
*Mechowi* Quedf. 313  
*medea* Pic 208  
*mediana* Auriv. 384  
*Medici* Bertol. 468  
*medioeris* Sharp 388  
*mediodisjuncta* Pic 232  
*mediointerrupta* Pic 329  
*medionotatum* Pic 162  
*medius* Schrank 268

- Meeskei* Casey 431  
*megacephala* Germ. 29  
*megacephalum* Blackb. 119  
*megalospilota* White 83  
*megaspilus* Gah. 317  
*Meinerti* Auriv. (Eburia) 79  
*Meinerti* Auriv. (Gnomidolon) 106  
*Meinerti* Auriv. (Stizocera) 99  
*melaena* Lucas 215  
*melaenus* Bates 371  
*melampus* Bates 247  
*melanargyreus* White 273  
*melanaria* Goun. (Epimelitta) 284  
*melanaria* White (Polyschisis) 297  
*melanaria* Achard (Jonthodes) 491  
*melanaria* Herbst (Strangalia) 232  
*melanarius* Pasc. 427  
*melanaspis* Pasc. 314  
*melancholica* Goun. (Appula) 101  
*melancholica* Rits. (Pachyteria) 300  
*melancholica* Reitter (Aromia) 308  
*melancholicum* Bates 312  
*melancholicus* Chevr. (Chloroph.) 403  
*melancholicus* Gah. (Plocaederus) 49  
*melancholicus* F. (Phymatodes) 351  
*melancholicus* Küster (Phymat.) 351  
*Melanianthe* White 303  
*melanioides* Dalm. 445  
*melanion* Bates 394  
*melanocephalus* Ponza (Phymat.) 353  
*melanocephalus* Voet (Purpuric.) 463  
*melanodacrys* White 108  
*melanophthisis* Berg 249  
*melanopsis* Esc. 273  
*melanosomum* Bates 106  
*melanostetha* Bates 441  
*melanostoma* Bates 247  
*melanota* Fald. 213  
*melanotelus* White 382  
*melanura* L. (Strangalia) 236  
*melanura* Redt. (Euryptera) 249  
*melanura* Herbst (Strangalia) 233  
*melanura* Houttuyn (Leptura) 216  
*melanura* Müller (Alosterna) 206  
*melanura* Ström (Leptura) 217  
*melanurella* Reitter 237  
*melanurum* Er. 98  
*melanurus* Pasc. 410  
*melas* Bates (Amphelictus) 75  
*melas* Bates (Trachyderes) 479  
*melasomus* Thoms. 320  
*Meleti* Newm. 284  
*Melgunovi* Jacobs. 239  
*meliponica* Bates 284  
*mellea* White 281  
*mellita* Say 261  
*Mellyi* Chevr. (Cyllene) 385  
*Mellyi* White (Anubis) 318  
*Melsheimeri* Germ. 459  
*menalaspis* Chevr. 385  
*Menalcas* Thoms. 48  
*mendax* Fährs. 324  
*mendica* Pasc. 146  
*Menetriesi* Ganglb. (Leptura) 214  
*Menetriesi* Motsch. (Purpuricen.) 464  
*mentiens* Lacord. 456  
*meridanus* Bates 78  
*meridianus* L. (Stenocorus) 179  
*meridianus* Ol. (Stenocorus) 180  
*meridionalis* Bates (Acestoleus) 475  
*meridionalis* Bates (Polyzonus) 317  
*Merkli* Frivald. (Grammoptera) 204  
*Merkli* Pic (Xylosteus) 168  
*metallica* Fairm. (Glaucytes) 437  
*metallica* Nonfr. (Polyphida) 437  
*metallica* Quedf. (Xystocera) 36  
*metallicolor* Fairm. 357  
*metallicus* Nonfr. 456  
*metallipenne* Pic 345  
*methocoides* Westw. 424  
*mexicana* Sturm (Ornithia) 435  
*mexicana* Thoms. (Eburodaerys) 82  
*mexicana* Thoms. (Conipta) 110  
*mexicanus* Bates (Spondylis) 14  
*mexicanus* Serv. (Eriphus) 476  
*mexicanus* Thoms. (Hamaticher.) 51  
*mexicanus* Cast. & Gory (Cyllene) 384  
*mexicanus* Thoms. (Criocephalus) 21  
*mexicanus* Thoms. (Malacopecterus) 35  
*Mezierei* Desjard. 437  
*micaceus* Pasc. 60  
*micans* F. (Callichroma) 310  
*micans* F. (Metopotylus) 26  
*microgaster* Sharp 388  
*microps* Blackb. 151  
*microspilus* Gah. 317  
*microthorax* Perty 477  
*mikadoi* Pic 215  
*miles* Blackb. (Paphora) 118  
*miles* Bon. (Cerambyx) 53  
*miles* Voet (Callimus) 271  
*militaris* Bates (Crossidius) 471  
*militaris* Goun. (Ancylocera) 446  
*militaris* J. Lec. (Acmaeops) 192  
*militaris* Chevr. (Strangalia) 243  
*militaris* Latr. (Cerambyx) 53  
*mimetes* Pasc. 298  
*mimeticum* Schaeffer 87  
*mimeticus* Auriv. 59  
*mimica* Bates (Epimelissa) 284  
*mimica* Bates (Strangalia) 232  
*mimula* Bates (Euryptera) 249  
*mimula* Pasc. (Earinis) 274  
*mimulus* Bates 456  
*mina* Gah. 304  
*mingrelica* Kraatz (Fallacia) 202  
*mingrelica* Tourn. (Strangalia) 234  
*miniacea* Gah. 221

- miniata* Klug (Ctenodes) 451  
*miniata* Germ. (Batyle) 475  
*miniata* Pasc. (Pyrestes) 289  
*miniatocollis* Chev. (Entomost.) 474  
*miniatocollis* Chev. (Rhopaloph.) 431  
*miniatus* Fairm. (Purpuricenus) 465  
*miniatus* Pasc. (Uracanthus) 147  
*minimus* Goetze (Genus?) 490  
*minimus* Scop. (Molorchus) 268  
*minor* Bates (Ischnocnemis) 473  
*minor* Blackb. (Strongylurus) 145  
*minor* Gan. (Caraphia) 177  
*minor* Gah. (Dymasius) 60  
*minor* Jord. (Apiogaster) 425  
*minor* Jord. (Synaptola) 305  
*minor* L. (Molorchus) 267  
*minuta* Chev. (Cyllene) 385  
*minuta* Chev. (Dihammaphora) 430  
*minuta* F. (Gracilia) 129  
*minuta* Gebl. (Acmæops) 191  
*minuta* Jord. (Xystroceræ) 36  
*minuta* Motsch. (Leptidea) 262  
*minutissimus* Nonfr. 373  
*minutum* Blanch. (Grammicosum) 72  
*minutum* F. (Zorion) 156  
*minutum* F. (Rhagium) 164  
*minutus* Gebl. (Stenocorus) 180  
*minutus* Hammarstr. (Asiates) 468  
*mirabilis* Auriv. (Formicomimus) 155  
*mirabilis* Auriv. (Lycosomus) 253  
*mirabilis* Auriv. (Strangalia) 241  
*mirabilis* Jord. (Dictator) 302  
*mirabilis* Motsch. (Toxotus) 179  
*mirabilis* Kraatz (Plectogaster) 252  
*miranda* Pasc. 154  
*Mirbeckii* Lucas 53  
*mirifica* Pasc. 303  
*mirificus* Bland 195  
*mirus* Pasc. 155  
*misella* Bates 210  
*misellum* Bates 87  
*misellum* Bates 397  
*miserum* Thoms. 12  
*missionum* Bruch 12  
*Mitchelli* Hope 91  
*mile* Newm. 86  
*mixtornatus* Fleischer 397  
*mixtus* F. 67  
*Mneme* Newm. 284  
*Mniszечи* Chev. (Mecometopus) 394  
*Mniszечи* Lacord. (Nothopygus) 321  
*Mocquerysi* Jord. (Calanthemis) 374  
*Mocquerysi* Jord. (Philematium) 306  
*modesta* Gah. (Polyphidia) 437  
*modesta* Goun. (Isthmiade) 283  
*modesta* Goun. (Oeme) 30  
*modesta* Pasc. (Paphora) 118  
*modestum* Buq. (Criodion) 63  
*modestum* Gah. (Ceresium) 124  
*modestum* Newm. (Ommidion) 101  
*modestum* Lacord. (Cynidolon) 108  
*modestus* Blackb. (Rhinophth.) 148  
*modestus* Dist. (Psathyrus) 32  
*modestus* Fall. (Neoclytus) 392  
*modestus* Gah. (Myrsinus) 139  
*modestus* Sharp. (Plagithmysus) 388  
*modestus* Waterh. (Logisticus) 172  
*modestus* White (Haruspex) 103  
*modica* Gah. 160  
*modicenotata* Pic 239  
*modicus* Blackb. (Phacodes) 70  
*modicus* Gah. (Margites) 59  
*Moeli* C. G. Thoms. 362  
*moerens* Blackb. (Thoris) 94  
*moerens* Pasc. (Hesthesis) 286  
*moerens* White (Chrysoprasia) 441  
*moesiaca* Daniel 210  
*moesiacus* Friv. 17  
*moesta* Bates (Acyphoderes) 282  
*moesta* Bates (Deltaspis) 459  
*moesta* Pasc. (Glaucytes) 437  
*moestula* Pasc. (Rhopalophora) 432  
*moestula* White (Tillomorpha) 421  
*moestum* Hald. (Asemum) 15  
*moestum* J. Lec. (Elaphidion) 87  
*moestus* Chev. (Chlorophorus) 403  
*moestus* Gmel. (Ambeodontus) 141  
*moestus* Newm. (Phaedinus) 477  
*mollipilosa* J. Lec. 191  
*molorchoides* Guér. (Callisphyris) 257  
*molorchoides* White (Odontocera) 281  
*molybdica* J. Lec. 243  
*monachus* Dalla Torre 415  
*mongolica* A. Sem. 160  
*mongolicus* Ganglb. 468  
*mongtsenensis* Pic 410  
*monochroa* Bates 104  
*monostigma* Bates (Ibidion) 112  
*monostigma* Bates (Odontocera) 281  
*monostigma* Fairm. (Ariastes) 175  
*monostigma* Ganglb. (Leptura) 211  
*monspeliense* Gmel. 294  
*monstrosus* Blanch. 155  
*montana* Gah. (Apatophysis) 160  
*montana* Muls. & Rey (Leptura) 215  
*montana* Casey (Strangalia) 245  
*montanus* Hintz (Oligosmerus) 325  
*montanus* J. Lec. (Criocephalus) 21  
*montanus* Nonfr. (Clytus) 373  
*montanus* White (Purpuricenus) 465  
*Montesuma* Cast. & Gory 373  
*Montezuma* White 373  
*monticola* Gah. (Clytus) 372  
*monticola* Gah. (Demonax) 410  
*monticola* Rand. (Evodinus) 188  
*monticola* Abeille (Cortodera) 197  
*mordax* Degeer (Rhagium) 162  
*mordax* Herbst (Rhagium) 163

- moreana* Pic 213  
*Morgani* Pic 215  
*morio* F. (*Ancylosternus*) 481  
*morio* Kraatz (*Necydalis*) 260  
*morio* Pasc. (*Neostenus*) 138  
*morio* Cast. (*Trachyderes*) 481  
*morio* F. (*Acmacops*) 190, 191, 491  
*morio* Voet (*Ropalopus*) 337  
*Moritzi* Thoms. 392  
*mormona* Lindell 38  
*mormonus* J. Lec. (*Xylotrechus*) 364  
*mormonus* Schaeffer (*Calloides*) 381  
*morosum* Boisd. 358  
*morosus* Fairm. (*Antigenes*) 175  
*morosus* Pasc. (*Sthelenus*) 275  
*morosus* Serv. (*Pantomallus*) 78  
*morosus* Sharp (*Ceralomus*) 153  
*morosus* Chev. (*Rhopalopachys*) 389  
*morosus* Pasc. (*Hoplocerambyx*) 56  
*moschata* L. 307  
*Mossmani* Newm. 70  
*Motshulskyi* Ganglb. 397  
*Mouhoti* Pasc. 411  
*Moultoni* Auriv. (*Chlorophorus*) 403  
*Moultoni* Auriv. (*Pachyteria*) 300  
*moupinensis* Fairm. 404  
*Mouzafferi* Pic 380  
*mozinnae* Linell 133  
*mucheia* Thoms. 310  
*mucroferum* Thoms. 108  
*mucronatum* Say 87  
*mucronatus* F. (*Neoclytus*) 392  
*mucronatus* Cast. & Gory (*Clytus*) 372  
*Muelleri* Blackb. 145  
*muliebris* L. Heyd. 219  
*mulio* Pasc. 410  
*Mulsanti* Stierl. 270  
*multicolor* Gmel. 84  
*multicostatus* Fairm. 10  
*multiflorum* Berg 133  
*multifasciatus* Dupont (*Lissonot.*) 484  
*multifasciatus* Leng (*Lissonotus*) 484  
*multiguttatu* Bates (*Gaurotes*) 105  
*multiguttata* Burm. (*Cyllene*) 385  
*multiimpressus* Pic 366  
*multimaculata* Th. Pic 328  
*multinotatus* Pic 366  
*multiplicatus* Motsch. 54  
*multituberculatus* Bates 435  
*mundum* Blackb. (*Bethelium*) 118  
*mundum* Broun (*Votum*) 142  
*mundus* Chev. 394  
*Munroi* Sharp 388  
*muricata* Dalm. 17  
*muricatulus* Kirby 392  
*muricatum* Hald. 87  
*muricatus* Prov. 392  
*murina* Burm. (*Cyllene*) 385  
*murina* Gerst. (*Ossibia*) 135  
*murina* Klug (*Sphecomorpha*) 283  
*murina* Pasc. (*Hesthesis*) 286  
*murinum* Nonfr. 63  
*murinus* Allard (*Oligoenoplus*) 416  
*murinus* Gah. (*Hamaticherus*) 51  
*murinus* Chev. (*Cerasphorus*) 75  
*Murrayi* Lameere 32  
*mus* Goun. 71  
*muscaria* Fairm. 169  
*muscosus* Bates 398  
*musivum* Er. 106  
*musivus* Pasc. 410  
*Musschenbroeki* Gestro 273  
*mustela* Pasc. 410  
*mustelinus* Chev. 410  
*mutabilis* Gah. (*Perissus*) 375  
*mutabilis* Newm. (*Leptura*) 223  
*mutabilis* Motsch. (*Evodinus*) 188  
*mutata* Bates (*Eburia*) 80  
*mutata* Bates (*Pseudopidonia*) 201  
*mutator* Pasc. 287  
*mutatum* Gah. 87  
*mutatus* Bates 102  
*mutica* Kolbe (*Synaptola*) 305  
*mutica* Lacord. (*Callidiopsis*) 127  
*mutica* J. Lec. (*Eburia*) 79  
*mutica* Sharp (*Oeomona*) 116  
*mutica* Hald. (*Oeone*) 30  
*muticus* F. (*Scaphinus*) 15  
*muticus* Pasc. (*Tetraommatus*) 28  
*myops* Chev. (*Perissus*) 375  
*myops* Thoms. (*Calanthemis*) 374  
*myrrheum* Goun. 97  
*myrrheus* Goun. 111  
*myrmicaria* Fairm. & Germain 421  
*myrmido* Fairm. 121  
*mystaceus* Jord. 318  
*mystica* Thoms. 284  
*mysticoides* Reitter 413  
*mysticus* L. 413  
*mythicus* Gyllh. 59  
  
*Nadari* Pic 338  
*naevius* Gmel. 399  
*naïs* Goun. 279  
*namaganensis* Heyd. (*Xylotr.*) 361  
*namaganensis* Ganglb. (*Xylotr.*) 361  
*nana* Bates (*Chrysoprasia*) 441  
*nana* Newm. (*Strangalia*) 243  
*nana* Poll (*Ochyra*) 422  
*nansenensis* Pic 410  
*nanum* Bates (*Achryson*) 40  
*nanum* Blackb. (*Tessaromma*) 144  
*nanum* F. (*Elaphidion*) 87  
*nanum* Goun. (*Platyarthron*) 448  
*nanum* Chev. (*Elaphidion*) 88  
*nanus* Bates (*Choriolaus*) 248  
*nanus* A. Semen. (*Purpuric.*) 464

- narcissus* Perrin 271  
*nasutus* Quedf. (Euporus) 320  
*nasutus* Shuck. (Rhinophthalm.) 148  
*natalense* Bates 306  
*natalensis* White 57  
*nauticus* Mannerh. 364  
*nebulosa* Gebl. (Dokhtouroffia) 203  
*nebulosa* Cast. & Gory (Cyllene) 385  
*nebulosum* Guér. 87  
*nebulosus* Brongn. (Zatrephus) 62  
*nebulosus* Ol. (Hesperophanes) 66  
*necydalea* F. (Methia) 39  
*necydalea* L. (Isthmiade) 283  
*necydaloides* Pasc. 262  
*neglecta* Broun (Navomorpha) 488  
*neglecta* Chob. (Strangalia) 234  
*neglectum* Goun. (Callichroma) 312  
*neglectum* J. Lec. (Elaphidion) 86  
*nemorivaga* Goun. 82  
*neoxenum* White 301  
*nepas* Chevr. 403  
*nerii* Er. 58  
*nevadica* J. Lec. 167  
*Newelli* Sharp 388  
*Newmani* Chevr. (Sclethrus) 417  
*Newmani* Hald. (Elaphidion) 87  
*Newmani* Pasc. (Trichomesia) 276  
*niassensis* Gah. 300  
*nicocles* Schauf. 462  
*Nicolai* Auriv. 100  
*Nicolas* White 342  
*Nicolasi* Bedel 198  
*Nieti* Chevr. 458  
*Nietii* Guér. 453  
*Nietoi* Bates (Crioprosopus) 458  
*Nietoi* Gemm. & Har. (Parev.) 453  
*Nieuvenhuisi* Rits. 300  
*nigella* Bates 247  
*nigellus* White 435  
*niger* Auriv. (Zoocosimus) 426  
*niger* Blackb. (Aposites) 139  
*niger* Gah. (Tetraommatum) 28  
*niger* Jord. (Allogaster) 41  
*niger* Philippi (Callideriphus) 444  
*niger* Gah. (Plocaederus) 50  
*niger* J. Lec. (Anaglyptus) 415  
*niger* Letzn. (Toxotus) 178  
*niger* Ol. (Toxotus) 178  
*niger gallicus* Voet 54  
*nigerrima* Bates (Epimelitta) 284  
*nigerrima* Pic (Leptura) 215  
*nigerrimus* Chevr. 404  
*nigra* Blackb. (Didymocautha) 116  
*nigra* Gah. (Cyrtonops) 7  
*nigra* Gah. (Nericonia) 11  
*nigra* Gah. (Sebasmia) 61  
*nigra* L. (Strangalia) 237  
*nigra* Csiki (Judolia) 227  
*nigra* Degcer (Strangalia) 229  
*nigra* Goun. (Euryptera) 248  
*nigra* Petagna (Leptura) 218  
*nigra* Petagna (Strangalia) 235  
*nigra* Schilsky (Aromia) 308  
*nigrans* Fairm. (Callichroma) 310  
*nigrans* Fairm. (Scariotus) 174  
*nigrella* Bates (Distenia) 8  
*nigrella* Say (Strangalia) 243  
*nigrescens* Gredl. (Evodinus) 185  
*nigrescens* Letzn. (Cornumutilla) 202  
*nigrescens* Weise (Grammoptera) 205  
*nigricans* Auriv. (Callichroma) 312  
*nigricans* Goun. (Acyphoderes) 282  
*nigricans* Gmel. (Ropalopus) 337  
*nigricans* Goun. (Eburia) 80  
*nigricauda* Bates 102  
*nigriceps* Bates (Pantonyssus) 100  
*nigriceps* Pasc. (Tetraommatum) 28  
*nigriceps* F. Phil. (Platynocera) 258  
*nigriceps* White (Merionoeda) 273  
*nigriclavus* Bates 281  
*nigricolle* Goun. (Hexoplon) 105  
*nigricolle* Pic (Cartallium) 294  
*nigricolle* Thoms. (Eroschema) 288  
*nigricollis* Bates (Gastrosarus) 274  
*nigricollis* Fairm. (Cleomenes) 426  
*nigricollis* Gah. (Compsomera) 298  
*nigricollis* Kolbe (Phylloclenema) 303  
*nigricollis* Pasc. (Pyrestes) 289  
*nigricollis* Goun. (Ancylocera) 446  
*nigricollis* Letzn. (Toxotus) 178  
*nigricollis* Muls. (Acmæops) 191  
*nigricollis* Muls. (Phymatodes) 353  
*nigricollis* Pic (Callimus) 271  
*nigricollis* Pic (Purpuricenus) 463  
*nigricollis* Seidl. (Gaurites) 194  
*nigricorne* Auriv. (Haploseb.) 261  
*nigricorne* Bates (Orthoschema) 332  
*nigricornis* Auriv. (Trachyderes) 480  
*nigricornis* Bates (Psyrrassa) 101  
*nigricornis* Dupont (Oxymerus) 482  
*nigricornis* Fairm. & Germ. (Hephaestion) 257  
*nigricornis* W. Saund. (Enchopt.) 153  
*nigricornis* Goun. (Ancylocera) 446  
*nigricornis* Stierl. (Strangalia) 236  
*nigrilatera* Goun. 279  
*nigrina* Bates (Chrysopraxis) 441  
*nigrina* Pic (Pachyta) 184  
*nigrina* L. W. Schauf. (Leptura) 219  
*nigrinus* Muls. (Phymatodes) 353  
*nigrinus* Pic (Akimerus) 183  
*nigrinus* Reitter (Toxotus) 178  
*nigripennis* Bates (Deltaspis) 459  
*nigripennis* Bates (Elytroleptus) 456  
*nigripennis* Buq. (Euryprosopus) 334  
*nigripennis* Chevr. (Cyphosterna) 474  
*nigripennis* Dupont (Trachyd.) 480  
*nigripennis* Pasc. (Emenica) 147

- nigripennis* J. Lec. (Acmaeops) 191  
*nigripennis* Pic (Cortodera) 199  
*nigripennis* Pic (Stenocorus) 179  
*nigripes* Auriv. (Paroceme) 31  
*nigripes* Auriv. (Temnopsis) 29  
*nigripes* Bates (Appula) 101  
*nigripes* Brullé (Chlorophorus) 398  
*nigripes* Chev. (Rhopalizus) 319  
*nigripes* Degeer (Strangalia) 237  
*nigripes* Dupont (Trachyderes) 480  
*nigripes* Jord. (Pseuderos) 457  
*nigripes* Jord. (Rhaphuma) 407  
*nigripes* Serv. (Ommata) 278  
*nigripes* Thoms. (Xystrocera) 36  
*nigripes* Costa (Stenopterus) 265  
*nigripes* Hald. (Stenocorus) 182  
*nigripes* Küster (Chlorophorus) 397  
*nigripes* Ol. (Euryphagus) 460  
*nigripes* Pic (Phymatodes) 350  
*nigrita* Chev. (Dihammaphora) 430  
*nigrita* Gah. (Dere) 426  
*nigrita* Serv. (Xystrocera) 36  
*nigrita* L. Heyd. (Cortodera) 197  
*nigritarse* Auriv. 105  
*nigritarsis* Goun. 284  
*nigritulus* Blackb. (Coptocercus) 93  
*nigritulus* Kraatz (Clytus) 371  
*nigritum* Serv. 486  
*nigritus* Bates (Ochraethes) 386  
*nigritus* Pic (Evodinus) 185  
*nigriventris* Bates (Rhopaloph.) 431  
*nigriventris* Bates (Stizocera) 99  
*nigriventris* Belon (Ectenessa) 41  
*nigriventris* Brème (Pteroplatus) 455  
*nigriventris* Dupont (Oxymerus) 482  
*nigriventris* Bates (Chrysoprasis) 439  
*nigriventris* Pic (Stenocorus) 179  
*nigriventris* Pic (Strangalia) 234  
*nigriventris* A. Sem. (Purpuric.) 464  
*nigroaenea* Bates 101  
*nigroapicalis* Pic 330  
*nigrocaudata* Fairm. 241  
*nigrocinctus* Bates 111  
*nigroclavatus* Fairm. 121  
*nigroclypea* Reitter 308  
*nigrofasciata* Petagna 235, 236  
*nigrofasciatus* Thoms. (Demon.) 410  
*nigrofasciatus* Goeze (Chloroph.) 401  
*nigrofasciatus* Dupont (Trachyd.) 481  
*nigrofasciatus* Voet (Plagionotus) 379  
*nigroflava* Fuss 207  
*nigrolineata* Bland 223  
*nigrolineatum* Donovan 162  
*nigromaculatus* Gah. 411  
*nigronotatus* Pic 462  
*nigropicea* Bates 65  
*nigropiceus* Letzn. 202  
*nigropicta* Fairm. 217  
*nigropictus* Broun 142  
*nigroplagiata* Fairm. 176  
*nigroplanus* Degeer 337  
*nigropunctatus* Chev. 387  
*nigroscutatus* Fairm. 290  
*nigrosignatus* Fairm. 398  
*nigrostriatus* Fairm. 121  
*nigrosuturalis* Reitt. 234  
*nigrovittata* Bates (Eburia) 79  
*nigrovittata* Goun. (Aleyopsis) 115  
*nigrovittata* Auriv. (Eburia) 79  
*nigrovittata* Chob. (Leptura) 213  
*nigrum* Gah. (Ceresium) 124  
*nigrum* Pic (Rhannusium) 166  
*nigrum* Voet (Megaderus) 487  
*nilgiriense* Gah. 124  
*nilgiriensis* Gah. (Perissus) 375  
*nilgiriensis* Gah. (Zoodes) 74  
*niponensis* Bates 415  
*Nisseri* Auriv. 275  
*nitens* F. (Rhopalizus) 319  
*nitens* Forster (Judolia) 227  
*nitens* Jord. (Closteromerus) 324  
*nitens* J. Lec. (Evodinus) 188  
*nitida* Bates (Coleoxestia) 65  
*nitida* Bates (Ectenessa) 41  
*nitida* Degeer (Isthmiade) 283  
*nitidicolle* Fauv. (Ceresium) 124  
*nitidicolle* Guér. (Hypatium) 305  
*nitidicollis* Bates (Dihammaph.) 430  
*nitidicollis* Casey (Crossidius) 471  
*nitidicollis* Gestro (Hypoescrus) 27  
*nitidicollis* Jord. (Hospes) 322  
*nitidicollis* Quedf. (Xystrocera) 37  
*nitidicollis* Horn (Leptura) 224  
*nitidipenne* Gah. 306  
*nitidipennis* Chev. (Plocaederus) 49  
*nitidipennis* Germain (Ancyrod.) 143  
*nitidipennis* Serv. (Cordylomera) 95  
*nitidipennis* Chev. (Alloesia) 439  
*nitidiventris* Fairm. (Xystrocera) 37  
*nitidiventris* Goun. (Ommata) 278  
*nitidum* J. Lec. 16  
*nitidus* Fairm. (Alocerus) 17  
*nitidus* Horn (Xylotrachus) 364  
*nitidus* J. Lec. (Phymatodes) 351  
*nitidus* Thoms. (Hoplocerambyx) 56  
*nitidus* Chev. (Phymatodes) 349  
*nitidus* Pic (Cerambyx) 55  
*nitidus* White (Plocaederus) 50  
*niveicollis* Linell 418  
*niveitectum* Schaeffer 84  
*niveivestitum* Schaeffer 87  
*nivicinctus* Chev. 421  
*niviguttata* Fairm. 169  
*nivipictus* Kraatz 398  
*nivosus* Fairm. (Anthribatus) 122  
*nivosus* Fairm. (Logisticus) 172  
*nobilis* Bates (Parevander) 453  
*nobilis* Harris (Calloides) 381

- nobilis* J. Lec. (*Heterachtes*) 111  
*nobilis* Newm. (*Strangalia*) 246  
*nobilitata* Nonfr. 171  
*noctis* L. 178  
*nodicolle* Pasc. (*Euryarthrum*) 292  
*nodicolle* Burm. (*Cosmisoma*) 433  
*nodicollis* Klug. (*Mastododera*) 170  
*nodicollis* Serv. (*Ozodes*) 435  
*nodicornis* Küst. 54  
*Nodieri* Muls. 25  
*nodifer* Sharp 388  
*nodosus* Muls. 53  
*nodulosus* Germ. 54  
*Nogeli* Friv. 466  
*notabilis* Bates (*Phrynocris*) 34  
*notabilis* Pasc. (*Chlorophorus*) 398  
*notabilis* White (*Ommata*) 280  
*notata* Ol. (*Leptura*) 213  
*notata* Pic (*Strangalia*) 234  
*notaticollis* Goun. (*Ommata*) 279  
*notaticollis* Perroud (*Helymae.*) 324  
*notatipennis* Pic (*Evodinus*) 187  
*notatipennis* Pic (*Strangalia*) 239  
*notatisternis* Goun. 280  
*notator* Pasc. 411  
*notatus* Ol. (*Stenospheus*) 443  
*notatus* Voet (*Genus?*) 490  
*notatus* Dupont (*Trachyderes*) 479  
*notula* Fauvel (*Deilus*) 295  
*notula* Goun. (*Eburodaerys*) 82  
*novatus* Horn 443  
*novella* Bates 312  
*novempunctata* Westw. 331  
*novempunctata* Germ. 44  
*novercalis* Reitt. 238  
*novica* Blackb. 116  
*nubecula* Bergstr. 164  
*nubifer* J. Lec. 182  
*nubilus* J. Lec. (*Criocephalus*) 21  
*nubilus* Pasc. (*Pachydissus*) 57  
*nudicorne* Bates 433  
*nupera* Pasc. 154  
*nupta* Muls. 194  
*nyassae* Bates 310  
*nympha* Thoms. (*Gnomidolon*) 106  
*nympha* White (*Chloridolum*) 315  
*nymphula* Bates (*Chrysoprasis*) 441  
*nymphula* Bates (*Strangalia*) 238
- Oatesi* Olliff 58  
*Oberthüri* Belon (*Anobrium*) 137  
*Oberthüri* Fairm. (*Logisticus*) 172  
*Oberthüri* Fairm. (*Trichroa*) 168  
*Oberthüri* Gah. (*Oplatocera*) 38  
*Oberthüri* Rits. (*Pachyteria*) 300  
*Oberthüri* Sharp (*Criocephalus*) 22  
*Oberthüri* Vuillet (*Rosalia*) 331  
*obesum* Newm. 486  
*obesus* Gah. 50  
*obliqua* Buq. (*Chlorida*) 77  
*obliqua* Newm. (*Didymocantha*) 116  
*obliqua* Serv. (*Eurysthea*) 97  
*obliquata* Horn 130  
*obliquatus* Burm. 482  
*obliquefasciatus* Pic 360  
*obliquus* Bates (*Tomopterus*) 285  
*obliquus* Casey (*Phymatodes*) 351  
*obliquus* Chev. (*Ochraethes*) 386  
*obliquus* Motsch. (*Stenocorus*) 181  
*oblita* Lameere 100  
*obliterata* Hald. (*Strangalia*) 243  
*obliterata* Pic (*Leptura*) 215  
*obliterata* Th. Pic (*Rosalia*) 329  
*obliteratus* Ganglb. (*Chloroph.*) 398  
*obliteratus* J. Lec. (*Xylotrechus*) 364  
*obliteratus* Pic (*Chlorophorus*) 398  
*oblitum* J. Lec. 87  
*oblongoguttulum* Fairm. 135  
*oblongomaculata* Buq. (*Lept.*) 215  
*oblongomaculata* Guér. (*Calch.*) 466  
*oblongomaculatus* Gah. (*Dem.*) 411  
*obriionoides* Lacord. 33  
*obriumoides* Thoms. 33  
*obscura* Blackb. (*Phalota*) 276  
*obscura* Donovan. (*Phoracantha*) 91  
*obscura* Sharp (*Gelonaetha*) 127  
*obscura* Panz. (*Strangalia*) 230  
*obscura* Pic (*Cortodera*) 199  
*obscura* Thunb. (*Strangalia*) 229  
*obscurans* Pic 199  
*obscurcellus* Fairm. 121  
*obscuripilosa* Pic 211  
*obscuricorne* Chev. 310  
*obscuricornis* Bates (*Ochraethes*) 386  
*obscuricornis* Kraatz (*Gramm.*) 204  
*obscuricornis* Pic (*Anaglyptus*) 413  
*obscurior* Pic (*Pseudopidonia*) 201  
*obscurior* Pic (*Stenocorus*) 180  
*obscuripenne* Pasc. (*Chloridol.*) 315  
*obscuripenne* Pic (*Obrium*) 134  
*obscuripennis* Pic (*Acmaeops*) 189  
*obscuripennis* Pic (*Cortodera*) 199  
*obscuripennis* Pic (*Evodinus*) 187  
*obscuripennis* Pic (*Stenocorus*) 179  
*obscuripes* Fairm. (*Noemia*) 10  
*obscuripes* Pic (*Rhamnusium*) 167  
*obscuripes* Reitt. (*Cortodera*) 197  
*obscurissima* Pic 240  
*obscurissimus* Pic (*Anaglyptus*) 415  
*obscurissimus* Pic (*Evodinus*) 185  
*obscurithorax* Pic (*Callimus*) 271  
*obscurithorax* Pic (*Leptura*) 215  
*obscurum* Fauv. 124  
*obscurus* F. (*Phacodes*) 70  
*obscurus* Germain (*Hesperoph.*) 68  
*obscurus* Guér. (*Spathopygus*) 43  
*obscurus* J. Lec. (*Axestinus*) 85

- obscurus* J. Lec. (Phymatodes) 351  
*obscurus* J. Lec. (Zamodes) 69  
*obscurus* Sharp (Plagithmysus) 388  
*obscurus* Waterh. (Logisticus) 172  
*obscurus* J. Lec. (Criocephalus) 21  
*obscurus* J. Lec. (Molorchus) 269  
*obsidianus* Motsch. 187  
*obsoleta* Hald. (Euryptera) 249  
*obsoleta* Hald. (Strangalia) 243  
*obsoleta* Hald. (Strangalina) 245  
*obsoletum* Jord. 309  
*obsoletus* Rand. 21  
*obtusa* Bates 305  
*obtusicollis* Fairm. (Zarina) 122  
*obtusicollis* Motsch. (Apatophys.) 166  
*obtusipennis* Bates (Closterom.) 324  
*obtusipennis* Fairm. (Logisticus) 172  
*obtusus* Bates (Heterachtes) 111  
*obtusus* Bates (Polyzotus) 317  
*obtusus* J. Lec. (Stenocorus) 182  
*occidentale* Gmel. 357  
*occidentalis* Blackb. (Phacodes) 70  
*occidentalis* Daniel (Leptura) 211  
*occipitalis* Chev. (Rhopaloph.) 431  
*occipitalis* Muls. (Leptura) 216  
*ocellatum* Goun. 98  
*ocellatus* Cast. & Gory (Xylotr.) 366  
*ocellatus* Dohrn (Cryptobias) 452  
*ocellatus* Goun. (Eurymerus) 40  
*ocellatus* Quedf. (Allophyton) 136  
*ochracea* Waterh. (Pachyteria) 300  
*ochracea* Faust (Leptura) 218  
*ochracea* Rey (Leptura) 213  
*ochraceipennis* Pic 218  
*ochraceofasciata* Motsch. 238  
*ochraceum* Perty 433  
*ochraceus* Bates (Corymellus) 156  
*ochraceus* Bates (Stenosphenus) 443  
*ochraceus* Bates (Chion) 76  
*ochreoruber* Fairm. 170  
*ochroptera* Bates 247  
*ochropus* Bates (Gaurotus) 195  
*ochropus* Voet (Callichroma) 313  
*ochrotaenia* Bates 65  
*ochrotela* Bates 238  
*ochrozona* Bates 387  
*ocreatum* Bates 312  
*ocreatus* Newm. 257  
*octocostatus* Bates 456  
*octoguttata* Germ. (Eburia) 79  
*octoguttata* White (Eburiphora) 296  
*octolineata* Serv. 449  
*octolineatus* Thunb. 480  
*octomaculata* Chev. (Eburia) 80  
*octomaculata* Degeer (Strangalia) 239  
*octomaculata* Schaller (Jurdolia) 225  
*octomaculatum* Nonfr. 63  
*octomaculatus* Fairm. 334  
*octonotata* Say (Leptura) 223  
*octonotata* Hald. (Strangalia) 246  
*octonotatus* Gmel. 363  
*octosignatus* Kolbe 74  
*ocularis* Muls. & Rey (Vesperus) 158  
*ocularis* Pasc. (Demonax) 411  
*ocularis* Pasc. (Tetraommatus) 28  
*ocularis* Pic (Apatophysis) 160  
*oculata* J. Lec. (Tylosis) 470  
*oculata* Serv. (Xylocaris) 483  
*oculata* Auriv. (Coptoeme) 28  
*oculicollis* Fairm. 367  
*oculifera* Newm. 150  
*Odewahni* Pasc. (Tryphocaria) 191  
*Odewahni* Pic (Strongylurus) 145  
*odontoceroideus* Thoms. 425  
*odorata* Degeer 308  
*odyneroides* Fairm. & Germ. (Callisphyrus) 257  
*odyneroides* White (Acyphod.) 282  
*oeax* Thoms. 106  
*oedioneme* Bates 113  
*Oedipus* J. Lec. 138  
*oenochrous* Fairm. 55  
*Olcsei* Pic 219  
*olesteroides* Pasc. 424  
*olidum* Fairm. 124  
*olivacea* Bates (Encyclops) 250  
*olivacea* Fairm. (Artelida) 171  
*olivaceus* Bates (Eupempelus) 428  
*olivaceus* Cast. & Gory (Ncoelyt.) 392  
*Olivieri* Dupont (Trachyderes) 480  
*Olivieri* Bates (Acyphoderes) 282  
*omega* Rossi 363  
*oo* Scharnk 363  
*opaca* Fairm. & Germain 258  
*opaecollis* Fauv. 140  
*opacipenne* Bates 19  
*opacipennis* Goun. 333  
*opacum* Fairm. (Ceresium) 124  
*opacum* Sharp (Zorion) 156  
*opacus* Jord. 425  
*operarium* White 84  
*ophthalmicus* Pasc. 157  
*opiloides* Pasc. 118  
*opiparum* Bates 312  
*oppositus* Chev. 400  
*optimum* Bates 316  
*opulenta* Newm. 101  
*opulentum* Klug 305  
*orbatus* Pasc. 145  
*ordinatum* Newm. 87  
*ordinatus* Pasc. 411  
*ordubadensis* Reitter 197  
*oreinum* Gah. 19  
*orientale*, Guér. (Chloridolum) 315  
*orientale* Pic (Callidium) 344  
*orientalis* Auriv. (Synaptola) 305  
*orientalis* Hope (Trirachys) 47  
*orientalis* White (Nysina) 94

- orientalis* Küst. (Cerambyx) 53  
*oriolinus* Pasc. 405  
*ornata* Blackb. (Ectosticta) 119  
*ornata* Blackb. (Lygesis) 146  
*ornata* Saund. (Hesthesis) 286  
*ornaticeps* Fairm. 175  
*ornaticolle* Pic 124  
*ornaticollis* Bates (Odontocera) 281  
*ornaticollis* Lacord. (Oxoplus) 470  
*ornaticollis* Chevr. (Cyphosterna) 474  
*ornatipenne* Perr. 40  
*ornatum* F. 161  
*ornatus* Bates (Haruspex) 103  
*ornatus* J. Lec. (Xylosteus) 167  
*ornatus* Herbst (Chlorophorus) 401  
*orpa* White 107  
*ostricilla* Newm. 151  
*Otti* Chevr. 398  
*Otto* Pic 230  
*ottomanum* L. Heyd. 269  
*ovatipennis* Pasc. 27  
*ovicollis* Fairm. (Chlorophorus) 404  
*ovicollis* J. Lec. (Pantomallus) 78  
*oxyoma* Fairm. 184  
*oxyptera* Fald. 234
- pachydermus* Fairm. 172  
*pachymerum* Pasc. 124  
*pachymerus* Muls. 22  
*pactor* Lameere 51  
*palazyanus* Montrz. 137  
*pallens* Brullé (Leptura) 215  
*pallens* Hope (Uracanthus) 147  
*pallens* F. (Achryson) 40  
*pallescens* Bates (Philus) 157  
*pallescens* White (Malacoct.) 34  
*palliatus* Forst. (Desmoc.) 253  
*palliatus* Lansb. (Erythrus) 290  
*palliatus* Pasc. (Demonax) 411  
*palliatus* Hald. (Phymat.) 350  
*pallida* Bates (Ophist.) 247  
*pallida* Broun (Didymoc.) 116  
*pallida* Buq. (Macroeme) 30  
*pallida* Horn (Hypex.) 129  
*pallida* Hald. (Aemacops) 193  
*pallida* Newm. (Cylindera) 120  
*pallidicauda* Goun. 106  
*pallidicornis* Fairm. & Germ. (Hephaest.) 257  
*pallidicornis* Fairm. (Compsa) 110  
*pallidipennis* L. Heyd. (Molorch.) 268  
*pallidipennis* Reich (Torneutes) 42  
*pallidipennis* Thoms. (Compsa) 109  
*pallidipennis* Tourn. (Leptura) 215  
*pallidipennis* Matsum. (Xylotr.) 359  
*pallidipes* Künckel (Noemia) 10  
*pallidipes* Pic (Cortodera) 199
- pallidipes* Pic (Obrium) 133  
*pallidum* J. Lec. 133  
*pallidiventrus* Jord. 324  
*pallidocinctus* Fairm. 174  
*pallidulum* White 106  
*pallidulus* Goun. 278  
*pallidum* Thoms. (Aquin.) 41  
*pallidum* Say (Obrium) 133  
*pallidum* Zoubk. (Stromatium) 73  
*pallidus* Ol. (Hesperoph.) 67  
*pallidus* Pasc. (Stenop.) 150  
*pallidus* Schaeffer (Sphaenoth.) 472  
*pallidus* Thoms. (Elytrol.) 456  
*pallidus* White (Ophryops) 142  
*pallidus* Zoubk. (Semanotus) 342  
*pallidus* Broun 142  
*pallidus* Dupont (Oxymerus) 482  
*pallidus* Goun. (Haruspex) 103  
*pallidus* White (Pytheus) 292  
*palhimembris* Fairm. 122  
*pallipes* Ol. (Genus?) 490  
*pallipes* Hald. (Callidium) 344  
*pallipes* Newm. (Encycl.) 250  
*pallipes* Steph. (Grammopt.) 204  
*palmatus* Ol. 394  
*Palmeri* Bates (Crossidius) 471  
*Palmeri* Bates (Ochraethes) 386  
*palpalis* Bates 89  
*paludivagus* Lucas 55  
*panamensis* Bates (Curius) 127  
*panamensis* Bates (Cyllene) 385  
*pannonicus* Gmel. 339  
*pannosus* Pasc. 62  
*pantherinus* Saven. 362  
*Panzeri* Har. 260  
*papuanus* Gestro 151  
*par* Newm. 287  
*paradoxa* Bates (Zenochl.) 441  
*paradoxa* Pasc. (Tritocosmia) 149  
*paraensis* Bates 247  
*parallela* Rits. (Pachyteria) 300  
*parallela* White (Odontoc.) 281  
*parallela* Pic (Cortodera) 199  
*parallelipenne* Quedf. 310  
*parallelopeda* Motsch. 227  
*parallelum* Casey (Tetropium) 19  
*parallelum* Newm. (Elaphid.) 87  
*parallelus* J. Lec. 419  
*parana* Gemm. 430  
*parandroides* Bates 12  
*parcum* Sharp 19  
*parens* Allard 404  
*Paris* Wied. 46  
*parisina* Thunb. 204  
*parisinum* Geoffr. 161  
*Parryi* Pasc. 151  
*partensis* Jacobs. 189  
*partiticornis* Fairm. 438  
*partitus* Gerst. 320

- parus* Jord. 57  
*parva punctata* Voet 225  
*parvicollis* Fairm. (Xxstroc.) 37  
*parvicollis* Gah. (Pachyd.) 57  
*parviscopus* Burm. 333  
*parvonotata* Reitter 329  
*parvula* Thoms. 77  
*parvulum* Casey 19  
*parvulus* Gah. 375  
*parvum* Voet 16  
*parvus* Gah. (Pachyloc.) 289  
*parvus* Jord. (Clonioph.) 314  
*Pascoeii* Brongn. (Xoanod.) 63  
*Pascoeii* Gah. (Dymas.) 60  
*Pascoeii* Lacord. (Nyphas.) 95  
*Pascoeii* Thoms. (Cyriopalus) 47  
*Pascoeii* Thoms. (Massicus) 55  
*Pascoeii* Murr. (Xystroc.) 36  
*Pasteuri* Riets. 300  
*pastinacae* Panzer 210  
*patagonicus* Bruch 394  
*patagonus* Guér. 83  
*patkaina* Gah. 407  
*patricia* Bates 249  
*patricius* Gah. (Cloroph.) 404  
*patricius* Gerst. (Litopus) 321  
*patronus* Pasc. 411  
*patruelis* Bates (Eburia) 80  
*patruelis* Chevr. (Cyllene) 385  
*paucispinum* Lameere 98  
*paulla* Pasc. 264  
*paulonotatus* Pic 372  
*pauper* Bates (Astetholea) 140  
*pauper* Bates (Cacophrissus) 75  
*pauper* Fährs. (Closterom.) 324  
*pauver* Pasc. (Dialoges) 60  
*pauper* Gah. (Dissap.) 59  
*paupercula* Newm. 224  
*pausa* Brancsik 329  
*pavidus* Germ. 34  
*Pearsalli* Bland 475  
*pecta* Daniel 210  
*pectinicornis* Bates 252  
*pectoralis* Bates (Ophist.) 247  
*pectoralis* J. Lec. (Amannus) 474  
*pedalis* J. Lec. 223  
*pedator* Pasc. 93  
*pedatrix* Kolbe 303  
*pedella* Degeer 184  
*pedemontanus* Daniel 186  
*pedestre* Pasc. 316  
*pedestris* Pasc. (Helymaeus) 325  
*pedestris* Pasc. (Xylotrechus) 366  
*pedestris* White (Plocaederus) 50  
*pedestris* Cotes (Plocaed.) 50  
*pedestris* White (Eburia) 79, 80  
*pedisequa* Voet 349  
*Peelei* Gah. 49  
*pekinensis* Fairm. 159  
*Pelleteri* Cast. & Gory 398  
*Pelletieri* Walk. 398  
*pellitus* Kirsch (Trachyd.) 480  
*pellitus* White (Trichox.) 382  
*pellurus* Weber 454  
*pelonioides* Thoms. 111  
*Pelleti* Muls. 398  
*peninsulare* Schaeffer (Obrium) 133  
*peninsulare* Schaeffer (Tragidion) 459  
*peninsularis* Schaeffer 392  
*pennata* Lewis 260  
*pennatus* Sharp 388  
*penniferum* Bates 450  
*perductor* Walk. 243  
*peregrina* Kolbe (Mecos.) 304  
*peregrina* Thoms. (Phelocal.) 9  
*perelegans* Fairm. (Derbida) 418  
*perelegans* Vollenh. (Epiped.) 423  
*perforata* Burm. (Dihamm.) 430  
*perforata* J. Lec. (Eburia) 81  
*peribaeoides* Thoms. 113  
*periscelis* Jord. 121  
*Perkinsi* Sharp 388  
*perlaetum* White 315  
*permundus* Sharp 388  
*pernigra* Linell 223  
*pernigra* Reitt. 215  
*pernobilis* Poll 171  
*perobscura* Reitt. 229  
*perornatus* Jord. 405  
*perplexa* Gah. (Aeolesth.) 47  
*perplexa* Goun. (Ommata) 279  
*Perrieri* Fairm. (Anisogaster) 121  
*Perrieri* Fairm. (Arrhythmus) 122  
*Perrieri* Fairm. (Artelida) 171  
*Perrieri* Fairm. (Calobrium) 136  
*Perrieri* Fairm. (Cilium) 114  
*Perrieri* Fairm. (Damiria) 428  
*Perrieri* Fairm. (Dolomius) 357  
*Perrieri* Fairm. (Glaucytes) 437  
*Perrieri* Fairm. (Holorusius) 22  
*Perrieri* Fairm. (Myiadola) 169  
*Perrieri* Fairm. (Noemia) 10  
*persica* Reitter 61  
*persicus* Fald. (Stenoc.) 180  
*persicus* Pic (Anagl.) 415  
*persicus* Solsky (Seman.) 342  
*persimile* Goun. 433  
*persimilis* Chevr. (Demonax) 411  
*persimilis* Gah. (Perissus) 375  
*personatum* Goun. 113  
*personatus* Er. 70  
*perspicillaris* Er. 80  
*perspicillus* Fischer 406  
*peruanus* Er. 477  
*peruvianus* Auriv. (Cosmopl.) 455  
*peruvianus* Buq. (Aegoid.) 477  
*petalophora* Fairm. 303  
*petasifer* Fairm. 465

- petiolata Bates 281  
 petiolatus Voet 490  
 Peyroni Pic 371  
*Pfisteri* Stierl. 53  
 phacocera Bates 8  
 phacäthusa White 315  
 phiale Gah. 407  
 Phidias Newm. 366  
*Phidias* Gah. 365  
 philippensis Newm. 125  
 Philippii Germain 40  
 phlyctænioides Lacord. 143  
 phoracanthoides White 113  
*phrygium* Dan. 164  
 phtthisica Bates 41  
 phtthisica Goun. 99  
 phtthisicus Klug 428  
 phyllopus Buq. 312  
*picca* F. (Gracilia) 130  
*picca* Geoffr. (Strang.) 237  
*picca* Newm. (Callidiopsis) 127  
 piceonitens Fairm. 45  
 piceus Broun. (Gnomodes) 156  
 piceus Laich. (Saphanus) 24  
*picens* Geoffr. (Cerambyx) 54  
 piceus Thoms. (Bardistus) 140  
*Pici* Auriv. (Phymat.) 349  
*Pici* Chob. (Leptura) 213  
*Pici* Csiki (Rosalia) 329  
 picicornis Thoms. (Sternac.) 451  
*picicornis* Fairm. (Zoodes) 74  
 picipennis Germ. 57  
 picipes Bates (Gnomidolon) 106  
 picipes F. (Eudercus) 419  
 picipes Waterh. (Dysmath.) 170  
*picipipes* Reitter (Aromia) 308  
 picta Bates (Didymoc.) 116  
 picta Fauv. (Semiopie) 126  
 picta Ganglb. (Pseudopid.) 201  
 picta Hald. (Centrod.) 167  
 picta Pasc. (Earinis) 274  
 picta Thoms. (Lymern.) 137  
 picta Waterh. (Brachytria) 293  
*picta* Drury (Cyllene) 385  
*picta* Horn (Cyllene) 383  
 picticollis Goun. 444  
 picticornis Bates (Ochraethes) 386  
 picticornis Bates (Oeme) 30  
 picticornis Bates (Ophistomis) 247  
 picticornis Bates (Scythroleus) 460  
 picticornis Bates (Sphaenothec.) 472  
 picticornis Blackb. (Maulia) 276  
 picticornis Broun. (Gastros.) 274  
 picticornis Pasc. (Sternac.) 451  
 picticornis Reitt. (Leptura) 215  
 pictipennis Fairm. (Anisogaster) 121  
 pictipennis Fairm. (Echarista) 176  
 picipes Newm. 65  
 pictiventris Pasc. 368  
 pictum Bates (Achryson) 40  
 pictum Bates (Sphaerionillum) 102  
 pictum Serv. (Gnomidolon) 106  
 pictum Waterh. (Cnidion) 63  
 picturata Goun. 279  
 pictus White (Phaedinus) 477  
 pictus Voet (Euryphagus) 461  
*pictus* Mäkl. (Evodinus) 185  
 pileatus Jord. 405  
*picicollis* C. G. Thoms. 338  
*picicornis* F. (Cylindera) 120  
*picicornis* Ol. (Anisog.) 121  
*pilifer* Reitter 379  
 pilifera Er. 100  
 pilipennis Chevr. 442  
 pilipes Kolbe 136  
 piliventre Bates 310  
 pilosa Er. (Eburia) 80  
 pilosa Pasc. (Laod.) 71  
 pilosa Reitter (Pronocera) 356  
*pilosa* Pic (Cortodera) 198  
*pilosa* Poda (Rosalia) 328  
 pilosella Bates (Pysrassa) 101  
 pilosella Bates (Stenaspis) 458  
 pilosellus Chevr. 68  
*pilosicollis* Thoms. 48  
 pilosifrons Goun. 430  
 pilosovittata Bates 65  
 pilosum Lucas 63  
 pilosus Bodungen (Hesperoph.) 67  
 pilosus Forster (Chloroph.) 398  
 pilosus Guér. (Pachyloc.) 289  
 pilosus Pasc. (Ambeod.) 141  
*pilosus* Goun. (Mecomet.) 395  
 pinetorum Woll. 21  
 pinguis J. Lec. 192  
 pini Ol. 419  
 pinicola Schaeffer (Acmaeops) 192  
 pinicola Woll. (Oxypl.) 25  
 Piperi Webb 253  
 piperitum Bates 133  
 placens Chevr. 394  
 placida Pasc. 407  
 plagiata Auriv. (Androeme) 33  
 plagiata Blackb. (Porithodes) 94, 490  
 plagiata Blackb. (Poritheia) 118  
 plagiata Buq. (Prodontia) 457  
 plagiata Hope (Rhagiom.) 149  
 plagiata Waterh. (Stenaspis) 458  
 plagiaticollis Fairm. 169  
 plagiatum Burm. (Ibidion) 113  
 plagiatum Gah. (Sisyrium) 117  
 plagiatum Waterh. (Cnidion) 63  
 plagiatus Dalm. (Euporus) 320  
 plagiatus Gah. (Dymasius) 60  
 plagiatus Gah. (Pachylocerus) 289  
 plagiatus White (Eriphus) 476  
*plagiatus* Reiche (Molorehus) 267  
*plagiatus* White (Piesarthrius) 145

- plagifera* J. Lec. 244  
*plana* Perty 30  
*planatus* Pasc. 411  
*planicolle* Poll 302  
*planicoxis* Bates 249  
*planifrons* J. Lec. 373  
*platenis* Chevr. 432  
*platifemur* Chevr. 67  
*platycerus* Fairm. 438  
*platypterus* Westw. 454  
*platypus* Gmel. 303  
*plebeja* Rand. 244  
*plebejus* F. (Stenocorus) 490  
*plebejus* F. (Chlorophorus) 396  
*pleurostictum* Bates 113  
*plicaticollis* Quedf. 304  
*plicatulum* Auriv. 315  
*plicatum* J. Lec. 312  
*plicatum* Bates 312  
*plicatus* Jord. (Clonioph.) 314  
*plicatus* Ol. (Hamatic.) 51  
*plicicollis* Fairm. (Logist.) 172  
*plicicollis* Germ. (Stizoc.) 99  
*plicicollis* Sharp (Oemona) 116  
*plorator* Pasc. 286  
*plumatus* Fährs. 331  
*plumbea* Goun. 99  
*plumicorne* Drury 433  
*plumicornis* Drapiez 434  
*plumifer* Pasc. 289  
*plumiferum* Voet 433  
*plumiger* Ol. 333  
*plumipes* Pallas 335  
*plumosa* Thoms. 154  
*plutina* Bates 304  
*podagricus* White 392  
*podicale* Thoms. 108  
*poecila* Bates 279  
*poecilopoda* White 287  
*poecilus* Bates 470  
*Poeyi* Chevr. 99  
*Poggei* Har. 304  
*polita* Bates (Melath.) 65  
*polita* Pasc. (Pyrestes) 289  
*polita* Waterh. (Coleox.) 65  
*politicollis* Fairm. 174  
*politum* White  
*politus* Bates (Trachyd.) 480  
*politus* Broun (Drotot.) 152  
*politus* Pasc. (Coptoc.) 93  
*pollinosus* Chevr. 386  
*polonicus* Motsch. 20  
*polychromum* Bates 107  
*polygenus* Thoms. 394  
*polyzonoides* Thoms. 317  
*polyzonum* Bates 107  
*polyzonus* Fairm. (Xylotr.) 366  
*polyzonus* Pasc. (Demonax) 411  
*Popovi* Mannrh. 359  
*populi* Büttner 260  
*populnea* Schröter 300  
*porcatus* Weber 482  
*porifera* Bates 80  
*poriferus* Bates 320  
*porosa* White 431  
*porphyrio* Bates 324  
*porphyrogenitum* Bates 312  
*porphyrophora* Fairm. 221  
*portugallus* Gmel. 401  
*porulosa* Bates 80  
*postica* Jord. (Idiocalla) 356  
*postica* Pasc. (Apelocera) 420  
*postica* White (Eburia) 80  
*posticalis* Blackb. 90  
*posticeconnexa* Pic 329  
*posticum* Gah. 134  
*posticus* Jord. 425  
*postulatus* Thoms. 302  
*Potamini* Ganglb. 241  
*Poweri* Pasc. 288  
*praecana* Chevr. 411  
*praecox* Er. 127  
*praecursor* Pasc. 411  
*praelonga* Fairm. & Germain 143  
*praepes* Voet 490  
*praetermissum* Bates 105  
*praeterium* Poll 315  
*praeusta* Lameere (Rhaphuma) 407  
*praeusta* F. (Grammopt.) 205  
*praeustum* Reitter 167  
*praeustus* F. (Phymatodes) 354  
*praeustus* F. (Stenopterus) 264  
*prasinipenne* Lucas 332  
*prasiniventre* Goun. 332  
*prasinus* White 317  
*pratensis* Laich. 189  
*Pratti* Gah. 465  
*pretiosa* Péring. 303  
*pretiosus* Fairm. (Closterom.) 324  
*pretiosus* Newm. (Tomopt.) 285  
*priapica* Thoms. 30  
*Priapus* Thoms. 408  
*Preissi* Heyd. 67  
*pretiosus* Buq. 12  
*princeps* Bates (Euryptera) 249  
*princeps* Bates (Lissonotus) 484  
*princeps* Blackb. (Tryphoch.) 91  
*principale* Pasc. 315  
*principalis* Dist. 95  
*prionoides* Auriv. (Coelodon) 45  
*prionoides* Gah. (Peithona) 159  
*probatas* Gah. 57  
*proboscideus* Fairm. 172  
*procerum* Er. (Periboeum) 98  
*procerum* Olliff (Ceresium) 124  
*procerum* J. Lec. (Romaleum) 84  
*procerus* A. Sem. (Asiates) 468  
*procerus* Costa (Stenopt.) 265

- prociduum* Pasc. 26  
*productus* J. Lec. (Crioceph.) 21  
*productus* White (Merost.) 120  
*proletarius* Er. 78  
*prolixa* Bates (Athetesis) 453  
*prolixa* Bates (Ommata) 280  
*prolixum* Bates 310  
*prolixus* Bates (Eriphus) 476  
*prolixus* Fairm. (Xylotr.) 367  
*prolixus* J. Lec. (Aneflus) 85  
*prolongata* Reitter 329  
*prolongatus* Pic 415  
*promecoides* Pasc. 37  
*promissum* Pasc. 315  
*pronus* Fährs. 49  
*propinqua* Bland 244  
*proprius* Gah. 375  
*Proserpina* Thoms. 107  
*protensus* Bates (Stenosph.) 443  
*protensus* J. Lec. (Aneflus) 85  
*Proteus* Kirby (Acmaeops) 192  
*Proteus* Kirby (Merium) 343  
*Proteus* Germain 255  
*protogenes* Newm. 411  
*protractus* Bates 318  
*Provancheri* Auriv. 223  
*Provosti* Fairm. 313  
*proxima* Cast. Gory (Cyllene) 385  
*proxima* Say (Leptura) 223  
*proximus* Berg (Trichoph.) 97  
*proximus* Dupont (Trachyd.) 489  
*pruinosa* Reitter 308  
*pruinosum* Guér. 89  
*prinosus* Fairm. (Icariotis) 174  
*pruinosus* Kraatz (Plagionotus) 379  
*pruinosus* Pasc. (Plocaederus) 50  
*Pryeri* Pasc. (Distenia) 9  
*Pryeri* Rits. (Pachyteria) 300  
*pseudocupes* Fairm. & Germain 152  
*pseudomophlus* Reitt. 199  
*pubera* Say 223  
*puberula* Fleut. & Sallé 120  
*puberulum* Chevr. 86  
*puberulus* Chevr. 68  
*pubescens* F. (Strang.) 229  
*pubescens* Hald. (Stromatium) 73  
*pubescens* Pasc. (Coptocerc.) 93  
*pubescens* Ol. (Genus?) 358  
*pubescens* Ol. (Periboëum) 98  
*pubescens* Blanch. (Phlyctaen.) 141  
*pubescens* Hald. (Xylotrechus) 364  
*pubescens* Payk. (Strang.) 230  
*pubescens* Pic (Hesperoph.) 66  
*pubicollis* Pasc. (Anubis) 318  
*pubicollis* Pasc. (Aposites) 139  
*pubicollis* Cast. & Gory (Isotom.) 406  
*pubicornis* Goun. 65  
*pubipennis* Bates (Ophist.) 247  
*pubipennis* Pasc. (Melegena) 11  
*pubipennis* White (Plocaederus) 49  
*pubiventris* Jord. 305  
*pudivus* Newm. 411  
*puella* Newm. (Eburod.) 82  
*puella* Pasc. (Merionoeda) 273  
*puellus* Villa 341  
*pugnax* Dohrn 196  
*pulchella* Bates (Argyrod.) 435  
*pulchella* Gah. (Hercod.) 96  
*pulchella* White (Agap.) 141  
*pulehellum* Lameere 108  
*pulchellus* J. Lec. 471  
*pulcher* Auriv. (Xylotr.) 366  
*pulcher* Bates (Ironeus) 102  
*pulcher* Blessig (Plagion.) 379  
*pulcher* Bug. (Pteropl.) 455  
*pulcher* Hope (Aphiorh.) 150  
*puleherrimum* Bates 433  
*puleherrimus* Bates (Cometes) 11  
*puleherrimus* Pasc. (Pytheus) 292  
*pulehra* Bates (Cleozona) 420  
*pulehra* Blackb. (Paphora) 118  
*pulehra* Jord. (Xystroc.) 37  
*pulehra* Waterh. (Glaucyct.) 437  
*pulchrina* Reitt. 218  
*pulchrior* Bland 471  
*pullastra* Pasc. 411  
*pulverea* Chevr. 79  
*pulverulenta* Guér. 431  
*pulverulentum* Degeer (Romal.) 84  
*pulverulentum* Hald. (Romal.) 84  
*pulverulentus* Motsch. (Plagith.) 388  
*pulverulentus* Ol. (Elaphid.) 87  
*pulverulentus* Er. (Hesperoph.) 66  
*pulvillatus* Karsch 388  
*pulvinata* Reitter 56  
*pullus* Newm. (Ambeodontus) 141  
*pullus* Newm. (Cerambyx) 55  
*pumila* Ganglb. (Cortod.) 199  
*pumila* Schaller (Grammopt.) 204  
*pumilio* Goun. 483  
*pumilum* Newm. 88  
*punctata* Donov. (Phorac.) 90  
*punctata* Klug (Odontoc.) 281  
*punctata* J. Lec. (Methia) 39  
*punctata* Bates (Odontoc.) 281  
*punctata* Goun. (Dihamm.) 430  
*punctata* Kirby (Phorac.) 90  
*punctatissima* Newm. 275  
*punctatofasciata* Muls. 235  
*punctatamaculata* Marsh. 209  
*punctatum* F. (Genus?) 490  
*punctatum* J. Lec. (Elaphid.) 88  
*punctatum* Montrz. (Genus?) 358  
*punctatus* Fald. (Evodinus) 187  
*punctatus* Gah. (Arrhythmus) 122  
*punctatus* Goun. (Oxymerus) 482  
*punctatus* Jord. (Hospes) 322  
*punctatus* J. Lec. (Crossidius) 471

- punctatus* F. (Ropalopus) 338  
*puncticolle* Bates (Sphall.) 64  
*puncticolle* Pasc. (Bethel.) 119  
*puncticollis* Bates (Tylosis) 470  
*puncticollis* Gestro (Closterom.) 324  
*puncticollis* J. Lec. (Compsa) 109  
*puncticollis* Muls. (Phymat.) 351  
*puncticollis* Bates (Lissonotus) 484  
*puncticollis* Dupont (Trachyd.) 479  
*puncticollis* Rits. (Pachyteria) 300  
*punctiger* Apfelb. 462  
*punctigerum* Pasc. 316  
*punctipennis* Blackb. (Tryphoch.) 91  
*punctipennis* Gah. (Apiocceph.) 177  
*punctipennis* Pasc. (Xuthod.) 77  
*punctipennis* Quaedf. (Micromet.) 176  
*punctipennis* White (Cyrtionops) 7  
*punctipennis* White (Eburodac.) 82  
*punctiventris* Bates 441  
*punctomaculatus* Pic 397  
*punctulata* Bates (Chrysopras.) 441  
*punctulata* Bates (Psyrassa) 101  
*punctulatum* Blessig 16  
*punctulatus* Gah. (Hamatich.) 51  
*punctulatus* Thoms. (Rhopal.) 319  
*punctum* Fairm. 121  
*punctuosus* Geoffr. 338  
*punicea* Newm. 278  
*pupa* Chev. 358  
*purpuratum* Lameere 312  
*purpuratus* Chev. (Eriphus) 476  
*purpuratus* White (Promeces) 323  
*purpuratus* Germ. (Lisson.) 485  
*purpurea* Perty 446  
*purpureipennis* Waterh. 45  
*purpureipes* Bates 320  
*purpureum* Bates 165  
*purpuripennis* Gah. (Plocaed.) 49  
*purpuripennis* Muls. (Strang.) 232  
*purus* Bates (Mecometopus) 394  
*purus* Bates (Neolytus) 393  
*pusilla* Bates (Dihamm.) 430  
*pusilla* Goun. (Odontoc.) 281  
*pusilla* Chev. (Methia) 39  
*pusilla* Newm. (Methia) 39  
*pusillus* Bates (Haruspex) 103  
*pusillus* Cast. & Gory (Neoclyt.) 393  
*pusillus* F. (Phymat.) 351  
*pusio* Pasc. 264  
*pustulata* Serv. 449  
*pustulatus* Hope 141  
*pustulosa* White 432  
*pustulosus* Fairm. (Opsam.) 45  
*pustulosus* Newm. (Phlyctaen.) 141  
*putator* Peck 89  
*Putzycysi* Chev. 367  
*Puzilai* Solsky 195  
*pygidialis* Reitt. 197  
*pygmaea* Newm. (Pempsam.) 293  
*pygmaea* F. (Gracilia) 130  
*pygmaeum* Ganglb. 163  
*pyrochroides* Thoms. 288  
*pyrrha* Bates (Leptura) 215  
*pyrrha* Pasc. (Ipothalia) 326  
*pyrrhoderus* Bates 362  
*pyrrhulus* Bates 469  
*Pyrrhus* Gah. 289  
*quadrata* J. Lec. 227  
*quadraticollis* Ganglb. 371  
*quadratiennis* Bates 285  
*quadricolle* Bates 316  
*quadricollis* Fairm. (Ambagous) 131  
*quadricollis* Gah. (Demonax) 411  
*quadricollis* J. Lec. (Leptura) 223  
*quadricolor* Cast. & Gory (Rha.) 408  
*quadricolor* Gah. (Demonax) 411  
*quadricolor* Scop. (Anaglyptus) 414  
*quadricostulatum* Kraatz 22  
*quadridens* F. (Eburodaerys) 82  
*quadridens* Motsch. 423  
*quadridens* F. (Amphidesmus) 454  
*quadridentatus* Gah. (Homal.) 291  
*quadridentatus* Gah. (Zoodes) 74  
*quadrifasciata* L. (Strangalia) 238  
*quadrifasciata* Bechst. (Strangal.) 240  
*quadrifasciata* Poda (Strangalia) 233  
*quadrifasciata* Rossi (Strangalia) 233  
*quadrifasciatus* Chev. (Mecom.) 394  
*quadrifasciatus* Degger. (Clytus) 369  
*quadrifasciatus* Schönh. (Olbium) 444  
*quadrifoveolatus* Cabr. 111  
*quadrigeminata* Say 80  
*quadriguttata* Sharp (Didymoc.) 116  
*quadriguttata* White (Compsa) 109  
*quadriguttata* F. (Cortodera) 198  
*quadriguttatus* Buq. (Anoplom.) 71  
*quadriguttatus* Burm. (Euryrn.) 40  
*quadriguttatus* Ol. (Genus?) 490  
*quadriguttatus* Swed. (Nyssicus) 96  
*quadri-lineata* Burm. (Eburia) 80  
*quadri-lineata* Chev. (Cyphost.) 474  
*quadri-lineatus* Mannerh. 23  
*quadri-illum* J. Lec. 223  
*quadrimacula* Voet 461  
*quadrimaculata* L. (Eburia) 80  
*quadrimaculata* L. (Pachyta) 184  
*quadrimaculata* Poll (Aphnope) 155  
*quadrimaculata* Blessig (Pachyta) 183  
*quadrimaculata* Ol. (Eburia) 80  
*quadrimaculata* Panzer (Eburia) 81  
*quadrimaculata* Pic (Calchaen.) 466  
*quadrimaculata* Ragusa (Rosalia) 329  
*quadrimaculata* Scop. (Leptura) 225  
*quadrimaculatum* Gah. (Ceres.) 24  
*quadrimaculatum* Gah. (Criodion) 63  
*quadrimaculatus* F. (Heterachtes) 111

*quadrimaculatus* Förster (Nyssie.) 96  
*quadrimaculatus* Germ. (Chen.) 335  
*quadrimaculatus* Hald. (Heter.) 111  
*quadrimaculatus* Hald. (Xylotr.) 364  
*quadrimaculatus* Dupont (Dendr.) 478  
*quadrimaculatus* White (Agalliss.) 445  
*quadrimaculatus* White (Polyz.) 317  
*quadrinodosus* Fairm. 172  
*quadrinotata* Gah. (Oemiodana) 32  
*quadrinotata* Latr. (Eburia) 80  
*quadrinotata* Gmel. (Cortodera) 198  
*quadrinotatum* Bates (Stenygr.) 120  
*quadrinotatum* Thoms. (Phorm.) 108  
*quadrinotatum* Bates (Platyarth.) 448  
*quadrinotatus* Péring. (Agalept.) 325  
*quadrinotatus* White (Purpuric.) 465  
*quadrinus* Bates 96  
*quadrioculatus* Schaller 482  
*quadripes* Chev. 366  
*quadriplagiata* Hintz (Antem.) 33  
*quadriplagiata* J. Lec. (Compsa) 109  
*quadripunctata* Thoms. (Dejan.) 254  
*quadripunctata* Hald. (Leptura) 223  
*quadripunctata* Reitt. (Rosalia) 329  
*quadripunctatus* Buq. (Stiphilus) 486  
*quadripunctatus* F. (Cerambyx) 490  
*quadripunctatus* Lucas (Char.) 334  
*quadripunctatus* F. (Chlorophor.) 399  
*quadripunctatus* Geoffr. (Hylotr.) 340  
*quadripunctatus* Schönh. (Chlor.) 398  
*quadripunctatus* Schönh. (Evod.) 185  
*quadripustulata* F. 239  
*quadripustulatus* Goun. 103  
*quadriscopulatus* Bates 455  
*quadrisignatum* Bates (Sphaer.) 102  
*quadrisignatum* Thoms. (Octopl.) 107  
*quadrisignatum* Fährs. (Zamium) 25  
*quadrisignatus* Buq. 485  
*quadrispinosus* Blanch. (Oxyp.) 254  
*quadrispinosus* Buq. (Metopoc.) 44  
*quadrispinosus* Hald. (Chion) 76  
*quadristigma* Goun. 40  
*quadrituberculatum* Chev. 88  
*quadrivittata* Gebl. (Cornumut.) 203  
*quadrivittata* Schönh. (Acinacops) 193  
*quadrivittatus* Bates 472  
*quadrizona* Fairm. 242  
*quagga* Germ. 227  
*quatuordecimmaculatus* Chev. 404  
*Queketti* Dist. 9  
*quereus* Götz (Stenocorus) 180  
*quereus* Schaeff. (Xylotrechus) 364  
*quietus* Newm. 151  
*quinaria* Newm. 90  
*quincunx* Thoms. 105  
*quinfasciatus* Cast. & Gory 399  
*quinquemaculata* Waterh. (Sagr.) 169  
*quinquemaculata* F. (Eburia) 79  
*quinquemaculata* Gmel. (Strang.) 235

*quinquemaculatus* Gebl. 397  
*quinquenotata* Chev. 408  
*quinquepunctatus* Bates (Axest.) 475  
*quinquepunctatus* Lucas (Chlor.) 399  
*quinquepustulata* Montrouz. 101  
*quinqesignata* Fairm. (Pyrestes) 289  
*quinquisignata* Küst. (Strangalia) 239

*Raddei* Blessig (Mallambyx) 46  
*Raddei* Ganglb. (Paraclytus) 416  
*raddensis* Pic 371  
*radiatum* Pasc. 315  
*radiatus* Haase 455  
*Raffrayi* Fairm. (Helymaeus) 325  
*Raffrayi* Fairm. (Myrmecoclyt.) 424  
*Raffrayi* Fairm. (Trimeroderus) 114  
*Raffrayi* Thoms. (Phylloen.) 303  
*ramalium* Bedel 422  
*ramosa* Goun. 101  
*ramulicola* Goun. 280  
*ramulicornis* Lacord. 486  
*rari-pila* Bates (Eburod.) 83  
*rari-pila* Pasc. (Anast.) 488  
*rari-pilum* Newm. 125  
*rathacensis* Pic 213  
*raucum* F. 490  
*ravidum* Goun. 98  
*rectangulus* Motsch. 362  
*rectilineum* Bates 448  
*rectus* Newm. 151  
*recurva* Newm. 90  
*Redemanni* Nonfr. 299  
*reductus* Pic 185  
*regalis* Bates (Strang.) 241  
*regalis* Chev. (Plagion.) 380  
*regalis* Dist. (Closterom.) 324  
*regalis* Germain (Semnus) 143  
*regina* Pasc. 367  
*reginae* Auriv. 367  
*regius* Auriv. (Pachyd.) 57  
*regius* F. (Dictator) 302  
*regularis* Chev. (Neoelytus) 393  
*regularis* Gah. (Xoanod.) 63  
*Reichei* Dupont (Trachyd.) 40  
*Reichei* J. Lec. (Euderees) 419  
*Reichei* Auriv. (Rosalia) 329  
*Reichei* Muls. (Brachypt.) 270  
*Reichei* Thoms. (Plagion.) 377  
*Reichenowi* Quedf. 367  
*Reinhardtii* Auriv. 105  
*Reini* Heyd. 183  
*Reitteri* Ganglb. (Paracl.) 416  
*Reitteri* Pic (Cortodera) 199  
*Reitteri* Csiki (Rosalia) 329  
*Reitteri* Théry (Clytus) 370  
*relictus* Pasc. 56  
*remex* Thoms. 303  
*remipes* Bates (Mecomet.) 395

- remipes* Fairm. (Artelida) 171  
*remipes* Thoms. (Phylloco.) 303  
*Renardi* Gebl. 215  
*resplendens* Lansb. (Hypatium) 305  
*resplendens* Newm. (Euperus) 320  
*retata* Jacobs. 193  
*reticeps* Bates 419  
*reticolle* Bates 88  
*reticollis* Gah. (Demonax) 411  
*reticollis* Quedf. (Helym.) 325  
*retifer* Lacord. 141  
*reticulata* Bates (Apeloc.) 420  
*reticulata* Jord. (Rhaphuma) 408  
*reticulatum* Bates 433  
*reticulatus* Fairm. (Anisog.) 121  
*reticulatus* Jord. (Demonax) 411  
*reticulatus* Jord. (Denticerus) 412  
*reticulatus* F. (Evodinus) 186  
*revestita* L. 230  
*Reyi* L. Heyd. 213  
*rhamni* Germ. 371  
*rhamphygea* L. 80  
*rhea* Gah. 408  
*rhinoceros* Bates 63  
*rhinotragoides* Thoms. 395  
*rhodopus* Bates (Trachyd.) 480  
*rhodopus* J. Lec. (Strang.) 244  
*rhodoscelis* Jord. 310  
*rhombifer* Ol. 392  
*rhombifera* Hope 92  
*Richardi* Dupont 483  
*Richteri* Bruch (Centrocerum) 89  
*Richteri* Bruch (Trachyderes) 480  
*Richteri* Fischer (Gonyac.) 485  
*rigida* Say 30  
*rimosus* Buq. 458  
*Riveti* Goun. 395  
*rivulosus* Germ. 482  
*robiniae* Forst. 385  
*Roborowskii* A. Sem. 160  
*robusta* Gah. (Rhytid.) 62  
*robusta* Jord. (Cumalt.) 304  
*robusta* Sharp (Didymoc.) 116  
*robusta* Germ. (Phorac.) 90  
*robusticollis* Pic 464  
*robustior* Blackb. (Paphora) 118  
*robustior* Pic (Chloroph.) 401  
*robustum* Bates (Aphrodisium) 302  
*robustum* Bates (Sphallenum) 64  
*robustus* Fairm. (Imer.) 143  
*robustus* Jord. (Anisog.) 121  
*robustus* Sharp (Plagith.) 388  
*Roei* Hope (Tritocosmia) 149  
*Roei* Hope (Coptocercus) 93  
*Rogersi* Bates 80  
*Rojasi* Sallé 44  
*Rollei* Pic 423  
*Romanowskii* Fleut. & Sallé 114  
*roridus* Brullé 67  
*rosarum* Costa 308  
*rosarum* Lucas 308  
*Rostainei* Buq. 455  
*Rosti* Pic (Paraelytus) 416  
*Rosti* Pic (Evodinus) 188  
*Rosti* Pic (Cortodera) 199  
*Rosti* Pic (Rhagium) 163  
*rostrata* Bates 247  
*rostratus* Bates (Anubis) 317  
*rostratus* Waterh. (Logisticus) 172  
*Rothschildi* Rits. 290  
*rotundicolle* Pasc. (Ceresium) 125  
*rotundicolle* Serv. (Diplosch.) 43  
*rotundicollis* Bates (Chrysopr.) 441  
*rotundicollis* Gah. (Erythrus) 290  
*rotundicollis* Guér. (Anoplom.) 71  
*rotundicollis* Lucas (Hesperoph.) 67  
*rotundicollis* Pasc. (Neostenus) 138  
*rotundipennis* Bates (Eburia) 80  
*rotundipennis* White (Heteracht.) 111  
*ruatanus* Bates 111  
*rubea* Pasc. (Tritocosmia) 149  
*rubea* Geoffr. (Strang.) 235  
*rubecula* Bates 431  
*rubefactus* Bates 395  
*rubella* Bates (Ancylocera) 446  
*rubella* Bates (Apelocera) 420  
*rubellatu* Reitt. 237  
*rubellum* Bates 113  
*rubens* Bates (Deltaspis) 459  
*rubens* Casey (Sphaenoth.) 472  
*ruber* Thoms. (Pelossus) 434  
*ruber* Geoffr. (Purpuric.) 464  
*rubicunda* Fairm. 171  
*rubida* J. Lec. (Strang.) 244  
*rubida* Serv. (Elaph.) 434  
*rubida* Hald. (Centrod.) 167  
*rubidum* J. Lec. 133  
*rubidus* White 484  
*rubiginea* Pasc. 139  
*rubiginosa* Goun. (Eusapia) 72  
*rubiginosa* Goun. (Ophistomis) 247  
*rubiginosus* Thoms. 103  
*rubra* Bates (Isthmiade) 283  
*rubra* L. (Leptura) 215  
*rubra* Thoms. (Alloeme) 32  
*rubra* Geoffr. (Strang.) 231  
*rubra* J. Lec. (Batyle) 475  
*rubra* Newm. (Batyle) 475  
*rubra* Sulz. (Stenec.) 180  
*rubrica* Say 223  
*rubricatum* Goun. 113  
*rubriceps* Blanch. (Platynoc.) 258  
*rubriceps* Goun. (Gnomid.) 106  
*rubricolle* Bates 438  
*rubricollis* Bates (Ophist.) 247  
*rubricollis* Cast. & Gory (Chlor.) 404  
*rubricollis* Fairm. (Musius) 172  
*rubricollis* Voet (Phymat.) 355

- rubricolor* Bates 106  
*rubricorne* Serv. 278  
*rubriola* Bates 221  
*rubripenne* Hope 301  
*rubripennis* Pic (Cortodera) 199  
*rubripennis* M'Leay (Distichoc.) 287  
*rubripes* Boisd. (Coptoc.) 93  
*rubripes* Dupont (Trachyd.) 480  
*rubripes* White (Trichox.) 382  
*rubripes* Pic (Cortod.) 196  
*rubriventris* Bates 459  
*rubrofemorata* Pic 198  
*rubromaculata* Goun. 65  
*rubronigra* Thoms. 485  
*rubronigrum* Goun. 113  
*rubrotelacea* Ill. 216  
*rubroviolaceum* Geoffr. 166  
*rubrum* Leng 133  
*rufa* Brullé (Leptura) 217  
*rufa* Goun. (Sphecomorpha) 283  
*rufa* Kraatz (Pseudos.) 200  
*rufa* Goun. (Octoplon) 107  
*rufa* Muls. (Leptura) 219  
*rufescens* Gah. (Callichr.) 312  
*rufescens* Kiesw. (Molorch.) 268  
*rufescens* Nonfr. (Pyrrassa) 101  
*frufescens* Pasc. (Chloridolum) 315  
*rufescens* Pasc. (Philus) 157  
*rufescens* Cast. & Gory (Neocl.) 391  
*rufescens* Pic (Plagion.) 378  
*rufibasis* J. Lec. 244  
*ruficauda* Goun. 103  
*ruficaudatum* Thoms. 107  
*ruficeps* Bates (Orthosch.) 332  
*ruficeps* Fairm. (Noemia) 10  
*ruficeps* J. Lec. (Strang.) 244  
*ruficolle* Bates (Obrium) 133  
*ruficolle* F. (Cartallum) 294  
*ruficolle* Herbst (Rhamnus.) 166  
*ruficollis* Bates (Callancyla) 446  
*ruficollis* Bates (Ommata) 280  
*ruficollis* Chev. (Dihamm.) 430  
*ruficollis* Gah. (Moloreh.) 269  
*ruficollis* J. Lec. (Callimus) 272  
*ruficollis* Pasc. (Eurypt.) 249  
*ruficollis* Pic (Macropid.) 200  
*ruficollis* Say (Leptura) 223  
*ruficollis* Waterh. (Pachyteria) 300  
*ruficollis* Bedel (Chloroph.) 400  
*ruficollis* Degeer (Acmacops) 191  
*ruficollis* Prov. (Strang.) 244  
*ruficollis* Redt. (Aromia) 307  
*ruficollis* Solsky (Gaurotos) 194  
*ruficornis* Auriv. (Plocaed.) 49  
*ruficornis* F. (Grammopt.) 204  
*ruficornis* Chev. (Cordylom.) 95  
*ruficornis* Ol. (Chloroph.) 399  
*ruficornis* Newm. (Plocaed.) 50  
*ruficornis* Pic (Anagl.) 415  
*ruficrus* Gerst. (Eugoa) 302  
*ruficrus* Schrank (Tetrop.) 19  
*ruficrus* Scop. (Stenop.) 180  
*ruficoxis* Bates 441  
*rufilius* Bates 362  
*rufina* Thoms. 283  
*rufipenne* Motsch. 345  
*rufipennis* J. Lec. (Elytrol.) 456  
*rufipennis* Thoms. (Pluton.) 291  
*rufipennis* Blessig (Strang.) 238  
*rufipennis* Duf. (Leptidea) 262  
*rufipennis* Gory (Hamatic.) 51  
*rufipennis* Muls. (Leptura) 213  
*rufipennis* Starek (Phymat.) 352  
*rufipes* Bates (Gauresthes) 326  
*rufipes* Bates (Stenosphenus) 443  
*rufipes* Cast. & Gory (Cyllene) 385  
*rufipes* F. (Phymatodes) 352  
*rufipes* F. (Trachyderes) 480  
*rufipes* Fahrs. (Helym.) 325  
*rufipes* Jord. (Meccos.) 304  
*rufipes* Kolbe (Callichr.) 310  
*rufipes* Pasc. (Ceresium) 125  
*rufipes* Schaller (Leptura) 207  
*rufipes* Bates (Cleozona) 420  
*rufipes* Bates (Distenia) 8  
*rufipes* Costa (Phymat.) 354  
*rufipes* Goeze (Grammopt.) 204  
*rufipes* Gyllenb. (Leptura) 208  
*rufipes* Kraatz (Cortod.) 197  
*rufipes* Motsch. (Rhagium) 162  
*rufipes* Ol. (Trachyd.) 480  
*rufipes* Pasc. (Ceresium) 124, 490  
*rufipes* Pic (Saphan.) 24  
*rufispinis* Bates 83  
*rufitarsis* Chev. (Neocl.) 393  
*rufitarsis* Waterh. (Polysch.) 297  
*rufithorax* Auriv. (Temnopis) 29  
*rufithorax* Pic (Lemula) 168  
*rufithorax* Auriv. (Phyllocnema) 303  
*rufithorax* Pic (Pidonia) 200  
*rufiventer* Philippi 256  
*rufiventre* Germ. 332  
*rufiventris* Bates (Epimelitta) 284  
*rufiventris* Bates (Ophistomis) 248  
*rufiventris* Gebl. (Leptura) 208  
*rufiventris* Perroud (Apiog.) 425  
*rufiventris* Germ. (Xylost.) 168  
*rufiventris* Goun. (Trachelissa) 449  
*rufiventris* Marsh. (Stenoc.) 180  
*rufiventris* Muls. (Leptura) 219  
*rufiventris* Tourn. (Leptura) 208  
*rufobrunnea* Perr. 80  
*rufofemorata* Auriv. (Acroc.) 412  
*rufofemorata* Fairm. & Germain (Platynoc.) 258  
*rufofemorata* Waterh. (Glaucyt.) 437  
*rufofemorata* Goun. (Epimel.) 283  
*rufoflavida* Fairm. 274

*rufomaculata* Fairm. 242  
*rufomarginata* Muls. 231  
*rufopaca* Reitt. 218  
*rufopicta* Daniel 229  
*rufoscapus* Auriv. (Temnopsis) 29  
*rufoscapus* Auriv. (Derolus) 58  
*rufosericans* Fairm. (Mastodod.) 170  
*rufosericans* Fairm. (Myacopter.) 154  
*rufostigma* Bates 459  
*rufotestacea* Thoms. 439  
*rufovarium* Auriv. 312  
*rufovarius* Fairm. 418  
*rufovelutina* Fairm. 170  
*rufovestitus* Fairm. 437  
*rufovittatus* Auriv. 374  
*rufula* Fairm. (Scopanta) 174  
*rufula* Goun. (Trumais) 41  
*rufula* Hald. (Leptura) 224  
*rufulum* Gah. (Obrium) 133  
*rufulum* Hald. (Romaleum) 84  
*rufulum* White (Aphat.) 169  
*rufum* Lameere (Ceresium) 125  
*rufum* Prell (Rhagium) 162  
*rufus* L. (Stenopt.) 265  
*rufus* Ol. (Neocl.) 393  
*rufus* Saund. (Macrones) 153  
*rufus* Scop. (Genus?) 490  
*rufus* Voet (Genus?) 490  
*rufus* Kraatz (Stenopt.) 265  
*rugatum* Newm. 315  
*rugicolle* Bates (Octopl.) 107  
*rugicolle* Nonfr. (Gnomid.) 106  
*rugicolle* Guér. (Callichr.) 313  
*rugicolle* Quedf. (Callichr.) 310  
*rugicollis* Bates (Odontoc.) 281  
*rugicollis* F. (Cerambyx) 490  
*rugicollis* Fairm. (Pyrestes) 289  
*rugicollis* Guér. (Stizoc.) 99  
*rugicollis* J. Lec. (Rhopaloph.) 431  
*rugicollis* F. (Ancylocera) 446  
*rugipennis* Newm. (Evodin.) 188  
*rugipennis* Reitter (Rhagium) 165  
*rugiscapis* Bates 8  
*rugosa* Fairm. & Germ. (Platyn.) 258  
*rugosa* Jord. (Mecos.) 304  
*rugosa* Pasc. (Dictamn.) 126  
*rugosicollis* Gah. (Pachyd.) 57  
*rugosicollis* Rits. (Pachyteria) 300  
*rugosipenne* Linell 272  
*rugosipennis* Goun. (Trachel.) 449  
*rugosipennis* Waterh. (Arrh.) 122  
*rugosum* Auriv. 310  
*rugosus* Lucas (Erythropl.) 277  
*rugosus* Ol. (Hamatich.) 51  
*rugosus* Broun (Pteropt.) 117  
*rugulicollis* Bates 441  
*rugulipenne* Fairm. 125  
*rugulosa* Bates 305  
*rugulosus* Broun 373

*ruida* Pasc. 119  
*rumelicus* Apfelb. 271  
*ruricola* Ol. (Chloroph.) 405  
*ruricola* Gmel. (Chion) 76  
*rurigena* Goun. 113  
*rusa* Fairm. 174  
*russica* Pic 226  
*russicollis* Chevr. 403  
*russicus* F. (Seman.) 342  
*russicus* Herbst (Evodin.) 186  
*russicus* Steph. (Semen.) 342  
*russus* Fairm. 173  
*rusticum* Fährs. (Taurotagus) 45  
*rusticum* Goun. (Ibidion) 113  
*rusticum* J. Lec. (Elaphid.) 88  
*rusticum* Burm. (Sphaerion) 97  
*rusticum* Péring. (Zamium) 26  
*rusticus* F. (Plocaederus) 50  
*rusticus* Goun. (Hamatich.) 51  
*rusticus* L. (Criocephalus) 21  
*rusticus* L. (Xylotrechus) 362  
*rusticus* F. (Chion) 76  
*rusticus* Ganglb. (Hesperoph.) 67  
*rusticus* Geoffr. (Chloroph.) 400  
*rusticus* Müller (Chloroph.) 396  
*rusticus* Schrank (Anagl.) 415  
*rusticus* Woll. (Crioceph.) 21  
*rutha* White 107  
*rutilans* Bates (Criopros.) 458  
*rutilans* J. Lec. (Batyle) 475  
*rutilipes* Reitt. 197  
*rutilus* Bates 99

*Sacheri* Wolfner 202  
*sagittaria* Bates 65  
*sagittarius* Gah. 404  
*sagittatus* Germ. 364  
*Sahlbergi* Auriv. (Sphagoeme) 31  
*Sahlbergi* Auriv. (Tetroplon) 105  
*saigonensis* Bates 317  
*salamis* Thoms. 113  
*Salbachii* Reitt. 225  
*salicis* F. (Rhamnusium) 166  
*salicis* Muls. (Necydalis) 260  
*salicis* Schrank (Plagionotus) 377  
*Sallaei* Bates (Distenia) 8  
*Sallaei* Bates (Onmata) 280  
*Sallaei* Bates (Ophistoma) 248  
*Sallaei* Bates (Psyrrassa) 101  
*Sallei* Buq. (Ancylocera) 446  
*Salomonum* Auriv. 405  
*saltator* Bates (Ophistomis) 248  
*saltator* Kolbe (Calanthemis) 374  
*salutarius* Pasc. 411  
*Salzmanni* Hubenthal 216  
*sanguinea* J. Lec. 224  
*sanguineum* Fald. (Enoploderes) 165  
*sanguineum* L. (Pyrrhidium) 346

- sanguineus Pasc. 423  
 sanguinicollis Fairm. (Lingoria) 175  
 sanguinicollis Fairm. (Noemia) 10  
 sanguinicollis Horn (Ropalopus) 338  
 sanguinicollis Ol. (Callimoxys) 270  
*sanguinicollis* Chevr. (Molorchus) 269  
*sanguinicollis* Germ. (Batyle) 475  
*sanguinicollis* Goun. (Ceroptera) 447  
*sanguinicollis* Serv. (Rhopaloph.) 431  
 sanguinipennis Blessig (Asiates) 468  
 sanguinipennis Lacord. (Phoen.) 460  
 sanguinipes Bates (Coleoxestia) 65  
 sanguinipes Goun. (Eburodaceys) 83  
*sanguinipes* Chevr. (Cyllene) 384  
 sanguiniventris Chevr. 474  
 sanguinolenta Bates (Odontoc.) 281  
 sanguinolenta L. (Leptura) 217  
*sanguinolenta* Laich. (Leptura) 212  
 sanguinolentus Ol. (Purpuric.) 465  
*sanguinolentus* Burm. (Basiptera) 478  
 sanguinosa Gyllenh. 202  
 sansibarica Kolbe 95  
 sansibaricus Gerst. 306  
 Sanzi Reitter 158  
 saperdina Bates 132  
 sapphirina Goun. 441  
 sapphirum Bates 312  
*Sappho* Pasc. 365  
 sarawakensis Thoms. 264  
 sarta Solsky 47  
 sartor Müller 399  
 Sartorii Chevr. 364  
*Sattleri* Biekhart 216  
 saturatus Kolbe 325  
*saucia* Ganglb. (Leptura) 210  
*saucia* J. Lec. (Strangalia) 243  
*saucia* Muls. (Leptura) 209  
 Saundersi Pasc. (Neostenus) 138  
 Saundersi C. Waterh. (Oxymer.) 482  
 Saundersi White (Crioprosopus) 458  
 Savesi Fauv. 90  
 saxosicolle Fairm. 302  
*Sayi* Cast. & Gory 365  
 scabra Kraatz 356  
 scabricolle Bates (Elaphidion) 88  
 scabricolle Nonfr. (Butherium) 64  
 scabricollis Bates (Elytroleptus) 456  
 scabricollis Nonfr. (Zonopterus) 299  
*scabricollis* Chevr. (Cerambyx) 52  
*scabricollis* Dalm. (Trachyderes) 479  
*scabricollis* W. Redt. (Nothorh.) 17  
 scabriusculus Thoms. 324  
 scabrosum Goun. 106  
 scalabrii Fairm. (Myiodola) 169  
 scalabrii Fairm. (Pectoctenus) 22  
 scalaris Brullé (Plagionotus) 379  
 scalaris Pasc. (Anubis) 318  
 scalaris Say (Strangalia) 244  
 scambus Newm. 128  
 scansor Goun. 111  
 scapularis Bates (Cometes) 11  
 scapularis Fairm. (Glaucytes) 437  
 scapularis Fisch. (Plocaederus) 50  
 scapularis L. Heyd. (Alosterna) 206  
 scapularis Ol. (Lissonotus) 484  
 scapularis Pasc. (Icariotus) 174  
 scapularis Pasc. (Pyrestes) 289  
*scapularis* Dupont (Trachyderes) 479  
*scapularis* Mannerrh. (Evodinus) 188  
*scapularis* Muls. (Leptura) 219  
 scapulatus Fairm. 10  
 scenicus Pasc. (Neoclytus) 393  
 scenicus Pasc. (Xylotrechus) 366  
 Schaefferi Laich. 183  
 Schaiblei Nonfr. 466  
*Schalleri* Gmel. 198  
 Schaumi J. Lec. 182  
*Schmidti* Ganglb. 267  
 Schneideri Kiesw. 372  
*Schönfeldti* Heyd. 464  
 Schoenherri Fährs. 95  
 Schoenigi Hintz 57  
*Schranki* Laich. 166  
*Schylleri* Gmel. 198  
 Schaubi J. Lec. 182  
*Schmidti* Ganglb. 267  
 Schneideri Kiesw. 372  
*Schönfeldti* Heyd. 464  
 Schoenherri Fährs. 95  
 Schoenigi Hintz 57  
*Schranki* Laich. 166  
 Schtschukini Semen. 165  
 Schubotzi Hintz 310  
 Schulzi Bruch 30  
 schwarzianum Casey 20  
*Schythei* Philippi 257  
 scitella Pasc. 273  
 scitula Pasc. (Allotisis) 92  
 scitula Pasc. (Glaucytes) 437  
*scitulum* Pasc. 313  
 scopifer Klug 334  
 scopipes Klug 433  
 scoparia Klug 284  
*Scopoliana* Laich. 235  
 Scopoli Füssl. 54  
*scopolina* Sturm 236  
 scopulicorne Kirby 433  
 scotodes Bates 217  
 scripta J. Lec. (Leptura) 224  
*scripta* F. (Glaucytes) 436  
 scriptus Dalm. (Chlorophorus) 405  
*scriptus* Muls. (Anaglyptus) 413  
*scrutator* Ol. 163  
 sculpticolle Buq. 63  
 sculpticollis Bates (Apelocera) 420  
 sculpticollis Blackb. (Opsidota) 145  
 sculptilis White 297  
 scutata Goun. 430  
 scutatus Fairm. 123  
 scutellare Fairm. (Genus?) 358  
 scutellare White (Mallosoma) 438  
 scutellaris F. (Callidiopis) 127  
 scutellaris Fairm. (Artelida) 171  
 scutellaris Jord. (Griphapex) 325  
 scutellaris Ol. (Neoclytus) 393  
 scutellaris Pasc. (Agapanthida) 142

- scutellaris* Costa (*Oxypleurus*) 25  
*scutellaris* Kraatz (*Stenocorus*) 181  
*scutellaris* Ol. (*Ancylosternus*) 482  
*scutellata* F. (*Leptura*) 217  
*scutellata* Gah. (*Dolichaspis*) 304  
*scutellata* Pic (*Rosalia*) 329  
*scutellatum* Bates 40  
*scutellatus* Gah. (*Perissus*) 375  
*scutellatus* Hope (*Strongylurus*) 145  
*scutifer* Voet 341  
*scytalicum* Pasc. 315  
*seclusus* Pasc. 404  
 Sedakoyi Mannerh. 239  
*sejuncta* Goun. 430  
*sejunctus* Goun. 111  
*selebensis* Gestro 424  
*Sellae* Kraatz 354  
*sellata* J. Lec. 470  
*sellatus* Buq. (*Eriphus*) 476  
*sellatus* Hintz (*Xylotrechus*) 367  
*sellatus* White (*Pteroplatus*) 455  
*sellatus* Germ. (*Asiates*) 467  
 Semenowi Ganglb. (*Strangalia*) 241  
 Semenowi Jakowl. (*Cleroclytus*) 419  
*semicaligatus* Fairm. & Germain 257  
*semicinctus* Drapiez 185  
*semicircularis* Bland 352  
*semiclathrata* Chev. 408  
*semicoton* Schrank 209  
*semicostatus* Bates 474  
*semicrassa* Pic 239  
*semicapreum* Chev. 433  
*semicyanea* Fairm. 122  
*semicyaneus* Pic 271  
*semifemorata* Chev. 31  
*semiflammea* Goun. 280  
*semiflava* Saund. 256  
*semiformosus* Pic 404  
*semifulva* Bates (*Ophistomis*) 248  
*semifulva* Bates (*Phyllocnema*) 303  
*semifulvus* Pic 187  
*semiianthina* Fairm. 303  
*semiiigneum* Auriv. 310  
*semiignitum* Chev. 302  
*semilimbata* Pic 238  
*semilivida* Pic 199  
*semilividum* Pic 17  
*semiluctuosus* White 411  
*semilunaris* Fahrs. 36  
*semilunatus* Pic 185  
*semimarginata* Rand. 189  
*seminitidum* Horn 84  
*seminitidus* Quedf. 321  
*seminigra* Goun. (*Eburodacrys*) 83  
*seminigra* Goun. (*Ommata*) 280  
*seminigra* Goun. (*Protosphaerion*) 96  
*semiobscura* Pic 201  
*semiobscurus* Pic 178  
*semiopacus* Fairm. 305  
*semiopacus* Fairm. 321  
*semireducta* Pic 330  
*semiruber* Quedf. 367  
*semirubra* Burn. 432  
*semirufula* Kraatz 220  
*semirufum* Bates 113  
*semirufus* Fairm. (*Noemia*) 10  
*semirufus* Kraatz (*Cleroclytus*) 419  
*semirufus* Goun. (*Cynoderus*) 432  
*semirugosus* Waterh. 94  
*semisanguinea* Reitt. 215  
*semiscutellatus* Chev. 410  
*semipolita* Fairm. 110  
*semipubescens* Fall (*Eburia*) 80  
*semipubescens* Goun. (*Smodicum*) 12  
*semipubescens* Thoms. (*Eburia*) 80  
*semipunctata* F. 90  
*semipunctatus* F. 406  
*semitestacea* Pic 198  
*semitibialis* Fairm. 123  
*semiusta* Newm. 269  
*semivelutina* Heller 302  
*semivitreus* Pasc. 274  
*semivittata* Kirby 224  
*semivittatum* Bates 448  
*senegalensis* Cast. & Gory (*Plag.*) 406  
*senegalensis* Thoms. (*Ossibia*) 135  
*senegalensis* Klug (*Xystrocera*) 37  
*senex* J. Lec. (*Schizax*) 470  
*senex* Bates (*Romaleum*) 84  
*senex* Woll. (*Hesperophantes*) 67  
*senilis* F. 393  
*senio* Newm. 93  
*separata* Pic 199  
*septemguttata* Blackb. 94  
*septempunctata* F. 239  
*septemsignata* Küster 226  
*septentrionis* C. G. Thoms. 190  
*sepulchralis* Fairm. 221  
*Sequensi* Reitt. 218  
*seriatoporus* Fairm. 122  
*seriatus* Kolbe 74  
*sericans* Bates (*Pempteurys*) 420  
*sericans* Er. (*Tessaromma*) 144  
*sericans* Bates (*Compsa*) 110  
*sericans* Lacord. (*Styliceps*) 78  
*sericata* Bates (*Corennyis*) 288  
*sericata* Pasc. (*Aphneope*) 155  
*sericata* Newm. (*Mallocera*) 100  
*sericata* Pasc. (*Cleonice*) 437  
*sericatulata* Goun. 101  
*sericatus* Bates (*Triacetelus*) 469  
*sericatus* Pasc. (*Dymasius*) 60  
*sericatus* Pasc. (*Styliceps*) 78  
*sericea* Bates (*Euryptera*) 249  
*sericea* Pasc. (*Otteissa*) 176  
*sericea* Sallé (*Eburia*) 80  
*sericea* White (*Eburilla*) 117  
*sericea* Pic (*Strangalia*) 241

- sericella Ganglb. 260  
 sericeovittata Waterh. 437  
 sericeum F. (Callichroma) 312  
*sericeum* Heyne (Callichroma) 312  
 sericeus Auriv. (Closteromerus) 324  
 sericeus F. (Hesperophanes) 67  
 sericeus Guér. (Toxitiades) 173  
 sericeus Saund. (Coloborhomb.) 298  
*sericeus* Ol. (Stenocorus) 180  
*sericina* White 282  
 sericinus Bates 286  
 sericus Newm. (Pachydissus) 57  
 serius Newm. 98  
*serpentina* Casey 228  
 serratus M. Camer. 128  
*serratus americanus* Voet 484  
 serraticollis Linell 104  
*serraticornis* Bertol. (Plocaederus) 49  
*serraticornis* Rossi (Vesperus) 158  
 serricornis Dalm. (Prophilus) 48  
 serricornis Fairm. (Daramus) 23  
 serricornis Gebl. (Apatophysis) 160  
 serricornis Gebl. (Evodinus) 187  
 serripes Bates 432  
 Servillei Serv. (Crioprosopus) 458  
*Servillei* Serv. (Gaurotus) 195  
*Servillei* Serv. (Purpuricenus) 464  
 servum White 45  
 sesquivittatus Fairm. 172  
 seticornis Bates (Ancylocera) 446  
 seticornis Bates (Chrysoprasis) 441  
*setiger* Sharp 120  
 setigera Germ. 448  
 setosum Germ. 64  
 setulicollis Quedf. 304  
*setulosa* Chev. 423  
 severa Thoms. 304  
 Severini Lameere 252  
 severus Pasc. 56  
*sexcostata* Thoms. 149  
 sexfasciatus Ol. (Olbis) 444  
 sexfasciatus Say (Dryobius) 35  
 sexguttata F. (Leptura) 208  
 sexguttata Lameere (Eburodac.) 83  
 sexguttatum Serv. 113  
 sexguttatus Adams (Paraclytus) 416  
 sexguttatus Lucas (Chloroph.) 400  
 sexguttatus Waterh. (Coccoderus) 44  
 sexlineatum Buq. 448  
 sexlineatus Bates 444  
 sexmaculata Bates (Ectenessa) 41  
 sexmaculata L. (Judolia) 226, 227  
 sexmaculata Ol. (Eburodaerys) 83  
*sexmaculata* F. (Judolia) 226  
*sexmaculata* Leoni (Rosalia) 329  
*sexmaculata* Reiche (Calchaen.) 466  
*sexmaculata* Voet (Judolia) 225  
 sexmaculatum Auriv. (Alloph.) 136  
 sexmaculatum Buq. (Criodion) 63  
 sexmaculatus Bates (Sternac.) 451  
 sexmaculatus Buq. (Coccoderus) 44  
 sexmaculatus Donov. (Clytus) 373  
 sexmaculatus Motsch. (Chlor.) 400  
*sexmaculatus* Companyo (Hesp.) 67  
*sexmaculatus* Hope (Coloecoptus) 93  
*sexmaculatus* White (Anubis) 318  
 sexnotata Boh. (Eburia) 80  
 sexnotata Chev. (Rhaphuma) 408  
 sexnotata Hald. (Strangalia) 245  
*sexnotatus* Thunb. 318  
 sexpunctata F. (Hylomela) 325  
*sexpunctata* Muls. (Judolia) 225  
*sexpunctatus* Ol. 399  
 sexsignatus Thoms. 111  
 sexspilota J. Lec. 228  
 sexualis Bates 478  
 Sheepmakeri Rits. 300  
 Shepherdi Pasc. 485  
 siamensis Jord. (Clytosaurus) 408  
 siamensis Nonfr. (Zegriodes) 62  
*siamensis* Chev. (Xylotrechus) 365  
 siamica Nonfr. 62  
*sibiricus* Gebl. (Ropalopus) 337  
*sibiricus* Gmel. (Polyzonus) 316  
*sibiricus* Pic (Clytus) 370  
 sicula Ganglb. 218  
 sculus Stierl. (Ropalopus) 339  
*siculus* Cast. & Gor. (Plagionotus) 380  
 sideriger Fairm. 465  
 sidus Newm. 269  
 Sieversi Ganglb. (Apatophysis) 160  
 Sieversi Ganglb. (Chloridolum) 315  
 Sieversi Ganglb. (Xylotrechus) 363  
 sigmoideus Bates 386  
 signata Gah. (Rhaphuma) 408  
 signata Pasc. (Prothema) 291  
 signaticolle Blanch. (Grammic.) 72  
 signaticolle Chev. (Elaphidion) 88  
 signaticollis Buq. (Coremia) 335  
 signaticollis Cast. & Gory (Chlor.) 400  
 signaticollis Chev. (Dihamm.) 430  
 signaticollis Dupont (Trachyd.) 480  
 signaticollis Hope (Ptycholaem.) 447  
 signaticollis Pasc. (Helymaeus) 325  
 signaticollis Solsky (Ropalopus) 339  
 signaticollis Thoms. (Heteracht.) 111  
 signaticornis Lucas (Chariergus) 334  
*signaticornis* Ganglb. (Strangal.) 203  
 signatipenne Goun. (Bomarion) 111  
 signatipenne Goun. (Protosphaer.) 96  
 signatipennis Gah. (Chlorophor.) 404  
*signatipennis* Daniel (Strangalia) 229  
 signatum Serv. 113  
 signatus Gyllen. (Trachyderes) 480  
 signatus Geoffr. (Xylotrechus) 362  
 signatus Panz. (Evodinus) 186  
 signifer Fairm. (Anisogaster) 122  
*signifer* Mars. (Clytus) 370

- signifera* Bates 201  
*signiferum* Newm. 119  
*signiferus* Pasc. 74  
*Silbermanni* Lef. 217  
*silvestris* Geoffr. 191  
*similare* Thoms. 12  
*similaris* Küster 353, 354  
*simile* Gah. (Ceresium) 125  
*simile* Kirby (Merium) 343  
*simile* Schaeffer (Elaphidion) 88  
*similiguttata* Chevr. 384  
*similis* Gah. (Apiogaster) 425  
*similis* Gah. (Hypargyra) 297  
*similis* Jord. (Euporus) 320  
*similis* Jord. (Paroeme) 31  
*similis* Jord. (Xystrocera) 37  
*similis* Kraatz (Pseudopidonia) 201  
*similis* Pasc. (Tetraommatus) 28  
*similis* Rits. (Pachyteria) 300  
*similis* Gah. (Aeolesthes) 46  
*similis* Herbst (Strangalia) 236  
*similis* Kirby (Strangalia) 244  
*similis* Marsh. (Hylotrupes) 340  
*simillima* White 119  
*simillimus* Kraatz 400  
*Simmondsi* Dist. 252  
*Simoni* Lameere 395  
*simplaria* Heyd. 356  
*simplex* Auriv. (Unxia) 334  
*simplex* Bates (Atenizus) 31  
*simplex* Bates (Distenia) 8  
*simplex* Bates (Lissonotus) 485  
*simplex* Blackb. (Scoleoc.) 146  
*simplex* Gah. (Gnatholea) 74  
*simplex* Gah. (Thranius) 263  
*simplex* Har. (Euporus) 320  
*simplex* Waterh. (Logisticus) 173  
*simplex* White (Gnomidolon) 106  
*simplex* White (Malloccera) 101  
*simplex* White (Odontocera) 281  
*simplex* White (Oemona) 116  
*simplex* Goun. (Hexoplion) 105  
*simplex* Gyllenb. (Ceresium) 123  
*simplex* Voeit (Achyryson) 40  
*simplex* White (Diorthrus) 56  
*simpliceps* Broun 117  
*simplicicollis* Hald. 84  
*simplicicollis* Broun (Oemona) 116  
*simplicicollis* Gah. 170  
*simplicicollis* Sharp (Plagithm.) 388  
*simplicicollis* Thoms. (Ptychol.) 447  
*simplicicornis* Reitter 415  
*simplicior* Bates 103  
*simplicipennis* Dupont (Trach.) 480  
*simplicipennis* Goun. (Ectenessa) 41  
*simplicipes* Goun. 335  
*simplonica* Fairm. (Leptura) 215  
*simplonica* Stierl. (Acmaeops) 190  
*simulans* Bates (Phepsia) 285  
*simulans* Bates (Pteroplatus) 455  
*simulans* Pasc. (Uracanthus) 147  
*simulans* White (Rhytidodera) 62  
*simulator* Goun. (Erythroplatys) 277  
*simulator* Nonfr. (Clytus) 373  
*simulatrix* Pasc. 304  
*simulatum* Chevr. 310  
*Sinclairi* White 152  
*sinense* Fairm. (Rhagium) 165  
*sinense* Hope (Chelidonium) 316  
*sinense* Pic (Callidium) 345  
*sinensis* Gah. (Aeolesthes) 47  
*sinensis* Gah. (Semanotus) 342  
*sinensis* Gah. (Trachylophus) 62  
*sinensis* Nonfr. (Spondylis) 14  
*sinensis* White (Sternophistes) 466  
*singaporensis* Thoms. 264  
*singularis* Bates (Diphyrama) 421  
*singularis* Fairm. (Conopogaster) 275  
*singularis* Goun. (Heterachtes) 111  
*singularis* Jord. (Euporus) 320  
*singularis* Kraatz (Brachyclytus) 374  
*sinica* A. Sem. 160  
*sinicum* White (Ceresium) 125  
*sinicum* White (Chelidonium) 316  
*sinuata* Newm. (Strangalia) 246  
*sinuata* F. (Strangalia) 236  
*sinuatocolle* Thoms. 310  
*Sipalisi* Goun. 113  
*sirexoides* Reitter 260  
*Sjöstedti* Auriv. 310  
*Skottsbergi* Auriv. 343  
*Sladeni* Gah. 97  
*Sloanei* Blackb. 434  
*smaragdina* Bates (Ommata) 279  
*smaragdina* Naezen (Acmaeops) 190  
*smaragdula* F. (Acmaeops) 190  
*smaragdula* Zett. (Acmaeops) 190  
*Smeei* White 366  
*Smei* Csát. & Gory 366  
*Smithi* Bates (Hexoplion) 105  
*Smithi* Bates (Neoclytus) 393  
*sobrina* Bates (Chrysoprasia) 441  
*sobrina* Goun. (Neceme) 29  
*sobrinus* Cast. & Gory 393  
*sobrius* Newm. 444  
*socia* Gah. 126  
*socius* Gah. (Chlorophorus) 404  
*socius* Gah. (Lachnoptera) 61  
*socius* Jord. (Callichroma) 310  
*socius* Jord. (Xylotrechus) 367  
*solida* Bates (Necydalis) 260  
*solida* Blackb. (Trypocharia) 91  
*solidicornis* Bates 395  
*Solieri* Dupont (Trachyderes) 479  
*Solieri* Germ. (Vesperus) 158  
*solitaria* Say (Stenaspis) 458  
*solitaria* Hald. (Strangalia) 245  
*solitaria* Goun. (Haruspex) 103

- solitarius Pasc. (Clytus) 373  
 solitarius Sharp (Plagithmysus) 388  
 Solskyi Kraatz 187  
 solstitialis Herbst 206  
 somalicus Gah. 58  
 Sommeri Chev. (Ochraethes) 386  
 Sommeri Gah. (Criodion) 63  
 Sommeri Thoms. (Compsa) 110  
 sonorensis Schaeffer 76  
 sordida Burm. (Eburia) 80  
 sordida Er. (Paramalocera) 100  
 sordida Newm. (Rhagiomorpha) 149  
 sordidus Pasc. 56  
 soror Goun. (Odontocera) 281  
 soro J. Lec. (Strangalia) 244  
 sospitalis Pasc. 411  
 spadicea Payk. (Pachyta) 184  
 spadicea Schilsky (Aemaeops) 189  
 spadiceum Gah. 64  
 spadiceus Dalm. (Lissonotus) 485  
 spadiceus Dupont (Trachyderes) 478  
 sparsa J. Lec. 246  
 sparsum Blackb. 117  
 sparsus Reitter 396  
 speciosa Pasc. (Pachyteria) 300  
 speciosa Péring. (Phylloenema) 303  
 speciosa Blanch. (Eburia) 80  
 speciosissima Gerst. 298  
 speciosum Gory 310  
 speciosus Adams (Plagionotus) 380  
 speciosus Dalm. (Oxyprosopus) 318  
 speciosus Goun. (Coccoderus) 44  
 speciosus Klug (Clostropus) 319  
 speciosus Quaedf. (Nothopygus) 321  
 speciosus Say (Glycobius) 380  
 speciosus Schneid. (Isotomus) 406  
 speciosus Voet (Batus) 452  
 spectabile Voet 312  
 spectabilis Gestro (Bottegia) 262  
 spectabilis Kraatz (Pseudosiev.) 200  
 spectabilis Motsch. (Sternopl.) 466  
 speculifer Sharp 389  
 speculiferum Gory 434  
 Spencei Cast. 450  
 Spencei Hope (Tragocerus) 487  
 Spencei Kirby (Tropidosoma) 450  
 sphaericollis Chev. (Oedenoder.) 358  
 sphaericollis J. Lec. (Scaphinus) 15  
 sphaericollis Say (Leptura) 224  
 sphaerium Bates 113  
 sphaerionum Bates 96  
 sphinx Dohrn 321  
 spiloderes Jord. 374  
 spinicollis Bates (Malloccera) 101  
 spinicollis Bates (Trachyderes) 480  
 spinicollis Pasc. (Eetinope) 117  
 spinicollis Pasc. (Pachyteria) 301  
 spinicollis Woll. 25  
 spinicorne Blackb. (Bethelium) 119  
 spinicorne Drury (Elaphidion) 88  
 spinicorne Fairm. (Elaphidion) 88  
 spinicorne Ol. (Plectrocerum) 445  
 spinicornis Abeille (Ropalopus) 339  
 spinicornis Chev. (Apelocera) 420  
 spinicornis F. (Cordylomera) 95  
 spinicornis F. (Plocaederus) 49  
 spinicornis Newm. (Demonax) 411  
 spinicornis Newm. (Hopioeer.) 56  
 spinicornis Gebl. (Apatophysis) 160  
 spinicornis Gebl. (Evodinus) 187  
 spinicrus Fairm. 169  
 spinifera Newm. 385  
 spinigera Blanch. 98  
 spinipenne Thoms. 113  
 spinipennis Bates (Ceragenia) 453  
 spinipennis Blackb. (Neostenus) 138  
 spinipennis Buq. (Eurymerus) 40  
 spinipennis Fairm. (Acanthopt.) 188  
 spinipennis Fairm. (Logisticus) 173  
 spinipennis Serv. (Coleoxestia) 65  
 spinipennis Chev. (Apelocera) 420  
 spinipennis Lacord. (Thranus) 263  
 Spinolae Friv. 167  
 spinosa Auriv. (Chlorida) 77  
 spinosa Bates (Distenia) 8  
 spinosa Guér. (Pteracantha) 451  
 spinosa Degeer (Chlorida) 77  
 spinosae Schrank 352  
 spinosula Muls. 198  
 spinosulus Muls. 400  
 spinosus Brongn. (Zatrephus) 62  
 spinosus Fauv. (Strongylurus) 146  
 spinosus Redt. (Blosyropus) 176  
 spinosus F. (Saphanus) 24  
 spinosus Goeze (Hamaticherus) 51  
 Spixi Cast. & Gory 380  
 splendens Bates (Distenia) 8  
 splendens Jakowl. (Gaurotos) 193  
 splendens Laich. (Stenocorus) 180  
 splendens J. Lec. (Crioprosopus) 458  
 splendida Herbst 205  
 splendidum Gah. (Hypaticus) 305  
 splendidum J. Lec. (Callichroma) 312  
 splendidus Chev. 323  
 Splichali Fleischer 398  
 spurcum J. Lec. 88  
 spureus J. Lec. 188  
 spuria J. Lec. 192  
 spurius Jord. 58  
 squalida Thoms. 110  
 squallida Scop. 490  
 Stahli Auriv. 83  
 staphylinus Serv. 285  
 Starcki Ganglb. (Hybometopia) 23  
 Starcki Ganglb. (Saphanus) 24  
 Starcki Reitt. (Cortodera) 199  
 Starcki Schilsky (Leptura) 213  
 Staudingeri Pic 201

- Stebbingi Gah. 366  
 stenochioides Thoms. 26  
 stenocylindrus Fairm. 417  
 stenothyreus Pasc. 368  
 sternalis Gah. 290  
*Sterni* Kraatz 370  
 Steveni Sperk 211  
 Stevensi Pasc. 10  
 sthenias Bates (Psyrrassa) 101  
*sthenias* Bates (Chrysoprasis) 440  
 stictica Broun (Navomorpha) 488  
*stictica* Newm. (Leptura) 223  
 sticticollis Bates 83  
*Stierlini* Tourn. 406  
 stigma L. (Megaderus) 486  
 stigma Ol. (Eburia) 80  
*stigma* Panzer (Megaderus) 487  
 stigmatica Chev. 81  
 stigmatipennis Fairm. (Aphel.) 175  
 stigmatipennis White (Cnatholea) 74  
 stigmosum Pasc. 117  
 stillatus Auriv. 393  
 stragulata Germ. (Leptura) 218  
*stragulata* Charp. (Leptura) 219  
 stramineus Lacord. 108  
 strangaliodes Pasc. 411  
 strangulata Horn 30  
 strangulatus Serv. 320  
 Straussi Webb 224  
 strepens F. (Vesperus) 158  
*strepens* F. (Stromatium) 73  
*striata* Ol. 453  
 striatocolle White 107  
 striatum L. (Asemum) 16  
*striatum* Kirby (Asemum) 15  
*striatum* Laich. (Asemum) 16  
 striatus F. (Trachyderes) 480  
 striatus Voet (Cerambyx) 490  
*striatus* Voet (Toxotus) 178  
 stricticollis Fairm. 242  
 strigatus Dupont 480  
 strigicollis Jakowl. (Cleroclytus) 419  
 strigicollis Kolbe (Mecosaspis) 304  
*strigicollis* Dalm. (Derolus) 58  
*strigicollis* Kolbe (Plocaederus) 49  
*strigilata* F. 189  
 strigipennis Westw. 142  
 strigosa Auriv. (Dolichaspis) 304  
 strigosa Newm. (Strangalia) 245  
 strigosus Guér. (Cosmocerus) 452  
 strigosus Gyllen. (Hypoescrus) 27  
 strigosus Pasc. (Uracanthus) 147  
*strigosus* Gmel. (Chlorophorus) 402  
*strigosus* Gmel. (Trachyderes) 480  
*strigosus* Pasc. (Dymasius) 60  
*strigosus* Thoms. (Zymasius) 60  
 striicollis Fairm. 148  
*striolatus* Gebl. 188  
 strunnosa Pasc. (Pachyteria) 301  
 strumosa Pasc. (Tethionea) 126  
*stuposus* Gyllen. 157  
 stygium Pasc. 177  
 suaveolens Redt. 326  
 suavis Bates 282  
 subaenea J. Lec. 192  
*subaffinis* White 82  
*subangulata* Chev. 442  
 subapicalis Pic (Anaglyptus) 415  
*subapicalis* Reitter (Stenocorus) 181  
 subargentata Kirby 244  
 subauratus Gah. 45  
 subaurea Pasc. 293  
 subaureus Jord. 58  
 subbasale Kolbe 310  
 subclavatus Pasc. 153  
 subcostata Fall 244  
 subcostatum Fairm. 358  
 subcruciatum White 113  
 subcruciatum White 374  
 subcrucifer Pic 363  
*subcyanea* J. Lec. 192  
 subcylindricum Thoms. 12  
 subcylindricus Fairm. 23  
 subdepressum Schaeffer 88  
 subdepressus Chev. 366  
 subditus Chev. 366  
 subburneum White 106  
 suberis Chab. 219  
 subfasciata Fairm. 11  
 subfasciatum Gah. 88  
 subfasciatus Dupont (Trachyd.) 480  
 subfasciatus Gah. (Placodes) 70  
 subfasciatus Germ. (Tragocerus) 487  
 subfasciatus Pic (Analyptus) 415  
*subfasciellus* White 355  
 subhamata Rand. 244  
*subhumeralis* Pic 266  
 subimpressus Pic 415  
 sublaevicollis Bates 444  
 sublineata Broun. (Oemona) 116  
 sublineata J. Lec. (Centrodera) 167  
 sublineata White (Didymoc.) 116  
*sublineata* Hald. (Acmaeops) 192  
*sublineata* Muls. (Leptura) 219  
*sublineatum* Pasc. 140  
 sublineatus Fairm. 149  
 submaculata White 104  
*submaculatus* Lamcere 111  
 submetallicum Blanch. 343  
*subnitescens* Goun. 311  
*subnotata* Pic 202  
 subnotatus Pic 465  
 subnuda Lacord. 74  
 subopaca Bates 41  
 subpilosa J. Lec. 192  
 subpilosus Bates (Trachyderes) 480  
 subpilosus Nonfr. (Zoodes) 74  
 subpubescens J. Lec. (Elaphid.) 88

- subpubescens* Schaeffer (Brothyl.) 76  
*subpubescens* Kirby (Leptura) 223  
*subscutellaris* Pic 234  
*subscutellatus* Chev. 367  
*subseriatum* Bates 88  
*subserratus* Newm. 55  
*subsignata* Pic 229  
*subspinosa* F. (Strangalia) 235  
*subspinosa* Ol. (Strangalia) 235  
*subspinosa* Panz. (Strangalia) 236  
*substriatum* Hald. 15  
*subsulcatum* Motsch. 16  
*subsulcatum* Fairm. 174  
*subtilis* Bates (Stenosphenus) 444  
*subtilis* Bates (Strangalia) 239  
*subtruncatus* Bates 317  
*subuniformis* Pic 363  
*subulata* Pasc. 273  
*subustus* Fairm. 173  
*subvestita* Bates (Mecosaspis) 304  
*subvestita* White (Phygopoda) 284  
*subvirescens* White 433  
*subvittata* Reitt. 207  
*subvittatus* Casey (Anthophyl.) 195  
*subvittatus* Reitter (Stenocorus) 181  
*subvittatus* Reitter (Toxotus) 178  
*succedanea* Lewis 219  
*succincta* Bates 248  
*succinctus* Dupont (Trachyderes) 481  
*succinctus* L. (Trachyderes) 480  
*succinctus* Latr. (Trachyderes) 479  
*succineum* Pasc. 25  
*sudeticus* Richter 24  
*sulcata* F. (Navomorpha) 489  
*sulcata* Sulzer (Chlorida) 77  
*sulcatulum* White 310  
*sulcatus* Brongn. (Pachyl.) 289  
*sulcatus* Burm. (Trachyderes) 481  
*sulcicollis* Bates (Hemilissa) 104  
*sulcicollis* Gah. (Margites) 59  
*sulcicornis* White 113  
*sulcicornis* Germain 68  
*sulcifrons* Fairm. (Hornius) 251  
*sulcifrons* Jord. (Margites) 59  
*sulcipennis* Bates (Ephies) 249  
*sulcipennis* Gah. (Lyramela) 26  
*sulfureicauda* Goun. 281  
*sulfureus* Muls. 397  
*sulfurifera* Goun. 83  
*sulphurata* Fairm. 169  
*sulphurata* Voet 343  
*sulphureosignata* Er. 81  
*sulphurescens* Sharp 389  
*sulphureus* Schaum 397  
*sulphurifer* Chev. 382  
*sumatrana* Nonfr. 273  
*sumatrensis* Cast. & Gory 404  
*sumatrensis* Gah. (Strangalia) 242  
*sumatrensis* Gah. (Thranus) 263  
*sumbavae* Auriv. 405  
*superans* Pasc. 91  
*superba* Auriv. (Euchitonina) 299  
*superba* Auriv. (Stenaspis) 458  
*superba* Brongn. (Pavicia) 460  
*superba* Ganglb. (Gaurotina) 193  
*superba* Gestro (Pachyteria) 301  
*superba* Newm. (Stenaspis) 458  
*superba* Poll (Distichocera) 287  
*superbum* Auriv. (Chloridolum) 315  
*superbum* Auriv. (Orthoschema) 332  
*superbum* Auriv. (Sphallenum) 64  
*superbus* Lamere 321  
*surinamense* Ol. 40  
*surinamensis* Voet 490  
*surinamum* L. 40  
*suspecta* Rits. 299  
*suturale* Auriv. (Hypatium) 305  
*suturale* White (Ibidion) 113  
*suturale* F. (Callichroma) 311  
*suturalis* Bates (Distenia) 8  
*suturalis* Bates (Stenosphenus) 444  
*suturalis* Buq. (Pteroplatus) 455  
*suturalis* Chev. (Cordylomera) 95  
*suturalis* Gah. (Psathyrus) 32  
*suturalis* Gah. (Rhaphuma) 408  
*suturalis* Gory (Coleoxestia) 65  
*suturalis* Har. (Closteromerus) 324  
*suturalis* Lamere (Chrysoprasis) 441  
*suturalis* J. Lec. (Crossidius) 472  
*suturalis* J. Lec. (Sphaenothecus) 172  
*suturalis* Ol. (Euryseelis) 389  
*suturalis* Ol. (Stenoderus) 151  
*suturalis* Pasc. (Glaucytes) 437  
*suturalis* Pasc. (Stizocera) 99  
*suturalis* Péring. (Litopus) 321  
*suturalis* Perty (Psygnatocerus) 43  
*suturalis* Pic (Asiates) 468  
*suturalis* Say (Batyle) 475  
*suturalis* Waterh. (Logisticus) 173  
*suturalis* White (Tylosis) 470  
*suturalis* F. (Cortodera) 198  
*suturalis* Goun. (Harpes) 103  
*suturalis* Jord. (Alloeme) 32  
*suturalis* Muls. (Aemaeops) 189  
*suturalis* Ol. (Pidonia) 200  
*suturalis* Perty (Coleoxestia) 64  
*suturalis* Serv. (Rhinotragus) 277  
*suturalis* White (Batyle) 475  
*suturata* Degeer 237  
*suturata* Reiche 239  
*suturella* White 441  
*suturifera* Reitt. 197  
*Suvurovi* Baeckm. 201  
*Suworovi* Reitter 181  
*suaveolens* L. 312  
*Swiestrae* Poll 154  
*sycophanta* Schrank 163  
*sylphis* Bates 111

- sylvarum Bates 105  
 sylvaticus Hintz 406  
 synonyma Newm. 90  
 syriaca Pic (Cortodera) 199  
 syriaca Pic (Strangalia) 239  
 syriaca Pic (Rosalia) 329  
 syriacum Pic (Callidium) 344  
 syriacum Pic (Rhagium) 164  
 syriacus Pic (Isotomus) 407  
 syriacus Reitter (Criocephalus) 22  
 syriacus Chev. (Alocerus) 17  
 syriacus Pic (Phymatodes) 352  
 syriacus Pic (Stenopterus) 266  
 syriacus Théry (Hylotrupes) 341
- tabacicolor Degeer 206  
 tabidus Klug (Chariergus) 334  
 tabidus Pasc. (Syllitus) 151  
 tabidus Pasc. (Tetraommatus) 28  
 tabidus White (Chariergus) 334  
 taeniata Pasc. (Omophaena) 293  
 taeniata Serv. (Temnopsis) 29  
 taeniatum J. Lec. 84  
 taeniatus Germ. 479  
 talyschensis Reitter (Purpuric.) 463  
 talyschensis Reitt. (Alosterna) 206  
 tangeriana Tourn. (Leptura) 219  
 tangeriana L. Heyd. (Leptura) 219  
 tapajonus Bates 393  
 taprobanica Gah. 273  
 taprobanicus Gah. (Doesus) 156  
 taprobanicus Gah. (Molorchus) 269  
 Tardifi Michard 450  
 Tarnieri Bates 332  
 tasmanica Gah. 118  
 tataricus Gebl. (Stenocorus) 181  
 tataricus Gebl. (Plocaederus) 50  
 Tatei Blackb. (Atesta) 92  
 Tatei Blackb. (Pachydissus) 57  
 tauricola Pic 198  
 taurisiensis Pic 401  
 taygetana Daniel 231  
 telephorina Bates 277  
 telephoroides Lamere (Kunbir) 273  
 telephoroides Pasc. (Doesus) 156  
 telephoroides Westw. (Callichr.) 327  
 tectum J. Lec. 88  
 temera Jord. 374  
 temesiensis Germ. 371  
 Temmincki Guér. (Sternoplistes) 466  
 Temmincki Matsum. (Sternopl.) 466  
 Templetoni Pasc. 61  
 tenebricosa Ol. 429  
 tenebrosa F. 429  
 tenebrosus Fairm. (Penthoc.) 175  
 tenebrosus J. Lec. (Anthophylax) 195  
 tenella Pasc. 276  
 tenellum Burm. 113  
 tenellus Bates (Euporus) 320  
 tenellus F. (Malacopterus) 35  
 tenietensis Pic 234  
 tenuata Bates 110  
 tenuatum Bates 315  
 tenuatus Serv. 432  
 tenue J. Lec. 88  
 tenuelineatus Fairm. 176  
 tenuicorne Bates (Orthoschema) 332  
 tenuicorne Kraatz (Asemum) 17  
 tenuicornis Fall (Lianema) 130  
 tenuicornis Motsch. (Strangalia) 239  
 tenuicornis Fairm. (Chlorophor.) 396  
 tenuicornis Hald. (Leptura) 221  
 tenuicornis Pasc. (Dialeges) 61  
 tenuior Kirby 246  
 tenuipes Fairm. (Icariotis) 174  
 tenuipes Fairm. (Leontium) 315  
 tenuipes Hald. (Tessaropa) 39  
 tenuipes W. Saund. (Psilom.) 148  
 tenuis Bates (Closteromerus) 324  
 tenuis Blanch. (Callideriphus) 444  
 tenuis Burm. (Ommata) 279  
 tenuis Chev. (Rhopalophora) 431  
 tenuis Duviv. (Derolus) 58  
 tenuis Fairm. (Minutius) 122  
 tenuis Jord. (Calanthemis) 374  
 tenuis Jord. (Eulitopus) 321  
 tenuis Poll (Zocdia) 155  
 tenuis Solsky (Strangalomorpha) 203  
 tenuiscriptus Fall 393  
 tenuispinosus Pasc. 411  
 tenuissima Bates 110  
 tenuitarsis Pasc. 70  
 terebrans Newm. 119  
 terminalis White 442  
 terminans F. 363  
 terminata Buq. 446  
 terminatum Perr. 98  
 terminatus Buq. (Oxilus) 138  
 terminatus Pasc. (Syllitus) 151  
 ternatensis Fairm. 47  
 tessellata Auriv. 27  
 tessellatum Newm. 87  
 tesserula Charp. 219  
 testacea Buq. (Cordylomera) 95  
 testacea Gah. (Sebasmia) 61  
 testacea Jord. (Delagoa) 123  
 testacea Scop. (Genus?) 490  
 testacea L. (Leptura) 216  
 testacea Motsch. (Alosterna) 207  
 testaceicornis Fairm. & Germain 421  
 testaceipenne Pic (Rhamnusium) 167  
 testaceipenne Rits. (Callichroma) 313  
 testaceipes Fairm. (Mastododera) 170  
 testaceipes Fairm. & Germain  
 (Callisphyris) 257  
 testaceipes Pic (Cortodera) 197  
 testaceiventris Fairm. 325

- testaceofasciata* Degeer 226  
*testaceum* Gah. (Criodion) 63  
*testaceum* Pic (Rhamnium) 166  
*testaceus* Blanch. (Chenoderus) 335  
*testaceus* Broun (Ophryops) 142  
*testaceus* Dupont (Trachyderes) 481  
*testaceus* Fairm. (Icariotis) 174  
*testaceus* Gah. (Lygrus) 33  
*testaceus* Gah. (Pseudophilus) 69  
*testaceus* Hope (Demonax) 411  
*testaceus* L. (Phymatodes) 352  
*testaceus* J. Lee. (Crossidius) 472  
*testaceus* J. Lec. (Haplidus) 31  
*testaceus* Newm. (Tritomaerus) 132  
*testaceus* Pasc. (Tetraommatus) 28  
*testaceus* Dupont (Dendrobias) 478  
*testaceus* Grell. (Toxotus) 178  
*testaceus* Jacobs. (Phymatodes) 355  
*testaceus* Ol. (Doreasomus) 251  
*Tethys* Thoms. 113  
*tetraspilotus* Hope (Polyzonus) 317  
*tetraspilotus* White (Lissonotus) 485  
*tetrastalacta* White 81  
*tetrops* Bates (Octoplon) 107  
*tetrops* Newm. (Skeletodes) 94  
*texana* Schaeffer (Idoemea) 38  
*texana* Schaeffer (Psyrassa) 101  
*textilis* Thoms. 110  
*textor* Pasc. 47  
*textoria* Newm. 489  
*thalassina* Schrank 194  
*thalassinum* Thoms. 315  
*thaliodes* Bates 315  
*Thea* Reitter 308  
*Theorini* Auriv. 454  
*Theresae* Pic 407  
*Theryi* Pic 404  
*thibetana* Blanch. 242  
*thibetanus* Pic 185  
*Thirki* Küst. 53  
*Thomae* Gah. 88  
*thomensis* Auriv. (Calanthemis) 374  
*thomensis* Auriv. (Closteromerus) 324  
*thomsonella* White 287  
*Thomsoni* Chabrill. (Praxitheia) 43  
*Thomsoni* Har. (Carinoclytus) 367  
*Thomsoni* Pasc. (Chloridolum) 315  
*Thomsoni* Chabr. (Ibidion) 112  
*thoracica* Bates (Ommata) 280  
*thoracica* Blackb. (Nenia) 276  
*thoracica* Chevr. (Dihammaph.) 430  
*thoracica* Creutz. (Strangalia) 239  
*thoracica* Fleut. & Sallé (Ophis.) 248  
*thoracica* Hald. (Aemacops) 192  
*thoracica* Poll (Brachytria) 293  
*thoracica* White (Deltaspis) 459  
*thoracica* White (Dere) 426  
*thoracica* White (Eburia) 81  
*thoracica* Fischer (Aromia) 308  
*thoracica* Redt. (Ctenodes) 451  
*thoracica* Waterh. (Plectogaster) 252  
*thoracicum* Sharp (Cartallum) 294  
*thoracicum* White (Octoplon) 107  
*thoracicum* White (Mallosoma) 439  
*thoracicus* Donov. (Aridaeus) 438  
*thoracicus* Fairm. (Aedoeus) 171  
*thoracicus* Ol. (Trachyderes) 481  
*thoracicus* Pasc. (Strongylurus) 146  
*thoracicus* White (Crioprosopus) 458  
*thoracicus* Chevr. (Callimus) 271  
*thoracicus* Comolli (Phymatodes) 351  
*thyrsochorus* Burm. 333  
*tibetanus* Sharp 22  
*tibialis* Fairm. (Mastododera) 170  
*tibialis* Kraatz 205  
*tibialis* J. Lee. (Leptura) 224  
*tibialis* Pasc. (Noserius) 27  
*tibialis* Rits. (Coloborhombus) 298  
*tibialis* J. Friv. (Strangalia) 237  
*tibialis* Mars. (Cortodera) 196  
*tillides* Newm. (Pempsamacra) 293  
*tillides* Pasc. (Ipomorina) 422  
*tillomorphoides* Pasc. 136  
*timida* Ménétr. (Penichroa) 129  
*timida* Scop. (Pachyta) 184  
*timoriensis* Jord. 438  
*tinctus* Blackb. 422  
*tipularius* Pasc. 411  
*Tisiphone* Thoms. 113  
*Titania* Bates 434  
*Tixieri* Pic 404  
*tjanshanicum* Semen. 20  
*tnesisternoides* Lacord. 144  
*T-nigrum* Jord. 405  
*togonica* Hintz 37  
*tomentosa* Gebl. (Apatophysis) 160  
*tomentosa* F. (Leptura) 214  
*tomentosum* Lucas (Icosium) 42  
*tomentosum* Serv. (Criodion) 63  
*tomentosum* Chevr. (Elaphidion) 87, 88  
*tomentosus* Chevr. (Oehraethes) 386  
*tomentosus* Dupont (Sphaenoth.) 472  
*tomentosus* Lucas (Hesperophan.) 67  
*tonkinensis* Fairm. 291  
*tonkineus* Fairm. (Chlorophorus) 404  
*tonkineus* Fairm. (Cyrtonops) 7  
*tonsa* Daniel 219  
*torquata* Chevr. 432  
*torquatus* Dalm. (Euporus) 320  
*torquatus* J. Lee. (Neoclytus) 393  
*torquilla* Pasc. 404  
*torrida* Pasc. (Nyphasia) 95  
*torrida* Ol. 95  
*torridus* Pasc. 289  
*torticolle* Bates 64  
*Tournieri* Pic 199  
*Townsendi* Linell 113  
*toxotoides* Chevr. 160

- trachyderoides Thoms. 75  
*tragocephaloides* Thoms. 468  
*tranquebaricum* Gmel. 73  
*transilis* Bates 411  
*translucidum* Fauv. 135  
*transsylvanica* Csiki (Judalia) 225  
*transsylvanica* Csiki (Rosalia) 329  
*transversale* Chevr. (Mallosoma) 439  
*transversale* Kolbe (Philematium) 306  
*transversalis* Auriv. (Demonax) 411  
*transversalis* Brême (Pteroplatus) 455  
*transversalis* Buq. (Chlorida) 77  
*transversalis* Dupont (Trachyd.) 481  
*transversalis* Fairm. (Mastodod.) 170  
*transversalis* Fairm. & Germ. (Callideriphus) 444  
*transversum* White 88  
*transversum* Fairm. 122  
*tredecimmaculatus* Chevr. 401  
*triangularis* Auriv. (Phylloen.) 303  
*triangularis* Cast. & Gory (Mec.) 395  
*triangularis* Hope (Uracanthus) 147  
*triangularis* Pasc. (Zoedia) 155  
*triangulifera* Reitt. 213  
*triangulimacula* A. Costa 370  
*triangulum* Belon 70  
*tribalteata* J. Lec. 228  
*tricolor* Blackb. (Bethelium) 119  
*tricolor* Chevr. (Anthoboscus) 387  
*tricolor* Fairm. (Chenoderus) 335  
*tricolor* Goun. (Stizocera) 99  
*tricolor* Guér. (Apiogaster) 425  
*tricolor* Jord. (Callichroma) 311  
*tricolor* Jord. (Cloniophorus) 314  
*tricolor* Jord. (Eximia) 322  
*tricolor* Newm. (Niræus) 299  
*tricolor* Perty (Mallosoma) 439  
*tricolor* Serv. (Phacdinus) 477  
*tricolor* Thoms. (Muscidora) 473  
*tricolor* Waterh. (Crioprosopus) 458  
*tricolor* Bates (Crioprosopus) 457  
*tricolor* Belon (Heterachtes) 110  
*tricolor* Chevr. (Cartallum) 294  
*tricolor* Dalla Torre (Phymatodes) 354  
*tricolor* Har. (Euporus) 320  
*tricolor* Serv. (Stenygra) 448  
*tricuspis* Newm. 90  
*tridentata* Pasc. (Tethionea) 126  
*tridentata* Bleuse (Xylotrechus) 360  
*trifasciata* Bates (Distenia) 8  
*trifasciata* Pasc. (Nericonia) 11  
*trifasciata* F. (Judolia) 226  
*trifasciatus* F. (Chlorophorus) 401  
*trifasciatus* Hintz (Calanthemis) 374  
*trifasciatus* Waterh. (Lygrus) 33  
*trifasciatus* Bates (Agallissus) 445  
*trigona* Pasc. 63  
*triguttata* Auriv. 28  
*trilineata* Auriv. 81  
*trilineatum* Bates 312  
*trilineatus* Dupont (Sphaenoth.) 472  
*trilineatus* White (Rhinotragus) 277  
*trilineatus* Voet (Plagionotus) 379  
*triliturata* Bates 281  
*trimaculata* Chevr. (Rhaphuma) 408  
*trimaculata* Hope (Phoracantha) 90  
*trinalba* Gah. 408  
*triocellata* Stål 83  
*tripartita* L. Heyd. 220  
*tripartitum* Pasc. 117  
*tripagiatus* Gah. 263  
*tripunctata* Chevr. 474  
*tripunctatus* Gory 465  
*trisinata* Fairm. (Leptura) 219  
*trisinata* Goun. (Odontocera) 281  
*trispinosus* Bates 444  
*triste* Hope (Tessaromma) 144  
*triste* Ol. (Tetropium) 19  
*tristricula* Kraatz 201  
*tristiculus* Fairm. 404  
*tristina* Reitt. 218  
*tristis* Blanch. (Ancylo-donta) 143  
*tristis* Blanch. (Coccoderus) 44  
*tristis* Chevr. (Rhopalophora) 431  
*tristis* F. (Ambeodontus) 141  
*tristis* Guér. (Stizocera) 99  
*tristis* Hald. (Atimia) 449  
*tristis* Pasc. (Oebarina) 70  
*tristis* F. (Criocephalus) 22  
*tristis* Fairm. & Germ. (Aneyl.) 143  
*tristis* Pic (Phymatodes) 351  
*trituberculatus* Redt. 141  
*trivialis* Fährs. 26  
*trivittata* Quedf. 37  
*trivittatus* Bates (Crossidius) 472  
*trivittatus* Say (Stenocorus) 182  
*trizonata* Blanch. 275  
*trizonatus* Blanch. (Perissus) 375  
*trizonatus* Blanch. (Rhinotragus) 277  
*Troberti* Chevr. 447  
*trochanterius* Gah. 9  
*troglo-dytes* Cast. & Gory 395  
*trogoninum* Pasc. 315  
*tropicus* Panz. 372  
*trucidata* Chevr. 474  
*truncata* Thoms. 110  
*truncatum* Hald. 89  
*Truquii* Chevr. (Anthoboscus) 387  
*Truquii* Muls. (Saphanus) 24  
*tsitoensis* Fairm. 404  
*tuberculata* J. Lec. 272  
*tuberculatum* Gah. 64  
*tuberculatus* F. (Genus?) 490  
*tuberculatus* Buq. (Coccoderus) 44  
*tuberculo-collis* Bates (Deltaspis) 459  
*tuberculo-collis* Blanch. (Gaurotes) 193  
*tuberculo-collis* Chabril. (Batus) 452  
*tuberculo-collis* Quedf. (Mecos.) 304

- tubericollis* Bates (Aphysotes) 421  
*tubericollis* Fairm. (Anomoderus) 270  
*tuberosa* Goun. 83  
*tuberosum* Bates 64  
*tuberosus* Brancs. 26  
*tulensis* Bates 386  
*tumida* J. Lec. (Acmaeops) 192<sup>4</sup>  
*tumida* J. Lec. (Eburia) 79  
*tumulifer* Auriv. 395  
*tunicata* M'Leay 90  
*tuniseus* Pic 55  
*tuniscus* Pic 55  
*turbinaticornis* Germ. 57  
*turcicus* Geoffr. 349  
*turkestanica* Ganglb. 203  
*turkestanicus* Heyd. (Hesperoph.) 67  
*turkestanicus* Ganglb. (Stenocor.) 181  
*Türki* Ganglb. (Phymatodes) 355  
*Türki* L. Heyd. (Leptura) 209  
*tylonotoides* Goun. 71  
*tympanophora* Bates
- uncinata* Blackb. 91  
*uncinatum* Goun. 105  
*Uddmanniana* Harrer 208<sup>§</sup>  
*Ulkei* Blandf. 81  
*ulmi* Chevr. 260  
*ultimus* Sharp 389  
*umbellatarum* Schreber (Mol.) 268  
*umbellatarum* Laich (Leptura) 216  
*umbellatarum* Muls. 268  
*umbraticus* Ol. 490  
*umbratilis* Bates 386  
*umbrina* Dalm. 50  
*umbripennis* Reitter 199  
*umbrosa* Goun. (Malloecera) 101  
*umbrosa* Kirsch (Eburia) 81  
*umbrosum* Goun. 98  
*undata* F. 8  
*undatum* Newm. 144  
*undatus* L. (Semanotus) 342  
*undatus* Ol. (Sternacanthus) 451  
*undatus* Kirby (Xylotrechus) 364  
*undulans* White 101  
*undulata* Hope (Epipedocera) 423  
*undulata* Hope (Epithora) 92  
*undulata* Pasc. (Diotima) 141  
*undulata* Muls. (Strangalia) 236  
*undulata* Gmel. (Distenia) 9  
*undulatum* Bates (Elaphidion) 89  
*undulatum* Burm. (Achryson) 40  
*undulatus* Gah. (Dialeges) 61  
*undulatus* Say (Xylotrechus) 364  
*ungaricus* Herbst (Ropalopus) 339  
*ungaricus* Herbst (Purpuricenus) 462  
*unicolor* Bates (Eburia) 81  
*unicolor* Bates (Euryptera) 249  
*unicolor* Bates (Parevander) 453  
*unicolor* Bruch (Achryson) 40  
*unicolor* Cast. & Gory (Neoclyt.) 393  
*unicolor* A. Deyr. (Anisogaster) 122  
*unicolor* Dohrn (Pachylocerus) 289  
*unicolor* F. (Ceresium) 125  
*unicolor* Gah. (Allogaster) 41  
*unicolor* Gah. (Criocephalus) 22  
*unicolor* Gah. (Massicus) 55  
*unicolor* Hald. (Anoplium) 126  
*unicolor* Hope (Phyllarthrius) 453  
*unicolor* Hope (Rhagiomorpha) 149  
*unicolor* Lacord. (Myrsus) 139  
*unicolor* Pasc. (Exaereta) 146  
*unicolor* Pasc. (Icariotis) 174  
*unicolor* Pasc. (Tethiunea) 126  
*unicolor* Randall (Pysrassa) 102  
*unicolor* White (Ibidion) 113  
*unicolor* Dalla Torre (Phymatod.) 355  
*unicolor* Dupont (Stenaspis) 458  
*unicolor* Fleisch. (Stenocorus) 181  
*unicolor* Goun. (Achryson) 39  
*unicolor* Hald. (Strangalia) 245  
*unicolor* Ol. (Strangalia) 232  
*unicolor* Ol. (Stromatium) 73  
*uidens* Fauv. 146  
*unidentatus* Ol. 484  
*unifasciata* Hope 92  
*unifasciatum* Goun. (Octoplon) 107  
*unifasciatum* Muls. (Rhagium) 162  
*unifasciatus* Bates (Anubis) 317  
*unifasciatus* Gory (Lissonotus) 485  
*unifasciatus* Rits. (Zonopterus) 299  
*unifasciatus* Ol. (Phymatodes) 349  
*unifasciatus* Pic (Chlorophorus) 399  
*uniforme* Berg (Ibidion) 113  
*uniforme* Goun. (Callichroma) 312  
*uniformis* Blackb. (Oroderes) 153  
*uniformis* Blackb. (Syllitus) 151  
*uniguttata* Hope 92  
*uninstigmata* Pic 211  
*unipunctata* F. 211  
*unipunctatus* Buq. 476  
*unoculum* Bates 108  
*upiformis* Mannerh. 14  
*upsilon* Steph. 363  
*urbanus* Broun 274  
*ussuriensis* Blessig 194  
*ustulata* Ménétr. (Leptura) 220  
*ustulata* Schaller (Grammopt.) 204  
*ustulata* Laich. (Strangalia) 233  
*ustulata* Motsch. (Acmaeops) 189  
*ustulatum* Thoms. 135  
*ustulatus* Muls. 265  
*utschderensis* Starek 350
- Vacheri* Fairm. 123  
*vagens* Ol. 224  
*vagus* Gah. 56

*V-album* Boisd. 156  
*valdiviensi* F. Phil. 275  
*valida* Bates (Chrysoprasis) 441  
*valida* Goun. (Ischasia) 283  
*valida* J. Lec. (Leptura) 224  
*validicornis* Bates (Heterachtes) 111  
*validicornis* Pic (Stenocorus) 181  
*validipes* Fairm. 125  
*validum* J. Lec. 84  
*validus* Blackb. (Phacodes) 70  
*validus* Blackb. (Scolecobrotus) 147  
*validus* Fairm. (Clytus) 373  
*validus* Gah. (Coptocercus) 93  
*vana* Thoms. 110  
*Vandepolli* Rits. 301  
*varia* Fauv. (Astetholea) 140  
*varia* Waterh. (Brachytria) 293  
*variabile* Goun. (Protosphacirion) 96  
*variabile* F. (Callidium) 344  
*variabilis* Bates (Deltaspis) 459  
*variabilis* Gebl. (Evodinus) 187  
*variabilis* Montrouz. (Purpuric.) 465  
*variabilis* Sallé (Pteroplatus) 455  
*variabilis* Serv. (Desmoderus) 477  
*variabilis* Bon. (Callimus) 271  
*variabilis* Degeer (Leptura) 217  
*variabilis* L. (Phymatodes) 354  
*variabilis* Laich. (Phymatodes) 353  
*variabilis* Motsch. (Plagionotus) 379  
*variabilis* Pasc. (Euryphagus) 461  
*variabilis* Payk. (Leptura) 212  
*variabilis* Payk. (Phymat.) 353, 354  
*variabilis* Schönh. (Phymatodes) 353  
*varians* Goun. (Ectenessa) 41  
*varians* Goun. (Gnomidolon) 106  
*varians* J. Lec. (Pseudodinopt.) 191  
*varians* Lucas (Rachidion) 486  
*varians* Sharp (Plagithm.) 388, 389  
*variatus* Newm. 97  
*varicornis* Germ. (Leptura) 220  
*varicornis* Hope (Didymocantha) 116  
*variegata* Germ. (Grammoptera) 205  
*variegata* F. (Hesthesis) 286  
*variegata* Cast. & Gory (Cyllene) 384  
*variegatum* F. (Coptomma) 488  
*variegatum* Goetze (Romaleum) 84  
*variegatus* Bates (Thranus) 263  
*variegatus* Blackb. (Bebius) 146  
*variegatus* Blackb. (Scolecobr.) 147  
*variegatus* Perty (Trachyderes) 481  
*variegatus* Geoffr. (Xylotrechus) 363  
*variicollis* Fairm. 367  
*variicornis* Dalm. (Leptura) 220  
*variicornis* Pasc. (Prothema) 291  
*variipennis* Fairm. 122  
*variipes* Cascy (Acmaeops) 192  
*variipes* Ganglb. (Cortodera) 197  
*Varini* Bedel 339  
*variolosum* F. 73

*variolosus* Gerst. 68  
*varipes* Muls. 219  
*varium* Voet 161  
*varius* F. (Phymatodes) 355  
*varius* Müller (Chlorophorus) 401  
*variventris* L. W. Schauf. 219  
*vau* Berg 100  
*Vaucheri* Bedel 240  
*vacuum* F. 490  
*Vauthieri* Dupont 481  
*velox* Fährs. 323  
*velutina* Bates (Acyphoderes) 282  
*velutina* Jord. (Xystrocera) 37  
*velutina* Ol. (Strangalia) 246  
*velutina* Waterh. (Bradycnemis) 302  
*velutina* L. Heyd. (Cortodera) 198  
*velutina* Thoms. (Aeolesthes) 47  
*velutinum* F. (Callichroma) 312  
*velutinum* J. Lec. (Tetropium) 20  
*velutinus* Brullé (Cerambyx) 55  
*velutinus* M'Leay (Xylotrechus) 367  
*velutinus* Pasc. (Aphelodes) 175  
*venatum* Thoms. 138  
*venerea* Thoms. 291  
*venereum* Thoms. 316  
*Venezuelae* White 113  
*venezuelensis* Chev. 431  
*venosum* Eschsch. 344  
*ventrale* Blackb. (Sisyrium) 118  
*ventrale* Gah. (Ceresium) 125  
*ventrale* Germ. (Orthoschema) 332  
*ventralis* Chev. (Oligoenophus) 416  
*ventralis* Gah. (Demona) 411  
*ventralis* Horn (Ophistomis) 248  
*ventralis* Hald. (Phymatodes) 355  
*ventralis* Hald. (Tessaropa) 39  
*ventralis* L. Heyd. (Leptura) 208  
*ventricosa* Bates 110  
*ventripennis* Pic 372  
*Venus* Thoms. (Callichroma) 311  
*Venus* Thoms. (Hexaplon) 105  
*venusta* Brême 249  
*venustus* Bates (Cometes) 11  
*venustus* Fairm. (Chenoderus) 335  
*venustus* Pasc. (Massicus) 55  
*venustus* Bland (Anthophylax) 195  
*venustus* Gmel. (Chlorophorus) 402  
*venustus* Newm. (Aegoidus) 477  
*verbasci* F. 397  
*verbasci* L. 492  
*vermicularis* Pasc. 60  
*vermiculatus* Bates 481  
*Verneti* Pellet 342  
*Verneuili* Muls. 178  
*vermicosus* Pasc. 56  
*verruca* Jord. 33  
*verrucifer* Bates 31  
*verrucosus* Ol. 415  
*versicolor* Chev. (Rhopalophora) 432

- versicolor* F. Phil. (Hephaestion) 258  
*versicolor* Cast. (Pocillopeplus) 450  
*versicolor* Gmel. (Phymatodes) 355  
*versutum* Pasc. 125  
*versutus* Fasc. 50  
*verticalis* Germ. (Strangalia) 231  
*verticalis* Serv. (Stenaspis) 458  
*verticenigra* Pic 231  
*vespa* Fairm. & Germ. 257  
*vesparia* Pasc. (Chortyse) 261  
*vesparia* Pasc. (Hesthesis) 286  
*vesparum* Reitter 272  
*vespiventris* Bates 282  
*vespoides* White (Tomopterus) 285  
*respoides* Hald. (Clytus) 372  
*vestigiale* Pasc. 125  
*vestita* Pasc. (Agapete) 256  
*vestita* Pasc. (Pempsamacra) 293  
*vestita* Thoms. (Cleonice) 437  
*vestitus* Goun. (Paromœocerus) 333  
*vestitus* Hald. (Stenocorus) 182  
*vestitus* Jakowl. (Cleroclytus) 419  
*vestitus* Jord. (Taurotagus) 45  
*vestitus* White (Ozodes) 435  
*vesubiensis* Pic 371  
*Vethi* Lansb. (Calliehr.) 311  
*Vethi* Rits. (Demonax) 412  
*vexatrix* Mannerh. 228  
*vexatum* Newm. 358  
*vibex* Newm. 224  
*vicaria* Bates 240  
*vicarius* Auriv. 57  
*vicina* Hope 90  
*vicinum* Goun. (Obrium) 133  
*vicinum* Perr. (Peribœum) 98  
*vicinum* Hald. (Elaphid.) 86  
*vicinus* Sharp (Plagith.) 389  
*vicinus* Cast. & Gory (Xylotr.) 366  
*vidua* Lacord. (Oncopt.) 83  
*vidua* Waterh. (Apped.) 176  
*vidua* Chev. (Rhopaloph.) 431  
*vidua* Muls. (Gaurotès) 194  
*viduus* Geoffr.  
*vigilans* Pasc. (Hesthesis) 286  
*vigilans* Pasc. (Ocalemia) 250  
*vile* J. Lec. (Callid.) 345  
*vile* Newm. (Ceresium) 125  
*Villardi* Belon 41  
*villica* F. 230  
*villica* Ol. 231  
*villicornis* J. Lec. 29  
*villicus* Ol. 364  
*Villioni* Villard 363  
*villosa* L. Heyd. (Cortod.) 199  
*villosa* F. (Oemona) 115  
*villosa* Schönh. (Leptura) 208  
*villosicornis* Lacord. 78  
*villosimana* Fairm. 171  
*villosiflavomaculatus* Goeze 363  
*villosulum* Bates (Peribœum) 98  
*villosulum* Fairm. (Callid.) 346  
*villosum* F. 89  
*villosus* Geoffr. 399  
*vinculatum* Germ. 439  
*vincla* J. Lec. 192  
*vini* Panz. 130  
*vinosus* Fairm. 173  
*viola* Jord. (Oxypros.) 318  
*viola* J. Lec. (Aenacops) 192  
*violacea* Auriv. (Synapt.) 305  
*violacea* Thoms. (Mecos.) 304  
*violacea* Degeer (Gaurot.) 194  
*violaceipenne* Auriv. (Orthosch.) 332  
*violaceipenne* Hamilt. (Physcen.) 336  
*violaceipennis* Fairm. & Germain (Hephaest.) 258  
*violaceipennis* Quedf. (Helym.) 325  
*violaceomaculata* Goun. 431  
*violaceum* L. 345  
*violaceus* Serv. (Litopus) 321  
*violaceus* White (Compso.) 333  
*violascens* Perty 104  
*virens* Bates (Deltaspis) 459  
*virens* Drury (Calliehr.) 312  
*virens* F. (Clytus) 373  
*virens* Jord. (Litopus) 321  
*virens* L. (Leptura) 220  
*virens* L. (Philematium) 306  
*virens* Thunb. (Tracliyd.) 481  
*virescens* Auriv. (Strang.) 242  
*virescens* Chev. (Ochraeth.) 386  
*virescens* Fairm. & Germain (Platynoc.) 258  
*virescens* Jord. (Calliehr.) 311  
*virescens* Newm. (Xystroc.) 37  
*virescens* Pasc. (Paehyteria) 301  
*virescens* Gmel. (Promeees) 322  
*virescens* Leng (Calliehr.) 312  
*virescens* Stiehl. (Callid.) 346  
*virgata* Blackb. (Nenenia) 276  
*virgata* Goun. (Odontocera) 281  
*virgata* Pasc. (Limozota) 115  
*virgata* Pasc. (Pyrestes) 289  
*virgata* Goun. (Euryptera) 249  
*virgatum* Newm. 488  
*virgatus* J. Lec.  
*virginea* L. 194  
*virginea* Leidl. 194  
*virgo* Newm. (Eburod.) 83  
*virgo* Voet (Rhamnus) 166  
*virgulatum* Bates 108  
*viridana* Gah. (Halme) 423  
*viridana* Jord. (Rhopaliz.) 319  
*viridans* Gmel. 344  
*viridans* Thoms. (Leontium) 315  
*viride* Schönh. (Callid.) 344  
*viridescens* Jord. (Saphanidus) 26  
*viridescens* Motsch. (Callidium) 346

- viridescens* Thoms. (Rhopaligus) 319  
*viridiaureum* Degeer 313  
*viridicinctus* Auriv. 426  
*viridicollis* Chevr. (Trichox.) 382  
*viridicollis* Kraatz (Chloroph.) 402  
*viridicostata* Fairm. 303  
*viridicyanea* Thoms. 9  
*viridipenne* Pasc. (Chlorid.) 315  
*viridipenne* Thoms. (Orthosch.) 332  
*viridipennis* Gah. (Erythrus) 290  
*viridipennis* Hope (Plocaed.) 49  
*viridipennis* Lameere (Calanth.) 374  
*viridipeunis* Latr. (Criopros.) 458  
*viridipennis* Pic (Grammopt.) 206  
*viridipennis* Pasc. (Castiale) 100  
*viridipes* Bates 312  
*viridipietra* Fairm. 37  
*viridis* Bates (Tristach.) 29  
*viridis* Goun. (Ommata) 280  
*viridis* Jord. (Mecos.) 304  
*viridis* J. Lec. (Anthophyl.) 196  
*viridis* Pasc. (Epianthe) 426  
*viridis* Serv. (Euporus) 320  
*viridis* Pasc. (Closterom.) 323  
*viridis* Schaller (Promeces) 322  
*viridis* Voet (Leptura) 220  
*viridiventris* Chevr. 286  
*virilis* J. Lec. 245  
*viriosa* J. Lec. 243  
*vitrea* Serv. 280  
*vitreus* Pasc. 60  
*vittata* Auriv. (Chrysopr.) 441  
*vittata* Bates (Distenia) 9  
*vittata* Blanch. (Eburod.) 83  
*vittata* Broun (Didymoc.) 116  
*vittata* F. (Alloesia) 439  
*vittata* F. (Xystrocera) 37  
*vittata* Gah. (Rhaphuma) 408  
*vittata* Jord. (Cordylom.) 95  
*vittata* Ol. (Leptura) 224  
*vittata* Pasc. (Xystoena) 276  
*vittata* Sweder. (Acmaeops) 192  
*vittata* Thoms. (Coleox.) 65  
*vittatithorax* Goun. 430  
*vittatum* Auriv. (Orthosch.) 332  
*vittatum* Blackb. (Sisyr.) 118  
*vittatum* F. (Callichr.) 313  
*vittatus* Auriv. (Hypom.) 33  
*vittatus* Fährs. (Zoocosm.) 426  
*vittatus* Fisch. (Stenoc.) 181  
*vittatus* Hintz (Calanth.) 374  
*vittatus* J. Lec. (Perarthrus) 473  
*vittatus* Pasc. (Zoocosm.) 426  
*vittatus* Gmel. (Toxotus) 178  
*vittatus* J. Lec. (Malacopecter) 35  
*vitticolle* Fairm. 125  
*vitticollis* Auriv. (Helymaeus) 325  
*vitticollis* Bates (Ommata) 280  
*vitticollis* Bates (Pachymerola) 335  
*vitticollis* Bates (Stenosphenus) 444  
*vitticollis* Cast. & Gory (Trichox.) 382  
*vitticollis* Gah. (Xoanodera) 63  
*vitticollis* J. Lec. (Pyrotr.) 251  
*vitticollis* Sharp (Plagith.) 389  
*vitticollis* Muls. (Strang.) 231  
*vittidorsum* Pic (Ceresium) 125  
*vittidorsum* Reitter (Stenoc.) 180  
*vittifera* Bug. 437  
*vittiger* J. Lec. (Amannus) 474  
*vittiger* Rand. (Stenoc.) 182  
*vittigerum* Bates (Chlorid.) 315  
*vittigerum* Newm. (Genus?) 358  
*vittipennis* Bates (Odontocera) 281  
*vittipennis* Bates (Opades) 77  
*viverra* Pasc. 412  
*V-notata* Th. Pic 329  
Voeltzkowi Kolbe 131  
Vogti Guerry 338  
*volitans* Thoms. 454  
*voluptuosa* Thoms. 300  
voivulus F. 53  
Vuilleti R. Oberth. 326  
*vulgare* Samouelle 163  
vulneratum Fauv. 125  
vulneratus J. Lec. 355  
Wachanrui Levrat 464  
Wagleri Perty 43  
Wagneri Goun. 11  
Wahlbergi Auriv. (Macropseb.) 262  
Wahlbergi Fährs. (Purpuricen.) 465  
Walkerer Gah. (Homaemota) 422  
Walkerer Gah. (Neomicrus) 131  
Walkerer Pasc. (Demonax) 412  
Wallacei Pasc. (Cyriopalus) 47  
Wallacei White (Mecometopus) 395  
Waltli Chevr. 420  
Warentzovi Melgunov 38  
Waterhousei Goun. (Coleoxestia) 65  
Waterhousei Pasc. (Akiptera) 256  
Waterhousei White (Ancylocera) 446  
Watsoni Gah. (Aglaophis) 416  
Watsoni Gah. (Polyzonus) 317  
Webbi Brullé 399  
Weisi L. Heyd. 203  
Welensi Küst. 55  
Westermanni Guér. 454  
Westringi Fährs. 406  
Westwoodi Chevr. (Trichoxys) 382  
Westwoodi Hope (Scolecobrot.) 147  
Westwoodi Pasc. (Clytellus) 424  
Westwoodi White (Erythrus) 290  
Whitei Pasc. 292  
Whytei Gah. 304  
Wiedemanni Cast. & Gory 408  
Wieneckei Vollenh. 465  
Wilsoni Horn 469

- Wittei Hintz 304  
 Wollastoni Gah. (Perissus) 375  
 Wollastoni White (Telocera) 295  
*Wredii* Fischer 462
- xantha* Jord. (Leptoeme) 27  
*xantha* Semen. (Necydalis) 260  
*xantho* Bates (Ommata) 280  
*xantho* Bates (Opistomis) 248  
*xanthoderus* Bates 476  
*xanthogastra* J. Lec. 222  
*xanthogastrum* Bates 313  
*xanthoma* Bates 231  
*xanthomelacna* White 450  
*xanthomelas* Guér. (Parevander) 453  
*xanthomelas* Jord. (Apiogaster) 425  
*xanthophasma* Bates 435  
*xanthoptera* Pic 199  
*xanthopus* Quedf. 304  
*xanthospilos* Dupont 483  
*xanthotelus* Bates 248  
*Xatarti* Duf. 159  
*xeniscus* Bates 402  
*xestioides* Bates 99  
*x-littera* Chevr. (Perissus) 375  
*x-littera* Thoms. (Gnomidolon) 106  
*x-maculatus* Jord. 374
- Y-pallidum* Motsch. 137  
*ypsilon* Chevr. 393
- yucateca* Bates (Apelocera) 420  
*yucateca* Bates (Odontocera) 281  
*yunamensis* Pic 373
- zambeziana* Péring. 95  
*zarudnianus* A. Sem. 464  
*zebra* Ol. (Strangalia) 246  
*zebra* Cast. & Gory (Plagionotus) 379  
*zebra* Dalm. (Plagionotus) 379  
*zebra* Felt (Judolia) 227  
*zebrata* F. (Strangalia) 246  
*zebrata* Hald. (Judolia) 227  
*zebratus* Bates 386  
*zelandicum* Blanch. 70  
*zeylanicum* White 125  
*ziezac* Nonfr. (Eligmoderma) 114  
*ziezac* Voet (Cyllene) 385  
*z-littera* Chevr. 386  
*zona* Chevr. 423  
*zonarius* Houttuyn 481  
*zonata* Klug 451  
*zonatum* Sahlb. (Mallosoma) 439  
*zonatum* Goun. (Ibidion) 112  
*zonatus* Dalm. (Trachyderus) 481  
*zonatus* Pasc. (Asilaris) 249  
*zonatus* Pasc. (Homalomelas) 291  
*zonifera* Blanch 242  
*zonopteroides* Fleut. 301
-











SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01273 1659