

**Additions and corrections to the new Catalogue of Palaearctic
Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana,
2010. Part. IX**

M.L. Danilevsky

A.N. Severtzov Institute of Ecology and Evolution, Russian Academy of Sciences,
Leninsky prospect 33, Moscow 119071 Russia
e-mail: danilevskyml@rambler.ru, danilevsky@cerambycidae.net

Key words: Cerambycidae, taxonomy, Palaearctic Region, new rank, new combinations, new records.

Abstract: Misprints, wrong combinations, wrong geographical records, wrong references, wrong status of certain names, wrong synonyms, wrong authorships and dates of certain names, wrong spellings of several names and so on are fixed. Sometimes unavailable names were published as available. Missing names, geographical data and references are added. Several new geographical records are included.

Ninth (and the last, as a new updated version of the Catalogue is prepared by me) part of additions and corrections to the Cerambycidae Catalogue (Löbl & Smetana, 2010) continues eight parts published before (Danilevsky, 2010, 2011, 2012a, 2012b, 2012c, 2012d, 2013a, 2013b). All parts include more than 1000 corrections, as well as many new geographical records and several new names, which are all shown in <http://www.cerambycidae.net/catalog.html> together with acceptable corrections published by A. I. Miroshnikov (2011a, 2011b, 2011c, 2011d, 2013a, 2013b), I. Löbl & A. Smetana (2011, 2013), D.G. Kasatkin & A. I. Miroshnikov (2011), H. Özdi̇kmen (2011).

The references to the present article include only the publications absent in the references to the Catalogue (Löbl & Smetana, 2010). The references inside the text of the present article to the publications included in the references to the Catalogue have same letters after the number of the year as in the Catalogue.

1. page 85

PRINTED:

genus *Distenia* Audinet-Serville, 1825: 485 type species *Distenia columbina* Audinet-Serville, 1825

M.L. Danilevsky

Antinoe J. Thomson, 1864: 225 type species *Antinoe bicolor* J. Thomson, 1864

Apheles Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872

Sakuntala Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890

Thelxiope J. Thomson, 1864: 226 type species *Thelxiope viridicyanea* J. Thomson, 1864

MUST BE:

genus *Distenia* Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828

subgenus *Distenia* Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828

Apheles Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872

Sakuntala Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890

Thelxiope J. Thomson, 1864: 226 [HN] type species *Thelxiope viridicyanea* J. Thomson, 1864

Thomsonistenia Santos-Silva & Hovore, 2007:3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864

NOTE:

According to Santos-Silva & Hovore (2007) *Distenia* Lepeletier and Audinet-Serville, 1828 must be accepted. The date and authorship of the genus (as well as its type species) were published on the base of Evenhuis (2003).

The new date was accepted by Löbl & Smetana (2013), but the traditional authorship was left though with another year: “*Distenia* Audinet-Serville, 1828” and reference was modified as:

Audinet-Serville J. G. A. 1825-1828: [new taxa]. In: Diderot D. & d'Alembert J. L. (eds): Encyclopédie Méthodique. Histoire Naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes. Tome. 10. Paris: Agasse, 832pp [1825: 1-344, 1828: 345-832].

2. page 87

PRINTED:

sinicum hainanensis Gahan, 1900d: 347 A: FUJ GUA GUX HAI JIA SCH TAI YUN **ORR**

MUST BE:

hainanense hainanense Gahan, 1900d: 347 A: FUJ GUA GUX HAI JIA SCH TAI YUN **ORR**

M.L. Danilevsky

NOTE:

Aegosoma sinicum legrandi Komiya & Drumont, 2013: 92 was described from Borneo (Sabah). The new taxon was compared with *A. sinicum hainanense* as very close. So, as it was noticed by T. Tichý (personal message, 2013), after recognition of *A. hainanense* as a species, *Aegosoma hainanense legrandi* Komiya & Drumont, 2013 must be accepted.

3. page 97

PRINTED:

inexpectata Jansson & Sjöberg, 1928: 212 (*Leptura*)

MUST BE:

inxspectata Jansson & Sjöberg, 1928: 212 (*Leptura*)

4. page 101

PRINTED:

pallipes Stephens, 1831: 264 (*Leptura*)

MUST BE:

pallipes Stephens, 1831: 263 (*Leptura*)

5. pages 102, 106

PRINTED (p.106):

lateripicta Fairmaire, 1895: 178 (*Leptura*) A: FUJ ORR

fukiensis Tippmann, 1955: 98 (*Strangalia*)

MUST BE (p.102):

genus *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 243 type species *Strangalia contracta* Bates, 1884

akiyamai Hayashi, 1978a: 86 A: TAI

albopreterminalis Hayashi & Villiers, 1989: 2 A: TAI

angustissima Gressitt, 1935d: 261 (*Strangalia*) A: TAI

yanoi Tamanuki, 1939: 146 (*Strangalia*)

atrocincta Pic, 1928b: 17 (*Strangalia*) A: SE SW ORR

auricoma Holzschuh, 2007: 197 A: YUN ORR

contracta Bates, 1884: 223 (*Strangalia*) A: JA JIX

ohbayashii Matsushita, 1933b: 220 (*Strangalia*)

tamanukii Hayashi, 1959b: 61 (*Pygostrangalia*)

fukienensis Pic, 1957: 77 (*Strangalia*) A: FUJ

fukienensis Tippmann, 1955: 98 (*Strangalia*) A: ANH FUJ

M.L. Danilevsky

NOTE:

According to T. Tichý (personal message, 2013) Löbl & Smetana (2011: 37) published a wrong correction: “remove *fukiensis* Tippmann, 1955 from synonymy of *Mimostrangalia lateripicta* Fairmaire, 1895 and place it as valid species in *Ischnostrangalis*”.

See Holzschuh (2008: 149): “*Strangalia lateripicta fukiensis* Tippmann, 1955 is raised to species level and transferred to *Idiostrangalia* Nakane et Ohbayashi, 1957”. *Idiostrangalia fukiensis* (Tippmann, 1955) is distributed in “China: Fujian, Anhui” (Holzschuh, 2008: 163).

6. pages 102, 112

PRINTED(p. 102):

genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura dentatipennis* Pic, 1901
basiplicata Fairmaire, 1889a: 60 (*Stenura*) A: GUA GUI HUB HUN JIX SCH ZHE

argodi Théry, 1896: 109 (*Strangalia*)

dentatipennis Pic, 1901m: 60 (*Leptura*) A: JA

yamasakii Mitono, 1936: 421 (*Strangalia*) A: FUJ GUI HUN JIX TAI

miwai Mitono, 1943: 587 (*Strangalia*)

(p. 112):

genus *Sinostrangalis* Hayashi, 1960a: 13 type species *Strangalia ikedai* Tamanuki & Mitono, 1939

elegans Tippmann, 1955: 94 (*Strangalia*) A: FUJ

michioi Tippmann, 1955: 95

MUST BE:

genus *Elacomia* Heller, 1916b: 298 type species: *Elacomia collaris* Heller, 1916

Acantholeptura Gressitt, 1935h: 274 type species:
Acantholeptura glabropleura Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)

michioi Tippmann, 1955: 95 (*Strangalia*) A: FUJ

semiannulata Pic, 1916d: 5 (*Leptura*) A: YUN ORR

...

genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura dentatipennis* Pic, 1901

M.L. Danilevsky

basiplicata Fairmaire, 1889a: 60 (*Stenura*) A: FUJ GUA GUI HUB HUN JIX SCH ZHE

argodi Théry, 1896: 109 (*Strangalia*)

elegans Tippmann, 1955: 94 (*Strangalia*)

dentatipennis Pic, 1901m: 60 (*Leptura*) A: JA

yamasakii Mitono, 1936: 421 (*Strangalia*) A: FUJ GUI HUN JIX TAI

miwai Mitono, 1943: 587 (*Strangalia*)

NOTE:

According to Holzschuh (1991c: 27) *Strangalia elegans* Tippmann, 1955: 94 is a synonym of *Stenura basiplicata* Fairmaire, 1889a; *Strangalia michioi* Tippmann, 1955: 95 is a valid name in *Elacomia*.

Elacomia semiannulata (Pic, 1916d) was recorded by Weigel et al. (2013: 53, 67) for Yunnan, but here a wrong spelling with wrong date was used ("*Leptura formorata* Pascoe, 1859").

7. pages 104-105

PRINTED:

auratopilosa Matsushita, 1931a: 42 (*Strangalia*) A: FUJ GUA GUI GUX HEN HUB HUN JA (Ryukyus) JIX SCH TAI ZHE

piyanan Kano, 1933a: 267 (*Strangalia*)

quadranglithoracica Tamanuki, 1942: 145 (*Strangalia*)

segregata Tamanuki, 1942: 146 (*Strangalia*)

aurosericans Fairmaire, 1895: 177 A: FUJ GUA GUI GUX HUB HUN JIX SCH ZHE **ORR**

mausonensis Pic, 1903c: 29

meridiosinica Gressitt, 1951a: 99

...

mushana Tamanuki, 1939: 144 (*Strangalia*) A: TAI

...

tattakana Kano, 1933a: 266 (*Strangalia*) A: TAI

horishana Matsushita, 1933b: 214

MUST BE:

auratopilosa Matsushita, 1931a: 42 (*Strangalia*) A: TAI

piyanan Kano, 1933a: 267 (*Strangalia*)

quadranglithoracica Tamanuki, 1942: 145 (*Strangalia*)

segregata Tamanuki, 1942: 146 (*Strangalia*)

aurosericans Fairmaire, 1895: 177 A: FUJ GUA GUI GUX HEN HUB HUN JA (Ryukyus) JIX SCH ZHE ORR

M.L. Danilevsky

mausonensis Pic, 1903c: 29
meridiosinica Gressitt, 1951a: 99
rufimembris Pic, 1923a: 11 (*Parastrangalis*)
sericea Pic, 1903c: 29

...

tattakana Kano, 1933a: 266 (*Strangalia*) A: TAI
horishana Matsushita, 1933b: 214
mushana Tamanuki, 1939: 144 (*Strangalia*)

NOTE:

According to Yang et al. (2011) *Strangalia horishana* Matsushita, 1933b and *Strangalia tattakana* Kano, 1933a are synonyms of *Strangalia auratopilosa* Matsushita, 1931a.

According to Ohbayashi & Chou (2013) *Leptura tattakana* (Kano, 1933a) [= *horishana* Matsushita, 1933b = *mushana* Tamanuki, 1939] is valid.

8. page 106

PRINTED:

gahani Plavilstshikov, 1921: 110 (*Leptura*) A: YUN ORR

MUST BE:

gahani Plavilstshikov, 1921: 110 (*Leptura*) [RN] A: YUN ORR

9. page 107

NEW RECORD:

Nanostrangalia trinotata (Pic, 1928: 26) (*Leptura*) A: YUN ORR

NOTE:

See: Weigel et al. (2013).

10. page 107

PRINTED:

lindbergi Villiers, 1943: 233 (*Strangalia*) N: MO

MUST BE:

lindbergi Villiers, 1943: 233 (*Strangalia*) N: MO
baudoni Villiers, 1960a: 7 (*Strangalia*)

11. page 108

MISSING NAME:

Pachytodes cerambyciformis var. *externeonotata* Pic, 1923: 13 – “France: Poule”.

M.L. Danilevsky

NOTE:

See missing publication by Pic (1923).

12. page 108

PRINTED:

multiinterrupta Pic, 1915a: 30 (*Leptura*)

MUST BE:

multiinterruptus Pic, 1915a: 30 (*Leptura*)

13. page 110

PRINTED:

sculptilis Holzschuh, 1991c: 30 A: SCH

MUST BE:

sculptilis Holzschuh, 1991c: 30 A: SCH TAI

NOTE:

See: Holzschuh (2013)

14. page 110

PRINTED:

schleichneri Pic, 1934g: 38 (*Leptura*)

MUST BE:

schleicheri Pic, 1934g: 38 (*Leptura*)

15. page 112

PRINTED:

maculata nigricornis Stierlin, 1864: 153 (*Strangalia*) E: IT (Sicilia)

MUST BE:

maculata manca Schaufuss, 1863: 121 (*Strangalia*) E: AB AR FR
GG IT PT SP ST UK A: IN TR SY

kricheldorfii Wagner, 1928: 121 (*Leptura*)

nigricornis Stierlin, 1864: 153 (*Strangalia*)

nigrofasciata V. Petagna, 1792: 247 (*Leptura*) [HN]

16. page 114

PRINTED:

otini Peyerimhoff, 1949: 293 (*Leptura*) E: SP N: MO

peyerimhoffi Reymond, 1953: 200 (*Leptura*)

MUST BE:

otini Peyerimhoff, 1949: 293 (*Leptura*) E: SP N: MO

M.L. Danilevsky

NOTE:

The name *Leptura otini* var. *peyerimhoffi* Reymond, 1953 is unavailable. It was proposed for two dark specimens only from normal population, so infrasubspecific rank was expressly given (Article 45.6.4 of ICZN).

17. page 114

PRINTED:

cordigera anojaensis Sláma, 1982: 207 E: GR (Kríti) A: TR

MUST BE:

cordigera anojaensis Sláma, 1982: 207 (*Brachyleptura*) E: GR (Kríti) A: TR

NOTE:

The newly published correction “*anoaiensis*” (Löbl & Smetana, 2013: 41) was also wrong.

18. page 115

PRINTED:

scutellata melas P. H. Lucas, 1849: 510 (*Leptura*) E: IT (Sicilia) N: AG TU

MUST BE:

scutellata melas P. H. Lucas, 1847: pl. 43 (*Leptura*) E: IT (Sicilia) N: AG TU

NOTE:

According to Löbl & Smetana (2013) „correct data for *Stictoleptura scutellata melas* (P. H. Lucas) to 1847: pl. 43“.

19. page 118

PRINTED:

cursor Linnaeus, 1758: 393 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IT LA LS LT MC MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: SHX WS

genuinus Letzner, 1885: 346

lineatus Letzner, 1885: 346

luctuosus Latreille, 1804a: 310 (*Leptura*)

niger Olivier, 1795: 19 (*Stenocorus*)

nigricollis Letzner, 1885: 346

noctis Linnaeus, 1767: 630 (*Cerambyx*)

spaceki Roubal, 1934c: 140

M.L. Danilevsky

MUST BE:

cursor Linnaeus, 1758: 393 (*Cerambyx*) **E:** AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IT LA LS LT MC MD NL NR NT PL RO SK SL SP ST SV SZ UK YU **A:** SHX WS

luctuosus Latreille, 1804a: 310 (*Leptura*)

niger Olivier, 1795: 19 (*Stenocorus*)

noctis Linnaeus, 1767: 630 (*Cerambyx*)

spaceki Roubal, 1934c: 140

NOTE:

Four new names (*genuinus*, *fenestratus*, *lineatus*, *nigricollis*) proposed by Letzner (1885) for *Oxymirus cursor* as “Farben-Varietäten“ without any geographical remarks in a local „Schlesischen“ revue must be regarded as unavailable as the author expressly gave to each infrasubspecific rank (Article 45.6.4 of ICBN).

20. page 119

NEW RECORD:

genus *Capnolymma* Gressitt & Rondon, 1970: 34 type species

Capnolymma sulcaticeps Pic, 1923

sulcaticeps Pic, 1923a: 12 (*Capnolymma*) **A:** YUN ORR

NOTE:

See: Weigel et al. (2013).

Here I preliminary regard the genus inside Rhagiini, but the necessity of the own tribe (together with *Capnolymma* Pascoe, 1869 and *Apiocephalus* Gahan, 1898) is quite evident.

21. page 119

MISSING NAME:

Pachyta strigilata var. *spreta* Lentz, 1857: 147 – “Preußen”

NOTE:

It is a synonym of *Gnathacmaeops pratensis* (Laicharting, 1784).

22. page 121

PRINTED:

genus *Brachyta* Fairmaire, 1864a: 185 type species *Leptura interrogationis* Linnaeus, 1758

...

M.L. Danilevsky

variabilis phlaesa Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI
variabilis scapularis Mannerheim, 1849: 245 (*Pachyta*) A: ES FE
MG NE NMO

comosa Solsky, 1871a: 400 (*Pachyta*)
discobilineata Pic, 1928c: 2
heyrovskyi Pic, 1926d: 10
instriolata Pic, 1912c: 2 (*Evodinus*)
intermedia Pic, 1916b: 3 (*Evodinus*)
multisignata Pic, 1915a: 41 (*Evodinus*)
mutabilis Motschulsky, 1859a: 571 (*Pachyta*)
obscuripennis Pic, 1900c: 6 (*Evodinus*)
preapicalis Pic, 1902c: 8
prescutellaris Pic, 1902c: 8
reductesignatus Pic, 1915a: 41 (*Evodinus*)
rufimembris Pic, 1926d: 13
semifulva Pic, 1900s: 82
sinuatolineatus Pic, 1915a: 41 (*Evodinus*)
sinuatosignata Pic, 1915e: 4 (*Evodinus*)
solskyi Kraatz, 1879c: 71 (*Pachyta*)
subfasciata Pic, 1926d: 10
subjuncta Pic, 1926d: 10
sublineata Pic, 1916b: 3 (*Evodinus*)
testaceimembris Pic, 1916b: 2 (*Evodinus*)

MUST BE:

genus ***Brachyta*** Fairmaire, 1864a: 185 type species *Leptura interrogationis* Linnaeus, 1758

...

variabilis aberrans Villiers, 1960a: 6 (*Evodinus*) A: FE NE NC
variabilis phlaesa Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI
variabilis scapularis Mannerheim, 1849: 245 (*Pachyta*) A: ES MG NE NMO

cincta Villiers, 1960a: 6 (*Evodinus*)
comosa Solsky, 1871a: 400 (*Pachyta*)
discobilineata Pic, 1928c: 2
heyrovskyi Pic, 1926d: 10
instriolata Pic, 1912c: 2 (*Evodinus*)
intermedia Pic, 1916b: 3 (*Evodinus*)
multisignata Pic, 1915a: 41 (*Evodinus*)
mutabilis Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]
obscuripennis Pic, 1900c: 6 (*Evodinus*)
pici Villiers, 1960a: 6 (*Evodinus*)
preapicalis Pic, 1902c: 8
prescutellaris Pic, 1902c: 8
reductesignatus Pic, 1915a: 41 (*Evodinus*)

M.L. Danilevsky

- semifulva* Pic, 1900s: 82
sinuatolineatus Pic, 1915a: 41 (*Evodinus*)
sinuatosignata Pic, 1915e: 4 (*Evodinus*)
solskyi Kraatz, 1879c: 71 (*Pachyta*)
subfasciata Pic, 1926d: 10
subjuncta Pic, 1926d: 10
sublineata Pic, 1916b: 3 (*Evodinus*)
***testaceimembris* Pic, 1916b: 2 (*Evodinus*) A: FE**
***rufimembris* Pic, 1926d: 13**

NOTE:

Evodinus variabilis var. *cinctum* Villiers, 1960a (“Baïkal”), *E. v.* var. *pici* Villiers, 1960a (“Sibérie”) and *E. v.* var. *aberrans* Villiers, 1960a (“Ussuri”) are available. The species is represented by a local subspecies in Primorsky Region of Russia - *Brachyta variabilis aberrans* (Villiers, 1960a), which is also distributed in neighboring areas of China and Korea (Danilevsky, 2013c).

Populations from southern Khabarovsk region were accepted (Danilevsky, 2013c) as *B. variabilis testaceimembris* (Pic, 1916) [= *rufimembris* Pic, 1926] (see holotype in “Gallery” - www.cerambycidae.net).

23. page 121

PRINTED:

genus *Capnolymma* Pascoe, 1858: 265 type species *Capnolymma stygia* Pascoe, 1858

brunnea Gressitt & Rondon, 1970: 33 A: YUN **ORR**

MUST BE:

genus *Capnolymma* Pascoe, 1858: 265 type species *Capnolymma stygia* Pascoe, 1858

brunnea Gressitt & Rondon, 1970: 33 A: YUN **ORR**

laotica* Gressitt & Rondon, 1970: 33 A: YUN **ORR*

NOTE:

See: Weigel et al. (2013).

24. page 132

MISSING NAME:

Rhagium mordax ssp. *altajense* Podaný, 1964a: 15 – synonym of *Rhagium mordax* (DeGeer, 1775)

M.L. Danilevsky

25. page 132

PRINTED:

sycophanta Schrank, 1781a: 137 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT MC MD NL PL PT RO SK SL SP ST SV SZ TR UK YU A: WS

grandiceps C. G. Thomson, 1866: 50

scrutator Olivier, 1795: 10 (*Stenocorus*)

MUST BE:

sycophanta Schrank, 1781a: 137 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT MC MD NL PL PT RO SK SL SP ST SV SZ TR UK YU A: WS

cephalotes Mulsant, 1839: 224

grandiceps C. G. Thomson, 1866: 50

scrutator Olivier, 1795: 10 (*Stenocorus*)

NOTE:

The name was introduced as *Rhagium mordax* var. *cephalotes* Mulsant, 1839, but it was attributed to *Rh.sycophanta* by Pic, (1908c: 10) and by Aurivillius (1912: 163).

26. page 137

PRINTED:

nitidus Fairmaire, 1864a: 340 (*Cyamophthalmus*)

MUST BE:

nitidus Fairmaire, 1864b: 340 (*Cyamophthalmus*)

27. page 144

PRINTED:

longispinnis Gardner, 1939: 9 (*Aglaophis*) A: SD

MUST BE:

longispin~~i~~nis Gardner, 1939: 9 (*Aglaophis*) A: SD

NOTE:

According to Löbl & Smetana (2013) “correct spelling of *Anaglyptus longispinnis* Gardner, 1939 to *longispinis*”.

28. page 145

PRINTED:

tribe Brachypteromini Sama, 2008

M.L. Danilevsky

MUST BE:

tribe Brachypteromatini Sama, 2008

NOTE:

According to Bouchard et al. (2011: 467) the correct spelling is Brachypteromatini.

29. page 147

PRINTED:

rosara P. H. Lucas, 1849: 488

MUST BE:

rosara P. H. Lucas, 1847: pl. 41

NOTE:

See: Löbl & Smetana (2013)

30. page 147

PRINTED:

binotatum Brongniart, 1892: 245 (*Leontium*) A: "India"

MUST BE:

binotatum Brongniart, 1892: 245 (*Leontium*) A: **YUN ORR**

NOTE:

See: Weigel et al. (2013).

31. page 148

PRINTED:

viride J. Thomson, 1864: 175 A: FE HUB JA NC SC SCH TAI

...

laotium Gressitt & Rondon, 1970: 169 A: HAI **ORR**

MUST BE:

viride J. Thomson, 1864: 175 A: FE HUB JA NC SC SCH TAI
YUN

...

laotium Gressitt & Rondon, 1970: 169 A: HAI **YUN ORR**

NOTE:

See: Weigel et al. (2013).

32. page 150

PRINTED:

provosti Fairmaire, 1887d: liv (*Callichroma*) A: BEI HEN HUB NE

M.L. Danilevsky

SC SHN

MUST BE:

provostii Fairmaire, 1887d: liv (*Callichroma*) **A:** BEI HEN HUB NE SC SHN YUN

NOTE:

See: Weigel et al. (2013).

33. page 152

PRINTED:

levaillantii P. H. Lucas, 1849: 485 **E:** FR PT SP **N:** AG MO

MUST BE:

levaillantii P. H. Lucas, 1847: pl. 41 (*Cerambyx*) **E:** FR PT SP **N:** AG MO

NOTE:

The data on original description were published by Löbl & Smetana (2013).

34. page 153

MISSING NAME:

Poecilium alni var. *notaticollis* Pic, 1945b: 6

35. page 157

PRINTED:

hirta Fairmaire, 1850: 60 (*Stromatidium*) **A:** TAI ZHE **ORR**

MUST BE:

hirta Fairmaire, 1850: 60 (*Stromatidium*) **A:** TAI YUN ZHE **ORR**

NOTE:

See: Weigel et al. (2013).

36. page 159

PRINTED:

welensii Küster, 1845a: 44 (*Hammaticherus*) **E:** AL AB BH BU CR FR GG GR HU IT PT RO SK SL SP UK YU **A:** CY IN IS JO LE SY TR

centurio Czwalina, 1891: 99

velutinus Brullé, 1832: 252 [HN]

MUST BE:

welensii centurio Czwalina, 1891: 99 **A:** IS JO LE SY

M.L. Danilevsky

welensii welensii Küster, 1845a: 44 (*Hammaticherus*) **E:** AL AB BH
BU CR FR GG GR HU IT PT RO SK SL SP TR UK YU **A:** CY IN
TR

velutinus Brullé, 1832: 252 [HN]

NOTE:

Cerambyx welensii centurio Czwalina, 1891 was accepted for Syria by Villiers (1978: 305).

37. page 160

PRINTED:

aureofulvescens Gressitt & Rondon, 1970: 80 **A:** JIX **ORR**

MUST BE:

aureofulvescens Gressitt & Rondon, 1970: 80 **A:** JIX **YUN ORR**

NOTE:

See: Weigel et al. (2013).

38. page 161

PRINTED:

genus *Massicus* Pascoe, 1867a: 319 [RN] type species *Cerambyx pascoei* J. Thomson, 1857

Conothorax J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857

Falsomassicus Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946

dierli Heyrovský, 1976: 181 **A:** NP

fasciatus Matsushita, 1933b: 243 (*Mallambyx*) **A:** FUJ HUN TAI

taiwanensis Hayashi, 1992: 138 **A:** TAI

theresae Pic, 1946a: 7 (*Falsomassicus*) **A:** CH

trilineatus Pic, 1933a: 12 (*Dymasius*) **A:** AP FUJ HAI JIX TAI
YUN ORR

MUST BE:

genus *Massicus* Pascoe, 1867a: 319 [RN] type species *Cerambyx pascoei* J. Thomson, 1857

Conothorax J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857

Falsomassicus Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946

dierli Heyrovský, 1976: 181 **A:** NP

taiwanensis Hayashi, 1992: 138 **A:** TAI

M.L. Danilevsky

theresae Pic, 1946a: 7 (*Falsomassicus*) A: CH

trilineatus fasciatus Matsushita, 1933b: 243 (*Mallambyx*) A: TAI

trilineatus trilineatus Pic, 1933a: 12 (*Dymasius*) A: AP FUJ HAI

JIX YUN ORR

NOTE:

Massicus trilineatus fasciatus (Matsushita, 1933b) was proposed by Gressitt & Rondon (1970: 59) for Taiwan and accepted by Nakamura et al. (1992: 23).

39. page 162

PRINTED:

arabicus Villiers, 1968: 848 (*Microderolus*) A: SA YE

MUST BE:

arabicus Villiers, 1968: 848 (*Microderolus*) A: OM SA YE

NOTE:

According to R.Ambrus (personal message, 2013) *Xenoderolus arabicus* was collected in Oman: 4 adults reared ex larva from dead branches of *Acacia* sp., W. Grosser leg. et coll., K. Adlbauer det.; Oman, Dhofar, Jabal Samhan, 15 km NW Jufa, 17°11'10.14"N 54°56'34.26"E, 27. 9. 2011.

40. page 163

NEW RECORD:

genus *Diorthus* Gahan, 1891a: 27 type species *Hammaticherus simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1792)

subgenus *Lamellocerambyx* Pic, 1923e: 8 type species *Lamellocerambyx laosensis* Pic, 1923e

laosensis Pic, 1923e: 8 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

According to Özdkmen & Turgut (2009: 302) “*Diorthus* Gahan, 1891 is a synonym of *Tapinolachnus* Thomson, 1864.”

41. page 163

PRINTED:

ornatus Holzschuh, 1981: 102 A: NP SD

MUST BE:

ornatus Holzschuh, 1981: 102 A: NP SD YUN

M.L. Danilevsky

NOTE:

See: Weigel et al. (2013).

42. page 164

NEW RECORD:

Dere punctifrons Holzschuh, 1991b: 63 A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

43. page 165

PRINTED:

annulatus Hope, 1831: 28 (*Clytus*) A: NP SD

MUST BE:

annulatus Hope, 1831: 28 (*Clytus*) A: NP SD **YUN ORR**

NOTE:

See: Weigel et al. (2013).

44. page 166

MISSING NAME:

Chlorophorus brevenotatus Pic, 1922c: 13 A: GUA **ORR** was recorded for Guandong by Hua et al. (2009: 295)

45. pages 166, 167

PRINTED [p. 166]:

kanekoi Matsushita, 1941: 134

[as a synonym of *Chlorophorus diadema diadema*]

and [p. 167]

kanekoi Matsushita, 1941: 154 A: TAI

[as valid name]

NOTE:

Second case is correct.

46. page 167

PRINTED:

hederatus Heller, 1926: 25 A: GUX **ORR**

..

insidiosus Holzschuh, 1986a: 124 A: NP SD

M.L. Danilevsky

MUST BE:

hederatus Heller, 1926: 25 A: GUX **YUN ORR**

..

insidiosus Holzschuh, 1986a: 124 A: NP SD **YUN**

NOTE:

See: Weigel et al. (2013).

47. page 169

PRINTED:

sexguttatus P. H. Lucas, 1849: 493 (*Clytus*) A: AG LB MO TU

MUST BE:

sexguttatus P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU

NOTE:

According to Löbl & Smetana (2013) „correct data for *Chlorophorus sexguttatus* (P. H. Lucas) to 1847: pl. 42“.

48. page 169

NEW RECORD:

Chlorophorus siegriedae Holzschuh, 1993a: 36 A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

49. page 170

PRINTED:

genus *Clytosaurus* J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864

siamensis Jordan, 1894b: 497 A: HAI **ORR**

signaticollis Pic, 1922a: 8 (*Xylotrechus*)

MUST BE:

genus *Clytosaurus* J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864

siamensis Jordan, 1894b: 497 A: HAI **YUN ORR**

signaticollis Pic, 1922a: 8 (*Xylotrechus*)

NOTE:

See: Weigel et al. (2013).

M.L. Danilevsky

50. page 172

NEW RECORDS:

Demonax alcanor Gressitt & Rondon, 1970: 270 A: GUX HAI
YUN ORR

annamensis Pic, 1943a: 2 [RN] A: YUN **ORR**

diversefasciatus Pic, 1937b: 8 [HN]

elongatus Gressitt & Rondon, 1970: 263 A: YUN **ORR**

languidus Holzschuh, 1992: 37 A: YUN **ORR**

levipes Holzschuh, 1991c: 51 A: YUN **ORR**

pumilio Holzschuh, 1991c: 48 A: YUN **ORR**

reticollis Gahan, 1894a: 28 A: YUN **ORR**

tenuiculus Holzschuh, 1991b: 52 A: YUN **ORR**

testaceoannulatus Pic, 1935a: 15 A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

51. page 173

PRINTED:

literatus nansenensis Pic, 1903b: 21 A: YUN **ORR**

MUST BE:

nansenensis Pic, 1903b: 21 A: YUN **ORR**

lineaticollis Schwarzer, 1931: 64.

NOTE:

See: Weigel et al. (2013).

52. page 173

PRINTED:

nousophi Gressitt & Rondon, 1970: 270 A: YUN **ORR**

MUST BE:

salvazai Pic, 1923b: 10 A: YUN **ORR**

nousophi Gressitt & Rondon, 1970: 270

NOTE:

See: Weigel et al. (2013).

53. page 174

NEW RECORD:

Demonax testaceoannulatus Pic, 1935: 15 A: YUN **ORR**

M.L. Danilevsky

NOTE:

See: Weigel et al. (2013).

54. page 176

NEW RECORD:

Perissus persimilis Gahan, 1894: 23 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

55. page 178

NEW RECORDS:

Rhaphuma aequalis Holzschuh, 1991b: 49 A: YUN ORR

bicolorifemoralis Gressitt & Rondon, 1970: 249 A: HAI YUN ORR

desaii Gardner, 1940: 220 A: YUN ORR

diana Gahan, 1906a: 271 A: GUX YUN ORR

elongata Gressitt, 1940c: 184 A: HAI HEN HUB HUN SCH SHA SHX YUN ZHE

luteopubens Pic, 1937a: 13 A: YUN ORR

quercus Gardner, 1940: 222 A: YUN ORR

steinkae Holzschuh, 1991a: 16 A: YUN ORR

tenerrima Holzschuh, 1991a: 13 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

56. page 178

PRINTED:

binhensis maculicollis Gressitt & Rondon, 1970: 237 A: GUX HAI

ORR

MUST BE:

maculicollis Gressitt & Rondon, 1970: 237 A: GUX HAI YUN

ORR

NOTE:

See: Weigel et al. (2013).

57. page 180

PRINTED:

genus *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi*

M.L. Danilevsky

Danilevsky & Miroshnikov, 1985

stepanovi Danilevsky & Miroshnikov, 1985: 272 (*Clytus*) **E: GG ST**
MUST BE:

(in *Clytus*)

subgenus *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985
stepanovi Danilevsky & Miroshnikov, 1985: 272 **E: GG ST**
vesparum Reitter, 1889f: 375 **E: AB A: IN**

58. page 181

NEW RECORDS:

Xylotrechus bilyi Holzschuh, 2003a: 199 **A: YUN ORR**

vinnulus Holzschuh, 1993a: 35 **A: YUN ORR**

NOTE:

See: Weigel et al. (2013).

59. page 182

PRINTED:

daoi Gressitt & Rondon, 1970: 206 **A: GUX ORR**

MUST BE:

daoi Gressitt & Rondon, 1970: 206 **A: GUX YUN ORR**

NOTE:

See: Weigel et al. (2013).

60. page 185

PRINTED:

barbatum Fabricius, 1775: 189 (*Callidium*) **A: BT NP PA YE AFR**

MUST BE:

barbatum Fabricius, 1775: 189 (*Callidium*) **A: BT NP OM PA YE AFR**

NOTE:

According to R.Ambrus (personal message, 2013) *Stromatium barbatum* was collected in Oman: 2 adults reared ex larva from dead branches of *Ficus* sp., R. Ambrus and W. Grosser leg. et coll., K. Adlbauer det.; Oman, Dhofar, Jabal al Qamar, 10 km W Dhalqut, 16°42'9.90"N 53°11'40.56"E, 20. 9. 2011.

61. page 190

PRINTED:

shimai Hayashi & Makihara, 1981: 191 A: NP

MUST BE:

aureomaculatus Gressitt & Rondon, 1970: 109 A: NP **YUN ORR**

shimai Hayashi & Makihara, 1981: 191 (*Glaphyra*)

NOTE:

See: Weigel et al. (2013).

62. page 192

NEW RECORD:

Comusia bicoloricornis (Pic, 1927: 455) (*Chapaon*) A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

63. page 195

NEW RECORD:

Oemospila callidioides Gressitt & Rondon, 1970: 46 A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

64. page 197

PRINTED:

dumerilii P. H. Lucas, 1849: 487

MUST BE:

dumerilii P. H. Lucas, 1847: pl. 41

NOTE:

According to Löbl & Smetana (2013) „ correct data for *dumerilii* P. H. Lucas [in synonymy with *Purpuricenus barbarus* P. H. Lucas, 1842] to 1847: pl. 41 “.

65. page 204

PRINTED:

genus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858

subgenus *Holangus* Pic, 1902l: 33 type species *Holangus flavonotatus* Pic, 1902

baoshana Chiang, 1963: 66 A: YUN **ORR**

M.L. Danilevsky

- aglaospadix* Gressitt & Rondon, 1970: 118
guerryi Pic, 1904c: 10 (*Holangus*) **A: YUN**
- subgenus** *Macromolorchus* Pic, 1922e: 28 type species
Macromolorchus curtipennis Pic, 1922
 Hakata Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta*
Mitono & Nishimura, 1936
eburata Holzschuh, 1989a: 162 **A: SD**
hirsuta Mitono & Nishimura, 1936: 34 (*Hakata*) **A: HUN JA TAI ZHE**
klapperichi Tippmann, 1955: 100 (*Hakata*) **A: FUJ**
splendida Chiang, 1981: 79 **A: GUX ZHE**
- subgenus** *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
- fusca* Gressitt & Rondon, 1970: 121 **A: YUN ORR**
indica Hope, 1831: 28 (*Molorchus*) **A: NP SCH SD YUN ORR**
nigrella Gressitt, 1942g: 79 **A: ANH YUN**
nigriceps A. White, 1855: 181 (*Heliomanes*) **A: NP XIZ**
 inapicalis Pic, 1922b: 23
- phoebe* Gardner, 1939: 3 **A: NP UP**
scutulata Holzschuh, 1989a: 163 **A: SD YUN**
uraiensis Kano, 1930: 43 **A: TAI**
- subgenus** *Ocytasia* Pascoe, 1869: 565 type species *Ocytasia fulvipennis* Pascoe, 1869
caldwelli Gressitt, 1942a: 3 **A: FUJ GUX HUN**
catoxelytra Gressitt & Rondon, 1970: 119 **A: YUN ORR**
formosana burkwalli Gressitt, 1940b: 54 **A: HAI**
formosana formosana Heller, 1924a: 32 **A: FUJ HAI TAI**
 kurarensis Seki, 1934: 282
- formosana iriomotensis* K. Ohbayashi & N. Ohbayashi, 1965: 3 **A: JA (Ryukyus)**
formosana okinawana K. Ohbayashi & N. Ohbayashi, 1965: 2 **A: JA (Ryukyus)**
formosana rubriventris Hayashi, 1962a: 8 **A: JA**
formosana septentrionalis Tamu & Tsukamoto, 1952: 9 **A: FUJ JA**
tosawai Kobayashi, 1932: 1 **A: JA (Ogasawara) TAI**
- MUST BE:
- genus** *Holangus* Pic, 1902! **33** type species *Holangus flavonotatus*
Pic, 1902
guerryi Pic, 1904c: 10 (*Holangus*) **A: YUN**

...

genus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858

subgenus *Macromolorchus* Pic, 1922e: 28 type species
Macromolorchus curtipennis Pic, 1922

Hakata Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936

baoshana Chiang, 1963: 66 A: YUN ORR

aglaospadix Gressitt & Rondon, 1970: 118

eburata *eburata* Holzschuh, 1989a: 162 A: SD YUN

hirsuta Mitono & Nishimura, 1936: 34 (*Hakata*) A: FUJ HUN JA TAI ZHE

klapperichi Tippmann, 1955: 100 (*Hakata*) A: FUJ

splendida Chiang, 1981: 79 A: GUX HAI

subgenus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858

fusca Gressitt & Rondon, 1970: 121 A: YUN ORR

indica Hope, 1831: 28 (*Molorchus*) A: NP SCH SD YUN ORR

jeanvoinei Pic, 1933a: 9 A: GUX HAI ORR

nigrella Gressitt, 1942g: 79 A: ANH YUN

nigriceps A. White, 1855: 181 (*Heliomanes*) A: NP XIZ YUN

inapicalis Pic, 1922b: 23

nigroapicalis Gressitt et Rondon, 1970: 120 A: YUN ORR

phoebe Gardner, 1939: 3 A: NP UP

scutulata Holzschuh, 1989a: 163 A: SD YUN

uraiensis Kano, 1930: 43 A: TAI

subgenus *Ocytasia* Pascoe, 1869: 565 type species *Ocytasia fulvipennis* Pascoe, 1869

caldwelli Gressitt, 1942a: 3 A: FUJ GUA GUX HUN YUN

catoxelytra Gressitt & Rondon, 1970: 119 A: YUN ORR

formosana burkwalli Gressitt, 1940b: 54 A: HAI

formosana formosana Heller, 1924a: 32 A: FUJ HAI TAI

kurarensis Seki, 1934: 282

formosana iriomotensis K. Ohbayashi & N. Ohbayashi, 1965: 3 A: JA (Ryukyus)

formosana okinawana K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)

formosana rubriventris Hayashi, 1962a: 8 A: JA

formosana septentrionalis Tamu & Tsukamoto, 1952: 9 A: FUJ JA

M.L. Danilevsky

tosawai Kobayashi, 1932: 1 A: JA (Ogasawara) TAI

NOTE:

According to Niisato & Lin (2013) “*Holangus* is an independent genus rather related to the genus *Callimoxys*.”; several new records were added.

66. page 205

PRINTED:

mauritanicus P. H. Lucas, 1849: 496 E: PT SP N: AG MO TU

MUST BE:

mauritanicus P. H. Lucas, 1847: pl. 42 E: PT SP N: AG MO TU

NOTE:

According to Löbl & Smetana (2013) „correct data for *Stenopterus mauretanicus* P. H. Lucas to 1847: pl. 42“. The name “*mauretanicus*” by Löbl & Smetana (2013) is wrong subsequent spelling (not available).

67. pages 208-209

PRINTED:(p. 209) [in *Leiopus*]:

guttatus Bates, 1873: 384 A: JA JIX SC

MUST BE (p. 208) [in *Acanthocinus*]:

guttatus Bates, 1873: 384 A: FE JA JIX SC

NOTE:

Acanthocinus guttatus (Bates, 1873) was recorded for Russia by K.Makarov

(<http://www.zin.ru/animalia/coleoptera/rus/acagutkm.htm>) on the base of two females from Kunashir.

68. page 211

NEW RECORD:

Rondibilis paralineaticollis Breuning, 1968a: 49 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

69. page 218

PRINTED:

lixoides P. H. Lucas, 1849: 499 (*Agapanthia*) N: AG TU

M.L. Danilevsky

MUST BE:

lixioides P. H. Lucas, 1847: pl. 42 (*Agapanthia*) N: AG TU

NOTE:

According to Löbl & Smetana (2013) „correct data for *Neoludwigia lixioides* (P. H. Lucas) to 1847: pl. 42“. The name “*lixioides*” by Löbl & Smetana (2013) is wrong subsequent spelling (not available).

70. page 219

NEW RECORD:

Phelipara marmorata Pascoe, 1866: 322 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

71. page 220

PRINTED:

tonkineusa Pic, 1919c: 11 (*Dorcasta*)

MUST BE:

tonkineus Pic, 1919c: 11 (*Dorcasta*)

72. page 221

PRINTED:

Apalimna Bates, 1884: 241 type species *Apalimna palimnoides* Bates, 1884

MUST BE:

Apalimna Bates, 1884: 241 type species *Apalimna litorata* Bates, 1884

73. pages 214-216

PRINTED:

alexandris Pic, 1901r: 82 A: KI KZ

...

dahli C. F. W. Richter, 1820: pl. 12 (*Saperda*) E: AL AU BH BU BY CR CT CZ FR GE GR GG HU MC MD RO SK SL SP ST SZ UK YU A: CH ES MG KZ NC TD UZ WS

...

muellneri Reitter, 1898c: 133 A: KI ZU

...

M.L. Danilevsky

nitidipennis Holzschuh, 1984c: 371 E: GG ST

...
persica Semenov, 1893: 505 A: IN TM
transcaspica Pic, 1900g: 14

...
walteri Reitter, 1898c: 132 E: AB AR GG A: IN TR
erivanica Pic, 1900f: 14
theryi Pic, 1908b: 6

MUST BE:

dahli alexandris Pic, 1901r: 82 A: KI KZ

dahli dahli C. F. W. Richter, 1820: pl. 12 (*Saperda*) E: AL AU BE
BH BU BY CR CT CZ FR GE GR GG HU MC MD RO SK SL SL
SP ST SZ UK YU A: CH ES MG KZ TD UZ WS

dahli muellneri Reitter, 1898c: 133 A: KI ZU

dahli nitidipennis Holzschuh, 1984c: 371 E: GG ST

dahli persica Semenov, 1893: 505 A: IN

dahli transcaspica Pic, 1900g: 14 A: TM

dahli walteri Reitter, 1898c: 132 E: AB AR GG A: IN TR

erivanica Pic, 1900f: 14

theryi Pic, 1908b: 6

NOTE:

See: Lazarev (2013).

74. pages 223, 233

PRINTED:

genus *Falsostesilea* Breuning, 1940b: 168 type species *Stesilea perforata* Pic, 1926

perforata Pic, 1926b: 9 (*Stesilea*) A: YUN ORR

and (p.233)

genus *Mimosybra* Breuning, 1939b: 278 type species *Atelais surigaonis* Heller, 1924

melli Breuning, 1964a: 101 A: CH

MUST BE:

genus *Falsostesilea* Breuning, 1940b: 168 type species *Stesilea perforata* Pic, 1926

perforata Pic, 1926b: 9 (*Stesilea*) A: YUN ORR

melli Breuning, 1964a: 101

NOTE:

See: Weigel et al. (2013).

M.L. Danilevsky

75. page 226

PRINTED:

maculata Bates, 1877: 38 A: JA

MUST BE:

maculata Bates, 1877: 38 A: FE JA

NOTE:

Rhopaloscelis maculata Bates, 1877 was recorded for Russia by K.Makarov (<http://www.zin.ru/animalia/coleoptera/rus/rhomackm.htm>) on the base of one specimen from Kunashir.

76. page 227

PRINTED:

genus *Sybrinus* Gahan, 1900a: 12 type species *Sybrinus commixtus* Gahan, 1900

Arabosybrinus Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848

Sokotrosybrinus Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903

Sophroniella Breuning, 1943a: 51 type species *Sophroniella pusilla* Breuning, 1943

albosignatus Breuning, 1948b: 16 A: SA YE

commixtus Gahan, 1900a: 12 A: YE (Suqutra)

gahani Aurivillius, 1922b: 299

flavescens Breuning, 1948b: 16 A: SA YE

kabateki Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)

simonyi Gahan, 1903: 287 A: YE (Suqutra)

sokotrensis Téocchi, Jiroux & Sudre, 2004: 22 (*Arasbosybrinus*) A: YE (Suqutra)

x-ornatus Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)

MUST BE:

genus *Sybrinus* Gahan, 1900a: 12 type species *Sybrinus commixtus* Gahan, 1900

Arabosybrinus Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848

Sokotrosybrinus Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903

albosignatus Breuning, 1948b: 16 A: SA YE

commixtus Gahan, 1900a: 12 A: YE (Suqutra)

gahani Aurivillius, 1922b: 299

flavescens Breuning, 1948b: 16 A: SA YE

M.L. Danilevsky

kabateki Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)

simonyi Gahan, 1903: 287 A: YE (Suqutra)

sokotrensis Téocchi, Jiroux & Sudre, 2004: 22

x-ornatus Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)

kabateki Téocchi, Jiroux & Sudre, 2007: 23

NOTE:

According to the original description *Sybrinus* (*Arabosybrinus*) *albosignatus sokotrensis* Jiroux, Sudre & Téocchi, 2004: 22. See: Hájek & Kabátek (2012).

The reference to the original description absent in the Catalogue, neither to Téocchi, Jiroux & Sudre (2004).

77. pages 228, 232

PRINTED:

genus *Zotalemimon* Pic, 1925a: 29 type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)

Diboma J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)

Donyisia Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933

Sybrocentrura Breuning, 1947a: 57 type species *Sybrocentrura obscura* Breuning, 1947 (= *Sydonia ropicoides* Gressitt, 1939)

bhutanum Breuning, 1975a: 38 (*Diboma*) A: BT
and (p. 232)

genus *Hyagnis* Pascoe, 1864c: 280 type species *Hyagnis fistularius* Pascoe, 1864

apicatus Holzschuh, 1984c: 369 A: UP

bhutanensis Breuning, 1975d: 350 A: BT NP

MUST BE:

genus *Zotalemimon* Pic, 1925a: 29 type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)

Diboma J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)

Donyisia Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933

Sybrocentrura Breuning, 1947a: 57 type species *Sybrocentrura obscura* Breuning, 1947 (= *Sydonia ropicoides* Gressitt, 1939)

bhutanensis Breuning, 1975d: 350 (*Diboma*) A: BT NP

bhutanum Breuning, 1975a: 38 (*Diboma*)

and (p. 232)

M.L. Danilevsky

genus *Hyagnis* Pascoe, 1864c: 280 type species *Hyagnis fistularius* Pascoe, 1864

apicatus Holzschuh, 1984c: 369 A: UP

NOTE:

According to Löbl & Smetana (2013: 41) *Zotalemimon bhutanensis* (Breuning, 1975d: 350) must be accepted instead of *Hyagnis bhutanensis* Breuning, 1975d.

As it was noticed by G.Tavakilian (personal message, 2013) *Diboma bhutanensis* Breuning, 1975d and *Diboma bhutana* Breuning, 1975 were based on one holotype.

78. page 228

PRINTED:

ciliatum Gressitt, 1942h: 212 (*Donysia*) A: FUJ GUA HAI HKG

MUST BE:

ciliatum Gressitt, 1942h: 212 (*Donysia*) A: FUJ GUA HAI HKG

YUN

NOTE:

See: Weigel et al. (2013).

79. page 228

PRINTED:

luteomaculata Pic, 1925a: 29 (*Anapomecyna*)

MUST BE:

luteomaculata Pic, 1925a: 29 (*Anapomecyna*) A: YUN ORR

NOTE:

See: Weigel et al. (2013).

80. pages 230, 315

PRINTED:

genus *Athylia* Pascoe, 1864a: 27 type species *Athylia avara* Pascoe, 1864

Enispia Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864

Sodomorphon Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926
(= *Athylia nobilis* Breuning, 1960)

horishensis Seki, 1946: 10 (*Enispia*) A: TAI

quadristigma Gressitt, 1940b: 156 (*Enispia*) A: HAI

tholana Gressitt, 1940b: 157 (*Enispia*) A: HAI

and (p. 315)

M.L. Danilevsky

subgenus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864

Diatylus Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)

curvilinea Pascoe, 1869: 206 A: GUX YUN ORR

multilineatus Pic, 1925a: 24 (*Alidus*)

zonaria Lacordaire, 1872: 365

MUST BE:

genus *Athylia* Pascoe, 1864a: 27 type species *Athylia avara* Pascoe, 1864

Enispia Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864

Sodomorphon Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athylia nobilis* Breuning, 1960)

horishensis Seki, 1946: 10 (*Enispia*) A: TAI

quadristigma Gressitt, 1940b: 156 (*Enispia*) A: HAI

and (p. 315)

subgenus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864

Diatylus Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)

curvilinea Pascoe, 1869: 206 A: GUX YUN ORR

multilineatus Pic, 1925a: 24 (*Alidus*)

zonaria Lacordaire, 1872: 365

tholana Gressitt, 1940b: 157 (*Enispia*) A: HAI YUN

NOTE:

See: Weigel et al. (2013).

81. page 233

NEW RECORD:

Mycerinopsis (*Zotale*) *subunicolor* Breuning, 1968a: 14 A: YUN

ORR

NOTE:

See: Weigel et al. (2013).

82. page 241

PRINTED:

tribe Astathini Pascoe, 1864

MUST BE:

tribe Astathini Thomson, 1864

M.L. Danilevsky

NOTE:

See: Bouchard et al. (2011: 489). A wrong spelling was used by Löbl & Smetana (2013: 41): “Astatini”.

83. **page 241**

PRINTED:

tribe Dorcadionini Swainson & Shuckard, 1840

MUST BE:

tribe Dorcadionini Swainson, 1840

NOTE:

See: Bouchard et al. (2011: 493)

84. **page 248**

NOTE:

“*Dorcadion investitum* Breun.” was recorded for “Anat. or. Tahir geç. b. Horasan, 2100m, VI.75” by Braun (1978a: 111). The species seems to be never described (nomen nudum).

85. **page 265**

NEW RECORD:

genus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858

Zeargyra Pascoe, 1886: 245 type species *Zeargyra vidua* Pascoe, 1886

Mimoenispia Pic, 1936a: 18 type species *Mimoenispia quadridentata* Pic, 1936a

auratus Breuning, 1963: 19 **A: YUN ORR**

NOTE:

See: Weigel et al. (2013).

86. **pages 267, 281, 283**

PRINTED (p. 267):

genus *Eupromus* Pascoe, 1868: 12 type species *Callimation sieboldii* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)

and (p. 281)

Anthores Pascoe, 1868: 13 type species *Anthores leuconotus* Pascoe, 1868

and (p. 283)

subgenus *Opepharus* Pascoe, 1868: 13 type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)

M.L. Danilevsky

MUST BE (p. 267):

genus *Eupromus* Pascoe, 1868: xii type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817) and (p. 281)

Anthores Pascoe, 1868: xiii type species *Anthores leuconotus* Pascoe, 1868 and (p. 283)

subgenus *Opepharus* Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)

NOTES:

The reference to Pascoe (1868) absent in the Catalogue.

Opepharus Pascoe, 1868 is better to be regarded as a genus (Hayashi, 1962), as well as *Anthores* Pascoe, 1868 (<http://lully.snv.jussieu.fr/titan/index.html>).

87. page 269

PRINTED:

malasiaca J. Thomson, 1864: 62 A: HAI NP SD **ORR**

...

bifasciana A. White, 1858a: 273 A: JIX NP SD **ORR**

MUST BE:

malasiaca J. Thomson, 1864: 62 A: HAI NP SD YUN **ORR**

...

bifasciana A. White, 1858a: 273 A: JIX NP SD YUN **ORR**

NOTE:

See: Weigel et al. (2013).

88. page 269

PRINTED:

subgenus *Pseudagelasta* Breuning, 1939c: 487 type species *Agelasta bifasciana* A. White, 1858

bifasciana A. White, 1858a: 273 A: JIX NP SD **ORR**

bisiniata Pic, 1937b: 4 (*Mesosa*)

savioi Pic, 1937b: 4 (*Mesosa*)

fallaciosa Breuning, 1938c: 208 A: SD

MUST BE:

subgenus *Pseudagelasta* Breuning, 1939c: 487 type species *Agelasta bifasciana* A. White, 1858

bifasciana A. White, 1858a: 273 A: JIX NP SD **ORR**

M.L. Danilevsky

bisinuata Pic, 1937b: 4 (*Mesosa*)
savioi Pic, 1937b: 4 (*Mesosa*)

***birmanica* Breuning, 1935e: 273 (*Paragelasta*) A: YUN ORR**

***fallaciosa* Breuning, 1938c: 208 A: SD**

NOTE:

See: Weigel et al. (2013).

89. page 271

PRINTED:

***gardneri* Breuning, 1938c: 197 A: NP SD UP**
annamensis Breuning, 1939c: 516 (*Mesosa*)

MUST BE:

***gardneri* Breuning, 1938c: 197 A: NP SD UP YUN**
affinis Breuning, 1938c: 198
annamensis Breuning, 1939c: 516 (*Mesosa*)

NOTE:

See: Weigel et al. (2013).

90. page 271

PRINTED:

***grisella* A. White, 1858b: 401 (*Cacia*) A: HKG**

MUST BE:

***grisella* A. White, 1858b: 401 (*Cacia*) A: HKG TAI**

NOTE:

See: Holzschuh (2013)

91. page 271

NEW RECORD:

genus *Golsinda* Thomson, 1861: 343 type species *Golsinda carolina* Thomson, 1861

***basicornis* Gahan, 1894a: 48 A: YUN ORR**

NOTE:

See: Weigel et al. (2013).

92. page 272

PRINTED:

***rupta* Pascoe, 1862a: 335 (*Agelasta*) A: GUA GUX ORR**

MUST BE:

***rupta* Pascoe, 1862a: 335 (*Agelasta*) A: GUA GUX YUN ORR**

M.L. Danilevsky

NOTE:

See: Weigel et al. (2013).

93. **page 272**

PRINTED:

senilis Bates, 1884: 245 A: FE JA
nigrohumeralis Breuning, 1938c: 203

NOTE:

According to Kusama & Takakuwa (1984) and Makihara (2007) *Mesosa nigrohumeralis* Breuning, 1938c is a synonym of *M. (Perimesosa) hirsuta hirsuta* Bates, 1984.

94. **page 272**

PRINTED:

curculionoides Linnaeus, 1760: 193 (*Cerambyx*) E: AB AL AR AU BH BU BY CR CT CZ FR GE GG GR HU IT LT MC MD NR PL PT RO SK SL SP ST SV SZ TR UK YU A: IN KZ NE NO NW TR
bioculata Nicolas, 1902: 28 (*Haplocnemia*)
curculiooides Scopoli, 1772: 101
nigronotata Pic, 1906h: 86 (*Haplocnemia*)
oculata Geoffroy, 1785: 78 (*Leptura*)
tokatensis Pic, 1904a: 6 (*Haplocnemia*)

MUST BE:

curculionoides Linnaeus, 1760: 193 (*Cerambyx*) E: AB AL AR AU BH BU BY CR CT CZ FR GE GG GR HU IT LT MC MD NR PL PT RO SK SL SP ST SV SZ TR UK YU A: IN TR
nigronotata Pic, 1906h: 86 (*Haplocnemia*)
oculata Geoffroy, 1785: 78 (*Leptura*) [HN]
tokatensis Pic, 1904a: 6 (*Haplocnemia*)

NOTE:

Haplocnema (*Mesosa*) *curculionoïdes* var. *biloculata* Nicolas, 1902 was described as a part of a series of typical form, so the new name was unavailable.

Correct reference:

Nicolas M. A. 1902: *Haplocnema* (*Mesosa*) *curculionoïdes* L. v. *biloculata* v. n. *L'Échange, Revue Linéenne* 18 [erroneously given as vol. 17]: 28.

M.L. Danilevsky

95. page 276

NEW RECORD:

Annamanum humerale (Pic, 1934a: 35) (*Uraecha*) A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

96. page 278

PRINTED:

degener degener Bates, 1873: 310 (*Monohammus*) A: FE FUJ GAN
GUA GUI GUX HEI HUB HUN JA JIA JIL JIX NMO SC SCH
SHA SHN TAI YUN ZHE "Korea"

MUST BE:

degener Bates, 1873: 310 (*Monohammus*) A: FE FUJ GAN GUA
GUI GUX HEI HUB HUN JA JIA JIL JIX NC NMO SC SCH SHA
SHN TAI YUN ZHE

97. page 278

MISSING NAME (on the base of Lingafelter & Hoebeke, 2002):

Anoplophora viriantennata W.-K. Wang & Jiang, 1998: 335 A:
SCH

NOTE:

The reference to W.-K. Wang & Jiang (1998) was missing in the Catalogue.

98. pages 279, 284

PRINTED:

variegatus Gressitt, 1940b: 107 A: HAI

and (p. 284)

genus *Paramelanauster* Breuning, 1936: 294 type species

Paramelanauster bimaculatus Breuning, 1936

flavosparsus Breuning, 1936: 295 A: YUN **ORR**

sciama Breuning, 1962b: 19 A: CH **ORR**

MUST BE:

variegatus* Gressitt, 1940b: 107 A: HAI YUN **ORR*

sciama Breuning, 1962b: 19 (*Paramelanauster*)

NOTE:

See: Weigel et al. (2013).

M.L. Danilevsky

99. page 282

PRINTED:

desperatus J. Thomson, 1857b: 295 (*Monochamus*) A: SD
 fredericus A. White, 1858b: 408 (*Monochamus*)

MUST BE:

desperatus J. Thomson, 1857f: 295 A: SD
 fredericus A. White, 1858b: 408 (*Monochamus*)

NOTE:

About all (approximately 30) references to J. Thomson's (1857a, 1857b, 1857c, 1857d, 1857e, 1857f, 1857g) publications in "Archives Entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Tome premier" are mixed. The correct reference to each name could be easily fixed in accordance with corresponding pages (1857a: 45-67, 1857b: 109-127, 1857c: 139-147, 1857d: 151-152, 1857e: 169-193, 1857f: 291-320, 1857g: 341-344).

100.page 283

PRINTED:

sutor sutor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY
 CR CT CZ DE EN FI FR GB GE GG GR HU IT LA LS LT NL
 NR NT PL RO SK SL SP ST SV SZ UK YU A: KZ WS
 atomarius DeGeer, 1775: 65 (*Cerambyx*)
 fuscomaculatus Petri, 1912: 249
 heinrothi Cederhjelm, 1798: 88 (*Lamia*)
 obscurior Abeille de Perrin, 1869: 42 (*Monochamus*)
 pellio Germar, 1818: 244 (*Lamia*)
 rosenmuelleri Cederhjelm, 1798: 89 (*Lamia*) [DA]

MUST BE:

sutor sutor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY
 CR CT CZ DE EN FI FR GB GE GG GR HU IT LA LS LT ME
 NL NR NT PL RO SK SL SP ST SV SZ UK YU A: KZ WS
 atomarius DeGeer, 1775: 65 (*Cerambyx*)
 heinrothi Cederhjelm, 1798: 88 (*Lamia*)
 obscurior Abeille de Perrin, 1869: 42 (*Monochamus*)
 pellio Germar, 1818: 244 (*Lamia*)
 rosenmuelleri Cederhjelm, 1798: 89 (*Lamia*) [DA]

NOTE:

Monachamus sutor var. *fuscomaculatus* Petri, 1912 and

M.L. Danilevsky

Monachamus sutor var. *hybrida* Petri, 1912 (missed in the Catalogue, but recorded as available synonym by Villiers, 1978: 463) both are unavailable, as both were originally recorded for one locality (“Bistra”).

101.page 286

NEW RECORD:

Pseudomeges varioti Le Moult, 1946: 136 **A: HAI SCH YUN XIZ ORR**

NOTE:

See: Weigel et al. (2013).

102.page 288

PRINTED:

Uraecha punctata Gahan, 1888b: 63 **A: FUJ GUA JIX YUN ORR**

NOTE:

See: Weigel et al. (2013).

103.page 288

NEW RECORD:

Xenicotela distincta (Gahan, 1888d: 392) (*Monochamus*) **A: NP YUN ORR**

NOTE:

See: Weigel et al. (2013).

104.page 291

PRINTED:

warnieri P. H. Lucas, 1849: 503 (*Phytoecia*) **N: AG MO TU**

MUST BE:

warnieri P. H. Lucas, 1847: pl. 43 (*Phytoecia*) **N: AG MO TU**

NOTE:

See: Löbl & Smetana (2013: 41)

105.page 291

PRINTED:

genus *Plectrura* Eschscholtz, 1845: 370 type species *Plectrura spinicauda* Mannerheim, 1852

MUST BE:

genus *Plectrura* Motschulsky, 1845b: 370 type species *Plectrura*

M.L. Danilevsky

spinicauda Motschulsky, 1845

NOTE:

The name published as “*Plectrura spinicauda* Eschsch.” by Motschulsky (1845b: 370) must be accepted as available (and valid) because at least one character was proposed. Motschulsky (1845b) knew “une forme semblable au dernière genre, mais qui n'a pas d'épines de chaque côté du corselet”. Eschscholtz was not connected at all with that publication.

106.page 292

PRINTED:

annularis Holzschuh, 1984a: 160 (*Conizonia*) A: TR

MUST BE:

anularis Holzschuh, 1984a: 160 (*Conizonia*) A: TR

anulifera Löbl & Smetana, 2013: 41 [unjustified emendation]

NOTE:

The original spelling was “*anularis*”. The reason to change the name to “*C. anulifera* Holzschuh, 1984” (Löbl & Smetana, 2013: 41) is not clear.

107.page 292

PRINTED:

comes comes Bates, 1884: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX SC SCH ZHE **ORR**

MUST BE:

comes comes Bates, 1884: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX SC SCH YUN ZHE **ORR**

NOTE:

See: Weigel et al. (2013).

108.page 295

PRINTED:

ambigena Lameere, 1893a: 286

MUST BE:

ambigua Lameere, 1893a: 286 A: YUN **ORR**

NOTE:

See: Weigel et al., (2013).

M.L. Danilevsky

109.page 295

PRINTED:

dubia Gahan, 1894a: 93

MUST BE:

dubia Gahan, 1894a: 93 **A: AP FUJ GUX HAI NP SD TAI UP YUN**

ORR

NOTES:

According to Holzschuh (1986b) *Nupserha dubia* Gahan, 1894 [“1984” – was his misprint] is valid and known from Nepal, India (Uttar Pradesh), Pakistan, Burma.

It was recorded from Yunnan and several other regions by Weigel et al. (2013), though with wrong date “1884”.

110.page 295

PRINTED:

minor Pic, 1939a: 17 **A: FUJ ORR**

MUST BE:

minor Pic, 1939a: 17 **A: FUJ YUN ORR**

NOTE:

See: Weigel et al. (2013).

111.page 297

PRINTED:

bootangensis Breuning, 1960b: 55 [= 1962f: 177] **A: BT NP**
and

bisbipunctulata Breuning, 1960b: 34 [= 1962f: 191] **A: BT SD**

MUST BE:

bootangensis Breuning, 1960b: 55 [= 1962f: 177] **A: SD NP**
and

bisbipunctulata Breuning, 1960b: 34 [= 1962f: 191] **A: SD**

NOTE:

See: Löbl & Smetana, 2013: 41

112.page 297

PRINTED:

coreensis Breuning, 1947c: 58 **A: JA SC**

M.L. Danilevsky

NOTE:

The name was originally introduced as *Oberea atropunctata* m. *coreensis* Breuning, 1947c and so unavailable.

113.page 298

PRINTED:

fingeriventris W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75 A:
YUN

MUST BE:

clara Pascoe, 1866b: 265 A: YUN **ORR**

armata Gahan, 1894a: 95

fingeriventris W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75

NOTE:

See: Weigel et al. (2013).

The publication by Gahan (1894a) was dated by Weigel et al. (2013) and by Breuning (1962f) as 1895.

114.page 299

PRINTED:

lacana Pic, 1923a: 16 A: SD **ORR**

MUST BE:

lacana Pic, 1923a: 16 A: SD YUN **ORR**

NOTE:

See: Weigel et al. (2013).

115.page 299

NEW RECORD:

Oberea laosensis Breuning, 1963b: 52 A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

116.page 300

PRINTED:

bootangensis Breuning, 1970f: 488 A: BT

MUST BE:

bootangensis Breuning, 1970f: 488 A: SD

M.L. Danilevsky

NOTE:

See: Löbl & Smetana, 2013: 41

117.page 301

PRINTED:

flavescens Mulsant, 1843: 284 (*Phytoecia*)
flavicans Mulsant, 1862: 431 (*Opsilia*)

MUST BE:

flavescens Mulsant, 1843: 284 [HN]
flavicans Mulsant, 1851: 137 [RN]

NOTE:

So, the type species of *Opsilia* Mulsant, 1863 (designated by Sama, 2002 as *Opsilia flavicans* Mulsant, 1862) is *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulescens* Scopoli, 1763).

118.page 301

PRINTED:

longipes Breuning, 1957d: 109 A: BT NP
luteicornis Breuning, 1957d: 105 A: BT NP "India"
and

nigriceps *nigriceps* Breuning, 1957d: 81 A: BT SD

MUST BE:

longipes Breuning, 1957d: 109 A: SD NP
luteicornis Breuning, 1957d: 105 A: SD NP "India"
and

nigriceps *nigriceps* Breuning, 1957d: 81 A: SD

NOTE:

See: Löbl & Smetana, 2013: 42

119.page 302

PRINTED:

rubricollis P. H. Lucas, 1849: 485 [in fact: 505]

MUST BE:

rubricollis P. H. Lucas, 1847: pl. 43

NOTE:

See: Löbl & Smetana (2013: 42)

M.L. Danilevsky

120.page 306

PRINTED:

erythrocnema P. H. Lucas, 1849: 506 E: FR PT SP N: AG MO TU
MUST BE:

erythrocnema P. H. Lucas, 1847: pl. 43 E: FR PT SP N: AG MO TU

NOTE:

See: Löbl & Smetana (2013: 42)

121.page 307

PRINTED:

malachitica P. H. Lucas, 1849: 485 [in fact 507] E: IT PT SP N:
AG MO TU

MUST BE:

malachitica P. H. Lucas, 1847: pl. 43 E: IT PT SP N: AG MO TU

NOTE:

See: Löbl & Smetana (2013: 42)

122.page 307

PRINTED:

pupillata Gyllenhal, 1817: 185 E: AU BE BH BY CR CT CZ EN
FR GE GR HU IT LA LS LT MC MD NT PL RO SL SK

MUST BE:

pupillata Gyllenhal, 1817: 185 (*Saperda*) E: AU BE BH BY CR CT
CZ EN FR GE GR HU IT LA LS LT MC MD NT PL RO SL SK

123.page 307

PRINTED:

pustulata murina Marseul, 1870: 384 E: AB AR A: IN

adnexa Pic, 1947a: 1

adulta Ganglbauer, 1884: 572

parvimacula Roubal, 1916b: 186

pilipennis Reitter, 1895c: 161

pustulata pulla Ganglbauer, 1886a: 130 E: ST A: KZ KI UZ

gibbicollis Reitter, 1893a: 114

intermedia Pic, 1895c: 65

kryzhanovskii Kostin, 1973: 230

vexans Reitter, 1895c: 162

pustulata pustulata Schrank, 1776: 66 (*Cerambyx*) E: AB AL AR

M.L. Danilevsky

AU BH BU BY CR CT CZ FR GE GG GR HU IT MC MD PL PT
RO SK SL SP SZ ST UK YU A: KI KZ TD TR UZ

brevenotata Pic, 1936c: 4

lineola Fabricius, 1781: 235 (*Saperda*)

macedonica Pic, 1929b: 9

obscuripes Pic, 1895c: 65

posegana Piller & Mitterpacher, 1783: 67 (*Cerambyx*)

vulnerata Schaller, 1783: 293 (*Saperda*)

MUST BE:

pustulata *adulta* Ganglbauer, 1884: 572 A: IN

pustulata *pilipennis* Reitter, 1895c: 161 E: AB AR A: IR TR

adnexa Pic, 1947a: 1

parvimacula Roubal, 1916b: 186

vexans Reitter, 1895c: 162

pustulata *pulla* Ganglbauer, 1886a: 130 E: ST A: KZ KI UZ

gibbicollis Reitter, 1893a: 114

intermedia Pic, 1895c: 65

kryzhanovskii Kostin, 1973: 230

pustulata *pustulata* Schrank, 1776: 66 (*Cerambyx*) E: AB AL AR

AU BH BU BY CR CT CZ FR GE GG GR HU IT MC MD PL PT

RO SK SL SP SZ ST UK YU A: KI KZ TD TR UZ

brevenotata Pic, 1936c: 4

lineola Fabricius, 1781: 235 (*Saperda*)

macedonica Pic, 1929b: 9

murina Marseul, 1870: 384

obscuripes Pic, 1895c: 65

posegana Piller & Mitterpacher, 1783: 67 (*Cerambyx*)

vulnerata Schaller, 1783: 293 (*Cerambyx*)

NOTE:

Ph. pustulata from Transcaucasia was separated by Breuning (1951: 386) as *Ph. pustulata* ssp. *vexans* Reitter, 1895 (described from Ordubad as a variation of *Ph. pustulata*). The subspecies is now generally accepted, but with a wrong name “*murina* Marseul, 1870” probably based on a wrong attribution of that name to North Iran (Astrabad) by Breuning (1951) **also in a rank of subspecies**. Recently Miroshnikov (2013) has reasonably noticed, that *Phytoecia murina* Marseul, 1870 was described from Sarepta (now Volgograd) and so: *Ph. pustulata pustulata* = *Ph. murina*. The Transcaucasian subspecies must have another name *Ph. pustulata* ssp. *pilipennis* Reitter, 1895 introduced as a species from Ordubad in the same publication as *Ph. pustulata* var. *vexans*, but one page before, so *Ph.*

M.L. Danilevsky

p. pilipennis Reitter, 1895 = *Ph. p.* var. *vexans* Reitter, 1895.

I don't know specimens from North Iran, but it seems quite adequate now to keep Iranian subspecies based on Breuning's opinion until better investigations. It also has own name: *Ph. pustulata* ssp. *adulta* Ganglbauer, 1884 (described from Astrabad).

124.page 311

NEW RECORDS:

Exocentrus rondoni Breuning, 1963b: 47 A: YUN ORR

semiglaber Breuning, 1968a: 29 A: YUN ORR

superstes Holzschuh, 1995: 46 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

125.pages 311-312

PRINTED (p. 311):

saitoi Matsushita, 1935: 313 A: SC

and (p. 312)

zikaweiensis Savio, 1929: 3 A: JIA SHG

Wrong corrections were published by Danilevsky (2012c: 733) on the base of indirect data as:

guttulatus saitai Matsushita, 1935: 313 SC

guttulatus zikaweiensis Savio, 1929: 3 A: FUJ HUB JIA SHG

MUST BE (p. 312):

zikaweiensis Savio, 1929: 3 A: SC JIA SHG

saitoi Matsushita, 1935: 313

NOTE:

According to Hayashi (1963) *Exocentrus zikaweiensis* Savio, 1929 (Shanghai) = *E. saitai* Matsushita, 1935 (Korea).

126.pages 312-313

PRINTED (p. 312):

dimidiatus Blessig, 1873: 208 A: FE SC

seminiveus Bates, 1873: 382

tristiculus Kraatz, 1879d: 115

and (p. 313)

seminiveus Bates, 1873: 382 A: HEI JA JIL NC SC

bicristatus Kraatz, 1879d: 114

dimidiatus Blessig, 1873: 208

tristiculus Kraatz, 1879d: 115

M.L. Danilevsky

MUST BE:

dimidiatus Blessig, 1873: 208 A: FE HEI JA JIL NC SC
bicristatus Kraatz, 1879d: 114
seminiveus Bates, 1873: 382
tristiculus Kraatz, 1879d: 115

127.page 314

PRINTED:

genus *Cyphoscyla* Thomson, 1868: 65 type species *Cyphoscyla lacordairei* Thomson, 1868
Hoabinhia Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a
lacordairei Thomson, 1868: 66 A: YUN ORR
multituberculata Pic, 1934a: 12

NOTE:

See: Weigel et al. (2013).

128.page 315

NEW RECORD:

Mispila punctifrons Breuning, 1938c: 381 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

129.page 315

PRINTED:

longicornis Pic, 1926b: 8 (*Camptocnema*) A: HUN SCH XIZ ORR

MUST BE:

longicornis Pic, 1926b: 8 (*Camptocnema*) A: HUN SCH YUN XIZ ORR

NOTE:

See: Weigel et al. (2013).

130.page 316

NEW RECORD:

Niphona lateraliplagiata Breuning, 1943: 49 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

M.L. Danilevsky

131.page 316

NEW RECORD:

Paramesosella fasciculata Breuning, Breuning, 1940: 143 A: YUN

ORR

NOTE:

See: Weigel et al. (2013).

132.pages 317, 319-320

PRINTED:

genus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

...

subgenus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888

Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864

Anaches Pascoe, 1865: 160 type species *Sthenias dorsalis* Pascoe, 1858

...

dorsalis Pascoe, 1858: 251 (*Sthenias*) A: HP NP SCH SD **ORR**

albonotata Pic, 1932c: 25 (*Anaches*)

MUST BE:

genus *Anaches* Pascoe, 1865: 160 type species *Sthenias dorsalis* Pascoe, 1858

dorsalis Pascoe, 1858: 251 (*Sthenias*) A: HP NP SCH SD **ORR**

albonotata Pic, 1932c: 25 (*Anaches*)

semicylindricus Hayashi, 1974c: 45 (*Sthenias*) A: TAI

...

genus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

...

subgenus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888

Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864

...

M.L. Danilevsky

NOTE:

See: Holzschuh (2013); *Sthenias semicylindricus* Hayashi, 1974c was transferred to *Anaches*.

133.**pages 318-319**

PRINTED:

cervina Gressitt, 1939a: 74 **A: GUA GUI GUX HAI**

and (p. 319)

consularis Pascoe, 1866b: 240 (*Praonetha*) **A: CH SD ORR**

cristulata Fairmaire, 1896b: 391 (*Praonetha*)

notaticeps Pic, 1934b: 12

and (p. 320)

dorsalis Pascoe, 1858: 251 (*Sthenias*) **A: HP NP SCH SD ORR**

and (p. 321)

persimilis Gahan, 1894a: 71 **A: FUJ GUA HKG HP HUB NP SD UP ORR**

...

postfasciculata Pic, 1934b: 11 **A: NP UP ORR**

MUST BE:

consularis Pascoe, 1866b: 240 (*Praonetha*) **A: BT GUA GUI GUX HAI YUN SD ORR**

cervina Gressitt, 1939a: 74

cristulata Fairmaire, 1896b: 391 (*Praonetha*)

notaticeps Pic, 1934b: 12

ochreomaculipennis Breuning, 1968e: 852.

and (p. 320)

dorsalis Pascoe, 1858: 251 (*Sthenias*) **A: HP NP SCH SD YUN ORR**

and (p. 321)

persimilis Gahan, 1894a: 71 **A: FUJ GUA HKG HP HUB NP SD UP YUN ORR**

...

postfasciculata Pic, 1934b: 11 **A: NP UP YUN ORR**

NOTE:

See: Weigel et al. (2013) with the wrong spelling “*ochraceomaculipennis*”.

M.L. Danilevsky

134. pages 318, 320

PRINTED:

brevegibbosa Pic, 1926a: 32 A: HAI HKG NP SD UP **ORR**
gardneri Schwarzer, 1931a: 71 (*Cenodocus*)

and (p. 320)

gardneri Schwarzer, 1931a: 71 A: UP

NOTE:

The first version is correct.

135. pages 318, 321

PRINTED:

lunigera Aurivillius, 1913: 25

and (p. 321)

lunigera Aurivillius, 1930: 25 A: NP **ORR**

MUST BE (p.321):

lunigera Aurivillius, 1913: 25 A: NP **ORR**

136. pages 318, 321

PRINTED:

arctofasciata Gressitt, 1940b: 147 A: GUA HAI HKG **ORR**

and

gerardiniae Breuning, 1938c: 272 A: SD UP

and (p. 321)

postfasciculata Pic, 1934b: 11 A: NP UP **ORR**

arctofasciata Gressitt, 1940b: 147

gerardiniae Breuning, 1938c: 272

subfasciculata Breuning, 1938c: 291

MUST BE (p. 321):

postfasciculata Pic, 1934b: 11 A: GUA HAI HKG NP SD UP **ORR**

arctofasciata Gressitt, 1940b: 147

gerardiniae Breuning, 1938c: 272

subfasciculata Breuning, 1938c: 291

NOTE:

See: Löbl & Smetana (2013: 42)

137. page 318

PRINTED:

calallina Chiang, 1951: 74 [HN]

M.L. Danilevsky

MUST BE:

caballina Chiang, 1951: 74 [HN]

138.page 321

NEW RECORD:

Pterolophia salebrosa Breunin, 1938: 289 A: YUN ORR

NOTE:

See: Weigel et al. (2013).

139.page 323

MISSING NAMES:

Sthenias pictus Breuning, 1938c: 369 (= *Paramesosella nigrosignata* Breuning, 1965e: 41) A: YUN ORR

NOTE:

See: Weigel et al. (2013).

The publication by Breuning (1965e) was dated by Weigel et al. (2013) and by Rondon & Breuning (1970) as 1964.

140.pages 324, 326

PRINTED:

cardinalis langana Pic, 1903f: 107 A: GUX YUN ORR
atrolateralis Pic, 1926c: 24

...

nigromarginella W.-K. Wang & Jiang, 2002b: 145 A: GUX

MUST BE:

langana Pic, 1903f: 107 A: GUX YUN ORR
atrolateralis Pic, 1926c: 24
nigromarginella W.-K. Wang & Jiang, 2002b

NOTE:

See: Weigel et al., (2013).

141.page 324

PRINTED:

delolorata Heller, 1926: 47 A: YUN ORR

MUST BE:

decolorata Heller, 1926: 47 (*Stiroglenea*) A: YUN ORR

142.page 324

NEW RECORDS:

Glenea (Aridoglenea) meiyingae Holzschuh, 2009: 423 A: NP SD
YUN ORR

Glenea (s. str.) *torquatella* Aurivillius, 1923: 505 [RN] A: YUN
ORR

torquata Gahan, 1907: 104 [HN]

NOTE:

See: Weigel et al. (2013).

143.page 324

PRINTED:

bimaculalithorax Breuning, 1956b: 158 A: YUN ORR

MUST BE:

*bimacula*lithorax** Pic, 1946a: 16 A: YUN ORR

144.page 326

PRINTED:

saperdiformis Breuning, 1953: 25 A: AP

reitteri Pic, 1943c: 14

semiluctuosa Fairmaire, 1902b: 269 (*Sphenura*) A: SCH YUN

MUST BE:

saperdiformis Breuning, 1953: 25 A: AP

semiluctuosa Fairmaire, 1902b: 269 (*Sphenura*) A: SCH YUN

reitteri Pic, 1943c: 14

NOTE:

See: Löbl & Smetana (2013: 42)

145.page 327

PRINTED:

citrinopubens Pic, 1926c: 20

MUST BE:

citrinopubens Pic, 1926c: 20 A: GUI GUX HUB SCH YUN

NOTE:

According to Weigel et al. (2013) *Glenea citrinopubens* Pic, 1926c is valid, and all records of *G. sulphurea* Thoms. from China must be connected with *G. citrinopubens* Pic.

M.L. Danilevsky

146.page 328

PRINTED:

pulchra pulchra Schwarzer, 1925c: 148 A: TAI

MUST BE:

pulchra pulchra Schwarzer, 1925c: 148 A: TAI **YUN**

NOTE:

See: Weigel et al. (2013).

147.page 328

NEW RECORD:

genus *Paradystus* Aurivillius, 1923: 184 [RN] type species *Dystus notator* Pascoe, 1867

Dystus Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867

infrarufus Breuning, 1954: 458, 460 A: YUN **ORR**

NOTE:

See: Weigel et al. (2013).

148.page 331

PRINTED:

pubescens Gressitt, 1940b: 201 A: HAI

MUST BE:

pubescens Gressitt, 1940b: 201 A: HAI **YUN**

NOTE:

See: Weigel et al. (2013).

149.page 690

PRINTED:

Costa A. 1855: Foglio 17. Pp. 57-64. Coleott. tetrameri longicorni.

Fam. Spondylidae. In: *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di quaesto regno e le acque che le bagnano contenente la descrizione de'nuovi o pocio esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto, 68 pp. [note: Part II issued in 21 "foglio's"].

NOTE:

The reference has no connection with the reality, neither with the text of the Catalogue!

M.L. Danilevsky

Fam. “Spondylidae” was named in fact by Costa as: “Famiglia degli Spondilidei–Spondylidea”. It occupies 2 pages only (6-7) and contains no new names.

Most of new names by Costa (1855) were out of the shown limits (pp. 57-66).

All names by Costa (1855) are:

alata A. Costa, 1855: 25

rosara A. Costa, 1855: 26 [HN]

annulus A. Costa, 1855: 30

rufipes A. Costa, 1855: 34

scutellaris A. Costa, 1855: 38

Liagrifica A. Costa, 1855: 59

procerus A. Costa, 1855: 64

nigripes A. Costa, 1855: 67

I am not able to identify limits of each of all 21 “foglio’s” of that addition, but according to Löbl (personal message, 2013) who used D’Erasmo G. (1949):

foglio 13 includes pages 25-32

foglio 14 includes page 33-40

foglio 17 includes pages 57-64

foglio 18 includes page 67 - and all were published in 1855.

So, a preliminary reference to all new names could look as:

Costa A. 1855: [new names] Coleotteri tetrameri. Sezione de’longicorni. *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de’nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri [1854-1859].* Napoli: Gaetano Sautto: 1- 68 + 1 + Tav. XXXI – XXXVI. [note: Part II issued in 21 “foglio’s”]

D’Erasmo G. 1949: Le date di pubblicazione della "Fauna del Regno di Napoli" di Oronzio Gabriele Costa e di Achille Costa. Rendiconti Accademia Science fisiche, matematiche, naturali di Napoli, 1949: 14-36.

150.page 690

PRINTED:

Costa A. 1856: Foglio 16. Pp. 49-56. Coleott. tetrameri longicorni.

M.L. Danilevsky

Gen Clytus (cont.), Anaglyptus. In: *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto, 68 pp.

MUST BE:

Costa A. 1856: Foglio 16. Pp. 49-56. Coleotteri tetrameri. Sezione de'longicorni. [Gen. Clytus (cont.) and Anaglyptus]. In: *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto, 68 pp.

NOTE:

The current limits of the Foglio 16 look doubtful as page 49 begins and page 56 ends with the half of sentence.

151.page 723

PRINTED:

Götz G. F. 1783: Beiträge zur Naturgeschichtde der Insecten. Naturforscher **19**: 70-77, 1 pl.

MUST BE:

Götz G. F. 1783: Beytrag zur Naturgeschichte der Insekten. Der Naturforscher **19**: 70-77, 1 pl.

152.page 813

PRINTED:

Panzer G. W. F. 1789: Einige seltene Insecten beschrieben. Naturforscher **24**: 1-35.

MUST BE:

Panzer G. W. F. 1789: Einige seltene Insecten. Der Naturforscher **24**: 1-35.

[or original version of the title: “Einige seltene Insecten beschrieben von G. W. F. Panzer, der Arzneykunst Doctor zu Nürnberg.”.]

M.L. Danilevsky

ACKNOWLEDGEMENTS. I am very grateful to Richard Ambrus, Alen Drumont, Jacek Kurzawa, Maxim Lazarev, Lin Meiyiing, Alexander Miroshnikov, Alexander Napolov, Nobuo Ohbayashi, Seung Hwan Oh, Antonio Santos-Silva, Petr Svacha, Tomáš Tichý, Eduard Vives for valuable consultations, their own remarks and providing me with necessary publications.

REFERENCES

- Bouchard P., Bousquet Y., Davies A.E., Alonso-Zarazaga M.A., Lawrence J.F., Lyal C.H.C., Newton A.F., Reid C. A. M., Schmitt M., Ślipiński S.A. & Smith A.B.T. 2011. Family-group names in Coleoptera (Insecta).- ZooKeys, 88: 1–972.
- Breuning S. 1963. Contribution à la connaissance des lamiens du Laos (Col. Ceramb.) (Septième partie).- Bulletin de la Société Royale des Sciences Naturelles du Laos, 8: 17-25.
- Breuning S. & Itzinger K. 1943. Cerambycidi birmani del Museo di Milano.- Atti della Societa Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano, 82: 36-54, 2 figs, pl. I.
- Danilevsky M. L. 2010. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010.- Russian Entomological Journal, 19(3): 215-239.
- Danilevsky M. L. 2011. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. II.- Russian Entomological Journal, 19 [2010] (4): 313-324.
- Danilevsky M. L. 2012a. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III.- Munis Entomology & Zoology, Vol. 7, No. 1: 109-173.
- Danilevsky M.L. 2012b. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IV.- Humanity Space. International Almanac, Vol. 1, No. 1: 86-136.
- Danilevsky M.L. 2012c. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. V.- Humanity Space. International Almanac, Vol. 1, No. 3: 695-741.
- Danilevsky M.L. 2012d. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VI.- Humanity space. International almanac, Vol. 1, No 4: 900-943.
- Danilevsky M.L. 2013a. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VII.- Humanity space International almanac, Vol. 2, No 1: 170-210.
- Danilevsky M.L. 2013b. Additions and corrections to the new Catalogue of

M.L. Danilevsky

- Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VIII.- Humanity space International almanac, Vol. 2, No 3: 401-424.
- Danilevsky M.L. 2013c: Taxonomic notes on Palaearctic Longicorn beetles (Coleoptera, Cerambycidae). *Humanity Space. International Almanac* 2. Supplement 2: 5-27.
- Evenhuis N.L. 2003. Dating and publication of the *Encyclopédie Méthodique* (1782–1832), with special reference to the parts of the *Histoire Naturelle* and details on the *Histoire Naturelle des Insectes*.- *Zootaxa*, 166: 1-48.
- Hájek J. & Kabátek P., 2012: Synonymical notes on the genus *Sybrinus* from Socotra Island (Coleoptera: Cerambycidae: Lamiinae). *Acta Entomologica Musei Nationalis Pragae* 52 (supplementum 2): 365–372.
- Heller K. M. 1916. Philippinische Käfer, gesammelt von Prof. C. Fuller-Baker, Los Baños.- Deutsche Entomologische Zeitschrift: 269-311, pl. 3.
- Holzschuh C., 2009. Eine neue Art der Gattung *Glenea* Newman, 1842 aus dem Himalaya (Insecta: Coleoptera: Cerambycidae: Saperdini). In: M. Hartmann & J. Weipert (Ed). *Biodiversität und Naturausstattung im Himalaya III*. Verein der Freunde und Förderer des Naturkundemuseums Erfurt e. V., Erfurt: 423-424, pl. XVI, fig. 24.
- Holzschuh C. 2013. Beitrag zur Bockkäferfauna von Taiwan, mit Beschreibung neuer Arten (Coleoptera, Cerambycidae). Pp.: 147-158. In: M.-Y Lin & C.-C. Chen (Eds.).- In memory of Mr. Wenhsin Lin. Formosa Ecological Company, Taiwan, 233pp.
- Hua L.Z., Nara H., Saemulson [Samuelson] G.A. & Langafelter [Lingafelter] S.W. 2009. *Iconography of Chinese Longicorn Beetles (1406 Species) in Color*. Sun Yat-sen University Press, Guangzhou: 474p.
- Gressitt J. L. 1935. New longicorn beetles from the Philippines, Borneo and Siam (Coleoptera: Cerambycidae).- *Philippine Journal of Science*, 58(2): 267-280.
- Jiroux E., Sudre J. & Téocchi P. 2004: Synonymies, diagnoses et bionomie de quelques Cerambycidae africains (10ème note) 2ème partie (Coleoptera, Cerambycidae).- *Les Cahiers Magellanes* 39: 1-32.
- Komiya Z. & Drumont A. 2012. Description of two new taxa of the genus *Aegosoma* Audinet-Serville, 1832 from Borneo (Coleoptera, Cerambycidae).- *Les Cahiers Magellanes*, NS, 9: 88-97.
- Lazarev M. A. 2013. Two new subspecies of *Agapanthia dahli* (Richter, 1821) from Dagestan and Armenia (Coleoptera, Cerambycidae).- *Humanity space. International almanac* 2(3): 443-448.
- Le Moult E. 1946. Description d'un nouveau Lamiaire de l'Annam (Col., Cerambycidae).- *Miscellanea Entomologica*, 43 (8): 136.
- Lepeletier A.L.M. & Audinet-Serville J.G. 1828. *Entomologie*. In: Latreille, P.A. (Ed.), *Encyclopédie Méthodique*, ou par ordre de matière, par un société de gens de lettres. *Entomologie*, Paris, 10(2): 345-832.
- Löbl I. & Smetana A. 2011. Errata for volume 6, pp. 35-61 [Cerambycidae, pp. 35-45]. In: I. Löbl & A. Smetana (ed.): Catalogue of Palaearctic Coleoptera, Vol. 7. Stenstrup: Apollo Books, 373pp.

M.L. Danilevsky

- Löbl I. & Smetana A. 2013. Errata for Volume 6 [Cerambycidae, pp. 41-42]. In: I. Löbl & A. Smetana (ed.): Catalogue of Palaearctic Coleoptera, Vol. 8. Leiden: Brill, 700pp.
- Makihara H. 2007. Chapters 2 & 3. Lamiinae: Mesosini: 286-288, 513-523; In: Ohbayashi N. & Niisato T., (ed.). Longicorn Beetles of Japan. Tokai University Press, Kanagawa: 821pp.
- Miroshnikov A. I. 2011a. The Longicorn beetles (Cerambycidae) in «Catalogue of Palaearctic Coleoptera. Stenstrup, 2010». Remarks and additions.
- <http://www.zin.ru/animalia/coleoptera/rus/corcemir.htm>
- Miroshnikov A. I. 2011b. The longicorn beetles (Cerambycidae) in "Catalogue of Palaearctic Coleoptera. Stenstrup, 2010". Remarks and additions.- Entomologia Kubanica. Supplement № 1. Krasnodar: 113pp. [in Russian with English abstract]
- Miroshnikov A. I. 2011c. [Notes to «Catalogue of Palaearctic Coleoptera. Stenstrup, 2010». 2] [in Russian].-
<http://www.zin.ru/ANIMALIA/COLEOPTERA/rus/mirosh13.htm>
- Miroshnikov A. I. 2011d. [Addition to the future article preparing for publication] [in Russian].
-<http://www.zin.ru/ANIMALIA/COLEOPTERA/rus/mirosh13.htm>
- Miroshnikov A.I. 2013b. [Corrections and refinements to the "Catalogue of Palaearctic Coleoptera. Stenstrup, 2010". Part 2.- Proceedings of the Russian Entomological Society,] 84(1): 11–28. [in Russian]
- Nakamura S., Makihara H. & Saito A. 1992. Check-list of Longicorn beetles of Taiwan. Hiba Society of Natural History. Shobara. Hiroshima. Japan. 126pp.
- Niisato T. & Lin M.-Y., 2013. Collection list of the genus Merionoeda (Coleoptera: Cerambycidae: Cerambycinae: Stenopterini) preserved in the Institute of Zoology, Chinese Academy of Sciences, Beijing. Pp.: 17-40. In: M.-Y Lin & C.-C. Chen (Eds.).- In memory of Mr. Wenhsin Lin. Formosa Ecological Company, Taiwan, 233pp.
- Ohbayashi N. & Chou W.-I. 2013. Revision of the Genus *Leptura* Linnaeus, 1758 of Taiwan (Coleoptera: Cerambycidae: Lepturinae). Studies on the Taiwanese Lepturinae, IV. Pp.: 17-40. In: M.-Y Lin & C.-C. Chen (Eds.).- In memory of Mr. Wenhsin Lin. Formosa Ecological Company, Taiwan, 233pp.
- Özdikmen H. & Turgut S. 2009. On Turkish *Cerambyx* Linnaeus, 1758 with zoogeographical remarks (Coleoptera: Cerambycidae: Cerambycinae).- Munis Entomology & Zoology, 4 (2): 301-319.
- Pascoe F. P. 1868. Contributions to a Knowledge of the Coleoptera. Part I (continued).- The Proceedings of the Entomological Society of London for the year 1868: xi-xiii.
- Pascoe F. P. 1869. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VII).- The Transactions of the Entomological Society of London, (3)3: 553-712.
- Pic M. 1923. Mutations, synonymies, nouveauté.- L'Échange, Revue Linnéenne, 39

M.L. Danilevsky

- (414): 13-14.
- Pic M. 1927. Séance du 23 novembre 1926. Remarques critiques, synonymies et diagnoses [Col.]- Bulletin de la Société Zoologique de France, 51 (5): 451-455.
- Santos-Silva A. & Hovore F. T. 2007: Divisão do gênero Distenia Lepeletier & Audinet-Serville, notas sobre a venação alar em Disteniini, homônimias, sinonímia e redescrições (Coleoptera, Cerambycidae, Disteniinae). Papéis Avulsos de Zoologia, 47 (1): 1-29.
- Schwarzer B. 1931. Beitrag zur Kenntnis der Cerambyciden (Ins. Col.). Senckenbergiana, 13 (1): 59-78.
- Swainson W. 1840. [classification system and marked paragraphs] In: W. Swainson & W.E. Shuckard. On the history and natural arrangement of insects. In: Lardner D (Ed): The Cabinet Cyclopaedia. Natural History. Longman, Orme, Brown, Green & Longmans and Taylor, London, iv + 406 pp. [1840 (title page); Jul 1840 (date of preface); 14 Dec 1840 (Literary Gazette 24: 775); Jan 1841 (reviewed in Entomologist: 38)]
- Wang W.-K. & Jiang [=Chiang] S.-N. 1998: A new species of the genus Anoplophora (Coleoptera: Cerambycidae) from Sichuan, China. *Xinan Nongye Daxue Xuebao* 20: 334-336.
- Weigel A., Meng L.-Z. & Lin M.Y. 2013: Contribution to the Fauna of Longhorn Beetles in the Naban River Watershed National Nature Reserve. Formosa Ecological Company: 219pp.
- Yang R.-G., Vives E., Zhou Sh.-Y. & Huang J.-H. 2011: Notes on the identification and distribution of *Leptura auratopilosa* (Matsushita, 1931) and *Leptura aurosericans* Fairmaire (Coleoptera, Cerambycidae, Lepturinae, Lepturini).- *Acta Zootaxonomica Sinica*, 36 (3): 808-811.

Received: 16.01.2014

Accepted: 03.02.2014