

## DATA ON CERAMBYCIDAE AND CHRYSOMELIDAE (COLEOPTERA: CHRYSOMELOIDEA) FROM BUCUREŞTI AND SURROUNDINGS

RODICA SERAFIM, SANDA MAICAN

**Abstract.** The paper presents a synthesis of the data referring to the presence of cerambycids and chrysomelids species of Bucharest and its surroundings, basing on bibliographical sources and the study of the collection material. A number of 365 species of superfamily Chrysomeloidea (140 cerambycids and 225 chrysomelids species), belonging to 125 genera of 16 subfamilies are listed. The species *Chlorophorus herbstii*, *Clytus lama*, *Cortodera femorata*, *Phytoecia caerulea*, *Lema cyanella*, *Chrysolina varians*, *Phaedon cochleariae*, *Phyllotreta undulata*, *Cassida prasina* and *Cassida vittata* are reported for the first time in this area.

**Résumé.** Ce travail présente une synthèse des données concernant la présence des espèces de cerambycides et de chrysomélides de Bucarest et de ses environs, la base en étant les sources bibliographiques ainsi que l'étude du matériel existant dans les collections du musée. La liste comprend 365 espèces appartenant à la super-famille des Chrysomeloidea (140 espèces de cerambycides et 225 espèces de chrysomélides), encadrées en 125 genres et 16 sous-familles. Les espèces *Chlorophorus herbstii*, *Clytus lama*, *Cortodera femorata*, *Phytoecia caerulea*, *Lema cyanella*, *Chrysolina varians*, *Phaedon cochleariae*, *Phyllotreta undulata*, *Cassida prasina* et *Cassida vittata* sont mentionnées pour la première fois dans cette zone

**Key words:** Coleoptera, Chrysomeloidea, Cerambycidae, Chrysomelidae, Bucureşti (Bucharest) and surrounding areas.

### *INTRODUCTION*

Data on the distribution of the cerambycids and chrysomelids species in Bucureşti (Bucharest) and the surrounding areas were published beginning with the end of the 19th century by: Jaquet (1898 a, b, 1899 a, b, 1900 a, b, 1901, 1902), Montandon (1880, 1906, 1908), Hurmuzachi (1901, 1902, 1904), Fleck (1905 a, b), Manolache (1930), Panin (1941, 1944), Eliescu et al. (1949), Panin & Săvulescu (1961), Roșca (1973, 1974), Serafim (1985, 2005, 2006, 2007), Gruev et al. (1993), Maican (2006 a, b).

Most numerous recordings are very old and refer mainly to Bucharest (including Cotroceni and Filaret quarters, Andronache and Băneasa Forests) and Comana Forest.

As Pârvu (2008) says, within conditions of the rapid changes associated with the accelerated development of Bucureşti and the metropolitan area, the assessment of natural capital is required.

### *MATERIAL AND METHODS*

Beside the published information, there are data got by the study of the material preserved in the collections of „Grigore Antipa” National Museum of Natural History, Bucureşti (material collected on the spot, acquisitions or donations: Nicolae Săvulescu, Mihai Şerban Procheş, Viorel Ungureanu collections) and of the Institute of Biology of Bucureşti. The material recently entered in the collection has

been collected within the project “*Research fauna of Bucharest and its surroundings*”. A part of the chrysomelids were collected within the project LIFE „*Air Pollution Impact Surveillance and Warning System for Urban Environment*”.

The studied specimens were collected using the entomological net, shrubs shaking and also directly from plants.

The presented material was taken from 79 collecting sites, 11 of them being unstudied till now (Fig. 1).

The nomenclature, the systematics and synonyms for Chrysomelidae family are given according to Warchałowski (2003) and Seeno & Wilcox (1982), and to Danilevsky (2005) and Sama (2005) for Cerambycidae. The genera and species are arranged in alphabetical order.




Fig. 1 – Collecting sites in Bucureşti and surrounding areas.

## Collecting sites index:

Adunații Copăceni (GR)	- București, Pantelimon	Fundulea (CL)
Balotești Forest (IF)	quarter	Găiseni (GR)
Balta Neagră (IF)	- București, Pipera	Gălbinași (CL)
Bărcănești, Românești inn (PH)	quarter	Ghimpăți, Manafu Forest (GR)
Bila pool, Manafu (GR)	- București, Tei Park	Ghimpăți, Naipu (GR)
Bolintin (IF)	- București, Unirea Park	Gulia (DB)
Bragadiru (IF)	Buftea (IF)	Malu Spart, Căscioarele
Brănești, Pasărea Forest (IF)	Căciulați (IF)	Forest (GR)
Brănești, Pustnicu Forest (IF)	Clinceni (IF)	Măgurele (IF)
Budești (CL)	Corbii Mari (DB)	Măriuța (CL)
București	Cornetu (GR)	Mihai Bravu (GR)
- București, Andronache Forest	Căldărușani (IF)	Mihăilești (GR)
- București, Băneasa Forest	Cernica Forest (IF)	Mihăilești, Buda Forest
- București, Berceni quarter	Ciolpani (IF)	Moara Domnească (IF)
- București, Botanic Garden of Agronomical Institute	Comana Forest (GR)	Moara Vlăsiei (IF)
- București, Cișmigiu Park	Comana, Gurban valley (GR)	Mogoșoaia (IF)
- București, Cotroceni quarter	Comana, Mlaștinile de la Pescărie (GR)	Nucet (DB)
- București, Filaret	Comana, Padina	Periș (IF)
- București, „Grigore Antipa” Museum Park	Tătarului Forest (GR)	Piscu Hriasca (Ciolpani) (GR)
- București, Izvor Park	Copăceni (IF)	Prundu (GR)
- București, Herăstrău Park	Cocic (Periș) (IF)	Râioasa Forest (IF)
- București, Militari quarter	Chiajna (IF)	Săbăreni (GR)
	Chitila (IF)	Singureni (GR)
	Chitila, Mangu brook (IF)	Snagov (IF)
	Clejani, Bălăria Forest (GR)	Stoenești (GR)
	Crevedia (DB)	Tâncăbești (IF)
	Dascălu (IF)	Tărtășești (DB)
	Dărăști (IF)	Țigănești (IF)
	Dealu, Crevedia Mare (GR)	Vidra (IF)
		Videle (TR)
		Vlașin, Ogarca Forest (GR)
		Zăvestreni Forest (TR).

## Abbreviations:

coll. – collection.

Collector's name: A.G. – Andrei Gabriela; A.M. – Andrei Mircea; B.V. – Brădescu Victor; C.C. – Calefariu Cristina; C.R. – Canisius Richard; C.G. – Chișamera Gabriel; C.V. – Ciobanu Virginica; D.F. – Dumitrescu Florentina; D.I. – Drăghia Ion; F.Ed. – Fleck Eduard; G.N. – Găldean Nicolae; G.V. – Gheorghiu Victor; I.Al. – Iftime Alexandru; K.D. – Kurzeluk Daniel; M.S. – Maican Sanda; M.I. – Matache Ioana; M.A. – Mihalcea Adrian; M.A.L. – Montandon Arnold Lucien; M.C. – Munteanu Cristina; N.G. – Năzăreanu George; P.X. – Palade Xenia; P.Cl. – Pârvu Clara; P.C. – Pârvu Cornelius; P.I. – Petrescu Iorgu; P.E. – Pisică Elena; P.G.A. – Popescu-Gorj Aurelian; P.S.M. – Procheș Șerban Mihaie; R.A. – Roșca Atena; S.A. – Săftoiu Atanasie; S.N. – Săvulescu Nicolae; S.D. – Scăunașu Dragoș; S.F. – Salay Franz; S.R. – Serafim Rodica; S.M. – Stan Melania; S.S. – Stăte Steluța; T.M. – Taloj Marilena; U.V. – Ungureanu Viorel.

Counties abbreviation: IF – Ilfov; CL – Călărași; DB – Dâmbovița; GR – Giurgiu; PH – Prahova; TR – Teleorman.

## RESULTS AND DISCUSSIONS

Taxonomical structure of Chrysomeloidea superfamily in Bucureşti and adjacent areas includes 365 species of 125 genera, belonging to 16 subfamilies: Cerambycinae (46 species), Lamiinae (53 species), Prioninae (2 species), Lepturinae (35 species), Spondylidinae (4 species), Donaciinae (7 species), Orsodacninae (2 species), Criocerinae (8 species), Clythrinae (19 species), Cryptocephalinae (35 species), Eumolpinae (3 species), Chrysomelinae (37 species), Galerucinae (14 species), Halticinae (79 species), Hispinae (one species) and Cassidinae (20 species) (Tab. 1; cited papers are marked by figures).

Table 1

Taxa	Published data/Examined material
Family CERAMBYCIDAE	
Subfamily CERAMBYCINAE	
Callichromatini	
<i>Aromia moschata moschata</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (24, 25, 26), coll. M.A.L (37); Bucureşti (4), coll. S.F. 2.07.1906 (37); Nucet, 12.07.1956; Budeşti, 14-15.06.1959; Căldăruşani, 9.06.1978 (37). <i>Material:</i> Budeşti, 1 spec., 24.06.1953, S.N.; Bucureşti, 1 spec., 06.1989, M.I., 1 spec., 19.04.1991 S.N., 1 spec., 20.08.1991, P.S.M.; Comana Forest, 1 spec., 6.07.1994, I.AI.
<i>Axinopalpis gracilis</i> (Krynicki, 1832)	<i>Recorded:</i> Bucureşti, 4.06.1971 (37).
Callidiini	
<i>Callidium violaceum</i> (Linnaeus, 1758)	<i>Recorded:</i> Căldăruşani (9, 4, 29, 37), Comana Forest (29, 37); Bucureşti (29), 17.06.1961 (37); Cernica Forest, 28-29.04.1962 (37). <i>Material:</i> Comana Forest, 1 spec., without other data, M.A.L.; Bucureşti, 1 spec., 11.05.1961, R.A., 20 specs, 19.04.1965, S.N., 1 spec., 5.04.2008, T.M.
<i>Leioderes kollari</i> Redtenbacher, 1849	<i>Recorded:</i> Comana Forest (26).
<i>Phymatodes testaceus</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest, 06.1897 (12, 13, 4, 37); Bucureşti, 08.1899 (19), (13, 4), coll. M.A.L., 4.02.1959, 16.06.1963, 3.05.1971, 11.06.1972, 20.06.1981 (37); Brâneşti, Pasărea Forest (10, 4), 8.05.1960, 8.05.1963 (37); Căldăruşani, 31.05.1957 (37). <i>Material:</i> Bucureşti, 1 spec., 20.05.1995, P.S.M.
<i>Poecilium alni</i> (Linnaeus, 1767)	<i>Recorded:</i> Comana Forest (24, 25, 26); Bucureşti (4, 25); Bucureşti Bâneasa Forest (29).
<i>Poecilium fasciatum</i> (Villers, 1789)	<i>Recorded:</i> Bucureşti (4, 25, 29, 37). <i>Material:</i> Bucureşti, 2 specs, 05.1988, P.S.M., 1 spec., 20.04.1993 P.S.M., 1 spec., 28.05.1993, T.M., 2 specs, 20.05.1994, Cernica, 1 spec., 8.05.1995, P.S.M.
<i>Poecilium puncticolle</i> (Mulsant, 1862)	<i>Recorded:</i> Bucureşti (4, 29).
<i>Pyrrhidium sanguineum</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti (13, 4, 29); 23.02.1962 (37); Comana Forest (4), coll. M.A.L. (37). <i>Material:</i> Bucureşti, 1 spec., 20.04.1993, P.S.M.
<i>Ropalopus clavipes</i> (Fabricius, 1775)	<i>Recorded:</i> Comana Forest (24, 25, 26, 29); Bucureşti, 05.1899 (18, 4, 29); Bucureşti, Andronache Forest, 8.05.1955 (29); Budeşti, 24.06.1956; Snagov, 20.06.1956; Brâneşti, Pasărea Forest, 5.07.1963 (37).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Ropalopus femoratus</i> (Linnaeus, 1758)	Recorded: Bucureşti (29), 14.05.1955 (37).
<i>Ropalopus insubricus</i> (Germar, 1824)	Recorded: Comana Forest (4, 25, 29), coll. M.A.L., 5.07.1951, 3.06.-9.07.1955, 12.06.1956, 5.08.1975 (37).
<i>Ropalopus macropus</i> (Germar, 1824)	Recorded: Bucureşti (4, 26); Bucureşti, Băneasa Forest, 10.05.1952 (37); Mogoşoaia Forest, 10.05.1955 (37); Budeşti, 16.05.1958 (37).
Cerambycini	
<i>Cerambyx cerdo</i> Linnaeus, 1758	Recorded: Comana Forest (24), 06.1897 (12), 12.06.1957, 20.06.1959, 9.08.1979, 11-14.09.1979 (37); Nucet, Tigăneşti, Ciolpani (2); Bucureşti (10, 4), 5.08.1964 (37); Căldăruşani, 06.1900 (9, 4, 11, 29), 21.06.1960 (37); Mogoşoaia Forest, 4.05.1965 (37); Brăneşti, Pasărea Forest, 19.06.1959 (37); Dealu, Crevedia Mare, 17-18.08.1976 (37). Material: Comana, 8 specs, 17.07.1962, S.N., 8.09.1988, A.M., G.N., P.I.
<i>Cerambyx miles</i> Bonelli, 1823	Recorded: Comana Forest (34), 17.07.1962 (37); Brăneşti, Pasărea Forest (34), 4-7.07.1963 (37).
<i>Cerambyx scopolii</i> Fuessly, 1775	Recorded: Căldăruşani, 04.1899 (9, 4); Tigăneşti, Ciolpani, 04.1899 (9, 2); Piscu Hriască, Ciolpani, 04.1899 (9, 4); Comana Forest, 05.1899 (9, 11, 4, 2), coll. M.A.L., 29.05.1957 (37); Cernica Forest (11), 2.06.1950 (37); Brăneşti, Pasărea Forest (11, 2), 7.07.1952 (37); Snagov, 25.04.1957 (37); Bucureşti, Băneasa Forest, 4.06.1959 (37). Material: Comana Forest, 5.07.1963, S.N.; Găiseni (GR), 1 spec., 20.05.1996, I.Al.
Clytini	
<i>Anaglyptus mysticus</i> (Linnaeus, 1758)	Recorded: Comana Forest (4, 29); Bucureşti, Băneasa Forest (29), 10.05.1952, 28.05.1954, 4.05.-28.07.1956 (37); Mogoşoaia Forest, 4.06.1957 (37); Brăneşti, Pasărea Forest, 29.04.-3.05.1963 (37). Material: Bucureşti, Băneasa Forest, 1 spec., 5.05.1982, S.N.
<i>Chlorophorus figuratus</i> (Scopoli, 1763)	Recorded: Comana Forest, 06.1897 (12, 13, 4, 29), coll. M.A.L. (37); Bucureşti (4, 29); Cernica Forest, 28.05.1955, 5-9.06.1956 (37); Căldăruşani, 31.05.1957 (37); Bucureşti, Băneasa Forest (29), 5.06.1959 (37); Mogoşoaia Forest, 12.06.1957, 26.05.1959 Brăneşti, Pasărea Forest, 6-19.06.1959, 8.06.1964, 11.06.1970, 16.06.1966, 10.06.1977 (37); Zăvestreni Forest, 22.06.1977 (37). Material: Budeşti, Pasărea Forest, 1 spec., 24.06.1962, P.G.A.; Comana Forest, 2 specs, 6.06.1971, B.V., 1 spec., 12.06.1983, S.N., 1 spec., 7.06.2006 S.M.; Prundu, 1 spec., 8.06.1997, P.S.M.; Ogarca Forest, Vlaşin, 1 spec., 22.06.2006; Manafu Forest, 2 specs, 22.06.2006, S.M.
<i>Chlorophorus herbstii</i> (Brahm, 1790)	Material: Comana Forest, 1 spec., 12.06.1983, S.N.
<i>Chlorophorus hungaricus</i> Seidlitz, 1891	Recorded: Comana Forest (25).
<i>Chlorophorus sartor</i> (Müller, 1766)	Recorded: Bucureşti, Tei Park, 05.1898 (16); Balta Neagră, Nuci (10); Căldăruşani (4); Bucureşti (4), 12.07.1964 (37); Comana Forest (26), coll. M.A.L., 27.06.-19.07.1959, 22-23.07.1963 (37); Budeşti, 25.06.1947, 19.07.1959 (37); Copăceni, 28.06.1953 (37); Româneşti inn, Bârcăneşti,

Table 1 (continued)

Taxa	Published data/Examined material
	23.07.1956 (37); Bucureşti, Andronache Forest, 28.07.1958 (37); Cernica Forest, 5.07.-15.08.1960 (37); Brăneşti, Pasărea Forest, 8.08.1962 (37); Snagov, 11.08.1976, 2-15.07.1979 (37); Moara Vlăsiei, 6.08.1980 (37). <i>Material:</i> Comana Forest, 3 specs, 5.07.1972, S.N., 1 spec., 30.06.1996, P.S.M.
<i>Chlorophorus trifasciatus</i> (Fabricius, 1781)	<i>Recorded:</i> Comana Forest (25, 29), coll. M.A.L., 18.07.1959 (37).
<i>Chlorophorus varius</i> (Müller, 1766)	<i>Recorded:</i> Comana Forest (25), 27.06.-19.07.1959, 22.07.1963 (37); Budeşti, 16-25.06.1947, 08.1948, 5-6.07.1957, 14-15.06.1959, 24.07.-24.08.1963, 5-6.06.1979 (37); 1 spec. Căldăruşani, 30.06.1959 (37); Cernica Forest 5-15.07.1960 (37); Snagov, 07.1974, 2.07.1979 (37); Zăvestreni Forest, 22.06.1977 (37); Bucureşti, 17.08.1978 (37); Moara Vlăsiei, 6.08.1980 (37); Dascălu, 6.08.1980 (37). <i>Material:</i> Periş, 1 spec., 18.06.1959, R.A.; Pustnicu Forest, Brăneşti, 1 spec., 5.07.1962, R.A.; Comana Forest, 1 spec., 20.06.1996, P.S.M.; Prundu, 2 specs, 8.06.1997, P.S.M.; Clinceni, 2 specs, 27.06.1998, M.A.; 1 spec., Bucureşti, 15.09.2004, K.D.
<i>Clytus arietis</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (24, 25, 26). <i>Material:</i> Săbăreni, Joiţa, 12.06.1996, P.S.M.; Comana Forest, Padina Tătarului Forest, 2 specs, 4.05.2006, S.R., P.C.
<i>Clytus lama</i> Mulsant, 1847	<i>Material:</i> Manafu Forest, 8 specs, 22.06.2006, S.M., P.C.; Bila pool, Manafu, 2 specs, 22.06.2006, P.C.
<i>Clytus rhamni</i> Germar, 1817	<i>Recorded:</i> Bucureşti, Andronache Forest (29); Comana Forest (26, 29), 19.06.1959 (37); Cernica Forest (29), 5.07.1960 (37); Căldăruşani, 12.06.1958 (37); Bucureşti, Băneasa Forest, 5.06.1959 (37); Budeşti, Pasărea Forest, 6-19.06.1959, 5.07.1962, 16.06.1966, 10.06.1977, 13.07.1978 (37); Budeşti, 14.06.1959 (37); Bucureşti, 10.05.1960, 4.06.1972 (37); Cernica Forest, 5.07.1960 (37); Zăvestreni Forest, 22.06.1977, 20.06.1978, 15.06.1979 (37); Crevedia, 10.07.1980 (37). <i>Material:</i> Comana Forest, 2 specs, 4.08.1980, B.V., 1 spec., 30.06.1996, P.S.M.
<i>Clytus tropicus</i> (Panzer, 1795)	<i>Recorded:</i> Bucureşti, Băneasa Forest (29).
<i>Cyrtoclytus capra</i> (Germar, 1824)	<i>Recorded:</i> Bucureşti (4, 29).
<i>Isotomus speciosus</i> (Schneider, 1787)	<i>Recorded:</i> Bucureşti (13, 4); Comana Forest, 06.1897 (12, 4); Balta Neagră (10, 4); Cernica Forest (10); Dărăştii, Adunaţii Copăceni, 06.1949 (37). <i>Material:</i> Comana, 1 spec., 12.06.1983, S.N.; Cernica Forest, 2 specs, 9.07.1995, I.Al.
<i>Plagionotus arcuatus</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti, 08.1899 (19), (4, 29), 1.06.1966 (37); Comana Forest (4, 25, 26), 16.07.1959 (37); Bucureşti, Băneasa Forest, 4.06.1959 (37); Căldăruşani, 12.06.1958 (37); Brăneşti, Pasărea Forest (2), 6-19.07.1959, 8.05.1963 (37).
<i>Plagionotus detritus</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti (10, 13, 4), 1.06.1966 (37); Comana Forest (24, 4, 25), 16.07.1959 (37); Bolintin (13); Brăneşti, Pasărea Forest (2).
<i>Plagionotus floralis</i> (Pallas, 1773)	<i>Recorded:</i> Bucureşti, Pantelimon (10, 4); Copăceni, 21.05.1951, 14.06.1953 (37); Moara Domnească, 15.06.1952 (37);

Table 1 (continued)

Taxa	Published data/Examined material
	Cornetu, 12.07.1955 (37); Budeşti, 5-6.07.1957, 14-15.06.1959, 5.06.1964 (37); Cernica Forest, 5.06.-5.07.1960 (37); Căldăruşani, 21.06.1960 (37); Pasărea Forest, Brăneşti, 9.08.1961, 5.07.1962, 20.06.1963, 20.05.-9.06.1964, 16.06.1966, 28.06.1967 (37); Pustnicu Forest, Brăneşti, 5.07.1962 (37); Comana Forest, 20.06.1964 (37); Naipu, Ghimpăti, 30.06.1976 (37). Material: Comana Forest, 1 spec., 27.05.1990, P.S.M., 2 specs, 20.06.1996, P.S.M.; Cînceni, 1 spec., 27.06.1998, M.A.; Bucureşti, Izvor Park, 1 spec., 28.06.2006, M.S.; Comana, Valea Gurbanului, 1 spec., 19.06.2007, M.S.
<i>Xylotrechus antilope</i> (Schönherr, 1817)	Recorded: Comana Forest, 06.1898 (14, 4, 29), 12-18.07.1955, 14.06.1959 (37); Bucureşti (26), 27.02.1963 (37); Brăneşti, Pasărea Forest, 6-22.06.1959 (37); Bucureşti, Bâneasa Forest, 4-5.06.1959 (37); Snagov, 29.06.1967 (37).
<i>Xylotrechus arvicola</i> (Olivier, 1795)	Recorded: Comana Forest (24, 25, 26); Brăneşti, Pasărea Forest, 5.07.1962 (37).
<i>Xylotrechus rusticus</i> (Linnaeus, 1758)	Recorded: Moara Domnească, 15.06.1952 (37); Budeşti, 16.05.1958 (37). Material: Comana, 1 spec., 23.06.1955, S.N.; Bucureşti, 1 spec., 20.05.1990, P.S.M., 1 spec., 1.06.1998, I.Al.; Cernica Forest, 1 spec., 7.07.1995, P.S.M.
Hylotrupini	
<i>Hylotrupes bajulus</i> (Linnaeus, 1758)	Recorded: Bucureşti, 26.06.1971 (37).
Obrini	
<i>Obrium brunneum</i> (Fabricius, 1792)	Recorded: Comana Forest (24, 25, 26).
Nathriini	
<i>Nathrius brevipennis</i> (Mulsant, 1839)	Recorded: Bucureşti, 11-14.04.1967 (37).
Purpuricenini	
<i>Asias halodendri ephippium</i> (Steven & Dalman, 1817)	Recorded: Mihai Bravu (29).
<i>Purpuricenus budensis</i> (Götz, 1783)	Recorded: Comana Forest, 06.1898 (14, 11, 4, 29), 19.07.1959, 5.07.1962 (37); Bucureşti (4, 29); Mihai Bravu (29); Crăsanii (29); Budeşti, 16.06.1942, 16.06.1947, 5.07.1957 (37); Copăceni, 16.06.1947, 19-28.06.1953 (37); Cocioc, Periş 18.06.1959 (37); Pasărea Forest, Brăneşti, 5.07.1963, 16.06.1966 (37); Snagov, 22.07.1976 (37); Bucureşti, Berceni quarter, 19.06.1982, (37). Material: Comana Forest, 1 spec., 5.07.1989, P.S.M., 1 spec., 27.05.1990, 1 spec., 6.07.1994, 2 specs, 7-9.07.1995, 1 spec., 20.06.1996, P.S.M.; Cernica Forest, 2 specs, 7.06.1995, P.S.M.
<i>Purpuricenus kaehleri</i> (Linnaeus, 1758)	Recorded: Comana Forest (14, 4, 26); Bucureşti, Pantelimon (10, 4); Pasărea Forest, Brăneşti, 5-13.07.1955, 4-7.07.1963, 5.07.1962, 4.07.1971, 13.06.1978 (37); Budeşti, 14.07.1956, Pasărea Forest, Brăneşti, 5.07.1963, 16.06.1966 (37). Material: Comana Forest, 1 spec., 20.06.1996, P.S.M.; Manafu Forest, 1 spec., 22.06.2006, N.G.
Rosalini	
<i>Rosalia alpina</i> (Linnaeus, 1758)	Recorded: Balta Neagră (10); Căldăruşani (4); Mogoşoaia Forest (25); Comana Forest, 06.1898 (14), (4, 25, 26), coll. M.A.L., 27.06.1954, 29.06.1957, 12.07.1959 (37); Bucureşti, 07.1956, 14.07.1958, 24.07.1971 (37).

Table 1 (continued)

Taxa	Published data/Examined material
<u>Stenopterini</u>	
<i>Callimus angulatus</i> (Schrank, 1789)	<i>Recorded:</i> Comana Forest (25); Brănești, Pasărea Forest, 1.05.1963 (37).
<i>Callimus (Lampropterus) femoratus</i> (Germar, 1824)	<i>Recorded:</i> București (4, 29); Comana Forest (25).
<i>Stenopterus flavicornis</i> Küster, 1846	<i>Recorded:</i> București (4); Comana Forest (4), coll. M.A.L. (37); București, Andronache Forest (29); Budești (29), 18.06.1947, 6.07.1957, 5.07.1957, 5-7.06.1979 (37); Periș, 18.06.1959 (37); Căldărușani, 15.07.1959-21.06.1960 (37); Cernica Forest, 5.07.1960 (37); Brănești, Pasărea Forest, 5.07.1962 (37); Dealu, 7.06.1979 (37); Crevedia, 10.07.1980 (37). <i>Material:</i> Comana, 1 spec., 29.06.1955, S.N.; București, 2 specs, 20.07.1991, P.S.M., 1 spec., 12.05.1994, P.S.M., 1 spec., 16.07.2005, P.E.; Ogarca Forest, Vlašin, 3 specs, 22.06.2006, S.R.; Bila pool, Manafu, 3 specs, 22.06.2006, P.C.
<i>Stenopterus rufus rufus</i> (Linnaeus, 1767)	<i>Recorded:</i> Comana Forest, (25, 26), coll. M.A.L., 27.06.–18.07.1959, 25.06.1962 (37); Budești, 14–15.06.1959 (37); Brănești, Pasărea Forest, 19.06.–30.07.1959 (37). <i>Material:</i> București, 2 specs, 29.05.1995, P.S.M.; București, 1 spec., 15.09.2004, K.D.; Ogarca Forest, Vlašin, 9 specs, 22.06.2006, S.R.
Subfamily LAMIINAE	
<u>Acanthocinini</u>	
<i>Exocentrus adspersus</i> Mulsant, 1846	<i>Recorded:</i> București (25); Comana Forest (4, 29), coll. M.A.L. (37).
<i>Exocentrus lusitanus</i> (Linnaeus, 1767)	<i>Recorded:</i> Comana Forest (25, 29); Brănești, Pasărea Forest (29); București, Băneasa Forest, 10.05.1951, 18.05.1957 (37); Brănești, Pasărea Forest, 6.06.1959 (37); Snagov, 25.08.1963; București, 5.08.1964 (37). <i>Material:</i> Comana, 1 spec., 5.07.1957, S.N.
<i>Exocentrus punctipennis</i> Mulsant & Guillebeau, 1856	<i>Recorded:</i> Comana Forest (26); Brănești, Pasărea Forest, 6.06.1959 (37).
<i>Leiopus nebulosus</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (25, 26); Brănești, Pasărea Forest, 1.08.1965 (37). <i>Material:</i> Căciulați, 1 spec., 14.07.2001, S.D.
<u>Acanthoderini</u>	
<i>Aegomorphus clavipes</i> (Schrank, 1781)	<i>Recorded:</i> Comana Forest (25).
<i>Aegomorphus krueperi</i> (Kraatz, 1859)	<i>Recorded:</i> Comana Forest (25).
<u>Agapanthiini</u>	
<i>Agapanthia asphodeli</i> (Latreille, 1804)	<i>Recorded:</i> Comana Forest (24, 25, 26).
<i>Agapanthia cardui</i> (Linnaeus, 1767)	<i>Recorded:</i> Comana Forest (25).
<i>Agapanthia chalybaea</i> Falderman, 1837	<i>Recorded:</i> Comana Forest (25).
<i>Agapanthia dahli</i> (Richter, 1821)	<i>Recorded:</i> București (25); Comana Forest (4, 25), 14.06.1959, 06.1967 (37); Cernica Forest, 28.05.1959 (37); Brănești, Pasărea Forest, 19.06.1959, 5.06.1962, 10.06.1977 (37). <i>Material:</i> Comana, 1 spec., 7.06.2006, S.R.

Table 1 (continued)

Taxa	Published data/Examined material
<i>Agapanthia kirbyi</i> (Gyllenhal, 1817)	<i>Recorded:</i> Cocio, Periş (29).
<i>Agapanthia lais</i> Reiche, 1858	<i>Recorded:</i> Comana Forest (25).
<i>Agapanthia lateralis</i> Ganglbauer, 1884	<i>Recorded:</i> Comana Forest (25).
<i>Agapanthia osmanlis</i> Reiche, 1858	<i>Recorded:</i> Comana Forest, 24.05.1958, 21-24.05.1959 (29).
<i>Agapanthia villosoviridescens</i> (De Geer, 1755)	<i>Recorded:</i> Snagov (29); Căldăruşani, 31.05.1957, 10.06.1978 (37); Chitila, Râioasa Forest, 8.05.1979 (37).
<i>Agapanthia violacea</i> (Fabricius, 1775)	<i>Recorded:</i> Bucureşti, Băneasa Forest (29); Comana Forest (10, 4, 25, 26, 29), 8.06.1955, 26.05.1963 (37); Cernica Forest, 29.05.1956 (37); Căldăruşani, 31.05.1957 (37); Tigăneşti, Ciolpani, 26.04.1966 (37); Budeşti, 3.06.1964, 25.05.-5.06.1979 (37); Zăvestreni Forest, 2.05.1980 (37). <i>Material:</i> Bucureşti, Băneasa Forest, 3 specs, 10.05.1952; Zăvestreni Forest, 1 spec., 24.06.1977, P.G.A.; Comana Forest, 2 specs, 30.06.1990, P.S.M.; Bucureşti, 1 spec., 12.05.1994, 1 spec., 29.05.1995, P.S.M.; Călugăreni, 1 spec., 17.05.1997, P.S.M.
<i>Agapanthiola leucaspis</i> (Steven, 1817)	<i>Recorded:</i> Comana Forest (25, 26).
Apodasyini	
<i>Anaesthetis testacea</i> (Fabricius, 1781)	<i>Recorded:</i> Bucureşti (4, 29).
Dorcadini	
<i>Carinatodorcadion fulvum canaliculatum</i> Fischer von Waldheim, 1823	<i>Recorded:</i> Bucureşti, Filaret, 04.1899 (18, 4); Bucureşti (12, 4), coll. M.A.L (37); Chitila, Râioasa Forest (7, 4); Piscu Hriasca (Ciolpani), 04.1899 (9); Căldăruşani, 04.1899 (9); Snagov, 04.1899 (9); Bucureşti, Filaret (4); Comana Forest (4), coll. M.A.L. (37); Cernica Forest, 21.06.1950, 28.05.1955; Mogoşoaia Forest, 23.06.1954, 4.06.1957 (37); Săbăreni, 3.05.1955 (37); Bucureşti, Băneasa Forest, 10.05.1952, 24.05.1954, 30.04.-11.05.1974 (37); Snagov, 25.06.1957 (37); Brăneşti, Pasărea Forest, 8.05.1963, 8.06.1963, 19.06.1965 (37); Tigăneşti, Ciolpani, 26.04.1966 (37). <i>Material:</i> Bucureşti, Băneasa Forest, 4 specs, 19.05.1991, S.N.; Găiseni, 1 spec., 20.05.1996, I.Al.
<i>Neodorcadion bilineatum</i> (Germar, 1824)	<i>Recorded:</i> Bucureşti (4), coll. M.A.L., 13.05.1971, 6.06.1971, 17.05.1974 (37); Comana Forest (4), coll. M.A.L., 12.07.1963 (37); Bucureşti, Andronache Forest, 21.IX.1953 (37); Bucureşti, Băneasa Forest, 24.05.1954 (37); Mogoşoaia Forest, 26.05.1959 (37); Budeşti, 20.06.1947, 28.05.1954, 16.05.1965, 3.05.1965, 6.06.1979 (37); Brăneşti, Pasărea Forest, 27.05.1963 (37). <i>Material:</i> Bucureşti, Herăstrău Park, 1 spec., 5.04.2004, U.V.; Belciugatele, 1 spec., 13.07.2005, U.V.
<i>Pedestredorcadion arenarium</i> (Scopoli, 1763)	<i>Recorded:</i> Comana Forest (4, 29).
<i>Pedestredorcadion decipiens</i> (Germar, 1824)	<i>Recorded:</i> Comana Forest (4, 29). <i>Material:</i> Tărtăşeşti (Gulia), 1 spec., 14.04.2006, C.C.

Table 1 (continued)

Taxa	Published data/Examined material
<i>Pedestredorcadion equestre</i> (Laxmann, 1770)	<i>Recorded:</i> Bucureşti (4, 26, 29), coll. M.A.L. (37); Comana Forest (29); Căldăruşani (29). <i>Material:</i> Găiseni, 1 spec., 20.05.1996, I.Al.
<i>Pedestredorcadion murrayi</i> (Küster, 1847)	<i>Recorded:</i> Comana Forest (24, 4, 26, 29); Bucureşti, 04.1899 (18, 4, 12, 9, 16, 29), coll. M.A.L., 17.04.1961, 5.05.1956, 27.04.1958, 25.04.1962, 15.04.1963, 14.04.1972, 20.03.1974, 2.04.1975, 3.05.1971, 18.04.1976 (37); Bucureşti, Băneasa Forest (4), 29.04.1951, 24.04.1971, 5-7.05.1974 (37); Căldăruşani, 23.03.1957 (37); Brăneşti, Pasărea Forest, 24.04.1960, 8-27.05.1963 (37); Cernica Forest, 17.04.1963 (37). <i>Material:</i> Bucureşti, Herăstrău Park, 3 specs, 5.04.2004, U.V.; Bucureşti, Botanic Garden of Agronomical Institute, 7 specs, 6.04.2004, U.V.
<i>Pedestredorcadion pedestre</i> (Poda, 1761)	<i>Recorded:</i> Bucureşti, Băneasa Forest, 05.1898, 04.1900 (14, 9, 4, 26); Bucureşti, Tei Park, 05.1898 (14, 9, 4, 18), coll. M.A.L. (37); Comana Forest (11, 4), coll. M.A.L. (37); Brăneşti, Pasărea Forest, 24.04.1956, 8.05.1963 (37); Săbăreni, Joiţa, 12.05.1959, 14.04.1972 (37).
<i>Pedestredorcadion tauricum</i> (Waltl, 1838)	<i>Recorded:</i> Comana Forest (4, 18, 29), coll. M.A.L., 17.05.1958 (37); Bucureşti (18); Cernica Forest (29); Brăneşti, Pasărea Forest (29), 17.05.1964, 8.05.1963, 24.04.1964 (37).
Lamiini	
<i>Herophila tristis tristis</i> (Linnaeus, 1767)	<i>Recorded:</i> Comana Forest (11).
<i>Lamia textor</i> (Linnaeus, 1758)	<i>Recorded:</i> Budeşti, 12.07.1957 (37). <i>Material:</i> Cernica Forest, 1 spec., 9.07.1995, I.Al.
<i>Morimus asper funereus</i> Mulsant, 1862	<i>Recorded:</i> Comana (24, 16, 9, 4, 2, 29), coll. M.A.L., 24-25.04.1950, 25.05.1951, 30.05.1959, 9.06.1963 (37); Piscu Hriască (4); Țigăneşti, Ciolpani (6, 4), 26.06.1966 (37); Căldăruşani (6, 4), 21.06.1960 (37); Cernica (29); Periş, 4.05.1950 (37); Bucureşti, Băneasa Forest, 20.04.1951, 4.06.1959 (37); Brăneşti, Pasărea Forest, 6.06.1959 (37); Corbi Mari, 21.06.1979 (37); Dealu, Crevedia Mare, 7-8.06.1979 (37). <i>Material:</i> Bucureşti, 1 spec., 20.08.1991, P.S.M.; Brăneşti, Pasărea Forest, 1 spec., P.S.M.; Comana Forest, 2 specs, 14.05.1995, P.S.M., 1 spec., 5.04.2005, C.G.; Cernica Forest, 2 specs, 7-9.07.1995, P.S.M., I.Al.; Călugăreni, 1 spec., 3.05.2004, D.F.
Mesosini	
<i>Mesosa curculionoides</i> (Linnaeus, 1761)	<i>Recorded:</i> Comana Forest, 05.1898 (14, 11, 4, 29), coll. M.A.L., 14.05.-9.07.1955, 12.06.1956, 16.06.1959 (37); Cocioc, Periş (29); Bucureşti, Băneasa Forest (29), 05.1952 (37); Snagov, 04.1899 (9, 4), 25.04.1957 (37); Mogoşoaia Forest, 4.06.1957 (37); Căldăruşani, 12.06.1958 (37); Vidra, 13.09.1960 (37). <i>Material:</i> Comana Forest, 2 specs, 3.06.1997, P.S.M.; 1 spec., 16.VI.2003.
<i>Mesosa nebulosa</i> (Fabricius, 1781)	<i>Recorded:</i> Comana Forest (4, 29), coll. M.A.L. (37); Bucureşti, Băneasa Forest (29); Bucureşti, 25.08.1967 (37).
Obereini	
<i>Oberea erythrocephala</i> (Schrank, 1776)	<i>Recorded:</i> Bucureşti (4); Comana (4), coll. M.A.L. (37); Budeşti, 29.05.1954, 2.06.1964 (37). <i>Material:</i> Brăneşti, Pasărea Forest, 2 specs, 19.06.1959, S.N.

Table 1 (continued)

Taxa	Published data/Examined material
<i>Oberea linearis</i> (Linnaeus, 1761)	Recorded: Comana (26); Bucureşti, Băneasa Forest (29).
<i>Oberea oculata</i> (Linnaeus, 1758)	Recorded: Bucureşti (4), 25.05.-5.06.1979 (37); Dărăşti, 06.1949 (37).
<i>Oberea pedemontana</i> Chevrolat, 1856	Recorded: Bucureşti, Băneasa Forest (29); 15.07.1959 (37).
<i>Phytoeciini</i>	
<i>Opsilia caerulescens</i> (Scopoli, 1763)	Recorded: Comana Forest (4, 26), coll. M.A.L. (37); Brăneşti, Pasărea Forest, 2-22.06.1959, 8.06.1964 (37); Moara Vlăsiei, 10.06.1978 (37); Budeşti, 25.05.1979 (37).
<i>Opsilia molybdaena</i> (Dalman, 1817)	Recorded: Comana (4, 29).
<i>Phytoecia caerulea</i> (Scopoli, 1772)	Material: Căldăruşani, 2 specs, 1.05.1960.
<i>Phytoecia cylindrica</i>	Recorded: Comana (4, 26), coll. M.A.L. (37); Căldăruşani, 31.05.1957, 21.05.1960 (37); Chitila, Râioasa Forest, 10.05.1958 (37); Săbăreni, 12-17.05.1958, 12.05.1959 (37); Mogoşoaia Forest, 26.05.1959 (37); Tigăneşti, Ciolpani, 26.04.1966 (37).
<i>Phytoecia icterica</i>	Recorded: Comana (4, 26, 29), coll. M.A.L. (37); Bucureşti (4, 29), 5.10.1957 (38); Bucureşti, Băneasa Forest, 24.05.1954 (37); Budeşti, 28.05.1954 (37); Mogoşoaia Forest, 26.05.1959 (37). Material: Comana Forest, 1 spec., 3.05.1998, P.S.M., 2 specs, 15.05.2005, K.D.
<i>Phytoecia nigricornis</i> (Fabricius, 1781)	Recorded: Comana (4, 26, 29), coll. M.A.L. (37); Căldăruşani, 31.05.1957 (37); Brăneşti, Pasărea Forest, 19.06.1957 (37). Material: Comana Forest, 1 spec., 30.05.1954, S.N.; Brăneşti, Pasărea Forest, 3 specs, 26.05.1958-19.06.1959, S.N.; Bucureşti, Băneasa Forest, 1 spec., 5.06.1959, S.N.
<i>Phytoecia pustulata</i> (Schrank, 1776)	Recorded: Bucureşti (4); Comana Forest (4, 26), coll. M.A.L. (37); Bucureşti, Băneasa Forest, 24.05.1954; Mogoşoaia Forest, 23.05.1954 (37); Săbăreni, 12.05.1958 (37); 1 spec., Budeşti, 16.05.1958 (37). Material: Comana Forest, 1 spec., 1937.
<i>Phytoecia virgula</i> (Charpentier, 1825)	Recorded: Săbăreni, 12.05.1958 (37).
<i>Pilemia hirsutula</i> (Frölich, 1793)	Recorded: Comana (4); Mihăileşti (29).
<i>Pogonocherini</i>	
<i>Pogonocherus hispidus</i> (Linnaeus, 1758)	Recorded: Zăvestreni Forest, 9.05.1980 (37).
<i>Pogonocherus ovatus</i> (Goeze, 1777)	Recorded: Cocioc, Periş (29).
<i>Saperdini</i>	
<i>Saperda carcharias</i> (Linnaeus, 1758)	Recorded: Tigăneşti Forest (1); Vidra (1); Bucureşti (1, 29). Material: Găiseni, 1 spec., 20.05.1996. I.Al.
<i>Saperda octopunctata</i> (Scopoli, 1772)	Recorded: Comana Forest (25), coll. M.A.L., 14.05.1955, 16.06.1959 (37); Brăneşti, Pasărea Forest (29).
<i>Saperda perforata</i> (Pallas, 1773)	Recorded: Bucureşti (29).
<i>Saperda populnea</i> (Linnaeus, 1758)	Recorded: Cocioc, Periş (4, 29); Comana Forest (10, 4, 29), 24.06.1954, 14.05.1955, 4-14.06.1959 (37); Budeşti (29), 16.05.1958 (37).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Saperda punctata</i> (Linnaeus, 1767)	<i>Recorded:</i> Bucureşti, Băneasa Forest (29), 30.05.1954, 16.06.1959 (37); Brăneşti, Pasărea Forest, 12.07.1961 (37); Videle, 18.06.1964 (37); Budeşti, 3.06.1964 (37).
<i>Saperda scalaris</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana (4), coll. M.A.L. (37); Bucureşti, 25.07.1953 (37). <i>Material:</i> Comana Forest, 1 spec., 12.06.1983, S.N.; Cernica Forest, 1 spec., 7.07.1995, P.S.M.
Tetropini	
<i>Tetrops praeustus</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana (24, 25, 26); Periş (4); Bucureşti (4), coll. M.A.L., 21.05.1971, 8.05.1972 (37); Brăneşti, Pasărea Forest, 8.05.1963, 5.05.1966 (37). <i>Material:</i> Bucureşti, Militari quarter, 1 spec., 21.05.1971; Bucureşti, 1 spec., 8.05.1972, 1 spec., 20.05.1990, P.S.M., 1 spec., 4.05.1994, P.S.M., 2 specs, 16.05.1997, P.S.M.
Subfamily PRIONINAE	
<i>Prionus coriarius</i> (Linnaeus, 1758)	<i>Recorded:</i> Căldăruşani (3); Balta Neagră (11); Comana Forest (24; 3), coll. M.A.L., 28.07.1954, 2.08.1958 (37, 38); Brăneşti, Pasărea Forest, 7.07.1963 (37, 38); Budeşti, 24.07.1963 (37); Băneasa Forest, Bucureşti, 26.06.1976, 15.07.1978 (37, 38); Buda Forest, 13.08.1980 (37, 38); Snagov, 12.07.1992 (38). <i>Material:</i> Bucureşti, Herăstrău Park, 1 spec., 23.07.2006, U.V.
<i>Megopis (Aegosoma) scabricornis</i> (Scopoli, 1763)	<i>Recorded:</i> Comana Forest (24, 3), coll. M.A.L. (37, 38); Bucureşti, (11), 14-15.07.1958, 1.08.1958 (37, 38); Băneasa Forest, Bucureşti, 9.07.-14.08.1959, 15.07.1975 (37); Pasărea Forest, 10-12.07.1959 (37); Bucureşti, „Grigore Antipa” Museum Park, 10.07.1968, 1.07.1990, 6.07.1994 (37, 38); Buda Forest, 5-10.08.1980 (37, 38); Bucureşti, Cişmigiu Park, 6.08.2004 (38). <i>Material:</i> Bucureşti, „Grigore Antipa” Museum Park, 2 specs, 26-27.07.2005, M.I., C.V.
Subfamily LEPTURINAE	
Lepturini	
<i>Alosterna tabacicolor</i> (De Geer, 1775)	<i>Recorded:</i> Brăneşti, Pasărea Forest (29), 14.05.1952 (37, 39); Comana Forest, coll. M.A.L., 9.07.1976 (37); 1 spec., Mogoşoaia Forest, 4.05.1960 (37). <i>Material:</i> Comana Forest, 1 spec., 25.05.1981, S.N.; Bucureşti, Băneasa Forest, 1 spec., 26.05.1981, S.N.
<i>Anoplodera rufipes</i> (Schaller, 1783)	<i>Recorded:</i> Comana Forest (26, 29), coll. C.R., 26.05.1981 (37); Bucureşti, Băneasa Forest (29); Bucureşti, Andronache Forest (29), 6.06.1937 (39); Cernica Forest, 28.05.1955 (39); Mogoşoaia Forest, 7-26.06.1959 (39); Brăneşti, Pasărea Forest (29), 13.06.1965 (39).
<i>Anoplodera sexguttata</i> (Fabricius, 1775)	<i>Recorded:</i> Brăneşti, Pasărea Forest (29); Bucureşti, Andronache Forest (29), 6.06.1937 (37, 39); Bucureşti, Băneasa Forest (29), 23.05.1954, 18.05.1991 (37, 39); Mogoşoaia Forest, 26.05.1958, 7-26.06.1959, 4.06.1960 (37, 39); Căldăruşani, 10.06.1978, (37, 39); Budeşti, 25.05.1979 (37, 39); Comana Forest, 26.05.1981, 12.06.1983 (39).
<i>Judolia sexmaculata</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (10, 17); Bucureşti (4, 29).
<i>Leptura aurulenta</i> Fabricius, 1792	<i>Recorded:</i> Comana Forest (4, 29), 9.06.1963, 9.07.1955, 9.06.1963 (37, 39); Brăneşti, Pasărea Forest, 5.07.1953-5.07.1955 (37, 39); Bucureşti, Băneasa Forest, 18.06.1960 (37, 39).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Leptura quadrifasciata</i> Linnaeus, 1758	<i>Recorded:</i> Comana Forest, 9.07.1955 (39); Budeşti, 24.06.1956, 5.07.1957 (37); Brăneşti, Pasărea Forest, 7.07.1976 (39).
<i>Lepturalia nigripes</i> De Geer, 1775	<i>Recorded:</i> Bucureşti (4, 29).
<i>Pachytodes cerambyciformis</i> (Schrank, 1781)	<i>Recorded:</i> Bucureşti; Comana Forest (4, 29).
<i>Pachytodes erraticus</i> (Dalman, 1817)	<i>Recorded:</i> Căldăruşani, 06.1900 (9, 4); Brăneşti, 06.1900 (9); Bucureşti, Pantelimon (11, 4); Comana Forest (25), coll. C.R., coll. M.A.L., 3.05.1941, 14.06.-19.07.1959, 25.06.1962, 24.06.1965, 5-17.07.1972, 22-23.06.1976, 4.06.1980 (37, 39); Bucureşti, coll. M.A.L. (37, 39); Bucureşti, Andronache Forest, 19.06.1938, 29.06.1963, (37, 39); Cernica Forest, 2.06.1950, 5.07.1960 (37, 39); Bucureşti, Copăceni, 17.06.1951 (37, 39); Bucureşti, Bâneasa Forest, 23.05.1954, 5.06.1959, 1.07.1980 (37, 39); Căldăruşani, Brazi, 12.06.1956, 30.05.-15.07.1959, 21.06.1960 (37, 39); Periş, 18.06.1959 (37, 39); Brăneşti, Pasărea Forest, 6-19.06.1959, 29.06.1962, 4-5.07.1962, 14-25.06.1965, 16.06.1966, 13.06.1978 (37, 39); Brăneşti, Pustnicu Forest, 5.07.1962, 4.07.1971 (37, 39); Vidra, 23.07.1962 (37, 39); Budeşti, 15.07.1969 (37, 39); Zăvestreni Forest, 22-23.06.1977, 21.06.1978, 15.06.1979 (37, 39); Snagov, 29.06.1980 (37, 39); Crevedia Mare, 10.07.1980 (37, 39); Călugăreni, 20.06.1982, 10.07.1983 (37, 39). <i>Material:</i> Comana Forest, 2 specs, 6.07.1994, I.AI.; Ogarca Forest, Vlaşin, 13 specs, 22.06.2006, S.R.
<i>Pseudovadonia livida</i> (Fabricius, 1776)	<i>Recorded:</i> Bucureşti, Tei Park, 05.1898 (16); Bucureşti, Pantelimon (11); Bucureşti, coll. M.A.L. (39); Comana Forest (4), coll. M.A.L., 30.05.1941, 15.06.1955, 27.06-12.07.1959, 25.06.1962, 18.09.1964, 23.07.1965, 5.07.1972, 22-23.06.1976, 3.06.1998 (37, 39); Bucureşti, Copăceni, 17.06.1951, 14.06.1953 (37, 39); Bucureşti, Andronache Forest, 12.06.1954 (37, 39); Mogoşoaia Forest, 29.07.1954 (37, 39); Periş, 19.06.1956, 18.06.1959 (37, 39); Chiajna, 20.06.1956 (37, 39); Budeşti, 5-6.07.1957, 14-15.06.1959, 3.06.1965 (37, 39); Căldăruşani, (11), 12.06.1958, 30.05.-15.07.1959, 21.06.1960, 9.06.1978 (37, 39); Brăneşti, Pasărea Forest (11), 6-22.06.1959, 25.06.1965, 13.06.1978 (37, 39); Budeşti, 14-15.06.1959, 5.06.1979 (37, 39); Bucureşti, Pantelimon, 10.06.1962 (36, 38); Brăneşti, Pustnicu Forest, 5.07.1962 (37, 39); Bucureşti, Bâneasa Forest, 3-21.06.1965, 1.07.1980 (37, 39); Bucureşti, Pipera quarter, 20.06.1965 (37, 39); Chiajna, 20.06.1976 (37, 39); Zăvestreni Forest, 23-24.06.1977, 21.06.1978, 15.06.1979 (37, 39); Moara Vlăsiei, 9.06.1978 (37, 39); Căscioarele Forest, 18.06.1979 (37, 39); Tigăneşti Forest, 20.06.1979 (37, 39); Snagov, 14.06.1979 (37, 39); Crevedia, 10.07.1980 (37, 39). <i>Material:</i> Izvoarele, Manafu Forest, 1 spec., 4.05.2006, S.R.
<i>Rutpela maculata</i> (Poda, 1761)	<i>Recorded:</i> Balta Neagră (4); Comana Forest (25, 29), 5.07.1951, 12.06.1966, 17.06.1976, 17.06.1977, 30.06.1981 (37, 39); Bucureşti, Cernica Forest, 2.06.1950 (37, 39); Bucureşti, Bâneasa Forest (29), 18.06.-4.07.1959; Brăneşti, Pasărea Forest, 22.06.1959, 10.06.1977 (37, 39).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Stenurella bifasciata</i> (Müller, 1776)	<i>Recorded:</i> Bucureşti, coll. M.A.L. (37, 39); Comana Forest, 06.1898 (16, 10, 4), coll. M.A.L., 4.07.1958, 6-27.06.1959, 24.06.1965, 5.07.1972 (37, 39); Adunaţii Copăceni, 14.06.1953 (37, 39); Căldăruşani, 12.07.1958, 21.06.1960 (37, 39); Brâneşti, Pasărea Forest, 19.06.1959, 9.08.1961, 24-25.06.1965, 10.06.1977 (37, 39); Periş, 18.06.1959 (37); Cernica Forest, 5-15.08.1960 (37, 39); Budeşti, 28.06.1955, 5-7.06.1979 (37, 39); Zăvestreni Forest, 1.09.1977 (37, 39).
<i>Stenurella melanura</i> (Linnaeus, 1758)	<i>Recorded:</i> Balta Neagră (4); Comana Forest, (25), 27.06.1959 (37, 39); Căldăruşani (11), 21.06.1960 (37, 39); Bucureşti, 9.08.1961 (37, 39); Brâneşti, Pasărea Forest, 25.06.1959, 5-7.07.1962, 25.06.1965, 16.06.1966, 10.06.1977, 18.06.1978 (37, 39); Mogoşoaia Forest, 15.06.1962 (37, 39); Budeşti, 15.07.1969 (37, 39); Bucureşti, Bâneasa Forest, 1.07.1980 (37, 39). <i>Material:</i> Comana Forest, 1 spec., 7.06.2006, S.R.
<i>Stenurella nigra</i> (Linnaeus, 1758)	<i>Recorded:</i> Cernica Forest (11), 29.05.1955-9.06.1956 (37, 39); Periş, 18.06.1959 (37, 39); Comana Forest (25, 26), 24.05.1962, 25.05.1981 (37, 39); Brâneşti, Pasărea Forest, 7-9.07.1970 (37, 39); Clejani, Bălăria Forest, 20.06.1978 (37, 39); Bucureşti, Bâneasa Forest, 23.05.1954, 25.05.1981 (37, 39).
<i>Stenurella septempunctata</i> (Fabricius, 1792)	<i>Recorded:</i> Comana Forest, 06.1898 (16, 4), coll. M.A.L., 24.06.1965, 23.06.-29.07.1976 (37, 39); Căldăruşani (6), 12.06.1958-21.06.1960, 10.06.1978 (37, 39); Bucureşti, Bâneasa Forest, 5-6.06.1959 (37, 39); Periş, 18.06.1959 (37, 39); Brâneşti, Pasărea Forest, 5-25.06.1959 (37), 16.06.1966, 10-29.06.1977 (37, 39); Mogoşoaia Forest, 15.06.1962 (37, 39); Budeşti, 15.07.1969, 5.06.1979 (37, 39); Zăvestreni Forest, 21.06.1978-15.06.1979, Bucureşti, Bâneasa Forest, 1.07.1980 (37, 39); Călugăreni, 10.07.1983 (37, 39).
<i>Stictoleptura cordigera</i> (Fuessly, 1775)	<i>Recorded:</i> Comana Forest (25, 29), coll. M.A.L., 9.07.1955, 19.07.1959, 5.07.1962, 7-17.07.1965 (37, 39); Brâneşti, Pasărea Forest (23).
<i>Stictoleptura erythroptera</i> (Hagenbach, 1882)	<i>Recorded:</i> Comana Forest (17, 29); Bucureşti, Bâneasa Forest, 16.06.1986 (39).
<i>Stictoleptura scutellata</i> (Fabricius, 1781)	<i>Recorded:</i> Balta Neagră, Căldăruşani (11); Comana Forest (25), coll. M.A.L., 23.06.-9.07.1955 (37, 39); Mogoşoaia Forest, 29.07.1954 (37).
<i>Strangalia attenuata</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti, Pantelimon (10, 4); Comana Forest (4), coll. M.A.L. (37, 39); Bucureşti, Bâneasa Forest, coll. C.R., 23.05.1954, 27-29.05.1979, 1.07.1980, 17.07.1981 (37, 39); Budeşti, 24.06.1956, 5.07.1957 (37, 39); Brâneşti, Pasărea Forest, 19.06.-30.07.1959, 29.06.1962, 4.07.1962, 16.06.1966, 4.07.1971, 29.06.1977, 13.06.1978 (37, 39); Bucureşti, Andronache Forest, 15.07.1958 (37, 39); Căldăruşani (7, 4), 15-16.07.1959 (37, 39); Snagov, 22.07.1976, 18.07.1979, 13.08.1980, (37, 39); Zăvestreni Forest, 22-23.06.1977, 21.06.1978 (37, 39); Crevedia Mare, 10.07.1980 (37, 39). <i>Material:</i> Comana Forest, 1 spec., 6.07.1994, I.Al.; Ogarca Forest, Vlaşin, 1 spec., 22.06.2006, S.R.; Brâneşti, 3 specs, 27.06.2007, S.M., C.C.
<i>Vadonia unipunctata</i> (Fabricius, 1787)	<i>Recorded:</i> Comana Forest (10, 4, 25, 29), coll. M.A.L., 17.07.1965, 5.06.1972 (37, 39); Brâneşti, Pasărea Forest, 19.06.1958, 6-22.06.1959 (37, 39).

Table 1 (continued)

Taxa	Published data/Examined material
Necydalini	
<i>Necydalis major</i> Linnaeus, 1758	<i>Recorded:</i> Bucureşti (4); Comana Forest (25).
Rhagiini	
<i>Acmaeops pratensis</i> (Laicharting, 1784)	<i>Recorded:</i> Bucureşti (3, 29).
<i>Anisorus quercus</i> (Götz, 1783)	<i>Recorded:</i> Bucureşti, Băneasa Forest, 10.05.1952, 5.05.1982, 18-19.05.1991 (37, 38); Comana Forest (11, 25, 26), 23.05.1954 (37, 38); Cernica Forest, 28.05.1955 (37, 38); Pasărea Forest, 24.05.1956, 8.05.1963 (37, 38); Mogoşoaia Forest, 26.05.1959 (37, 38). <i>Material:</i> Bucureşti, Băneasa Forest, 1 spec., 29.05.2005, U.V.
<i>Cortodera femorata</i> (Fabricius, 1787)	<i>Material:</i> Bucureşti, 1 spec., 21.05.1929, 1 spec., 12.05.1959, R.A.; Brăneşti, Pasărea Forest, 1 spec., 6.06.1959, S.N.; Mogoşoaia Forest, 3 specs, 18.05.1984, P.C.
<i>Cortodera flavimana</i> (Waltl, 1838)	<i>Recorded:</i> Comana Forest (3, 24, 25, 29), coll. M.A.L. (36, 38); Bucureşti (3, 29), 21.05.1928, 12.05.1959 (38); Brăneşti, Pasărea Forest, 6.06.1959 (36, 38); Săbăreni, 25.05.1964 (36); Mogoşoaia Forest, 18.05.1984 (38).
<i>Cortodera humeralis</i> (Schaller, 1783)	<i>Recorded:</i> Comana (3); Țigăneşti Forest, 8.05.1949 (38); Bucureşti, Băneasa Forest, 10.05.1952 (38); Snagov, 25.04.1957 (38); Cernica Forest, 28.04.1962, 8.05.1962 (38); Brăneşti, Pasărea Forest, 29.06.1962, 8.05.1963, 7.05.1965, 19.06.1965, 5.05.1966 (38). <i>Material:</i> Comana Forest, 3 specs, 3.05.1997, P.S.M.
<i>Dinoptera collaris</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest, 05.1898 (11, 14, 3), coll. M.A.L., 25.05.1981 (37, 38); Bucureşti, coll. M.A.L. (37, 38); Cernica Forest, 6.05.1955 (37, 38); Mogoşoaia Forest, 26.05.1959 (37, 38); Râioasa Forest, 8.05.1979 (37, 38); Budeşti, 25.05.1979 (37, 38); Pasărea Forest, 23.05.1981 (37, 38); Gălbinaşi, 11.05.1988 (38).
<i>Gaurotes (Carilia) virginea</i> (Linnaeus, 1758)	<i>Recorded:</i> Pasărea Forest, 7.04.1946 (37, 38); Căldăruşani, 3.06.1959 (38); Tâncaştei, 24.04.1966 (37, 38).
<i>Grammoptera ruficornis</i> (Fabricius, 1781)	<i>Recorded:</i> Pasărea Forest (29). <i>Material:</i> Comana Forest, 1 spec., 25.05.1981, S.N., 2 specs, 4.06.2006, S.R.
<i>Pidonia lurida</i> (Fabricius, 1792)	<i>Recorded:</i> Băneasa, coll. C.R.; Pasărea Forest, 14.05.1952 (38).
<i>Rhagium inquisitor</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest, 25.04.1983 (38).
<i>Rhagium mordax</i> (De Geer, 1775)	<i>Recorded:</i> Comana Forest (29).
<i>Rhagium sycophanta</i> (Schrink, 1781)	<i>Recorded:</i> Țigăneşti, Ciolpani, 04.1899 (9, 2); Căldăruşani (9, 3, 29); Piscu Hriască, 04.1899 (9, 3); Stoeneşti (29); Balta Neagră, Mija (2); Comana Forest, coll. M.A.L., 9.06.1963 (37, 38); Călugăreni, 4.05.1986 (37, 38). <i>Material:</i> Călugăreni, 1 spec., 3.05.2004, D.F.
<i>Rhamnusium bicolor</i> (Schrink, 1781)	<i>Recorded:</i> Comana Forest (7, 3, 29), 15.05.1954 (37, 38); Budeşti, (29), 11.05.-20.06.1954, 29.05.1958, 25.05.1979 (37, 38).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Stenocorus meridianus</i> (Linnaeus, 1758)	<i>Recorded:</i> Periş (7, 3); Brăneşti, Pasărea Forest (11), 15.06.1969 (37, 38); Comana Forest (3), coll. M.A.L., 31.05.1956, 19.05.1958 (37, 38); Bucureşti, Băneasa Forest, 10.05.1952 (37, 38); Căldăruşani, 31.05.1957 (37, 38); Mogoşoaia Forest, 7.05.1961 (37, 38). <i>Material:</i> Comana Forest, 1 spec., 19.05.1975, S.N., 1 spec., 3.06.1998, P.S.M.
Subfamily SPONDYLIDINAE	
<i>Anisarthron barbipes</i> (Schrank, 1781)	<i>Recorded:</i> Comana Forest, 24.06.1954, 26-29.06.1955 (40).
<i>Arhopalus rusticus</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti, 05.1982 (40).
<i>Tetropium castaneum</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti, 10.03.1994 (40).
<i>Tetropium fuscum</i> (Fabricius, 1787)	<i>Recorded:</i> Bucureşti, „Grigore Antipa” Museum Park, 23-25.03.1994 (40).
Family CHRYSOMELIDAE	
Subfamily DONACIINAE	
<i>Donacia marginata</i> Hoppe, 1795 (syn: <i>D. limbata</i> Panzer, 1796)	<i>Recorded:</i> Bucureşti, Chitila (4); Comana (26); Călugăreni (22). <i>Material:</i> Comana, 1 spec., 16.06.1955, coll. S.N., 1 spec., 1.05.1956, 6 specs, 15.06.1963, R.A.; Mogoşoaia Forest, 2 specs, 7.05.1961, 5.05.1963, P.X.; Cernica, 1 spec., 10.04.1969, P.X.
<i>Donacia impressa</i> (Paykull, 1799)	<i>Recorded:</i> Comana (4).
<i>Donacia obscura</i> Gyllenhal, 1813	<i>Recorded:</i> Bucureşti (23).
<i>Donacia semicuprea</i> Panzer, 1796	<i>Recorded:</i> Bucureşti (23).
<i>Plateumaris consimilis</i> (Schrank, 1781)	<i>Recorded:</i> Comana, Chitila (4).
<i>Plateumaris rustica</i> (Kunze, 1818) (syn: <i>P. affinis</i> Kunze, 1818)	<i>Recorded:</i> Chitila (18); Comana (26).
<i>Plateumaris sericea</i> (Linnaeus, 1761) (syn: <i>P. discolor</i> Panzer, 1795)	<i>Recorded:</i> Chitila (19, 4); Comana (25, 26); Bucureşti, Cotroceni quarter (23).
Subfamily ORSODACNINAE	
<i>Orsodacne cerasi</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana (25); Bucureşti, Cotroceni quarter (23).
<i>Orsodacne humeralis</i> Latreille, 1804 (syn: <i>O. lineola</i> Panzer, 1795)	<i>Recorded:</i> Comana; Bucureşti (4).
Subfamily CRIOCERINAE	
<i>Crioceris duodecimpunctata</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti (4, 23).
<i>Crioceris quatuordecimpunctata</i> (Scopoli, 1763)	<i>Recorded:</i> Bucureşti, Filaret (15); Bucureşti (4, 25).
<i>Lema cyanella</i> (Linnaeus, 1758) (syn: <i>L. puncticollis</i> Curtis, 1830)	<i>Material:</i> Baloteşti Forest, 1 ♂, 20.06.2007, M.S.
<i>Lilioceris liliii</i> (Scopoli, 1763)	<i>Recorded:</i> Cernica (22). <i>Material:</i> Bucureşti, 3 specs, 6.05.1991, S.A.

Table 1 (continued)

Taxa	Published data/Examined material
<i>Lilioceris merdigera</i> (Linnaeus, 1758)	<i>Recorded:</i> Brăneşti, 04.1900 (9); Comana (26, 22); Bucureşti, Băneasa Forest (22). <i>Material:</i> Măgurele, 1 spec., 15.04.1995, P.S.M.; Brăneşti, 1 spec., 27.06.2007, S.M.
<i>Oulema gallaeciana</i> (Heyden, 1870) (syn: <i>Chrysomela lichenis</i> Voet, 1806)	<i>Recorded:</i> Bucureşti (4); Comana (26). <i>Material:</i> Bucureşti, Cişmigiu Park, 1 ♂, 09.2007, S.S.
<i>Oulema melanopus</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti; Comana; Buftea (14, 4, 26); Bucureşti (23); Comana; Călugăreni (22). <i>Material:</i> Pasărea Forest, 1 spec., 17.06.1996, S.A.; Bucureşti, Izvor Park, 2 specs, 28.06.2006, M.S.; Baloteşti Forest, 1 spec., 20.06.2007, M.S.; Băneasa Forest, Bucureşti, 1 spec., 21.06.2007, M.S.
<i>Oulema tristis</i> (Herbst, 1786) (syn: <i>Lema flavipes</i> Suffrian, 1841)	<i>Recorded:</i> Comana (4); Bucureşti, Cotroceni quarter (23).
Subfamily CLYTHRINAE	
<i>Clytra laeviuscula</i> (Ratzeburg, 1837)	<i>Recorded:</i> Comana Forest (11, 14, 4, 21); Bucureşti; Budeşti, Pasărea Forest (21); Căscioarele Forest (22). <i>Material:</i> Bucureşti, Băneasa Forest, 5.06.1959, S.N.; Comana Forest, 3 specs, 14.06.1959, S.N.; Pasărea Forest, 15 specs, 19.06.1959, S.N.; Budeşti, 1 spec., 15.07.1959, S.N.
<i>Clytra quadripunctata</i> (Linnaeus, 1758) (syn: <i>appendicina</i> Lacordaire, 1848)	<i>Recorded:</i> Bucureşti, Băneasa Forest (16, 4); Budeşti; Brăneşti - Pasărea Forest (21).
<i>Coptocephala rubicunda</i> (Laicharting, 1781)	<i>Recorded:</i> Comana Forest, coll. M.A.L.; Periş (21).
<i>Coptocephala scopolina</i> (Linnaeus, 1767)	<i>Recorded:</i> Comana Forest (4).
<i>Coptocephala unifasciata</i> (Scopoli, 1763)	<i>Recorded:</i> Bucureşti; Comana Forest (4).
<i>Labidostomis cyanicornis</i> (Germar, 1822)	<i>Recorded:</i> Comana Forest, coll. F.Ed.; Bucureşti, coll. C.R. (21).
<i>Labidostomis humeralis</i> (Schneider, 1792)	<i>Recorded:</i> Comana Forest, coll. C.R., coll. M.A.L. (21).
<i>Labidostomis longimana</i> (Linnaeus, 1761)	<i>Recorded:</i> Bucureşti (4), coll. M.A.L. (21); Comana, coll. C.R., coll. M.A.L. (21); Brăneşti, Pustnicu Forest, Pasărea Forest; Periş; Căldăruşani; Prundu; Zăvestreni; Fundulea (21). <i>Material:</i> Bucureşti, Izvor Park, 2 ♂♂, 28.06.2006, M.S.; Valea Gurbanului, Comana Forest, 5 specs (3 ♂♂, 2 ♀♀), 19.06.2007, M.S.; Bucureşti, Izvor Park, 2 ♂♂, 28.06.2007, M.S., S.S.
<i>Labidostomis lucida</i> (Germar, 1824)	<i>Recorded:</i> Comana Forest, coll. F.Ed., coll. M.A.L. (21); Prundu (21).
<i>Labidostomis pallidipennis</i> (Gebler, 1830)	<i>Recorded:</i> Comana Forest (4); Budeşti (21).
<i>Labidostomis propinqua</i> Faldermann, 1837	<i>Recorded:</i> Comana Forest (25); Pasărea Forest (21).
<i>Labidostomis tridentata</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (16, 18, 4, 21); Brăneşti, Pasărea Forest; Bucureşti, Andronache Forest (21).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Lachnaia sexpunctata</i> (Scopoli, 1763)	<i>Recorded:</i> Comana (4), coll. M.A.L. (21); Cernica Forest, Pasărea Forest, Mogoșoaia Forest, București (21).
<i>Smaragdina (Monrosia) affinis</i> (Illiger, 1794)	<i>Recorded:</i> Comana Forest (26, 21); Călugăreni (21).
<i>Smaragdina (Monrosia) aurita</i> (Linnaeus, 1767)	<i>Recorded:</i> București (4); Mogoșoaia Forest; Brânești, Pustnicu Forest (21).
<i>Smaragdina concolor</i> (Fabricius, 1792) (syn: <i>Clythra hypocrita</i> Lacordaire, 1848)	<i>Recorded:</i> Comana Forest (26).
<i>Smaragdina limbata</i> (Stéven, 1806)	<i>Recorded:</i> Comana Forest; București (4, 25); Pasărea Forest; București (Băneasa Forest); Mogoșoaia Forest (21).
<i>Smaragdina (Monrosia) salicina</i> (Scopoli, 1763)	<i>Recorded:</i> Comana; București (16, 4); Pasărea Forest; București, Andronache Forest; București; Tigănești Forest (21).
<i>Smaragdina (Monrosia) xanthaspis</i> (Germar, 1824)	<i>Recorded:</i> Comana Forest (18, 4, 22); Căldărușani Forest; Brânești, Pustnicu Forest; București; Zăvestreni (21); Călugăreni (22).
Subfamily CRYPTOCEPHALINAE	
<i>Cryptocephalus (Asionus) apicalis</i> Gebler, 1830	<i>Recorded:</i> București, Băneasa Forest; București; Comana Forest (4).
<i>Cryptocephalus aureolus</i> Suffrian, 1847	<i>Recorded:</i> Comana Forest (16, 4); București (4).
<i>Cryptocephalus bipunctatus</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest; București (4, 26); Mogoșoaia Forest (32); Căscioarele Forest, 5.07.2005 (22). <i>Material:</i> Brânești, Pasărea Forest, 1 spec., 14.06.1996, S.A.
<i>Cryptocephalus biguttatus</i> (Scopoli, 1763)	<i>Recorded:</i> Comana Forest (4, 32).
<i>Cryptocephalus (Burlinius) bilineatus</i> Linnaeus, 1767	<i>Recorded:</i> Comana Forest (4); București (32).
<i>Cryptocephalus (Burlinius) chrysopus</i> (Gmelin, 1888)	<i>Recorded:</i> Comana Forest (32).
<i>Cryptocephalus (Burlinius) connexus</i> Olivier, 1808	<i>Recorded:</i> Cernica Forest; Pasărea Forest (33); Singureni Forest (22). <i>Material:</i> București, 3 specs., 15.08.1994, P.S.M.
<i>Cryptocephalus cordiger</i> (Linnaeus, 1758)	<i>Recorded:</i> București (23).
<i>Cryptocephalus (Heterichnus) coryli</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (25).
<i>Cryptocephalus (Burlinius) elegantulus</i> Gravenhorst, 1807	<i>Recorded:</i> Comana Forest (26).
<i>Cryptocephalus (Burlinius) exiguius</i> Schneider, 1792	<i>Recorded:</i> București (26).
<i>Cryptocephalus flavipes</i> Fabricius, 1781	<i>Recorded:</i> București (4); Comana Forest (26).
<i>Cryptocephalus frenatus</i> Laicharting, 1781	<i>Recorded:</i> Măriuța Forest (22).
<i>Cryptocephalus globicollis</i> Suffrian, 1847	<i>Recorded:</i> Comana Forest (16).
<i>Cryptocephalus hypochoeridis</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (14, 4); București (23); Cernica (32); Căscioarele Forest, 5.07.2005 (22). <i>Material:</i> Balotești Forest, 2 ♂♂, 20.06.2007, M.S.

Table 1 (continued)

Taxa	Published data/Examined material
<i>Cryptocephalus janthinus</i> Germar, 1824	<i>Recorded:</i> Comana Forest, 16.09.1994 (22). <i>Material:</i> Căldărushani, 1 spec., 7.07.1997, P.S.M.; Mlaştinile de la Pescărie, Comana, 1 ♀, 19.06.2007, M.S. (on <i>Phragmites</i> ).
<i>Cryptocephalus (Burlinius) labiatus</i> (Linnaeus, 1761)	<i>Recorded:</i> Comana Forest (26).
<i>Cryptocephalus (Lamellosus) laevicollis</i> Gebler, 1830	<i>Recorded:</i> Comana Forest (26); Bucureşti, Filaret (32).
<i>Cryptocephalus moraei</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (16, 22); Bucureşti (4, 26); Bucureşti, Pantelimon quarter (11); Bucureşti, Cotroceni quarter (23); Căscioarele Forest, 5.07.2005 (22). <i>Material:</i> Valea Gurbanului, Comana Forest, 1 ♀, 19.06.2007, M.S.; Baloteşti Forest, 5 specs (4 ♂♂, 1 ♀), 20.06.2007, M.S.
<i>Cryptocephalus motasi</i> Panin, 1941	<i>Recorded:</i> Bucureşti, Andronache Forest, 8.05.1938 (27).
<i>Cryptocephalus ocellatus</i> Drapiez, 1819 (syn: <i>C. geminus</i> Gyllenhal, 1827)	<i>Recorded:</i> Bucureşti (23, 32); Căscioarele Forest, 10.05.2005 (22).
<i>Cryptocephalus octacosmus</i> Bedel, 1891	<i>Recorded:</i> Comana, 30.06.1990, 3.06.2002 (22); Singureni, 10.07.1997, 26.06.2003 (22); Căscioarele Forest, 07.2005 (22). <i>Material:</i> Bucureşti, Izvor Park, 4 specs, 28.06.2006, M.S.; Valea Gurbanului, Comana, 7 specs (3 ♂♂, 4 ♀♀), 19.06.2007, M.S.; Mlaştinile de la Pescărie, Comana, 3 specs, 19.06.2007, M.S.; Baloteşti Forest, 1 spec., 20.06.2007, M.S.; Chitila, Mangu brook, 3 specs, 5.07.2007, M.S.
<i>Cryptocephalus octopunctatus</i> (Scopoli, 1763)	<i>Recorded:</i> Bucureşti, Cotroceni quarter (23).
<i>Cryptocephalus parvulus</i> Müller, 1776	<i>Recorded:</i> Căscioarele Forest (22).
<i>Cryptocephalus (Disopus) pini</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti (4).
<i>Cryptocephalus primarius</i> Harold, 1872	<i>Recorded:</i> Comana Forest (4).
<i>Cryptocephalus quinquepunctatus</i> (Scopoli, 1763)	<i>Recorded:</i> Bucureşti (32).
<i>Cryptocephalus sericeus</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (11, 14, 4); Bucureşti (32); Căscioarele Forest, 5.07.2005 (22). <i>Material:</i> Bucureşti, Băneasa Forest, 3 specs, 4.06.1959, S.N.; Comana Forest, 15 specs, 14-19.06.1959, S.N.; Brăneşti, Pasărea Forest, 10 specs, 19.06.1959, S.N.
<i>Cryptocephalus sexpunctatus</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (32). <i>Material:</i> Comana Forest, 1 spec., 8.05.1955, S.N.
<i>Cryptocephalus trimaculatus</i> Rossi, 1790	<i>Recorded:</i> Comana Forest (25).
<i>Cryptocephalus violaceus</i> Laicharting, 1781	<i>Recorded:</i> Comana Forest (16, 4, 26); Bucureşti, Cotroceni quarter (23).
<i>Cryptocephalus virens</i> Suffrian, 1847	<i>Recorded:</i> Brăneşti (11).
<i>Cryptocephalus vittatus</i> Fabricius, 1775	<i>Recorded:</i> Bucureşti (32).
<i>Pachybrachis sinuatus</i> (Mulsant & Rey, 1859)	<i>Recorded:</i> Căscioarele Forest, 10.05.2005 (22).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Pachybrachis tessellatus</i> (Olivier, 1791) (syn: <i>histrio</i> Olivier, 1791)	<i>Recorded:</i> Bucureşti (4); Comana Forest (26).
Subfamily EUMOLPINAE	
<i>Eumolpus asclepiadeus</i> (Pallas, 1776)	<i>Recorded:</i> Comana Forest (15, 4); Mogoşoaia Forest (25).
<i>Pachnephorus tessellatus</i> (Duftschmidt, 1825)	<i>Recorded:</i> Comana Forest; Bucureşti, Băneasa Forest (15, 19, 4).
<i>Pachnephorus villosus</i> (Duftschmidt, 1825)	<i>Recorded:</i> Comana Forest (16, 4); Bucureşti (25).
Subfamily CHRYSOMELINAE	
<i>Chrysolina (Sulcicollis) chalcites</i> (Germar, 1824)	<i>Recorded:</i> Comana Forest (28, 22).
<i>Chrysolina (Synerga) coerulans</i> (Scrimgeour, 1791)	<i>Recorded:</i> Comana Forest (28, 33).
<i>Chrysolina (Fastuolina) fastuosa</i> (Scopoli, 1763)	<i>Recorded:</i> Bucureşti (11, 4, 28, 33); Brăneşti (11); Comana; Brăneşti, Pasărea Forest (28, 33); Călugăreni; Ogarca Forest; Singureni Forest (22). <i>Material:</i> Comana Forest, 3 specs, 31.05.2006, M.C.; Baloteşti Forest, 2 specs, 20.06.2007, M.S.; Bucureşti, Băneasa Forest, 2 specs, 21.06.2007, M.S.
<i>Chrysolina (Hypericia) geminata</i> (Paykull, 1799)	<i>Recorded:</i> Comana Forest (26, 28, 33).
<i>Chrysolina (Euchrysolina) graminis</i> (Linnaeus, 1758)	<i>Recorded:</i> Bucureşti (4); Brăneşti; Fundulea (33).
<i>Chrysolina (Colaphodes) haemoptera</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest, Bucureşti (33).
<i>Chrysolina (Synerga) herbacea</i> (Duftschmidt, 1825)	<i>Recorded:</i> Singureni Forest, Căscioarele Forest (22). <i>Material:</i> Comana, 1 ♀, 15.05.2005, U.V.; Baloteşti Forest, 3♂♂, 20.06.2007, M.S.
<i>Chrysolina (Hypericia) quadrigemina</i> (Suffrian, 1851)	<i>Recorded:</i> Bucureşti, Cotroceni quarter (23).
<i>Chrysolina (Craspeda) limbata</i> (Fabricius, 1775)	<i>Recorded:</i> Bucureşti, Cotroceni quarter (23).
<i>Chrysolina (Colaphoptera) marcasitica</i> (Germar, 1824)	<i>Recorded:</i> Bucureşti (23).
<i>Chrysolina (Chalcoidea) marginata</i> (Linnaeus, 1759)	<i>Recorded:</i> Comana (26, 28, 33); Bucureşti, Cotroceni quarter (23); Bucureşti (28; 33). <i>Material:</i> Bucureşti, 1.10.1996, 1 spec., P.S.M.
<i>Chrysolina (Ovostoma) olivieri</i> (Bedel, 1892) (syn: <i>coerulea</i> Olivier, 1807)	<i>Recorded:</i> Bucureşti, Cocioc (Periş) (28); Mogoşoaia Forest (33).
<i>Chrysolina (Sulcicollis) oricalcia</i> (Müller, 1776)	<i>Recorded:</i> Comana Forest (25, 28, 33).
<i>Chrysolina (Erythrochrysa) polita</i> (Linnaeus, 1758)	<i>Recorded:</i> Comana Forest (26, 28, 22); Bucureşti (26, 28); Cocioc (Periş), Mogoşoaia Forest (33); Cernica Forest, Singureni (22).
<i>Chrysolina (Synerga) reitteri</i> (Weise, 1884) (syn: <i>Chrysomela lurida</i> Linnaeus, 1767)	<i>Recorded:</i> Comana Forest (4, 26); Bucureşti, Cotroceni quarter (23).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Chrysolina (Stichoptera) rossia</i> (Illiger, 1802)	Recorded: Cernica, Comana Forest (33).
<i>Chrysolina (Stichoptera) sanguinolenta</i> (Linnaeus, 1758) (syn: <i>C. marginalis</i> Duftschmidt, 1825)	Recorded: Comana Forest, Pasărea Forest (11, 4, 28, 33); Bucureşti (23).
<i>Chrysolina staphylaea</i> (Linnaeus, 1758)	Recorded: Bucureşti, Cocio (Periş) (28, 33); Căscioarele Forest, 5.07.2005 (22).
<i>Chrysolina (Colaphosoma) sturmi</i> (Westhoff, 1882)	Recorded: Comana Forest (4, 25); Brăneşti (25); Bucureşti (33); Călugăreni (22).
<i>Chrysolina (Sphaeromela) varians</i> (Schaller, 1783)	Material: Baloteşti Forest, 2 specs (1 ♂, 1 ♀), 20.06.2007, M.S.
<i>Chrysomela populi</i> Linnaeus, 1758	Recorded: Bucureşti, Cocio (Periş) (4); Bucureşti, Cotroceni quarter (23). Material: Bucureşti, 2 specs, 12.04.1994, P.S.M.
<i>Chrysomela saliceti</i> Suffrian, 1849	Recorded: Măriuţa (22).
<i>Chrysomela (Strickerus) vigintipunctata</i> (Scopoli, 1763)	Recorded: Măriuţa, Singureni (22). Material: Bucureşti, 1 spec., 16.06.1994, P.S.M.
<i>Colaphus sophiae</i> (Schaller, 1783)	Recorded: Bucureşti (14, 4); Comana Forest (4, 26, 22). Material: Comana, 6 specs, 8.05.1955, S.N.; Bucureşti, 1 spec., 6.05.1991, S.A.; Căldăruşani, 2 specs, 19.04.1997, P.S.M.; Bucureşti, Izvor Park, 1 spec., 25.04.2007, M.S.
<i>Entomoscelis adonidis</i> (Pallas, 1771)	Recorded: Tigăneşti, 04.1896 (9); Bucureşti (11, 4). Material: Bucureşti, 2 ♀♀, 5.10.1997, I.Al.
<i>Gastrophysa polygoni</i> (Linnaeus, 1758)	Recorded: Bucureşti (19, 11, 4); Bucureşti, Tei Park (14); Bucureşti, Pantelimon quarter (11); Cocio, 04.1899 (9); Buftea (14, 4); Comana Forest (26); Călugăreni (22). Material: Bucureşti, 1 spec., 10.10.1987, S.A.; Comana Forest, 1 spec., 31.05.2006, M.C.; Bucureşti, Izvor Park, 7 specs, 28.06.2006, 30.05.2007, M.S., D.F.; Bucureşti, Unirea Park, 2 specs, 28.06.2007, M.S., S.S.
<i>Gonioctena (Spartomena) fornicate</i> (Brüggemann, 1873)	Recorded: Bucureşti (4, 23); Comana (25, 22). Material: Bucureşti, Băneasa Forest, 30 specs, 29.04.-5.05.1979, S.N.; Bucureşti, 1 spec., 22.04.2001, M.S. (on <i>Capsella bursa-pastoris</i> ); Bucureşti, Izvor Park, 3 specs, 28.06.2006, M.S.; Bragadiru, 2 specs, 5.04.2007, P.E.
<i>Gonioctena decemnotata</i> (Marsham, 1802)	Recorded: Bucureşti, Tei Park (15); Bucureşti (19).
<i>Gonioctena (Spartophila) olivacea</i> (Forster, 1771) (syn: <i>Chrysomela litura</i> Fabricius, 1775)	Recorded: Bucureşti (23).
<i>Hydrothassa marginella</i> (Linnaeus, 1758)	Recorded: Comana Forest (4, 26).
<i>Phaedon cochleariae</i> (Fabricius, 1792)	Material: Măgurele, 2 specs, 28.08.1997, P.S.M. (on <i>Cardamine pratensis</i> ).
<i>Phaedon (Nephaedon) pyritosus</i> (Rossi, 1792)	Recorded: Bucureşti, Cotroceni quarter (23).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Plagiодера versicolora</i> (Laicharting, 1781)	Recorded: Bucureşti (4); Comana (14, 4); Singureni Forest (22).
<i>Prasocuris junci</i> (Brahm, 1790) (syn: <i>Chrysomela beccabungae</i> Illiger, 1794)	Recorded: Bucureşti (19, 4).
<i>Prasocuris phellandrii</i> (Linnaeus, 1758)	Recorded: Comana Forest (25); Călugăreni (22). Material: Bucureşti, 1 spec., 13.05.1997, P.S.M.
<i>Timarcha (Timarchostoma) goettingensis</i> (Linnaeus, 1758)	Recorded: Căldăruşani (11); Comana Forest (11, 17, 25).
<i>Timarcha (Timarchostoma) pratensis</i> (Duftschmidt, 1825)	Recorded: Bucureşti (4).
Subfamily GALERUCINAE	
<i>Agelastica alni</i> (Linnaeus, 1758)	Recorded: Chitila (18, 4).
<i>Calomicrus circumfusus</i> (Marsham, 1802)	Recorded: Comana Forest (26).
<i>Galeruca dahli</i> (Joannis, 1866)	Recorded: Comana Forest (26).
<i>Galeruca (Haptoscelis) melanocephala</i> (Ponza, 1805)	Recorded: Comana Forest (26).
<i>Galeruca (Emarhopa) rufa</i> Germar, 1824	Recorded: Bucureşti, Comana Forest (4, 25).
<i>Galeruca tanaceti</i> (Linnaeus, 1758)	Recorded: Bucureşti (4); Comana Forest (4, 22).
<i>Galerucella (Neogalerucella) calmariensis</i> (Linnaeus, 1767)	Recorded: Chitila (15, 4); Comana (26).
<i>Galerucella (Neogalerucella) lineola</i> (Fabricius, 1781)	Recorded: Buftea (15, 4); Chitila (19, 4).
<i>Galerucella (Neogalerucella) pusilla</i> (Duftschmidt, 1825)	Recorded: Bucureşti, Cocioc (Periş) (4).
<i>Luperus flavipes</i> (Linnaeus, 1767)	Recorded: Bucureşti, Cotroceni quarter (23).
<i>Luperus xanthopoda</i> (Schrink, 1781)	Recorded: Comana Forest (26).
<i>Phyllobrotica adusta</i> (Creutzer, 1799)	Recorded: Bucureşti, Comana Forest (15, 4).
<i>Phyllobrotica quadrimaculata</i> (Linnaeus, 1758)	Recorded: Cernica, Comana Forest (22).
<i>Xanthogaleruca luteola</i> (Müller, 1766)	Recorded: Comana Forest (22). Material: Bucureşti, 2 specs, 30.06.1990, P.S.M.
Subfamily HALTICINAE	
<i>Altica oleracea</i> (Linnaeus, 1758)	Recorded: Bucureşti, Tei Park; Buftea; Comana (16, 19); Chitila (17, 19); Bucureşti, Cotroceni quarter (23); Bucureşti; Comana Forest; Cernica (6).
<i>Altica helianthemi</i> (Allard, 1859) (syn: <i>Haltica pusilla</i> Duft., 1825)	Recorded: Bucureşti, Tei Park; Buftea (16, 6).
<i>Aphtona cyparissiae</i> (Koch, 1803)	Recorded: Chitila (17, 4).
<i>Aphtona euphorbiae</i> (Schrink, 1781) (syn: <i>A. atratula</i> Allard, 1859)	Recorded: Buftea, Bucureşti, Comana Forest, Chitila (17, 19, 6).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Aphtona franzi</i> Heikertinger, 1944	Recorded: Comana Forest (8).
<i>Aphtona lacertosa</i> (Rosenhauer, 1847)	Recorded: Chitila (17, 4).
<i>Aphtona ovata</i> Foudras, 1861	Recorded: Comana Forest (6).
<i>Aphtona pygmaea</i> (Kutschera, 1861)	Recorded: Comana Forest (26).
<i>Aphtona semicyanea</i> Allard, 1859 (syn: <i>A. viridula</i> Allard, 1866)	Recorded: Bucureşti (6).
<i>Aphtona nonstriata</i> (Goeze, 1777) (syn: <i>Altica coerulea</i> Geoffroy, 1785)	Recorded: Călugăreni (22).
<i>Aphtona valachica</i> Heikertinger, 1944	Recorded: Comana Forest (8); endemic species in southern Romania.
<i>Aphtona venustula</i> (Kutschera, 1861)	Recorded: Chitila (18, 4); Călugăreni (22).
<i>Batophila rubi</i> (Paykull, 1799)	Recorded: Bucureşti, Cotroceni quarter (23).
<i>Chaetocnema aridula</i> (Gyllenhal, 1827)	Recorded: Comana Forest (16, 4).
<i>Chaetocnema (Tlanoma) chlorophana</i> (Duftschmidt, 1825)	Recorded: Chitila (19, 4). Material: Bâneasa Forest, Bucureşti, 1 ♂, 21.06.2007, M.S.
<i>Chaetocnema compressa</i> (Letzner, 1846)	Recorded: Comana Forest (6).
<i>Chaetocnema (Tlanoma) concinna</i> (Marsham, 1802)	Recorded: Comana Forest (26).
<i>Chaetocnema conducta</i> (Motschulsky, 1838)	Recorded: Bâneasa; Buftea; Bucureşti, Tei Park; Chitila (16, 19); Comana Forest (16, 19, 4, 26).
<i>Chaetocnema hortensis</i> (Geoffroy, 1785) (syn: <i>aridella</i> Paykull, 1799)	Recorded: Bâneasa, Bucureşti (16, 4); Comana Forest (26). Material: Bucureşti, Cişmigiu Park, 2 specs, 09.2007. S.S.
<i>Chaetocnema (Tlanoma) major</i> (Duval, 1852)	Recorded: Comana Forest (16, 4).
<i>Chaetocnema obesa</i> (Boieldieu, 1859) (syn: <i>meridionalis</i> Foudras, 1860)	Recorded: Comana Forest (26).
<i>Chaetocnema (Tlanoma) scheffleri</i> (Kutschera, 1864)	Recorded: Comana Forest (7).
<i>Chaetocnema (Tlanoma) tibialis</i> (Illiger, 1807)	Recorded: Chitila (19, 4); Bucureşti (19, 4, 26, 23).
<i>Crepidodera aurata</i> (Marsham, 1802)	Recorded: Bucureşti, Comana Forest (26); Bucureşti, Cotroceni quarter (23); Singureni (22).
<i>Crepidodera fulvicornis</i> (Fabricius, 1792)	Recorded: Comana Forest, Bucureşti (4).
<i>Crepidodera plutus</i> (Latreille, 1804) (syn: <i>Chalcoïdes chloris</i> Foudras, 1860)	Recorded: Comana Forest (4); Singureni (22).
<i>Derocrepis serbica</i> (Kutschera, 1860)	Recorded: Comana Forest (26).
<i>Dibolia foersteri</i> Bach, 1859	Recorded: Comana Forest (26).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Dibolia schillingi</i> (Letzner, 1847) (syn: <i>D. punctillata</i> Foudras, 1860)	Recorded: Comana Forest (4).
<i>Epitrix atropae</i> Foudras, 1860	Recorded: Bucureşti (6).
<i>Epitrix pubescens</i> (Koch, 1803)	Recorded: Comana Forest (16, 4, 22).
<i>Hermaeophaga mercurialis</i> (Fabricius, 1792)	Recorded: Comana Forest (22).
<i>Longitarsus albineus</i> (Foudras, 1860)	Recorded: Comana Forest (5).
<i>Longitarsus (Testergus)</i> <i>anchusae</i> (Paykull, 1799)	Recorded: Comana Forest (6).
<i>Longitarsus atricillus</i> (Linnaeus, 1761)	Recorded: Chitila (19).
<i>Longitarsus ballotae</i> (Marsham, 1802)	Recorded: Comana Forest, Bucureşti (6).
<i>Longitarsus echii</i> (Koch, 1803)	Recorded: Bucureşti, Cotroceni quarter (23); Comana Forest (6).
<i>Longitarsus exsoletus</i> Linnaeus, 1758	Recorded: Comana Forest (6).
<i>Longitarsus juncicola</i> (Foudras, 1860)	Recorded: Comana Forest (20).
<i>Longitarsus languidus</i> Kutschera, 1863	Recorded: Comana Forest (7).
<i>Longitarsus luridus</i> (Scopoli, 1763)	Recorded: Chitila (6).
<i>Longitarsus lycopi</i> (Foudras, 1860)	Recorded: Comana Forest (6).
<i>Longitarsus melanocephalus</i> (De Geer, 1775)	Recorded: Chitila (19, 4); Comana Forest (6).
<i>Longitarsus nasturtii</i> (Fabricius, 1792)	Recorded: Comana Forest (6).
<i>Longitarsus niger</i> (Koch, 1803)	Recorded: Comana Forest (6).
<i>Longitarsus nigrofasciatus</i> (Goeze, 1777)	Recorded: Comana Forest, Bucureşti (6).
<i>Longitarsus obliteratus</i> (Rosenhauer, 1847)	Recorded: Comana Forest (5).
<i>Longitarsus pellucidus</i> (Foudras, 1860)	Recorded: Comana Forest (6).
<i>Longitarsus picicollis</i> Weise, 1900	Recorded: Comana Forest (26).
<i>Longitarsus pratensis</i> (Panzer, 1794)	Recorded: Buftea (4); Comana Forest (6).
<i>Longitarsus quadriguttatus</i> (Pontoppidan, 1763)	Recorded: Comana Forest (6).
<i>Longitarsus salviae</i> Gruev, 1975	Recorded: Comana Forest (5).
<i>Longitarsus succineus</i> (Foudras, 1860)	Recorded: Comana Forest (6).
<i>Longitarsus tabidus</i> (Fabricius, 1775) (syn: <i>Altica verbasci</i> Panzer, 1794)	Recorded: Comana Forest (16); Chitila (19, 4).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Longitarsus tristis</i> Weise, 1888	Recorded: Comana Forest (5).
<i>Mantura rustica</i> (Linnaeus, 1767)	Recorded: Bucureşti (26).
<i>Mniophila muscorum</i> (Koch, 1803)	Recorded: Comana Forest (16, 4); Bucureşti (23).
<i>Neocrepidodera crassicornis</i> (Faldermann, 1837)	Recorded: Comana Forest (6).
<i>Neocrepidodera ferruginea</i> (Scopoli, 1763)	Recorded: Comana Forest (26). Material: Bucureşti, Izvor Park, 3 specs, 30.05.2007, 25.06.2007, S.S., D.F.
<i>Neocrepidodera transversa</i> (Marsham, 1802)	Recorded: Comana Forest, Singureni (22).
<i>Phyllotreta atra</i> (Fabricius, 1775)	Recorded: Buftea; Chitila; Bucureşti, Filaret; Bucureşti, Tei Park; Comana Forest (16, 17, 19, 6); Bucureşti (23).
<i>Phyllotreta cruciferae</i> (Goeze, 1777)	Recorded: Comana Forest; Chitila; Buftea; Bucureşti, Tei Park (16, 4).
<i>Phyllotreta diademata</i> Foudras, 1860	Recorded: Bucureşti, Cotroceni quarter (23).
<i>Phyllotreta exclamacionis</i> (Thunberg 1784)	Recorded: Chitila (19).
<i>Phyllotreta nemorum</i> (Linnaeus, 1758)	Recorded: Chitila, Bucureşti, Tei Park (16, 19, 4); Bucureşti (23). Material: Bucureşti, Unirea Park, 3 specs, 27.06.2006, 28.06.2007, M.S., S.S.; Valea Gurbanului, Comana, 3 specs, 19.06.2007, M.S.; Mlaştinile de la Pescărie, Comana, 4 specs, 19.06.2007, M.S.
<i>Phyllotreta nigripes</i> (Fabricius, 1775)	Recorded: Bucureşti, Filaret; Bucureşti, Cotroceni quarter (19, 4, 23).
<i>Phyllotreta nodicornis</i> (Marsham, 1802)	Recorded: Chitila (19).
<i>Phyllotreta ochripes</i> (Curtis, 1837)	Recorded: Chitila (16, 4); Comana Forest (26); Călugăreni (22). Material: Mlaştinile de la Pescărie, Comana, 1 spec., 19.06.2007, M.S.
<i>Phyllotreta paralella</i> (Boieldieu, 1859)	Recorded: Bucureşti, Tei Park; Bucureşti, Băneasa Forest (16, 4).
<i>Phyllotreta undulata</i> (Kutschera, 1860)	Material: Bucureşti, Izvor Park, 1 spec., 27.06.2007, M.S.; Bucureşti, Unirea Park, 1 spec., 28.06.2007, S.S.
<i>Phyllotreta vittula</i> (Redtenbacher, 1849)	Recorded: Chitila; Buftea; Bucureşti, Tei Park; Comana Forest (16, 17, 18, 19, 4, 26); Bucureşti, Cotroceni quarter (23); Singureni (22). Material: Valea Gurbanului, Comana, 3 specs, 19.06.2007, M.S.; Bucureşti, Unirea Park, 9 specs, 8.06.2007, 28.06.2007, S.S.
<i>Podagrion fuscicornis</i> (Linnaeus, 1766)	Recorded: Bucureşti, Comana Forest (15, 4, 26); Singureni (22).
<i>Podagrion fuscipes</i> (Fabricius, 1775)	Recorded: Căldăruşani (11); Bucureşti (23).
<i>Podagrion malvae</i> (Illiger, 1807)	Recorded: Comana Forest (15, 26); Bucureşti, Filaret (17); Bucureşti (26); Bucureşti, Cotroceni quarter (23).
<i>Podagrion menetriesii</i> (Faldermann, 1837)	Recorded: Bucureşti (6).
<i>Psylliodes attenuatus</i> (Koch, 1803)	Recorded: Bucureşti, Băneasa (16, 4); Chitila (4).

Table 1 (continued)

Taxa	Published data/Examined material
<i>Psylliodes chrysocephalus</i> (Linnaeus, 1758)	Recorded: Bucureşti, Comana Forest (26); Bucureşti (23).
<i>Psylliodes dulcamarae</i> (Koch, 1803)	Recorded: Chitila; Bucureşti, Filaret (16, 18, 19, 4).
<i>Psylliodes napi</i> (Fabricius, 1792)	Recorded: Balta Neagră (11); Bucureşti (23).
Subfamily HISPINAE	
<i>Hispa atra</i> (Linnaeus, 1767)	Recorded: Comana Forest (14, 25). Material: Bucureşti, Cişmigiu Park, 1 spec., 09.2007, S.S.; Bucureşti, Izvor Park, 1 spec., 09.2007, S.S.
Subfamily CASSIDINAE	
<i>Cassida atrata</i> Fabricius, 1787	Recorded: Comana Forest (25).
<i>Cassida (Lordiconia) canaliculata</i> Laicharting, 1781	Recorded: Comana Forest (4).
<i>Cassida deflorata</i> Suffrian, 1844	Recorded: Bucureşti, Bâneasa (18; 4); Comana Forest (26).
<i>Cassida ferruginea</i> Goeze, 1777	Recorded: Comana Forest (19, 4); Bucureşti (23).
<i>Cassida flaveola</i> Thunberg, 1794 (syn: <i>C. obsoleta</i> Illiger, 1798)	Recorded: Comana Forest (26); Bucureşti (23).
<i>Cassida lineola</i> Creutzer, 1799	Recorded: Comana Forest (22).
<i>Cassida (Pseudocassida) murraea</i> Linnaeus, 1767	Recorded: Bucureşti (4); Comana Forest (25, 22); Măriuţa (22).
<i>Cassida nebulosa</i> Linnaeus, 1758	Recorded: Bucureşti (4); Comana Forest (25); Bucureşti, Cotroceni quarter (23).
<i>Cassida (Casidulella) nobilis</i> Linnaeus, 1758	Recorded: Bucureşti (18); Comana Forest (4); Bucureşti, Cotroceni quarter (23).
<i>Cassida (Cassida) prasina</i> Illiger 1798	Material: Brâneşti, Pasărea Forest, 5 specs, 18.5.1965, S.N.
<i>Cassida rubiginosa</i> Müller, 1776	Recorded: Comana Forest, Căscioarele Forest (22).
<i>Cassida sanguinolenta</i> Müller, 1776	Recorded: Bucureşti (4); Comana Forest (26).
<i>Cassida sanguinosa</i> Suffrian, 1844	Recorded: Comana Forest (4).
<i>Cassida stigmatica</i> Suffrian, 1844	Recorded: Comana Forest (18, 4).
<i>Cassida (Mionycha) subreticulata</i> Suffrian, 1844	Recorded: Comana Forest (26).
<i>Cassida vibex</i> Linnaeus, 1767	Recorded: Comana Forest (18, 4); Bucureşti (23). Material: Bucureşti, 1 spec., 1.06.1997, P.S.M.; Baloteşti Forest, 1 spec., 20.06.2007, M.S.
<i>Cassida (Casidulella) vittata</i> Villers, 1789	Material: Bucureşti, Herăstrău Park, 1 spec., 1.05.1994, P.S.M.
<i>Cassida (Odontionycha) viridis</i> Linnaeus, 1758	Recorded: Bucureşti (23); Călugăreni, Căscioarele Forest (22).
<i>Hypocassida subferruginea</i> (Schrank, 1776)	Recorded: Bucureşti, Comana Forest (4, 26); Călugăreni (22). Material: Bucureşti, 2 specs, 14.10.1994, P.S.M.
<i>Pilemostoma fastuosa</i> (Schaller, 1783)	Recorded: Bucureşti (4); Comana Forest (4, 22); Căscioarele Forest (22).

*Cryptocephalus motasi* was described by Panin in 1941, based on the single specimen collected from Bucureşti, Andronache Forest (8.05.1938, legit P.G.A.). The taxonomical status of this species needs confirmation.

According to Warchałowski (op. cit.), *Phyllotreta paralella* is distributed in France, Italy and Iberian Peninsula. Its presence in Romanian fauna is questionable.

*Cassida deflorata* is distributed in North-western Africa, Iberian Peninsula, Sardinia, Sicily and Italy (Warchałowski, op. cit.); the records in Romania need confirmation.

Until now, *Aphthona valachica* is known only in Romania, being described from Comana, southern Romania (Heikertinger, 1944).

Montandon (1906) cited from Comana the species: *Aegomorphus krueperi* (occurred only from Greek mainland), *Agapanthia chalybaea* (distributed in the Caucasus, Near East, Iran and Afghanistan), *A. lais* (occurred in Greece, Syria, Turkey) and *A. lateralis* (occurred in Turkey and Near East). These records in the Romanian fauna are probably, the result of some misidentifications.

*Poecilium puncticolle* and *Chlorophorus hungaricus* are mentioned only in very old papers (Fleck, 1905 b; Montandon, 1906). The presence of these species in Romanian fauna needs confirmation.

*Agapanthia osmanlis* is a rare species in Romania, being mentioned until now only from Comana Forest (Panin & Săvulescu, 1961). This species is distributed in Bulgaria, European Turkey, Hungary, Romania, Yugoslavia and Near East. Also, *Herophila tristis* is a rare species in Romanian fauna, known only from Comana (Hurmuzachi, 1904) and Băile Herculane (Panin & Săvulescu, op. cit.).

*Nathrius brevipennis* is mentioned only from Sibiu (Panin & Săvulescu, op. cit.) and Bucureşti (Serafim, 1985). Now, the species is considered cosmopolitan, being introduced with wooden wrapping in China, North America and South America. Probably, it reached in Romania by the same way.

*Asias halodendri* was recorded by Panin & Săvulescu (op. cit.) as *Asias ephippium* (based on the single specimen, collected from Mihai Bravu Forest and preserved in the "Grigore Antipa" National Museum of Natural History collections). Now, *Asias ephippium* is considered a subspecies of *Asias halodendri* (Danilevsky, 2005). The occurrence of this species in Romania probably is due to an occasional import with wrapping or other wooden materials.

*Rosalia alpina*, *Purpuricenus kaehleri*, *Cerambyx cerdo*, *Cerambyx scopolii* and *Chlorophorus sartor* are protected species in Europe, being included in the Carpathian List of Endangered species (Pawlowski, 2003).

*Cerambyx cerdo* is classified as a vulnerable species in the "IUCN Red List 2003". Also, this species is listed on Annex II of the "Convention of European Wildlife and Natural Habitats", Bern (1979), as strictly protected species. *Cerambyx cerdo* is the single species of the genus *Cerambyx* which is included in the list of the protected species at an European and national level (Law 462/2000 and Order 1198/2005 on the regime of the protected areas and the Romanian wild flora and fauna conservation). *Cerambyx miles*, also a rare species, is often confounded with *Cerambyx cerdo* and it is not included in the European or national red lists, yet.

In Romania, in the Annex no 2 of the Law 462/2001, in the species list whose conservation require the establishing of the special conservation areas and in the Annex no 3A with species of community interest (species which need strict protection) the following species are included: *Morimus funereus*, *Rosalia alpina* and *Cerambyx cerdo*.

The species *Chlorophorus herbstii*, *Clytus lama*, *Cortodera femorata*, *Phytoecia caerulea*, *Lema cyanella*, *Chrysolina varians*, *Phaedon cochleariae*, *Phyllotreta undulata*, *Cassida prasina* and *Cassida vittata* are not reported from this area, until now.

#### ACKNOWLEDGEMENTS

Thanks to the anonymous reviewers for reading the manuscript.

#### DATE PRIVIND COLEOPTERELE CERAMBICIDE ȘI CRISOMELIDE (COLEOPTERA: CHYSOMELOIDEA) DIN BUCUREȘTI ȘI ZONELE LIMITROFE

#### REZUMAT

Lucrarea prezintă o sinteză a datelor referitoare la prezența speciilor de cerambicide și crisomelide din București și zonele limitrofe, pe baza informațiilor bibliografice publicate în perioada 1898-2007 și a studiului materialelor din colecții.

Sunt listate 365 specii aparținând suprafamiliei Chrysomeloidea (140 cerambicide și 225 crisomelide), încadrate în 126 genuri, din 16 subfamilii.

Speciile *Phymatodes puncticollis*, *Chlorophorus hungaricus* Seidlitz, *Cryptocephalus motasi* Panin, *Phyllotreta paralella* (Boieldieu) și *Cassida deflorata* Suffrian au un statut incert în fauna României, prezența lor necesitând confirmarea.

Sunt prezentate date noi referitoare la corologia cerambicidelor și crisomelidelor în zonele cercetate.

Se remarcă prezența unor specii valoroase din punct de vedere științific și protectiv: *Aphtona valachica* Heikertinger, *Rosalia alpina* (Linnaeus), *Purpuricenus kaehleri* (Linnaeus), *Cerambyx cerdo* (Linnaeus), *Cerambyx scopolii* Fuessly și *Chlorophorus sartor* (Müller).

#### LITERATURE CITED

1. DANILEVSKY, M. L., 2005 - Systematic list of Longicorn Beetles (Cerambycoidea) of the territory of former USSR. Available online at: [http://www.zin.ru/Animalia/Coleoptera/rus/cer\\_ru.htm](http://www.zin.ru/Animalia/Coleoptera/rus/cer_ru.htm)
2. ELIESCU, GR., M. ENE, T. RĂDULESCU, ST. NEGRU, 1949 - Atacuri cauzate de insecte. Starea fitosanitară Forestieră în anii 1948 și 1949. Institutul de Cercetări și Experimentări Forestiere, 2 (78): 41-45. (in Romanian)
3. FLECK, ED., 1905 a - Die Coleopteren Rumäniens. Buletinul Societății de Științe Bucuresci, 14 (5): 491-570.
4. FLECK, ED., 1905 b - Die Coleopteren Rumäniens. Buletinul Societății de Științe Bucuresci, 14 (6): 680-735.
5. GRUEV, B., 1973 - Neue angaben über die Systematik und Verbreitung einiger paläarktischen Arten der Gattung *Longitarsus* Latr. mit Beschreibung einer neuen Art aus Bulgarien (Coleoptera, Chrysomelidae). Travaux scientifiques d'Université de Plovdiv, Biologie, 11 (5): 105-145. (in Bulgarian)
6. GRUEV, B., O. MERKL, K. VIG, 1993 - Geographical distribution of Alticinae (Coleoptera, Chrysomelidae) in Romania. Annales Historico-Naturales Musei Nationalis Hungarici, 85: 75-132.
7. HEIKERTINGER, F., 1911 - Skizzen zur Verbreitungsgeographie der paläarktischen Halticinae (Col.). II. Deutsche Entomologische Nationalbibl., Berlin, 2: 172-174, 190-192.
8. HEIKERTINGER, F., 1944 - Bestimmungs - Tabellen europäischer Käfer. LXXXII. Fam. Chrysomelidae. 5 Subfam. Halticinae. 2. Gatt. *Aphtona* Chevr. Bestimmungstabelle der paläarktischen *Aphtona*-Arten. Koleopterologische Rundschau, Wien, 30 (1-3): 37-122.
9. HURMUZACHI, C., 1901 - Catalogul Coleopterelor din România culese în anii 1899 și 1900 de membrii Societății Naturaliștilor și determinate de Constantin Hurmuzachi. Publicațiile Societății Naturaliștilor, 2: 1-13, Bucharest. (in Romanian)
10. HURMUZACHI, C., 1902 - Deuxième Catalogue des Coléoptères récoltés par les membres de la Société des Naturalistes de Roumanie et déterminés par Constantin Hurmuzachi. Publicațiile Societății Naturaliștilor, 3: 11-19, Bucharest.

11. HURMUZACHI, C., 1904 - Troisième Catalogue des Coléoptères récoltés par les membres de la Société des Naturalistes de Roumanie et déterminés par Constantin Hurmuzachi. Buletinul Societății de Sciințe, 13 (1-2): 52-65.
12. JAQUET, M., 1898 a – Faune de la Roumanie. Insectes récoltés par M. Jaquet en 1897 et déterminés par Mr. Ernest Poncy, assistant au Musée d'histoire naturelle de Genève (Coléoptères). Buletinul Societății de Sciințe, 7 (1): 52-56.
13. JAQUET, M., 1898 b – Faune de la Roumanie. Insectes récoltés par M. Jaquet et déterminés par Mr. Ernest Poncy, assistant au Musée d'histoire naturelle de Genève (Coléoptères). Buletinul Societății de Sciințe, 7 (2): 185-187.
14. JAQUET, M., 1899 a – Faune de la Roumanie. Insectes récoltés par M. Jaquet en 1898 et déterminés par Mr. Ernest Poncy, entomologiste à Genève. Buletinul Societății de Sciințe, 8 (1-2): 121-126.
15. JAQUET, M., 1899 b – Faune de la Roumanie. Coléoptères récoltés par M. Le Dr. M. Jaquet et déterminés par M. E. Poncy, à Genève. Buletinul Societății de Sciințe, 8 (3): 370-377.
16. JAQUET, M., 1900 a – Faune de la Roumanie. Coléoptères récoltés par Mr. Le Dr. M. Jaquet et déterminés par Mr. E. Poncy, à Genève. Buletinul Societății de Sciințe, 9 (4): 392-400.
17. JAQUET, M., 1900 b – Faune de la Roumanie. Coléoptères récoltés en 1899 par M. Le Dr. Jaquet et déterminés par M. E. Poncy à Genève. Buletinul Societății de Sciințe, 9 (6): 754-762.
18. JAQUET, M., 1901 – Faune de la Roumanie. Coléoptères récoltés en 1899 par Mr. Le Dr. M. Jaquet et déterminés par Mr. E. Poncy à Genève. Buletinul Societății de Sciințe, 10 (5): 483-497.
19. JAQUET, M., 1902 – Faune de la Roumanie. Coléoptères récoltés par Mr. Le Dr. M. Jaquet et déterminés par Mr. E. Poncy à Genève. Buletinul Societății de Sciințe, 11, (4): 449-457.
20. LEONARDI, C., 1973 - Note corologiche e tassonomiche su alcuni *Longitarsus* con citazione di due specie nuove per l'Italia (Coleoptera, Chrysomelidae). Atti della Società italiana di Scienze naturali e del Museo Civico di Storia Naturale di Milano, 114 (1): 5-42.
21. MAICAN, S., 2006 a - Clytrins (Coleoptera: Chrysomelidae: Clytrinae) from the collections of the “Grigore Antipa” National Museum of Natural History (Bucharest). Travaux du Muséum National d’Histoire Naturelle “Grigore Antipa”, 49: 239-257.
22. MAICAN, S., 2006 b - Chrysomelids (Coleoptera: Chrysomelidae) from the sylvosteppe Forests of Romania. Romanian Journal of Biology – Zoology, Bucharest. Edit. Academiei Române, 51 (1-2): 13-25.
23. MANOLACHE, C. I., 1930 - Colecția Coleopterelor din Laboratorul de Zoologie Descriptivă din București, donată de W. Knechtel senior. Buletinul Societății Studenților Naturaliști, București, 1: 3-20. (in Romanian)
24. MONTANDON, A. L., 1880 - Souvenirs de Valachie. Bulletin de la Société d'études Scientifiques d'Angers, 10 (1): 43-50.
25. MONTANDON, A. L., 1906 - Notes sur la faune entomologique de la Roumanie (Coleoptera). Buletinul Societății de Științe Bucharest, 15 (1-2): 30-80.
26. MONTANDON, A.L., 1908 - Notes sur la faune entomologique de la Roumanie. Buletinul Societății de Științe Bucharest, 17 (1-2): 67-122.
27. PANIN, S., 1941 - Supplément à la connaissance des Coléoptères Roumains. Bulletin de la Section Scientifique de l'Académie Roumaine, 24 (3): 178-182.
28. PANIN, S., 1944 – Les *Chrysomela* de la Roumanie. Bulletin de la Section Scientifique de l'Académie Roumaine, 26 (9): 601-625.
29. PANIN, S., N. SĂVULESCU, 1961 - Coleoptera: Cerambycidae. In: Fauna României. Edit. Academiei Române, 10 (5): 1-523. (in Romanian)
30. PAWŁOWSKI, J., 2003 - Invertebrates, pp. 39-46. In: Witkowski Z., Król W., Solarz W. (eds.), Carpathian List of Endangered Species. WWF and Institute of Nature Conservation Polish Academy of Sciences, Viena-Krakow.
31. PÂRVU, C., 2008 - The premises and objectives of the project “Study of the fauna of București and its surroundings”. Travaux du Muséum National d’Histoire Naturelle „Grigore Antipa”, 51: 353-361.
32. ROŞCA, A., 1973 - Contributions à la connaissance du genre *Cryptocephalus* Fourcr. (Coleoptera, Chrysomelidae) en Roumanie (I). Travaux du Muséum d’Histoire Naturelle “Grigore Antipa”, 13: 143-154.
33. ROŞCA, A., 1974 - Contributions à la connaissance du genre *Chrysomela* L. (Chrysomelidae, Coleoptera) en Roumanie. Travaux du Muséum d’Histoire Naturelle “Grigore Antipa”, 14: 251-259.
34. SAMA, G., 2005 - Fauna Europaea: Cerambycidae. In: Audisio P., 2005 - Fauna Europaea: Coleoptera 2. Fauna Europaea version 1.2. Available online at: <http://www.faunaeur.org>

35. SÂVULESCU, N., 1969 - Câteva observații ecologice asupra speciilor din România ale genului *Cerambyx* L. (Coleoptera: Cerambycidae). Prima Consfătuire Națională de Entomologie, Comunicări de Zoologie: 281-290, București. (in Romanian)
  36. SEENO, T., J. WILCOX, 1982 - Leaf-Beetle Genera (Coleoptera: Chrysomelidae). Entomography Publications, Sacramento, California, 221 pp.
  37. SERAFIM, R., 1985 - Contributions à la connaissance des Coléoptères Cerambycidae du sud de la Roumanie. Travaux du Muséum d'Histoire Naturelle „Grigore Antipa”, 27: 69-94.
  38. SERAFIM, R., 2005 - The Catalogue of the Palaearctic species of Prioninae and Lepturinae (Coleoptera: Cerambycidae) from the patrimony of „Grigore Antipa” National Museum of Natural History (Bucharest). (Part I). Travaux du Muséum National d'Histoire Naturelle „Grigore Antipa”, 48: 103-117.
  39. SERAFIM, R., 2006 - The Catalogue of the Palaearctic species of Lepturinae (Coleoptera: Cerambycidae) from the patrimony of „Grigore Antipa” National Museum of Natural History (Bucharest). (Part II). Travaux du Muséum National d'Histoire Naturelle „Grigore Antipa”, 49: 203-238.
  40. SERAFIM, R., 2007 – The Catalogue of the Palaearctic species of Spondylidinae (Coleoptera: Cerambycidae) from the patrimony of „Grigore Antipa” National Museum of Natural History (Bucharest) (Part III). Travaux du Muséum National d'Histoire Naturelle „Grigore Antipa”, 50: 221-230.
  41. WARCHAŁOWSKI, A., 2003 – Chrysomelidae. The leaf-beetles of Europe and the Mediterranean area. Warszawa, 600 pp.
- \*\*\* Convention of European Wildlife and Natural Habitats, Bern (1979). Available online at: <http://www.Convention of European Wildlife and Natural Habitats>.

Received: April 15, 2008

Accepted: May 23, 2008

Rodica Serafim

Muzeul Național de Istorie Naturală „Grigore Antipa”

Șos. Kiseleff 1, 011341 București 2, România

e-mail: serafim@antipa.ro

Sanda Maican

Institutul de Biologie

Splaiul Independenței 296, 060031 București, România

e-mail: sanda.maican@ibiol.ro